

Supplementary Information

Green hydrogen export opportunities for African countries

Florian Egli^{1,2}, Flurina Schneider², Alycia Leonard³, Claire Halloran³, Nicolas Salmon³, Tobias Schmidt^{2,4}, Stephanie Hirmer³

Contains Figures 1-6 and Tables 1-5.

(Preprint)

¹School of Social Sciences and Technology, Technical University of Munich, Munich, Germany

²Energy and Technology Policy Group, ETH Zurich, Zurich, Switzerland

³Engineering Department, University of Oxford, Oxford, UK

⁴Institute of Science, Technology and Policy, ETH Zurich, Zurich, Switzerland




Fig. 1 | Cost of capital (CoC) by country and policy scenarios. a. CoC for a private commercial and a public de-risked scenario in a low general interest environment (scenarios 3 and 4). Country differences result from different investment risks based on default spreads¹, while differences between policy scenarios, i.e., commercial versus de-risked, are the result of different sources of capital and premia (see Methods).




Fig. 2 | LCOH distribution by country. a. LCOH for scenario 3, *investment-friendly private*. **b.** LCOH for scenario 4, *investment-friendly de-risked*. The orange line represents the cost of producing green H₂ in Rotterdam by 2030 as described in Methods. Colours indicate the cost competitiveness with European green H₂ projects, where blue is “in the money” compared to the cost of hydrogen produced in Rotterdam, yellow is near the European cost, and red is likely to be uncompetitive. The dotted line on the colour bar denotes the mean modelled cost of hydrogen produced in Rotterdam across the four scenarios. LCOH is in €/kg. Dashed black lines within the violin plots indicate the median and dotted black lines indicate the 25th and 75th percentiles.




Fig. 3 | LCOH for Africa. a. LCOH for scenario 3, *investment-friendly private*. b. LCOH for scenario 4, *investment-friendly de-risked*. Colours indicate the cost competitiveness with European green H₂ projects, where blue is “in the money” compared to the cost of hydrogen produced in Rotterdam, yellow is near the European cost, and red is likely to be uncompetitive. The dotted line on the colour bar denotes the mean modelled cost of hydrogen produced in Rotterdam across the four scenarios. LCOH in €/kg H₂. Stars denote planned projects, as listed in Figure 1.




Fig. 4 | LCOH maps for a. Angola, b. Egypt, c. Kenya, d. Mauritania, e. Morocco, f. Namibia, and g. South Africa. Costs shown are for scenario 1, *cash-constrained private*. Countries are not shown to scale; however each hexagon is the same area across all sub-figures.




Fig. 5 | Hourly cost breakdown. Costs components with an hourly resolution for 15 days in Liberia as an exemplary high-cost country reliant on solar PV. This case illustrates that a mixture of compressed hydrogen and ammonia storage is deployed rather than battery storage to ensure a constant load to run the electrolyzer.




Fig. 6 | LCOH breakdown. Cost shown for scenario 1, cash constrained private.

Table 1 | Techno-economic parameters GeoH₂ model. * = Values based on higher heating value of fuels.

Parameter	Unit	Value	Component	Reference
Capital cost	€/MW	1'470'000	PV system	2
Capital cost	€/MW	1'580'000	Wind system	2
Capital cost	€/MWh	95'000	Battery	3
Capital cost	€/MW	291'000	Electrolyzer	4
Efficiency*	%	74	Electrolyzer	5
Capital cost	€/MW	130'000	Hydrogen compression	6
Electricity demand*	MWhe/MWh H2	0.05	Hydrogen compression	5
Capital cost	€/MW	1'700'000	Ammonia production	4
Hydrogen efficiency*	MWh H2/MWh NH3	88%	Ammonia production	5
Electricity efficiency*	MWhe/MWh NH3	625%	Ammonia production	5
Capital cost	€/MW	148'000	Battery interface output	5
Capital cost	€/MW	1'000'000	Hydrogen fuel cell	4
Efficiency*	MWh H2/MWh e	50%	Hydrogen fuel cell	5
Capital cost	€/MWh	800	Ammonia storage	4
Capital cost	€/MWh	21,700	Compressed hydrogen storage	7
Maximum capacity	t NH3/year	15,000,000	Large pipeline	8
Minimum capacity	t NH3/year	8,262,000	Large pipeline	8
Minimum capacity	t NH3/year	1,775,000	Medium pipeline	8
Minimum capacity	t NH3/year	500,000	Small pipeline	8
Capex constant	€/t/year/100km	36.63	Large pipeline	8
Capex flow coefficient	€/t ² /year ² /100km	-5.00E-07	Large pipeline	8
Capex constant	€/t/year/100km	59.64	Medium pipeline	8
Capex flow coefficient	€/t ² /year ² /100km	-3.15E-06	Medium pipeline	8
Capex constant	€/t/year/100km	82.31	Small pipeline	8
Capex flow coefficient	€/t ² /year ² /100km	-1.59E-05	Small pipeline	8

Table 2 | LCOH summary statistics

Scenario	Min.	Max.	Average	Median	25 th Percentile	75 th Percentile	LCOH Rotterdam	% of Cost-Competitive Production Locations
1	4.7	22.1	11.9	12.2	9.2	14.1	4.65	0.16%
2	3.6	11.9	7.9	8.2	6.4	9.3	4.64	6.2%
3	4	19.9	10.2	10.4	7.8	12.2	4.62	2.1%
4	3	9.6	6.4	6.7	5.3	7.6	4.61	20.4%

Table 3 | Project Sample Overview

Project Name	Country	Date Online	Status	Dedicated End Uses	Capacity (MW)
Sonangol	Angola	2024	Concept	Ammonia	582
Ain Sokhna ammonia project	Egypt	2027	Feasibility study	Ammonia	1459
Ain Sokhna plant, Suez Canal Economic Zone (SCZone), phase 1	Egypt	2026	Feasibility study	Ammonia, mobility	253
EBIC - Ammonia plant	Egypt	2024	Feasibility study	Ammonia	100
Masdar Hassan Allam green hydrogen, phase 1	Egypt	2026	Feasibility study	Methanol, mobility	194
Masdar Hassan Allam green hydrogen, phase 2	Egypt	2030	Concept	Ammonia, other industrial applications	3806
ReNew Power - Egypt MoU, Ammonia phase 1	Egypt	2025	Concept	Ammonia	208
ReNew Power - Egypt MoU, Ammonia phase 2	Egypt	2029	Concept	Ammonia	2079
ReNew Power - Egypt MoU, Hydrogen, phase 1	Egypt	2025	Concept	Unspecified	231
ReNew Power - Egypt MoU, Hydrogen, phase 2	Egypt	2029	Concept	Unspecified	2078
Scatec Green Ammonia	Egypt	2025	Concept	Ammonia	1823
Total Eren, Enara green ammonia, phase 2	Egypt	2030	Concept	Ammonia	2188
Kenya Private Sector Alliance - FFI MoU, phase 1	Kenya	2025	Feasibility study	Ammonia	300
Aman - Green Hydrogen Project - phase 1	Mauritania	2030	Feasibility study	Ammonia	
Mauritania - Green Ammonia project - phase 1	Mauritania	2028	Concept	Ammonia	400
Project Nour	Mauritania	2030	Feasibility study	Unspecified	6906
Guelmim-Oued Noun project	Morocco	2027	Concept	Unspecified	
HEVO-Morocco	Morocco	2026	Feasibility study	Ammonia	689
Masen - KfW	Morocco	2025	Feasibility study		100

OCP Group Ammonia project	Morocco	2027	Concept	Ammonia	2079
Daures Green Hydrogen Village, phase 1	Namibia	2023	FID/Construction	Ammonia	0.5
Daures Green Hydrogen Village, phase 2	Namibia	2024	Feasibility study	Ammonia	3.5
Daures Green Hydrogen Village, phase 3	Namibia	2028	Feasibility study	Ammonia	38
Hyphen Hydrogen Energy - phase I	Namibia	2027	Feasibility study	Ammonia	1000
Hyphen Hydrogen Energy - phase II	Namibia	2029	Feasibility study	Ammonia	2000
O&L group - CMB.TECH hydrogen hub	Namibia	2023	FID/Construction	Mobility	4
Renewstable Swakopmund	Namibia	2025	Feasibility study	Power	24
Anglo-American Mogalakwena mine	South Africa	2022	Operational	Mobility	3.5
Eastern Cape MeOH plant	South Africa	2027	Concept	Methanol	120
Nelson Mandela Bay green ammonia plant, phase 1	South Africa	2025	Feasibility study	Ammonia	540
Nelson Mandela Bay green ammonia plant, phase 2	South Africa	2026	Feasibility study	Ammonia	2162
Prieska ammonia project, phase 1	South Africa	2025	Feasibility study	Ammonia	149
Prieska ammonia project, phase 2	South Africa	2030	Concept	Ammonia	5623
Sasolburg green hydrogen project	South Africa	2024	Feasibility study	Methanol, Iron & Steel, mobility, power	60

Table 4 | Interview Sample Overview

Interviewee Number	Location	Gender	Function	Organization Type
1	Johannesburg, South Africa	Male	Chief Legal Counsel, Energy & Sovereign Debt	Public
2	Luxembourg	Male	Technical Advisor Low Carbon Technologies	Public
3	Luxembourg	Male	Senior Climate Officer	Public
4	Luxembourg	Female	Senior Credit Officer	Public
5	Abidjan, Côte d'Ivoire	Female	Investment Administrator Private Sector Credit Enhancement Facility	Public
7	Paris, France	Male	Innovation R&D Director	Private
8	Zürich, Switzerland	Male	Key Account Manager Multilateral Development Banks	Private
9	Washington, DC, USA	Male	Senior Insurance Specialist	Public
10	London, UK	Male	Political and Sovereign Credit Risk Team Lead	Private
11	Geneva, Switzerland	Male	CEO	Public
12	Nairobi, Kenya	Male	Dean	Public
13	Windhoek, Namibia	Male	Head of Renewable Energy and Green Hydrogen Program	Public

Table 5 | Cost of Capital Components

Component	Description	Source
Risk-Free Rate ($r^{f_{low,high}}$)	<p>The risk-free rate for each scenario is derived from looking at the average yield on 10-year US treasury bonds based on data from⁹ in two five-year time periods:</p> <ul style="list-style-type: none"> $r^{f_{low}}$: In the aftermath of the 2008 financial crisis, central banks lowered interest rates overnight¹⁰. In July 2020, the US 10-year government bond yield reached a minimum of 0.62%⁹ resulting in an average government bond yield of around 2.6% between 2009 and 2014. Using these findings as a benchmark, we assume $r^{f_{low}}$ to be 2% for simplicity. $r^{f_{high}}$: We use the five-year period before the financial crisis (2003-2008) as a reference point for interest rates in "normal times." In this time period, long-term interest rates fluctuated around an average of 4.3%⁹. For simplicity, we assume $r^{f_{high}}$ to be 5%, which is more reflective of peaks in the long-term government bond yields as observed, for example, in January 2000 (6.66%)⁹. 	Link to OECD long-term interest rates.
Country Default Spread Host (CDS_{Host})	The country risk premium is often estimated using the default spread, which is the difference between the yields of a country's bonds and the US 10-year treasury bond.	Link to Damodaran Dataset

	However, not all countries issue bonds in USD or EUR, making this method impractical. The finance literature suggests two alternatives: If a country has a sovereign credit rating, the default spread of other countries with the same rating can be used ¹¹ . If a country doesn't have a rating, we use a different method based on previous work ¹² described below under Wikiratings.	
Country Default Spread Western EU $CDS_{WesternEU}$	Besides the individual country default spreads (CDS), ¹³ also provides average default spreads for regions weighted by each country's GDP. For this study, we used the weighted average CDS for Western Europe as of July 2023, which equals 0.96%.	Link to Damodaran Dataset. The data used in this paper is taken from the July 2023 update of the "Risk Premiums for Other Markets" estimates.
MIGA Guarantees	MIGA risk fees typically average 1%, but can vary from 0.5% to 1.75% ¹⁴ . However, public pricing data is not readily available. To address this, an alternative approach is suggested by aligning the distribution of MIGA pricing, as indicated by ¹⁴ with the distribution of country default spreads (CDS) from Damodaran's 2023 country sample . As described in equation (6) in the Methods the percentiles of the range suggested by ref. ¹⁴ are mapped to the percentiles of the country default spreads based on the estimates by ref. ¹³ to establish an approximate pricing mechanism for MIGA risks based on country risk.	Link to Damodaran Dataset.
Wikiratings	For countries not covered by ¹³ , the Sovereign Wikirating Index ¹⁵ is considered and converted to an equivalent Moody's using Wikirating's credit ratings table ¹⁶ . This allows for calculating a country's default spread using a table provided by ¹³ , linking Moody's ratings to default spreads.	Link to sovereign ratings. Link to the credit ratings table.
Equity Risk Premium (ERP)	For scenarios A and B, equity risk reflecting the weighted average of Western EU equity risk is used. Damodaran ¹³ calculates the total ERP for different regions weighted by the latest World Bank GDP estimates.	Link to Damodaran Dataset.
Country Risk Premium (CRP)	The CRP represents the risk of investing in a country relative to a mature market (US) ERP . They are based on the relative sovereign default spreads in the respective country, multiplied by the volatility of said country's leading equity index. That is, multiplied by the ratio of the standard deviation of daily values of the leading national index over the past year relative to the standard deviation of the S&P 500 ^{1,17} .	Link to Damodaran Dataset.
$\frac{D}{V}$ Debt Share (\bar{V})	A recent OECD report provides a number of case studies of different green H ₂ demonstration and/or large-scale projects in emerging economies ¹⁸ . In terms of financing, the authors find that companies are targeting a similar gearing ratio as typical CAPEX-intensive industry and infrastructures, with 20-30% equity and 70-80% debt. Hence, for this paper, a debt share of 75% is assumed.	Link to OECD report.
Technology Premium (TP)	The technology premium (TP) reflects the additional risk of green H ₂ investments stemming from the fact that it there is a limited track record of successfully scaling the technology in large-scale projects. Following a recent IRENA report ¹⁷ , TP is set to 3.25%, reflecting a premium for new renewable energy markets.	Link to IRENA report.
Lender margin (Lm)	Following a recent IRENA report ¹⁷ , a 2% lender margin to account for the additional risk of large private infrastructure debt investments is assumed. This 2% baseline is based on a 2019 report by the EDHEC Infrastructure institute ¹⁹ and corroborated with two additional reports from the grey literature. 23/02/2024 15:26:00 PM	Link to IRENA report. Link to 2019 report by the EDHEC Infrastructure Institute.

References

1. Damodaran, A. Country Risk: Determinants, Measures and Implications – The 2023 Edition. SSRN Scholarly Paper at <https://doi.org/10.2139/ssrn.4509578> (2023).
2. Allington, L. *et al.* Selected ‘Starter kit’ energy system modelling data for selected countries in Africa, East Asia, and South America (#CCG, 2021). *Data in Brief* **42**, 108021 (2022).
3. BNEF. Lithium-ion Battery Pack Prices Rise for First Time to an Average of \$151/kWh. *BloombergNEF* <https://about.bnef.com/blog/lithium-ion-battery-pack-prices-rise-for-first-time-to-an-average-of-151-kwh/> (2022).
4. Palys, M. J. & Daoutidis, P. Using hydrogen and ammonia for renewable energy storage: A geographically comprehensive techno-economic study. *Computers & Chemical Engineering* **136**, 106785 (2020).
5. Nayak-Luke, R. M. & Bañares-Alcántara, R. Techno-economic viability of islanded green ammonia as a carbon-free energy vector and as a substitute for conventional production. *Energy Environ. Sci.* **13**, 2957–2966 (2020).
6. Cerniauskas, S. Introduction Strategies for Hydrogen Infrastructure. vol. 561 (Forschungszentrum Jülich GmbH Zentralbibliothek, Verlag, Jülich, 2021).
7. Müller, L. A. Geospatial modelling of optimal green hydrogen production locations in Kenya. (RWTH Aachen University, Aachen, North Rhine-Westphalia, Germany, 2022).
8. Salmon, N., Bañares-Alcántara, R. & Nayak-Luke, R. Optimization of green ammonia distribution systems for intercontinental energy transport. *iScience* **24**, 102903 (2021).
9. OECD. 10 Year US Treasury Bond Yields. <https://doi.org/10.1787/mei-data-en> (2023).
10. Schmidt, T. S. *et al.* Adverse effects of rising interest rates on sustainable energy transitions. *Nat Sustain* **2**, 879–885 (2019).
11. Damodaran, A. Country Risk: Determinants, Measures and Implications - The 2022 Edition. SSRN Scholarly Paper at <https://doi.org/10.2139/ssrn.4161010> (2022).
12. Agutu, C., Egli, F., Williams, N. J., Schmidt, T. S. & Steffen, B. Accounting for finance in electrification models for sub-Saharan Africa. *Nat Energy* **7**, 631–641 (2022).
13. Damodaran, A. Risk Premiums for Other Markets. (2023).
14. Gatti, S. 6 - Financing the Deal. in *Project Finance in Theory and Practice (Third Edition)* (ed. Gatti, S.) 209–335 (Academic Press, 2018). doi:10.1016/B978-0-12-811401-8.00006-4.
15. Wikirating. List of Countries by Credit Rating. *Wikirating* <https://www.wikirating.com/list-of-countries-by-credit-rating/> (2023).
16. Wikirating. Credit Rating Table. *Wikirating* <https://www.wikirating.com/help/credit-rating-table/> (2023).
17. IRENA. *The Cost of Financing for Renewable Power*. <https://www.irena.org/Publications/2023/May/The-cost-of-financing-for-renewable-power> (2023).
18. OECD. *Green Hydrogen Opportunities for Emerging and Developing Economies: Identifying Success Factors for Market Development and Building Enabling Conditions*. vol. 205 https://www.oecd-ilibrary.org/environment/green-hydrogen-opportunities-for-emerging-and-developing-economies_53ad9f22-en (2022).
19. Noël Amenc, Blanc-Brude, F. & Gupta, A. 2019 *Global Infrastructure Investor Survey – Benchmarking - EDHEC Infra & Private Assets*. <https://edhec.infrastructure.institute/paper/2019-global-infrastructure-investor-survey-benchmarking-trends-and-best-practices/> (2019).