






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes

Area: 68.85 (ha)
Number of points/pixels: 765






Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes









Area: 50.58 (ha)
Number of points/pixels: 562



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 45.36 (ha)
Number of points/pixels: 504



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 38.88 (ha)
Number of points/pixels: 432






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 38.52 (ha)
Number of points/pixels: 428







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes








Area: 250.38 (ha)
Number of points/pixels: 2782




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 33.57 (ha)
Number of points/pixels: 373




© Windthrow Inventory Database (WInD)- Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 65.34 (ha)
Number of points/pixels: 726




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 132.66 (ha)
Number of points/pixels: 1474



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 166.05 (ha)
Number of points/pixels: 1845





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 204.93 (ha)
Number of points/pixels: 2277



Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 95.49 (ha)

Number of points/pixels: 1061






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 268.56 (ha)
Number of points/pixels: 2984



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 53.01 (ha)
Number of points/pixels: 589





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 206.64 (ha)
Number of points/pixels: 2296




Severity distribution:







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 350.82 (ha)
Number of points/pixels: 3898




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 50.49 (ha)

Number of points/pixels: 561



Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 62.19 (ha)



Number of points/pixels: 691





Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
 MPI for Biogeochemistry - Department Biogeochemical Processes




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 30.6 (ha)
Number of points/pixels: 340



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
 MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 39.51 (ha)
Number of points/pixels: 439





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 107.28 (ha)
Number of points/pixels: 1192



Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes

