




© Windthrow Inventory Database (WInD)- Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes

Area: 44.01 (ha)  
Number of points/pixels: 489




Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



**Area: 119.43 (ha)**  
**Number of points/pixels: 1327**






Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes






**Area: 49.32 (ha)**  
**Number of points/pixels: 548**




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes






**Area: 124.92 (ha)**  
**Number of points/pixels: 1388**




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 38.16 (ha)  
Number of points/pixels: 424





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 40.59 (ha)  
Number of points/pixels: 451





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 84.51 (ha)  
Number of points/pixels: 939



Severity distribution:







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 249.03 (ha)

Number of points/pixels: 2767





Severity distribution:




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 80.64 (ha)  
Number of points/pixels: 896





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 66.69 (ha)  
Number of points/pixels: 741







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 153.54 (ha)  
Number of points/pixels: 1706



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 40.5 (ha)  
Number of points/pixels: 450



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 82.35 (ha)  
Number of points/pixels: 915



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 74.25 (ha)  
Number of points/pixels: 825








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes




**Area: 41.94 (ha)**  
**Number of points/pixels: 466**





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 39.96 (ha)  
Number of points/pixels: 444



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes


Area: 158.31 (ha)  
Number of points/pixels: 1759





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



**Area: 184.23 (ha)**  
**Number of points/pixels: 2047**






Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 47.7 (ha)  
Number of points/pixels: 530



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 39.51 (ha)  
Number of points/pixels: 439










© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 52.65 (ha)  
Number of points/pixels: 585



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes


Area: 55.8 (ha)  
Number of points/pixels: 620







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 42.75 (ha)  
Number of points/pixels: 475



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes

