





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 103.77 (ha)
Number of points/pixels: 1153




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 43.29 (ha)


Number of points/pixels: 481




Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 215.73 (ha)
Number of points/pixels: 2397




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 64.35 (ha)
Number of points/pixels: 715



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 172.35 (ha)

Number of points/pixels: 1915





Severity distribution:




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 668.97 (ha)
Number of points/pixels: 7433







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 661.5 (ha)
Number of points/pixels: 7350



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 96.84 (ha)
Number of points/pixels: 1076




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 149.67 (ha)

Number of points/pixels: 1663





Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 60.03 (ha)
Number of points/pixels: 667








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 136.53 (ha)
Number of points/pixels: 1517




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 325.26 (ha)

Number of points/pixels: 3614




Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 85.41 (ha)
Number of points/pixels: 949







Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 82.53 (ha)
Number of points/pixels: 917



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 64.44 (ha)
Number of points/pixels: 716





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 706.68 (ha)
Number of points/pixels: 7852






© Windthrow Inventory Database (WInD)- Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 58.59 (ha)
Number of points/pixels: 651



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 125.64 (ha)
Number of points/pixels: 1396




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 126.72 (ha)

Number of points/pixels: 1408



Severity distribution:






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 48.24 (ha)



Number of points/pixels: 536



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 108.99 (ha)
Number of points/pixels: 1211





Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 55.44 (ha)
Number of points/pixels: 616




Severity distribution:





© Windthrow Inventory Database (WInD)- Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 41.67 (ha)
Number of points/pixels: 463



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 199.53 (ha)
Number of points/pixels: 2217





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 54.54 (ha)
Number of points/pixels: 606







Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 196.56 (ha)
Number of points/pixels: 2184




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes

Area: 37.71 (ha)
Number of points/pixels: 419








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes








Area: 34.92 (ha)
Number of points/pixels: 388




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 34.56 (ha)
Number of points/pixels: 384



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 250.83 (ha)
Number of points/pixels: 2787





Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 489.87 (ha)
Number of points/pixels: 5443






Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 45.81 (ha)
Number of points/pixels: 509



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 219.6 (ha)
Number of points/pixels: 2440



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 39.33 (ha)
Number of points/pixels: 437





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 78.12 (ha)
Number of points/pixels: 868






Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 30.87 (ha)
Number of points/pixels: 343





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 63.36 (ha)
Number of points/pixels: 704





Severity distribution:




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 64.17 (ha)
Number of points/pixels: 713



Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 100.44 (ha)
Number of points/pixels: 1116





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 102.78 (ha)





Number of points/pixels: 1142



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 298.35 (ha)
Number of points/pixels: 3315





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 65.07 (ha)

Number of points/pixels: 723






Severity distribution:




© Windthrow Inventory Database (WInD)- Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 65.97 (ha)
Number of points/pixels: 733




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 61.47 (ha)
Number of points/pixels: 683





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 1195.47 (ha)
Number of points/pixels: 13283



Severity distribution:




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 67.41 (ha)

Number of points/pixels: 749



Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 169.65 (ha)
Number of points/pixels: 1885

