





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
 MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes

Area: 63.09 (ha)  
Number of points/pixels: 701





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes

Area: 30.24 (ha)  
Number of points/pixels: 336



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 87.84 (ha)



Number of points/pixels: 976




Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 55.53 (ha)  
Number of points/pixels: 617



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 31.05 (ha)  
Number of points/pixels: 345









© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



**Area: 86.04 (ha)**  
**Number of points/pixels: 956**



Severity distribution:




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 352.89 (ha)

Number of points/pixels: 3921





Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



**Area: 51.84 (ha)**  
**Number of points/pixels: 576**






Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 114.66 (ha)  
Number of points/pixels: 1274



Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 421.74 (ha)  
Number of points/pixels: 4686



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes










© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes

Area: 35.46 (ha)


Number of points/pixels: 394





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 62.1 (ha)  
Number of points/pixels: 690





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 84.96 (ha)  
Number of points/pixels: 944



Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 56.7 (ha)  
Number of points/pixels: 630





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 60.84 (ha)

Number of points/pixels: 676



Severity distribution:









© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 69.03 (ha)  
Number of points/pixels: 767



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 41.49 (ha)  
Number of points/pixels: 461





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 42.93 (ha)  
Number of points/pixels: 477







Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 112.14 (ha)  
Number of points/pixels: 1246



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 79.11 (ha)  
Number of points/pixels: 879




Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 213.12 (ha)  
Number of points/pixels: 2368

