




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



**Area: 75.6 (ha)**  
**Number of points/pixels: 840**









© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 43.65 (ha)  
Number of points/pixels: 485









© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 72.27 (ha)  
Number of points/pixels: 803





Severity distribution:






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 59.04 (ha)  
Number of points/pixels: 656





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes










© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes




**Area: 108.9 (ha)**  
**Number of points/pixels: 1210**







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 66.33 (ha)  
Number of points/pixels: 737









© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 154.62 (ha)  
Number of points/pixels: 1718







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 55.71 (ha)  
Number of points/pixels: 619






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 71.37 (ha)

Number of points/pixels: 793





Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 45.45 (ha)  
Number of points/pixels: 505





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 921.06 (ha)

Number of points/pixels: 10234









© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



**Area: 40.32 (ha)**  
**Number of points/pixels: 448**







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 66.42 (ha)  
Number of points/pixels: 738








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 30.6 (ha)  
Number of points/pixels: 340



Severity distribution:








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 239.76 (ha)  
Number of points/pixels: 2664



Severity distribution:








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 312.12 (ha)

Number of points/pixels: 3468








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 162.27 (ha)

Number of points/pixels: 1803








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes




**Area: 156.78 (ha)**  
**Number of points/pixels: 1742**





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



**Area: 165.69 (ha)**  
**Number of points/pixels: 1841**






Severity distribution:







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes

Area: 35.82 (ha)  
Number of points/pixels: 398



Severity distribution:









© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 47.43 (ha)  
Number of points/pixels: 527



Severity distribution:







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



**Area: 1607.58 (ha)**  
**Number of points/pixels: 17862**







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes






**Area: 61.83 (ha)**  
**Number of points/pixels: 687**







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes









© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 84.06 (ha)  
Number of points/pixels: 934









© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



**Area: 254.43 (ha)**  
**Number of points/pixels: 2827**



Severity distribution:








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



**Area: 103.68 (ha)**  
**Number of points/pixels: 1152**








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 47.79 (ha)  
Number of points/pixels: 531









© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



**Area: 216.99 (ha)**  
**Number of points/pixels: 2411**









© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



**Area: 191.43 (ha)**  
**Number of points/pixels: 2127**




Severity distribution:









© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





**Area: 968.67 (ha)**  
**Number of points/pixels: 10763**







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes









© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 119.25 (ha)  
Number of points/pixels: 1325



Severity distribution:










© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





**Area: 142.47 (ha)**  
**Number of points/pixels: 1583**





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes









© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes






**Area: 787.86 (ha)**  
**Number of points/pixels: 8754**







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 89.46 (ha)  
Number of points/pixels: 994



Severity distribution:








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 60.84 (ha)  
Number of points/pixels: 676





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 76.32 (ha)

Number of points/pixels: 848



Severity distribution:







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



**Area: 96.75 (ha)**  
**Number of points/pixels: 1075**









© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes

Area: 69.48 (ha)

Number of points/pixels: 772





Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes











© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





**Area: 351.99 (ha)**  
**Number of points/pixels: 3911**








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 74.34 (ha)

Number of points/pixels: 826



Severity distribution:








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 383.76 (ha)  
Number of points/pixels: 4264








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



**Area: 108.99 (ha)**  
**Number of points/pixels: 1211**





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024  
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 68.31 (ha)  
Number of points/pixels: 759

