





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 102.33 (ha)
Number of points/pixels: 1137




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 92.61 (ha)
Number of points/pixels: 1029



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 40.95 (ha)
Number of points/pixels: 455





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 77.67 (ha)
Number of points/pixels: 863





Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 77.85 (ha)
Number of points/pixels: 865






Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 102.33 (ha)
Number of points/pixels: 1137



Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 106.56 (ha)
Number of points/pixels: 1184




Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 85.59 (ha)
Number of points/pixels: 951





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 41.04 (ha)
Number of points/pixels: 456





Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 145.53 (ha)
Number of points/pixels: 1617





Severity distribution:





© Windthrow Inventory Database (WInD)- Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 155.52 (ha)
Number of points/pixels: 1728






Severity distribution:




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 71.64 (ha)
Number of points/pixels: 796




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 164.25 (ha)
Number of points/pixels: 1825



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 246.96 (ha)
Number of points/pixels: 2744





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 80.19 (ha)
Number of points/pixels: 891






Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 122.58 (ha)
Number of points/pixels: 1362





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 165.33 (ha)
Number of points/pixels: 1837





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 89.46 (ha)

Number of points/pixels: 994



Severity distribution:




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 102.96 (ha)

Number of points/pixels: 1144




Severity distribution:




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 111.42 (ha)
Number of points/pixels: 1238



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 120.51 (ha)
Number of points/pixels: 1339




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 1036.08 (ha)

Number of points/pixels: 11512






Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 262.71 (ha)
Number of points/pixels: 2919



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 217.44 (ha)


Number of points/pixels: 2416






Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 264.6 (ha)
Number of points/pixels: 2940





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 50.94 (ha)
Number of points/pixels: 566



Severity distribution:




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 42.57 (ha)
Number of points/pixels: 473






Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 327.24 (ha)
Number of points/pixels: 3636



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 146.16 (ha)
Number of points/pixels: 1624





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 77.94 (ha)
Number of points/pixels: 866



Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 66.51 (ha)
Number of points/pixels: 739




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 35.82 (ha)
Number of points/pixels: 398




© Windthrow Inventory Database (WInD)- Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 137.97 (ha)
Number of points/pixels: 1533





Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 69.21 (ha)
Number of points/pixels: 769





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 625.32 (ha)
Number of points/pixels: 6948



Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 80.19 (ha)

Number of points/pixels: 891






Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes


Area: 36.18 (ha)
Number of points/pixels: 402





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 134.1 (ha)
Number of points/pixels: 1490




Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 376.74 (ha)
Number of points/pixels: 4186






Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: **58.95 (ha)**
Number of points/pixels: **655**



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




0 2 4 km





Area: 54.18 (ha)
Number of points/pixels: 602




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 75.33 (ha)
Number of points/pixels: 837





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 164.88 (ha)
Number of points/pixels: 1832






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 36.81 (ha)
Number of points/pixels: 409





Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 36.27 (ha)
Number of points/pixels: 403



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 43.65 (ha)

Number of points/pixels: 485





Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 71.1 (ha)
Number of points/pixels: 790





Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 218.43 (ha)
Number of points/pixels: 2427






Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 50.76 (ha)
Number of points/pixels: 564







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 173.61 (ha)
Number of points/pixels: 1929





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 134.1 (ha)
Number of points/pixels: 1490






Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 194.58 (ha)
Number of points/pixels: 2162



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 268.83 (ha)
Number of points/pixels: 2987





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 67.86 (ha)
Number of points/pixels: 754






Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 180.18 (ha)
Number of points/pixels: 2002





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 82.26 (ha)
Number of points/pixels: 914





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 185.94 (ha)
Number of points/pixels: 2066



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 228.69 (ha)
Number of points/pixels: 2541



Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes

Area: 37.44 (ha)
Number of points/pixels: 416

