




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 42.39 (ha)
Number of points/pixels: 471







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 41.94 (ha)
Number of points/pixels: 466






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 119.07 (ha)
Number of points/pixels: 1323






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 192.96 (ha)
Number of points/pixels: 2144





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 34.74 (ha)
Number of points/pixels: 386



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 277.38 (ha)
Number of points/pixels: 3082





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 60.84 (ha)
Number of points/pixels: 676



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 35.46 (ha)
Number of points/pixels: 394




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 45.81 (ha)
Number of points/pixels: 509



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 81.18 (ha)
Number of points/pixels: 902




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 259.38 (ha)
Number of points/pixels: 2882






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 36.18 (ha)
Number of points/pixels: 402



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 45.18 (ha)
Number of points/pixels: 502





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 41.04 (ha)
Number of points/pixels: 456




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 40.86 (ha)
Number of points/pixels: 454







Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 104.04 (ha)
Number of points/pixels: 1156





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 139.59 (ha)
Number of points/pixels: 1551





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 217.71 (ha)

Number of points/pixels: 2419





Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 403.47 (ha)
Number of points/pixels: 4483






Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 63.36 (ha)
Number of points/pixels: 704



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 51.39 (ha)
Number of points/pixels: 571





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 108.27 (ha)
Number of points/pixels: 1203







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 127.71 (ha)
Number of points/pixels: 1419




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 58.23 (ha)



Number of points/pixels: 647



Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 311.94 (ha)
Number of points/pixels: 3466




Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 418.5 (ha)
Number of points/pixels: 4650





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
 MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 344.52 (ha)
Number of points/pixels: 3828





Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 652.86 (ha)
Number of points/pixels: 7254




Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 49.77 (ha)
Number of points/pixels: 553






Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 64.89 (ha)
Number of points/pixels: 721





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 108.27 (ha)



Number of points/pixels: 1203





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 466.02 (ha)
Number of points/pixels: 5178




Severity distribution:






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 155.16 (ha)
Number of points/pixels: 1724





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 129.06 (ha)
Number of points/pixels: 1434







Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 406.89 (ha)
Number of points/pixels: 4521



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 61.02 (ha)
Number of points/pixels: 678



Severity distribution:




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 340.92 (ha)



Number of points/pixels: 3788




Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 107.37 (ha)

Number of points/pixels: 1193





Severity distribution:





Area: 35.91 (ha)
Number of points/pixels: 399





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 51.48 (ha)

Number of points/pixels: 572






Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes

Area: 50.4 (ha)




Number of points/pixels: 560






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 61.38 (ha)
Number of points/pixels: 682





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 270.09 (ha)
Number of points/pixels: 3001





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes

Area: 99.72 (ha)
Number of points/pixels: 1108



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 512.82 (ha)



Number of points/pixels: 5698



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 86.94 (ha)
Number of points/pixels: 966



Severity distribution:




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 56.34 (ha)
Number of points/pixels: 626



Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 275.94 (ha)
Number of points/pixels: 3066



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 168.12 (ha)
Number of points/pixels: 1868



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 120.78 (ha)
Number of points/pixels: 1342



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 86.67 (ha)
Number of points/pixels: 963



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 77.04 (ha)
Number of points/pixels: 856



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 47.88 (ha)
Number of points/pixels: 532



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes


Area: 101.61 (ha)
Number of points/pixels: 1129





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 32.67 (ha)
Number of points/pixels: 363



Severity distribution:






© Windthrow Inventory Database (WInD)- Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 237.96 (ha)
Number of points/pixels: 2644



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 366.21 (ha)
Number of points/pixels: 4069



Severity distribution:

