






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 182.16 (ha)
Number of points/pixels: 2024



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes

Area: 31.14 (ha)
Number of points/pixels: 346







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 853.38 (ha)

Number of points/pixels: 9482






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 70.56 (ha)
Number of points/pixels: 784






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 77.67 (ha)
Number of points/pixels: 863



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 68.85 (ha)
Number of points/pixels: 765




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 95.22 (ha)
Number of points/pixels: 1058



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 87.48 (ha)
Number of points/pixels: 972





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes

Area: 71.64 (ha)

Number of points/pixels: 796







Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 224.1 (ha)
Number of points/pixels: 2490



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes








© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes

Area: 36 (ha)
Number of points/pixels: 400






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes

Area: 49.77 (ha)
Number of points/pixels: 553





Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 35.37 (ha)
Number of points/pixels: 393






Severity distribution:





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 107.64 (ha)
Number of points/pixels: 1196





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 72.36 (ha)
Number of points/pixels: 804



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






Area: 33.3 (ha)
Number of points/pixels: 370





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 142.92 (ha)
Number of points/pixels: 1588




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes






© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 79.65 (ha)
Number of points/pixels: 885




© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 193.05 (ha)
Number of points/pixels: 2145



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes







Area: 61.74 (ha)
Number of points/pixels: 686





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes




Area: 51.66 (ha)
Number of points/pixels: 574







© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes





Area: 36.09 (ha)
Number of points/pixels: 401





© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 61.65 (ha)
Number of points/pixels: 685




Severity distribution:



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



© Windthrow Inventory Database (WInD) - Urquiza-Muñoz et.al., 2024
MPI for Biogeochemistry - Department Biogeochemical Processes



Area: 32.04 (ha)
Number of points/pixels: 356

