

Demonstration of the Shiny App and Integration with Other BioDT pDTs

Honey Bee Prototype Digital Twin

Kata Sara-aho, CSC – IT Center for Science



Funded by the European Union



Shiny App redesign & development Modern design Better instructions Better documentation and access to data User-friendliness Accessibility Easy, intuitive components Resemble biodt.eu-pages




Shiny App Demostration

3






User Personas & User Story Workshop





♦ What we have made so far – from this ...




Expert			
, i	Input Map	input_map	
nput map	Lookup Table		
bf locations file No file seler	Parameters Table Show 10 v entries		Search:
up table	Parameters	Value	Default.Va
nput lookup table	1 ABANDON_POLLEN_PATCH_PROB_PER_S	0.00002	0.
-	2 ENERGY_HONEY_per_g	12.78	
rkflow Run Workflow	3 MAX_HONEY_STORE_kg	50	
	4 MAX_BROODCELLS	2000099	20
	5 MAX_EGG_LAYING	1600	
	6 QueenAgeing	0	
	7 MAX_km_PER_DAY	7299	
	8 AllowReinfestation	0	
	9 POLLEN_STORE_INIT	100	
	10 FORAGER_NURSING_CONTRIBUTION	0.2	
	Showing 1 to 10 of 83 entries		Previous 1 2 3 4 5 9
	Output Bees Plot		
	Choose output dataset Choose output files		



♦ ... to this!





The Shiny App

Land Use Classification 2016 (Preidl et al. RSE 2020)

Lookup Table

In the landscape surrounding the hive, floral resources are considered only in the fields and meadows, called 'food p atches'. Each food patch is ch in this dubbab but blowing prints, have not accessed a character of the international state of the state of t

All values are based on previous studies (e.g. Horn et al. 2020, https://doi.org/10.1002/eap.2216) or a best guesses.

The user is encouraged to use own estimates or experiment using alternative values. You can double click the value to enter edit mode. Hower over the , 🕲 to get detailed description of the variables.


	PatchType	quantityPollen_g	concentration	quantityNectar_I	nectarGathering_s	pollenGathering_s	flowerStart	flowerEnd O
1	Rapeseed	0.13	1.3	0.0003	1200	600	114	10
2	Maize	0.752	0	0	0	600	197	2
3	Legumes	0.0302	1.242	0.0001019	1200	600	142	18
4	Strawberries	0.0078	1.161	0.0000055	1200	600	135	15
5	Stone Fruits	0.058	0.971	0.000186	1200	600	95	14
6	Asparagus	0.1861	1.811	0.0001198	1200	600	152	2
7	Vines	0.91	1.71	0.000133	1200	600	152	2:
8	Grassland	0.0121	1.262	0.00001	1200	600	1	36
9	GrasslandSeason	0.0121	1.262	0.0001	1200	600	151	2:

Output plot





Future Shiny App





Walkare &

@BiodiversityDTin BioDT



Funded by the European Union