

## NOTA / NOTE

### *Stephanitis takeyai* Drake & Maa, 1955 (Hemiptera: Tingidae), new species for Portugal.

José Manuel Grosso-Silva<sup>1</sup>, Iúri Frias<sup>1</sup> & Torsten van der Heyden<sup>2</sup>

<sup>1</sup> Museu de História Natural e da Ciência da Universidade do Porto (MHNC-UP) / PRISC, Praça Gomes Teixeira,  
4099-002 Porto, Portugal. e-mails: jmgrossosilva@mhnc.up.pt; iafrias@mhnc.up.pt

<sup>2</sup> Immenweide 83, D-22523 Hamburg, Germany. e-mail: tmvdh@web.de

**Abstract:** The first records of *Stephanitis takeyai* Drake & Maa, 1955 (Hemiptera: Tingidae) from Portugal are reported. The European distribution of the species is summarized.

**Key words:** Hemiptera, Tingidae, *Stephanitis takeyai*, Portugal, Europe, distribution, first records.

**Resumen:** *Stephanitis takeyai* Drake & Maa, 1955 (Hemiptera: Tingidae), nueva especie para Portugal. Se presentan las primeras citas de *Stephanitis takeyai* Drake & Maa, 1955 (Hemiptera: Tingidae) de Portugal. Se resume la distribución europea de la especie.

**Palabras clave:** Hemiptera, Tingidae, *Stephanitis takeyai*, Portugal, Europa, distribución, primeras citas.

Recibido: 13 de octubre de 2020

Publicado on-line: 20 de octubre de 2020

Aceptado: 18 de octubre de 2020

The andromeda lacebug, *Stephanitis takeyai* Drake & Maa, 1955 (Hemiptera: Tingidae), is an Asian species described from Japan that has been introduced into several areas around the globe, namely Europe, India, and the United States of America (DRAKE & RUHOFF, 1965; PÉRICART & GOLUB, 1996; RABITSCH, 2008, 2010). The species lives on ornamental plants of the family Ericaceae (*Pieris*, *Rhododendron*, *Lyonia*), showing a preference for *Pieris japonica* (Thunb.) D. Don ex G. Don (RABITSCH, 2008).

In Europe, *S. takeyai* was first recorded in the Netherlands in 1994 (AUKEMA, 1996), and subsequently from England (MALUMPHY et al., 1998), Poland (SOIKA & LABANOWSKI, 1999), Italy (COLOMBO & LIMONTA, 2001), Germany (HOFFMANN, 2003; HOMMES et al., 2003), Belgium (AUKEMA et al., 2005), France (STREITO & MARTINEZ, 2005; STREITO, 2006), Switzerland (MEGRÓZ, 2008), the Czech Republic (HRADIL et al., 2008), Austria (RABITSCH & FRIEß, 2011), Hungary (VÉTEK et al., 2012), Spain (PÉREZ-OTERO & MANSILLA, 2012), and Slovakia (BARTA & BIBEŇ, 2016). In the Iberian Peninsula, its presence is only recorded from the north-western province of Pontevedra (PÉREZ-OTERO & MANSILLA, 2012).

In the present contribution we record *S. takeyai* from mainland Portugal for the first time, representing a southwards extension of its known Iberian distribution, which remains limited to the north-western part of Iberia. The specimens studied were identified with the key provided by STREITO (2006).

**Material examined:** PORTUGAL: Porto district: Porto municipality: Porto Botanical Garden (29TNF3056), 20/09/2019, 8 specimens, Iúri Frias leg. (MHNC-UP collection: MHNCUP/ART/37662 to MHNCUP/ART/37669). The specimens were collected on *P. japonica* and the species has subsequently been observed multiple times on the same spot, the most recent observation on 12/10/2020.

## References

- AUKEMA, B. 1996. *Stephanitis takeyai* on *Pieris japonica*. *Mededelingen van de Plantenziektenkundige Dienst*, **179**: 46-47.
- AUKEMA, B., BRUERS, J. & VISKEINS, G. 2005. Nieuwe en zeldzame Belgische wantsen (Hemiptera: Heteroptera). *Bulletin de la Société royale belge d'Entomologie / Bulletin van de Koninklijke Belgische Vereniging voor Entomologie*, **141**: 33-37.
- BARTA, M. & BIBEŇ, T. 2016. *Stephanitis takeyai* and *S. rhododendri* (Heteroptera: Tingidae) in Slovakia: first record and economic importance. *Journal of Plant Protection Research*, **56**(2): 193-198.
- COLOMBO, M. & LIMONTA, L. 2001. Presenza di *Stephanitis takeyai* Drake & Maa (Heteroptera, Tingidae) su *Pieris japonica* (Thunb.) D. Don introdotta in Italia. *Bollettino di Zoologia agraria e di Bachicoltura, Serie II*, **33**(2): 139-142.
- DRAKE, C.J. & RUHOFF, F.A. 1965. Lacebugs of the World. A Catalog (Hemiptera: Tingidae). *Bulletin of the United States National Museum*, **243**: 1-634.
- HOFFMANN, H.-J. 2003. Die Gitterwanze *Stephanitis takeyai* Drake & Maa, 1955 neu für Deutschland (Hemiptera-Heteroptera, Tingidae). *Heteropteron*, **16**: 21-23.
- HOMMES, M., WESTHOFF, J. & MELBER, A. 2003. Andromeda-Netzwanze, *Stephanitis takeyai* Drake et Maa (Heteroptera: Tingidae) erstmals für Deutschland nachgewiesen. *Nachrichtenblatt des Deutschen Pflanzenschutzdienstes*, **55**(8): 174-177.
- HRADIL, K., KMENT, P., BRYJA, J., ROHÁČOVÁ, M., BAŇAŘ, P. & ĎURČOVÁ, K. 2008. New and interesting records of true bugs (Heteroptera) from the Czech Republic and Slovakia IV (in Czech). *Klapalekiana*, **44**(3-4): 165-206.
- MALUMPHY, C., MACLEOD, A., BARTLETT, P. & HEAD, J. 1998. Andromeda lacebug (*Stephanitis takeyai* Drake & Maa). *Plant Pest Notice*, **24**: 1-4.
- MEGRÓZ, A. 2008. Ein weiterer neuer Schädling. Die Andromeda-Netzwanze neu auch in der Schweiz. *Der Gartenbau*, **42**(8): 2-3.
- PÉREZ-OTERO, R. & MANILLA, J.P. 2012. Primera cita de *Stephanitis takeyai* Drake & Maa, 1955 (Hemiptera, Tingidae) en la Península Ibérica. *Arquivos Entomológicos*, **7**: 201-204.
- PÉRICART, J. & GOLUB, V.B. 1996. Superfamily TINGOIDEA Laporte, 1832. Family TINGIDAE Laporte, 1832 - lacebugs, pp. 3-78. In: AUKEMA, B. & RIEGER, C. (eds.). *Catalogue of the Heteroptera of the Palaearctic Region. Volume 2. Cimicomorpha I*. The Netherlands Entomological Society, Amsterdam. 361 pp.
- RABITSCH, W. 2008. Alien True Bugs of Europe (Insecta: Hemiptera: Heteroptera). *Zootaxa*, **1827**: 1-44.
- RABITSCH, W. 2010. True Bugs (Hemiptera, Heteroptera). Chapter 9.1. In: ROQUES, A., KENIS, M., LEES, D., LOPEZ-VAAMONDE, C., RABITSCH, W., RASPLUS, J.-Y. & ROY, D.B. (eds.). *Alien terrestrial arthropods of Europe*. *BioRisk*, **4**(1): 407-433.
- RABITSCH, W. & FRIEß, T. 2011. *Stephanitis takeyai* Drake & Maa, 1955 (Heteroptera: Tingidae) in Österreich festgestellt. *Beiträge zur Entomofaunistik*, **12**: 150-152.
- SOIKA, G. & LABANOWSKI, G. 1999. The andromeda lace bug - a new pest in Poland (in Polish). *Onchryny Roslin*, **43**(3): 14-15.
- STREITO, J.-C. 2006. Note sur quelques espèces envahissantes de Tingidae: *Corythucha ciliata* (Say, 1932), *Stephanitis pyrioides* (Scott, 1874) et *Stephanitis takeyai* Drake & Maa, 1955 (Hemiptera Tingidae). *L'Entomologiste*, **62**(1-2): 31-36.
- STREITO, J.C. & MARTINEZ, M. 2005. Actualités entomologiques: nouveaux ravageurs introduits (période janvier 2000 à juin 2005). *Annales de la 7ème Conférence Internationale sur les Ravageurs en Agriculture*, Montpellier, 2005-10-26/27. 7 pp.
- VÉTEK, G., KONDOROSY, E. & MARÁCZI, L. 2012. First record of the andromeda lace bug (*Stephanitis takeyai* Drake et Maa) (Heteroptera: Tingidae) in Hungary (in Hungarian). *Növényvédelem*, **48**(1): 21-26.