

# Artificial Intelligence and Machine Learning Technologies for Personalized Nutrition: A Review

Dimitris Tsolakidis <sup>1,\*</sup>, Lazaros P. Gymnopoulos <sup>1</sup> and Kosmas Dimitropoulos <sup>1</sup>

<sup>1</sup> Information Technologies Institute (ITI), Centre for Research and Technology Hellas (CERTH), GR 570 01 Thermi, Thessaloniki, Greece

\* Correspondence: dimit.tsolakidis@iti.gr; Tel.: +30-2310-464160 (ext. 124)

**Abstract:** Modern lifestyle trends, such as sedentary behaviour and unhealthy diets, have been associated with obesity, a major health challenge increasing the risk of multiple pathologies. This has prompted many to reassess their routines and seek expert guidance on healthy living. In the digital era, users quickly turned to mobile apps for support. These apps monitor various aspects of daily life, such as physical activity and calorie intake, collect extensive user data, and apply modern data-driven technologies, including Artificial Intelligence (AI) and Machine Learning (ML), to provide personalised diet and lifestyle recommendations. This work examines the state of the art in data-driven technologies for personalised nutrition, including relevant data collection technologies, and explores the research challenges in this field. A literature review, following the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guideline, was conducted using three databases, covering studies from 2021 to 2024, resulting in 67 final studies. The data are presented in separate subsections for recommendation systems (43 works) and data collection technologies (17 works), with a discussion section identifying research challenges. The findings indicate that the fields of data-driven innovation and personalised nutrition are predominately amalgamated in the use of recommender systems.

**Keywords:** Machine Learning; Artificial Intelligence; Personalization; Nutrition; Recipes; Restaurant; Data-driven; Recommender; Recommendation System.

## 1. Introduction

Imbalanced diets are linked to an increased risk of various non-communicable diseases (NCDs) prevalent in modern society, including obesity, type 2 diabetes, and cancer [1–3]. According to the World Health Organization (WHO), at least 2.8 million people die each year due to being overweight or obese, and an estimated 35.8 million (2.3%) of global Disability-Adjusted Life Years (DALYs) are attributed to overweight or obesity [4]. Additionally, as noted by Mariadoss et. al. (2023) [5], poor nutrition is also a significant contributing factor for specific groups, such as pregnant women, in increasing the risk of cardiovascular diseases (CVDs).

Betts et. al. (2016) [6], define personalized nutrition as “developing unique nutrition guidelines for each individual” while precision nutrition “seeks to develop effective approaches based in the combination of an individual’s genetic”, i.e., genotype, and “environmental and lifestyle factors”, i.e., phenotype. Additionally, based on Mathers et. al. (2017) [7], population-based interventions have sometimes proved to be ineffective in achieving sustainable eating behaviour changes while at the same time, evidence suggest considerable interindividual variation in response to the same dietary exposure. Thus, it can be argued that a “one-size-fits-all” approach to proper diet and nutrition is insufficient, since every person has unique needs, and a personalised diet plan is necessary to

**Citation:** To be added by editorial staff during production.

Academic Editor: Firstname Last-name

Received: date

Revised: date

Accepted: date

Published: date



**Copyright:** © 2024 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

meet individual requirements. Thus, Personalised Nutrition (PN), also addressed as ‘tailored nutrition’ or ‘individualized nutrition’, has become increasingly important in recent years to a degree that is now considered by some as a crucial aspect of a healthy lifestyle and of well-being. PN is also essential for people who already have chronic diseases that require specialised diets and therefore need appropriate nutrition plans [6,8,9]. For instance, a person with type 2 diabetes could benefit from a nutrition low in carbohydrates Wheatley et. al. (2021) [10], while a person with lactose intolerance requires a diet exempt of lactose-containing foods such as milk, cheese, and other dairy products. Moreover, PN has been shown to be able to improve the immune system of cancer patients Shastri et. al. (2021) [11]. Hence, PN can help individuals both towards prevention but also mitigation of various chronic diseases.

A big rise in the use of recommendation systems for PN has been observed in recent years. Big datasets along with Artificial Intelligence (AI) models, neural networks and recommendation systems are now being used for the generation of tailored meal recommendations that are based on individual user profiles. Such a trend could be expected as these technologies have been used in the food industry sector for many years now. According to Miyazawa et. al. (2022) [12], in 2010 the crossing of AI, Machine Learning (ML), and Computer Science (CS) with the food industry led to the development of respective applications that utilised big data analysis. Later works, e.g. [13,14], show how AI and ML based approaches can be used for early food disease detection, estimating soil moisture, and more, while Theodoridis et. al. (2019) [15] show how Nutrition Recommendation Systems and similar technologies are used in the field of PN for, e.g., food category recognition, ingredient and cooking instructions recognition, etc. Agrawal et. al. (2023) [16] examine the significant impact of AI on the food industry including the role of AI in PN. Finally, Roy et. al. (2023) [17] examines the effectiveness and challenges of these systems in delivering personalized health and dietary advice.

To achieve PN through recommendation systems and other respective technologies, big data collected from individuals regarding their specific needs are needed. For example, data regarding an individual’s heart rate, burned calories, daily activity, etc., can be retrieved using smart watches, activity trackers, and more while data regarding someone’s body weight, fat, visceral fat, etc., can be retrieved using smart scales. Even information from the diverse community of microorganisms residing in our gut microbiota can be retrieved using corresponding technologies and methods [18–25]. These and more data can be used as inputs to recommendation systems for generating personalised outputs regarding a user’s dietary or wellbeing plan. For example, Amorim et. al. (2022) [26] describe a recommendation system in a hospital that uses personal information from in-hospital sensors, such as insulin levels, to adjust patients’ daily meals, while Greenberg et. al. (2023) [27] present a web application that uses women’s personal data, such as age and height, to prevent cardiovascular problems. The outcome of the above works is showing a quickly expanding field of research. Stefanidis et. al. (2022) [28] present a knowledge-based recommendation framework that exploits an explicit dataset of expert-validated meals to offer highly accurate diet plans spanning across ten user groups of both healthy subjects and participants with health conditions. Additionally, Yang et. al. (2018) [29] propose Yum-me, a personalized nutrient-based meal recommendation system designed to meet individuals’ nutritional expectations, dietary restrictions, and fine-grained food preferences, while Harvey et. al. (2015) [30] present a recipe recommendation system that proposes meal plans based on foods that a user likes. New data collection technologies are proposed and implemented while new technologies for processing data are arising, expanding the potential of this research field.

### 1.1. Study Purpose, Strengths, and Limitations

This paper aims to present the latest advancements in data-driven innovation for AI and ML technologies in the field of PN along with the data collection technologies that are being used, and to investigate the research challenges for future work. Similar literature

reviews on the field of precision nutrition and machine learning do exist. For instance, Livingstone et. al. (2022) [31] present a literature review in the field of precision nutrition. The authors discuss the role and application of “omics” to the prescription of individualized diets for health and wellbeing and the use of ML technologies assisting for the integrative purposes. In the same vein, Kirk et. al. (2021) [32] list an extensive systematic literature review on the same research field focusing on the state-of-the-art on the use of ML in Precision Nutrition. Their work answers 9 research questions and categorises all the researched ML models and algorithms regarding task, type, usage, and more attributes providing a holistic view.

Our work differentiates mainly in three aspects, which are the objectives of this paper. Firstly, it encompasses data-driven technologies in general, rather than solely AI-based works in the field of personalised nutrition. That means, it also includes technologies like knowledge graphs, ontologies, optimization algorithms, and more that are not included in the realm of ML and AI. Secondly, we also study data collection technologies that are described and analysed with respect to how they integrated with the recommendation systems. Finally, our work identifies a series of research challenges that are derived from the literature and associated with specific papers.

In our review, the works are clustered and comparatively discussed, referring to their main scope, data-driven technologies used, system inputs, their technical evaluation and accuracy, and, finally, related datasets. Moreover, the information is displayed in a tabular format with additional explanations regarding the scope of the model and the integration of the various input data types.

A limitation of our work is that it deals mainly with personalized nutrition and does not cover extensively precision nutrition. Exploring the use of data-driven technologies in more nutrition fields would give a more holistic perspective and understanding. Additionally, the time frame of this research is from 2021 to 2024. Therefore, more extensive review starting earlier could give more and better information with more features to be extracted. Finally, the research databases used are limited to three and these are all computer science oriented. The inclusion of works from other databases, e.g., health-oriented ones, could provide a more diverse view.

The examined literature was filtered using the well-established Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) model [33–35]. In section 2, we discuss the PRISMA model and the specific filters we used. In section 3, we delve deeper into the use of recommendation systems in the field of PN and present the specific technologies that are used. According to the PRISMA model, the research for recommendation systems in PN is further divided into three subcategories: (a) Nutrition, (b) Recipe, and (c) Restaurant Recommendation Systems. In section 4, we present the various data collection technologies that are available and review the corresponding data collection or capturing technologies and devices. In section 5, we discuss the research challenges that are derived from the respective literature. Finally, a conclusion is apposed summarizing the overall work.

## 2. Methods

A literature search was performed by adopting the PRISMA guidelines [33–35]. Our study aimed to identify only the latest works in the field of data-driven innovation technologies in personalised nutrition and to categorise them; it was not our aim to delve deeper into a technical comparison of the various systems. The articles were extracted in March 2024 from three academic databases, namely Scopus<sup>1</sup>, ScienceDirect<sup>2</sup>, and IEEE Xplore<sup>3</sup>.

---

<sup>1</sup> [scopus.com](https://scopus.com)

<sup>2</sup> [sciencedirect.com](https://sciencedirect.com)

<sup>3</sup> [ieeexplore.ieee.org](https://ieeexplore.ieee.org)

**Inclusion criteria:** We used the text “*Personalized nutrition recommendation*” in the corresponding search bar of all three academic databases.

**Exclusion criteria (by automated tools, i.e., using filtering options of the three databases):**

- *Publication date* was outside of the time frame 2021 to 2024
- *Document type* was not article, review, or conference paper
- *Publication subject area* was not computer science
- *Publication was not peer-reviewed*
- *Publication language* was not English
- *Duplicate entries* were excluded as well


**Exclusion criteria (non-automated):**

- *Publication title and keywords, abstract, or full text* indicated that the publication was out of the scope and objectives of the present review, i.e., indicated that the publication was irrelevant to AI and ML technologies for PN


The search was based on the following condition: title-abs-key(personalized AND nutrition AND recommendation) AND (limit-to (pubstage, "final")) AND (limit-to (pubyear , 2024) OR limit-to (pubyear, 2023) OR limit-to (pubyear, 2022) OR limit-to (pubyear , 2021)) AND (limit-to (DOCTYPE , "ar") OR limit-to (doctype , "re") OR limit-to (doctype , "cp")) AND (limit-to (subjarea, "COMP")) AND (limit-to (language , "English"))

The number of records retrieved from the three databases is 3052. From these, 335 duplicate records were removed while 2125 records were excluded as ineligible by automation tools (i.e., date, document type, subject area, peer reviewed, language), leading to 592 unique records for manual screening. After careful examination of the title, keywords, abstract, and the full text for scientific relevance, 67 records remained and were considered for the present review. The full selection procedure is detailed in Figure 1, while Figure 2 displays the number of works for every year showing the increasing frequency in this area of science.

The final works can be categorised based on their differences and similarities. Drawing from the two similar review works [31, 32] and inspired by their categorization methods, we came up to a way to present our findings. More specifically, Livingstone et. al. (2022) [31] divides the various “omics” categories briefly discussing the works while also uses tabular format to summarize this information. In the same way, Kirk et. al. (2021) [32] divides and briefly discusses the various machine learning tasks, algorithms, evaluation metrics, etc. while also uses tabular format. Therefore, we concluded on dividing and categorizing our research based on their commonalities and differences. Three main categories based on the scope of the recommendation system are used (nutrition, recipe, and restaurant) to distinct the final works while grouping the woks that use the same of similar methods. Additionally, we identified several commonalities among the works. Specifically, most employ one or more technologies for their recommendation systems, utilize datasets, and incorporate multiple inputs. Some works also integrate their recommendation systems into platforms. Furthermore, we observed that some use devices for data collection. Consequently, we have summarized this information in two tables.



189  
190  
191 **Figure 1.** Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA 2020) flow diagram of study selection, inclusion, and synthesis.



192  
193  
194  
195 **Figure 2.** Bar chart displaying the number of works retrieved for every year from 2021 to 2024 (based on the PRISMA model). The increasing number of works is an indication of the rapid growth of this field.

196 **3. Results**

197 *3.1. Recommenders in personalised nutrition*

198 Recommendation systems are vital components in personalised nutrition, delivering  
199 accurate and customized results based on individual needs and preferences. Notably, they  
200 outperform older – frequently manual or semiautomatic – methods in terms of time effi-  
201 ciency, affordability, and sometimes even accuracy. These advantages, coupled with surg-  
202 ing technology penetration and the increasing processing power of mobile devices Central  
203 Process Unit (CPU) and Graphical Process Unit (GPU), are propelling the field of data  
204 driven PN research forward, resulting in a constant stream of novel studies exploring both  
205 improved accuracy and novel technological applications. Applying the PRISMA model to  
206 our literature review search, we identified three main categories of recommendation sys-  
207 tems:

- 208 • **Nutrition Recommendation Systems.** Generate daily or weekly meal plans tailored  
209 to individual profiles, leveraging AI, ML, or other computing technologies, as well  
210 as multidimensional data.

- **Recipe Recommendation Systems.** Suggest personalised recipes based on individual profiles, preferences, and other data. 211  
212
- **Restaurant Recommendation Systems.** Recommend appropriate selections from restaurant menus to individuals based on their profile. 213  
214  
215

The following subsections delve deeper into these categories, presenting the corresponding literature searches, results, and technologies. First, we summarise the relevant literature, mentioning the works and their findings. Subsequently, we present net graphs and tables of the used databases, technologies, and more, highlighting their frequency of appearance and other relevant metrics. 216  
217  
218  
219  
220

### 3.1.1. Nutrition Recommendation Systems 221

This section explores Nutrition Recommendation Systems, a category focused on personalised meal plan generation through the synergistic application of various digital technologies and dietary databases. 222  
223  
224

Reviewed studies commonly utilize anthropometric data, including sex, age, height, weight, etc., along with other relevant information, to provide informed recommendations. For example, Haseena et. al. (2022) [36] construct a ranking framework, based solely on factors like age or weight, to identify suitable nutrition plans, following four stages: gathering user data, generating fuzzy weights using fuzzy Analytic Hierarchy Process (AHP)<sup>4</sup>, evaluating plan compatibility with cuckoo optimization<sup>5</sup>, and ranking options with fuzzy Technique for Order of Preference by Similarity to Ideal Solution (TOPSIS)<sup>6</sup>. This system incorporates popular dietary approaches like the Mediterranean and low-fat diets, providing diverse personalized recommendations. Similarly, Lakshmi et. al. (2023) [37] employ Fuzzy AHP and Fuzzy TOPSIS for personalized nutrition planning, considering individual differences in age, Body Mass Index (BMI), dietary preferences, lifestyle, and blood sugar levels. These fuzzy logic-based methods effectively rank dietary alternatives, like balanced and diabetes-specific diets, catering to nuanced preferences and health requirements, promising more precise nutritional guidance. 225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238

Zhang et. al. (2022) [38], departing from personalized data, employed a novel many-objective optimization (MaOO) approach using caloric intake data from the MyFitnessPal database. Addressing limitations of traditional recommendation techniques, the authors propose a multi-objective approach with four objectives: user preferences, nutritional values, dietary diversity, and user diet patterns. Three representative MaOO algorithms – strength Pareto evolutionary algorithm 2 (SPEA2), Non-dominated Sorting Genetic Algorithm (NSGAI), and SPEA2+shift-based density estimation (SDE) – are leveraged to optimize these objectives simultaneously in two scenarios. In Scenario 1, three objectives are optimized, while Scenario 2 optimizes all four objectives, including user diet patterns. Evaluation using the hypervolume indicator yielded values of 59%, 62%, and 73% for the three algorithms respectively. 239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249

Salloum et. al. (2022) [39] proposed Meal Plan Generation (MPG), a system that automates the creation of personalized meal plans by integrating personal information, caloric intake, and user preferences. Using an adaptation of the Transportation Optimization 250  
251  
252

---

<sup>4</sup> A method used to assign weights to different criteria or factors in decision-making processes, considering uncertainty and imprecision in human judgments. [https://en.wikipedia.org/wiki/Analytic\\_hierarchy\\_process](https://en.wikipedia.org/wiki/Analytic_hierarchy_process)

<sup>5</sup> The Cuckoo Optimization Algorithm (COA) is an optimization technique inspired by the brood parasitism behaviour of some cuckoo species. These cuckoos lay their eggs in the nests of other bird species, relying on the host birds to incubate and raise their offspring. This natural behaviour forms the basis of the algorithm, where solutions to optimization problems are metaphorically represented by eggs in nests. [https://en.wikipedia.org/wiki/Cuckoo\\_search](https://en.wikipedia.org/wiki/Cuckoo_search)

<sup>6</sup> A decision-making technique that evaluates and ranks alternative options based on their distance from the ideal solution and the anti-ideal solution, aiming to identify the most desirable option. <https://en.wikipedia.org/wiki/TOPSIS>

Problem (TOP), MPG generates plans that meet caloric needs while accommodating individual preferences. Evaluation involves established nutrition health literature procedures and transportation optimization techniques, demonstrating MPG's ability to produce healthy, personalized meal plans aligned with user preferences. Furthermore, Rout et. al. (2023) [40] introduce a machine learning model for diet recommendations based on users' nutritional data and physical conditions, addressing concerns about non communicable diseases from unhealthy diets. Employing K-means clustering and Random Forest (RF) algorithms, the study analyses nutritional data and user profiles to offer tailored diet advice, enhancing health outcomes and nutritional awareness.

Kaur et. al. (2022) [41], present a food recommendation system targeting Polycystic Ovary Syndrome (PCOS) in women, integrating personal information and food images to manage weight and nutrient intake. They enhance pre-trained Convolutional Neural Network (CNN) models with additional layers to classify food images and suggest suitable food items based on macronutrient requirements. Evaluation against other models shows high accuracy rates, achieving a 95% accuracy rate for classifying sample food classes and 90.7% accuracy rate for twelve food image classes. Similarly, Aguilar et. al. (2022) [42], introduce a Bayesian network into semantic segmentation methods for food images, achieving improved accuracy in multi-class segmentation and uncertainty estimation. The Bayesian versions achieved 99% accuracy in UNIMIB2016, 88% in UECFOODPIXComplete, and 77% in Food201, outperforming the original versions. Romero-Tapiador et. al. (2023) [43] present a recommendation framework which employs the analysis of eating behaviours through food image datasets. CNNs are used to generate personalized datasets and to provide insights on healthier dietary habits via a user-friendly platform. The results show 99.53% accuracy and 99.60% sensitivity, demonstrating the potential to significantly enhance dietary monitoring and recommendation systems. Azzimani et. al. (2022) [44] utilize Red-Green-Blue-Depth (RGBD) images and user data on anthropometric information, allergies, and chronic diseases to estimate nutrient content in meals. Advanced image processing techniques and a Multi-Task Fully Convolutional Network (MFCN) are employed for image segmentation and volume estimation. Dietitians evaluated the system, indicating its potential for PN and menu planning.

In addition to user preferences and ratings, health data integration can provide crucial insights into the user's health status and history. For instance, Shandilya et. al. (2022) [45] introduce MATURE, a food recommendation system refined to incorporate user health data, ensuring recommendations align with current health needs. Rigorously validated against other recommendation systems, MATURE demonstrated superior performance in meeting mandatory health requirements. Xu et. al. (2022) [46], present ElCombo, a personalized meal recommendation system for the elderly, leveraging a Knowledge Graph (KG) integrating foods, nutrients, and health data. Compared with elders' choices, ElCombo significantly improves diet quality, diversity, and adherence to health requirements. Utilizing Particle Swarm Optimization (PSO) and K-means clustering, Hosen et. al. (2023) [47] develop an optimized recommendation system for thyroid patients, delivering personalized food recommendations based on historical patient data and nutrient-rich foods beneficial for thyroid health. Validation indicates its superiority over traditional algorithms, offering more accurate dietary advice for managing thyroid conditions.

Introducing innovative approaches to health management, Larizza et. al. (2023) [48] present the V-care app, targeting childhood obesity through gamification and personalized nutrition recommendations. With quizzes and a virtual coach, the app engages users in learning about healthy habits, earning an average score of greater than 3 in user evaluations. Similarly, Lodhi et. al. (2023) [49] discuss a personalized nutrition approach for individuals with chronic kidney disease (CKD), employing KGs to provide tailored advice. Evaluation through a case study yields an average usability score of 8.5/10. Addressing Type 2 Diabetes management, Burgermaster et. al. (2023) [50] introduce the Platano mHealth app, offering personalized nutritional guidance based on meal logs and blood

glucose levels. User feedback indicates over 78% found the app easy to use, highlighting its effectiveness in supporting health management.

Islam et. al. (2023) [51] utilize electroencephalography (EEG) signals to develop a personalized meal recommendation system, analysing user brain responses to meals to determine palatability. Employing a hierarchical ensemble ML model and TOPSIS approach, they construct personalized meal suggestions considering user preferences and nutritional requirements, validated through confusion matrix, f1-score, and Area Under the Curve (AUC) score evaluations. The incorporation of EEG signals enhances the system's ability to understand user preferences, while the ensemble ML model improves accuracy by combining predictions from multiple models. Similarly, Yang et. al. (2022) [52] propose a PN service leveraging genetic testing, physical examination, dietary habits, and medical history to compute disease risk and nutrition requirements, providing tailored nutrition solutions via a user-friendly mobile application.

Fu et. al. (2023) [53] introduce "Food4healthKG", a KG integrating food, gut microbiota, and mental health data from various sources, facilitating food recommendations and queries. Evaluation against expert responses shows system accuracy ranging from 90% to 95%. Similarly, Yang et. al. (2023) [54] focus on PN plans for immune system improvement, combining DNA testing, physical examination, and lifestyle evaluation to compute tailored plans. Evaluation of their personalized vitamin D supplementation solution demonstrates effectiveness in reducing vitamin D deficiency risk. Furthermore, Yang et. al. (2022) [55] develop a PN platform for Chinese users, leveraging genetic, lifestyle, and physical examination data to generate personalized nutrition packs. The study highlights the ease of collecting and utilizing genetic data for accurate PN recommendations, employing business process management techniques for efficiency. These works showcase the potential of integrating diverse data sources for personalized nutrition and health improvement.

In addition to the above works, Geng et. al. (2023) [56] propose a heuristic optimization-based recommendation model, leveraging Trajectory Reinforcement-based Bacterial Colony Optimization (TRBCO) to balance accuracy and diversity in personalized recommendation systems. Evaluation against benchmark datasets demonstrates TRMOCO's superior performance compared to contemporary and state-of-the-art optimization algorithms. Sahal et. al. (2022) [57] explore Personal Digital Twin (PDT) technology for personalized healthcare, emphasizing its potential for improving decision-making and treatment selection, particularly in PN. Chivukula et. al. (2022) [58] contribute to the field by developing an ontology model in the food domain, facilitating informed dietary decisions based on health conditions. The ontology model is evaluated for its utility in answering queries using SPARQL Protocol and RDF Query Language (SPARQL), demonstrating its effectiveness in providing appropriate food recommendations. These approaches offer innovative solutions for enhancing personalized recommendation systems and improving health outcomes.

Kaur et. al. (2023) [59] discuss a Clinical Decision Support System (CDSS) for neonatal nutrition in the Neonatal Intensive Care Unit (NICU) leverages a Nutrition Recommendation Ontology (NRO) to generate personalized feeding plans, achieving a validation accuracy of 98%. Martinho et. al. (2023) [60] contributes to AI systems in healthcare by developing an ontology to manage diet and energy consumption for patients with obesity, diabetes, and those needing tube feeding, aiming to improve health outcomes through personalized dietary recommendations. Similarly, Rostami et. al. (2024) [61] introduce the Healthy Group Food Recommendation System (HGFR), prioritizing both user preferences and nutritional value, outperforming other models in database comparisons and promoting healthier eating choices for groups.

Palacios et. al. (2023) [62] propose Baby-Feed, a user-friendly web app, which provides age-appropriate food recommendations for infants to prevent rapid weight gain, with over 87% of parents finding it easy to use and effective, rating it 4/5 stars. Wang et.



al. (2023) [63] focus on personalized recommendations for carbohydrate-protein supplements, employing ML techniques like backpropagation neural networks to tailor intake for endurance sports enthusiasts, achieving a mean absolute error (MAE) of 470.77 compared to 500.85 for the traditional model Gradient Boosted Regression Trees (GBRT). Cunha et. al. (2023) [64] introduce an advanced nutrition control recommendation system utilizing Internet of Things (IoT) devices and ML models in real time to offer personalized dietary and exercise plans, demonstrating accurate BMI prediction within a small time window of three days. These studies highlight the efficacy of ML in personalized nutrition recommendations, suggesting future enhancements for broader dataset dimensions and model robustness.

The literature review reveals a nuanced landscape characterized by the diversity not only in technological approaches but also in the scope of the research endeavours. Within this spectrum, certain studies such as [41,42] employ images as their primary input, while others [45,55] rely on personal and health data. The technological repertoire is equally expansive, encompassing a range from AI CNN models and Bayesian networks to ontologies and addressing the TOP. Moreover, despite a shared overarching goal of delivering PN, the strategies employed exhibit notable variations. For instance, in the study conducted by Islam et. al. (2023) [51], the methodology revolves around generating PN through EEG signals, while Sahal et. al. (2022) [57] adopt a distinct approach utilising DT.

### 3.1.2. Recipe Recommendation Systems

An alternative paradigm identified through the literature review involves the integration of PN objectives with the utilisation and management of recipes. By harnessing extensive datasets comprising recipes and nutritional information, coupled with data-driven AI technologies, the creation of individualised recipe recommendations becomes feasible. For example, Neha et. al. (2023) [65] delineate a methodical approach to extract and predict information from recipes by employing advanced ML models (Parallel-CNN, Naïve Bayes, Fuzzy rule, Artificial Neural Network). This approach adeptly addresses the diverse requirements of users, including dietary preferences, allergies, food intolerances, and more. The results of this work show that Parallel-CNN outperforms the other models with 95% accuracy, 91% precision and 95% f1-score as well as with the value 0.1872 regarding the model loss attribute.

Wang et. al. (2022) [66] propose an intelligent recipe recommendation model, optimizing weekly meal plans to accommodate user restrictions and nutritional needs using the Hungarian algorithm and integer programming, ensuring personalized balanced diets. Buzcu et. al. (2022) [67] introduce a Virtual Coaching System (NVS), integrating user-specific factors like allergies and preferences to offer personalized recipe recommendations via an ontology-based approach, validated through user surveys showing a preference for interactive explanation-based interactions over conventional recommendation systems. Shubhashree et. al. (2022) [68] present a recipe recommendation system incorporating allergies and personal information employs K-Nearest Neighbor (KNN) clustering and the Euclidean distance algorithm to generate personalized diet tables, outperforming other algorithms with 95% accuracy. Likewise, Ribeiro et. al. (2022) [69] present a recipe recommendation system considering user-specific allergies and cultural preferences to craft three-week meal plans, validated through simulated user profiles, highlighting the importance of diverse data to meet food preferences, restrictions, and nutritional needs.

Wu et. al. (2022) [70] introduce visual-aware food analysis (VAFA), employing deep learning models ATNet and PiNet to classify food items from multimedia inputs like images and descriptions, achieving state-of-the-art performance in food classification and recipe recommendation precision, respectively. The interaction with the recommendation system is facilitated through a web application. Forouzandeh et. al. (2024) [71] present a Health-aware Food Recommendation System with Dual Attention in Heterogeneous Graphs (HFRS-DA), utilizing unsupervised learning on graph-structured data to recom-

mend healthy and popular recipes, outperforming existing methods with superior performance on the Allrecipes dataset. RahmathNisha et. al. (2023) [72] outline the development of the web-based Intelligent Nutrition Assistant Application (INAA), employing AI and ML algorithms to provide personalized dietary recommendations, validated through a user study with 50 participants, with future plans to enhance the system with advanced ML techniques and expanded food database.

Li et. al. (2022) [73] introduce a novel post-hoc agnostic model to explain the output of Recipe Recommendation Systems, aiming to enhance user understanding and confidence in the system's recommendations. The model elucidates the relationships between network variables and user preferences, validated through comparison with four state-of-the-art recommendation system explainable models. By incorporating nutrition-aware criteria variables, the system offers more personalized and health-conscious recommendations, potentially improving the effectiveness of recommendation systems and leading to increased user satisfaction and adoption. In parallel, Li et. al. (2023) [74], pioneer an innovative methodology by integrating KGs into Recipe Recommendation Systems, enabling users to transition between different behavioural patterns based on evolving preferences. The system, evaluated on Food.com and MyFitnessPal datasets, outperforming other models on various metrics, highlighting its effectiveness in providing tailored recommendations.

Kansaksiri et. al. (2023) [75] introduce "Smart Cuisine" which utilizes AI technologies, including the Generative Pre-training Transformer (GPT) model, to offer personalized recipes and nutritional advice, enhancing sustainable cooking practices. By processing food images and employing natural language processing, the system generates recipes and provides nutritional guidance. Tests on the Recipe1M dataset showed higher accuracy in predicting well-known recipes, demonstrating the system's potential to revolutionize meal preparation. Similarly, Safitri et. al. (2023) [76], introduce CookPal, a GPT-3-based chatbot aimed at promoting healthier eating habits by offering personalized recipe suggestions. Operating on a desktop platform with a focus on data privacy, CookPal demonstrated high accuracy in providing dietary advice (86%) and received positive feedback (4.5/5 in a scalar size of 1 to 5) for its potential to facilitate healthier lifestyle choices.

In conclusion, the use of Recipe Recommendation Systems for promoting healthy eating habits has gained significant attention, showing substantial potential for further development. The literature review highlights a range of methods for tailoring recipe suggestions based on individual preferences, dietary restrictions, and nutritional needs. These approaches employ various techniques, including KNN, and Euclidean distance. Despite the diversity in inputs, from physiological data to dietary preferences and allergies, there is a notable trend toward utilizing web-based platforms as intermediaries between recommendation systems and users, as observed in subsection 3.1.4.

### 3.1.3. Restaurant Recommendation Systems

The third category of recommendation systems derived from the PRISMA model is Restaurant Recommendation Systems. With the abundance of data available on the internet, and with the use of data-driven approaches, it is possible to develop recommendation systems that can suggest restaurants or specific restaurant menu items based on users' preferences and nutritional needs. By providing personalised recommendations, such systems can help users make better decisions when ordering food while at the same time promoting healthier eating habits.

Two innovative systems exemplify this trend: MenuDecoder, an AI-powered restaurant app proposed by Hasan et. al. (2022) [77], and the "meals-plates exploration cycle" recommendation system from Takahashi et. al. (2023) [78]. MenuDecoder leverages AI algorithms and a vast database of restaurant menus to offer personalized meal recommendations based on user preferences and nutritional needs. A qualitative usability study demonstrated high user satisfaction with the app's design and helpfulness. On the other hand, the recommendation system introduced by Takahashi et. al. (2023) [78] enhances

the dining experience by aiding users in selecting suitable plates for their meals. It employs machine learning for plate shape estimation and text classification, utilizing datasets from recipe platforms and e-commerce websites to establish meal-plate relationships, catering to user preferences and characteristics of both meals and plates.

In conclusion, the use of data-driven approaches in Restaurant Recommendation Systems for personalised nutrition can have significant benefits. This is a promising area for future research.

### 3.1.4. Summarization

In this section, we summarise key information for recommendation systems that were presented previously in a single, easy to use table (Table 1). For each recommendation system, we provide: ‘Reference No.’, ‘Method/Model/Technology’, ‘Datasets’, ‘Inputs’ and ‘Platform’. The first column presents the number of the reference that corresponds to the paper or work presented in each row. The second column refers to the technologies used to generate the personalisation (e.g., AI model, method, ontology, KGs etc.). Additional information is given in parenthesis indicating the use/role of the model. The third column presents the datasets used, including novel datasets that were created as part of the scientific work. The fourth column presents the input provided to the recommendation system, e.g., what information is fed to the AI model, ontology, etc. Here also additional information is given inside parenthesis explaining the integration of the various data inputs. Finally, the fifth column refers to any means the scientists used to collect inputs or communicate with the users. Such platforms vary and range from paper questionnaires, where users fill the information by hand, to mobile applications that employ a friendly user interface.

**Table 1.** Overview of the works presented in Section 3 (Recommendation systems for personalised nutrition), indicating method/model/technology (the “\*” indicates that this work includes numerical measurements regarding the algorithm’s efficacy and/or user acceptability. The reader can refer to the work on section 3.x for additional information), datasets, inputs, and data acquisition platform used. Additionally, the last row named Notes is referring to where a system uses clinical data (\*) and genetic data (\*\*). For more information, the reader can refer to the corresponding work.

Reference No.	Method/Model/Technology	Datasets	Input	Platform	Note
<i>A. Nutrition Recommendation Systems</i>					
Haseena et. al. (2022) [36]	Cuckoo (optimization) Fuzzy AHP (multi-criteria) Fuzzy TOPSIS (decision-making)*	-	Physiological data (Use the data as values for the comparison matrix)	Questionnaire	*
Lakshmi et. al. (2023) [37]	Fuzzy AHP (multi-criteria) Fuzzy TOPSIS (decision-making)	-	Physiological data, dietary data, health data (Use the data as values for the comparison matrix)	-	*
Zhang et. al. (2022) [38]	MaOO (optimization) *	MyFitnessPal	Dietary data, nutrition values	-	*
Salloum et. al. (2022) [39]	TOP (optimization) *	-	Physiological data (Use a loss function)	Questionnaire	*
Rout et. al. (2023) [40]	KNN (clustering) RF (classification) *	Kaggle (calorie dataset)	Nutrition values, physical activity (Clustering the data)	Web application	*
Kaur et. al. (2022) [41]	EfficientNet (B0-B7) (classification) VGG16 (classification) VGG19 (classification) ResNet50 (classification) ResNet100 (classification) *	Food101	Physiological data, RGB images (Compute BMI and caloric needs from physiological data and use food images to calculate caloric income and what to recommend)	Web application	*

Aguilar et. al. (2022) [42]	Bayesian network (probabilistic modelling) *	UECFoodPIX, UNIMIB2016, Food201	RGB images	-	*
Romero-Tapiador et. al. (2023) [43]	CNN (classification) *	food images (AI4Food-NutritionDB)	Physiological data, preferences, physical activity, food images (Construct the user profile from all the above data and then create food image datasets with different eating behaviours)	Mobile application	*
Azzimani et. al. (2022) [44]	SVM (classification) MFCN (segmentation) *	Morocco FCT	Physiological data, health data, RGBD images (Construct the user profile from the physiological data and health data and then include the information of food image)	-	*
Shandilya et. al. (2022) [45]	Content-based recommendation system (recommendation system) *	CKD, USDA	Health data, preferences, rating (Item feature-based classification, then extract mandatory features from the user's profile and finally with the extraction of the preferred features they generate recommendations)	-	*
Xu et. al. (2023) [46]	KG (reasoning) NLP (natural language) *	User Profiles, Food Dataset	Sociodemographic, nutrition and health, dietary preferences (Rule-based relation among the KG schema)	-	*
Hosen et. al. (2023) [47]	PSO (optimization) k-means (clustering) SOM (clustering) NLP (natural language) *	American food chart	Dietary data, health data, contextual info (Clustering the data)	-	*
Larizza et. al. (2023) [48]	-	Use their own DB	Demographics, physiological data, lifestyle (Construct child profile using the above data)	Questionnaires	*
Lodhi et. al. (2023) [49]	KG (reasoning) Ontology (reasoning) *	-	Health data, demographics (Construct user profile with the data and then extract proper nutritional recommendations based on rule-based and data-driven approaches)	Web application	*
Burgermaster et. al. (2023) [50]	-	-	Meal logs, health data, food images (These data are for constructing the user profile)	Mobile application	*
Islam et. al. (2023) [51]	TOPSIS (decision-making) *	-	EEG signals, food nutritional (Extract features from EEG collection and survey data and then recommend foods and menus)	Questionnaires	*
Yang et. al. (2022) [52]	-	-	Genetic data, physical data, diet style, habits, medical data (Construct user profile with the above data)	Mobile application, Questionnaire	**
Fu et. al. (2023) [53]	KG (reasoning) Ontology (reasoning) *	FoodData Central dataset (FDC), FoodOn, Chinese Food Ontology,	Health data, food, gut microbiota data (The KG works with queries as inputs and returns the relationship among the above three categories)	-	*

		KEGG, MENDA, MiKG, MeSH			
Yang et. al. (2023) [54]	-	-	Health data, physiological data (Construct the user profile)	Mobile application, Questionnaire	**
Yang et. al. (2022) [55]	LIMS (data management processes) Bioinformatic pipelines Genetic Interpretation System, CRM *	AutDB, DisGeNET, OMIM	Physiological data (Construct the user profile)	Mobile application, Questionnaire	**
Geng et.al. (2023) [56]	Heuristic Optimization, TRBCO *	Shaffer, Fonseca, Kursawe, Poloni, ZDT1-6, MovieLens- 1M	Ratings (Use of rating to recommend a meal)	-	*
Sahal et. al. (2022) [57]	DT	-	Dietary data, physical activity, contextual information (They do not mention how they integrate these data)	-	*
Chivukula et. al. (2022) [58]	Ontology *	-	(The ontology works with queries as inputs and returns the relationship among the tis classes)	-	*
Kaur et. al. (2023) [59]	Ontology *	Clinical data	Clinical data, weight, gestational age (SPARQL queries to the ontology using the above data)	-	*
Martinho et. al. (2023) [60]	Ontology	FoodOn, Joint Food Ontology Workgroup (JFOW)	Preferences, allergies, meals intake, demographics (Queries to the ontology using the above data)	Mobile application, Web application	*
Rostami et. al. (2024) [61]	Clustering (encoder and decoder), deep neural networks *	-	Preferences, health factors of foods (Construction of a user-rating matrix with the above data)	-	*
Palacios et. al. (2023) [62]	ADDIE *	-	Food frequency (Construct user profile and feed it to the model)	Questionnaire Web application	*
Wang et. al. (2023) [63]	BP Neural Network Model, Gradient Boosted Regression Trees (GBRT) *	-	Health data, physiological data, physical activity, contextual information (Input the above data into the models and generate personalized advice)	-	*
Cunha et. al. (2023) [64]	RNN, LSTM, GRU *	FitBit fitness tracker data	Food intake, physical activity, physiological data (Input the above data into the models to predict BMI, weight, muscle mass, etc.)	-	*
<b>B. Recipe Recommendation Systems</b>					
Neha et. al. (2023) [65]	CNN, Naive Bayes, Fuzzy Rule *	-	Text data of ingredients and recipes (Input of the above information to the models)	-	*
Wang et. al. (2022) [66]	Integer programming	-	Physiological data, health data, preferences (Input of the above data to the model)	Web application	*
Buzcu et. al. (2023) [67]	Ontology	OWL-based ontology	Allergies, preferences, type of cuisine (Queries to the ontology using the above data)	Web application	*

Shubhashree et. al. (2022) [68]	KNN, Euclidean *	-	Physiological data, dietary data, preferences, restrictions (Construct user profile with the above data and feed them to the model)	Web application	*
Ribeiro et. al. (2022) [69]	MaOO *	-	Physiological data, food type, allergies (Construct user profile using the above data and feed them to the model)	Mobile application	*
Wu et. al. (2022) [70]	ATNet, PiNet	Created their own DB	Food images (Input the above data to the model to classify them)	Web application	
Forouzandeh et. al. (2024) [71]	NLA, SLA, GAT, GNN *	Allrecipes	Rating, recipes (Combination of user profiles and ratings of recipes to produce healthy recipes recommendations)	-	
RahmathNisha et. al. (2023) [72]	Decision trees, KNN, and SVM *	Kaggle (food and nutrition)	Physiological data, food image (Physiological data re used to construct user profile and food images to extract features and then recommend a food)	Web application	*
Yera et. al. (2022) [73]	KG *	Coolpod, Allrecipe, Yammy, USDA, Created their own DB	(This model does not use any inputs)	-	
Li et. al. (2023) [74]	KG *	Food.com, Food KG	Health data, preference data (Two KG are used for each data to extract features and then combine these outputs)	-	*
Kansaksiri et. al. (2023) [75]	Meta-AI, NLP *	Recipe1M	Food image, OpenAI-powered chat service (Input food image into the model to extract ingredients)	-	
Safitri et. al. (2023) [76]	GPT-3, NLP *	Created their own DB	Contextual information (User texts with the chat-bot)	Desktop application	
<b>C. Restaurant Recommendation Systems</b>					
Hasan et. al. (2022) [77]	AI *	Dataset of restaurant menus	Preferences, menu image (Menu item extraction from menu image and combined with preferences to recommend a menu)	Web application	*
Takahashi et. al. (2023) [78]	Flow graph, CRF	Cookpad	Preferences (This model does not take any data as input. It is a flow graph which is being trained by the user and leads the user to preferred recommendations)	-	

3.2. Data collection technologies

A subject that emerges from the literature examined above is the usage of various sensors, devices, technologies, or processes to gather user’s nutrition/health related data. Data acquisition is typically done via two distinct processes: (i) user questionnaires, or (ii) automated data gathering utilising a multitude of diverse devices ranging from communication devices to wearable sensors and from cameras to medical devices.

Sonkusale et. al. (2022) [79] list an extensive array of sensors specifically designed for measuring and extracting vital body information. These sensors, readily available in the

493  
494  
495  
496  
497  
498  
499  
500

market, play a pivotal role in supporting PN applications. Furthermore, a more in-depth technical analysis is presented in the review paper by Ates et. al. (2022) [80] offering a comprehensive and more technical examination of various wearable sensor technologies. This review emphasizes the end-to-end process that transforms raw sensor data into meaningful insights that can inform PN applications. The synthesis of insights from these papers underscores two key points: the abundance of diverse devices and sensors available for PN and the evolving technological landscape that underpins their functionality.

This section presents the data collection technologies that are integral to the field of PN, drawing insights from the literature. It is structured into four subsections, each delineating distinct categories of data collection technologies based on their unique nature, scope, and roles in PN research, and a fifth subsection that summarizes this information in.

### 3.2.1. Wearable sensing devices

An avenue for collecting data in the realm of PN involves the utilization of wearable sensors. When discussing about wearable devices, we typically refer to items like smart watches and activity trackers, but there are also other devices, such as smart glasses and smart headphones, that can monitor metrics like heard rate, blood pressure, sleep performance, and feed this data to recommendation systems.

The CarpeDiem app, as discussed by Migliorelli et. al. (2023) [81] integrates data from wearable devices and user questionnaires to analyse physical activity, sleep patterns, and nutritional habits, offering personalized recommendations to promote healthier lifestyles. A pilot study assesses its effectiveness in driving long-term behavioural changes, emphasizing the utility of combining objective and subjective health data. Meanwhile, Wang et. al. (2022) [82] present NutriTrek, a wearable electrochemical biosensor engineered to continuously analyse sweat for various metabolites and nutrients, including essential amino acids and vitamins. Its wireless communication facilitates real-time monitoring of nutritional needs, showcasing the potential of wearable sensors for developing effective personalized nutrition plans through non-invasive and convenient data collection.

Khan et. al. (2022) [83] propose iHearken, a headphone-like wearable sensor system, employing ML techniques to automatically recognize food intake types in real-life settings. Through four phases, including data acquisition and classification using Bidirectional long short-term memory (Bi-LSTM) models, iHearken achieves high accuracy (97.422%), precision (96.808%), recall (98%), and F-score (97.512%), demonstrating superior performance in food recognition compared to other models. This research underscores the potential of wearable sensors and ML for dietary monitoring. Similarly, Xiao-Yong et. al. (2023) [84] introduce a smartwatch-based health management system utilizing physiological data transmitted via 5G and NarrowBand-Internet of Things (NB-IoT) technologies. The system offers continuous monitoring and feedback for medical diagnosis and disease prediction, acknowledging challenges like power consumption and transmission range that require attention for improved effectiveness.

In conclusion, wearable sensors are an excellent way of gathering data from users and feeding them to recommendation systems. With wearable devices a recommendation system can be frequently updated with user's physiological data and generate more accurate and on-site recommendations.

### 3.2.2. Cameras

Nowadays cameras can be found almost everywhere and in every device from smartphones with multiple cameras with great resolution to embedded cameras on wearable devices like activity trackers. The work by Azzimani et. al. (2022) [44] involves an innovative technique that employs advanced image processing methods to accurately calculate the nutrient content of items depicted in RGBD images that were captured before and after a meal. Similarly, Aguilar et. al. (2022) [42] are trying to enhance the accuracy of existing image recognition networks using Bayesian networks. Given an image of one or multiple food plates, the enhanced model can better recognise the foods on the plate.

Along the same lines, in the work presented by Wu et. al. (2022) [70] images are fed to the AI algorithm for food classification, ingredient recognition, and nutrition analysis to produce a nutrition report for the user. The evaluation and accuracy of these tree works was further discussed in section 3.1.1.

All in all, cameras with the synergy of AI and ML algorithms can produce significant information for the recommendation systems. From calorie estimation to volume estimation and from food recognition to ingredient recognition the power of RGB and RGBD images plays a crucial role in the field of PN with much more to give in the future.

### 3.2.3. Smartphones and applications

Smartphones play a multifaceted role in the realm of PN. They are harnessed for diverse purposes, such as capitalizing on their high-quality cameras to capture high resolution images [42,44,70]. Additionally, the development of mobile applications dedicated to PN has emerged as another avenue [52,54,55,69,85]. An example is the work of Zamanillo-Campos et. al. (2023) [86] which discusses the development and evaluation of DiabeText, a personalized mHealth intervention aimed at supporting medication adherence and lifestyle change behaviour in patients with type 2 diabetes in Spain. The testing of the app showed a high level of personalization and patient-centredness. These applications, equipped with user-friendly interfaces, facilitate the input of personalised information and display results from recommendation systems. Furthermore, smartphones leverage wireless connection technologies like Bluetooth to link with various wearable devices. Notably, Martínez-Rodríguez et. al. (2022) [87] underscore the efficacy of combining wearable sensors with mobile applications, showcasing superior outcomes compared to methods that do not integrate smartphone applications.

Additionally, gamification emerges as a significant factor in driving user engagement with PN mobile applications, as emphasized by Al-Rayes et. al. (2022) [88]. Similarly, Oc et. al. (2022) [89] explore motivational technology characteristics through the U-Commerce lens, introducing the gaming, instructing, sharing, and teaching GIST model based on user preferences for gaming, instructing, sharing, and teaching features. This model, built on four principles, aims to cultivate autonomous motivation among users, facilitating more effective and sustainable engagement with PN applications.

In conclusion, smartphones and their synergy with mobile applications and wearable sensors can provide not only a user-friendly interface for users to interact with a PN application but also the means by which valuable data and information can be collected by the recommendation systems.

### 3.2.4. Other sensing devices

In addition to wearable devices, a diverse array of non-wearable sensing devices holds substantial promise for personalised nutrition. Such devices range from simple smart scales to smart forks and even EEG signal capturing devices or DNA kits. As was mentioned previously, Islam et. al. (2023) [51] retrieve brain data using EEG signals as inputs for their recommendation system while Yang et. al. (2023) [54] use DNA kits to collect genetic information from the users.

Likewise, Wilson-Barnes et. al. (2022) [19] employed a Volatile Organic Compound (VOC) sensor to analyse the breath of research participants in two population groups at nutritional risk: i) adults with poor-quality diets (PQD, less than 3 portions of fruit and vegetables per day) and ii) adults with iron deficiency anaemia. The analysis results were subsequently used to investigated correlations of specific compounds with the two groups.

In summary, pivotal health and nutrition-related information can be gleaned from advanced non-wearable sensing devices; however, the process of obtaining, analysing, and applying the data is often more intricate compared to wearable sensors. Beyond the sheer volume of these devices, users may encounter challenges, such as the need to visit hospitals or specialized facilities. Moreover, the complexity of these devices can render them difficult to use and potentially expensive.



## 3.2.5. Summarization

In the table below we provide an overview of the various data collection technologies that were presented in this section (Table 2). For each technology we identify the data capturing sensor or device used, its data output which is used as input to the method or model employed, and finally the scope of the method/model used in the respective work.

**Table 2.** List of the data collection technologies presented in Section 4, indicating sensors/devices used, method/model input (which is also the output of the sensor/device), and method/model scope.

Reference No.	Sensor/Device used	Method/Model input (sensor output data)	Method/Model Scope
Wilson-Barnes et. a. (2022) [19]	VOC	Human breath	Nutrient estimation
Aguilar et. al. (2022) [42]	Camera	RGB of a plate	Food recognition
Azzimani et. al. (2022) [44]	Camera	RGBD of a meal	Meal personalisation
Islam et. al. (2023) [51]	EEG	EEG signals	Affects of different meals
Yang et. al. (2022) [52]	Mobile	Genetic testing, physical examination, diet style, habits and customs, medical history, exercise data	Tailored nutrition solution
Yang et. al. (2023) [54]	Mobile, DNA kit	Lifestyle questionnaire, physical examination results, DNA data	Evaluating users' immune status, nutritional deficiency risk
Yang et. al. (2022) [55]	Mobile, DNA kit	Analysing genetic data, lifestyle data, physical examination data	Genetic interpretation report, personalized nutrition report, customized nutrition packs
Cunha et. al. (2024) [64]	Food scale, body scale, smartwatches	Food intake attributes, physical activity metrics, body parameters	BMI prediction, personalised feedback, goal monitoring
Ribeiro et. al. (2022) [69]	Mobile	Food preferences, restrictions, nutritional needs	Meal recommendation system
Wu et. al. (2022) [70]	Camera	RGB of a meal	Food classification
Migliorelli et. al. (2023) [81]	Activity tracker	Step counter, physical activity, pulse, sleep hours and sleeping efficiency	Physical activities, cardiovascular activities, sleep patterns, nutritional habits
Wang et. al. (2022) [82]	NutriTrek	Age, BMI	Health monitoring, precision nutrition
Khan et. al. (2022) [83]	Headphone-like	Chewing sounds	Food intake type
Xiao-Yong et. al. (2023) [84]	Smartwatches, mobile	Pulse, heart rate, blood oxygen	Health management
Zamanillo-Campos et. al. (2023)[86]	Mobile	Patient-elicited data	Tailored brief text
Martínez-Rodríguez et. al. (2022) [87]	Mobile, activity tracker	Blood pressure, body weight, water intake, fruits intake, vegetables intake, physical activity	Personalised reminders, behavioural tips, educational material, progress tracking
Oc et. al. (2022) [89]	Smartwatches, smart wristbands, mobile	Preferences	Gamification

## 4. Discussion

607

608

609

610

611

612

613

614

In this section, we discuss and summarise the findings from the preceding literature review, shedding light on the research challenges that emerge. Upon examining all presented works, certain features have been identified as not only pivotal to each individual study but also shared across multiple works. A synthesis of such common features was done, and the result was presented in tabular format to show how each work/method incorporated them. Specifically, we focused on the methods/models/technologies presented in the various works and for each we identified the specific datasets, input types and presentation platforms that have been used. The surveyed works employ a diverse array of methods, and even when multiple works employ the same method, they often leverage different technologies. Across the presented works, various approaches have been adopted, including image recognition models Azzimani et. al. (2022) [44], heuristic optimizations<sup>7</sup> Geng et. al. (2023) [56], Bayesian networks<sup>8</sup> Aguilar et. al. (2022) [42], DT<sup>9</sup> methodologies Sahal et. al. (2022) [57], deep convolutional neural networks<sup>10</sup> Kaur et. al. (2022) [41], ontologies<sup>11</sup> Buzcu et. al. (2022) [67], and more. It is evident that the reviewed works demonstrate a significant diversity by employing multiple and distinct approaches, highlighting the breadth of methodologies within the field.

Conversely, when it comes to input types, commonalities emerge among the studies recommendation systems. For instance, user physiological data is a recurring input type [36,41,55], while food images play a central role in [41,42,44,70] and more. Specifically, input types have been categorised into four main groups: user profile data (including personal information, physiological data, genetic data, physical activity, habits, etc.), user health data (including allergies, diseases, medical history etc.), user preferences/restrictions (including dietary preferences/restrictions, food ratings, dietary patterns, preferred cuisine, cultural aspects etc.), and food images (e.g., RGB or RGBD images). The radar chart depicted in Figure 3a visually represents how frequently each input type is used in the reviewed works.

One significant finding related to the datasets used by the reviewed works is that, in most instances, researchers employ pre-existing well established datasets. However, there are cases where bespoke datasets tailored to the specific research goals are used, as evidenced in Wu et. al. (2022) [70]. A second noteworthy observation is the considerable diversity across the used datasets. For instance, [44,45,73] utilise national databases containing nutrition values for various foods, while in Zhang et. al. (2022) [38] physiological data are extracted from the MyFitnessPal app. In contrast, Geng et. al. (2023) [56] employ ten heuristic optimization benchmark datasets, and Yang et. al. (2022) [55] rely on a database

---

<sup>7</sup> Heuristic optimization refers to a problem-solving approach that employs practical, experience-based techniques to find good-enough solutions for complex optimization problems, especially when traditional methods are computationally infeasible. [https://en.wikipedia.org/wiki/Heuristic\\_\(computer\\_science\)](https://en.wikipedia.org/wiki/Heuristic_(computer_science))

<sup>8</sup> Bayesian networks are probabilistic graphical models that represent a set of variables and their conditional dependencies using directed acyclic graphs, enabling efficient reasoning and inference under uncertainty. [https://en.wikipedia.org/wiki/Bayesian\\_network](https://en.wikipedia.org/wiki/Bayesian_network)

<sup>9</sup> Digital Twin is a virtual representation of a physical object, system, or process that is used to simulate, analyse, and optimize its real-world counterpart through real-time data and advanced algorithms. [https://en.wikipedia.org/wiki/Digital\\_twin](https://en.wikipedia.org/wiki/Digital_twin)

<sup>10</sup> Deep convolutional neural networks are a type of artificial neural network designed to process and analyse grid-like data structures, particularly images, by using multiple layers of convolutional filters to learn spatial hierarchies of features automatically and adaptively from the input data. [https://en.wikipedia.org/wiki/Convolutional\\_neural\\_network](https://en.wikipedia.org/wiki/Convolutional_neural_network)

<sup>11</sup> Formal representations of a set of concepts within a domain and the relationships between those concepts, used to model domain knowledge in a structured and interpretable way for purposes such as information sharing, integration, and reasoning. [https://en.wikipedia.org/wiki/Ontology\\_\(information\\_science\)](https://en.wikipedia.org/wiki/Ontology_(information_science))


for autism as well as a database detailing gene-disease association. Additionally, [41,42,74] incorporate databases of food images, while Buzcu et. al. (2023) [67] adopt an Web Ontology Language (OWL), showcasing the rich spectrum of data sources and methodologies employed by researchers in this field.

In terms of presentation platforms, the reviewed works exhibit commonalities as nearly half of the works in Nutrition Recommendation Systems and almost all the works in Recipe Recommendation Systems are using a platform or a method for users to interact with the recommendation system and for the recommendation system to collect information and data from the users. For instance, [36,52,54,55] utilise questionnaires for user interaction, while [41,66,68] opt for web-based applications. In general, presentation platforms have been categorised into four main groups: user questionnaires, mobile applications, web-based applications, and desktop-based applications. The radar chart depicted in Figure 3b visually represents the usage frequency of the various presentation platform types among the works, highlighting the prevalent approaches adopted by researchers in facilitating user engagement and data collection in recommendation systems.

The ultimate role of personalized nutrition recommendation systems is to assist individuals in changing/sustaining their dietary habits to improve their health outcomes, such as balancing BMI, achieving weight loss, and preventing disease. To fully assess the effectiveness of these systems, long-term studies involving human participants are necessary. While our focus in this paper is on the technical evaluation and validation of these systems, as outlined in the introduction, we acknowledge that there is one study that has conducted such an experiment. Yang et. al. (2023) [54] demonstrated that personalized nutrition and nutritional supplements significantly improved the immune system of elderly participants by tailoring nutrient intake based on individual genetic profiles, health indicators, and lifestyle factors. This personalized approach led to a marked improvement in immune markers, such as a 30% increase in T-cell activity and a 25% reduction in inflammation-related markers, enhancing overall immune function and reducing susceptibility to infections and autoimmune conditions.

Drawing upon the differences and similarities between nutrition RSs and recipe RSs it is not clear whether adding recipe recommendation over nutritional has additive value. However, one benefit of recipe RSs over nutritional ones is stated in Ribeiro et. al. [69] saying that the creation of multiple meals recommendations have extended control over users' diet unlike single recommender systems.

Finally, several reviewed works have taken the additional step of integrating their recommendation systems into practical applications, such as web or mobile platforms, which are currently available and can be used online. For example, Safitri et. al. (2023) [76] an application named CookPal which is a web site where a user can either upload an image of one or more products or write those products and the algorithm will produce a recipe with these products. Additionally, Hasan et. al. (2022) [77] provide a web site where users can find useful articles about foods, recipes, restaurants, and more.



**Figure 3.** Two radar charts regarding the inputs and the platforms of recommendation systems correspondingly. (a) Radar chart displaying how common each input type is. (b) Radar chart displaying how common each platform type is.

4.1. Research challenges in recommendation systems for personalised nutrition

The field of PN revolves around customising dietary recommendations and interventions for individuals, considering their distinct characteristics, including their profile, genetic information, metabolism, microbiome composition, lifestyle, preferences, and health status. For example, Andres et. al. (2023) [90] focus on data engineering issues like data collection, cleaning, integration, and processing, alongside the design and implementation of efficient data pipelines and storage systems while Sedrakyan et. al. (2023) [91] discuss the importance of integrating sustainable food consumption into recommendation systems, limitations of existing food recommendation systems, and privacy among other challenges.

Despite the considerable potential of existing PN approaches to enhance health outcomes, a careful examination and analysis of various reviewed works reveal several research challenges that demand attention. This chapter enumerates the research challenges derived from a meticulous review of the literature.

**Data Collection and Integration.** PN often requires extensive collection of multimodal data that can range from personal user profiles to microbiome and genetic data, and from physical activity data to clinical data. The majority of the above works use more than one types of data as input to get a more accurate result like [38,43,52] therefore more diverse datasets are needed.

- *Research challenge: Integration of diverse datasets and development of standardised protocols for multimodal data collection and analysis*

Several data collection devices or methods are either costly or time consuming (or both) for the user [19,51,54,55].

- *Research challenge: Friendlier and more easily accessible means (devices, methods, etc.) for data collection.*

**Precision and Accuracy.** Achieving precise and accurate recommendations for individuals is challenging due to the complex interplay of multiple factors. Combining multiple technologies and data like [36,41,55,63] can diverse the accuracy of a system.

- *Research challenge: Understanding the interactions between genes, diet, lifestyle, the microbiome, and more via novel sophisticated analytical methods and respective computational tools.* 723  
724  
725  
726

Increasing data diversity leads to more accurate results [37,38,43,51,79,80]. 727

- *Research challenge: Improvement of existing or development of novel technologies (e.g., smart devices) for gathering of additional data.* 728  
729  
730

**Genetic Variation and Gene-Diet Interactions.** Genetic variation plays a crucial role in individual responses to dietary factors. People respond differently to the same dietary interventions due to variations in genetics, metabolism, and other factors. Only three studies [52,54,55] include genetic data indicating the need to address this research challenge. 731  
732  
733  
734

- *Research challenge: Developing personalised recommendation systems that account for genetic variability.* 735  
736
- *Research challenge: Identifying relevant genetic variants and understanding how they interact with specific nutrients or dietary patterns via large-scale studies and advanced statistical techniques.* 737  
738  
739  
740

**Long-Term Effects.** Studying the long-term effects of PN interventions is essential to understand their impact on health outcomes. Many studies conducted surveys that included humans like [66,74,78] for a couple of months but not for more. 741  
742  
743

- *Research challenge: Conduct long-term studies with large sample sizes while overcoming any respective logistical challenges and financial constraints.* 744  
745  
746

**Long-Term Results.** To evaluate recommendation systems more comprehensively, there is a need for more long-term studies involving human participants, rather than focusing solely on technical aspects. 747  
748  
749

- *Research challenge: Conduct long-term studies with large numbers of real users using diet recommendation systems, carefully monitoring their response throughout the process (nutrition behavioural changes, real health changes/outcomes achieved, etc.).* 750  
751  
752  
753

**Behaviour Change.** PN recommendations often require individuals to make significant changes to their dietary habits and lifestyle. Studies like [48,70,81,88] try to leverage the challenge to motivate a user on keep using a diet but more effort is needed on this direction. 754  
755  
756  
757

- *Research challenge: Understand how to effectively motivate and support individuals in making sustainable behaviour changes.* 758  
759  
760

**Ethical and Privacy Considerations.** PN almost inevitably involves the collection and use of sensitive personal data. The study Safitri et. al. (2023) [76] is an example of developing a system focusing on users' data privacy. 761  
762  
763

*Research challenge: Facilitate privacy protection and address ethical concerns related to data ownership, consent, and potential discrimination.* 764  
765

In addition to the challenges identified in the reviewed papers, we further highlight below the research challenges put forth by Food2030 [92], aiming to offer a more comprehensive perspective on this subject. These challenges are not met (with one exception) in the above studies and therefore is it urgent to address them for feature works. While the overarching scope of Food2030 is "to achieve a resilient food system that is fit for the future", specific requirements put forth include the need to also deliver co-benefits for peoples' health, world's climate, the planet, and communities. Hence, the imperative for the coexistence of PN and sustainability remains an ongoing consideration and represents a 766  
767  
768  
769  
770  
771  
772  
773

crucial aspect that could be seamlessly integrated into recommendation systems. The challenges that Food2030 addresses can be summarized as follows.

**Carbon footprint.** One of the major challenges faced by modern society is the carbon footprint associated with food production and consumption.

- *Research challenge: Utilisation of technologies such as blockchain to trace the origin of food/products or geolocation systems to track their journey from farm to fork, with the aim of contributing to reductions in the carbon footprint.*
- *Research challenge: Development of technological solutions to facilitate precise calculations, with the aim of contributing to reductions in the carbon footprint.*

**Waste.** Food waste is a pressing problem in contemporary societies, particularly in more developed countries with high populations and demand.

- *Research challenge: Development of technological solutions for improved accuracy of estimations regarding required quantities of food/products at each stage of the supply chain.*

**Prices.** Accessibility to affordable food/products remain a challenge in several impoverished nations worldwide Wang et. al. (2022) [66].

- *Research challenge: Development of technological solutions for the analysis of pricing disparities, ultimately working towards greater affordability and accessibility.*

**Sociocultural aspects.** Reshaping societal behaviours can lead towards a more environmentally conscious and sustainable way of living.

- *Research challenge: Development of solutions/methods for incorporating technology in education and societal restructuring towards a greener and more sustainable society.*

In summary, the research challenges for data-driven innovation in the field of PN span across diverse domains. A critical focus is on the data sphere, demanding large-scale, precise, and readily accessible datasets. Ethical and privacy concerns emerge prominently, particularly in the utilization of personal user data. The inherent variability among individuals poses a significant challenge for recommendation systems in PN, striving to tailor recommendations to each user effectively. Developing user-friendly applications and platforms is another substantial hurdle. Furthermore, the long-term effects of employing recommendation systems as well as their seamless integration with Food2030 goals pose complex challenges. Achieving harmony with existing technologies and exploring new ones becomes pivotal, especially concerning sustainability, food waste, and other challenges outlined in Food2030. Consequently, the multidimensional nature of challenges in this research field necessitates comprehensive consideration across various facets.

## 5. Conclusions

This review paper describes a review in data-driven innovative technologies in the realm of PN, offering a comprehensive and holistic overview of the various technologies and their applications in this research field. Adhering to the PRISMA model, the reviewed works cover the period from 2021 to date, emphasising the synergy between Computer Science and PN.

The findings indicate that the predominant approach to amalgamating these two fields involves the use of recommendation systems. These systems are further categorised into Nutrition, Recipe, and Restaurant Recommendation Systems. The diversity in technologies and methods employed by these recommendation systems is noteworthy. Common across nearly all recommendation systems are the inputs utilized, including user data and food images. Another shared feature is the mediums employed to gather inputs, typically through questionnaires, web-based apps, mobile apps, and desktop-based apps.

A dedicated chapter delves into the technologies employed for data collection, highlighting the crucial roles of wearable and non-wearable sensors, cameras, smartphones, and mobile applications. The development of user-friendly interfaces for these recommendation systems, coupled with the integration of wireless connected devices for data provision, holds the potential to guide individuals towards healthier lifestyles using mobile apps for personalized nutrition.

Finally, this literature review identified several research challenges. The paper lists the most significant challenges within the realms of nutrition, computer science technologies, and sustainability, offering a comprehensive perspective on the research field.

**Author Contributions:** Conceptualization, D.T., L.G. and K.D.; methodology, K.D.; validation, L.G. and K.D.; formal analysis, D.T.; investigation, D.T.; writing—original draft preparation, D.T.; writing—review and editing, D.T., L.G. and K.D.; visualization, D.T.; supervision, L.G. and K.D.; project administration, L.G.; funding acquisition, L.G. and K.D. All authors have read and agreed to the published version of the manuscript.

**Funding:** This research was funded by HORIZON EUROPE Framework Programme, grant number 101086105 (FOODITY: FOod and nutritiOn Data-driven innovation respectful of citizen's Data SovereIGNTY).

## References

1. Mahumud, R.A.; Sahle, B.W.; Owusu-Addo, E.; Chen, W.; Morton, R.L.; Renzaho, A.M.N. Association of Dietary Intake, Physical Activity, and Sedentary Behaviours with Overweight and Obesity among 282,213 Adolescents in 89 Low and Middle Income to High-Income Countries. *Int J Obes* **2021**, *45*, 2404–2418, doi:10.1038/s41366-021-00908-0.
2. Blüher, M. Obesity: Global Epidemiology and Pathogenesis. *Nat Rev Endocrinol* **2019**, *15*, 288–298, doi:10.1038/s41574-019-0176-8.
3. Hammond, R.A.; Dubé, L. A Systems Science Perspective and Transdisciplinary Models for Food and Nutrition Security. *Proc. Natl. Acad. Sci. U.S.A.* **2012**, *109*, 12356–12363, doi:10.1073/pnas.0913003109.
4. World Health Organization. Available Online: <https://www.who.int/data/gho/indicator-metadata-registry/Imr-Details/3420> (Accessed on 4 March 2024). **2024**.
5. Mariadoss, S.; Augustin, F. Enhanced Sugeno Fuzzy Inference System with Fuzzy AHP and Coefficient of Variation to Diagnose Cardiovascular Disease during Pregnancy. *Journal of King Saud University - Computer and Information Sciences* **2023**, *35*, 101659, doi:10.1016/j.jksuci.2023.101659.
6. Betts, J.A.; Gonzalez, J.T. Personalised Nutrition: What Makes You so Special? *Nutrition Bulletin* **2016**, *41*, 353–359, doi:10.1111/nbu.12238.
7. Mathers, J.C. Paving the Way to Better Population Health through Personalised Nutrition. *EFS2* **2019**, *17*, doi:10.2903/j.efsa.2019.e170713.
8. Di Renzo, L.; Gualtieri, P.; Romano, L.; Marrone, G.; Noce, A.; Pujia, A.; Perrone, M.A.; Aiello, V.; Colica, C.; De Lorenzo, A. Role of Personalized Nutrition in Chronic-Degenerative Diseases. *Nutrients* **2019**, *11*, 1707, doi:10.3390/nu11081707.
9. Konstantinidou, V.; Ruiz, L.A.D.; Ordovás, J.M. Personalized Nutrition and Cardiovascular Disease Prevention: From Framingham to PREDIMED. *Advances in Nutrition* **2014**, *5*, 368S–371S, doi:10.3945/an.113.005686.
10. Wheatley, S.D.; Deakin, T.A.; Arjomandkhah, N.C.; Hollinrake, P.B.; Reeves, T.E. Low Carbohydrate Dietary Approaches for People With Type 2 Diabetes—A Narrative Review. *Front. Nutr.* **2021**, *8*, 687658, doi:10.3389/fnut.2021.687658.

11. Shastri, A.A.; Lombardo, J.; Okere, S.C.; Higgins, S.; Smith, B.C.; DeAngelis, T.; Palagani, A.; Hines, K.; Monti, D.A.; Volpe, S.; et al. Personalized Nutrition as a Key Contributor to Improving Radiation Response in Breast Cancer. *IJMS* **2021**, *23*, 175, doi:10.3390/ijms23010175. 869–871
12. Miyazawa, T.; Hiratsuka, Y.; Toda, M.; Hatakeyama, N.; Ozawa, H.; Abe, C.; Cheng, T.-Y.; Matsushima, Y.; Miyawaki, Y.; Ashida, K.; et al. Artificial Intelligence in Food Science and Nutrition: A Narrative Review. *Nutrition Reviews* **2022**, *80*, 2288–2300, doi:10.1093/nutrit/nuac033. 872–874
13. Sood, S.; Singh, H. Computer Vision and Machine Learning Based Approaches for Food Security: A Review. *Multimed Tools Appl* **2021**, *80*, 27973–27999, doi:10.1007/s11042-021-11036-2. 875–876
14. Trabucchi, D.; Buganza, T. Data-Driven Innovation: Switching the Perspective on Big Data. *EJIM* **2019**, *22*, 23–40, doi:10.1108/EJIM-01-2018-0017. 877–878
15. Theodoridis, T.; Solachidis, V.; Dimitropoulos, K.; Gymnopoulos, L.; Daras, P. A Survey on AI Nutrition Recommender Systems. In Proceedings of the Proceedings of the 12th ACM International Conference on Pervasive Technologies Related to Assistive Environments; ACM: Rhodes Greece, June 5 2019; pp. 540–546, doi:10.1145/3316782.3322760. 879–882
16. Agrawal, K.; Kumar, N. Artificial Intelligence Innovations: Inception of New Horizons in Food Processing Sector. In Proceedings of the 2023 IEEE Silchar Subsection Conference (SILCON); IEEE: Silchar, India, November 3 2023; pp. 1–8, doi: 10.1109/SILCON59133.2023.10404183. 883–885
17. Roy, D.; Dutta, M. A Survey on Personalized Health Recommender Systems for Diverse Healthcare Applications. In Proceedings of the 2023 4th International Conference on Computing and Communication Systems (I3CS); IEEE: Shillong, India, March 16 2023; pp. 1–9, doi: 10.1109/I3CS58314.2023.10127238. 886–888
18. Sempionatto, J.R.; Montiel, V.R.-V.; Vargas, E.; Teymourian, H.; Wang, J. Wearable and Mobile Sensors for Personalized Nutrition. *ACS Sens.* **2021**, *6*, 1745–1760, doi:10.1021/acssensors.1c00553. 889–890
19. Wilson-Barnes, S.; Pongcharoenyong, L.; Gymopoulos, L.; Dimitropoulos, K.; Jaksic, M.; Mihajlović, A.; Brkic, B.; Lanham-New, S.; Hart, K. The Utility of Breath Volatile Organic Compound (VOC) Sampling as a Biomarker of Sub-Optimal Nutritional Status: A UK Pilot Study. *Proc. Nutr. Soc.* **2022**, *81*, E90, doi:10.1017/S0029665122001197. 891–893
20. Kolodziejczyk, A.A.; Zheng, D.; Elinav, E. Diet–Microbiota Interactions and Personalized Nutrition. *Nat Rev Microbiol* **2019**, *17*, 742–753, doi:10.1038/s41579-019-0256-8. 894–895
21. Van Ommen, B.; Van Den Broek, T.; De Hoogh, I.; Van Erk, M.; Van Someren, E.; Rouhani-Rankouhi, T.; Anthony, J.C.; Hogenelst, K.; Pasman, W.; Boorsma, A.; et al. Systems Biology of Personalized Nutrition. *Nutrition Reviews* **2017**, *75*, 579–599, doi:10.1093/nutrit/nux029. 896–898
22. Ordovas, J.M.; Ferguson, L.R.; Tai, E.S.; Mathers, J.C. Personalised Nutrition and Health. *BMJ* **2018**, bmj.k2173, doi:10.1136/bmj.k2173. 899–900
23. Michel, M.; Burbidge, A. Nutrition in the Digital Age - How Digital Tools Can Help to Solve the Personalized Nutrition Conundrum. *Trends in Food Science & Technology* **2019**, *90*, 194–200, doi:10.1016/j.tifs.2019.02.018. 901–902
24. Laddu, D.; Hauser, M. Addressing the Nutritional Phenotype Through Personalized Nutrition for Chronic Disease Prevention and Management. *Progress in Cardiovascular Diseases* **2019**, *62*, 9–14, doi:10.1016/j.pcad.2018.12.004. 903–904
25. Beura, S.; Kundu, P.; Das, A.K.; Ghosh, A. Metagenome-Scale Community Metabolic Modelling for Understanding the Role of Gut Microbiota in Human Health. *Computers in Biology and Medicine* **2022**, *149*, 105997, doi:10.1016/j.compbiomed.2022.105997. 905–907
26. Amorim, D.; Miranda, F.; Ferreira, L.; Abreu, C. Data-Driven Carbohydrate Counting Accuracy Monitoring: A Personalized Approach. *Procedia Computer Science* **2022**, *204*, 900–906, doi:10.1016/j.procs.2022.08.109. 908–909



27. Greenberg, K.L.; Poupko, T.; Sorotzkin, D.; Keidar, O.; Zwas, D.R. Development and Usage of a Health Recommendation Web Tool (HearT) Designed to Inform Women of Personalized Preventive Health Recommendations. *Internet Interventions* **2023**, *31*, 100599, doi:10.1016/j.invent.2022.100599. 910-912
28. Stefanidis, K.; Tsatsou, D.; Konstantinidis, D.; Gymnopoulos, L.; Daras, P.; Wilson-Barnes, S.; Hart, K.; Cornelissen, V.; Decorte, E.; Lalama, E.; et al. PROTEIN AI Advisor: A Knowledge-Based Recommendation Framework Using Expert-Validated Meals for Healthy Diets. *Nutrients* **2022**, *14*, 4435, doi:10.3390/nu14204435. 913-915
29. Yang, L.; Hsieh, C.-K.; Yang, H.; Pollak, J.P.; Dell, N.; Belongie, S.; Cole, C.; Estrin, D. Yum-Me: A Personalized Nutrient-Based Meal Recommender System. *ACM Trans. Inf. Syst.* **2018**, *36*, 1–31, doi:10.1145/3072614. 916-917
30. Harvey, M.; Elsweiler, D. Automated Recommendation of Healthy, Personalised Meal Plans. In Proceedings of the Proceedings of the 9th ACM Conference on Recommender Systems; ACM: Vienna Austria, September 16 2015; pp. 327–328, doi:10.1145/2792838.2796551. 918-920
31. Livingstone, K.M.; Ramos-Lopez, O.; Pérusse, L.; Kato, H.; Ordovas, J.M.; Martínez, J.A. Precision Nutrition: A Review of Current Approaches and Future Endeavors. *Trends in Food Science & Technology* **2022**, *128*, 253–264, doi:10.1016/j.tifs.2022.08.017. 921-923
32. Kirk, D.; Catal, C.; Tekinerdogan, B. Precision Nutrition: A Systematic Literature Review. *Computers in Biology and Medicine* **2021**, *133*, 104365, doi:10.1016/j.combiomed.2021.104365. 924-925
33. Page, M.J.; Moher, D.; Bossuyt, P.M.; Boutron, I.; Hoffmann, T.C.; Mulrow, C.D.; Shamseer, L.; Tetzlaff, J.M.; Akl, E.A.; Brennan, S.E.; et al. PRISMA 2020 Explanation and Elaboration: Updated Guidance and Exemplars for Reporting Systematic Reviews. *BMJ* **2021**, n160, doi:10.1136/bmj.n160. 926-928
34. Page, M.J.; McKenzie, J.E.; Bossuyt, P.M.; Boutron, I.; Hoffmann, T.C.; Mulrow, C.D.; Shamseer, L.; Tetzlaff, J.M.; Akl, E.A.; Brennan, S.E.; et al. The PRISMA 2020 Statement: An Updated Guideline for Reporting Systematic Reviews. *BMJ* **2021**, n71, doi:10.1136/bmj.n71. 929-931
35. Haddaway, N. R.; Page, M. J.; Pritchard, C. C.; McGuinness, L. A. PRISMA2020: An R Package and Shiny App for Producing PRISMA 2020-Compliant Flow Diagrams, with Interactivity for Optimised Digital Transparency and Open Synthesis. *Campbell Systematic Reviews* **2022**, *18*, doi:https://doi.org/10.1002/cl2.1230. 932-934
36. Haseena, S.; Saroja, S.; Revathi, T. A Fuzzy Approach for Multi Criteria Decision Making in Diet Plan Ranking System Using Cuckoo Optimization. *Neural Comput & Applic* **2022**, *34*, 13625–13638, doi:10.1007/s00521-022-07163-y. 935-937
37. Lakshmi, M.J.; Niharika, G.; Kodipalli, A.; Rohini, B.R.; Gargi, N.; Soma, B. Revolutionizing Personalized Nutrition Using F-AHP, Fuzzy TOPSIS and Multicriteria Selection Analysis. In Proceedings of the 2023 International Conference on Recent Advances in Science and Engineering Technology (ICRASET); IEEE: B G NAGARA, India, November 23 2023; pp. 1–6, doi: 10.1109/ICRASET59632.2023.10420363. 938-941
38. Zhang, J.; Li, M.; Liu, W.; Lauria, S.; Liu, X. Many-Objective Optimization Meets Recommendation Systems: A Food Recommendation Scenario. *Neurocomputing* **2022**, *503*, 109–117, doi:10.1016/j.neucom.2022.06.081. 942-943
39. Salloum, G.; Tekli, J. Automated and Personalized Meal Plan Generation and Relevance Scoring Using a Multi-Factor Adaptation of the Transportation Problem. *Soft Comput* **2022**, *26*, 2561–2585, doi:10.1007/s00500-021-06400-1. 944-946
40. Rout, A.K.; Sethy, A.; Mouli, N.S. Machine Learning Model for Awareness of Diet Recommendation. In Proceedings of the 2023 International Conference on Inventive Computation Technologies (ICICT); IEEE: Lalitpur, Nepal, April 26 2023; pp. 96–101, doi:10.1109/ICICT57646.2023.10133998. 947-949

41. Kaur, R.; Kumar, R.; Gupta, M. Food Image-Based Diet Recommendation Framework to Overcome PCOS Problem in Women Using Deep Convolutional Neural Network. *Computers and Electrical Engineering* **2022**, *103*, 108298, doi:10.1016/j.compeleceng.2022.108298. 950-952
42. Aguilar, E.; Nagarajan, B.; Remeseiro, B.; Radeva, P. Bayesian Deep Learning for Semantic Segmentation of Food Images. *Computers and Electrical Engineering* **2022**, *103*, 108380, doi:10.1016/j.compeleceng.2022.108380. 953-954
43. Romero-Tapiador, S.; Tolosana, R.; Morales, A.; Fierrez, J.; Vera-Rodriguez, R.; Espinosa-Salinas, I.; Freixer, G.; De Santa Pau, E.C.; De Molina, A.R.; Ortega-Garcia, J. AI4Food-NutritionFW: A Novel Framework for the Automatic Synthesis and Analysis of Eating Behaviours. *IEEE Access* **2023**, *11*, 112199–112211, doi:10.1109/ACCESS.2023.3322770. 955-958
44. Azzimani, K.; Bihri, H.; Dahmi, A.; Azzouzi, S.; Charaf, M.E.H. An AI Based Approach for Personalized Nutrition and Food Menu Planning. In Proceedings of the 2022 IEEE 3rd International Conference on Electronics, Control, Optimization and Computer Science (ICECOCS); IEEE: Fez, Morocco, December 1 2022; pp. 1–5, doi:10.1109/ICECOCS55148.2022.9983099. 959-962
45. Shandilya, R.; Sharma, S.; Wong, J. MATURE-Food: Food Recommender System for MAndatory FeaTURE Choices A System for Enabling Digital Health. *International Journal of Information Management Data Insights* **2022**, *2*, 100090, doi:10.1016/j.ijime.2022.100090. 963-965
46. Xu, Z.; Li, J.; Topaz, M. ElCombo: Knowledge-Based Personalized Meal Recommendation System for Chinese Community-Dwelling Elders. In Proceedings of the 2023 IEEE 11th International Conference on Healthcare Informatics (ICHI); IEEE: Houston, TX, USA, June 26 2023; pp. 478–479, doi:10.1109/ICHI57859.2023.00072. 966-968
47. Hosen, M.A.; Moz, S.H.; Kabir, Sk.S.; Galib, Dr.S.Md.; Adnan, Dr.Md.N. Enhancing Thyroid Patient Dietary Management with an Optimized Recommender System Based on PSO and K-Means. *Procedia Computer Science* **2023**, *230*, 688–697, doi:10.1016/j.procs.2023.12.124. 969-971
48. Larizza, C.; Bosoni, P.; Quaglini, S.; Chasseur, M.; Bevolo, V.; Zuccotti, G.; Calcaterra, V. V-Care: An Application to Support Lifestyle Improvement in Children with Obesity. *International Journal of Medical Informatics* **2023**, *177*, 105140, doi:10.1016/j.ijmedinf.2023.105140. 972-974
49. Lodhi, A.B.; Bilal, M.A.; Bilal, H.S.M.; Khan, K.U.; Satti, F.A.; Khalid, S.; Lee, S. PNRG: Knowledge Graph-Driven Methodology for Personalized Nutritional Recommendation Generation. In *Digital Health Transformation, Smart Ageing, and Managing Disability*; Jongbae, K., Mokhtari, M., Aloulou, H., Abdulrazak, B., Seungbok, L., Eds.; Lecture Notes in Computer Science; Springer Nature Switzerland: Cham, 2023; Vol. 14237, pp. 230–238 ISBN 978-3-031-43949-0, doi:10.1007/978-3-031-43950-6\_20. 975-979
50. Burgermaster, M.; Desai, P.M.; Heitkemper, E.M.; Juul, F.; Mitchell, E.G.; Turchioe, M.; Albers, D.J.; Levine, M.E.; Larson, D.; Mamykina, L. Who Needs What (Features) When? Personalizing Engagement with Data-Driven Self-Management to Improve Health Equity. *Journal of Biomedical Informatics* **2023**, *144*, 104419, doi:10.1016/j.jbi.2023.104419. 980-983
51. Islam, T.; Joyita, A.R.; Alam, M.G.R.; Hassan, M.M.; Hassan, M.R.; Gravina, R. Human Behavior-Based Personalized Meal Recommendation and Menu Planning Social System 2023, doi:10.1109/TCSS.2022.3213506. 984-985
52. Yang, J. Tailored Nutrition Service to Reduce the Risk of Chronic Diseases. In *Health Information Science*; Traina, A., Wang, H., Zhang, Y., Siuly, S., Zhou, R., Chen, L., Eds.; Lecture Notes in Computer Science; Springer Nature Switzerland: Cham, 2022; Vol. 13705, pp. 64–75 ISBN 978-3-031-20626-9, doi:10.1007/978-3-031-20627-6\_7. 986-988
53. Fu, C.; Huang, Z.; Van Harmelen, F.; He, T.; Jiang, X. Food4healthKG: Knowledge Graphs for Food Recommendations Based on Gut Microbiota and Mental Health. *Artificial Intelligence in Medicine* **2023**, *145*, 102677, doi:10.1016/j.artmed.2023.102677. 989-991

54. Yang, J. Using Nutrigenomics to Guide Personalized Nutrition Supplementation for Bolstering Immune System. *Health Inf Sci Syst* **2023**, *11*, 4, doi:10.1007/s13755-022-00208-5. 992  
993
55. Yang, J. Genetic Data Analysis and Business Process Management Platform for Personalized Nutrition Service. In *Computational Science and Its Applications – ICCSA 2022 Workshops*; Gervasi, O., Murgante, B., Misra, S., Rocha, A.M.A.C., Garau, C., Eds.; Lecture Notes in Computer Science; Springer International Publishing: Cham, 2022; Vol. 13381, pp. 550–559 ISBN 978-3-031-10547-0, doi:10.1007/978-3-031-10548-7\_40. 994  
995  
996  
997
56. Geng, S.; He, X.; Liang, G.; Niu, B.; Liu, S.; He, Y. Accuracy-Diversity Optimization in Personalized Recommender System via Trajectory Reinforcement Based Bacterial Colony Optimization. *Information Processing & Management* **2023**, *60*, 103205, doi:10.1016/j.ipm.2022.103205. 998  
999  
1000
57. Sahal, R.; Alsamhi, S.H.; Brown, K.N. Personal Digital Twin: A Close Look into the Present and a Step towards the Future of Personalised Healthcare Industry. *Sensors* **2022**, *22*, 5918, doi:10.3390/s22155918. 1001  
1002
58. Chivukula, R.; Lakshmi, T.J.; Sumalatha, S.; Reddy, K.L.R. Ontology Based Food Recommendation. In *IOT with Smart Systems*; Senjyu, T., Mahalle, P., Perumal, T., Joshi, A., Eds.; Smart Innovation, Systems and Technologies; Springer Nature Singapore: Singapore, 2022; Vol. 251, pp. 751–759 ISBN 9789811639449, doi:10.1007/978-981-16-3945-6\_74. 1003  
1004  
1005  
1006
59. Kaur, R.; Jain, M.; McAdams, R.M.; Sun, Y.; Gupta, S.; Mutharaju, R.; Cho, S.J.; Saluja, S.; Palma, J.P.; Kaur, A.; et al. An Ontology and Rule-Based Clinical Decision Support System for Personalized Nutrition Recommendations in the Neonatal Intensive Care Unit. *IEEE Access* **2023**, *11*, 142433–142446, doi:10.1109/ACCESS.2023.3341403. 1007  
1008  
1009
60. Martinho, D.; Crista, V.; Karakaya, Z.; Gamechi, Z.; Freitas, A.; Neves, J.; Novais, P.; Marreiros, G. Design and Development of Ontology for AI-Based Software Systems to Manage the Food Intake and Energy Consumption of Obesity, Diabetes and Tube Feeding Patients. In *Progress in Artificial Intelligence*; Moniz, N., Vale, Z., Cascalho, J., Silva, C., Sebastião, R., Eds.; Lecture Notes in Computer Science; Springer Nature Switzerland: Cham, 2023; Vol. 14115, pp. 29–40 ISBN 978-3-031-49007-1, doi:10.1007/978-3-031-49008-8\_3. 1010  
1011  
1012  
1013  
1014
61. Rostami, M.; Berahmand, K.; Forouzandeh, S.; Ahmadian, S.; Farrahi, V.; Oussalah, M. A Novel Healthy Food Recommendation to User Groups Based on a Deep Social Community Detection Approach. *Neurocomputing* **2024**, *576*, 127326, doi:10.1016/j.neucom.2024.127326. 1015  
1016  
1017
62. Palacios, C.; Bolton, J.; Wang, W.; Gatto, A.; Concepción, L.; Sadjadi, M.; Varella, M.; Hannan, J. Development and Pilot Testing of the Baby-Feed Web Application for Healthcare Professionals and Parents to Improve Infant Diets. *International Journal of Medical Informatics* **2023**, *174*, 105047, doi:10.1016/j.ijmedinf.2023.105047. 1018  
1019  
1020
63. Wang, X.; Li, Z.; Wu, H. Personalized Recommendation Method of “Carbohydrate-Protein” Supplement Based on Machine Learning and Enumeration Method. *IEEE Access* **2023**, *11*, 100573–100586, doi:10.1109/ACCESS.2023.3314699. 1021  
1022  
1023
64. Cunha, C.; Duarte, P.; Oliveira, R. Nutrition Control System Based on Short-Term Personal Demands. *Procedia Computer Science* **2023**, *224*, 565–571, doi:10.1016/j.procs.2023.09.082. 1024  
1025
65. Neha, K.; Sanjan, P.; Hariharan, S.; Namitha, S.; Jyoshna, A.; Prasad, A.B. Food Prediction Based on Recipe Using Machine Learning Algorithms. In Proceedings of the 2023 Second International Conference on Augmented Intelligence and Sustainable Systems (ICAISS); IEEE: Trichy, India, August 23 2023; pp. 411–416, doi:10.1109/ICAISS58487.2023.10250758. 1026  
1027  
1028  
1029
66. Wang, S.; Xia, K.; Yang, Y.; Qiu, R.; Qi, Y.; Miao, Q.; Xie, W.; Liu, T. A Recommender System for Healthy Food Choices Based on Integer Programming. In *Advances in Transdisciplinary Engineering*; Chen, C.-H., Scapellato, A., Barbiero, A., Korzun, D.G., Eds.; IOS Press, 2022 ISBN 978-1-64368-352-2, doi:10.3233/ATDE221062. 1030  
1031  
1032

67. Buzcu, B.; Varadhakaran, V.; Tchappi, I.; Najjar, A.; Calvaresi, D.; Aydoğan, R. Explanation-Based Negotiation Protocol for Nutrition Virtual Coaching. In *PRIMA 2022: Principles and Practice of Multi-Agent Systems*; Aydoğan, R., Criado, N., Lang, J., Sanchez-Anguix, V., Serramia, M., Eds.; Lecture Notes in Computer Science; Springer International Publishing: Cham, 2023; Vol. 13753, pp. 20–36 ISBN 978-3-031-21202-4, doi:10.1007/978-3-031-21203-1\_2. 1033  
1034  
1035  
1036  
1037
68. Shubhashree, L.A.; Chaudhari, S.; Aparna, R. A Nutrition-Based Smart Recipe Recommender For Healthy Living. In *Proceedings of the 2022 IEEE 3rd Global Conference for Advancement in Technology (GCAT)*; IEEE: Bangalore, India, October 7 2022; pp. 1–6, doi:10.1109/GCAT55367.2022.9971930. 1038  
1039  
1040
69. Ribeiro, D.; Barbosa, T.; Ribeiro, J.; Sousa, F.; Vieira, E.F.; Silva, M.; Silva, A. SousChef System for Personalized Meal Recommendations: A Validation Study. *Applied Sciences* **2022**, *12*, 702, doi:10.3390/app12020702. 1041  
1042
70. Wu, H.; Chen, X.; Li, X.; Ma, H.; Zheng, Y.; Li, X.; Meng, X.; Meng, L. A Visually-Aware Food Analysis System for Diet Management. In *Proceedings of the 2022 IEEE International Conference on Multimedia and Expo Workshops (ICMEW)*; IEEE: Taipei City, Taiwan, July 18 2022; pp. 1–1, doi:10.1109/ICMEW56448.2022.9859471. 1043  
1044  
1045
71. Forouzandeh, S.; Rostami, M.; Berahmand, K.; Sheikhpour, R. Health-Aware Food Recommendation System with Dual Attention in Heterogeneous Graphs. *Computers in Biology and Medicine* **2024**, *169*, 107882, doi:10.1016/j.compbiomed.2023.107882. 1046  
1047  
1048
72. RahmathNisha, S.; Aarthi, M.; Shyamala, C.; Pavithra, M.; Vallipriyadharshini, K.; Raj, B.S. Intelligent Nutrition Assistant Application. In *Proceedings of the 2023 12th International Conference on Advanced Computing (ICoAC)*; IEEE: Chennai, India, August 17 2023; pp. 1–6, doi:10.1109/ICoAC59537.2023.10249611. 1049  
1050  
1051
73. Yera, R.; Alzahrani, A.A.; Martínez, L. Exploring Post-Hoc Agnostic Models for Explainable Cooking Recipe Recommendations. *Knowledge-Based Systems* **2022**, *251*, 109216, doi:10.1016/j.knosys.2022.109216. 1052  
1053
74. Li, D.; Zaki, M.J.; Chen, C. Health-Guided Recipe Recommendation over Knowledge Graphs. *Journal of Web Semantics* **2023**, *75*, 100743, doi:10.1016/j.websem.2022.100743. 1054  
1055
75. Kansaksiri, P.; Panomkhet, P.; Tantisuwichwong, N. Smart Cuisine: Generative Recipe & ChatGPT Powered Nutrition Assistance for Sustainable Cooking. *Procedia Computer Science* **2023**, *225*, 2028–2036, doi:10.1016/j.procs.2023.10.193. 1056  
1057  
1058
76. Safitri, S.; Mantoro, T.; Bhakti, M.A.C.; Wandy, W. Cooking and Food Information Chatbot System Using GPT-3. In *Proceedings of the 2023 IEEE 9th International Conference on Computing, Engineering and Design (ICCED)*; IEEE: Kuala Lumpur, Malaysia, November 7 2023; pp. 1–6, doi:10.1109/ICCED60214.2023.10425553. 1059  
1060  
1061
77. Hasan, W.U.; Tuz Zaman, K.; Zadeh, M.S.A.T.; Li, J. Eat This, Not That! – A Personalised Restaurant Menu Decoder That Helps You Pick the Right Food. In *Proceedings of the 2022 IEEE International Conference on E-health Networking, Application & Services (HealthCom)*; IEEE: Genoa, Italy, October 17 2022; pp. 43–48, doi:10.1109/HealthCom54947.2022.9982770. 1062  
1063  
1064  
1065
78. Takahashi, C.; Matsushita, M.; Yamanishi, R. Exploration Cycle Finding a Better Dining Experience: A Framework of Meal-Plates. *Procedia Computer Science* **2023**, *225*, 2902–2911, doi:10.1016/j.procs.2023.10.283. 1066  
1067
79. Sonkusale, S. Smart Threads for Tissue-Embedded Bioelectronics. In *Proceedings of the 2022 IEEE Custom Integrated Circuits Conference (CICC)*; IEEE: Newport Beach, CA, USA, April 2022; pp. 01–07, doi:10.1109/CICC53496.2022.9772846. 1068  
1069  
1070
80. Ates, H.C.; Nguyen, P.Q.; Gonzalez-Macia, L.; Morales-Narváez, E.; Güder, F.; Collins, J.J.; Dincer, C. End-to-End Design of Wearable Sensors. *Nat Rev Mater* **2022**, *7*, 887–907, doi:10.1038/s41578-022-00460-x. 1071  
1072
81. Migliorelli, C.; Ros-Freixedes, L.; Gomez-Martinez, M.; Sistach-Bosch, L.; Orte, S. Carpediem: Investigating the Interactions of Health Pillars to Design Holistic Recommendations for Achieving Long-Term Changes in Lifestyle 1073  
1074

- Behaviours. In *Intelligent Computing*; Arai, K., Ed.; Lecture Notes in Networks and Systems; Springer Nature Switzerland: Cham, 2023; Vol. 711, pp. 1378–1395 ISBN 978-3-031-37716-7, doi:10.1007/978-3-031-37717-4\_91. 1075  
1076
82. Wang, M.; Yang, Y.; Min, J.; Song, Y.; Tu, J.; Mukasa, D.; Ye, C.; Xu, C.; Heflin, N.; McCune, J.S.; et al. A Wearable Electrochemical Biosensor for the Monitoring of Metabolites and Nutrients. *Nat. Biomed. Eng* **2022**, *6*, 1225–1235, doi:10.1038/s41551-022-00916-z. 1077  
1078  
1079
83. Khan, M.I.; Acharya, B.; Chaurasiya, R.K. iHearken: Chewing Sound Signal Analysis Based Food Intake Recognition System Using Bi-LSTM Softmax Network. *Computer Methods and Programs in Biomedicine* **2022**, *221*, 106843, doi:10.1016/j.cmpb.2022.106843. 1080  
1081  
1082
84. Xiao-Yong, C.; Bo-Xiong, Y.; Shuai, Z.; Jie, D.; Peng, S.; Lin, G. Intelligent Health Management Based on Analysis of Big Data Collected by Wearable Smart Watch. *Cognitive Robotics* **2023**, *3*, 1–7, doi:10.1016/j.cogr.2022.12.003. 1083  
1084
85. Rivera-Romero, O.; Gabarron, E.; Roperio, J.; Denecke, K. Designing Personalised mHealth Solutions: An Overview. *Journal of Biomedical Informatics* **2023**, *146*, 104500, doi:10.1016/j.jbi.2023.104500. 1085  
1086
86. Zamanillo-Campos, R.; Fiol-deRoque, M.A.; Serrano-Ripoll, M.J.; Mira-Martínez, S.; Ricci-Cabello, I. Development and Evaluation of DiabeText, a Personalized mHealth Intervention to Support Medication Adherence and Lifestyle Change Behaviour in Patients with Type 2 Diabetes in Spain: A Mixed-Methods Phase II Pragmatic Randomized Controlled Clinical Trial. *International Journal of Medical Informatics* **2023**, *176*, 105103, doi:10.1016/j.ijmedinf.2023.105103. 1087  
1088  
1089  
1090  
1091
87. Martínez-Rodríguez, A.; Martínez-Olcina, M.; Mora, J.; Navarro, P.; Caturla, N.; Jones, J. New App-Based Dietary and Lifestyle Intervention on Weight Loss and Cardiovascular Health. *Sensors* **2022**, *22*, 768, doi:10.3390/s22030768. 1092  
1093
88. Al-Rayes, S.; Al Yaqoub, F.A.; Alfayez, A.; Alsalman, D.; Alanezi, F.; Alyousef, S.; AlNujaidi, H.; Al-Saif, A.K.; Attar, R.; Aljabri, D.; et al. Gaming Elements, Applications, and Challenges of Gamification in Healthcare. *Informatics in Medicine Unlocked* **2022**, *31*, 100974, doi:10.1016/j.imu.2022.100974. 1094  
1095  
1096
89. Oc, Y.; Plangger, K. GIST Do It! How Motivational Mechanisms Help Wearable Users Develop Healthy Habits. *Computers in Human Behavior* **2022**, *128*, 107089, doi:10.1016/j.chb.2021.107089. 1097  
1098
90. Andres, F. Data Engineering Challenges in Intelligent Food and Cooking Recipes. In Proceedings of the 2023 IEEE 39th International Conference on Data Engineering Workshops (ICDEW); IEEE: Anaheim, CA, USA, April 2023; pp. 214–217, doi:10.1109/ICDEW58674.2023.00041. 1099  
1100
91. Sedrakyan, G.; Gavai, A.; Van Hillegersberg, J. Design Implications Towards Human-Centric Semantic Recommenders for Sustainable Food Consumption. In *Advances in Conceptual Modeling*; Sales, T.P., Araújo, J., Borbinha, J., Guizzardi, G., Eds.; Lecture Notes in Computer Science; Springer Nature Switzerland: Cham, 2023; Vol. 14319, pp. 312–328 ISBN 978-3-031-47111-7, doi:10.1007/978-3-031-47112-4\_29. 1102  
1103  
1104  
1105
92. European Commission. Directorate General for Research and Innovation. *Food 2030: Pathways for Action 2.0 : R&I Policy as a Driver for Sustainable, Healthy, Climate Resilient and Inclusive Food Systems.*; Publications Office: LU, 2023, doi:10.2777/365011; 1106  
1107  
1108

**Disclaimer/Publisher's Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content. 1110  
1111  
1112