

This article was downloaded by [York University Libraries]
On 01 January 2015 At 09:14
Publisher: Taylor & Francis
Informs Ltd Registered in England and Wales Registered Number
1072954 Registered office: Mortimer House, 37 41 Mortimer Street,
London W1T 3JH, UK



Annals and Magazine of Natural History: Series 7

Publication details including instructions
for authors and subscription information

<http://www.tandonline.com/loi/nah.12>

VIII.—Description of a new Cichlid fish from Portuguese East Africa

G. A. Boulenger, F.R.S.

Published online: 29 Sep 2009

To cite this article: G. A. Boulenger, F.R.S.: 1901: VIII.—Description of a new
Cichlid fish from Portuguese East Africa. *Annals and Magazine of Natural
History: Series 7* 20: 115-50. DOI: [10.1080/00222930.1901.10459739](http://dx.doi.org/10.1080/00222930.1901.10459739)

To link to this article: <http://dx.doi.org/10.1080/00222930.1901.10459739>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of
all the information (the "Content") contained in the publications
on our platform. However, Taylor & Francis, our agents, and our
licensees make no representations or warranties whatsoever as
to the accuracy, completeness, or suitability for any purpose of
the Content. Any opinions and views expressed in this publication
are the opinions and views of the authors, and are not the views
of or endorsed by Taylor & Francis. The accuracy of the Content
should not be relied upon and should be independently verified
with primary sources of information. Taylor and Francis shall not be
liable for any losses, actions, claims, proceedings, demands, costs,
expenses, damages, and other liabilities whatsoever or howsoever

caused arising directly or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden. Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

VIII.—*Description of a new Cichlid Fish from Portuguese East Africa.* By G. A. BOULENGER, F.R.S.

A SMALL series of fishes obtained by Mr. C. M. F. Swynnerton in the Idunda River, a limestone-stream flowing into the lower Buzi River, in Portuguese Gazaland (altitude about 100 feet), and presented by him to the British Museum, consists of examples of *Barbus decipiens*, Blgr., *Tilapia shirana*, Blgr., *T. melanopleura*, A. Dum., and a new species of *Tilapia*, here described.

Tilapia Swynnertoni.

Depth of body $2\frac{1}{2}$ times in total length, length of head 3 times. Snout obtuse, with straight or convex profile, as long as the eye, which a little exceeds interorbital width and is contained $3\frac{1}{3}$ times in length of head; mouth extending to below anterior border of eye or a little beyond; maxillary exposed at the end; lips rather thick; 3 series of tricuspid teeth and an outer series of rather large bicuspid teeth (40 to 42 in the upper jaw), the cusps subequal and very obtuse; 3 or 4 series of scales on the cheek; large scales on the opercle. Gill-rakers short, 8 on lower part of anterior arch. Dorsal XV 9–10; spines increasing in length to the last, which measures nearly half length of head; longest soft rays $\frac{2}{3}$ length of head. Anal III 8–9; third spine shorter than last dorsal. Pectoral barely $\frac{3}{4}$ length of head, not extending to origin of anal. Ventral reaching origin of anal or a little beyond. Caudal rounded. Scales ctenoid, 29–31 $\frac{2\frac{1}{2}-3}{10-11}$; lateral lines $\frac{20-22}{10-11}$. Dark olive-brown, with ill-defined black cross-bars; a black vertical bar below the anterior half of the eye and a black opercular spot; fins grey; male with two or three round yellow spots on the anal.

Total length 95 mm.

Described from three specimens.

This species bears a great resemblance to *Haplochromis Moffati*, Casteln. (*Chromis philander*, M. Weber), but differs in the dentition and in the larger eye.

IX.—*Descriptions of Three new Freshwater Fishes discovered by Mr. G. L. Bates in South Cameroon.* By G. A. BOULENGER, F.R.S.

Synodontis Batesii.

Depth of body $3\frac{1}{2}$ to $4\frac{1}{2}$ times in the total length, length of head 3 to $3\frac{1}{2}$ times. Head a little longer than broad, rugose