

TABLES TO FACILITATE THE COMPUTATION OF THE PROBABLE ERRORS OF THE CHIEF CONSTANTS OF SKEW FREQUENCY DISTRIBUTIONS.

By A. RHIND. B.Sc., Biometric Laboratory, University College, London.

THE general theory of the probable errors of the constants of skew frequency distributions was originally given with illustrations by Pearson and Filon, *Phil. Trans.* Vol. 191, A (1898), pp. 229—311. The values there deduced depend on the form of special frequency curve adopted, and involve considerable arithmetical work for each individual case. In these frequency investigations the fundamental constants are the well-known β_1 and β_2 . Every frequency character expressible in terms of β_1 and β_2 can have its probable error determined, provided we know the probable errors of β_1 and β_2 and the correlation in deviations between β_1 and β_2 . General expressions for the probable errors (or the S.D.'s Σ_{β_1} , Σ_{β_2}) of β_1 and β_2 , as well as the correlation R_{β_1, β_2} of deviations in β_1 and β_2 , together with the probable error of the criterion (or its S.D. = Σ_X) were first given by Pearson, *Phil. Trans.* Vol. 198, A (1902). These involve a knowledge of β_3 , β_4 , β_5 and β_6 *, further constants of the distribution which can only be found if the numerical values of μ_3 , μ_4 , μ_5 and μ_6 have been in some way determined. Now it has been shown that with the total frequencies usual in practice these high moments are subject to very large percentage errors†, rendering their use extremely undesirable, even if we could overcome our natural repugnance to the great labour of calculating them.

But we have to bear in mind that the *exact* value of a probable error is not usually desired. What we more often require is a rough determination of its

* $\beta_3 = \mu_3/\mu_2^3$, $\beta_4 = \mu_4/\mu_2^4$, $\beta_5 = \mu_5/\mu_2^5$, $\beta_6 = \mu_6/\mu_2^6$.

† Pearson: "On the General Theory of Skew Correlation and Non-Linear Regression," *Drapers' Company Research Memoirs* (Dulau & Co., 1905), p. 8.

magnitude in order that we may appreciate whether a certain quantity is or is not really significant. Accordingly it had been the practice of the Biometric Laboratory, if a frequency was only moderately a-normal, to use the values of the higher β 's in determining probable errors, which would flow from the assumption of normality; if on the other hand the distribution had values of β_1 and $\beta_2 - 3$ differing a good deal from zero, to assume that the higher moments might be obtained from a skew distribution of Type III. (i.e. a distribution for which $2\beta_2 - 3\beta_1 - 6 = 0$). The justification of such hypotheses lies in the fact that if our data are to be of much value, the probable errors must themselves be small, hence in calculating these errors it is legitimate to insert into the formulæ for them values for the β 's that only differ from their true values by small quantities. Such insertion can only introduce second order, and therefore for our purposes usually unimportant, changes in the probable error. This point is emphasised when we remember the large percentage errors of the high β 's. For example, it is usual to take the probable error of a standard deviation $\sigma = .67449 \sigma / \sqrt{2n}$, but its true value $= .67449 \frac{\sigma}{\sqrt{2n}} (1 + \frac{1}{2}\eta)^{\frac{1}{2}}$; the former really results from assuming the kurtosis, $\eta = \beta_2 - 3$, to have the value zero of the normal curve. There are very few arguments made from probable error which would be seriously affected if the probable error were altered by 25 per cent. of its value, or if η took values from $-.875$ to 1.125 , i.e. we might give β_2 any value between 2.125 and 4.125 to get in practice a sufficiently close result.

Now the object of the present paper is to extend this idea by applying a method of determining β_3 , β_4 , β_5 and β_6 still more exact than the methods indicated above. It is well-known that the frequency curves in common use are deduced from the integral of

$$\frac{1}{y} \frac{dy}{dx} = \frac{ax + b}{c_0 + c_1x + c_2x^2},$$

and that this really assumes the condition that the coefficients of higher terms in the denominator on the right, e.g. c_3 , c_4 , etc., are all zero. These conditions involve a finite difference relation between the successive moments, first published in 1903*, and enable us to determine any higher moment from the first three μ_1 , μ_2 and μ_3 . Such a finite difference momental equation actually exists for all probability frequency distributions of the hypergeometrical series type, which cover so wide a range of chance problems.

It is practically impossible to determine in a large percentage of cases whether the higher moments do or do not within their probable errors obey this finite difference relation, for the reason above stated, i.e. the high values of their probable errors. The present tables assume that they do; in other words β_3 , β_4 ,

* *Biometrika*, Vol. II., p. 281.

β_3 and β_6 are calculated from β_1 and β_2 , on the assumption that the values of them obtained from the finite difference momental formula are sufficiently accurate to use in Pearson's formulae for Σ_{β_1} , Σ_{β_2} , R_{β_1, β_2} and Σ_{sk} , etc.

The following are the finite difference β -formulae used :

$$\beta_n \text{ (even)} = (n+1) \left\{ \frac{\beta_{n-1}}{2} + \left(1 + \frac{\alpha}{2}\right) \beta_{n-2} \right\} / \left(1 - \frac{n-1}{2} \alpha\right),$$

$$\beta_n \text{ (odd)} = (n+1) \left\{ \frac{\beta_1}{2} \beta_{n-1} + \left(1 + \frac{\alpha}{2}\right) \beta_{n-2} \right\} / \left(1 - \frac{n-1}{2} \alpha\right),$$

where $\alpha = (2\beta_2 - 3\beta_1 - 6)/(\beta_2 - 3)$.

The process of calculation adopted was as follows :

Fundamental values of β_1 , β_2 were adopted ; these are indicated in Table VI, and the resulting values of β_3 , β_4 , β_5 , β_6 calculated by the above formula were then found to seven figures. These are tabulated to six figures as they may be of service for the determination of other constants as occasion arises.

The values of κ_2 for the different values of β_1 and β_2 being known, it was seen that a very simple diagram would permit of a statistician ascertaining at once from his values of β_1 and β_2 the type of his frequency distribution. In fact this diagram brings out very suggestively the normal curve "point" (G), the Types II, III, V. and VII.* "lines" and the Types I, IV. and VI. "areas" of occurrence. By aid of this diagram and a reasonable consideration of the probable errors of his β_1 and β_2 the statistician can readily determine within what limits he is justified in using any special type of frequency curve for given data.

The following values of analytic constants for the fundamental values were then found $\sqrt{N}\Sigma_{\beta_1}$ (Table I.), $\sqrt{N}\Sigma_{\beta_2}$ (Table II.), R_{β_1, β_2} (Table III.), and intermediate values deduced by interpolation. It is believed that these interpolated values recorded to two places of decimals only are amply sufficient for the practical uses to which these tables will be put.

From these tables were found, again using interpolation, the probable errors of the two chief desired physical constants: (i) d , the distance from mean to mode or the modal divergence, and (ii) Sk , the skewness of the distribution. In Table IV. we have the values of $\sqrt{N}\Sigma_d/\sigma$ and in Table V. the values of $\sqrt{N}\Sigma_{sk}$ provided. The actual quantities tabled in Tables I., II., IV. and V. are such that when multiplied by $.67449/\sqrt{N}$ we obtain immediately the required probable errors. The value of this numerical factor can at once, however, be extracted from Winifred Gibson's Tables for computing probable errors†.

* It is convenient to call $y = y_0 \left(1 + \frac{x^2}{a^2}\right)^{-n}$ Type VII., see *Biometrika*, Vol. iv., p. 174.

† *Biometrika*, Vol. iv., p. 385.

In the actual construction of the tables fundamental values of β_1 and β_2 were taken covering the usual range of these quantities in actual practice. The tables are, however, limited by certain considerations, which are not without suggestiveness for theoretical frequency discussions. Along a certain line, indicated in our diagram, β_2 becomes infinite. But this is statistically impossible. Hence, either we never get frequency distributions having such values of β_1 and β_2 , or if we do the finite difference moment formula cannot approximate in such cases to the true state of affairs, and we must introduce an additional coefficient c_3 into the denominator of the right-hand side of the fundamental differential equation. The discussion and classification of such curves are now in hand. On the diagram the areas where they are absolutely needful are marked *Heterotypic*.

It is believed that the diagrams and tables now published will prove extremely useful to the biometrician. Having determined his β_1 and β_2 , he will be able to see at a glance whether his frequency distribution may be safely treated by the usual types or is heterotypic. If it be one of the usual types, he will know at once how to classify it. Next an examination of Tables I, II, III and IV., or such examination with a short interpolation, will give him with sufficient practical accuracy the probable errors of β_1 , β_2 , the modal divergence (d) and the skewness (Sk). Should other and more elaborate probable errors be required, they will be deducible from Tables I, II and III., or by using Table VI., for all the usually desired constants depend upon the quantities therein tabulated.

The two diagrams represent, (A), a practical working diagram covering the customary range of β_1 and β_2 and, (B), a diagram on a small scale showing the whole nature of the distribution of the type curves from the theoretical standpoint.

The upper part of either diagram is bounded by the line $4\beta_2 - 3\beta_1 = 0$, because it has been shown that β_2 is of necessity $> \frac{3}{4}\beta_1$ *. The normal curve is represented by a point $\beta_1 = 0, \beta_2 = 3$ marked G on the diagram.

The transition Types III and V. are given by values of β_1, β_2 on the line

$$2\beta_2 - 3\beta_1 - 6 = 0,$$

and on the cubic


$$\beta_1(\beta_2 + 3)^2 = 4(4\beta_2 - 3\beta_1)(2\beta_2 - 3\beta_1 - 6),$$

respectively.

Type II. is a particular case of Type I. for $\beta_1 = 0$, and Type VII. a particular case of Type IV. for $\beta_1 = 0$; they are thus represented by portions of the vertical running through the "normal point" G. While the upper boundary of the diagram lies in the U-curve part of Type I., to be discussed below, the lower boundary is fixed by the line $8\beta_2 - 15\beta_1 - 36 = 0$ along which the finite difference moment formula first fails. This matter needs a little consideration.


* See Pearson : *Phil. Trans.* Vol. 186, A, pp. 343—414.

DIAGRAM A.



Probable Errors of Frequency Constants

DIAGRAM B.



The equation to Type IV. is

$$y = y_0 \left\{ 1 + \frac{x^2}{a^2} \right\}^{-\frac{1}{2}(r+2)} e^{-r \tan^{-1}(x/a)},$$

with the reduction formula*

$$\mu_{n+1} = \frac{n}{r-n} \left(\frac{a^2 \mu_{n-1}}{\cos^2 \phi} - 2a \tan \phi \mu_n \right),$$

where $\tan \phi = \nu/r$ and $r = 6(\beta_2 - \beta_1 - 1)/(2\beta_2 - 3\beta_1 - 6)$. It is clear that when $r = n$, μ_{n+1} becomes infinite. Now the probable errors of β_1 and β_2 require us to go as far as μ_3 . Hence r must be greater than 7 if we are to use this formula, and this gives us at once the limiting line

$$8\beta_2 - 15\beta_1 - 36 = 0.$$

Of course the difference formula would also fail for μ_5 , μ_6 or μ_7 , if r were equal to 4, 5 or 6. But all the resulting lines lie outside the above line, which is all we need take into account. The failure of the difference formula is easily seen if we remember that

$$\frac{1}{y} \frac{dy}{dx} = \frac{a_0 + a_1 x}{c_0 + c_1 x + c_2 x^2}$$

leads at once for this type to

$$\int_{-\infty}^{+\infty} x^n (a_0 + a_1 x) y dx = \int_{-\infty}^{+\infty} (c_0 + c_1 x + c_2 x^2) x^n dy$$

or
$$N(a_0 \mu_n + a_1 \mu_{n+1}) = -N(c_0 n \mu_{n-1} + c_1 (n+1) \mu_n + c_2 (n+2) \mu_{n+1}) + [y(c_0 x^n + c_1 x^{n+1} + c_2 x^{n+2})]_{-\infty}^{+\infty}.$$

The difference formula above follows from supposing the term between brackets to vanish at the limits.

But this it will not do unless

$$\left[\frac{x^{n+2}}{(a^2 + x^2)^{\frac{1}{2}(r+2)}} \right]_{x=\infty} = 0,$$

or if a be finite, unless r be $> n$, or to apply present results $r > 7$.

Of course for any real data μ_3 may become large, but it cannot actually become infinite. Fairly good fits—owing to the agreement of the first four moments—may be found even near the line $8\beta_2 - 15\beta_1 - 36 = 0$, but if we want to get the probable errors of β_1 and β_2 in this neighbourhood, it is best to calculate the higher moments and $\beta_3, \beta_4, \beta_5$ and β_6 from the actual data. Outside this line

* See *Biometrika*, Vol. II, p. 281.

we have marked the area as *Heterotypic*, because theoretically we need to introduce further terms into the denominator of our expression, i.e. to use c_3 .

We now pass to a consideration of the subtypes of Type I. The equation is*

$$y = y_0 \left(1 + \frac{x}{a_1}\right)^{m_1} \left(1 - \frac{x}{a_2}\right)^{m_2},$$

where m_1 and m_2 are roots of the quadratic

$$m^2 - m(\tau - 2) + \epsilon - \tau + 1 = 0$$

and

$$\tau = 6(\beta_2 - \beta_1 - 1)/(3\beta_1 - 2\beta_2 + 6),$$

$$\epsilon = \frac{\tau^2}{4 + \frac{1}{2}\beta_1(\tau + 2)^2/(\tau + 1)}.$$

Now m_1 and m_2 will either be both positive or both negative if $\epsilon - \tau + 1$ is positive, or the curve $\epsilon - \tau + 1 = 0$ separates the area of *J*-curves or modeless curves from the area of modal curves (*I*₁ curves) and the area of anti-modal curves or *U*-curves.

$\epsilon - \tau + 1 = 0$ is the biquadratic

$$\beta_1(8\beta_2 - 9\beta_1 - 12)/(4\beta_2 - 3\beta_1) = (10\beta_2 - 12\beta_1 - 18)^2/(\beta_2 + 3)^2.$$

This biquadratic was traced by expressing it in the form:

$$\beta_1 = 4(1 + 2\alpha)^2(2 + \alpha)/(2 + 3\alpha),$$

and then finding β_1 for a series of values of α and determining β_2 from the equation

$$\alpha = (2\beta_2 - 3\beta_1 - 6)/(\beta_2 + 3).$$

Within the loop of the biquadratic all curves are *J*-curves, and the term "skewness" loses its essential meaning. Within this area, it will be noticed, our tables do not give the probable error of the skewness or of the modal divergence. Above this loop and up to the line $4\beta_2 - 3\beta_1 = 0$, we are in the range of *U*-curves and the skewness signifies the ratio to the standard deviation of the distance from mean to anti-mode. Below the loop we are in the customary Type I. area with m_1 and m_2 both positive.

Our second Diagram, B, shows what becomes of the biquadratic limiting the *J*-shaped curves. It first meets the Type III. line, and at this point Type III. curves become *J*-curves† and cease to have a true mode distinct from the asymptote value. The biquadratic then passes into the Type VI. area and Type VI. curves become *J*-curves beyond this. It never crosses, however, into

* Pearson: *Phil. Trans.* Vol. 186, A, pp. 367—371.

† Pearson: *Phil. Trans.* Vol. 186, A, p. 374 and Plate 9, Fig. 5.

Type IV. area, for the cubic which bounds Type IV. asymptotes to the vertical line $\beta_1 = 32$, and the biquadratic asymptotes to the vertical line $\beta_1 = 50$ as shown on the diagram.

Of course much of Diagram B extends beyond the values of β_1 and β_2 that we are familiar with in actual frequency distributions. For practical purposes Diagram A drawn to a much larger scale suffices, and guides the statistician to the appropriate type and to the probable errors. Nevertheless Diagram B will indicate many points of much theoretical interest, and serves to show where failure in curve fitting is likely to arise.

TABLE I.
Values of $\sqrt{N} \Sigma \beta_i$
 β_1

	0.00	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60	0.65	0.70	0.75
2.0	0.00	0.58	0.93	1.15	1.37	1.57	1.77	1.97	2.17	2.38	2.58	2.80	3.02	3.24	3.46	3.71
2.1	0.00	0.59	0.95	1.12	1.30	1.50	1.70	1.90	2.10	2.29	2.48	2.69	2.91	3.12	3.34	3.57
2.2	0.00	0.60	0.97	1.13	1.30	1.48	1.67	1.86	2.05	2.22	2.41	2.61	2.81	3.01	3.22	3.44
2.3	0.00	0.62	0.99	1.15	1.32	1.49	1.67	1.84	2.02	2.19	2.36	2.55	2.74	2.93	3.12	3.32
2.4	0.00	0.64	1.02	1.20	1.37	1.54	1.70	1.86	2.02	2.18	2.34	2.51	2.68	2.85	3.03	3.22
2.5	0.00	0.66	1.05	1.26	1.45	1.61	1.76	1.91	2.05	2.19	2.33	2.49	2.65	2.81	2.97	3.14
2.6	0.00	0.69	1.10	1.34	1.54	1.72	1.86	2.00	2.13	2.25	2.37	2.50	2.64	2.78	2.92	3.08
2.7	0.00	0.73	1.15	1.42	1.64	1.83	1.96	2.09	2.22	2.32	2.42	2.53	2.65	2.77	2.90	3.05
2.8	0.00	0.77	1.22	1.51	1.75	1.94	2.07	2.20	2.32	2.41	2.50	2.60	2.70	2.80	2.93	3.05
2.9	0.00	0.81	1.30	1.61	1.87	2.06	2.20	2.33	2.44	2.53	2.62	2.70	2.79	2.89	2.99	3.09
3.0	0.00	0.87	1.40	1.73	2.01	2.20	2.34	2.47	2.57	2.67	2.76	2.84	2.92	3.00	3.09	3.18
3.1	0.00	0.94	1.53	1.86	2.17	2.35	2.51	2.64	2.75	2.85	2.94	3.00	3.08	3.15	3.23	3.30
3.2	0.00	1.02	1.67	2.02	2.33	2.52	2.71	2.84	2.95	3.05	3.14	3.22	3.27	3.33	3.40	3.46
3.3	0.00	1.12	1.82	2.20	2.50	2.71	2.92	3.06	3.18	3.28	3.37	3.44	3.50	3.55	3.60	3.65
3.4	0.00	1.24	1.99	2.38	2.68	2.93	3.14	3.30	3.43	3.53	3.63	3.70	3.75	3.79	3.83	3.87
3.5	0.00	1.37	2.16	2.57	2.89	3.17	3.39	3.56	3.69	3.81	3.91	3.98	4.02	4.06	4.10	4.12
3.6	0.00	1.50	2.33	2.78	3.11	3.43	3.65	3.84	3.99	4.12	4.22	4.29	4.33	4.37	4.40	4.41
3.7	0.00	1.64	2.50	2.99	3.36	3.70	3.93	4.14	4.31	4.44	4.54	4.61	4.66	4.70	4.72	4.74
3.8	0.00	1.78	2.67	3.20	3.62	3.97	4.23	4.46	4.64	4.77	4.87	4.95	5.00	5.05	5.07	5.09
3.9	0.00	1.93	2.86	3.43	3.89	4.25	4.54	4.79	4.97	5.11	5.23	5.32	5.38	5.43	5.46	5.48
4.0	0.00	2.10	3.07	3.69	4.17	4.55	4.87	5.13	5.32	5.48	5.62	5.72	5.79	5.84	5.88	5.89
4.1	—	—	3.29	3.87	4.47	4.87	5.21	5.49	5.69	5.87	6.03	6.15	6.23	6.28	6.32	6.33
4.2	—	—	3.53	4.19	4.79	5.21	5.58	5.88	6.10	6.30	6.48	6.60	6.69	6.75	6.80	6.81
4.3	—	—	3.78	4.52	5.13	5.58	5.97	6.29	6.54	6.75	6.93	7.07	7.18	7.25	7.29	7.31
4.4	—	—	4.05	4.85	5.49	5.98	6.40	6.74	7.01	7.24	7.42	7.57	7.68	7.76	7.80	7.83
4.5	—	—	4.33	5.18	5.86	6.42	6.87	7.23	7.52	7.75	7.95	8.10	8.21	8.29	8.34	8.37
4.6	—	—	—	—	—	—	7.37	7.76	8.07	8.30	8.51	8.66	8.76	8.85	8.91	8.95
4.7	—	—	—	—	—	—	7.90	8.31	8.64	8.90	9.11	9.25	9.35	9.44	9.50	9.54
4.8	—	—	—	—	—	—	8.46	8.88	9.24	9.54	9.75	9.89	9.99	10.08	10.14	10.18
4.9	—	—	—	—	—	—	9.05	9.47	9.86	10.21	10.42	10.58	10.69	10.78	10.84	10.80
5.0	—	—	—	—	—	—	9.66	10.08	10.50	10.90	11.19	11.33	11.44	11.53	11.60	11.64
5.1	—	—	—	—	—	—	—	—	—	—	—	—	12.26	12.36	12.42	12.43
5.2	—	—	—	—	—	—	—	—	—	—	—	—	13.10	13.26	13.29	13.29
5.3	—	—	—	—	—	—	—	—	—	—	—	—	13.98	14.15	14.18	14.18
5.4	—	—	—	—	—	—	—	—	—	—	—	—	14.91	15.05	15.10	15.11
5.5	—	—	—	—	—	—	—	—	—	—	—	—	15.90	15.98	16.05	16.07
5.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE I.—(continued).

Values of $\sqrt{N} \Sigma \beta_i$

β_1

0.80	0.85	0.90	0.95	1.00	1.05	1.10	1.15	1.20	1.25	1.30	1.35	1.40	1.45	1.50	
3.96	4.21	4.47	4.73	5.00	5.27	5.55	5.83	6.12	6.41	6.71	7.01	7.31	7.62	7.94	2.0
3.80	4.03	4.27	4.53	4.80	5.07	5.34	5.62	5.90	6.18	6.48	6.77	7.07	7.37	7.69	2.1
3.66	3.88	4.11	4.36	4.63	4.88	5.15	5.42	5.69	5.96	6.25	6.54	6.84	7.14	7.45	2.2
3.52	3.74	3.96	4.20	4.46	4.71	4.96	5.22	5.48	5.75	6.02	6.31	6.61	6.91	7.21	2.3
3.41	3.62	3.83	4.05	4.29	4.54	4.78	5.03	5.28	5.55	5.82	6.10	6.38	6.68	6.97	2.4
3.32	3.51	3.71	3.92	4.15	4.38	4.61	4.85	5.10	5.36	5.62	5.89	6.16	6.45	6.74	2.5
3.25	3.42	3.60	3.80	4.01	4.23	4.45	4.68	4.92	5.17	5.43	5.68	5.94	6.22	6.51	2.6
3.20	3.35	3.51	3.69	3.89	4.10	4.32	4.54	4.76	5.00	5.24	5.48	5.73	6.00	6.28	2.7
3.18	3.32	3.47	3.63	3.80	4.00	4.21	4.41	4.62	4.84	5.07	5.30	5.53	5.79	6.06	2.8
3.19	3.32	3.45	3.60	3.75	3.92	4.11	4.30	4.49	4.70	4.91	5.12	5.34	5.59	5.85	2.9
3.27	3.38	3.49	3.61	3.74	3.87	4.03	4.21	4.39	4.58	4.78	4.98	5.19	5.42	5.68	3.0
3.38	3.47	3.57	3.67	3.77	3.89	4.02	4.16	4.31	4.48	4.66	4.85	5.05	5.28	5.53	3.1
3.53	3.60	3.68	3.76	3.84	3.93	4.03	4.15	4.28	4.43	4.59	4.75	4.92	5.15	5.40	3.2
3.70	3.75	3.81	3.88	3.95	4.02	4.10	4.19	4.28	4.42	4.56	4.69	4.84	5.04	5.28	3.3
3.90	3.93	3.97	4.03	4.08	4.14	4.20	4.26	4.34	4.45	4.56	4.66	4.78	4.97	5.18	3.4
4.14	4.17	4.19	4.22	4.26	4.30	4.34	4.39	4.45	4.52	4.60	4.68	4.79	4.93	5.12	3.5
4.42	4.44	4.45	4.47	4.49	4.51	4.54	4.57	4.62	4.67	4.74	4.78	4.81	4.95	5.09	3.6
4.74	4.75	4.76	4.78	4.77	4.78	4.79	4.81	4.84	4.87	4.90	4.92	4.95	5.04	5.13	3.7
5.10	5.10	5.09	5.08	5.08	5.07	5.07	5.06	5.06	5.08	5.09	5.11	5.14	5.18	5.22	3.8
5.49	5.48	5.46	5.44	5.42	5.40	5.37	5.35	5.33	5.32	5.33	5.33	5.34	5.35	5.37	3.9
5.89	5.88	5.86	5.83	5.80	5.76	5.72	5.69	5.65	5.62	5.60	5.58	5.57	5.57	5.59	4.0
6.33	6.32	6.30	6.26	6.21	6.16	6.11	6.06	6.02	5.98	5.94	5.91	5.88	5.86	5.86	4.1
6.80	6.79	6.76	6.71	6.65	6.60	6.54	6.48	6.42	6.36	6.31	6.27	6.24	6.21	6.18	4.2
7.30	7.28	7.25	7.19	7.13	7.07	7.01	6.93	6.87	6.80	6.74	6.67	6.62	6.57	6.53	4.3
7.83	7.80	7.76	7.71	7.65	7.58	7.51	7.44	7.37	7.28	7.20	7.12	7.05	6.98	6.92	4.4
8.38	8.36	8.32	8.28	8.21	8.14	8.07	7.99	7.90	7.81	7.71	7.61	7.51	7.42	7.34	4.5
8.96	8.95	8.91	8.86	8.79	8.72	8.64	8.55	8.45	8.35	8.24	8.13	8.00	7.90	7.80	4.6
9.57	9.57	9.53	9.47	9.40	9.33	9.24	9.14	9.04	8.93	8.82	8.69	8.55	8.42	8.31	4.7
10.20	10.23	10.16	10.10	10.05	9.97	9.88	9.77	9.67	9.55	9.42	9.28	9.14	9.00	8.87	4.8
10.91	10.92	10.87	10.80	10.74	10.66	10.57	10.44	10.32	10.18	10.04	9.90	9.76	9.63	9.50	4.9
11.66	11.65	11.61	11.55	11.48	11.39	11.29	11.17	11.04	10.90	10.77	10.62	10.46	10.30	10.14	5.0
12.45	12.43	12.38	12.32	12.24	12.14	12.03	11.91	11.78	11.64	11.50	11.34	11.15	10.96	10.82	5.1
13.28	13.25	13.20	13.13	13.04	12.92	12.80	12.67	12.54	12.40	12.24	12.07	11.88	11.72	11.54	5.2
14.16	14.12	14.07	13.98	13.87	13.76	13.63	13.47	13.35	13.20	13.02	12.84	12.66	12.48	12.30	5.3
15.09	15.06	15.00	14.90	14.78	14.65	14.51	14.36	14.22	14.05	13.81	13.67	13.48	13.29	13.11	5.4
16.06	16.02	15.96	15.87	15.76	15.63	15.49	15.33	15.17	15.00	14.81	14.61	14.40	14.18	13.97	5.5
—	—	17.02	16.91	16.79	16.67	16.51	16.34	16.18	15.95	15.70	15.50	15.30	15.07	14.84	5.6
—	—	18.14	17.99	17.88	17.75	17.58	17.40	17.23	16.94	16.70	16.47	16.26	16.04	15.77	5.7
—	—	19.34	19.13	19.02	18.87	18.69	18.48	18.26	17.98	17.74	17.50	17.26	17.01	16.76	5.8
—	—	20.57	20.36	20.20	20.03	19.84	19.62	19.39	19.11	18.84	18.59	18.32	18.05	17.78	5.9
—	—	21.86	21.65	21.45	21.25	21.03	20.79	20.54	20.29	20.02	19.76	19.47	19.18	18.90	6.0
—	—	—	—	—	—	22.36	22.18	21.92	21.61	21.31	20.97	20.61	20.30	20.13	6.1
—	—	—	—	—	—	23.77	23.61	23.32	23.00	22.63	22.22	21.82	21.50	21.29	6.2
—	—	—	—	—	—	25.33	25.09	24.74	24.38	24.00	23.55	23.13	22.78	22.50	6.3
—	—	—	—	—	—	26.95	26.64	26.27	25.86	25.43	26.00	24.52	24.12	23.82	6.4
—	—	—	—	—	—	28.61	28.18	27.73	27.30	26.89	26.46	26.06	25.65	25.24	6.5
—	—	—	—	—	—	—	—	—	—	—	—	27.67	27.21	26.75	6.6
—	—	—	—	—	—	—	—	—	—	—	—	29.40	28.90	28.36	6.7
—	—	—	—	—	—	—	—	—	—	—	—	31.15	30.61	29.94	6.8
—	—	—	—	—	—	—	—	—	—	—	—	33.02	32.41	31.72	6.9
—	—	—	—	—	—	—	—	—	—	—	—	34.89	34.16	33.59	7.0

β_2

TABLE II.

Values of $\sqrt{N} \Sigma_{\beta_1}$.

β_1

	0.00	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60	0.65	0.70	0.75
2.0	1.41	1.60	1.74	1.93	2.11	2.28	2.44	2.60	2.77	2.94	3.12	3.29	3.46	3.65	3.86	4.05
2.1	1.57	1.76	1.89	2.00	2.10	2.20	2.35	2.51	2.68	2.86	3.05	3.24	3.44	3.64	3.84	4.04
2.2	1.75	1.94	2.07	2.16	2.20	2.28	2.40	2.53	2.68	2.85	3.04	3.23	3.43	3.63	3.83	4.03
2.3	1.95	2.16	2.28	2.35	2.42	2.49	2.58	2.67	2.78	2.92	3.09	3.27	3.45	3.64	3.84	4.03
2.4	2.18	2.39	2.53	2.60	2.72	2.82	2.90	2.98	3.02	3.10	3.22	3.35	3.50	3.68	3.86	4.03
2.5	2.46	2.68	2.83	2.97	3.09	3.19	3.27	3.31	3.32	3.36	3.47	3.53	3.63	3.75	3.88	4.03
2.6	2.78	3.03	3.24	3.38	3.52	3.60	3.66	3.69	3.69	3.70	3.75	3.78	3.83	3.87	3.95	4.07
2.7	3.17	3.48	3.71	3.87	3.98	4.03	4.08	4.12	4.11	4.09	4.07	4.06	4.06	4.06	4.07	4.15
2.8	3.64	4.02	4.28	4.42	4.52	4.58	4.60	4.59	4.57	4.52	4.44	4.39	4.34	4.32	4.31	4.34
2.9	4.22	4.65	4.94	5.11	5.20	5.22	5.18	5.13	5.07	4.99	4.90	4.80	4.70	4.63	4.60	4.61
3.0	4.90	5.48	5.78	5.89	5.95	5.93	5.86	5.78	5.65	5.53	5.41	5.30	5.20	5.12	5.05	5.00
3.1	5.75	6.41	6.72	6.88	6.90	6.82	6.70	6.54	6.38	6.22	6.07	5.92	5.79	5.69	5.60	5.53
3.2	6.77	7.55	7.90	8.00	7.97	7.83	7.63	7.42	7.21	7.03	6.86	6.70	6.53	6.39	6.26	6.14
3.3	8.00	8.83	9.22	9.30	9.22	9.02	8.80	8.53	8.29	8.05	7.83	7.60	7.38	7.20	7.02	6.84
3.4	9.37	10.28	10.68	10.76	10.67	10.46	10.20	9.91	9.62	9.31	9.01	8.73	8.44	8.18	7.92	7.66
3.5	10.85	11.75	12.31	12.52	12.48	12.25	11.95	11.60	11.24	10.86	10.45	10.03	9.63	9.26	8.90	8.54
3.6	12.67	13.74	14.40	14.78	14.53	14.21	13.80	13.38	12.95	12.55	12.10	11.60	11.06	10.54	10.02	9.55
3.7	14.78	15.98	16.78	17.09	16.93	16.53	16.05	15.58	15.09	14.61	14.08	13.49	12.74	12.02	11.36	10.80
3.8	17.50	18.83	19.83	20.03	19.78	19.36	18.76	18.22	17.64	16.98	16.25	15.30	14.42	13.60	12.88	12.27
3.9	20.80	22.50	23.68	23.81	23.34	22.67	21.98	21.14	20.29	19.45	18.58	17.54	16.60	15.54	14.77	14.06
4.0	24.74	26.83	28.47	28.05	27.24	26.29	25.25	24.18	23.03	22.02	21.01	20.01	19.04	18.12	17.23	16.36
4.1	—	—	35.00	34.17	32.88	31.36	29.77	28.13	26.60	25.12	23.82	22.64	21.54	20.53	19.56	18.62
4.2	—	—	43.3	41.4	39.2	37.2	35.2	33.2	31.2	29.2	27.4	26.0	24.7	23.4	22.3	21.3
4.3	—	—	55.3	51.6	48.0	44.6	41.2	38.6	36.2	33.8	31.8	30.1	28.5	26.9	25.6	24.3
4.4	—	—	72.7	66.0	59.7	54.1	49.5	45.7	42.1	39.2	36.8	34.8	32.9	31.0	29.2	27.7
4.5	—	—	96.5	82.7	72.7	65.3	59.8	54.7	50.8	47.2	44.0	41.0	38.5	36.2	34.1	32.0
4.6	—	—	—	—	—	—	75.0	68.0	62.2	56.9	52.2	48.2	45.1	42.2	39.6	37.2
4.7	—	—	—	—	—	—	101.3	87.2	76.8	68.3	62.0	56.9	52.7	49.1	45.9	42.8
4.8	—	—	—	—	—	—	140.0	115.2	96.2	82.6	72.7	66.1	60.9	56.7	52.9	49.3
4.9	—	—	—	—	—	—	204.5	150.8	122.3	102.5	89.1	80.2	72.4	66.6	61.4	56.7
5.0	—	—	—	—	—	—	325.7	206.0	154.2	126.8	110.1	96.9	86.6	78.1	71.2	65.6
5.1	—	—	—	—	—	—	—	—	—	—	—	—	103.6	94.4	85.9	78.0
5.2	—	—	—	—	—	—	—	—	—	—	—	—	130.4	116.4	104.0	91.0
5.3	—	—	—	—	—	—	—	—	—	—	—	—	175.2	144.8	124.4	109.6
5.4	—	—	—	—	—	—	—	—	—	—	—	—	224.4	178.0	151.0	132.6
5.5	—	—	—	—	—	—	—	—	—	—	—	—	340.8	246.0	195.3	163.2
5.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

β_2

TABLE II—(continued).

Values of $\sqrt{N} \Sigma \beta_i$.

β_1

0.80	0.85	0.90	0.95	1.00	1.05	1.10	1.15	1.20	1.25	1.30	1.35	1.40	1.45	1.50	
4.24	4.43	4.62	4.81	5.00	5.19	5.38	5.56	5.75	5.94	6.12	6.30	6.49	6.67	6.84	2.0
4.23	4.41	4.59	4.77	4.96	5.15	5.34	5.53	5.72	5.90	6.08	6.27	6.47	6.65	6.83	2.1
4.22	4.39	4.56	4.74	4.93	5.12	5.31	5.50	5.69	5.87	6.05	6.24	6.44	6.63	6.82	2.2
4.20	4.38	4.53	4.71	4.90	5.08	5.27	5.46	5.65	5.84	6.02	6.21	6.41	6.61	6.80	2.3
4.19	4.35	4.51	4.69	4.87	5.05	5.23	5.42	5.61	5.80	5.99	6.18	6.38	6.58	6.78	2.4
4.18	4.34	4.50	4.67	4.85	5.03	5.21	5.39	5.58	5.77	5.96	6.15	6.35	6.54	6.74	2.5
4.20	4.35	4.50	4.67	4.84	5.01	5.20	5.38	5.54	5.72	5.91	6.11	6.30	6.49	6.68	2.6
4.26	4.38	4.52	4.68	4.84	5.01	5.18	5.34	5.51	5.67	5.85	6.05	6.25	6.44	6.62	2.7
4.40	4.50	4.60	4.73	4.86	5.03	5.19	5.34	5.49	5.65	5.83	6.02	6.21	6.39	6.58	2.8
4.63	4.67	4.73	4.82	4.93	5.05	5.20	5.35	5.50	5.66	5.82	6.00	6.18	6.36	6.54	2.9
4.98	4.97	4.99	5.03	5.10	5.18	5.28	5.39	5.52	5.66	5.82	5.98	6.15	6.33	6.51	3.0
5.47	5.42	5.38	5.34	5.36	5.37	5.41	5.48	5.58	5.70	5.83	5.97	6.14	6.32	6.52	3.1
6.03	5.92	5.83	5.75	5.67	5.62	5.60	5.62	5.68	5.78	5.90	6.03	6.18	6.34	6.52	3.2
6.67	6.51	6.36	6.22	6.09	6.00	5.90	5.94	5.92	5.95	6.01	6.12	6.25	6.37	6.53	3.3
7.41	7.17	6.95	6.77	6.61	6.48	6.29	6.26	6.24	6.22	6.22	6.26	6.34	6.47	6.61	3.4
8.22	7.92	7.64	7.38	7.17	6.99	6.84	6.72	6.63	6.57	6.54	6.53	6.56	6.61	6.71	3.5
9.14	8.80	8.51	8.23	7.98	7.70	7.53	7.40	7.22	7.09	6.99	6.98	6.95	6.92	6.93	3.6
10.34	9.94	9.58	9.25	8.96	8.66	8.38	8.14	7.90	7.75	7.61	7.51	7.42	7.34	7.23	3.7
11.77	11.29	10.82	10.37	9.98	9.62	9.31	9.03	8.73	8.51	8.29	8.11	7.94	7.78	7.60	3.8
13.42	12.85	12.31	11.79	11.30	10.86	10.41	10.02	9.64	9.34	9.03	8.77	8.52	8.30	8.10	3.9
15.68	14.84	14.10	13.42	12.79	12.20	11.64	11.13	10.66	10.21	9.83	9.51	9.20	8.92	8.67	4.0
17.72	16.85	16.01	15.21	14.44	13.70	13.00	12.34	11.73	11.17	10.67	10.24	9.87	9.58	9.32	4.1
20.2	19.2	18.3	17.3	16.4	15.5	14.7	14.0	13.3	12.6	12.0	11.5	11.0	10.5	10.3	4.2
23.1	22.0	20.9	19.8	18.7	17.6	16.7	15.8	15.0	14.2	13.5	12.8	12.3	11.8	11.3	4.3
26.3	25.0	23.8	22.5	21.3	20.1	19.0	18.0	17.1	16.1	15.3	14.6	13.9	13.2	12.6	4.4
30.1	28.4	26.8	25.3	23.9	22.6	21.4	20.3	19.3	18.3	17.3	16.4	15.6	14.8	14.1	4.5
34.7	32.5	30.5	28.8	27.3	25.6	24.2	22.9	21.7	20.6	19.5	18.4	17.5	16.7	16.1	4.6
40.0	37.4	35.0	32.8	30.9	29.2	27.6	26.1	24.7	23.3	22.0	20.9	19.8	18.8	18.1	4.7
46.1	43.1	40.3	37.7	35.3	33.2	31.4	29.7	28.0	26.4	25.0	23.6	22.3	21.2	20.3	4.8
52.4	48.8	46.8	43.1	40.2	37.8	35.6	33.6	31.6	29.8	28.1	26.6	25.1	23.8	22.7	4.9
60.6	56.1	52.3	48.6	45.5	42.6	40.0	37.6	35.4	33.4	31.5	29.8	28.1	26.6	25.2	5.0
71.2	65.1	60.6	56.5	52.6	49.1	45.8	43.1	40.5	38.0	35.6	33.6	31.7	30.0	28.4	5.1
83.0	76.4	70.5	65.4	60.6	56.3	52.5	49.3	46.3	43.4	40.4	38.0	35.6	33.6	31.7	5.2
98.8	89.6	81.9	75.6	70.2	65.0	60.2	56.2	52.5	48.9	45.5	42.6	39.9	37.4	35.2	5.3
118.4	105.2	96.0	87.6	80.4	74.0	68.3	63.4	58.8	54.7	51.0	47.7	44.5	41.5	38.9	5.4
141.4	124.0	111.2	99.6	91.2	84.0	77.4	71.2	65.7	61.2	56.9	52.9	49.4	46.2	43.5	5.5
—	—	131.2	117.4	105.2	96.0	87.3	79.3	72.8	67.8	63.2	58.6	54.8	51.4	48.8	5.6
—	—	160.0	142.4	126.4	113.4	102.2	93.0	84.4	77.3	71.1	65.6	60.8	57.2	54.7	5.7
—	—	199.2	175.8	154.8	134.2	119.6	107.0	97.2	88.4	80.6	74.4	69.4	64.9	61.5	5.8
—	—	268.0	221.6	192.8	163.6	142.8	128.0	114.6	104.0	94.6	86.0	79.6	74.4	70.2	5.9
—	—	378.1	284.0	231.5	198.2	171.6	151.6	136.2	123.8	112.8	103.4	94.8	87.5	81.4	6.0
—	—	—	—	—	—	208.3	186.3	167.5	150.0	134.2	121.5	111.0	101.8	92.8	6.1
—	—	—	—	—	—	264	232	205	180	160	141	128	116	107	6.2
—	—	—	—	—	—	350	297	251	216	188	164	148	132	123	6.3
—	—	—	—	—	—	510	376	308	263	225	196	172	152	138	6.4
—	—	—	—	—	—	889	524	387	313	264	229	200	177	161	6.5
—	—	—	—	—	—	—	—	—	—	—	—	237	204	184	6.6
—	—	—	—	—	—	—	—	—	—	—	—	288	249	220	6.7
—	—	—	—	—	—	—	—	—	—	—	—	363	305	268	6.8
—	—	—	—	—	—	—	—	—	—	—	—	485	392	333	6.9
—	—	—	—	—	—	—	—	—	—	—	—	747	510	416	7.0

β_2

Probable Errors of Frequency Constants

TABLE III.

Values of R_{β, β_1} .

β_1

	0.00	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60	0.65	0.70	0.75
2.0	0.00	.570	.706	.770	.823	.863	.894	.917	.935	.949	.960	.968	.976	.983	.989	.992
2.1	0.00	.557	.685	.755	.798	.838	.870	.895	.914	.936	.948	.959	.969	.977	.983	.986
2.2	0.00	.551	.672	.728	.771	.814	.847	.874	.896	.919	.934	.948	.960	.968	.975	.980
2.3	0.00	.550	.663	.719	.765	.799	.829	.859	.880	.900	.919	.935	.948	.957	.965	.971
2.4	0.00	.551	.660	.712	.752	.787	.814	.843	.867	.886	.905	.920	.936	.945	.954	.962
2.5	0.00	.554	.659	.708	.745	.778	.805	.834	.858	.878	.893	.908	.924	.933	.941	.949
2.6	0.00	.557	.662	.706	.742	.773	.799	.825	.851	.871	.883	.898	.913	.921	.930	.938
2.7	0.00	.557	.668	.710	.744	.773	.800	.825	.846	.863	.876	.889	.902	.911	.920	.928
2.8	0.00	.556	.674	.716	.750	.779	.803	.826	.842	.858	.871	.883	.893	.901	.910	.919
2.9	0.00	.550	.680	.724	.760	.787	.810	.830	.844	.857	.868	.878	.887	.895	.903	.912
3.0	0.00	.542	.684	.738	.774	.796	.816	.835	.847	.857	.867	.875	.883	.890	.898	.906
3.1	0.00	.534	.687	.744	.781	.808	.825	.840	.850	.858	.867	.874	.882	.889	.897	.903
3.2	0.00	.524	.688	.746	.786	.811	.830	.842	.852	.860	.868	.875	.882	.889	.896	.902
3.3	0.00	.512	.688	.747	.788	.814	.832	.845	.855	.863	.870	.876	.882	.888	.895	.901
3.4	0.00	.501	.686	.748	.790	.816	.833	.848	.858	.865	.872	.878	.883	.889	.895	.900
3.5	0.00	.490	.681	.747	.790	.815	.833	.849	.860	.867	.873	.879	.884	.890	.895	.900
3.6	0.00	.477	.676	.745	.788	.813	.832	.850	.860	.867	.874	.880	.886	.891	.896	.900
3.7	0.00	.462	.670	.741	.784	.810	.831	.848	.859	.867	.874	.881	.887	.892	.897	.901
3.8	0.00	.450	.662	.736	.779	.803	.828	.845	.858	.866	.874	.882	.888	.893	.898	.901
3.9	0.00	.438	.654	.720	.770	.796	.822	.841	.856	.866	.875	.882	.889	.894	.899	.903
4.0	0.00	.422	.645	.713	.760	.788	.816	.837	.853	.865	.873	.881	.888	.894	.899	.903
4.1	—	—	.630	.702	.748	.780	.807	.830	.849	.862	.871	.880	.887	.892	.897	.901
4.2	—	—	.608	.682	.733	.770	.793	.822	.842	.857	.867	.877	.884	.890	.894	.899
4.3	—	—	.580	.658	.712	.753	.784	.811	.832	.848	.860	.871	.878	.885	.890	.897
4.4	—	—	.540	.628	.688	.732	.770	.796	.819	.837	.851	.863	.872	.880	.887	.894
4.5	—	—	.481	.590	.657	.709	.749	.780	.804	.824	.841	.853	.865	.874	.882	.890
4.6	—	—	—	—	—	—	.716	.754	.784	.808	.828	.842	.856	.868	.877	.886
4.7	—	—	—	—	—	—	.674	.723	.759	.788	.812	.830	.846	.860	.870	.879
4.8	—	—	—	—	—	—	.615	.681	.727	.761	.791	.815	.834	.849	.861	.872
4.9	—	—	—	—	—	—	.532	.620	.680	.728	.766	.795	.818	.835	.850	.862
5.0	—	—	—	—	—	—	.362	.534	.628	.687	.731	.767	.798	.822	.837	.851
5.1	—	—	—	—	—	—	—	—	—	—	—	—	.768	.799	.820	.837
5.2	—	—	—	—	—	—	—	—	—	—	—	—	.730	.768	.799	.820
5.3	—	—	—	—	—	—	—	—	—	—	—	—	.679	.729	.769	.799
5.4	—	—	—	—	—	—	—	—	—	—	—	—	.608	.666	.736	.774
5.5	—	—	—	—	—	—	—	—	—	—	—	—	.496	.601	.674	.724
5.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE III.—(continued).

Values of R_{β, β_1} .

β_1

0.80	0.85	0.90	0.95	1.00	1.05	1.10	1.15	1.20	1.25	1.30	1.35	1.40	1.45	1.50	
.993	.995	.997	.999	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	2.0
.989	.991	.994	.996	.998	.998	.999	.999	.999	1.000	1.000	1.000	1.000	1.000	1.000	2.1
.983	.986	.989	.992	.995	.996	.997	.998	.998	.999	1.000	1.000	1.000	1.000	1.000	2.2
.976	.980	.984	.988	.992	.993	.994	.995	.997	.998	.999	.999	.999	1.000	1.000	2.3
.968	.973	.978	.983	.987	.989	.991	.993	.995	.996	.998	.998	.999	.999	1.000	2.4
.958	.965	.972	.977	.982	.985	.988	.990	.992	.994	.996	.997	.998	.999	1.000	2.5
.947	.956	.964	.970	.976	.980	.984	.986	.988	.991	.993	.995	.997	.998	.999	2.6
.937	.947	.957	.963	.968	.973	.977	.980	.983	.986	.989	.992	.995	.997	.998	2.7
.928	.939	.949	.955	.960	.965	.970	.974	.978	.981	.985	.989	.992	.994	.996	2.8
.921	.932	.942	.947	.952	.957	.963	.969	.972	.976	.980	.984	.988	.990	.992	2.9
.915	.923	.931	.937	.943	.948	.954	.960	.966	.971	.975	.979	.983	.986	.988	3.0
.909	.915	.922	.929	.936	.942	.947	.953	.959	.965	.970	.974	.978	.981	.984	3.1
.907	.912	.918	.924	.930	.936	.941	.946	.952	.958	.963	.968	.973	.977	.980	3.2
.906	.909	.914	.919	.925	.930	.935	.940	.946	.951	.956	.961	.966	.971	.975	3.3
.905	.908	.912	.916	.920	.925	.930	.935	.940	.945	.950	.954	.958	.964	.974	3.4
.904	.907	.910	.914	.918	.922	.926	.931	.936	.940	.944	.948	.952	.958	.965	3.5
.904	.907	.910	.914	.918	.921	.924	.928	.932	.935	.938	.942	.946	.952	.959	3.6
.905	.907	.910	.914	.917	.920	.923	.927	.930	.933	.935	.937	.940	.946	.953	3.7
.905	.908	.911	.914	.917	.920	.922	.925	.928	.930	.932	.934	.936	.941	.948	3.8
.906	.909	.911	.914	.917	.919	.921	.924	.927	.929	.931	.933	.935	.939	.944	3.9
.906	.909	.912	.914	.917	.919	.921	.923	.926	.928	.930	.932	.934	.936	.940	4.0
.905	.908	.911	.914	.917	.919	.921	.923	.925	.927	.930	.931	.932	.933	.934	4.1
.905	.907	.910	.913	.916	.919	.921	.923	.924	.926	.929	.929	.930	.930	.929	4.2
.903	.906	.910	.913	.916	.918	.920	.922	.924	.926	.928	.928	.928	.927	.924	4.3
.900	.904	.908	.912	.916	.918	.920	.922	.923	.926	.928	.927	.927	.925	.922	4.4
.897	.902	.906	.910	.915	.918	.920	.922	.923	.926	.928	.927	.926	.923	.920	4.5
.893	.898	.903	.908	.913	.916	.919	.920	.922	.925	.927	.926	.925	.923	.920	4.6
.887	.894	.900	.905	.910	.913	.917	.919	.921	.924	.926	.925	.925	.923	.922	4.7
.881	.890	.896	.901	.906	.910	.914	.917	.920	.923	.925	.926	.926	.925	.925	4.8
.874	.884	.890	.895	.901	.907	.911	.915	.919	.922	.925	.926	.927	.927	.928	4.9
.863	.875	.883	.889	.896	.903	.908	.913	.918	.922	.925	.927	.928	.930	.932	5.0
.851	.864	.875	.882	.890	.898	.905	.911	.917	.922	.925	.928	.931	.933	.936	5.1
.837	.852	.866	.875	.884	.892	.901	.909	.916	.921	.924	.928	.933	.937	.941	5.2
.820	.830	.853	.865	.876	.885	.895	.904	.913	.918	.923	.929	.935	.940	.945	5.3
.798	.818	.837	.853	.867	.877	.888	.898	.908	.915	.921	.928	.935	.941	.947	5.4
.784	.792	.817	.837	.854	.867	.880	.890	.900	.910	.918	.925	.933	.940	.947	5.5
—	—	.769	.815	.835	.852	.868	.880	.890	.904	.911	.917	.926	.935	.944	5.6
—	—	.750	.786	.811	.835	.854	.869	.880	.892	.901	.909	.917	.927	.938	5.7
—	—	.701	.748	.783	.811	.835	.852	.866	.879	.890	.897	.905	.915	.928	5.8
—	—	.640	.700	.748	.781	.810	.828	.846	.861	.875	.883	.892	.901	.913	5.9
—	—	.544	.639	.703	.746	.778	.802	.825	.842	.857	.867	.879	.886	.893	6.0
—	—	—	—	—	—	.741	.769	.796	.820	.837	.852	.866	.872	.873	6.1
—	—	—	—	—	—	.691	.727	.762	.792	.815	.836	.852	.858	.856	6.2
—	—	—	—	—	—	.628	.678	.724	.761	.790	.818	.838	.845	.842	6.3
—	—	—	—	—	—	.526	.606	.675	.724	.763	.793	.818	.831	.834	6.4
—	—	—	—	—	—	.354	.526	.619	.680	.726	.761	.791	.814	.831	6.5
—	—	—	—	—	—	—	—	—	—	—	—	.761	.790	.832	6.6
—	—	—	—	—	—	—	—	—	—	—	—	.721	.760	.837	6.7
—	—	—	—	—	—	—	—	—	—	—	—	.670	.727	.845	6.8
—	—	—	—	—	—	—	—	—	—	—	—	.600	.683	.857	6.9
—	—	—	—	—	—	—	—	—	—	—	—	.468	.602	.876	7.0

β_1

TABLE IV.

Values of $\frac{\sqrt{N}}{\sigma} S_u$

	0-00	0-05	0-10	0-15	0-20	0-25	0-30	0-35	0-40	0-45	0-50	0-55	0-60	0-65	0-70	0-75	0-80
2-0	3-54	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2-1	2-16	4-36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2-2	1-87	2-75	9-85	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2-3	1-64	1-86	3-00	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2-4	1-46	1-58	2-07	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2-5	1-36	1-46	1-67	2-08	—	—	—	—	—	—	—	—	—	—	—	—	—
2-6	1-28	1-37	1-58	1-98	2-60	3-42	4-43	6-72	—	—	—	—	—	—	—	—	—
2-7	1-25	1-30	1-50	1-83	2-34	2-98	3-75	5-06	7-48	—	—	—	—	—	—	—	—
2-8	1-23	1-28	1-43	1-71	2-11	2-60	3-17	4-12	5-28	7-45	—	—	—	—	—	—	—
2-9	1-22	1-27	1-36	1-60	1-90	2-27	2-69	3-20	3-84	4-78	6-65	—	—	—	—	—	—
3-0	1-23	1-26	1-34	1-61	1-73	1-98	2-29	2-63	3-06	3-58	4-28	5-18	6-43	8-24	10-89	—	—
3-1	1-25	1-27	1-32	1-44	1-58	1-76	2-00	2-23	2-54	2-94	3-42	3-93	4-52	5-50	6-76	8-66	8-00
3-2	1-27	1-28	1-30	1-38	1-38	1-48	1-75	1-92	2-13	2-37	2-72	3-12	3-54	4-21	5-07	6-22	8-53
3-3	1-29	1-29	1-28	1-32	1-32	1-39	1-65	1-68	1-83	2-03	2-27	2-67	2-90	3-39	4-04	4-66	5-53
3-4	1-31	1-29	1-28	1-29	1-31	1-37	1-45	1-54	1-63	1-79	2-00	2-24	2-51	2-88	3-36	3-86	4-50
3-5	1-31	1-30	1-29	1-27	1-25	1-30	1-37	1-45	1-54	1-66	1-83	2-03	2-28	2-55	2-89	3-18	3-61
3-6	1-32	1-31	1-30	1-26	1-22	1-25	1-32	1-40	1-50	1-61	1-74	1-89	2-08	2-31	2-56	2-86	3-24
3-7	1-31	1-31	1-31	1-26	1-22	1-25	1-30	1-37	1-46	1-57	1-69	1-82	1-97	2-14	2-34	2-62	2-95
3-8	1-30	1-31	1-32	1-26	1-22	1-25	1-32	1-38	1-46	1-56	1-65	1-76	1-84	2-03	2-20	2-43	2-69
3-9	1-29	1-31	1-33	1-26	1-22	1-27	1-36	1-41	1-48	1-56	1-64	1-73	1-83	1-96	2-11	2-27	2-49
4-0	1-27	1-37	1-40	1-39	1-39	1-40	1-42	1-46	1-51	1-58	1-65	1-73	1-83	1-94	2-06	2-19	2-36
4-1	—	—	1-47	1-48	1-50	1-51	1-53	1-55	1-57	1-61	1-66	1-75	1-85	1-94	2-06	2-19	2-36
4-2	—	—	1-58	1-62	1-64	1-65	1-68	1-76	1-75	1-75	1-78	1-83	1-85	1-94	2-03	2-12	2-22
4-3	—	—	1-75	1-77	1-78	1-79	1-78	1-76	1-75	1-66	1-66	1-77	1-85	1-94	2-03	2-12	2-22
4-4	—	—	1-98	1-97	1-95	1-94	1-93	1-90	1-88	1-89	1-92	1-96	1-90	1-97	2-05	2-13	2-23
4-5	—	—	2-27	2-20	2-15	2-11	2-10	2-09	2-09	2-10	2-12	2-15	2-01	2-07	2-13	2-20	2-29
4-6	—	—	—	—	—	—	2-44	2-40	2-38	2-36	2-34	2-36	2-18	2-22	2-26	2-32	2-38
4-7	—	—	—	—	—	—	2-93	2-85	2-78	2-71	2-67	2-65	2-38	2-40	2-42	2-46	2-48
4-8	—	—	—	—	—	—	3-33	3-33	3-33	3-16	3-07	3-00	2-64	2-63	2-62	2-61	2-61
4-9	—	—	—	—	—	—	5-44	4-64	4-16	3-87	3-63	3-45	3-32	3-24	3-11	3-05	3-03
5-0	—	—	—	—	—	—	10-66	6-83	5-53	4-84	4-37	4-04	3-79	3-62	3-47	3-37	3-31
5-1	—	—	—	—	—	—	—	—	—	—	—	—	4-46	4-21	3-99	3-85	3-74
5-2	—	—	—	—	—	—	—	—	—	—	—	—	5-38	5-05	4-73	4-47	4-24
5-3	—	—	—	—	—	—	—	—	—	—	—	—	6-84	6-19	5-66	5-27	4-92
5-4	—	—	—	—	—	—	—	—	—	—	—	—	9-24	7-96	7-00	6-24	5-74
5-5	—	—	—	—	—	—	—	—	—	—	—	—	14-81	10-89	8-87	7-64	6-81
5-6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6-0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6-1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6-3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6-4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6-5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6-6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6-7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6-8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6-9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7-0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

B.

TABLE IV.—(continued).

Values of $\frac{\sqrt{N}}{\sigma} \Sigma_d$.

β_1

0.85	0.90	0.95	1.00	1.05	1.10	1.15	1.20	1.25	1.30	1.35	1.40	1.45	1.50	
1.20	1.13	1.07	1.02	.97	.92	.87	.83	.80	.76	.72	.68	.64	.60	2.0
1.64	1.49	1.38	1.29	1.21	1.14	1.08	1.03	.99	.94	.90	.86	.82	.78	2.1
2.22	1.97	1.80	1.66	1.54	1.45	1.38	1.32	1.26	1.20	1.14	1.08	1.02	.96	2.2
3.10	2.63	2.46	2.15	1.98	1.85	1.75	1.67	1.58	1.50	1.41	1.32	1.24	1.16	2.3
—	3.72	3.20	2.81	2.56	2.36	2.22	2.09	1.96	1.84	1.73	1.62	1.51	1.39	2.4
—	—	—	3.94	3.40	3.08	2.87	2.66	2.47	2.29	2.12	1.96	1.80	1.64	2.5
—	—	—	—	—	4.32	3.82	3.48	3.14	2.86	2.60	2.34	2.10	1.91	2.6
—	—	—	—	—	—	—	4.82	4.20	3.66	3.18	2.78	2.46	2.19	2.7
—	—	—	—	—	—	—	—	5.73	4.82	3.88	3.28	2.87	2.49	2.8
—	—	—	—	—	—	—	—	—	6.63	4.81	3.94	3.31	2.80	2.9
—	—	—	—	—	—	—	—	—	—	6.15	4.80	3.79	3.12	3.0
—	—	—	—	—	—	—	—	—	—	—	—	4.29	3.48	3.1
—	—	—	—	—	—	—	—	—	—	—	—	—	3.88	3.2
6.80	—	—	—	—	—	—	—	—	—	—	—	—	—	3.3
5.38	6.55	—	—	—	—	—	—	—	—	—	—	—	—	3.4
4.21	4.95	6.00	7.33	9.36	12.16	—	—	—	—	—	—	—	—	3.5
3.74	4.34	5.12	6.03	7.17	8.80	11.52	—	—	—	—	—	—	—	3.6
3.34	3.80	4.32	5.01	5.78	6.65	8.28	11.12	—	—	—	—	—	—	3.7
3.00	3.35	3.74	4.23	4.72	5.41	6.36	8.00	10.22	—	—	—	—	—	3.8
2.74	3.00	3.32	3.66	4.04	4.50	5.18	6.16	7.43	9.32	—	—	—	—	3.9
2.55	2.77	3.02	3.29	3.60	3.98	4.50	5.12	5.92	6.91	8.00	9.23	11.08	—	4.0
2.42	2.60	2.79	3.00	3.27	3.61	4.06	4.61	5.20	5.90	6.80	7.86	9.48	11.58	4.1
2.35	2.50	2.67	2.86	3.09	3.38	3.71	4.13	4.60	5.15	5.86	6.72	7.76	9.10	4.2
2.35	2.48	2.62	2.77	2.96	3.21	3.49	3.82	4.18	4.59	5.14	5.82	6.66	7.59	4.3
2.39	2.50	2.61	2.73	2.89	3.10	3.32	3.55	3.83	4.16	4.60	5.16	5.82	6.60	4.4
2.45	2.53	2.63	2.74	2.87	3.02	3.20	3.39	3.61	3.87	4.21	4.66	5.18	5.86	4.5
2.52	2.60	2.69	2.79	2.89	3.01	3.15	3.31	3.48	3.67	3.95	4.31	4.77	5.36	4.6
2.64	2.69	2.77	2.85	2.93	3.02	3.13	3.25	3.39	3.55	3.78	4.10	4.50	4.99	4.7
2.81	2.82	2.86	2.93	3.00	3.08	3.17	3.27	3.38	3.50	3.68	3.94	4.26	4.66	4.8
3.02	3.03	3.04	3.08	3.12	3.16	3.22	3.30	3.39	3.50	3.63	3.81	4.07	4.35	4.9
3.28	3.26	3.25	3.26	3.28	3.31	3.34	3.39	3.44	3.51	3.61	3.73	3.90	4.09	5.0
3.64	3.55	3.51	3.49	3.47	3.47	3.48	3.49	3.52	3.56	3.61	3.68	3.77	3.90	5.1
4.04	3.90	3.81	3.74	3.68	3.65	3.63	3.62	3.61	3.62	3.63	3.65	3.69	3.76	5.2
4.60	4.35	4.18	4.05	3.95	3.88	3.81	3.75	3.72	3.70	3.69	3.68	3.69	3.70	5.3
5.33	4.98	4.71	4.52	4.37	4.24	4.12	4.01	3.92	3.85	3.79	3.75	3.73	3.72	5.4
6.21	5.74	5.36	5.08	4.86	4.66	4.48	4.32	4.20	4.09	3.99	3.92	3.87	3.82	5.5
—	6.69	6.27	5.83	5.49	5.19	4.94	4.73	4.56	4.42	4.30	4.18	4.11	4.04	5.6
—	8.11	7.48	6.82	6.32	5.90	5.55	5.27	5.03	4.84	4.68	4.54	4.43	4.35	5.7
—	10.18	9.11	8.12	7.45	6.85	6.35	5.95	5.62	5.37	5.16	5.00	4.87	4.76	5.8
—	13.53	11.44	9.84	8.71	7.94	7.32	6.82	6.45	6.13	5.85	5.61	5.43	5.29	5.9
—	19.95	14.26	11.92	10.48	9.38	8.55	7.89	7.38	6.95	6.62	6.33	6.10	5.90	6.0
—	—	—	—	—	11.64	10.26	9.31	8.62	8.03	7.53	7.15	6.87	6.60	6.1
—	—	—	—	—	14.83	12.55	11.19	10.24	9.40	8.64	8.08	7.68	7.36	6.2
—	—	—	—	—	19.65	15.85	13.69	12.21	11.01	10.02	9.19	8.65	8.22	6.3
—	—	—	—	—	28.03	20.85	17.09	14.56	12.84	11.45	10.45	9.69	9.11	6.4
—	—	—	—	—	47.99	28.04	21.30	17.44	15.07	13.20	11.90	10.83	10.07	6.5
—	—	—	—	—	—	—	—	—	—	—	14.2	12.9	12.4	6.6
—	—	—	—	—	—	—	—	—	—	—	17.2	15.6	14.7	6.7
—	—	—	—	—	—	—	—	—	—	—	21.8	19.6	18.3	6.8
—	—	—	—	—	—	—	—	—	—	—	29.4	26.0	24.1	6.9
—	—	—	—	—	—	—	—	—	—	—	43.0	37.8	34.9	7.0

β_2

TABLE V.

Values of $\sqrt{N} \Sigma_{\pm}$.

β_1

	0.00	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60	0.65	0.70	0.75
2.0	3.54	—	—	—	—	—	—	—	—	—	3.41	2.80	2.43	2.12	1.89	1.72
2.1	2.15	4.20	—	—	—	—	—	—	—	—	—	—	—	3.67	3.02	2.58
2.2	1.87	2.63	9.50	—	—	—	—	—	—	—	—	—	—	—	5.57	4.10
2.3	1.64	1.78	2.88	—	—	—	—	—	—	—	—	—	—	—	—	—
2.4	1.46	1.49	2.02	—	—	—	—	—	—	—	—	—	—	—	—	—
2.5	1.35	1.41	1.62	2.02	2.80	4.06	5.08	—	—	—	—	—	—	—	—	—
2.6	1.28	1.30	1.43	1.75	2.18	2.82	3.65	4.96	—	—	—	—	—	—	—	—
2.7	1.25	1.25	1.31	1.52	1.84	2.29	2.85	3.68	4.84	—	—	—	—	—	—	—
2.8	1.23	1.22	1.24	1.36	1.59	1.89	2.21	2.70	3.36	4.36	—	—	—	—	—	—
2.9	1.22	1.20	1.20	1.28	1.43	1.63	1.86	2.19	2.60	3.33	4.30	—	—	—	—	—
3.0	1.23	1.21	1.20	1.25	1.34	1.48	1.62	1.84	2.12	2.49	3.00	3.76	4.62	6.02	8.12	—
3.1	1.25	1.22	1.21	1.23	1.27	1.36	1.50	1.67	1.88	2.16	2.50	3.06	3.76	4.72	6.10	8.08
3.2	1.27	1.23	1.22	1.22	1.23	1.29	1.40	1.53	1.70	1.90	2.17	2.58	3.17	3.97	4.87	5.83
3.3	1.29	1.25	1.23	1.21	1.21	1.24	1.33	1.44	1.58	1.74	1.94	2.27	2.73	3.28	3.88	4.53
3.4	1.30	1.27	1.24	1.21	1.20	1.23	1.29	1.38	1.49	1.61	1.78	2.04	2.36	2.75	3.18	3.63
3.5	1.31	1.29	1.25	1.21	1.20	1.22	1.28	1.35	1.43	1.54	1.68	1.87	2.09	2.37	2.68	2.98
3.6	1.32	1.30	1.26	1.22	1.20	1.22	1.26	1.32	1.40	1.50	1.61	1.75	1.91	2.13	2.39	2.65
3.7	1.31	1.31	1.28	1.24	1.20	1.23	1.27	1.32	1.39	1.47	1.56	1.67	1.80	1.98	2.19	2.40
3.8	1.30	1.32	1.30	1.27	1.23	1.25	1.28	1.33	1.38	1.46	1.54	1.63	1.75	1.88	2.04	2.22
3.9	1.29	1.34	1.33	1.30	1.28	1.28	1.30	1.34	1.39	1.45	1.53	1.61	1.71	1.82	1.96	2.12
4.0	1.27	1.36	1.38	1.36	1.35	1.35	1.36	1.39	1.43	1.48	1.56	1.63	1.72	1.81	1.92	2.04
4.1	—	—	1.46	1.45	1.45	1.44	1.44	1.46	1.50	1.54	1.60	1.67	1.74	1.82	1.91	2.03
4.2	—	—	1.58	1.57	1.57	1.56	1.55	1.56	1.59	1.62	1.67	1.72	1.78	1.85	1.93	2.02
4.3	—	—	1.75	1.74	1.73	1.71	1.70	1.69	1.70	1.72	1.76	1.81	1.86	1.92	1.98	2.06
4.4	—	—	1.95	1.94	1.92	1.90	1.88	1.85	1.86	1.87	1.90	1.93	1.97	2.01	2.06	2.12
4.5	—	—	2.26	2.19	2.13	2.09	2.07	2.06	2.05	2.06	2.07	2.08	2.11	2.15	2.19	2.23
4.6	—	—	—	—	—	—	2.48	2.42	2.37	2.35	2.33	2.31	2.31	2.32	2.33	2.35
4.7	—	—	—	—	—	—	3.11	2.93	2.82	2.73	2.65	2.60	2.57	2.54	2.52	2.50
4.8	—	—	—	—	—	—	3.78	3.53	3.35	3.21	3.08	2.97	2.89	2.82	2.76	2.71
4.9	—	—	—	—	—	—	5.48	4.66	4.17	3.87	3.63	3.44	3.30	3.17	3.07	3.01
5.0	—	—	—	—	—	—	11.12	6.96	5.52	4.82	4.36	4.02	3.77	3.58	3.45	3.37
5.1	—	—	—	—	—	—	—	—	—	—	—	—	4.45	4.16	4.00	3.87
5.2	—	—	—	—	—	—	—	—	—	—	—	—	5.38	5.02	4.72	4.49
5.3	—	—	—	—	—	—	—	—	—	—	—	—	6.84	6.18	5.66	5.26
5.4	—	—	—	—	—	—	—	—	—	—	—	—	9.24	7.76	6.80	6.22
5.5	—	—	—	—	—	—	—	—	—	—	—	—	14.80	10.67	8.87	7.71
5.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

β_2

TABLE V.—(continued).

Values of $\sqrt{N} \Sigma_{st}$.

β_1

0.80	0.85	0.90	0.95	1.00	1.05	1.10	1.15	1.20	1.25	1.30	1.35	1.40	1.45	1.50		
1.59	1.48	1.39	1.30	1.24	1.19	1.14	1.10	1.06	1.02	.99	.95	.91	.87	.83	2.0	
2.20	1.95	1.80	1.68	1.58	1.52	1.47	1.42	1.37	1.32	1.26	1.20	1.15	1.10	1.05	2.1	
3.22	2.65	2.29	2.08	1.98	1.91	1.84	1.78	1.72	1.66	1.59	1.52	1.45	1.38	1.31	2.2	
5.23	3.80	3.04	2.75	2.53	2.40	2.30	2.21	2.12	2.03	1.94	1.85	1.76	1.67	1.58	2.3	
—	—	4.29	3.64	3.31	3.12	2.94	2.78	2.63	2.49	2.36	2.23	2.10	1.98	1.86	2.4	
—	—	—	—	4.77	4.27	3.84	3.55	3.29	3.06	2.85	2.66	2.49	2.32	2.15	2.5	
—	—	—	—	—	—	5.72	5.00	4.39	3.94	3.54	3.20	2.93	2.67	2.44	2.6	
—	—	—	—	—	—	—	—	6.25	5.20	4.46	3.88	3.42	3.08	2.74	2.7	
—	—	—	—	—	—	—	—	—	7.05	5.68	4.78	4.03	3.54	3.05	2.8	
—	—	—	—	—	—	—	—	—	—	7.45	6.00	4.85	4.11	3.37	2.9	
—	—	—	—	—	—	—	—	—	—	—	7.80	6.05	4.77	3.70	3.0	
—	—	—	—	—	—	—	—	—	—	—	—	—	5.57	4.10	3.1	
7.00	—	—	—	—	—	—	—	—	—	—	—	—	—	4.58	3.2	
5.30	6.24	—	—	—	—	—	—	—	—	—	—	—	—	—	3.3	
4.16	4.71	5.80	—	—	—	—	—	—	—	—	—	—	—	—	3.4	
3.38	3.89	4.59	5.58	6.85	8.38	11.48	—	—	—	—	—	—	—	—	3.5	
2.95	3.38	3.99	4.66	5.50	6.48	7.55	8.92	—	—	—	—	—	—	—	3.6	
2.67	3.05	3.49	3.97	4.52	5.22	6.00	7.36	9.42	—	—	—	—	—	—	3.7	
2.44	2.75	3.08	3.43	3.80	4.25	4.78	5.64	7.08	9.02	—	—	—	—	—	3.8	
2.29	2.53	2.79	3.07	3.38	3.70	4.15	4.77	5.62	6.89	8.76	—	—	—	—	3.9	
2.20	2.38	2.58	2.82	3.06	3.33	3.69	4.14	4.77	5.50	6.42	7.40	8.57	10.12	—	4.0	
2.16	2.31	2.47	2.65	2.85	3.09	3.34	3.72	4.15	4.61	5.14	5.84	6.80	8.44	11.00	4.1	
2.14	2.26	2.40	2.55	2.71	2.88	3.10	3.37	3.67	4.03	4.44	5.04	5.94	7.12	8.67	4.2	
2.16	2.27	2.38	2.50	2.65	2.80	2.96	3.14	3.37	3.65	4.01	4.55	5.28	6.18	7.21	4.3	
2.20	2.30	2.41	2.52	2.64	2.76	2.89	3.04	3.23	3.48	3.78	4.22	4.78	5.44	6.26	4.4	
2.29	2.35	2.44	2.53	2.63	2.75	2.88	3.02	3.20	3.40	3.65	3.97	4.40	4.91	5.56	4.5	
2.39	2.43	2.48	2.56	2.66	2.77	2.89	3.01	3.16	3.34	3.55	3.79	4.16	4.55	5.10	4.6	
2.52	2.54	2.58	2.63	2.71	2.80	2.90	3.01	3.14	3.29	3.47	3.67	3.96	4.28	4.72	4.7	
2.70	2.72	2.74	2.78	2.83	2.89	2.97	3.06	3.16	3.28	3.41	3.58	3.80	4.06	4.42	4.8	
2.98	2.97	2.96	2.97	3.00	3.04	3.08	3.14	3.21	3.30	3.40	3.53	3.68	3.88	4.16	4.9	
3.31	3.25	3.21	3.20	3.21	3.22	3.24	3.26	3.31	3.36	3.43	3.51	3.60	3.73	3.96	5.0	
3.75	3.64	3.55	3.49	3.45	3.42	3.41	3.41	3.43	3.44	3.46	3.51	3.57	3.65	3.78	5.1	
4.28	4.10	3.96	3.85	3.76	3.68	3.63	3.60	3.57	3.55	3.53	3.53	3.55	3.60	3.67	5.2	
4.93	4.69	4.48	4.29	4.13	4.02	3.92	3.84	3.78	3.68	3.63	3.60	3.58	3.59	3.62	5.3	
5.78	5.42	5.09	4.80	4.56	4.40	4.26	4.13	4.00	3.89	3.80	3.73	3.68	3.65	3.63	5.4	
6.94	6.32	5.82	5.40	5.07	4.84	4.64	4.46	4.30	4.17	4.06	3.95	3.87	3.80	3.75	5.5	
—	—	6.75	6.22	5.79	5.46	5.19	4.97	4.77	4.60	4.44	4.30	4.19	4.10	4.01	5.6	
—	—	8.15	7.30	6.73	6.26	5.91	5.61	5.34	5.10	4.90	4.73	4.59	4.47	4.38	5.7	
—	—	10.20	8.76	7.98	7.26	6.76	6.34	5.99	5.68	5.44	5.24	5.06	4.91	4.78	5.8	
—	—	13.53	10.83	9.66	8.71	7.90	7.28	6.78	6.40	6.10	5.84	5.62	5.44	5.28	5.9	
—	—	19.96	14.30	12.02	10.51	9.39	8.56	7.90	7.39	6.96	6.61	6.33	6.10	5.89	6.0	
—	—	—	—	—	—	—	11.64	10.26	9.31	8.56	8.03	7.53	7.15	6.82	6.54	6.1
—	—	—	—	—	—	—	14.83	12.55	11.19	10.13	9.30	8.64	8.08	7.63	7.24	6.2
—	—	—	—	—	—	—	19.65	15.85	13.69	12.21	11.01	10.02	9.19	8.55	8.01	6.3
—	—	—	—	—	—	—	28.03	20.85	17.09	14.56	12.84	11.45	10.45	9.60	8.92	6.4
—	—	—	—	—	—	—	47.99	28.04	21.30	17.44	15.07	13.20	11.90	10.83	10.07	6.5
—	—	—	—	—	—	—	—	—	—	—	—	—	14.2	12.9	12.4	6.6
—	—	—	—	—	—	—	—	—	—	—	—	—	17.2	15.8	14.7	6.7
—	—	—	—	—	—	—	—	—	—	—	—	—	21.8	19.6	18.3	6.8
—	—	—	—	—	—	—	—	—	—	—	—	—	29.4	26.0	24.1	6.9
—	—	—	—	—	—	—	—	—	—	—	—	—	43.0	37.8	34.9	7.0

β_2

TABLE VI (i).

Values of β_2 . β_2

	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0
0.0	0	0	0	0	0						
0.1	0.48493	0.68971	0.94286	1.25688	1.64906	2.14375					
0.2	0.91585	1.32958	1.78182	2.37049	3.10000	4.01176					
0.3	1.29873	1.85270	2.53043	3.36094	4.38305	5.65000	7.2368				
0.4	1.63902	2.34286	3.20000	4.24478	5.52277	7.09474	9.0462				
0.5	1.94118	2.78128	3.80000	5.03582	6.53846	8.37500	10.6364				
0.6	2.20909	3.17350	4.33846	5.80178	7.44706	9.51429	12.0414	15.1585			
0.7	2.44615	3.52441	4.82222	6.38287	8.26202	10.53182	13.2885	16.6624			
0.8	2.65532	3.83820	5.25714	6.95698	8.99462	11.44375	14.4009	17.9932			
0.9	2.83917	4.12064	5.64828	7.47438	9.65454	12.26250	15.3940	19.1758	23.7791		
1.0	3.00000	4.36842	6.00000	7.94121	10.24999	13.00000	16.2857	20.2308	25.0000		
1.1	3.13980	4.59081	6.31613	8.36246	10.78796	13.66538	17.0877	21.1750	26.0857	32.0328	
1.2	3.26038	4.78812	6.60000	8.74286	11.27443	14.26667	17.8105	22.0225	27.0546	33.1082	
1.3	3.36330	4.96250	6.85454	9.08619	11.71461	14.81071	18.4633	22.7851	27.9217	34.0635	
1.4	3.45000	5.11589	7.08235	9.39582	12.11304	15.30345	19.0536	23.4727	28.7000	34.9164	42.3613
1.5	3.52174	5.25000	7.28571	9.67501	12.47368	15.75000	19.5864	24.0937	29.4000	35.6786	43.1538

TABLE VI (ii).

Values of β_1 . β_1

	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0
0.0	5.00000	8.92856	15.0000	23.7288	31.0000						
0.1	5.27356	9.41054	15.7973	25.7430	41.7660	69.3682					
0.2	5.44361	9.75086	16.2648	26.4018	42.5000	69.4796					
0.3	5.53293	9.86224	16.4907	26.6520	42.5613	68.5776	114.4732				
0.4	5.55998	9.91072	16.5385	26.6144	42.1807	67.0888	109.4534				
0.5	5.53802	9.87751	16.4545	26.3742	41.5076	65.2679	104.4652				
0.6	5.47791	9.81734	16.2732	26.1077	40.6453	63.2707	99.6442	162.125			
0.7	5.38824	9.63895	16.0200	25.5026	39.6623	61.1946	95.0525	151.253			
0.8	5.27513	9.45991	15.7143	24.9478	38.6061	59.1016	90.7143	141.707			
0.9	5.14437	9.25645	15.3706	24.3462	37.5099	57.0279	86.6331	133.240	210.995		
1.0	5.00000	9.02746	15.0000	23.7495	36.3971	55.0000	82.8022	125.664	195.000		
1.1	4.84537	8.78075	14.6111	23.0744	35.2835	53.0316	79.2091	118.839	181.299	286.374	
1.2	4.68319	8.53222	14.2105	22.4107	34.1811	51.1309	75.8392	112.653	169.394	261.436	
1.3	4.51562	8.27700	13.8032	21.7535	33.0971	49.3447	72.6772	107.016	158.930	240.845	
1.4	4.34440	8.01454	13.3931	21.1002	32.0367	47.5471	69.7076	101.850	149.643	223.304	343.147
1.5	4.17097	7.75000	12.9832	20.4546	31.0037	45.9038	66.9117	97.112	141.333	208.129	313.704

TABLE VI (iii).

Values of β_1 .

β_2

	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0
0.0	0	0	0	0	0						
0.1	1.99086	4.39480	9.3207	19.9714	45.9387	128.529					
0.2	3.59438	8.03374	16.5960	34.7825	76.6000	193.361					
0.3	4.86677	10.68765	22.2196	45.7142	97.2263	228.104	668.284				
0.4	5.85929	12.85477	26.5187	53.7090	111.0237	246.506	650.398				
0.5	6.51704	14.51540	29.7545	59.4655	120.0543	255.295	614.633				
0.6	7.17383	15.7892	32.1362	63.9266	125.6629	258.147	581.205	1618.635			
0.7	7.56616	16.6546	33.8306	66.2045	128.8283	257.225	550.107	1368.373			
0.8	7.81963	17.2668	34.9714	67.8804	130.2010	253.872	521.257	1196.612			
0.9	7.95777	17.6667	35.6658	68.7633	130.2587	248.937	495.375	1068.877	2769.42		
1.0	8.00000	17.8291	36.0000	69.0644	129.3434	243.000	469.637	968.318	2280.00		
1.1	7.96281	17.8472	36.0437	68.7730	127.7158	236.441	446.547	886.541	1945.69	5313.80	
1.2	7.86015	17.7503	35.8535	68.1357	125.5684	229.524	425.062	818.040	1700.98	4135.56	
1.3	7.70375	17.5396	35.4754	67.2181	123.0362	222.562	405.663	759.486	1512.94	3388.18	
1.4	7.50358	17.2423	34.9467	66.0678	120.5142	214.828	386.347	708.620	1363.20	2870.08	7265.31
1.5	7.26808	16.8768	34.2983	64.7210	117.2460	207.227	368.843	663.926	1240.65	2488.62	5719.68

TABLE VI (iv).

Values of β_1 .

β_2

	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0
0.0	14.0000	39.0649	105.000	290.678	868.015						
0.1	16.4616	45.7741	124.835	355.508	1243.832	10228.33					
0.2	17.7296	50.2472	132.998	369.894	1190.700	6204.69					
0.3	18.1764	51.0927	134.215	361.909	1089.739	4485.38	107697.95				
0.4	18.0667	50.2458	131.337	344.866	977.506	3471.87	25413.18				
0.5	17.5474	48.7896	126.107	323.447	877.884	2792.19	13737.63				
0.6	16.8560	46.8558	119.601	303.252	784.431	2303.07	9048.43	119230.33			
0.7	15.9787	44.3106	112.492	277.858	701.500	1934.79	6534.78	40994.77			
0.8	15.0148	41.7081	105.200	255.716	628.450	1648.52	5045.80	22660.09			
0.9	14.0113	39.0906	97.984	235.072	564.277	1420.51	4024.45	14836.90	137288.7		
1.0	13.0000	36.4119	91.000	216.137	507.894	1235.50	3286.65	10612.25	57584.9		
1.1	12.0030	33.7916	84.339	198.263	456.575	1083.04	2741.39	8135.91	33078.5	797653.2	
1.2	11.0354	31.3418	78.047	181.987	414.455	955.78	2322.13	6314.06	21891.8	155693.9	
1.3	10.1070	28.9775	72.146	167.142	375.834	848.97	1994.05	5108.55	15690.2	75009.7	
1.4	9.2240	26.7355	66.837	153.582	342.057	755.79	1726.18	4219.50	11846.9	44891.9	565740
1.5	8.3899	24.6268	61.512	141.477	310.976	676.32	1508.92	3544.82	9281.2	30280.3	180793