



Sumcastec



Université
de Limoges



ENEA

Agenzia nazionale per le nuove tecnologie,
l'energia e lo sviluppo economico sostenibile



PRIFYSGOL
BANGOR
UNIVERSITY

INSTITUT
DE RECHERCHE
xlim

High-Frequency Dielectrophoresis Characterization of Differentiated vs Undifferentiated Medulloblastoma Cells



R. Manczak¹, S. Saada², M. Tanori³, A. Casciati³, C. Dalmay¹, B. Besette², G. Begaud², S. Battu², P. Blondy¹, M.O. Jauberteau², C. Baristiran Kaynak⁴, M. Kaynak⁴, C. Palego⁵, C. Merla³, B. Tanno³, M. Mancuso³, F. Lalloue², A. Pothier¹

arnaud.pothier@xlim.fr

¹ XLIM-UMR 7252, University of Limoges/CNRS, Limoges, France

² CAPTuR-EA 3842, University of Limoges, Limoges, France

³ ENEA, SSPT - Division of Health Protection Technologies, Rome, Italy

⁴ IHP, Frankfurt (Oder), Germany


⁵ Bangor University, Bangor, United Kingdom

Motivation


Need for new therapeutic strategies dedicated to poor outcome diseases

Ex: Meduloblastoma,
Glioblastoma:

- ▶ *Tumor with high recurrence*
- ▶ *Strong resistance to existing treatments*
- ▶ *Highly heterogeneous brain tumors*



Resulting efficiency from standard therapies is very low



Role of some hidden tumor-initiating cells ?

*How fight them more efficiently?
What they look like?
How many are they?
Where are they?*




Motivation

Need for alternative tools able to track such specific and rare cells

Cancerous Stem Cells: *Tumorigenic cells with ability to give rise to all tumor cell type*

- ▶ Quiescent cells: escape from therapies targeting high division rate cells
- ▶ Differentiation into multiple cell types (progenitors...)
- ▶ Self-renewal capabilities
- ▶ Low number, Hidden in the tumor
- ▶ Undifferentiated cells: No specificity: lacking for specific labeling marker available




➔ Currently hypothesized to be the main cause of **relapse** and **metastasis**

Motivation


Tools able to identify CSC's in/outside the tumor might contribute to:

- help diagnosis and favor more appropriated treatment
- promote to the development of more efficient therapies



New Lab-on Chip tools dedicated to cellular analysis

Example: New Generation of Microwave Lab-on-Chip for Cancerous Stem Cells Sensing & Neutralization using Electromagnetic Waves Stimulation




Concept: Exploit the non-thermal effects of EM radiations on living organisms to **sense** and **stimulate** specifically targeted biological cells

Investigation methodology: Take benefit of

-**Microsystem & microfluidic technologies** to individually treat cells on a dedicated Lab-on-Chip


-**CMOS technology** to implement required microwave sources, sensors, applicators, detectors on the same chip




Challenges addressed by SUMCASTEC

Multidisciplinary expertise : Lab-on-Chip technology development, Electronic & RF design, Biophysics & BioEM, Off & On-chip experiments associated with CMOS foundry and Biologist teams including Clinicians & Surgeons


Lab-on chip experiments



Specific EM stimulation generation



Cell electromanipulation & sensing



Culture media continuous flow

CSC from GBM or MB cell lines


OR

GBM or MB cell lines

Tumor growth monitoring

Colony formation

vivo validation




Though an fully instrumented lab on chip


How nowadays biologists can study CSC's?




Optical microscopy



Staining



Fluorescence labeling





Flow cytometry



QPCR & Protein Array analysis

Drawback/ constrains:

- ✓ Specific label are lacking -> Cross coupling of generic markers
- ✓ CSC's are rare -> require amplification of the population
- ✓ Efficient functional tests exist (clonogecity, animal drafting) but results are very long




➔ Others approaches investigating intracellular specificities?



What about using EM field to characterize cells?

Depending the frequency EM field could interact with different cell constituents


- Low frequency -> Cell shape/ morphology/size influence
 - Mid frequency -> Plasma Membrane specificities
 - High frequency -> Intracellular content properties



Own cell dielectric properties = **A signature that can be specific**

High frequency signal well suitable to access to cell interior properties and measure specificities

Dielectric spectroscopy allows non destructive & label free characterization



Dielectrophoresis vs Dielectric Spectroscopy


DEP relies on the fact that EM fields generate forces that can move cells

Basic DEP theory

$$F_{DEP} = 2\pi\epsilon_m r^3 \text{Re}[K(\omega)] \nabla |E_{rms}|^2$$

Related to the E field gradient intensity

Electrical cage formed between electrodes



$$-1 < \text{Re}[K(\omega)] < 1$$

$$K(\omega) = \left(\frac{\epsilon_p^* - \epsilon_m^*}{\epsilon_p^* + 2\epsilon_m^*} \right)$$

$$\epsilon_p^* = \epsilon_p - j \frac{\sigma_p}{\omega}$$

Claussius-Mossotti factor



Complex permittivity of the particle

$$\text{Re}[K(\omega)] < 0$$

$$\text{Re}[K(\omega)] > 0$$

Repulsive force


Attractive force




Cells can be individually electromanipulated accordingly their own dielectric properties

Specificities of cell DEP spectral signature

- Characterize cells to identify their 2nd DEP cross over frequencies as discriminant specificities



Dielectrophoresis theory basics




Different cells




Vs



Different spectral signatures



Methodology for cell crossover frequency measurement





$$F_{DEP} = 2\pi\epsilon_m r^3 \text{Re}[K(\omega)] |\nabla|E_{rms}|^2$$

-> F_{DEP} will be high in strong field areas
 -> low in weak field areas

Methodology:



- 1) Cells are trapped in DEP<0
- 2) Flow is stopped
- 3) Frequency is tuned every MHz until finding positive DEP

strong attractive F_{DEP}





MB cell lines and effect of culture conditions on cell phenotype

- Two lines selected : D341 & D283
 - Cultured in 2 different mediums to favor large CSC enrichment in culture




- Confirmed by CD133 mRNA and protein expression



➔ Clear CSCs enrichment for Define (Neuro) Medium cultures


Measured DEP signatures on D341 & D283



➔ Difference of phenotype -> difference of DEP signature



Same trend observed on GBM cell lines



Acknowledgement



Sumcastec

This project has received funding from the European Union's Horizon 2020 research and innovation program under grant agreement N° 737164



Project partners:

CAPTUR



Our project SUMCASTEC was made possible thanks to #H2020 funding

€30 billion is still available in the 2018-20 Work Programme!

#InvestEUresearch


European Commission

www.sumcastec.eu

On going work refining cell population thanks to DEP Cytometer


Preliminary results

A. $F_{DEP} > F_{cross-over\ median}$




Cells are concentrated in microchannel center (where E field intensity is the lowest)

B. $F_{DEP} < F_{cross-over\ median}$




Cells are distributed on the edge of the channel

C. $F_{DEP} \sim F_{cross-over\ median}$



Cell spatial distribution is much dispersed (repealed in the center / attracted to the channel edge)



Tracking Cancer Cells with Microfluidic High Frequency DEP Cytometer Implemented on BiCMOS Lab-on-Chip Platform, **IMS 2018**