

On chucks and mandrills our author has much to say, and useful advice is given on how to centre work for the lathe, the book concluding with a chapter on screw-cutting of a rudimentary nature, sufficient, however, to give the amateur a good start in this somewhat difficult subject.

Taken as a whole, the little book will be of much use to the young apprentice and amateur. It flavours more of the workshop than of the technical school, which is very much in its favour.

*Principles of Plant Culture.* By Prof. E. S. Goff. Second Edition. Pp. 287. (Wisconsin: Madison. Published by the Author, 1899.)

MANY of our county councils have now instituted training colleges for teachers, and laboratories for the instruction of pupils in the elements of agriculture and horticulture. In such establishments Mr. Goff's little treatise, which is now in a second edition, will be most useful. The phenomena of the life of plants are clearly explained, and the details of internal structure sufficiently set forth. The application of these facts to the practical details of cultivation is shown, and stress laid upon the conditions that are propitious, as well as on those that are adverse, to plants. Numerous illustrations are given and, as an appendix, is provided a syllabus of laboratory work containing directions whereby the pupil may be assisted in realising for himself the teachings of the text.

It is a book suitable not only for those who have the advantage of access to a laboratory, but also for those who have to acquire a knowledge of plant-life without the assistance of a teacher.

*Photography in Colours.* (Photography Bookshelf, No. 5.) By R. Child Bayley. Pp. 74. (London: Iliffe, Sons and Sturmeay, Ltd., 1900.)

THERE are probably many people who wish to obtain a general survey of the different attempts that have been made to solve the fascinating problem of "photography in colours" without necessarily entering deeply, or at all, into the practice of any one or more methods. Every one who practises photography should, however, have an intelligent idea of the various processes in use, even if such knowledge amounts to a mere outline of the principles involved. Until now there has been no book devoted to such a summary, so the one before us is very welcome for filling such a gap in our literature.

The author has naturally avoided all technicalities, and confined himself strictly to the explanation of the fundamental principles on which each method is based. The book, it may be mentioned, originated from the editorial articles written by the author for *Photography*, which have been revised and published in this handy form.

*The Romance of the Earth.* By A. W. Bickerton. Pp. 181. (London: Swan Sonnenschein & Co., Ltd., 1900.) Price 2s. 6d.

THIS is an attempt to trace, in a popular manner, the history of the earth from the time it had a separate existence to the present, together with that of its fauna and flora. As giving an idea of the subjects touched upon it may be mentioned that among the titles of the various chapters are "The Beginning of the Earth," "Earth-Sculpturing," "Ice-Ages," "Evolution," "Embryology" and "Organic Ascent." In order to make the story a connected one, the author admits that where facts have not been available he has permitted himself "to speculate, to make deductions from the accepted laws of nature." To this there could be no objection had some clear indication been given whereby the reader might distinguish the generally accepted ideas from the personal views of the author. Still, the book is well written and appropriately illustrated, and provides an interesting first course of reading on some of the greater problems of science.

NO. 1630, VOL. 63]

## LETTERS TO THE EDITOR.

[The Editor does not hold himself responsible for opinions expressed by his correspondents. Neither can he undertake to return, or to correspond with the writers of, rejected manuscripts intended for this or any other part of NATURE. No notice is taken of anonymous communications.]

### Directions of Spirals in Horns.

THE direction of the spiral in the horns of Bovidae is, I think, a less simple matter than might be inferred from Mr. G. Wherry's interesting note in *NATURE* for January 10, p. 252; at all events so far as sheep and goats are concerned.

The only wild goat with truly spiral horns is the markhor, *Capra falconeri*, in all varieties of which the spiral is, as Mr. Wherry states, "crossed" (right horn twisting to left, left horn to right), but in the great majority of tame goats the reverse is the case, the horns being "homonymous." This was pointed out to me many years ago by the late Edward Blyth, and I have been able to confirm his observations repeatedly in countries where tame goats abound, both in India and in North-East Africa. The rule is not without exceptions, a few tame goats having horns coiled like the wild markhor. I have already called attention to these facts in the "Fauna of British India, Mammalia," p. 508. The "homonymous" spiral in tame goats is the more interesting because it is probable that most of them are derived from the wild *Capra aegagrus*, which has horns curving backwards, not spiral.

As regards sheep, the horns in all the *Ovis ammon* group, including *O. poli*, are "homonymous," as Mr. Wherry says. But the bharal, *Ovis nahura*, has its horns arranged on the reversed or "crossed" system. It is true that the bharal is in some other respects intermediate between sheep and goats.

W. T. BLANFORD.

### The "Usefulness" of Science.

IN your interesting article on "The New Century" in the January 3 number of *NATURE*, I notice that you endorse M. Lévy's account of the usefulness of "useless" studies and even proceed to suggest that "all our progress has come from the study of what was useless at the time it was studied." Now while fully agreeing with your main argument, it seems to me that this goes too far. Certainly M. Lévy's illustrations do not prove it. For it so happens that the early astronomical observations, to which he appeals, so far from being useless in the eyes of those who made them, were believed to be of the utmost practical importance. In fact, it may be doubted whether the study of astronomy has ever again been prosecuted in so directly utilitarian a spirit as in its infancy. For, quite apart from the practical need of determining the succession of the seasons, which M. Lévy seems to have strangely overlooked, it was generally believed that the observation of the heavenly bodies was "useful" as a method of forecasting terrestrial events. Astronomy was the offspring of astrology, and assiduously practised because no distinction had yet been made between those heavenly bodies which made great practical differences to human affairs, like the sun and the moon, and those whose influence was inappreciable. Furthermore, it must be remembered that these same bodies were regarded as literally deities of the highest order, so that their observation was a religious rather than a scientific act. This veneration of the heavenly bodies, moreover, persists throughout Greek science, and even Aristotle regards them as composed of a purer and diviner material than anything "sublunary." So that, when he advocates the "useless" *theoria* of astronomy and mathematics as the highest exercise of human faculty, he does *not* mean "seek knowledge for its own sake," but rather "raise yourself to the contemplation of what is nobler and diviner than anything earthly." For the eternal and immutable truths of mathematics also were regarded as being of more than human validity. Hence it seems a mistake to call these primitive researches useless because we do not happen to believe in the use they were supposed to have.

And this suggests a further scruple. Does not the doctrine that the "useful" discoveries arise out of the study of the "useless" come perilously near to a psychological paradox? For how can any one rationally pursue the study of what he at the time conceives to be useless? It must at least be useful to him, *i.e.* satisfy his desires in some way or other. In the last resort, what can the useful be but that which satisfies some human desire, subserves

some human purpose? In the widest sense, therefore, all knowledge which is desired must be useful in some way and for some purposes, and, even on the most narrowly "utilitarian" interpretation, the useful is nothing else or more than what satisfies desire—except that an attempt is made to restrict it to the satisfaction of a very limited set of desires. An absolutely useless method or study would be one that could not be worked in any conceivable manner or for any conceivable purpose, *i.e.* it would be not merely useless, but *false*. The proper defence, therefore, of the so-called "useless" researches seems to me to consist in showing in the first place that the context of a science requires them, and in the second in pointing out that it has always, so far, proved possible to find a directly practical application for what is organically connected with a system of knowledge.

Corpus Christi College, Oxford. F. C. S. SCHILLER.

#### The Field-mice and Wrens of St. Kilda and Shetland.

IN his notice of Messrs. A. H. Evans and T. E. Buckley's "Fauna of the Shetlands" (NATURE, May 24, 1900, pp. 75 and 76), your reviewer regrets that the authors are silent in regard to the special characters of the Shetland field-mouse, in view of my own recent recognition of a peculiar representation of this type in St. Kilda. It may be interesting to point out that in a recent paper on geographical and individual variation in *Mus sylvaticus* and its allies (*P.Z.S.*, 1900, p. 387), I found myself unable to separate the Shetland field-mouse (specimens of which I had fortunately been able to examine), at least at present, from that of Great Britain generally. I would not, however, therefore necessarily bind myself to follow your reviewer in his suggestion that the comparative distinctness of the local forms of wren and field-mouse may guide us in forming a decision as to the relative periods during which St. Kilda and the Shetlands have been separated from the mainland. So many factors seem to be brought into play in the evolution of a local race or subspecies that it is, I fear, unsafe to rely too much on such points, and I have a strong suspicion that the influence of the environment has been too little taken into account by recent writers. At all events the field-mouse of Iceland would, it might be thought, show remarkable deviations from the mice of Western Europe, yet the little that we know of it only shows us how closely allied it is to *Mus sylvaticus* proper.

As regards the wrens of Iceland and of the various Scotch islands, attention may be directed to an interesting series of measurements of wings given by Mr. R. M. Barrington in a footnote to p. 641 of his book on "The Migration of Birds as Observed at the Irish Lighthouses and Lightships." These seem to show a gradual diminution in size from the large *Troglodytes borealis* of Iceland through the Shetland wren, which, although smaller than *T. borealis*, seems to be larger than *T. hirtensis* of St. Kilda; the latter exceeds in size the wrens of Ireland. But no doubt intermediates occur, and a wing received from the lighthouse on the Tuskar rock off the Wexford coast in October, 1888, equals that of a specimen from St. Kilda, whence, perhaps, it may have been a migrant.

G. F. H. BARRETT-HAMILTON.

Kilmanock, Arthurstown, Waterford, Ireland.

#### Sexual Dimorphism.

IF Prof. Meldola does not suppose that all spontaneous variations are limited in inheritance to one sex, he is logically bound to admit that the theory of sexual selection does not explain unisexual inheritance. There can be no possibility of verbal juggle in my arguments, because I define a secondary sexual character as one that is affected by castration, one that does not develop normally after removal of the generative organs, a spontaneous variation as one that is not produced by the conditions of life.

But it is not my theory that "the stimulations which produced a male character necessitate the restriction of that character to the male," and therefore I am not affected by the dilemma in which Prof. Meldola thinks I am placed. On p. 94 of my book will be found these words:—

"It is possible that unisexual characters originally developed by special stimulations related to reproduction, tend sooner or later to be inherited in common by all individuals of the species, that, considered in relation to periods of evolution, their sexual limitation is only temporary."

I fear that Prof. Meldola has not yet sufficiently considered my theory.

J. T. CUNNINGHAM.

Penzance, January 11.

NO. 1630, VOL. 63]

THE theory of sexual selection never pretended to *explain* unisexual inheritance. Its author started with a fact:—"Inasmuch as peculiarities often appear under domestication in one sex and become hereditarily attached to that sex, so no doubt it will be under nature" ("Origin of Species," 6th ed. p. 69).<sup>1</sup> Neither does the theory of natural selection pretend to *explain* ordinary, *i.e.* bisexual, inheritance. But Mr. Cunningham pretends that his theory does explain unisexual inheritance, and having—in spite of the statement contained in the concluding sentence of the above letter—given very full consideration to his views, I have come to the opposite conclusion. I repeat that his theory does not explain unisexual inheritance.

Mr. Cunningham has now given a further and more restricted "definition" of secondary sexual characters. In this he has not only gone far beyond Darwin, but he has virtually cancelled at least half of his own book. The whole of the evidence that characters developed in one sex are latent in the other was summarised by Darwin in 1868:—"We thus see that in many, probably in all cases, the secondary characters of each sex lie dormant or latent in the opposite sex, ready to be evolved under peculiar circumstances" ("Variation of Animals and Plants," 1st ed. vol. ii. p. 52). All the evidence with regard to secondary sexual characters which Darwin considered in arriving at the above conclusion was based on cases observed in mammals and birds, and, with his well-known caution, he only admits probability in extending it to all cases. But Mr. Cunningham now has converted Darwin's cautiously expressed probability into a "definition"! In doing this he has practically wiped out the whole body of material relating to classes other than mammals and birds which he has brought together in his own work. I confess that I have not of late years been able to follow very closely the progress of knowledge in this direction, but, so far as I know, there is no single observation, with the exception, perhaps, of *Stylopised* bees, which would bring the secondary sexual characters of fishes, reptiles, crustacea, insects, &c., within Mr. Cunningham's definition. Is there any known case among these lower groups where the "removal of the generative organs" (to use Mr. Cunningham's own expression) leads to the appearance of the characters of one sex in individuals of the other sex?

There is another inexplicable statement in the above letter: "It is not my theory that 'the stimulations which produced a male character necessitate the restriction of that character to the male.'" I must again quote Mr. Cunningham's own remark of December 29, 1900. "My theory is that they (the variations) were so limited in development because they were due to stimulations similarly limited" (NATURE, January 10, p. 252). If this does not mean that he is attempting to explain the sexual limitation of characters by "stimulations" applied originally to the sex in which they are now developed, then it appears that he has abandoned his fundamental proposition, *viz.*, that his theory *explains* unisexual inheritance. The restriction of this sexually limited inheritance by considering it temporary instead of permanent, as indicated in the passage quoted by Mr. Cunningham at the conclusion of the above letter, does not affect the argument in any way. We still have to learn how and why the theory of "stimulations" explains unisexual inheritance, even if the latter be only temporary.

I venture to think that editorial hospitality has been sufficiently taxed in connection with this subject. So far as I am concerned I must beg Mr. Cunningham to consider the discussion as closed. The issue is before the readers of these columns, and I do not think that any further advance is likely to be made by mere iteration and reiteration. I consider that indirectly the author of "Sexual Dimorphism" has done excellent service to the cause of Darwinian evolution by enabling us to realise how a well-conceived and well-worked-out application of Lamarckian principles completely breaks down on critical examination.

R. MELDOLA.

January 12.

#### Very Cold Days.

THE following account of days on which the minimum temperature was under 20° (at Greenwich) may be found instructive.

There have been 162 of these very cold days in the last sixty

<sup>1</sup> "We may conclude that one cause, though not the sole cause, of characters being exclusively inherited by one sex, is their development at a late age" ("Descent of Man," &c. 1st ed. vol. i. p. 295). This is the utmost extent of Darwin's application of the evidence in discussing the sexual limitation of certain characters. The explanation is based on the hypothesis of "pangenesis" (*loc. cit.* p. 234).