

Kinematics Analysis of Coronal Mass Ejection-Driven Compression Waves Using EUV Observations

Celeste Keith
University of Wisconsin-Madison

Kamen Kozarev
Harvard-Smithsonian Center for Astrophysics



Outline


- Introduction to Coronal Mass Ejections and Coronal Bright Fronts
- Discussion of new events
- Explanation of processing of events
 - Base difference images
 - Annulus plots
- Manual collection of data
- Kinematics derived from data
 - Base difference images
 - Kinematics averages

Goal

- To process data from different CME events
- To use manual measures to collect kinematics data from those different events
- To present the statistical summary of our findings
- To create an automatic system that will, in the future, complete these goals for us

Coronal Mass Ejections


- Solar eruptions of material
- Cause: Magnetic Reconnection
- May originate from an active region on the sun
- The most useful CME events to us are on the limb of the sun
- Releases broadband radiation and energetic particles



2014/10/14 Event, from HAO, <https://www2.hao.ucar.edu/mlso/mlso-gallery>


Compression Fronts

- When enhanced, compression fronts become visible ahead of the material in CME's
- We study these fronts to enable modeling the acceleration of particles in the corona
- SDO/AIA Data
- More events must be collected



Search for New Events

- Some events already had been identified
- Further events from 2013-present were searched
 - An additional 25 events were identified
- Important features
 - Limb of the sun
 - Large eruption



Search for New Events (cont.)

120 total event candidates

Over previously identified and new


Narrowed down to ~30 of the best candidates





Used CorWav code to process events and prepare them for study

Date	Start Time	End Time
20131212	2013/12/12 03:03:00	2013/12/12 03:33:00
20110607	2011/06/07 06:15:00	2011/06/07 06:40:00
20130423	2013/04/23 18:05:00	2013/04/23 18:35:00
20120424	2012/04/24 07:39:00	2012/04/24 07:55:00
20140708	2014/07/08 16:08:00	2014/07/08 16:28:00
20110211	2011/02/11 12:30:00	2011/02/11 13:00:00
20130501	2013/05/01 02:28:00	2013/05/01 02:45:00
20120915	2012/09/15 22:50:00	2012/09/15 23:20:00
20120915	2012/09/15 22:50:00	2012/09/15 23:20:00
20120526	2012/05/26 20:30:00	2012/05/26 20:58:00
20110327	2011/03/27 05:02:00	2011/03/27 05:27:00
20110125	2011/01/25 11:56:00	2011/01/25 12:26:00
20100613	2010/06/13 05:34:00	2010/06/13 05:49:00
20140217	2014/02/17 04:48:00	2014/02/17 05:05:00
20131207	2013/12/07 07:17:00	2013/12/07 07:36:00
20131107	2013/11/07 10:14:00	2013/11/07 10:25:00
20130517	2013/05/17 08:41:00	2013/05/17 09:09:00
20121007	2012/10/07 20:15:00	2012/10/07 20:45:00
20120728	2012/07/28 20:43:00	2012/07/28 20:59:00
20120307	2012/03/07 00:05:00	2012/03/07 00:35:00
20110904	2011/09/04 04:34:00	2011/09/04 04:54:00
20110515	2011/05/15 23:27:00	2011/05/15 23:47:00
20101231	2010/12/31 04:20:00	2010/12/31 04:35:00
20101103	2010/11/03 12:09:00	2010/11/03 12:29:00
20151109	2015/11/09 12:51:05	2015/11/09 13:27:05
20150920	2015/09/20 17:33:29	2015/09/20 18:07:05
20150421	2015/04/21 10:01:11	2015/04/21 10:39:35
20150303	2015/03/03 01:25:59	2015/03/03 01:49:58
20141205	2014/12/05 05:42:47	2014/12/05 06:21:11
20141105	2014/11/05 19:05:35	2014/11/05 19:41:35
20140901	2014/09/01 21:33:11	2014/09/01 22:18:47

Processing of Events


- CorWav code
- Creates images of each step of the event
 - Raw, Base, Run
- Convert images into annulus images
 - Flatten out the sun so radial distance from surface can be measured






Processing of Events (cont.)

- Mainly use Base difference data




Manual Processing of Data

- After base difference annulus data are created, we manually selected events':
 - Peak
 - Back
 - Front
- This was done multiple times per event to estimate measurement errors
- Allows us to get kinematics data





Corrections to the Data

- Smoothing (for visual inspection)
 - Savitsky-Golay filter
 - Generic smoothing function in IDL
- Removing Noise
- Removing non-physical bright areas








21 Wave J-map profile, 2012/09/15 22:58:42





Data Analysis





- Radial and lateral data was taken
- Statistical summary of our findings












AIA/193 BDIFF Averaged Radial positions, event 110607_01








Average Acceleration of All Events



Average Speed of All Events



Next steps

- Finish the manual lateral kinematics measurements
- Automate the process of gathering radial and lateral kinematics information
 - Improve automated measurements using comparisons to manual measurements
- Comprehensive analysis of UV Waves and their ability to accelerate particles

Acknowledgements

Solar REU 2016

Dr. Kamen Kozarev

Dr. Alisdair Davey

Dr. Trae Winter

Dr. Kathy Reeves

NSF-REU solar physics program at
SAO

Grant number AGS-1560313

