

User Study1 Results

Participant	Completion_Time_s			Total_Pitch_Angle_deg			Total_Yaw_Angle_deg		
	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo
P01	12.07	15.95	15.13	173.35	328.84	80.73	180.85	245.79	73.62
P02	14.05	15.31	13.90	131.59	186.23	68.07	168.17	135.96	55.48
P03	14.33	24.78	13.37	130.91	278.45	60.22	96.82	156.82	51.24
P04	13.91	15.31	16.34	192.58	299.49	114.54	164.28	212.76	88.68
P05	12.40	16.73	14.52	181.08	290.29	113.34	149.31	221.68	90.00
P06	16.15	20.23	16.77	153.79	247.57	74.24	189.79	142.53	66.23
P07	14.57	18.86	14.11	153.65	295.48	57.82	183.61	260.34	64.75
P08	16.05	21.47	16.25	205.65	298.95	131.69	286.17	285.73	110.07
P09	16.77	29.10	16.58	123.30	452.87	59.36	220.80	282.41	53.67
P10	14.28	23.27	13.45	135.38	577.16	73.12	236.83	433.12	73.01
P11	15.12	24.49	13.29	170.42	557.04	64.40	253.04	512.76	50.98
P12	19.08	20.18	18.32	193.82	480.79	58.68	203.19	245.61	59.35
P13	14.72	19.90	16.20	149.64	428.38	65.46	284.74	313.31	66.19
P14	16.40	19.85	15.01	265.91	521.58	105.41	354.57	352.22	90.55
P15	14.03	16.06	15.26	130.00	274.70	51.93	236.38	245.08	56.46
P16	16.22	15.07	16.03	125.93	291.95	61.26	173.49	151.44	60.09
P17	13.70	17.78	15.79	138.93	356.73	76.99	176.00	259.76	86.05
P18	14.02	19.23	17.89	135.50	417.58	60.10	217.43	293.76	68.26
P19	13.18	15.35	16.89	124.60	332.68	73.11	160.73	219.70	70.61
P20	15.59	15.88	18.72	123.76	495.81	121.16	173.29	314.27	107.13
P21	13.42	25.08	17.67	133.98	425.96	78.19	236.06	293.34	97.70
P22	15.54	17.34	19.88	193.79	349.46	76.34	207.25	260.12	73.91
P23	10.56	20.33	13.76	198.22	373.03	107.88	197.30	365.24	105.02
P24	11.58	15.89	13.65	152.52	348.68	76.65	197.18	289.13	68.79
Mean	14.49	19.31	15.78	159.10	371.24	79.61	206.14	270.54	74.49

Participant	Max_Up_Angle_deg			Max_Down_Angle_deg			Max_Left_Angle_deg			Max_Right_Angle_deg		
	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo
P01	7.28	8.14	6.21	38.36	25.18	13.11	11.62	10.66	9.38	30.06	21.80	5.96
P02	4.79	4.75	4.72	39.57	15.23	16.76	34.60	11.73	7.45	29.83	16.19	8.64
P03	3.45	9.39	3.97	39.47	18.74	15.37	12.69	9.19	9.29	22.95	19.28	4.89
P04	11.15	12.50	8.98	51.71	24.97	11.75	15.79	12.16	8.83	29.58	25.93	7.57
P05	10.24	7.69	5.53	39.04	21.42	17.19	9.40	11.38	8.42	32.96	19.63	11.31
P06	6.89	8.71	3.86	37.38	24.77	10.29	32.57	17.76	5.46	32.67	15.60	7.08
P07	3.73	11.79	2.73	40.30	18.46	10.98	31.79	16.71	7.01	32.14	17.65	6.53
P08	14.45	14.89	17.61	34.19	21.75	14.44	34.40	29.30	12.36	37.87	27.71	10.89
P09	4.82	5.85	5.67	27.76	26.47	8.37	22.41	14.06	6.42	30.28	24.49	6.49
P10	6.12	8.79	5.83	36.06	29.54	14.23	35.50	29.90	6.83	34.07	31.34	9.90
P11	8.08	7.75	3.73	34.54	29.35	14.34	33.15	33.06	6.90	29.19	28.81	4.64
P12	4.19	5.55	8.72	42.03	32.58	6.72	28.47	17.69	7.22	32.24	20.93	6.59
P13	4.23	4.35	4.44	33.96	28.50	6.59	34.45	25.76	6.60	31.43	23.31	5.33
P14	20.23	17.64	12.50	35.91	23.51	11.55	43.94	28.23	9.59	32.27	21.02	7.94
P15	3.04	4.77	3.34	33.04	20.40	11.47	30.39	23.95	6.58	29.32	18.43	5.98
P16	4.27	4.05	4.62	30.05	27.17	5.83	27.66	14.32	5.62	25.30	18.30	6.51
P17	3.40	5.11	7.21	34.82	25.31	8.27	31.06	11.13	9.73	28.11	20.89	5.77
P18	6.42	9.04	3.40	32.56	21.45	19.61	41.32	34.73	7.52	26.64	25.21	9.36
P19	5.24	6.60	4.00	31.11	21.24	8.45	30.96	16.59	7.95	26.15	22.95	6.04
P20	2.19	3.98	9.68	32.40	28.00	6.91	27.89	28.01	10.52	26.10	26.88	5.59
P21	9.59	7.00	8.90	24.53	21.66	5.19	28.11	19.61	14.15	35.91	20.87	4.51
P22	15.81	6.62	7.81	35.74	31.33	6.01	38.61	33.62	9.96	31.34	25.57	6.05
P23	6.31	3.13	4.94	50.99	27.24	20.70	32.39	28.36	5.42	35.69	23.39	17.24
P24	4.12	7.22	1.75	30.60	25.75	26.21	29.98	20.89	3.51	27.05	22.81	13.93
Mean	7.09	7.72	6.26	36.09	24.58	12.10	29.13	20.78	8.03	30.38	22.46	7.70

User Study1 Results

Participant	SSQ			NASA TLX			SUS		
	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo
P01	4.00	4.00	2.00	30.00	34.83	15.00	87.50	85.00	100.00
P02	0.00	0.00	0.00	88.00	95.17	72.17	30.00	30.00	40.00
P03	0.00	0.00	0.00	18.17	35.50	29.33	97.50	77.50	75.00
P04	3.00	2.00	1.00	11.17	12.83	12.33	87.50	85.00	87.50
P05	10.00	3.00	0.00	18.33	50.17	32.00	72.50	45.00	67.50
P06	0.00	0.00	0.00	53.00	25.83	57.00	35.00	72.50	37.50
P07	0.00	0.00	0.00	4.83	4.50	4.33	87.50	87.50	77.50
P08	1.00	1.00	0.00	25.83	32.00	25.33	80.00	70.00	70.00
P09	15.00	32.00	0.00	8.17	75.67	61.67	85.00	17.50	25.00
P10	1.00	1.00	1.00	5.83	53.33	14.00	97.50	25.00	60.00
P11	10.00	18.00	2.00	44.83	45.33	45.83	65.00	65.00	65.00
P12	5.00	4.00	0.00	23.83	19.83	16.83	67.50	67.50	67.50
P13	9.00	11.00	0.00	41.33	48.17	43.33	55.00	55.00	65.00
P14	38.00	39.00	25.00	18.17	18.17	18.17	70.00	70.00	70.00
P15	0.00	0.00	0.00	15.50	23.83	22.33	80.00	77.50	77.50
P16	0.00	0.00	0.00	83.83	54.33	9.33	22.50	50.00	90.00
P17	0.00	0.00	0.00	46.17	29.83	24.33	67.50	77.50	77.50
P18	18.00	12.00	18.00	74.17	75.83	12.17	40.00	40.00	82.50
P19	1.00	0.00	0.00	39.17	26.50	34.67	67.50	67.50	65.00
P20	1.00	0.00	0.00	37.17	69.67	32.83	80.00	50.00	75.00
P21	2.00	8.00	2.00	70.50	76.33	10.83	50.00	35.00	100.00
P22	0.00	8.00	2.00	50.83	90.67	4.67	50.00	37.50	77.50
P23	3.00	3.00	3.00	68.83	67.50	42.33	42.50	35.00	82.50
P24	1.00	1.00	1.00	46.33	38.50	23.67	55.00	77.50	100.00
Mean	5.08	6.13	2.38	38.50	46.01	27.69	65.52	58.33	72.29

Participant	Comfort			Fatigue			Smoothness			Efficiency			Discreetness		
	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo
P01	6.00	5.00	7.00	1.00	2.00	0.00	7.00	7.00	7.00	7.00	7.00	7.00	6.00	5.00	7.00
P02	1.00	1.00	3.00	6.00	6.00	4.00	1.00	1.00	4.00	1.00	1.00	4.00	1.00	1.00	4.00
P03	7.00	7.00	7.00	0.00	1.00	0.00	7.00	6.00	6.00	7.00	6.00	5.00	7.00	7.00	7.00
P04	6.00	6.00	6.00	1.00	1.00	1.00	6.00	6.00	6.00	7.00	7.00	7.00	6.00	6.00	6.00
P05	6.00	2.00	4.00	1.00	5.00	3.00	6.00	3.00	5.00	6.00	2.00	4.00	4.00	4.00	4.00
P06	1.00	3.00	1.00	6.00	3.00	6.00	2.00	5.00	2.00	1.00	5.00	1.00	1.00	1.00	1.00
P07	6.00	7.00	4.00	1.00	1.00	3.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	5.00
P08	6.00	6.00	7.00	1.00	1.00	0.00	7.00	6.00	7.00	7.00	6.00	6.00	7.00	7.00	7.00
P09	7.00	3.00	1.00	0.00	6.00	5.00	7.00	2.00	3.00	7.00	2.00	2.00	7.00	1.00	1.00
P10	4.00	1.00	4.00	3.00	6.00	4.00	7.00	3.00	6.00	7.00	4.00	6.00	7.00	1.00	6.00
P11	6.00	6.00	6.00	2.00	2.00	2.00	4.00	4.00	4.00	5.00	5.00	5.00	4.00	4.00	4.00
P12	3.00	3.00	3.00	4.00	4.00	4.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00
P13	4.00	3.00	5.00	4.00	4.00	2.00	3.00	3.00	6.00	5.00	3.00	6.00	3.00	3.00	6.00
P14	5.00	5.00	5.00	5.00	5.00	5.00	6.00	6.00	6.00	5.00	5.00	5.00	5.00	5.00	5.00
P15	7.00	7.00	7.00	1.00	1.00	1.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00
P16	1.00	1.00	7.00	6.00	5.00	0.00	1.00	7.00	7.00	1.00	7.00	7.00	1.00	3.00	7.00
P17	5.00	6.00	7.00	2.00	1.00	0.00	5.00	7.00	7.00	5.00	7.00	7.00	5.00	7.00	7.00
P18	1.00	3.00	7.00	6.00	4.00	0.00	3.00	3.00	7.00	3.00	3.00	7.00	5.00	5.00	7.00
P19	4.00	6.00	5.00	5.00	3.00	4.00	5.00	6.00	6.00	4.00	5.00	5.00	5.00	5.00	5.00
P20	2.00	6.00	6.00	4.00	5.00	2.00	7.00	4.00	6.00	7.00	3.00	5.00	6.00	6.00	6.00
P21	3.00	3.00	7.00	4.00	4.00	0.00	3.00	3.00	7.00	3.00	3.00	7.00	4.00	4.00	7.00
P22	5.00	3.00	6.00	5.00	6.00	0.00	2.00	1.00	7.00	3.00	1.00	7.00	4.00	1.00	7.00
P23	5.00	5.00	7.00	2.00	2.00	0.00	5.00	5.00	6.00	4.00	4.00	6.00	4.00	4.00	6.00
P24	3.00	4.00	7.00	2.00	1.00	0.00	6.00	6.00	6.00	7.00	7.00	6.00	3.00	6.00	7.00
Mean	4.33	4.25	5.38	3.00	3.29	1.92	5.04	4.79	5.92	5.13	4.75	5.67	4.83	4.46	5.67

User Study2 Results

Participant	Completion_Time_s			Total_Pitch_Angle_deg			Total_Yaw_Angle_deg		
	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo
P01	12.34	17.28	9.48	224.26	210.94	84.65	257.93	409.29	75.60
P02	11.26	17.96	9.70	220.33	322.64	95.62	394.90	622.91	113.20
P03	20.27	21.61	16.10	350.56	481.96	98.02	636.70	551.92	91.13
P04	16.64	19.80	9.42	298.68	398.98	59.13	876.16	528.88	60.27
P05	17.25	32.12	8.14	151.39	323.34	100.20	146.42	501.23	130.04
P06	13.01	18.57	10.50	389.63	316.15	130.62	437.80	547.39	112.64
P07	24.44	21.65	13.85	179.44	363.29	77.45	510.40	766.90	105.83
P08	15.31	19.41	10.86	225.75	304.62	73.71	358.62	501.82	104.37
P09	15.14	22.11	10.67	270.02	349.31	93.03	309.18	549.46	114.34
P10	15.27	19.74	10.45	347.08	262.67	82.26	480.31	407.70	99.26
P11	23.91	21.60	20.47	254.64	341.16	67.35	581.84	537.79	108.59
P12	15.99	21.07	13.26	263.79	258.89	76.62	267.87	663.41	93.27
P13	18.59	25.79	13.49	361.23	601.85	110.31	654.32	896.37	117.70
P14	19.55	16.51	11.03	254.62	304.95	76.84	366.73	420.20	94.15
P15	15.16	20.19	11.23	325.32	287.62	114.43	334.27	594.54	112.59
P16	18.38	20.16	11.87	349.02	342.44	88.99	402.40	481.06	110.21
P17	14.42	17.74	9.09	132.10	223.73	79.79	301.79	389.88	80.71
P18	21.14	19.66	14.75	348.44	333.45	74.68	535.56	743.10	96.86
P19	37.57	17.53	9.09	354.20	286.90	90.20	600.99	501.26	92.44
P20	15.91	18.17	10.84	237.39	327.36	77.09	439.43	521.76	106.83
P21	16.39	25.53	9.96	307.90	411.71	107.93	498.39	576.31	112.62
P22	21.41	18.77	10.17	339.85	339.10	58.74	509.84	371.41	81.99
P23	14.38	17.59	9.43	356.86	306.48	74.52	615.25	478.53	95.74
P24	11.66	17.38	12.45	132.34	212.11	119.28	368.59	412.21	140.22
Mean	17.72	20.33	11.51	278.12	329.65	87.98	453.57	540.64	102.11

Participant	Max_Up_Angle_deg			Max_Down_Angle_deg			Max_Left_Angle_deg			Max_Right_Angle_deg		
	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo
P01	16.50	9.76	5.96	24.68	15.01	4.10	6.08	3.78	2.07	30.72	25.24	7.29
P02	25.61	19.44	6.50	28.35	20.30	5.11	5.53	6.90	5.81	40.19	38.68	5.19
P03	20.82	16.62	4.50	26.04	23.69	8.19	6.64	5.08	3.51	44.40	29.25	5.65
P04	11.12	9.28	1.06	30.29	27.95	8.21	3.05	0.73	0.81	43.26	38.32	9.18
P05	18.04	13.41	7.74	25.68	20.43	7.25	4.74	2.10	6.39	32.36	43.86	10.23
P06	23.27	17.36	9.45	25.02	15.36	6.40	8.84	7.58	9.32	35.03	31.68	7.81
P07	20.22	18.18	6.83	18.80	19.98	2.97	4.89	4.77	3.80	34.57	43.83	6.59
P08	17.28	15.97	4.75	20.08	14.33	4.19	2.12	4.81	3.00	34.13	28.35	7.91
P09	16.70	21.04	7.51	24.64	18.27	7.40	4.64	12.41	2.66	32.46	26.33	9.85
P10	16.25	11.19	7.48	25.25	17.53	3.62	3.59	2.34	4.46	35.42	28.64	6.29
P11	15.64	16.48	4.33	25.40	18.48	5.91	3.57	22.36	3.89	41.81	25.81	5.72
P12	15.58	11.72	3.70	33.54	18.39	5.62	11.17	6.73	4.97	27.97	31.83	5.75
P13	15.68	16.79	5.72	28.11	15.83	7.22	4.29	7.58	4.97	45.11	33.94	6.57
P14	23.39	15.82	3.40	26.35	18.07	6.04	5.86	7.65	4.51	44.86	27.35	6.81
P15	14.98	11.24	10.51	33.47	15.78	4.10	8.11	5.42	4.80	34.89	24.93	6.79
P16	21.07	16.31	4.56	28.50	21.88	6.52	9.01	4.94	3.84	34.14	28.32	7.11
P17	13.05	12.17	5.90	25.67	15.38	10.72	1.78	3.77	4.26	30.76	26.05	6.81
P18	21.09	15.66	4.01	24.63	19.66	6.13	8.40	6.49	3.57	37.46	44.48	7.72
P19	16.09	10.54	2.67	26.39	23.63	9.72	2.58	1.42	3.17	32.11	36.89	8.87
P20	11.72	10.88	5.57	26.52	25.01	3.59	4.27	5.86	2.11	35.26	30.59	9.36
P21	18.11	15.62	5.15	26.50	20.62	8.64	4.91	7.11	5.40	36.80	35.65	6.93
P22	18.58	13.55	2.81	26.76	18.83	5.57	4.11	1.78	2.72	36.89	27.56	6.42
P23	16.57	13.36	3.17	28.26	22.67	8.47	6.38	7.22	6.14	33.22	28.53	5.09
P24	16.65	12.34	5.83	28.31	15.39	14.57	3.16	3.87	9.74	38.02	36.45	12.62
Mean	17.67	14.36	5.38	26.55	19.27	6.68	5.32	5.95	4.41	36.33	32.19	7.44

User Study2 Results

Participant	SSQ			NASA TLX			SUS		
	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo
P01	7.00	2.00	0.00	11.83	13.83	5.83	85.00	80.00	100.00
P02	2.00	4.00	1.00	61.83	51.00	45.33	87.50	90.00	87.50
P03	28.00	30.00	17.00	73.17	80.50	62.50	42.50	42.50	62.50
P04	7.00	15.00	0.00	16.67	20.67	11.00	67.50	55.00	70.00
P05	2.00	0.00	0.00	43.67	31.67	33.50	57.50	57.50	57.50
P06	0.00	1.00	0.00	20.00	20.00	8.33	85.00	82.50	90.00
P07	11.00	12.00	1.00	71.67	78.50	22.17	47.50	47.50	72.50
P08	0.00	0.00	5.00	17.33	18.00	33.17	85.00	90.00	70.00
P09	1.00	1.00	0.00	35.83	45.50	28.17	80.00	70.00	85.00
P10	0.00	8.00	0.00	33.67	51.33	25.33	75.00	62.50	75.00
P11	7.00	2.00	2.00	18.00	11.00	8.83	55.00	55.00	55.00
P12	2.00	0.00	0.00	37.83	29.17	13.33	65.00	65.00	92.50
P13	5.00	6.00	0.00	39.67	61.00	25.67	45.00	20.00	60.00
P14	1.00	11.00	1.00	66.50	77.83	62.83	62.50	32.50	80.00
P15	1.00	1.00	1.00	15.17	14.67	13.00	57.50	55.00	62.50
P16	4.00	11.00	0.00	32.83	59.33	10.33	65.00	52.50	100.00
P17	8.00	5.00	0.00	68.50	60.17	3.83	10.00	30.00	100.00
P18	5.00	0.00	0.00	79.50	42.83	13.67	30.00	60.00	80.00
P19	1.00	17.00	6.00	16.67	81.83	54.83	80.00	5.00	45.00
P20	1.00	6.00	0.00	20.83	33.00	9.17	85.00	45.00	97.50
P21	22.00	16.00	0.00	68.83	43.33	8.33	7.50	45.00	97.50
P22	4.00	4.00	4.00	30.83	27.67	34.00	67.50	65.00	67.50
P23	0.00	8.00	0.00	41.50	66.00	39.00	50.00	47.50	57.50
P24	0.00	2.00	0.00	24.17	51.17	4.67	95.00	52.50	100.00
Mean	4.96	6.75	1.58	39.44	44.58	24.03	61.98	54.48	77.71

Participant	Comfort			Fatigue			Smoothness			Efficiency			Discreetness		
	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo	CrossEdge	HeadClutch	PointerHalo
P01	6.00	6.00	7.00	1.00	1.00	1.00	7.00	7.00	7.00	5.00	5.00	6.00	7.00	6.00	7.00
P02	6.00	5.00	6.00	2.00	1.00	1.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00
P03	2.00	2.00	5.00	5.00	5.00	3.00	3.00	3.00	5.00	3.00	3.00	5.00	3.00	3.00	3.00
P04	4.00	2.00	4.00	3.00	4.00	3.00	2.00	2.00	2.00	5.00	5.00	5.00	4.00	1.00	4.00
P05	7.00	7.00	7.00	0.00	6.00	0.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00
P06	7.00	7.00	7.00	1.00	1.00	0.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00
P07	5.00	5.00	7.00	5.00	5.00	1.00	2.00	2.00	7.00	3.00	1.00	6.00	1.00	1.00	5.00
P08	7.00	5.00	4.00	0.00	0.00	2.00	7.00	7.00	4.00	7.00	5.00	4.00	7.00	7.00	7.00
P09	5.00	6.00	5.00	2.00	2.00	1.00	7.00	6.00	7.00	7.00	6.00	7.00	5.00	5.00	5.00
P10	7.00	5.00	7.00	0.00	2.00	0.00	7.00	5.00	7.00	7.00	6.00	7.00	7.00	5.00	7.00
P11	6.00	6.00	6.00	2.00	2.00	2.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00
P12	4.00	5.00	7.00	5.00	5.00	0.00	4.00	6.00	7.00	4.00	6.00	7.00	7.00	7.00	7.00
P13	3.00	4.00	6.00	4.00	5.00	1.00	3.00	2.00	5.00	3.00	2.00	6.00	4.00	3.00	7.00
P14	6.00	4.00	6.00	2.00	3.00	2.00	6.00	4.00	7.00	7.00	4.00	7.00	6.00	3.00	6.00
P15	5.00	4.00	6.00	2.00	3.00	1.00	5.00	4.00	6.00	5.00	4.00	6.00	5.00	4.00	6.00
P16	6.00	5.00	7.00	2.00	3.00	0.00	5.00	4.00	7.00	5.00	4.00	7.00	5.00	4.00	7.00
P17	1.00	5.00	7.00	5.00	0.00	1.00	1.00	5.00	7.00	1.00	4.00	7.00	1.00	3.00	7.00
P18	4.00	5.00	7.00	5.00	2.00	0.00	3.00	6.00	7.00	3.00	6.00	7.00	1.00	6.00	7.00
P19	7.00	1.00	5.00	1.00	6.00	4.00	7.00	1.00	4.00	7.00	1.00	7.00	6.00	1.00	4.00
P20	5.00	3.00	7.00	2.00	5.00	0.00	7.00	6.00	7.00	5.00	4.00	7.00	6.00	5.00	7.00
P21	3.00	5.00	7.00	4.00	2.00	0.00	3.00	5.00	7.00	3.00	5.00	7.00	3.00	5.00	7.00
P22	4.00	5.00	3.00	4.00	4.00	4.00	4.00	5.00	4.00	4.00	5.00	4.00	5.00	5.00	5.00
P23	6.00	5.00	7.00	1.00	4.00	0.00	6.00	4.00	7.00	6.00	3.00	7.00	6.00	3.00	7.00
P24	5.00	5.00	7.00	3.00	3.00	0.00	6.00	5.00	7.00	7.00	5.00	7.00	7.00	4.00	7.00
Mean	5.04	4.67	6.13	2.54	3.08	1.13	5.13	4.88	6.21	5.21	4.67	6.42	5.17	4.54	6.25