

multiple sclerosis. Thompson and Oppenheim are inclined to ascribe it all to cerebral disease, but again they have had cases similar to these Dr. Fisher had described, and the ultimate history has been that they turned out to be multiple sclerosis. Where the early diagnosis is a difficult one to make at the time, definite symptoms of multiple sclerosis may show later that we are dealing with a disease of a degenerative type.

---

PURULENT ENCEPHALITIS AND CEREBRAL ABSCESS  
IN THE NEW-BORN, RESULTING FROM INFEC-  
TION THROUGH THE UMBILICUS.<sup>1</sup>

BY GUY HINSDALE, M.D.

The mother of the patient had had a painful pregnancy, and after labor lasting forty hours pus from the uterus followed the placenta. The child died on the thirteenth day, after symptoms of meningitis. All the surfaces of the cerebrum and cerebellum were covered with a fibro-purulent exudate; a pus cavity was in the left anterior lobe, and a large hemorrhage in the right. There were innumerable hemorrhages throughout the cortex, with destruction of the infiltrated nervous tissue. The microscopical study was made by Dr. Joseph Sailer; the bacteriological examinations by Dr. S. S. Kneass. The bacteriological examination showed a pathogenic organism corresponding in its description with the colon group, probably the bacillus coli immobilis.

---

<sup>1</sup>Read at the twenty-fifth annual meeting of the American Neurological Association, June 14 and 15, 1899.