

Table of Contents

Achromobacter	8
Achromobacter xylosoxidans.....	8
Acinetobacter	9
Acinetobacter baumannii.....	9
Aeromonas	15
Aeromonas hydrophila.....	15
Arthrobacter	20
Arthrobacter nicotianae.....	20
Bacillus	20
Bacillus alveayuensis.....	20
Bacillus amyloliquefaciens.....	22
Bacillus anthracis.....	25
Bacillus atropheus.....	139
Bacillus badius.....	143
Bacillus bataviensis.....	144
Bacillus cereus.....	146
Bacillus circulans.....	230
Bacillus clarkii.....	232
Bacillus clausii.....	236
Bacillus coagulans.....	239
Bacillus cohnii.....	243
Bacillus cucumis.....	248
Bacillus cytotoxicus.....	251
Bacillus ectoiniformans.....	275
Bacillus encimensis.....	278
Bacillus firmus.....	281
Bacillus flexus.....	284
Bacillus halodurans.....	288
Bacillus halotolerans.....	294
Bacillus horneckiae.....	297
Bacillus infantis.....	301
Bacillus lentus.....	303
Bacillus licheniformis.....	306
Bacillus megaterium.....	314

Bacillus mojavensis.....	320
Bacillus muralis.....	324
Bacillus mycoides.....	326
Bacillus pseudomycoides.....	327
Bacillus psychrosaccharolyticus.....	330
Bacillus pumilus.....	332
Bacillus salarius.....	340
Bacillus siamensis.....	342
Bacillus simplex.....	344
Bacillus sonorensis.....	347
Bacillus sp.....	349
Bacillus sporothermodurans.....	362
Bacillus subtilis.....	363
Bacillus thuringiensis.....	387
Bacillus vallismortis.....	395
Bacillus weihenstephanensis.....	398
Brucella	401
Brucella abortus.....	401
Brucella canis.....	414
Brucella ceti.....	420
Brucella melitensis.....	427
Brucella microti.....	443
Brucella neotomae.....	444
Brucella ovis.....	449
Brucella pinnipedalis.....	455
Brucella suis.....	463
Brucella vulpis.....	477
Burkholderia	479
Burkholderia caledonica.....	479
Burkholderia caribensis.....	480
Burkholderia cepacia complex.....	481
Burkholderia ambifaria	481
Burkholderia anthina	483
Burkholderia arboris	485
Burkholderia cenocepacia	487
Burkholderia cepacia	493
Burkholderia contaminans	497

Burkholderia diffusa	535
Burkholderia dolosa	539
Burkholderia lata	540
Burkholderia latens	542
Burkholderia metallica	544
Burkholderia multivorans	546
Burkholderia pseudomultivorans	548
Burkholderia puraquae	554
Burkholderia pyrrocinia	571
Burkholderia seminalis	574
Burkholderia stabilis	575
Burkholderia stagnalis	578
Burkholderia territorii	582
Burkholderia ubonensis	586
Burkholderia vietnamiensis	588
Taxon K - spp unknown	590
Burkholderia gladioli.....	608
Burkholderia glathei.....	610
Burkholderia glumae.....	611
Burkholderia hospita.....	612
Burkholderia kururiensis.....	613
Burkholderia mallei.....	613
Burkholderia oklahomensis.....	616
Burkholderia phymatum.....	619
Burkholderia phytofirmans.....	620
Burkholderia plantarii.....	620
Burkholderia pseudomallei.....	621
Burkholderia thailandensis.....	626
Burkholderia tuberum.....	636
Burkholderia xenovorans.....	636
Campylobacter	637
Campylobacter jejuni.....	637
Citrobacter	638
Citrobacter amalonaticus.....	638
Citrobacter diversus.....	639
Citrobacter freundii.....	639
Corynebacterium	641

Corynebacterium amycolatum.....	641
Domibacillus	643
Domibacillus aminovorans.....	643
Edwardsiella	647
Edwardsiella tarda.....	647
Enterobacter	647
Enterobacter aerogenes.....	647
Enterobacter cloacae.....	650
Enterobacter gergoviae.....	656
Enterobacter sakazakii.....	656
Enterococcus	656
Enterococcus casseliflavus.....	656
Enterococcus durans.....	657
Enterococcus faecalis.....	658
Enterococcus faecium.....	662
Enterococcus gallinarum.....	716
Enterococcus hirae.....	716
Escherichia	718
Escherichia coli.....	718
Francisella	725
Francisella guangzhouensis.....	725
Francisella hispaniensis.....	727
Francisella noatunensis.....	729
Francisella tularensis.....	731
Francisella tularensis ssp. holarctica.....	731
Francisella tularensis ssp. mediasiatica.....	733
Francisella tularensis ssp. novicida.....	734
Hafnia	736
Hafnia alvei.....	736
Inquilinus	736
Inquilinus limosus.....	736
Klebsiella	737
Klebsiella oxytoca.....	737
Klebsiella pneumoniae.....	738
Kocuria	739
Kocuria palustris.....	739
Lysinibacillus	742

Lysinibacillus fusiformis.....	742
Lysinibacillus sphaericus.....	743
Micrococcus	747
Micrococcus kristinae.....	747
Micrococcus luteus.....	747
Ochrobactrum	749
Ochrobactrum anthropi.....	749
Oligella	752
Oligella urethralis.....	752
Paenibacillus	753
Paenibacillus alvei.....	753
Paenibacillus polymyxa.....	753
Pandoraea	756
Pandoraea apista.....	756
Pandoraea pnomenusa.....	757
Pandoraea pulmonicola.....	758
Pantoea	758
Pantoea agglomerans.....	758
Paracoccus	759
Paracoccus yeei.....	759
Proteus	761
Proteus inconstans.....	761
Proteus mirabilis.....	761
Proteus morgani.....	762
Proteus vulgaris.....	765
Pseudomonas	765
Pseudomonas aeruginosa.....	765
Pseudomonas chlororaphis.....	771
Pseudomonas putida.....	772
Ralstonia	775
Ralstonia insidiosa.....	775
Ralstonia mannitolilytica.....	777
Ralstonia pickettii.....	779
Salmonella	781
Salmonella enterica.....	781
Salmonella enteritidis.....	782
Salmonella hadar.....	782

Salmonella typhimurium.....	782
Serratia	783
Serratia grimesii.....	783
Serratia marcescens.....	783
Shigella	786
Shigella boydii.....	786
Shigella flexneri.....	786
Sinomonas	787
Sinomonas atrocyanea.....	787
Sporosarcina	787
Sporosarcina pasteurii.....	787
Staphylococcus	788
Staphylococcus aureus.....	788
Staphylococcus delphini.....	822
Staphylococcus epidermidis.....	823
Staphylococcus haemolyticus.....	828
Staphylococcus hominis.....	829
Staphylococcus intermedius.....	835
Staphylococcus lugdunensis.....	836
Staphylococcus pseudintermedius.....	843
Staphylococcus warneri.....	843
Stenotrophomonas	844
Stenotrophomonas maltophilia.....	844
Stenotrophomonas rhizophila.....	847
Streptococcus	850
Streptococcus pyogenes.....	850
Vibrio	851
Vibrio alginolyticus.....	851
Vibrio cholerae.....	851
Vibrio diazotrophicus.....	887
Vibrio harveyi.....	888
Vibrio mimicus.....	888
Vibrio parahaemolyticus.....	890
Vibrio vulnificus.....	892
Virgibacillus	893
Virgibacillus pantothenicus.....	893
Xenophilus	894

Xenophilus sp.....	894
Yersinia	894
Yersinia aldovae.....	894
Yersinia aleksiciae.....	895
Yersinia bercovieri.....	895
Yersinia enterocolitica.....	896
Yersinia entomophaga.....	922
Yersinia frederiksenii.....	924
Yersinia intermedia.....	925
Yersinia kristensenii.....	926
Yersinia massiliensis.....	927
Yersinia mollaretii.....	929
Yersinia nurmii.....	930
Yersinia pekkanenii.....	932
Yersinia pestis.....	934
Yersinia pseudotuberculosis.....	943
Yersinia rohdei.....	953
Yersinia ruckeri.....	954
Yersinia similis.....	957
Yersinia wautersii.....	961

Achromobacter**Achromobacter xylosoxidans**

genus, species, strain : Achromobacter xylosoxidans Ax 247/06
MicrobeMS ID : 2008_18_11_Maren Stämmeler_0003
NCBI tax ID's : 85698 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); ca. 3 Wochen bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-18T10:14:01.203+00:00
path to MS file : \Achromobacter\Achromobacter xylosoxidans\Achromobacter xylosoxidans Ax 247 06\

genus, species, strain : Achromobacter xylosoxidans Ax 247/06
MicrobeMS ID : 2008_21_11_Maren Stämmeler_0003
NCBI tax ID's : 85698 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); 2 Tage bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-21T10:24:00.359+00:00
path to MS file : \Achromobacter\Achromobacter xylosoxidans\Achromobacter xylosoxidans Ax 247 06\

genus, species, strain : Achromobacter xylosoxidans HST 107
MicrobeMS ID : 2007_19_01_Alejandro Minan_0017
NCBI tax ID's : 85698 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : unknown
concentration : unknown
extra info : unknown
calibration standard : unknown
measurement method : ToM_200ns.par
customer : Alejandro Minan
measurement date/time : 2007-01-19 15:50:25
path to MS file : \Achromobacter\Achromobacter xylosoxidans\Achromobacter xylosoxidans HST 107\

genus, species, strain : Achromobacter xylosoxidans HST 107
MicrobeMS ID : 2007_19_01_Alejandro Minan_0018
NCBI tax ID's : 85698 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : unknown
concentration : unknown
extra info : unknown
calibration standard : unknown
measurement method : ToM_200ns.par
customer : Alejandro Minan
measurement date/time : 2007-01-19 15:53:48
path to MS file : \Achromobacter\Achromobacter xylosoxidans\Achromobacter xylosoxidans HST 107\

genus, species, strain : Achromobacter xylosoxidans HST 115
MicrobeMS ID : 2007_19_01_Alejandro Minan_0021
NCBI tax ID's : 85698 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : unknown
concentration : unknown
extra info : unknown
calibration standard : unknown
measurement method : ToM_200ns.par
customer : Alejandro Minan
measurement date/time : 2007-01-19T16:11:31.000
path to MS file : \Achromobacter\Achromobacter xylosoxidans\Achromobacter xylosoxidans HST 115\

genus, species, strain : Achromobacter xylosoxidans HST 115
MicrobeMS ID : 2007_19_01_Alejandro Minan_0022
NCBI tax ID's : 85698 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : unknown
concentration : unknown
extra info : unknown
calibration standard : unknown
measurement method : ToM_200ns.par
customer : Alejandro Minan
measurement date/time : 2007-01-19T16:15:06.000
path to MS file : \Achromobacter\Achromobacter xylosoxidans\Achromobacter xylosoxidans HST 115\

genus, species, strain : Achromobacter xylosoxidans HST 67
MicrobeMS ID : 2007_22_01_Alejandro Minan_0001
NCBI tax ID's : 85698 -
growth time : 24h
growth temperature : 37°C


```
growth conditions      : aerob
growth medium         : TSA
sample treatment      : unknown
concentration          : unknown
extra info            : unknown
calibration standard  : unknown
measurement method     : ToM_200ns.par
customer              : Alejandro Minan
measurement date/time  : 2007-01-22 16:17:00
path to MS file       : \Achromobacter\Achromobacter xylosoxidans\Achromobacter xylosoxidans HST 62\

genus, species, strain : Achromobacter xylosoxidans HST 67
MicrobeMS ID           : 2007_22_01_Alejandro Minan_0002
NCBI tax ID's          : 85698 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium         : TSA
sample treatment      : unknown
concentration          : unknown
extra info            : unknown
calibration standard  : unknown
measurement method     : ToM_200ns.par
customer              : Alejandro Minan
measurement date/time  : 2007-01-22 16:25:14
path to MS file       : \Achromobacter\Achromobacter xylosoxidans\Achromobacter xylosoxidans HST 62\

genus, species, strain : Achromobacter xylosoxidans HST 79
MicrobeMS ID           : 2007_22_01_Alejandro Minan_0009
NCBI tax ID's          : 85698 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium         : TSA
sample treatment      : unknown
concentration          : unknown
extra info            : unknown
calibration standard  : unknown
measurement method     : ToM_200ns.par
customer              : Alejandro Minan
measurement date/time  : 2007-01-22 18:30:55
path to MS file       : \Achromobacter\Achromobacter xylosoxidans\Achromobacter xylosoxidans HST 79\

genus, species, strain : Achromobacter xylosoxidans HST 79
MicrobeMS ID           : 2007_22_01_Alejandro Minan_0010
NCBI tax ID's          : 85698 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium         : TSA
sample treatment      : unknown
concentration          : unknown
extra info            : unknown
calibration standard  : unknown
measurement method     : ToM_200ns.par
customer              : Alejandro Minan
measurement date/time  : 2007-01-22 18:36:50
path to MS file       : \Achromobacter\Achromobacter xylosoxidans\Achromobacter xylosoxidans HST 79\
```

Acinetobacter

Acinetobacter baumannii

```
genus, species, strain : Acinetobacter baumannii DSM 24110
MicrobeMS ID           : 2016_12_13_Leyla_Al-Sabbagh_0013
NCBI tax ID's          : 470 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info            : Stämme von DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time  : 2016-12-13T15:15:10.875+01:00
path to MS file       : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 24110\

genus, species, strain : Acinetobacter baumannii DSM 24110
MicrobeMS ID           : 2016_12_13_Leyla_Al-Sabbagh_0014
NCBI tax ID's          : 470 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info            : Stämme von DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time  : 2016-12-13T15:18:00.031+01:00
path to MS file       : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 24110\

genus, species, strain : Acinetobacter baumannii DSM 24110
MicrobeMS ID           : 2016_12_13_Leyla_Al-Sabbagh_0015
NCBI tax ID's          : 470 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
```

growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-13T15:22:31.656+01:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 24110\

genus, species, strain : Acinetobacter baumannii DSM 24110
MicrobeMS ID : 2016_12_13_Leyla_Al-Sabbagh_0016
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-13T15:24:44.453+01:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 24110\

genus, species, strain : Acinetobacter baumannii DSM 24110
MicrobeMS ID : 2016_12_14_Leyla_Al-Sabbagh_0009
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-14T15:31:17.265+01:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 24110\

genus, species, strain : Acinetobacter baumannii DSM 24110
MicrobeMS ID : 2016_12_14_Leyla_Al-Sabbagh_0010
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-14T15:33:34.250+01:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 24110\

genus, species, strain : Acinetobacter baumannii DSM 24110
MicrobeMS ID : 2016_12_14_Leyla_Al-Sabbagh_0011
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-14T15:35:42.703+01:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 24110\

genus, species, strain : Acinetobacter baumannii DSM 24110
MicrobeMS ID : 2016_12_14_Leyla_Al-Sabbagh_0012
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-14T15:40:24.031+01:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 24110\

genus, species, strain : Acinetobacter baumannii DSM 24110
MicrobeMS ID : 2016_12_14_Leyla_Al-Sabbagh_0021
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-14T16:12:14.062+01:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 24110\

```
genus, species, strain : Acinetobacter baumannii DSM 24110
MicrobeMS ID           : 2016_12_14_Leyla_Al-Sabbagh_0022
NCBI tax ID's         : 470 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-12-14T16:13:39.437+01:00
path to MS file       : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 24110\

genus, species, strain : Acinetobacter baumannii DSM 24110
MicrobeMS ID           : 2016_12_14_Leyla_Al-Sabbagh_0023
NCBI tax ID's         : 470 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-12-14T16:15:09.265+01:00
path to MS file       : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 24110\

genus, species, strain : Acinetobacter baumannii DSM 24110
MicrobeMS ID           : 2016_12_14_Leyla_Al-Sabbagh_0024
NCBI tax ID's         : 470 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-12-14T16:17:56.156+01:00
path to MS file       : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 24110\

genus, species, strain : Acinetobacter baumannii DSM 30007
MicrobeMS ID           : 2016_12_13_Leyla_Al-Sabbagh_0009
NCBI tax ID's         : 470 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-12-13T15:03:36.593+01:00
path to MS file       : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30007\

genus, species, strain : Acinetobacter baumannii DSM 30007
MicrobeMS ID           : 2016_12_13_Leyla_Al-Sabbagh_0010
NCBI tax ID's         : 470 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-12-13T15:06:17.062+01:00
path to MS file       : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30007\

genus, species, strain : Acinetobacter baumannii DSM 30007
MicrobeMS ID           : 2016_12_13_Leyla_Al-Sabbagh_0011
NCBI tax ID's         : 470 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-12-13T15:08:10.578+01:00
path to MS file       : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30007\

genus, species, strain : Acinetobacter baumannii DSM 30007
MicrobeMS ID           : 2016_12_13_Leyla_Al-Sabbagh_0012
NCBI tax ID's         : 470 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
```

calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-13T15:10:21.750+01:00
path to MS file : \\Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30007\

genus, species, strain : Acinetobacter baumannii DSM 30007
MicrobEMS ID : 2016_12_14_Leyla_Al-Sabbagh_0005
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-14T15:18:01.640+01:00
path to MS file : \\Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30007\

genus, species, strain : Acinetobacter baumannii DSM 30007
MicrobEMS ID : 2016_12_14_Leyla_Al-Sabbagh_0006
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-14T15:20:03.843+01:00
path to MS file : \\Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30007\

genus, species, strain : Acinetobacter baumannii DSM 30007
MicrobEMS ID : 2016_12_14_Leyla_Al-Sabbagh_0007
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-14T15:21:53.234+01:00
path to MS file : \\Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30007\

genus, species, strain : Acinetobacter baumannii DSM 30007
MicrobEMS ID : 2016_12_14_Leyla_Al-Sabbagh_0008
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-14T15:23:43.703+01:00
path to MS file : \\Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30007\

genus, species, strain : Acinetobacter baumannii DSM 30007
MicrobEMS ID : 2016_12_14_Leyla_Al-Sabbagh_0017
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-14T16:03:05.875+01:00
path to MS file : \\Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30007\

genus, species, strain : Acinetobacter baumannii DSM 30007
MicrobEMS ID : 2016_12_14_Leyla_Al-Sabbagh_0018
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-14T16:04:53.156+01:00
path to MS file : \\Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30007\

genus, species, strain : Acinetobacter baumannii DSM 30007
MicrobEMS ID : 2016_12_14_Leyla_Al-Sabbagh_0019
NCBI tax ID's : 470 -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100ul
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-14T16:06:43.734+01:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30007\

genus, species, strain : Acinetobacter baumannii DSM 30007
MicrobeMS ID : 2016_12_14_Leyla_Al-Sabbagh_0020
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100ul
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-14T16:08:24.500+01:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30007\

genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobeMS ID : 2014_08_29_Maren Stämmeler_0001
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-08-29T10:45:26.625+02:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\

genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobeMS ID : 2014_08_29_Maren Stämmeler_0002
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-08-29T10:48:12.796+02:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\

genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobeMS ID : 2014_08_29_Maren Stämmeler_0003
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-08-29T11:02:35.031+02:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\

genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobeMS ID : 2014_08_29_Maren Stämmeler_0004
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-08-29T11:05:23.390+02:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\

genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobeMS ID : 2014_09_02_Maren Stämmeler_0001
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-4 Oesen in 100 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-02T12:46:42.234+02:00

```
path to MS file      : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\
genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobeMS ID        : 2014_09_02_Maren Stämmeler_0002
NCBI tax ID's       : 470 -
growth time         : 24h
growth temperature  : 30°C
growth conditions   : aerob
growth medium       : Caso
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : ca. 3-4 Oesen in 100 µel
extra info          : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2014-09-02T12:51:00.093+02:00
path to MS file     : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\

genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobeMS ID        : 2014_09_02_Maren Stämmeler_0003
NCBI tax ID's       : 470 -
growth time         : 24h
growth temperature  : 30°C
growth conditions   : aerob
growth medium       : Caso
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : ca. 3-4 Oesen in 100 µel
extra info          : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2014-09-02T12:58:50.484+02:00
path to MS file     : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\

genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobeMS ID        : 2014_09_02_Maren Stämmeler_0004
NCBI tax ID's       : 470 -
growth time         : 24h
growth temperature  : 30°C
growth conditions   : aerob
growth medium       : Caso
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : ca. 3-4 Oesen in 100 µel
extra info          : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2014-09-02T13:01:28.328+02:00
path to MS file     : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\

genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobeMS ID        : 2014_09_03_Maren Stämmeler_0005
NCBI tax ID's       : 470 -
growth time         : 24h
growth temperature  : 30°C
growth conditions   : aerob
growth medium       : Caso
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : ca. 2-3 Oesen in 25 µel
extra info          : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MW
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2014-09-03T13:40:46.984+02:00
path to MS file     : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\

genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobeMS ID        : 2014_09_03_Maren Stämmeler_0006
NCBI tax ID's       : 470 -
growth time         : 24h
growth temperature  : 30°C
growth conditions   : aerob
growth medium       : Caso
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : ca. 2-3 Oesen in 25 µel
extra info          : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MW
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2014-09-03T13:44:15.953+02:00
path to MS file     : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\

genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobeMS ID        : 2014_09_03_Maren Stämmeler_0007
NCBI tax ID's       : 470 -
growth time         : 24h
growth temperature  : 30°C
growth conditions   : aerob
growth medium       : Caso
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : ca. 2-3 Oesen in 25 µel
extra info          : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MW
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2014-09-03T13:48:11.031+02:00
path to MS file     : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\

genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobeMS ID        : 2014_09_03_Maren Stämmeler_0008
NCBI tax ID's       : 470 -
growth time         : 24h
growth temperature  : 30°C
growth conditions   : aerob
growth medium       : Caso
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
```

concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MW
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-03T13:51:24.156+02:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\

genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobMS ID : 2014_09_03_Maren Stämmeler_0001
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-03T13:22:57.125+02:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\

genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobMS ID : 2014_09_03_Maren Stämmeler_0002
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-03T13:25:32.125+02:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\

genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobMS ID : 2014_09_03_Maren Stämmeler_0003
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-03T13:28:14.562+02:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\

genus, species, strain : Acinetobacter baumannii DSM 30011
MicrobMS ID : 2014_09_03_Maren Stämmeler_0004
NCBI tax ID's : 470 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-03T13:31:08.390+02:00
path to MS file : \Acinetobacter\Acinetobacter baumannii\Acinetobacter baumannii DSM 30011\

Aeromonas

Aeromonas hydrophila

genus, species, strain : Aeromonas hydrophila Wasserisolat
MicrobMS ID : 2014_09_19_Maren Stämmeler_0001
NCBI tax ID's : 644 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T11:38:55.781+02:00
path to MS file : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\

genus, species, strain : Aeromonas hydrophila Wasserisolat
MicrobMS ID : 2014_09_19_Maren Stämmeler_0002
NCBI tax ID's : 644 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS

calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T11:42:02.578+02:00
path to MS file : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\

genus, species, strain : Aeromonas hydrophila Wasserisolat
MicrobeMS ID : 2014_09_19_Maren Stämmeler_0003
NCBI tax ID's : 644 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T11:44:28.843+02:00
path to MS file : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\

genus, species, strain : Aeromonas hydrophila Wasserisolat
MicrobeMS ID : 2014_09_19_Maren Stämmeler_0004
NCBI tax ID's : 644 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T11:47:56.218+02:00
path to MS file : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\

genus, species, strain : Aeromonas hydrophila Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0001
NCBI tax ID's : 644 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T12:45:23.562+02:00
path to MS file : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\

genus, species, strain : Aeromonas hydrophila Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0002
NCBI tax ID's : 644 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T12:54:47.234+02:00
path to MS file : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\

genus, species, strain : Aeromonas hydrophila Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0003
NCBI tax ID's : 644 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T13:00:29.625+02:00
path to MS file : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\

genus, species, strain : Aeromonas hydrophila Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0004
NCBI tax ID's : 644 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T13:03:43.875+02:00
path to MS file : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\

genus, species, strain : Aeromonas hydrophila Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0001
NCBI tax ID's : 644 -
growth time : 23h

growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T10:30:07.437+02:00
path to MS file : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\

genus, species, strain : Aeromonas hydrophila Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0002
NCBI tax ID's : 644 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T10:33:46.921+02:00
path to MS file : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\

genus, species, strain : Aeromonas hydrophila Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0003
NCBI tax ID's : 644 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T10:37:16.984+02:00
path to MS file : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\

genus, species, strain : Aeromonas hydrophila Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0004
NCBI tax ID's : 644 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T10:39:52.718+02:00
path to MS file : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\

genus, species, strain : Aeromonas hydrophila Wasserprobe
MicrobeMS ID : 2014_09_12_Max Weydmann_0001
NCBI tax ID's : 644 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T11:13:55.625+02:00
path to MS file : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\

genus, species, strain : Aeromonas hydrophila Wasserprobe
MicrobeMS ID : 2014_09_12_Max Weydmann_0002
NCBI tax ID's : 644 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T11:17:48.484+02:00
path to MS file : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\

genus, species, strain : Aeromonas hydrophila Wasserprobe
MicrobeMS ID : 2014_09_12_Max Weydmann_0003
NCBI tax ID's : 644 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T11:20:37.390+02:00

```
path to MS file      : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\  
genus, species, strain : Aeromonas hydrophila Wasserprobe  
MicrobeMS ID       : 2014_09_12_Max Weydmann_0004  
NCBI tax ID's      : 644 -  
growth time        : 22h  
growth temperature  : 30  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration       : ca. 2-3 Oesen in 25 muel  
extra info          : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max  
calibration standard : E.coli K12 (DSM 3871) linear kalibriert  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2014-09-12T11:23:59.140+02:00  
path to MS file      : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila Wasserprobe\  
  
genus, species, strain : Aeromonas hydrophila DSM 30187  
MicrobeMS ID       : 2016_12_13_Leyla_Al-Sabbagh_0005  
NCBI tax ID's      : 644 -  
growth time        : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : CASO  
sample treatment    : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100µl  
extra info          : Stämme von DSMZ  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-12-13T14:51:32.796+01:00  
path to MS file      : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila subsp hydrophila DSM 30187\  
  
genus, species, strain : Aeromonas hydrophila DSM 30187  
MicrobeMS ID       : 2016_12_13_Leyla_Al-Sabbagh_0006  
NCBI tax ID's      : 644 -  
growth time        : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : CASO  
sample treatment    : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100µl  
extra info          : Stämme von DSMZ  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-12-13T14:53:57.875+01:00  
path to MS file      : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila subsp hydrophila DSM 30187\  
  
genus, species, strain : Aeromonas hydrophila DSM 30187  
MicrobeMS ID       : 2016_12_13_Leyla_Al-Sabbagh_0007  
NCBI tax ID's      : 644 -  
growth time        : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : CASO  
sample treatment    : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100µl  
extra info          : Stämme von DSMZ  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-12-13T14:55:42.015+01:00  
path to MS file      : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila subsp hydrophila DSM 30187\  
  
genus, species, strain : Aeromonas hydrophila DSM 30187  
MicrobeMS ID       : 2016_12_13_Leyla_Al-Sabbagh_0008  
NCBI tax ID's      : 644 -  
growth time        : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : CASO  
sample treatment    : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100µl  
extra info          : Stämme von DSMZ  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-12-13T14:57:55.703+01:00  
path to MS file      : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila subsp hydrophila DSM 30187\  
  
genus, species, strain : Aeromonas hydrophila DSM 30187  
MicrobeMS ID       : 2016_12_14_Leyla_Al-Sabbagh_0001  
NCBI tax ID's      : 644 -  
growth time        : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : CASO  
sample treatment    : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100µl  
extra info          : Stämme von DSMZ  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-12-14T15:06:49.703+01:00  
path to MS file      : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila subsp hydrophila DSM 30187\  
  
genus, species, strain : Aeromonas hydrophila DSM 30187  
MicrobeMS ID       : 2016_12_14_Leyla_Al-Sabbagh_0002  
NCBI tax ID's      : 644 -  
growth time        : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : CASO  
sample treatment    : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
```

```
concentration      : 3 Oesen in 100µl
extra info        : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2016-12-14T15:08:41.359+01:00
path to MS file   : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila subsp hydrophila DSM 30187\

genus, species, strain : Aeromonas hydrophila DSM 30187
MicrobeMS ID          : 2016_12_14_Leyla_Al-Sabbagh_0003
NCBI tax ID's         : 644 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-12-14T15:10:57.625+01:00
path to MS file      : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila subsp hydrophila DSM 30187\

genus, species, strain : Aeromonas hydrophila DSM 30187
MicrobeMS ID          : 2016_12_14_Leyla_Al-Sabbagh_0004
NCBI tax ID's         : 644 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-12-14T15:12:49.312+01:00
path to MS file      : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila subsp hydrophila DSM 30187\

genus, species, strain : Aeromonas hydrophila DSM 30187
MicrobeMS ID          : 2016_12_14_Leyla_Al-Sabbagh_0013
NCBI tax ID's         : 644 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-12-14T15:48:30.859+01:00
path to MS file      : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila subsp hydrophila DSM 30187\

genus, species, strain : Aeromonas hydrophila DSM 30187
MicrobeMS ID          : 2016_12_14_Leyla_Al-Sabbagh_0014
NCBI tax ID's         : 644 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-12-14T15:51:32.640+01:00
path to MS file      : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila subsp hydrophila DSM 30187\

genus, species, strain : Aeromonas hydrophila DSM 30187
MicrobeMS ID          : 2016_12_14_Leyla_Al-Sabbagh_0015
NCBI tax ID's         : 644 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-12-14T15:57:28.921+01:00
path to MS file      : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila subsp hydrophila DSM 30187\

genus, species, strain : Aeromonas hydrophila DSM 30187
MicrobeMS ID          : 2016_12_14_Leyla_Al-Sabbagh_0016
NCBI tax ID's         : 644 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-12-14T15:59:27.656+01:00
path to MS file      : \Aeromonas\Aeromonas hydrophila\Aeromonas hydrophila subsp hydrophila DSM 30187\
```

Arthrobacter

Arthrobacter nicotianae

genus, species, strain : Arthrobacter nicotianae IMET 10353; DSM 20123
MicrobeMS ID : 2011_08_25_EhrmannAnja_0006
NCBI tax ID's : 37929 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-25T16:31:49.171+02:00
path to MS file : \Arthrobacter\Arthrobacter nicotianae\Arthrobacter nicotianae IMET 10353 DSM 20123\

genus, species, strain : Arthrobacter nicotianae IMET 10353; DSM 20123
MicrobeMS ID : 2011_09_01_EhrmannAnja_0006
NCBI tax ID's : 37929 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-01T11:53:48.781+02:00
path to MS file : \Arthrobacter\Arthrobacter nicotianae\Arthrobacter nicotianae IMET 10353 DSM 20123\

genus, species, strain : Arthrobacter nicotianae IMET 10353; DSM 20123
MicrobeMS ID : 2011_09_08_EhrmannAnja_0006
NCBI tax ID's : 37929 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-08T11:22:06.437+02:00
path to MS file : \Arthrobacter\Arthrobacter nicotianae\Arthrobacter nicotianae IMET 10353 DSM 20123\

Bacillus

Bacillus alveayuensis

genus, species, strain : Bacillus alveayuensis DSM 19092
MicrobeMS ID : 2015_02_13_Andy Schneider_0001
NCBI tax ID's : 279215 -
growth time : 1 Day
growth temperature : 55 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T12:19:33.906+01:00
path to MS file : \Bacillus\Bacillus alveayuensis\Bacillus alveayuensis DSM 19092\

genus, species, strain : Bacillus alveayuensis DSM 19092
MicrobeMS ID : 2015_02_13_Andy Schneider_0003
NCBI tax ID's : 279215 -
growth time : 1 Day
growth temperature : 55 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T12:25:51.718+01:00
path to MS file : \Bacillus\Bacillus alveayuensis\Bacillus alveayuensis DSM 19092\

genus, species, strain : Bacillus alveayuensis DSM 19092
MicrobeMS ID : 2015_02_13_Andy Schneider_0002
NCBI tax ID's : 279215 -
growth time : 1 Day
growth temperature : 55 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-02-13T12:23:27.718+01:00
path to MS file : \Bacillus\Bacillus alveayuensis\Bacillus alveayuensis DSM 19092\

genus, species, strain : Bacillus alveayuensis DSM 19092
MicrobeMS ID : 2015_02_13_Andy Schneider_0004
NCBI tax ID's : 279215 -
growth time : 1 Day
growth temperature : 55 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T12:28:46.843+01:00
path to MS file : \Bacillus\Bacillus alveayuensis\Bacillus alveayuensis DSM 19092\

genus, species, strain : Bacillus alveayuensis DSM 19092
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0001
NCBI tax ID's : 279215 -
growth time : 24h
growth temperature : 55°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T08:59:55.875+01:00
path to MS file : \Bacillus\Bacillus alveayuensis\Bacillus alveayuensis DSM 19092\

genus, species, strain : Bacillus alveayuensis DSM 19092
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0002
NCBI tax ID's : 279215 -
growth time : 24h
growth temperature : 55°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T09:02:54.828+01:00
path to MS file : \Bacillus\Bacillus alveayuensis\Bacillus alveayuensis DSM 19092\

genus, species, strain : Bacillus alveayuensis DSM 19092
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0003
NCBI tax ID's : 279215 -
growth time : 24h
growth temperature : 55°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T09:06:29.984+01:00
path to MS file : \Bacillus\Bacillus alveayuensis\Bacillus alveayuensis DSM 19092\

genus, species, strain : Bacillus alveayuensis DSM 19092
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0004
NCBI tax ID's : 279215 -
growth time : 24h
growth temperature : 55°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T09:11:31.859+01:00
path to MS file : \Bacillus\Bacillus alveayuensis\Bacillus alveayuensis DSM 19092\

genus, species, strain : Bacillus alveayuensis DSM 19092
MicrobeMS ID : 2015_02_19_Andy Schneider_0001
NCBI tax ID's : 279215 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T08:28:30.953+01:00
path to MS file : \Bacillus\Bacillus alveayuensis\Bacillus alveayuensis DSM 19092\

genus, species, strain : Bacillus alveayuensis DSM 19092
MicrobeMS ID : 2015_02_19_Andy Schneider_0002
NCBI tax ID's : 279215 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA/1:10 verdünnung/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T08:32:19.109+01:00
path to MS file : \Bacillus\Bacillus alveayuensis\Bacillus alveayuensis DSM 19092\

genus, species, strain : Bacillus alveayuensis DSM 19092
MicrobeMS ID : 2015_02_19_Andy_Schneider_0003
NCBI tax ID's : 279215 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdünnung/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T08:34:58.515+01:00
path to MS file : \Bacillus\Bacillus alveayuensis\Bacillus alveayuensis DSM 19092\

genus, species, strain : Bacillus alveayuensis DSM 19092
MicrobeMS ID : 2015_02_19_Andy_Schneider_0004
NCBI tax ID's : 279215 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdünnung/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T08:36:58.109+01:00
path to MS file : \Bacillus\Bacillus alveayuensis\Bacillus alveayuensis DSM 19092\

Bacillus amyloliquefaciens

genus, species, strain : Bacillus amyloliquefaciens ssp. amyloliquefaciens DSM 7
MicrobeMS ID : 2015_02_13_Andy_Schneider_0015
NCBI tax ID's : 1390 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdünnung/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T13:03:31.578+01:00
path to MS file : \Bacillus\Bacillus amyloliquefaciens\Bacillus amyloliquefaciens ssp amyloliquefaciens DSM 7\

genus, species, strain : Bacillus amyloliquefaciens ssp. amyloliquefaciens DSM 7
MicrobeMS ID : 2015_02_13_Andy_Schneider_0013
NCBI tax ID's : 1390 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdünnung/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T12:59:09.640+01:00
path to MS file : \Bacillus\Bacillus amyloliquefaciens\Bacillus amyloliquefaciens ssp amyloliquefaciens DSM 7\

genus, species, strain : Bacillus amyloliquefaciens ssp. amyloliquefaciens DSM 7
MicrobeMS ID : 2015_02_13_Andy_Schneider_0016
NCBI tax ID's : 1390 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdünnung/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T13:05:28.046+01:00
path to MS file : \Bacillus\Bacillus amyloliquefaciens\Bacillus amyloliquefaciens ssp amyloliquefaciens DSM 7\

genus, species, strain : Bacillus amyloliquefaciens ssp. amyloliquefaciens DSM 7
MicrobeMS ID : 2015_02_13_Andy_Schneider_0014
NCBI tax ID's : 1390 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdünnung/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T13:01:04.093+01:00

path to MS file : \\Bacillus\\Bacillus amyloliquefaciens\\Bacillus amyloliquefaciens ssp amyloliquefaciens DSM 7\
genus, species, strain : Bacillus amyloliquefaciens subsp. amyloliquefaciens DSM 7
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0013
NCBI tax ID's : 1390 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T10:05:09.343+01:00
path to MS file : \\Bacillus\\Bacillus amyloliquefaciens\\Bacillus amyloliquefaciens ssp amyloliquefaciens DSM 7\
genus, species, strain : Bacillus amyloliquefaciens subsp. amyloliquefaciens DSM 7
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0014
NCBI tax ID's : 1390 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T10:08:15.656+01:00
path to MS file : \\Bacillus\\Bacillus amyloliquefaciens\\Bacillus amyloliquefaciens ssp amyloliquefaciens DSM 7\
genus, species, strain : Bacillus amyloliquefaciens subsp. amyloliquefaciens DSM 7
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0016
NCBI tax ID's : 1390 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T10:16:45.125+01:00
path to MS file : \\Bacillus\\Bacillus amyloliquefaciens\\Bacillus amyloliquefaciens ssp amyloliquefaciens DSM 7\
genus, species, strain : Bacillus amyloliquefaciens subsp. amyloliquefaciens DSM 7
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0015
NCBI tax ID's : 1390 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T10:12:40.328+01:00
path to MS file : \\Bacillus\\Bacillus amyloliquefaciens\\Bacillus amyloliquefaciens ssp amyloliquefaciens DSM 7\
genus, species, strain : Bacillus amyloliquefaciens ssp. amyloliquefaciens DSM 7
MicrobeMS ID : 2015_02_19_Andy Schneider_0013
NCBI tax ID's : 1390 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verduennt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T09:04:48.312+01:00
path to MS file : \\Bacillus\\Bacillus amyloliquefaciens\\Bacillus amyloliquefaciens ssp amyloliquefaciens DSM 7\
genus, species, strain : Bacillus amyloliquefaciens ssp. amyloliquefaciens DSM 7
MicrobeMS ID : 2015_02_19_Andy Schneider_0014
NCBI tax ID's : 1390 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verduennt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T09:07:20.671+01:00
path to MS file : \\Bacillus\\Bacillus amyloliquefaciens\\Bacillus amyloliquefaciens ssp amyloliquefaciens DSM 7\
genus, species, strain : Bacillus amyloliquefaciens ssp. amyloliquefaciens DSM 7
MicrobeMS ID : 2015_02_19_Andy Schneider_0015
NCBI tax ID's : 1390 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verduennt/1:1 HCCA:TA2

```
concentration      : 3 Oesen in 100 µl
extra info        : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2015-02-19T09:09:20.265+01:00
path to MS file   : \Bacillus\Bacillus amyloliquefaciens\Bacillus amyloliquefaciens ssp amyloliquefaciens DSM 7\

genus, species, strain : Bacillus amyloliquefaciens ssp. amyloliquefaciens DSM 7
MicrobeMS ID          : 2015_02_19_Andy Schneider_0016
NCBI tax ID's         : 1390 -
growth time           : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA/1:10 verduennt/1:1 HCCA:TA2
concentration         : 3 Oesen in 100 µl
extra info           : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-02-19T09:11:36.140+01:00
path to MS file      : \Bacillus\Bacillus amyloliquefaciens\Bacillus amyloliquefaciens ssp amyloliquefaciens DSM 7\

genus, species, strain : Bacillus amyloliquefaciens ssp.amyloliquefaciens B159
MicrobeMS ID          : 2015_03_27_Schneider Andy_0037
NCBI tax ID's         : 1390 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-03-27T11:20:30.906+01:00
path to MS file      : \Bacillus\Bacillus amyloliquefaciens\Bacillus amyloliquefaciens ssp. amyloliquefaciens B159\

genus, species, strain : Bacillus amyloliquefaciens ssp.amyloliquefaciens B159
MicrobeMS ID          : 2015_03_27_Schneider Andy_0038
NCBI tax ID's         : 1390 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-03-27T11:22:25.609+01:00
path to MS file      : \Bacillus\Bacillus amyloliquefaciens\Bacillus amyloliquefaciens ssp. amyloliquefaciens B159\

genus, species, strain : Bacillus amyloliquefaciens ssp.amyloliquefaciens B159
MicrobeMS ID          : 2015_03_27_Schneider Andy_0039
NCBI tax ID's         : 1390 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-03-27T11:25:43.703+01:00
path to MS file      : \Bacillus\Bacillus amyloliquefaciens\Bacillus amyloliquefaciens ssp. amyloliquefaciens B159\

genus, species, strain : Bacillus amyloliquefaciens ssp.amyloliquefaciens B159
MicrobeMS ID          : 2015_03_27_Schneider Andy_0040
NCBI tax ID's         : 1390 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-03-27T11:27:44.671+01:00
path to MS file      : \Bacillus\Bacillus amyloliquefaciens\Bacillus amyloliquefaciens ssp. amyloliquefaciens B159\

genus, species, strain : Bacillus amyloliquefaciens ssp.amyloliquefaciens B 159
MicrobeMS ID          : 2006_16_08_Famulla Staemmler_0010
NCBI tax ID's         : 1390 -
growth time           : 24h
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 muel
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2006-08-16T12:59:58.000
path to MS file      : \Bacillus\Bacillus amyloliquefaciens\Bacillus amyloliquefaciens ssp. amyloliquefaciens B159\
```


Bacillus anthracis

genus, species, strain : Bacillus anthracis A1
MicrobeMS ID : 2015_05_11_Schneider Andy_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-11T11:02:14.859+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A1\

genus, species, strain : Bacillus anthracis A1
MicrobeMS ID : 2015_05_11_Schneider Andy_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-11T11:15:32.937+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A1\

genus, species, strain : Bacillus anthracis A1
MicrobeMS ID : 2015_05_11_Schneider Andy_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-11T11:19:14.875+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A1\

genus, species, strain : Bacillus anthracis A1
MicrobeMS ID : 2015_05_11_Schneider Andy_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-11T11:22:24.859+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A1\

genus, species, strain : Bacillus anthracis A 1
MicrobeMS ID : 2006_03_04_Famulla Staemmler_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-03 13:58:48
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A1\

genus, species, strain : Bacillus anthracis A10
MicrobeMS ID : 2015_05_19_Schneider Andy_0033
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:54:37.437+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A10\

genus, species, strain : Bacillus anthracis A10
MicrobeMS ID : 2015_05_19_Schneider Andy_0034
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)

concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:56:55.515+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A10\

genus, species, strain : Bacillus anthracis A10
MicrobeMS ID : 2015_05_19_Schneider Andy_0035
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T15:00:52.328+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A10\

genus, species, strain : Bacillus anthracis A10
MicrobeMS ID : 2015_05_19_Schneider Andy_0036
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T15:03:58.171+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A10\

genus, species, strain : Bacillus anthracis A 10
MicrobeMS ID : 2006_03_04_Famulla Staemmler_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-03 14:46:37
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A10\

genus, species, strain : Bacillus anthracis A100
MicrobeMS ID : 04_11_2015_Julia Mitschke_0017
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T13:51:45.250+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A100\

genus, species, strain : Bacillus anthracis A100
MicrobeMS ID : 04_11_2015_Julia Mitschke_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T13:58:28.531+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A100\

genus, species, strain : Bacillus anthracis A100
MicrobeMS ID : 04_11_2015_Julia Mitschke_0019
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T14:04:39.609+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A100\

genus, species, strain : Bacillus anthracis A100
MicrobeMS ID : 04_11_2015_Julia Mitschke_0020

NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T14:10:32.296+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A100\

genus, species, strain : Bacillus anthracis A 100
MicrobeMS ID : 2006_24_04_Famulla Staemmler_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-24 13:55:41
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A100\

genus, species, strain : Bacillus anthracis A101
MicrobeMS ID : 03_02_2016_Julia Mitschke_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T10:42:42.703+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A101\

genus, species, strain : Bacillus anthracis A101
MicrobeMS ID : 03_02_2016_Julia Mitschke_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T10:47:20.015+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A101\

genus, species, strain : Bacillus anthracis A101
MicrobeMS ID : 03_02_2016_Julia Mitschke_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T10:50:59.515+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A101\

genus, species, strain : Bacillus anthracis A101
MicrobeMS ID : 03_02_2016_Julia Mitschke_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T10:53:15.953+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A101\

genus, species, strain : Bacillus anthracis A 101
MicrobeMS ID : 2006_24_04_Famulla Staemmler_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2006-04-24 13:59:57
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A101\

genus, species, strain : Bacillus anthracis A102
MicrobeMS ID : 04_11_2015_Julia Mitschke_0025
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T14:58:54.765+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A102\

genus, species, strain : Bacillus anthracis A102
MicrobeMS ID : 04_11_2015_Julia Mitschke_0026
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T14:55:41.390+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A102\

genus, species, strain : Bacillus anthracis A102
MicrobeMS ID : 04_11_2015_Julia Mitschke_0027
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T15:02:31.671+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A102\

genus, species, strain : Bacillus anthracis A102
MicrobeMS ID : 04_11_2015_Julia Mitschke_0028
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T15:07:00.640+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A102\

genus, species, strain : Bacillus anthracis A 102
MicrobeMS ID : 2006_24_04_Famulla Staemmler_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-24 14:03:44
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A102\

genus, species, strain : Bacillus anthracis A103
MicrobeMS ID : 05_11_2015_Julia Mitschke_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-05T13:32:51.156+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A103\

genus, species, strain : Bacillus anthracis A103
MicrobeMS ID : 05_11_2015_Julia Mitschke_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-05T13:38:08.625+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A103\\

genus, species, strain : Bacillus anthracis A103
MicrobeMS ID : 05_11_2015_Julia Mitschke_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-05T13:43:09.000+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A103\\

genus, species, strain : Bacillus anthracis A103
MicrobeMS ID : 05_11_2015_Julia Mitschke_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-05T13:47:11.984+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A103\\

genus, species, strain : Bacillus anthracis A 103
MicrobeMS ID : 2006_24_04_Famulla Staemmler_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-24 14:12:44
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A103\\

genus, species, strain : Bacillus anthracis A106
MicrobeMS ID : 03_02_2016_Julia Mitschke_0017
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T10:59:18.843+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A106\\

genus, species, strain : Bacillus anthracis A106
MicrobeMS ID : 03_02_2016_Julia Mitschke_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T11:02:45.625+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A106\\

genus, species, strain : Bacillus anthracis A106
MicrobeMS ID : 03_02_2016_Julia Mitschke_0019
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T11:05:05.406+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A106\\

genus, species, strain : Bacillus anthracis A106
MicrobeMS ID : 03_02_2016_Julia Mitschke_0020
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T11:08:04.906+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A106\

genus, species, strain : Bacillus anthracis A 106
MicrobeMS ID : 2006_24_04_Famulla Staemmler_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-24 14:16:28
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A106\

genus, species, strain : Bacillus anthracis A107
MicrobeMS ID : 03_02_2016_Julia Mitschke_0021
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T12:29:34.859+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A107\

genus, species, strain : Bacillus anthracis A107
MicrobeMS ID : 03_02_2016_Julia Mitschke_0022
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T12:34:12.234+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A107\

genus, species, strain : Bacillus anthracis A107
MicrobeMS ID : 03_02_2016_Julia Mitschke_0023
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T12:38:03.625+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A107\

genus, species, strain : Bacillus anthracis A107
MicrobeMS ID : 03_02_2016_Julia Mitschke_0024
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T12:42:49.281+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A107\

genus, species, strain : Bacillus anthracis A 107
MicrobeMS ID : 2006_24_04_Famulla Staemmler_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-24 14:20:02
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A107\

genus, species, strain : Bacillus anthracis A108
MicrobeMS ID : 06_11_2015_Julia Mitschke_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-06T11:15:32.343+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A108\

genus, species, strain : Bacillus anthracis A108
MicrobeMS ID : 06_11_2015_Julia Mitschke_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-06T12:30:18.562+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A108\

genus, species, strain : Bacillus anthracis A108
MicrobeMS ID : 06_11_2015_Julia Mitschke_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-06T12:35:49.156+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A108\

genus, species, strain : Bacillus anthracis A108
MicrobeMS ID : 06_11_2015_Julia Mitschke_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-06T12:40:07.765+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A108\

genus, species, strain : Bacillus anthracis A 108
MicrobeMS ID : 2006_24_04_Famulla Staemmler_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-24 14:33:53
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A108\

genus, species, strain : Bacillus anthracis A11
MicrobeMS ID : 2015_05_29_Hoeß Jessica_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-29T12:47:13.625+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A11\

genus, species, strain : Bacillus anthracis A11
MicrobeMS ID : 2015_05_29_Hoeß Jessica_0006
NCBI tax ID's : 1392 -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-29T13:01:04.734+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A11\

genus, species, strain : Bacillus anthracis A11
MicrobeMS ID : 2015_05_29_Hoeß Jessica_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-29T13:09:58.781+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A11\

genus, species, strain : Bacillus anthracis A11
MicrobeMS ID : 2015_05_29_Hoeß Jessica_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-29T13:43:36.625+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A11\

genus, species, strain : Bacillus anthracis A 11
MicrobeMS ID : 2006_03_04_Famulla Staemmler_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-03 14:51:08
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A11\

genus, species, strain : Bacillus anthracis A110
MicrobeMS ID : 06_11_2015_Julia Mitschke_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-06T12:52:26.625+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A110\

genus, species, strain : Bacillus anthracis A110
MicrobeMS ID : 06_11_2015_Julia Mitschke_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-06T12:57:18.187+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A110\

genus, species, strain : Bacillus anthracis A110
MicrobeMS ID : 06_11_2015_Julia Mitschke_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-06T13:08:13.640+01:00

path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A110\
genus, species, strain : Bacillus anthracis A110
MicrobeMS ID : 06_11_2015_Julia Mitschke_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-06T13:13:39.187+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A110\
genus, species, strain : Bacillus anthracis A 110
MicrobeMS ID : 2006_24_04_Famulla Staemmler_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-24 14:38:55
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A110\
genus, species, strain : Bacillus anthracis A111
MicrobeMS ID : 06_11_2015_Julia Mitschke_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-06T13:24:47.062+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A111\
genus, species, strain : Bacillus anthracis A111
MicrobeMS ID : 06_11_2015_Julia Mitschke_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-06T13:29:18.500+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A111\
genus, species, strain : Bacillus anthracis A111
MicrobeMS ID : 06_11_2015_Julia Mitschke_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-06T13:34:04.484+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A111\
genus, species, strain : Bacillus anthracis A111
MicrobeMS ID : 06_11_2015_Julia Mitschke_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-06T13:39:13.765+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A111\
genus, species, strain : Bacillus anthracis A 111
MicrobeMS ID : 2006_24_04_Famulla Staemmler_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:lHCCATA2

concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-24 14:42:39
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A111\\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 04_02_2016_Julia Mitschke_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-04T14:32:46.281+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A112\\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 04_02_2016_Julia Mitschke_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-04T14:36:03.937+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A112\\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 04_02_2016_Julia Mitschke_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-04T14:40:18.390+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A112\\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 04_02_2016_Julia Mitschke_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-04T14:44:48.640+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A112\\

genus, species, strain : Bacillus anthracis A 112
MicrobeMS ID : 2006_27_04_Famulla Staemmler_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-27 09:31:11
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A112\\

genus, species, strain : Bacillus anthracis A-112-1
MicrobeMS ID : 2013_02_08_Andy Schneider_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T10:53:29.140+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A112-1\\

genus, species, strain : Bacillus anthracis A-112-1
MicrobeMS ID : 2013_02_08_Andy Schneider_0014

NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T11:01:13.156+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-1\

genus, species, strain : Bacillus anthracis A-112-1
MicrobeMS ID : 2013_02_08_Andy Schneider_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T11:08:14.796+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-1\

genus, species, strain : Bacillus anthracis A-112-1
MicrobeMS ID : 2013_02_08_Andy Schneider_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T11:16:03.312+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-1\

genus, species, strain : Bacillus anthracis A-112-1
MicrobeMS ID : 2013_02_08_Andy Schneider_0017
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T11:23:15.593+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-1\

genus, species, strain : Bacillus anthracis A-112-1
MicrobeMS ID : 2013_02_08_Andy Schneider_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T11:30:28.359+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-1\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 2013_03_07_Andy Schneider_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T09:15:29.734+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-1\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 2013_03_07_Andy Schneider_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par

customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T09:23:23.843+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-1\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 2013_03_07_Andy Schneider_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T09:39:34.031+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-1\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 2013_03_07_Andy Schneider_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T09:50:07.421+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-1\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 2013_03_07_Andy Schneider_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T09:57:50.703+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-1\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 2013_03_07_Andy Schneider_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T10:05:39.046+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-1\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 2013_03_12_Andy Schneider_0019
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T15:23:48.109+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-1\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 2013_03_12_Andy Schneider_0020
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T15:30:01.281+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-1\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 2013_03_12_Andy Schneider_0021
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob

growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T15:36:07.890+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 2013_03_12_Andy Schneider_0022
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T15:44:29.968+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 2013_03_12_Andy Schneider_0023
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T15:51:57.125+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-\

genus, species, strain : Bacillus anthracis A112
MicrobeMS ID : 2013_03_12_Andy Schneider_0024
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T15:58:42.515+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A112-\

genus, species, strain : Bacillus anthracis A113
MicrobeMS ID : 2015_11_09_Andy Schneider_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T11:04:37.312+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A113\

genus, species, strain : Bacillus anthracis A113
MicrobeMS ID : 2015_11_09_Andy Schneider_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T11:06:57.421+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A113\

genus, species, strain : Bacillus anthracis A 113
MicrobeMS ID : 2006_27_04_Famulla Staemmler_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5\$ CO2
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 µel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-27 09:34:45
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A113\

```
genus, species, strain : Bacillus anthracis A113
MicrobeMS ID           : 12_11_2015_Julia Mitschke_0001
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-11-12T09:40:03.609+01:00
path to MS file      : \Bacillus\Bacillus anthracis\Bacillus anthracis A113\

genus, species, strain : Bacillus anthracis A113
MicrobeMS ID           : 12_11_2015_Julia Mitschke_0002
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-11-12T09:45:58.937+01:00
path to MS file      : \Bacillus\Bacillus anthracis\Bacillus anthracis A113\

genus, species, strain : Bacillus anthracis A113
MicrobeMS ID           : 12_11_2015_Julia Mitschke_0003
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-11-12T09:52:26.078+01:00
path to MS file      : \Bacillus\Bacillus anthracis\Bacillus anthracis A113\

genus, species, strain : Bacillus anthracis A113
MicrobeMS ID           : 12_11_2015_Julia Mitschke_0004
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-11-12T09:58:08.296+01:00
path to MS file      : \Bacillus\Bacillus anthracis\Bacillus anthracis A113\

genus, species, strain : Bacillus anthracis A117
MicrobeMS ID           : 2015_11_09_Andy Schneider_0005
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-11-09T11:10:55.156+01:00
path to MS file      : \Bacillus\Bacillus anthracis\Bacillus anthracis A117\

genus, species, strain : Bacillus anthracis A117
MicrobeMS ID           : 2015_11_09_Andy Schneider_0006
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-11-09T11:12:56.562+01:00
path to MS file      : \Bacillus\Bacillus anthracis\Bacillus anthracis A117\

genus, species, strain : Bacillus anthracis A117
MicrobeMS ID           : 2015_11_09_Andy Schneider_0007
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
```

calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T11:15:35.375+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A117\

genus, species, strain : Bacillus anthracis A117
MicrobeMS ID : 2015_11_09_Andy Schneider_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T11:18:25.125+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A117\

genus, species, strain : Bacillus anthracis A 117
MicrobeMS ID : 2006_27_04_Famulla Staemmler_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-27 09:38:05
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A117\

genus, species, strain : Bacillus anthracis A118
MicrobeMS ID : 2015_11_09_Andy Schneider_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T12:41:38.671+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A118\

genus, species, strain : Bacillus anthracis A118
MicrobeMS ID : 2015_11_09_Andy Schneider_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T12:44:00.875+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A118\

genus, species, strain : Bacillus anthracis A118
MicrobeMS ID : 2015_11_09_Andy Schneider_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T12:47:36.437+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A118\

genus, species, strain : Bacillus anthracis A118
MicrobeMS ID : 2015_11_09_Andy Schneider_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T12:49:46.125+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A118\

genus, species, strain : Bacillus anthracis A 118
MicrobeMS ID : 2006_27_04_Famulla Staemmler_0006
NCBI tax ID's : 1392 -
growth time : 24h

growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-27 09:46:04
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A118\

genus, species, strain : Bacillus anthracis A119
MicrobeMS ID : 04_02_2016_Julia Mitschke_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-04T14:50:08.859+01:00
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A119\

genus, species, strain : Bacillus anthracis A119
MicrobeMS ID : 04_02_2016_Julia Mitschke_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-04T14:55:45.546+01:00
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A119\

genus, species, strain : Bacillus anthracis A119
MicrobeMS ID : 04_02_2016_Julia Mitschke_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-04T14:58:33.015+01:00
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A119\

genus, species, strain : Bacillus anthracis A119
MicrobeMS ID : 04_02_2016_Julia Mitschke_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-04T15:00:53.062+01:00
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A119\

genus, species, strain : Bacillus anthracis A 119
MicrobeMS ID : 2006_27_04_Famulla Staemmler_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-27 09:49:19
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A119\

genus, species, strain : Bacillus anthracis A12
MicrobeMS ID : 2015_05_29_Hoeß Jessica_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-29T14:27:52.281+02:00

path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A12\
genus, species, strain : Bacillus anthracis A12
MicrobeMS ID : 2015_05_29_Hoeß Jessica_00010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-29T14:53:00.218+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A12\
genus, species, strain : Bacillus anthracis A12
MicrobeMS ID : 2015_05_29_Hoeß Jessica_00011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-29T15:03:56.890+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A12\
genus, species, strain : Bacillus anthracis A12
MicrobeMS ID : 2015_05_29_Hoeß Jessica_00012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-29T15:17:58.187+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A12\
genus, species, strain : Bacillus anthracis A 12
MicrobeMS ID : 2006_03_04_Famulla Staemmler_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-03 14:54:39
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A12\
genus, species, strain : Bacillus anthracis A120
MicrobeMS ID : 2015_11_09_Andy Schneider_0017
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T13:05:31.875+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A120\
genus, species, strain : Bacillus anthracis A120
MicrobeMS ID : 2015_11_09_Andy Schneider_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T13:08:25.046+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A120\
genus, species, strain : Bacillus anthracis A120
MicrobeMS ID : 2015_11_09_Andy Schneider_0019
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)

concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T13:11:06.046+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A120\\

genus, species, strain : Bacillus anthracis A120
MicrobeMS ID : 2015_11_09_Andy Schneider_0020
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T13:13:11.484+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A120\\

genus, species, strain : Bacillus anthracis A 120
MicrobeMS ID : 2006_27_04_Famulla Staemmler_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-27 09:53:22
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A120\\

genus, species, strain : Bacillus anthracis A121
MicrobeMS ID : 2015_11_09_Andy Schneider_0022
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T14:42:56.328+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A121\\

genus, species, strain : Bacillus anthracis A121
MicrobeMS ID : 2015_11_09_Andy Schneider_0024
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T14:47:12.359+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A121\\

genus, species, strain : Bacillus anthracis A 121
MicrobeMS ID : 2006_27_04_Famulla Staemmler_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-27 10:36:15
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A121\\

genus, species, strain : Bacillus anthracis A122
MicrobeMS ID : 2015_11_09_Andy Schneider_0025
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T14:50:34.640+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A122\\

genus, species, strain : Bacillus anthracis A122
MicrobeMS ID : 2015_11_09_Andy Schneider_0026

NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T14:52:41.453+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A122\

genus, species, strain : Bacillus anthracis A122
MicrobeMS ID : 2015_11_09_Andy_Schneider_0027
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T14:54:17.406+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A122\

genus, species, strain : Bacillus anthracis A122
MicrobeMS ID : 2015_11_09_Andy_Schneider_0028
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T14:56:32.515+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A122\

genus, species, strain : Bacillus anthracis A 122
MicrobeMS ID : 2006_27_04_Famulla_Staemmler_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-27 10:39:31
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A122\

genus, species, strain : Bacillus anthracis A123
MicrobeMS ID : 2015_11_09_Andy_Schneider_0029
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T14:59:56.515+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A123\

genus, species, strain : Bacillus anthracis A123
MicrobeMS ID : 2015_11_09_Andy_Schneider_0030
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T15:01:48.859+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A123\

genus, species, strain : Bacillus anthracis A123
MicrobeMS ID : 2015_11_09_Andy_Schneider_0031
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par

customer : RKI ZBS6
measurement date/time : 2015-11-09T15:03:54.390+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A123\

genus, species, strain : Bacillus anthracis A123
MicrobeMS ID : 2015_11_09_Andy Schneider_0032
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T15:05:46.406+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A123\

genus, species, strain : Bacillus anthracis A 123
MicrobeMS ID : 2006_27_04_Famulla Staemmler_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-27 10:44:50
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A123\

genus, species, strain : Bacillus anthracis A124
MicrobeMS ID : 2015_11_09_Andy Schneider_0033
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T15:09:15.187+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A124\

genus, species, strain : Bacillus anthracis A124
MicrobeMS ID : 2015_11_09_Andy Schneider_0034
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T15:11:44.906+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A124\

genus, species, strain : Bacillus anthracis A124
MicrobeMS ID : 2015_11_09_Andy Schneider_0035
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T15:13:55.125+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A124\

genus, species, strain : Bacillus anthracis A124
MicrobeMS ID : 2015_11_09_Andy Schneider_0036
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T15:15:52.343+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A124\

genus, species, strain : Bacillus anthracis A 124
MicrobeMS ID : 2006_27_04_Famulla Staemmler_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2

growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-27 10:55:24
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A124\\

genus, species, strain : Bacillus anthracis A125
MicrobeMS ID : 2015_11_09_Andy_Schneider_0037
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T15:20:19.812+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A125\\

genus, species, strain : Bacillus anthracis A125
MicrobeMS ID : 2015_11_09_Andy_Schneider_0038
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T15:26:57.609+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A125\\

genus, species, strain : Bacillus anthracis A125
MicrobeMS ID : 2015_11_09_Andy_Schneider_0039
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T15:29:12.796+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A125\\

genus, species, strain : Bacillus anthracis A125
MicrobeMS ID : 2015_11_09_Andy_Schneider_0040
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-09T15:31:23.718+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A125\\

genus, species, strain : Bacillus anthracis A 125
MicrobeMS ID : 2006_27_04_Famulla_Staemmler_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-27 10:59:06
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A125\\

genus, species, strain : Bacillus anthracis A126
MicrobeMS ID : 10_11_2015_Julia_Mitschke_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-10T15:15:29.000
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A126\\

genus, species, strain : Bacillus anthracis A126
MicrobeMS ID : 10_11_2015_Julia Mitschke_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-10T15:20:21.125+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A126\

genus, species, strain : Bacillus anthracis A126
MicrobeMS ID : 10_11_2015_Julia Mitschke_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-10T15:25:07.515+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A126\

genus, species, strain : Bacillus anthracis A126
MicrobeMS ID : 10_11_2015_Julia Mitschke_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-10T15:30:58.265+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A126\

genus, species, strain : Bacillus anthracis A 126
MicrobeMS ID : 2006_27_04_Famulla Staemmler_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-27 11:02:34
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A126\

genus, species, strain : Bacillus anthracis A127
MicrobeMS ID : 10_11_2015_Julia Mitschke_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-10T15:48:50.140+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A127\

genus, species, strain : Bacillus anthracis A127
MicrobeMS ID : 10_11_2015_Julia Mitschke_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-10T15:54:08.328+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A127\

genus, species, strain : Bacillus anthracis A127
MicrobeMS ID : 10_11_2015_Julia Mitschke_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi

calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-10T15:57:40.484+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A127\

genus, species, strain : Bacillus anthracis A 127
MicrobeMS ID : 2006_28_04_Famulla Staemmler_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-28 10:51:32
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A127\

genus, species, strain : Bacillus anthracis A128
MicrobeMS ID : 04_02_2016_Julia Mitschke_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-04T15:14:59.500+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A128\

genus, species, strain : Bacillus anthracis A128
MicrobeMS ID : 04_02_2016_Julia Mitschke_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-04T15:06:10.250+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A128\

genus, species, strain : Bacillus anthracis A128
MicrobeMS ID : 04_02_2016_Julia Mitschke_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-04T15:08:49.484+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A128\

genus, species, strain : Bacillus anthracis A128
MicrobeMS ID : 04_02_2016_Julia Mitschke_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-04T15:11:46.312+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A128\

genus, species, strain : Bacillus anthracis A 128
MicrobeMS ID : 2006_28_04_Famulla Staemmler_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-28 10:56:54
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A128\

genus, species, strain : Bacillus anthracis A129
MicrobeMS ID : 11_11_2015_Julia Mitschke_0005
NCBI tax ID's : 1392 -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-11T10:37:43.484+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A129\\

genus, species, strain : Bacillus anthracis A129
MicrobeMS ID : 11_11_2015_Julia Mitschke_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-11T10:44:02.187+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A129\\

genus, species, strain : Bacillus anthracis A129
MicrobeMS ID : 11_11_2015_Julia Mitschke_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-11T10:50:47.843+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A129\\

genus, species, strain : Bacillus anthracis A129
MicrobeMS ID : 11_11_2015_Julia Mitschke_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-11T10:59:06.156+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A129\\

genus, species, strain : Bacillus anthracis A 129
MicrobeMS ID : 2006_28_04_Famulla Staemmler_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-28 11:00:44
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A129\\

genus, species, strain : Bacillus anthracis A130
MicrobeMS ID : 11_11_2015_Julia Mitschke_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-11T11:11:05.218+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A130\\

genus, species, strain : Bacillus anthracis A130
MicrobeMS ID : 11_11_2015_Julia Mitschke_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-11T11:14:50.000+01:00

path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A130\
genus, species, strain : Bacillus anthracis A130
MicrobeMS ID : 11_11_2015_Julia Mitschke_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-11T12:33:14.296+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A130\
genus, species, strain : Bacillus anthracis A130
MicrobeMS ID : 11_11_2015_Julia Mitschke_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-11T12:38:17.437+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A130\
genus, species, strain : Bacillus anthracis A 130
MicrobeMS ID : 2006_28_04_Famulla Staemmler_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5\$ CO2
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-28 11:09:01
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A130\
genus, species, strain : Bacillus anthracis A131
MicrobeMS ID : 05_02_2016_Julia Mitschke_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T10:03:34.343+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A131\
genus, species, strain : Bacillus anthracis A131
MicrobeMS ID : 05_02_2016_Julia Mitschke_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T10:10:24.484+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A131\
genus, species, strain : Bacillus anthracis A131
MicrobeMS ID : 05_02_2016_Julia Mitschke_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T10:13:01.640+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A131\
genus, species, strain : Bacillus anthracis A131
MicrobeMS ID : 05_02_2016_Julia Mitschke_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)

concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T10:16:32.796+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A131\

genus, species, strain : Bacillus anthracis A 131
MicrobeMS ID : 2006_28_04_Famulla Staemmler_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-28 11:11:56
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A131\

genus, species, strain : Bacillus anthracis A 131
MicrobeMS ID : 2009_11_06_Maren Staemmler_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/nach Berlin geschickt, ca.1d/ eingefrohren bei -20°C, ca. 1d und dann wieder aufgetaut/
1:1 HCCATA2 (ZA)
concentration : 3-5 Oesen in 100 muel
extra info : Herkunft: Uni Hohenheim; Anzucht und Präparation Labor von Dr. Beyer-Uni Hohenheim; Präp für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-11T09:07:24.281+00:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A131\

genus, species, strain : Bacillus anthracis A132
MicrobeMS ID : 05_02_2016_Julia Mitschke_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T10:23:56.515+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A132\

genus, species, strain : Bacillus anthracis A132
MicrobeMS ID : 05_02_2016_Julia Mitschke_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T10:27:47.031+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A132\

genus, species, strain : Bacillus anthracis A132
MicrobeMS ID : 05_02_2016_Julia Mitschke_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T10:31:53.609+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A132\

genus, species, strain : Bacillus anthracis A132
MicrobeMS ID : 05_02_2016_Julia Mitschke_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T10:39:14.937+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A132\

genus, species, strain : Bacillus anthracis A 132

MicrobeMS ID : 2006_28_04_Famulla Staemmler_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-28 11:16:50
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A132\\

genus, species, strain : Bacillus anthracis A133
MicrobeMS ID : 05_02_2016_Julia Mitschke_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T10:46:36.859+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A133\\

genus, species, strain : Bacillus anthracis A133
MicrobeMS ID : 05_02_2016_Julia Mitschke_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T10:50:54.562+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A133\\

genus, species, strain : Bacillus anthracis A133
MicrobeMS ID : 05_02_2016_Julia Mitschke_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T10:53:29.187+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A133\\

genus, species, strain : Bacillus anthracis A133
MicrobeMS ID : 05_02_2016_Julia Mitschke_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T10:57:24.234+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A133\\

genus, species, strain : Bacillus anthracis A 133
MicrobeMS ID : 2006_28_04_Famulla Staemmler_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-28 11:31:30
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A133\\

genus, species, strain : Bacillus anthracis A134
MicrobeMS ID : 12_11_2015_Julia Mitschke_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-12T11:03:08.531+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A134\\

genus, species, strain : Bacillus anthracis A134
MicrobeMS ID : 12_11_2015_Julia Mitschke_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-12T11:07:32.812+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A134\\

genus, species, strain : Bacillus anthracis A134
MicrobeMS ID : 12_11_2015_Julia Mitschke_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-12T11:12:09.656+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A134\\

genus, species, strain : Bacillus anthracis A 134
MicrobeMS ID : 2006_28_04_Famulla Staemmler_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-28 11:35:03
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A134\\

genus, species, strain : Bacillus anthracis A135
MicrobeMS ID : 13_11_2015_Julia Mitschke_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-13T14:24:13.109+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A135\\

genus, species, strain : Bacillus anthracis A135
MicrobeMS ID : 13_11_2015_Julia Mitschke_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-13T14:27:40.531+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A135\\

genus, species, strain : Bacillus anthracis A135
MicrobeMS ID : 13_11_2015_Julia Mitschke_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-13T14:32:32.734+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A135\

genus, species, strain : Bacillus anthracis A135
MicrobeMS ID : 13_11_2015_Julia Mitschke_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-13T14:37:03.171+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A135\

genus, species, strain : Bacillus anthracis A 135
MicrobeMS ID : 2006_28_04_Famulla Staemmler_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-28 11:38:10
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A135\

genus, species, strain : Bacillus anthracis A 135
MicrobeMS ID : 2009_11_06_Maren Stämmler_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/nach Berlin geschickt, ca.1d/ eingefrohren bei -20°C, ca. 1d und dann wieder aufgetaut/
1:1 HCCATA2 (ZA)
concentration : 3-5 Oesen in 100 muel
extra info : Herkunft: Uni Hohenheim; Anzucht und Präparation Labor von Dr. Beyer-Uni Hohenheim; Präp für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-11T09:17:09.906+00:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A135\

genus, species, strain : Bacillus anthracis A136
MicrobeMS ID : 13_11_2015_Julia Mitschke_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-13T14:45:48.781+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A136\

genus, species, strain : Bacillus anthracis A136
MicrobeMS ID : 13_11_2015_Julia Mitschke_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-13T14:52:00.843+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A136\

genus, species, strain : Bacillus anthracis A136
MicrobeMS ID : 13_11_2015_Julia Mitschke_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-13T14:55:00.515+01:00

path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A136\
genus, species, strain : Bacillus anthracis A136
MicrobeMS ID : 13_11_2015_Julia Mitschke_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-13T15:00:00.265+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A136\
genus, species, strain : Bacillus anthracis A 136
MicrobeMS ID : 2006_28_04_Famulla Staemmler_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Mald
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-28 11:49:11
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A136\
genus, species, strain : Bacillus anthracis A 136
MicrobeMS ID : 2009_11_06_Maren Stämmeler_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/nach Berlin geschickt, ca.1d/ eingefrohren bei -20°C, ca. 1d und dann wieder aufgetaut/
1:1 HCCATA2 (ZA)
concentration : 3-5 Oesen in 100 muel
extra info : Herkunft: Uni Hohenheim; Anzucht und Präparation Labor von Dr. Beyer-Uni Hohenheim; Präp für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-11T09:22:05.453+00:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A136\
genus, species, strain : Bacillus anthracis A137
MicrobeMS ID : 13_11_2015_Julia Mitschke_0017
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-13T15:07:59.765+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A137\
genus, species, strain : Bacillus anthracis A137
MicrobeMS ID : 13_11_2015_Julia Mitschke_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-13T15:11:01.312+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A137\
genus, species, strain : Bacillus anthracis A137
MicrobeMS ID : 13_11_2015_Julia Mitschke_0019
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-13T15:14:16.546+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A137\
genus, species, strain : Bacillus anthracis A137
MicrobeMS ID : 13_11_2015_Julia Mitschke_0020
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-13T15:17:46.546+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A137\

genus, species, strain : Bacillus anthracis A 137
MicrobeMS ID : 2006_28_04_Famulla Staemmler_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-28 11:52:59
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A137\

genus, species, strain : Bacillus anthracis A-138-1
MicrobeMS ID : 2013_02_08_Andy Schneider_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T09:30:19.500+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A-138-1
MicrobeMS ID : 2013_02_08_Andy Schneider_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T09:38:05.000+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A-138-1
MicrobeMS ID : 2013_02_08_Andy Schneider_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T09:44:26.156+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A-138-1
MicrobeMS ID : 2013_02_08_Andy Schneider_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T09:51:14.218+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A-138-1
MicrobeMS ID : 2013_02_08_Andy Schneider_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T09:57:23.437+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A-138-1

MicrobeMS ID : 2013_02_08_Andy Schneider_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T10:03:54.375+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A138
MicrobeMS ID : 2013_03_07_Andy Schneider_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T10:13:11.593+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A138
MicrobeMS ID : 2013_03_07_Andy Schneider_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T10:20:34.062+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A138
MicrobeMS ID : 2013_03_07_Andy Schneider_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T10:26:52.546+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A138
MicrobeMS ID : 2013_03_07_Andy Schneider_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T10:34:36.609+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A138
MicrobeMS ID : 2013_03_07_Andy Schneider_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T10:40:55.984+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A138
MicrobeMS ID : 2013_03_07_Andy Schneider_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert

measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T10:48:12.421+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A138
MicrobeMS ID : 2013_03_13_Andy_Schneider_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T14:31:27.406+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A138
MicrobeMS ID : 2013_03_13_Andy_Schneider_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T14:38:31.265+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A138
MicrobeMS ID : 2013_03_13_Andy_Schneider_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T14:44:37.531+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A138
MicrobeMS ID : 2013_03_13_Andy_Schneider_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T14:50:59.484+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A138
MicrobeMS ID : 2013_03_13_Andy_Schneider_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T14:58:39.171+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A138
MicrobeMS ID : 2013_03_13_Andy_Schneider_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T15:04:27.187+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A138-1\

genus, species, strain : Bacillus anthracis A15
MicrobeMS ID : 2015_06_01_Hoeß_Jessica_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration :
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-01T14:20:04.921+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A15\

genus, species, strain : Bacillus anthracis A15
MicrobeMS ID : 2015_06_01_Hoeß Jessica_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration :
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-01T14:28:16.656+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A15\

genus, species, strain : Bacillus anthracis A15
MicrobeMS ID : 2015_06_01_Hoeß Jessica_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration :
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-01T14:36:01.859+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A15\

genus, species, strain : Bacillus anthracis A15
MicrobeMS ID : 2015_06_01_Hoeß Jessica_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration :
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-01T14:46:10.375+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A15\

genus, species, strain : Bacillus anthracis A 15
MicrobeMS ID : 2006_05_04_Famulla Staemmler_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-05 09:55:16
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A15\

genus, species, strain : Bacillus anthracis A16
MicrobeMS ID : 2015_06_01_Hoeß Jessica_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration :
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-01T15:08:39.453+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A16\

genus, species, strain : Bacillus anthracis A16
MicrobeMS ID : 2015_06_01_Hoeß Jessica_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration :
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-01T15:24:39.718+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A16\

```
genus, species, strain : Bacillus anthracis A16
MicrobeMS ID           : 2015_06_01_Hoeß Jessica_0009
NCBI tax ID's          : 1392 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          :
extra info             : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2015-06-01T15:32:41.906+02:00
path to MS file        : \Bacillus\Bacillus anthracis\Bacillus anthracis A16\

genus, species, strain : Bacillus anthracis A16
MicrobeMS ID           : 2015_06_01_Hoeß Jessica_0010
NCBI tax ID's          : 1392 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          :
extra info             : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2015-06-01T15:40:47.718+02:00
path to MS file        : \Bacillus\Bacillus anthracis\Bacillus anthracis A16\

genus, species, strain : Bacillus anthracis A 16
MicrobeMS ID           : 2006_05_04_Famulla Staemmler_0003
NCBI tax ID's          : 1392 -
growth time            : 24h
growth temperature     : 37Grad Celsius
growth conditions      : 5§ CO2
growth medium          : LB
sample treatment       : in 80§ TFA/1:10 verd./1:lHCCATA2
concentration          : 3 Oesen im 100 muel
extra info             : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard   : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2006-04-05 09:58:16
path to MS file        : \Bacillus\Bacillus anthracis\Bacillus anthracis A16\

genus, species, strain : Bacillus anthracis A173-2
MicrobeMS ID           : 2017_05_01_Schneider_Andy_0005
NCBI tax ID's          : 1392 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : CASO Agar
sample treatment       : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info             : Stämme von ZBS2
calibration standard   : E.coli Standard (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS2
measurement date/time  : 2017-06-01T15:05:45.796+02:00
path to MS file        : \Bacillus\Bacillus anthracis\Bacillus anthracis A173-2 (Ringversuch A938-2)\

genus, species, strain : Bacillus anthracis A173-2
MicrobeMS ID           : 2017_05_01_Schneider_Andy_0006
NCBI tax ID's          : 1392 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : CASO Agar
sample treatment       : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info             : Stämme von ZBS2
calibration standard   : E.coli Standard (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS2
measurement date/time  : 2017-06-01T15:07:01.218+02:00
path to MS file        : \Bacillus\Bacillus anthracis\Bacillus anthracis A173-2 (Ringversuch A938-2)\

genus, species, strain : Bacillus anthracis A173-2
MicrobeMS ID           : 2017_05_01_Schneider_Andy_0007
NCBI tax ID's          : 1392 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : CASO Agar
sample treatment       : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info             : Stämme von ZBS2
calibration standard   : E.coli Standard (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS2
measurement date/time  : 2017-06-01T15:08:42.015+02:00
path to MS file        : \Bacillus\Bacillus anthracis\Bacillus anthracis A173-2 (Ringversuch A938-2)\

genus, species, strain : Bacillus anthracis A173-2
MicrobeMS ID           : 2017_05_01_Schneider_Andy_0008
NCBI tax ID's          : 1392 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : CASO Agar
sample treatment       : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
```

extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-06-01T15:09:58.593+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A173-2 (Ringversuch A938-2)\

genus, species, strain : Bacillus anthracis A173-2
MicrobeMS ID : 2017_05_30_Schneider_Andy_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO Agar
sample treatment : 80s TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verdünnung in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-05-30T14:49:23.906+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A173-2 (Ringversuch A938-2)\

genus, species, strain : Bacillus anthracis A173-2
MicrobeMS ID : 2017_05_30_Schneider_Andy_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO Agar
sample treatment : 80s TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verdünnung in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-05-30T14:50:52.875+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A173-2 (Ringversuch A938-2)\

genus, species, strain : Bacillus anthracis A18
MicrobeMS ID : 2015_06_08_Schneider_Andy_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T11:34:46.781+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A18\

genus, species, strain : Bacillus anthracis A18
MicrobeMS ID : 2015_06_08_Schneider_Andy_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T11:36:48.078+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A18\

genus, species, strain : Bacillus anthracis A18
MicrobeMS ID : 2015_06_08_Schneider_Andy_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T11:38:43.484+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A18\

genus, species, strain : Bacillus anthracis A18
MicrobeMS ID : 2015_06_08_Schneider_Andy_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T11:40:46.843+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A18\

genus, species, strain : Bacillus anthracis A 18
MicrobeMS ID : 2006_05_04_Famulla_Staemmler_0004
NCBI tax ID's : 1392 -

growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-05 10:02:07
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A18\

genus, species, strain : Bacillus anthracis A19
MicrobeMS ID : 01_02_2016_Julia Mitschke_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T10:49:01.468+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A19\

genus, species, strain : Bacillus anthracis A19
MicrobeMS ID : 01_02_2016_Julia Mitschke_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T11:03:47.578+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A19\

genus, species, strain : Bacillus anthracis A19
MicrobeMS ID : 01_02_2016_Julia Mitschke_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T11:16:46.671+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A19\

genus, species, strain : Bacillus anthracis A19
MicrobeMS ID : 01_02_2016_Julia Mitschke_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T11:21:45.578+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A19\

genus, species, strain : Bacillus anthracis A 2
MicrobeMS ID : 2006_03_04_Famulla Staemmler_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-03 14:02:14
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A2\

genus, species, strain : Bacillus anthracis A22
MicrobeMS ID : 2015_06_08_Schneider Andy_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-06-08T12:57:00.140+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A22\

genus, species, strain : Bacillus anthracis A22
MicrobeMS ID : 2015_06_08_Schneider Andy_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T13:16:26.453+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A22\

genus, species, strain : Bacillus anthracis A22
MicrobeMS ID : 2015_06_08_Schneider Andy_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T13:19:43.734+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A22\

genus, species, strain : Bacillus anthracis A22
MicrobeMS ID : 2015_06_08_Schneider Andy_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T13:22:04.750+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A22\

genus, species, strain : Bacillus anthracis A 22
MicrobeMS ID : 2006_05_04_Famulla Staemmler_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-05 10:12:49
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A22\

genus, species, strain : Bacillus anthracis A23
MicrobeMS ID : 2015_06_08_Schneider Andy_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T13:25:50.234+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A23\

genus, species, strain : Bacillus anthracis A23
MicrobeMS ID : 2015_06_08_Schneider Andy_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T13:29:11.640+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A23\

genus, species, strain : Bacillus anthracis A23
MicrobeMS ID : 2015_06_08_Schneider Andy_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO

sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T13:36:06.953+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A23\

genus, species, strain : Bacillus anthracis A23
MicrobeMS ID : 2015_06_08_Schneider Andy_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T13:39:53.093+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A23\

genus, species, strain : Bacillus anthracis A 23
MicrobeMS ID : 2006_05_04_Famulla Staemmler_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-05 10:15:59
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A23\

genus, species, strain : Bacillus anthracis A24
MicrobeMS ID : 2015_06_08_Schneider Andy_0017
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T13:44:49.218+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A24\

genus, species, strain : Bacillus anthracis A24
MicrobeMS ID : 2015_06_08_Schneider Andy_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T13:50:49.703+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A24\

genus, species, strain : Bacillus anthracis A24
MicrobeMS ID : 2015_06_08_Schneider Andy_0019
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T13:54:06.156+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A24\

genus, species, strain : Bacillus anthracis A24
MicrobeMS ID : 2015_06_08_Schneider Andy_0020
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T13:56:49.218+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A24\

genus, species, strain : Bacillus anthracis A 24

MicrobeMS ID : 2006_05_04_Famulla Staemmler_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-05 10:43:20
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A24\\

genus, species, strain : Bacillus anthracis A25
MicrobeMS ID : 01_02_2016_Julia Mitschke_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T13:25:02.234+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A25\\

genus, species, strain : Bacillus anthracis A25
MicrobeMS ID : 01_02_2016_Julia Mitschke_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T13:32:14.578+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A25\\

genus, species, strain : Bacillus anthracis A25
MicrobeMS ID : 01_02_2016_Julia Mitschke_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T13:51:17.468+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A25\\

genus, species, strain : Bacillus anthracis A25
MicrobeMS ID : 01_02_2016_Julia Mitschke_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T14:04:48.359+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A25\\

genus, species, strain : Bacillus anthracis A 25
MicrobeMS ID : 2006_05_04_Famulla Staemmler_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-05 10:48:16
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A25\\

genus, species, strain : Bacillus anthracis Ringvers. A-269_02 A
MicrobeMS ID : 2012_04_02_Maren Staemmler_0003
NCBI tax ID's : 1392 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µl
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert

measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-02T13:51:24.171+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A269-2a\

genus, species, strain : Bacillus anthracis Ringvers. A-269_02 A
MicrobeMS ID : 2012_04_04_Maren Stämmeler_0003
NCBI tax ID's : 1392 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T13:43:47.500+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A269-2a\

genus, species, strain : Bacillus anthracis A27
MicrobeMS ID : 2015_06_08_Schneider Andy_0025
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T14:16:39.640+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A27\

genus, species, strain : Bacillus anthracis A27
MicrobeMS ID : 2015_06_08_Schneider Andy_0026
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T14:18:46.859+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A27\

genus, species, strain : Bacillus anthracis A27
MicrobeMS ID : 2015_06_08_Schneider Andy_0027
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T14:21:35.406+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A27\

genus, species, strain : Bacillus anthracis A27
MicrobeMS ID : 2015_06_08_Schneider Andy_0028
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T14:23:21.562+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A27\

genus, species, strain : Bacillus anthracis A27
MicrobeMS ID : 2006_05_04_Famulla Staemmler_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-05 10:51:59
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A27\

genus, species, strain : Bacillus anthracis A28
MicrobeMS ID : 2015_06_08_Schneider Andy_0029
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T14:27:20.515+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A28\

genus, species, strain : Bacillus anthracis A28
MicrobeMS ID : 2015_06_08_Schneider Andy_0030
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T14:29:44.953+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A28\

genus, species, strain : Bacillus anthracis A28
MicrobeMS ID : 2015_06_08_Schneider Andy_0031
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T14:31:53.750+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A28\

genus, species, strain : Bacillus anthracis A28
MicrobeMS ID : 2015_06_08_Schneider Andy_0032
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T14:35:32.093+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A28\

genus, species, strain : Bacillus anthracis A 28
MicrobeMS ID : 2006_05_04_Famulla Staemmler_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-05 11:01:13
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A28\

genus, species, strain : Bacillus anthracis A29
MicrobeMS ID : 2015_06_08_Schneider Andy_0033
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T14:40:29.703+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A29\

genus, species, strain : Bacillus anthracis A29
MicrobeMS ID : 2015_06_08_Schneider Andy_0034
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T14:43:23.031+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A29\

```
genus, species, strain : Bacillus anthracis A29
MicrobeMS ID           : 2015_06_08_Schneider Andy_0035
NCBI tax ID's          : 1392 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : CASO
sample treatment       : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100 µl
extra info             : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2015-06-08T14:45:23.218+02:00
path to MS file        : \Bacillus\Bacillus anthracis\Bacillus anthracis A29\

genus, species, strain : Bacillus anthracis A29
MicrobeMS ID           : 2015_06_08_Schneider Andy_0036
NCBI tax ID's          : 1392 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : CASO
sample treatment       : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100 µl
extra info             : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2015-06-08T14:47:29.156+02:00
path to MS file        : \Bacillus\Bacillus anthracis\Bacillus anthracis A29\

genus, species, strain : Bacillus anthracis A 29
MicrobeMS ID           : 2006_05_04_Famulla Staemmler_0015
NCBI tax ID's          : 1392 -
growth time            : 24h
growth temperature     : 37Grad Celsius
growth conditions      : 5% CO2
growth medium          : LB
sample treatment       : in 80% TFA/1:10 verd./1:1HCCATA2
concentration          : 3 Oesen im 100 µl
extra info             : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard   : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2006-04-05 11:04:14
path to MS file        : \Bacillus\Bacillus anthracis\Bacillus anthracis A29\

genus, species, strain : Bacillus anthracis A294-1
MicrobeMS ID           : 2013_03_18_Andy Schneider_0001
NCBI tax ID's          : 1392 -
growth time            : 24h
growth temperature     : 37 grad celsius
growth conditions      : aerob
growth medium          : CASO
sample treatment       : in 80% TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration          : ca. 3 Oesen in 20 µl
extra info             : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard   : E.coli K12 (DSM 3871) kalibriert
measurement method     : ToM_200ns.par
customer               : RKI ZBS2/ZBS6
measurement date/time  : 2013-03-18T13:57:15.328+01:00
path to MS file        : \Bacillus\Bacillus anthracis\Bacillus anthracis A294-1\

genus, species, strain : Bacillus anthracis A294-1
MicrobeMS ID           : 2013_03_18_Andy Schneider_0002
NCBI tax ID's          : 1392 -
growth time            : 24h
growth temperature     : 37 grad celsius
growth conditions      : aerob
growth medium          : CASO
sample treatment       : in 80% TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration          : ca. 3 Oesen in 20 µl
extra info             : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard   : E.coli K12 (DSM 3871) kalibriert
measurement method     : ToM_200ns.par
customer               : RKI ZBS2/ZBS6
measurement date/time  : 2013-03-18T14:11:09.656+01:00
path to MS file        : \Bacillus\Bacillus anthracis\Bacillus anthracis A294-1\

genus, species, strain : Bacillus anthracis A294-1
MicrobeMS ID           : 2013_03_18_Andy Schneider_0003
NCBI tax ID's          : 1392 -
growth time            : 24h
growth temperature     : 37 grad celsius
growth conditions      : aerob
growth medium          : CASO
sample treatment       : in 80% TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration          : ca. 3 Oesen in 20 µl
extra info             : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard   : E.coli K12 (DSM 3871) kalibriert
measurement method     : ToM_200ns.par
customer               : RKI ZBS2/ZBS6
measurement date/time  : 2013-03-18T14:24:57.546+01:00
path to MS file        : \Bacillus\Bacillus anthracis\Bacillus anthracis A294-1\

genus, species, strain : Bacillus anthracis A294-1
MicrobeMS ID           : 2013_03_18_Andy Schneider_0004
NCBI tax ID's          : 1392 -
growth time            : 24h
growth temperature     : 37 grad celsius
growth conditions      : aerob
growth medium          : CASO
sample treatment       : in 80% TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration          : ca. 3 Oesen in 20 µl
```

extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-18T14:32:55.968+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A294-1\

genus, species, strain : Bacillus anthracis A294-1
MicrobeMS ID : 2013_03_18_Andy Schneider_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-18T14:42:01.734+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A294-1\

genus, species, strain : Bacillus anthracis A294-1
MicrobeMS ID : 2013_03_18_Andy Schneider_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-18T14:49:10.156+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A294-1\

genus, species, strain : Bacillus anthracis A294-1
MicrobeMS ID : 2013_03_11_Andy Schneider_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T14:35:36.968+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A294-1\

genus, species, strain : Bacillus anthracis A294-1
MicrobeMS ID : 2013_03_11_Andy Schneider_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T14:43:34.875+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A294-1\

genus, species, strain : Bacillus anthracis A294-1
MicrobeMS ID : 2013_03_11_Andy Schneider_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T14:53:30.609+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A294-1\

genus, species, strain : Bacillus anthracis A294-1
MicrobeMS ID : 2013_03_11_Andy Schneider_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T15:00:06.125+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A294-1\

genus, species, strain : Bacillus anthracis A294-1
MicrobeMS ID : 2013_03_11_Andy Schneider_0017
NCBI tax ID's : 1392 -

growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T15:08:07.375+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A294-1\

genus, species, strain : Bacillus anthracis A294-1
MicrobeMS ID : 2013_03_11_Andy Schneider_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T15:15:54.171+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A294-1\

genus, species, strain : Bacillus anthracis A-294/1
MicrobeMS ID : 2012_08_15_Andy Schneider_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : col. Blut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-08-15T09:59:04.000
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A294-1\

genus, species, strain : Bacillus anthracis A-294/1
MicrobeMS ID : 2012_08_15_Andy Schneider_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : col. Blut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-08-15T10:36:39.000
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A294-1\

genus, species, strain : Bacillus anthracis A3
MicrobeMS ID : 2015_05_19_Schneider Andy_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T10:57:02.656+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A3\

genus, species, strain : Bacillus anthracis A3
MicrobeMS ID : 2015_05_19_Schneider Andy_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T10:59:27.421+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A3\

genus, species, strain : Bacillus anthracis A3
MicrobeMS ID : 2015_05_19_Schneider Andy_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-05-19T11:01:31.671+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A3\

genus, species, strain : Bacillus anthracis A3
MicrobeMS ID : 2015_05_19_Schneider Andy_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T11:04:09.109+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A3\

genus, species, strain : Bacillus anthracis A 3
MicrobeMS ID : 2006_03_04_Famulla Staemmler_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-03 14:06:01
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A3\

genus, species, strain : Bacillus anthracis A 30
MicrobeMS ID : 2006_05_04_Famulla Staemmler_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-05 11:08:05
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A30\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2012_10_23_Andy Schneider_0001
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T14:09:53.562+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2012_10_23_Andy Schneider_0002
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T14:23:21.343+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2012_10_23_Andy Schneider_0003
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T14:32:53.140+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2012_10_23_Andy Schneider_0004
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO

sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T14:45:57.640+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2012_10_23_Andy Schneider_0005
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T15:14:18.359+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2012_10_23_Andy Schneider_0006
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T15:26:56.375+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2013_03_07_Andy Schneider_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschluß für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T10:55:14.984+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2013_03_07_Andy Schneider_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschluß für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T11:02:07.000+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2013_03_07_Andy Schneider_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschluß für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T11:09:01.328+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2013_03_07_Andy Schneider_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschluß für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T11:16:18.812+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a

MicrobeMS ID : 2013_03_07_Andy Schneider_0017
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T11:23:15.078+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2013_03_07_Andy Schneider_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-07T11:30:07.734+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2013_03_14_Andy Schneider_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-14T13:13:41.343+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2013_03_14_Andy Schneider_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-14T13:22:36.531+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2013_03_14_Andy Schneider_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-14T13:30:38.859+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2013_03_14_Andy Schneider_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-14T13:37:14.156+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1a\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2013_03_14_Andy Schneider_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert

measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-14T13:45:09.843+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-1a\\

genus, species, strain : Bacillus anthracis A300-1a
MicrobeMS ID : 2013_03_14_Andy Schneider_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschluß für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-14T13:55:05.593+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-1a\\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2012_10_23_Andy Schneider_0007
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T15:36:39.453+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-1b\\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2012_10_23_Andy Schneider_0008
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T15:50:40.875+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-1b\\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2012_10_23_Andy Schneider_0009
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T16:04:21.640+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-1b\\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2012_10_23_Andy Schneider_0010
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T16:16:57.000+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-1b\\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2012_10_23_Andy Schneider_0011
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T16:27:53.796+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-1b\\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2012_10_23_Andy Schneider_0012
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius

growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T16:39:07.046+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1b\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2013_03_11_Andy Schneider_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T10:04:13.250+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1b\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2013_03_11_Andy Schneider_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T10:14:56.453+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1b\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2013_03_11_Andy Schneider_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T10:26:17.156+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1b\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2013_03_11_Andy Schneider_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T10:35:23.968+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1b\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2013_03_11_Andy Schneider_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T10:43:36.265+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1b\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2013_03_11_Andy Schneider_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T10:53:07.671+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-1b\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2013_03_14_Andy_Schneider_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-14T14:03:41.265+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-1b\\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2013_03_14_Andy_Schneider_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-14T14:10:52.390+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-1b\\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2013_03_14_Andy_Schneider_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-14T14:18:33.406+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-1b\\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2013_03_14_Andy_Schneider_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-14T14:25:22.062+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-1b\\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2013_03_14_Andy_Schneider_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-14T14:34:03.375+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-1b\\

genus, species, strain : Bacillus anthracis A300-1b
MicrobeMS ID : 2013_03_14_Andy_Schneider_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-14T14:40:05.859+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-1b\\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2012_10_23_Andy_Schneider_0019
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl

extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Mald: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T17:50:41.734+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2012_10_23_Andy Schneider_0020
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Mald: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T17:57:33.187+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2012_10_23_Andy Schneider_0021
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Mald: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T18:04:50.906+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2012_10_23_Andy Schneider_0022
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Mald: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T18:11:56.968+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2012_10_23_Andy Schneider_0023
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Mald: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T18:20:23.906+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2012_10_23_Andy Schneider_0024
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Mald: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T18:29:12.343+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2013_03_11_Andy Schneider_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschluß für Mald: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T11:13:18.796+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2013_03_11_Andy Schneider_0008
NCBI tax ID's : 1392 -

growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür MalDI: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T11:21:23.656+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2013_03_11_Andy Schneider_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür MalDI: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T11:29:08.234+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2013_03_11_Andy Schneider_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür MalDI: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T11:40:01.390+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2013_03_11_Andy Schneider_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür MalDI: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T11:54:21.109+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2013_03_11_Andy Schneider_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür MalDI: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T11:46:59.812+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2013_03_13_Andy Schneider_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür MalDI: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T15:12:15.437+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2013_03_13_Andy Schneider_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür MalDI: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6

measurement date/time : 2013-03-13T15:21:55.609+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2013_03_13_Andy Schneider_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T15:39:18.203+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2013_03_13_Andy Schneider_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T15:48:58.703+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2013_03_13_Andy Schneider_0017
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T15:56:08.828+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A300-2a
MicrobeMS ID : 2013_03_13_Andy Schneider_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T16:02:58.296+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2a\

genus, species, strain : Bacillus anthracis A-300-2b
MicrobeMS ID : 2013_02_08_Andy Schneider_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T10:11:09.343+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2b\

genus, species, strain : Bacillus anthracis A-300-2b
MicrobeMS ID : 2013_02_08_Andy Schneider_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T10:18:05.109+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2b\

genus, species, strain : Bacillus anthracis A-300-2b
MicrobeMS ID : 2013_02_08_Andy Schneider_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO

sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T10:25:25.218+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2b\

genus, species, strain : Bacillus anthracis A-300-2b
MicrobeMS ID : 2013_02_08_Andy Schneider_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T10:32:55.843+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2b\

genus, species, strain : Bacillus anthracis A-300-2b
MicrobeMS ID : 2013_02_08_Andy Schneider_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T10:39:22.421+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2b\

genus, species, strain : Bacillus anthracis A-300-2b
MicrobeMS ID : 2013_02_08_Andy Schneider_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-08T10:45:55.937+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2b\

genus, species, strain : Bacillus anthracis A300-2b
MicrobeMS ID : 2013_03_13_Andy Schneider_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T13:33:27.296+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2b\

genus, species, strain : Bacillus anthracis A300-2b
MicrobeMS ID : 2013_03_13_Andy Schneider_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T13:42:24.109+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2b\

genus, species, strain : Bacillus anthracis A300-2b
MicrobeMS ID : 2013_03_13_Andy Schneider_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T13:56:51.734+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2b\

genus, species, strain : Bacillus anthracis A300-2b

MicrobeMS ID : 2013_03_13_Andy_Schneider_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T14:03:37.453+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2b\

genus, species, strain : Bacillus anthracis A300-2b
MicrobeMS ID : 2013_03_13_Andy_Schneider_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T14:11:28.671+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2b\

genus, species, strain : Bacillus anthracis A300-2b
MicrobeMS ID : 2013_03_13_Andy_Schneider_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-13T14:18:57.109+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2b\

genus, species, strain : Bacillus anthracis A300-2b
MicrobeMS ID : 2013_03_18_Andy_Schneider_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-18T14:58:49.968+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2b\

genus, species, strain : Bacillus anthracis A300-2b
MicrobeMS ID : 2013_03_18_Andy_Schneider_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-18T15:06:46.656+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2b\

genus, species, strain : Bacillus anthracis A300-2b
MicrobeMS ID : 2013_03_18_Andy_Schneider_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-18T15:14:01.859+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A300-2b\

genus, species, strain : Bacillus anthracis A300-2b
MicrobeMS ID : 2013_03_18_Andy_Schneider_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert

measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-18T15:20:45.640+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-2b\\

genus, species, strain : Bacillus anthracis A300-2b
MicrobeMS ID : 2013_03_18_Andy Schneider_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-18T15:29:20.125+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-2b\\

genus, species, strain : Bacillus anthracis A300-2b
MicrobeMS ID : 2013_03_18_Andy Schneider_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-18T15:38:36.343+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A300-2b\\

genus, species, strain : Bacillus anthracis A-302-1
MicrobeMS ID : 2013_02_28_Andy Schneider_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-02-28T10:57:22.500+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A302-1\\

genus, species, strain : Bacillus anthracis A-302-1
MicrobeMS ID : 2013_02_28_Andy Schneider_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-02-28T11:07:04.796+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A302-1\\

genus, species, strain : Bacillus anthracis A-302-1
MicrobeMS ID : 2013_02_28_Andy Schneider_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-02-28T11:15:18.578+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A302-1\\

genus, species, strain : Bacillus anthracis A-302-1
MicrobeMS ID : 2013_02_28_Andy Schneider_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-02-28T11:21:44.984+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A302-1\\

genus, species, strain : Bacillus anthracis A-302-1
MicrobeMS ID : 2013_02_28_Andy Schneider_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius

growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-02-28T11:28:54.703+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A-302-1
MicrobeMS ID : 2013_02_28_Andy Schneider_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-02-28T11:36:17.453+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID : 2013_03_11_Andy Schneider_0019
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T15:23:28.421+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID : 2013_03_11_Andy Schneider_0020
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T15:30:22.468+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID : 2013_03_11_Andy Schneider_0021
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T15:38:14.046+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID : 2013_03_11_Andy Schneider_0022
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T15:45:18.515+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID : 2013_03_11_Andy Schneider_0023
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T15:52:11.406+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

```
genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID          : 2013_03_11_Andy_Schneider_0024
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37 grad celsius
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 3 Oesen in 20 µl
extra info           : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method    : ToM_200ns.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2013-03-11T15:58:49.750+01:00
path to MS file       : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID          : 2013_03_19_Andy_Schneider_0001
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37 grad celsius
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 3 Oesen in 20 µl
extra info           : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method    : ToM_200ns.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2013-03-19T14:21:45.703+01:00
path to MS file       : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID          : 2013_03_19_Andy_Schneider_0002
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37 grad celsius
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 3 Oesen in 20 µl
extra info           : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method    : ToM_200ns.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2013-03-19T14:32:03.609+01:00
path to MS file       : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID          : 2013_03_19_Andy_Schneider_0003
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37 grad celsius
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 3 Oesen in 20 µl
extra info           : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method    : ToM_200ns.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2013-03-19T14:39:44.625+01:00
path to MS file       : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID          : 2013_03_19_Andy_Schneider_0004
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37 grad celsius
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 3 Oesen in 20 µl
extra info           : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method    : ToM_200ns.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2013-03-19T14:49:21.031+01:00
path to MS file       : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID          : 2013_03_19_Andy_Schneider_0005
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37 grad celsius
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 3 Oesen in 20 µl
extra info           : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method    : ToM_200ns.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2013-03-19T14:56:47.500+01:00
path to MS file       : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID          : 2013_03_19_Andy_Schneider_0006
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37 grad celsius
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 3 Oesen in 20 µl
```

extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschluß für Mald: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-19T15:04:29.656+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID : 2012_10_23_Andy Schneider_0013
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Mald: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T16:48:40.062+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID : 2012_10_23_Andy Schneider_0014
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Mald: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T16:56:25.390+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID : 2012_10_23_Andy Schneider_0015
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Mald: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T17:07:36.000+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID : 2012_10_23_Andy Schneider_0016
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Mald: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T17:17:46.484+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID : 2012_10_23_Andy Schneider_0017
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Mald: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T17:27:46.453+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A302-1
MicrobeMS ID : 2012_10_23_Andy Schneider_0018
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Mald: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T17:37:56.953+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A302-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2012_10_23_Andy Schneider_0031
NCBI tax ID's : 1392 -

growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T19:53:52.687+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2012_10_23_Andy Schneider_0032
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T20:01:25.312+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2012_10_23_Andy Schneider_0033
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T20:08:57.031+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2012_10_23_Andy Schneider_0034
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T20:16:52.640+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2012_10_23_Andy Schneider_0035
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T20:27:59.109+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2012_10_23_Andy Schneider_0036
NCBI tax ID's : 1392 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-10-23T20:36:29.140+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2013_03_12_Andy Schneider_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschluß für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6

measurement date/time : 2013-03-12T09:33:39.468+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2013_03_12_Andy Schneider_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T09:49:07.984+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2013_03_12_Andy Schneider_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T09:59:43.609+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2013_03_12_Andy Schneider_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T10:06:22.406+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2013_03_12_Andy Schneider_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T10:15:07.781+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2013_03_12_Andy Schneider_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T10:29:42.843+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2013_03_19_Andy Schneider_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-19T15:11:21.640+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2013_03_19_Andy Schneider_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO

sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-19T15:30:04.875+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2013_03_19_Andy Schneider_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-19T15:37:31.250+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2013_03_19_Andy Schneider_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-19T15:43:53.203+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2013_03_19_Andy Schneider_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-19T15:50:41.375+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A306-1
MicrobeMS ID : 2013_03_19_Andy Schneider_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-19T15:58:16.015+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A306-1\

genus, species, strain : Bacillus anthracis A-315-1
MicrobeMS ID : 2013_02_05_Andy Schneider_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-05T13:53:58.390+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A-315-1
MicrobeMS ID : 2013_02_05_Andy Schneider_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-05T14:03:46.453+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A-315-1

MicrobeMS ID : 2013_02_05_Andy Schneider_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-05T14:16:15.703+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A-315-1
MicrobeMS ID : 2013_02_05_Andy Schneider_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-05T14:29:00.781+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A-315-1
MicrobeMS ID : 2013_02_05_Andy Schneider_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-05T14:37:40.296+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A-315-1
MicrobeMS ID : 2013_02_05_Andy Schneider_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-05T14:47:32.140+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A315-1
MicrobeMS ID : 2013_03_06_Andy Schneider_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-06T14:08:26.828+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A315-1
MicrobeMS ID : 2013_03_06_Andy Schneider_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-06T14:18:30.765+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A315-1
MicrobeMS ID : 2013_03_06_Andy Schneider_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert

measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-06T14:28:48.546+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A315-1
MicrobeMS ID : 2013_03_06_Andy Schneider_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-06T14:39:50.671+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A315-1
MicrobeMS ID : 2013_03_06_Andy Schneider_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-06T14:51:05.359+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A315-1
MicrobeMS ID : 2013_03_06_Andy Schneider_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-06T15:02:05.937+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A315-1
MicrobeMS ID : 2013_03_12_Andy Schneider_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T14:07:11.734+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A315-1
MicrobeMS ID : 2013_03_12_Andy Schneider_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T14:18:46.562+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A315-1
MicrobeMS ID : 2013_03_12_Andy Schneider_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T14:31:59.609+01:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A315-1
MicrobeMS ID : 2013_03_12_Andy Schneider_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius

growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T14:38:39.812+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A315-1
MicrobeMS ID : 2013_03_12_Andy Schneider_0017
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T14:48:35.609+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A315-1
MicrobeMS ID : 2013_03_12_Andy Schneider_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T14:54:44.906+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-1\

genus, species, strain : Bacillus anthracis A-315-2
MicrobeMS ID : 2013_02_05_Andy Schneider_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-05T14:55:38.953+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A-315-2
MicrobeMS ID : 2013_02_05_Andy Schneider_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-05T15:03:00.000+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A-315-2
MicrobeMS ID : 2013_02_05_Andy Schneider_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-05T15:11:42.609+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A-315-2
MicrobeMS ID : 2013_02_05_Andy Schneider_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-05T15:22:51.218+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A-315-2
MicrobeMS ID : 2013_02_05_Andy Schneider_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-05T15:30:27.062+01:00
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A-315-2
MicrobeMS ID : 2013_02_05_Andy Schneider_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit + Zentrifugation/ Sterilfiltration/1:10 verdünnt/ 1:1 (HCCA/TA2)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 1) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-02-05T15:39:53.671+01:00
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A315-2
MicrobeMS ID : 2013_03_06_Andy Schneider_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-06T15:11:13.593+01:00
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A315-2
MicrobeMS ID : 2013_03_06_Andy Schneider_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-06T15:18:14.718+01:00
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A315-2
MicrobeMS ID : 2013_03_06_Andy Schneider_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-06T15:26:38.781+01:00
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A315-2
MicrobeMS ID : 2013_03_06_Andy Schneider_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-06T15:37:21.765+01:00
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A315-2
MicrobeMS ID : 2013_03_06_Andy Schneider_0017
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl

extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-06T15:46:49.265+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A315-2
MicrobeMS ID : 2013_03_06_Andy Schneider_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 2) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-06T16:01:05.078+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A315-2
MicrobeMS ID : 2013_03_12_Andy Schneider_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T08:35:36.703+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A315-2
MicrobeMS ID : 2013_03_12_Andy Schneider_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T08:44:52.984+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A315-2
MicrobeMS ID : 2013_03_12_Andy Schneider_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T08:54:22.421+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A315-2
MicrobeMS ID : 2013_03_12_Andy Schneider_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T09:08:18.625+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A315-2
MicrobeMS ID : 2013_03_12_Andy Schneider_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T09:17:23.828+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A315-2
MicrobeMS ID : 2013_03_12_Andy Schneider_0006
NCBI tax ID's : 1392 -

growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 µl
extra info : (Präparation 3) Stamm + Anzucht ZBS II/ TFA-Aufschlußfür Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-03-12T09:27:15.625+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A315-2\

genus, species, strain : Bacillus anthracis A32
MicrobeMS ID : 2015_06_08_Schneider Andy_0037
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T15:01:47.953+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A32\

genus, species, strain : Bacillus anthracis A32
MicrobeMS ID : 2015_06_08_Schneider Andy_0038
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T15:04:05.359+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A32\

genus, species, strain : Bacillus anthracis A32
MicrobeMS ID : 2015_06_08_Schneider Andy_0039
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T15:06:16.437+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A32\

genus, species, strain : Bacillus anthracis A32
MicrobeMS ID : 2015_06_08_Schneider Andy_0040
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-08T15:10:10.875+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A32\

genus, species, strain : Bacillus anthracis A 32
MicrobeMS ID : 2006_06_04_Famulla Staemmler_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-06 11:49:22
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A32\

genus, species, strain : Bacillus anthracis A33
MicrobeMS ID : 01_02_2016_Julia Mitschke_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2016-02-01T14:16:56.515+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A33\

genus, species, strain : Bacillus anthracis A33
MicrobeMS ID : 01_02_2016_Julia Mitschke_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T14:21:57.406+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A33\

genus, species, strain : Bacillus anthracis A33
MicrobeMS ID : 01_02_2016_Julia Mitschke_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T14:32:37.640+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A33\

genus, species, strain : Bacillus anthracis A33
MicrobeMS ID : 01_02_2016_Julia Mitschke_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T14:39:47.515+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A33\

genus, species, strain : Bacillus anthracis A 33
MicrobeMS ID : 2006_06_04_Famulla Staemmler_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-06 11:53:58
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A33\

genus, species, strain : Bacillus anthracis A34
MicrobeMS ID : 2015_06_09_Schneider Andy_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T12:44:45.218+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A34\

genus, species, strain : Bacillus anthracis A34
MicrobeMS ID : 2015_06_09_Schneider Andy_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T12:46:18.625+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A34\

genus, species, strain : Bacillus anthracis A34
MicrobeMS ID : 2015_06_09_Schneider Andy_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO

sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T12:48:31.562+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A34\

genus, species, strain : Bacillus anthracis A34
MicrobeMS ID : 2015_06_09_Schneider Andy_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T12:50:38.296+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A34\

genus, species, strain : Bacillus anthracis A 34
MicrobeMS ID : 2006_06_04_Famulla Staemmler_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-06 11:56:57
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A34\

genus, species, strain : Bacillus anthracis A35
MicrobeMS ID : 2015_06_09_Schneider Andy_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T12:59:42.140+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A35\

genus, species, strain : Bacillus anthracis A35
MicrobeMS ID : 2015_06_09_Schneider Andy_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T13:02:02.484+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A35\

genus, species, strain : Bacillus anthracis A35
MicrobeMS ID : 2015_06_09_Schneider Andy_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T13:04:47.296+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A35\

genus, species, strain : Bacillus anthracis A35
MicrobeMS ID : 2015_06_09_Schneider Andy_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T13:06:37.609+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A35\

genus, species, strain : Bacillus anthracis A 35

MicrobeMS ID : 2006_06_04_Famulla Staemmler_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-06 13:41:01
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A35\\

genus, species, strain : Bacillus anthracis A 36
MicrobeMS ID : 2006_06_04_Famulla Staemmler_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-06 13:44:06
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A36\\

genus, species, strain : Bacillus anthracis A37
MicrobeMS ID : 2015_06_09_Schneider Andy_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T13:11:03.437+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A37\\

genus, species, strain : Bacillus anthracis A37
MicrobeMS ID : 2015_06_09_Schneider Andy_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T13:16:00.640+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A37\\

genus, species, strain : Bacillus anthracis A37
MicrobeMS ID : 2015_06_09_Schneider Andy_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T13:18:24.140+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A37\\

genus, species, strain : Bacillus anthracis A37
MicrobeMS ID : 2015_06_09_Schneider Andy_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T13:22:41.593+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A37\\

genus, species, strain : Bacillus anthracis A 37
MicrobeMS ID : 2006_06_04_Famulla Staemmler_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-06 13:48:48
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A37\

genus, species, strain : Bacillus anthracis A38
MicrobeMS ID : 01_02_2016_Julia Mitschke_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T14:58:17.875+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A38\

genus, species, strain : Bacillus anthracis A38
MicrobeMS ID : 01_02_2016_Julia Mitschke_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T15:03:45.015+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A38\

genus, species, strain : Bacillus anthracis A38
MicrobeMS ID : 01_02_2016_Julia Mitschke_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T15:09:20.921+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A38\

genus, species, strain : Bacillus anthracis A38
MicrobeMS ID : 01_02_2016_Julia Mitschke_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T15:16:21.687+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A38\

genus, species, strain : Bacillus anthracis A 38
MicrobeMS ID : 2006_06_04_Famulla Staemmler_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-06 13:58:26
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A38\

genus, species, strain : Bacillus anthracis A39
MicrobeMS ID : 2015_06_09_Schneider Andy_0021
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T13:46:59.203+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A39\

genus, species, strain : Bacillus anthracis A39
MicrobeMS ID : 2015_06_09_Schneider Andy_0022
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T13:49:20.828+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A39\

genus, species, strain : Bacillus anthracis A39
MicrobeMS ID : 2015_06_09_Schneider Andy_0023
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T13:52:27.250+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A39\

genus, species, strain : Bacillus anthracis A39
MicrobeMS ID : 2015_06_09_Schneider Andy_0024
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T13:56:11.078+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A39\

genus, species, strain : Bacillus anthracis A 39
MicrobeMS ID : 2006_06_04_Famulla Staemmler_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-06 14:01:30
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A39\

genus, species, strain : Bacillus anthracis A4
MicrobeMS ID : 2015_05_19_Schneider Andy_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T11:07:29.375+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A4\

genus, species, strain : Bacillus anthracis A4
MicrobeMS ID : 2015_05_19_Schneider Andy_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T11:09:58.093+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A4\

genus, species, strain : Bacillus anthracis A4
MicrobeMS ID : 2015_05_19_Schneider Andy_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T11:12:21.250+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A4\

genus, species, strain : Bacillus anthracis A4
MicrobeMS ID : 2015_05_19_Schneider Andy_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T11:15:04.750+02:00
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A4\

genus, species, strain : Bacillus anthracis A 4
MicrobeMS ID : 2006_03_04_Famulla Staemmler_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-03 14:14:01
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A4\

genus, species, strain : Bacillus anthracis A40
MicrobeMS ID : 2015_06_09_Schneider Andy_0025
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T14:01:24.156+02:00
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A40\

genus, species, strain : Bacillus anthracis A40
MicrobeMS ID : 2015_06_09_Schneider Andy_0026
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T14:10:07.859+02:00
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A40\

genus, species, strain : Bacillus anthracis A40
MicrobeMS ID : 2015_06_09_Schneider Andy_0027
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T14:13:55.546+02:00
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A40\

genus, species, strain : Bacillus anthracis A40
MicrobeMS ID : 2015_06_09_Schneider Andy_0028
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T14:17:11.156+02:00
path to MS file : \\Bacillus\Bacillus anthracis\Bacillus anthracis A40\

genus, species, strain : Bacillus anthracis A 40
MicrobeMS ID : 2006_06_04_Famulla Staemmler_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel

extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-06 14:06:12
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A40\

genus, species, strain : Bacillus anthracis A41
MicrobeMS ID : 2015_06_09_Schneider Andy_0029
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T14:21:11.406+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A41\

genus, species, strain : Bacillus anthracis A41
MicrobeMS ID : 2015_06_09_Schneider Andy_0030
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T14:23:38.125+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A41\

genus, species, strain : Bacillus anthracis A41
MicrobeMS ID : 2015_06_09_Schneider Andy_0031
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T14:25:53.781+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A41\

genus, species, strain : Bacillus anthracis A41
MicrobeMS ID : 2015_06_09_Schneider Andy_0032
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T14:27:59.640+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A41\

genus, species, strain : Bacillus anthracis A 41
MicrobeMS ID : 2006_06_04_Famulla Staemmler_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-06 14:26:03
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A41\

genus, species, strain : Bacillus anthracis A42
MicrobeMS ID : 2015_06_09_Schneider Andy_0033
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T14:51:40.000+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A42\

genus, species, strain : Bacillus anthracis A42
MicrobeMS ID : 2015_06_09_Schneider Andy_0034
NCBI tax ID's : 1392 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T14:47:40.234+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A42\

genus, species, strain : Bacillus anthracis A42
MicrobeMS ID : 2015_06_09_Schneider Andy_0035
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T14:54:24.828+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A42\

genus, species, strain : Bacillus anthracis A42
MicrobeMS ID : 2015_06_09_Schneider Andy_0036
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T14:56:39.140+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A42\

genus, species, strain : Bacillus anthracis A 42
MicrobeMS ID : 2006_06_04_Famulla Staemmler_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-06 14:29:09
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A42\

genus, species, strain : Bacillus anthracis A43
MicrobeMS ID : 2015_06_09_Schneider Andy_0037
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T15:02:21.703+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A43\

genus, species, strain : Bacillus anthracis A43
MicrobeMS ID : 2015_06_09_Schneider Andy_0038
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T15:06:07.812+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A43\

genus, species, strain : Bacillus anthracis A43
MicrobeMS ID : 2015_06_09_Schneider Andy_0039
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-06-09T15:07:55.953+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A43\

genus, species, strain : Bacillus anthracis A43
MicrobeMS ID : 2015_06_09_Schneider Andy_0040
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-09T15:09:57.656+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A43\

genus, species, strain : Bacillus anthracis A 43
MicrobeMS ID : 2006_06_04_Famulla Staemmler_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-06 14:32:11
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A43\

genus, species, strain : Bacillus anthracis A44
MicrobeMS ID : 2015_06_22_Schneider Andy_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T12:41:18.062+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A44\

genus, species, strain : Bacillus anthracis A44
MicrobeMS ID : 2015_06_22_Schneider Andy_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T13:01:59.890+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A44\

genus, species, strain : Bacillus anthracis A44
MicrobeMS ID : 2015_06_22_Schneider Andy_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T13:06:13.109+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A44\

genus, species, strain : Bacillus anthracis A44
MicrobeMS ID : 2015_06_22_Schneider Andy_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T13:07:56.078+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A44\

genus, species, strain : Bacillus anthracis A 44
MicrobeMS ID : 2006_10_04_Famulla Staemmler_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB

sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-10 11:23:08
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A44\

genus, species, strain : Bacillus anthracis A45
MicrobeMS ID : 2015_06_22_Schneider Andy_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T13:23:57.921+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A45\

genus, species, strain : Bacillus anthracis A45
MicrobeMS ID : 2015_06_22_Schneider Andy_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T13:28:12.203+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A45\

genus, species, strain : Bacillus anthracis A45
MicrobeMS ID : 2015_06_22_Schneider Andy_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T13:34:09.406+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A45\

genus, species, strain : Bacillus anthracis A45
MicrobeMS ID : 2015_06_22_Schneider Andy_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T14:08:24.203+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A45\

genus, species, strain : Bacillus anthracis A 45
MicrobeMS ID : 2006_10_04_Famulla Staemmler_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-10 11:26:09
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A45\

genus, species, strain : Bacillus anthracis A46
MicrobeMS ID : 2015_06_22_Schneider Andy_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T14:12:45.031+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A46\

genus, species, strain : Bacillus anthracis A46

MicrobeMS ID : 2015_06_22_Schneider Andy_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T14:14:56.578+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A46\

genus, species, strain : Bacillus anthracis A46
MicrobeMS ID : 2015_06_22_Schneider Andy_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T14:18:20.156+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A46\

genus, species, strain : Bacillus anthracis A46
MicrobeMS ID : 2015_06_22_Schneider Andy_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T14:20:49.406+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A46\

genus, species, strain : Bacillus anthracis A 46
MicrobeMS ID : 2006_10_04_Famulla Staemmler_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-10 11:28:42
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A46\

genus, species, strain : Bacillus anthracis A47
MicrobeMS ID : 2015_06_22_Schneider Andy_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T14:27:18.468+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A47\

genus, species, strain : Bacillus anthracis A47
MicrobeMS ID : 2015_06_22_Schneider Andy_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T14:30:07.453+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A47\

genus, species, strain : Bacillus anthracis A47
MicrobeMS ID : 2015_06_22_Schneider Andy_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T14:33:19.390+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A47\

genus, species, strain : Bacillus anthracis A47
MicrobeMS ID : 2015_06_22_Schneider Andy_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T14:36:21.984+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A47\

genus, species, strain : Bacillus anthracis A 47
MicrobeMS ID : 2006_10_04_Famulla Staemmler_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-10 11:42:31
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A47\

genus, species, strain : Bacillus anthracis A49
MicrobeMS ID : 2015_06_22_Schneider Andy_0017
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T14:45:27.078+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A49\

genus, species, strain : Bacillus anthracis A49
MicrobeMS ID : 2015_06_22_Schneider Andy_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T14:49:07.296+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A49\

genus, species, strain : Bacillus anthracis A49
MicrobeMS ID : 2015_06_22_Schneider Andy_0019
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T14:51:21.265+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A49\

genus, species, strain : Bacillus anthracis A49
MicrobeMS ID : 2015_06_22_Schneider Andy_0020
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-06-22T14:54:08.703+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A49\

genus, species, strain : Bacillus anthracis A 49
MicrobeMS ID : 2006_10_04_Famulla Staemmler_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius

growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-10 11:45:29
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A49\

genus, species, strain : Bacillus anthracis A5
MicrobeMS ID : 2015_05_19_Schneider Andy_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T11:18:46.625+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A5\

genus, species, strain : Bacillus anthracis A5
MicrobeMS ID : 2015_05_19_Schneider Andy_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:01:57.234+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A5\

genus, species, strain : Bacillus anthracis A5
MicrobeMS ID : 2015_05_19_Schneider Andy_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:04:17.906+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A5\

genus, species, strain : Bacillus anthracis A5
MicrobeMS ID : 2015_05_19_Schneider Andy_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:06:46.406+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A5\

genus, species, strain : Bacillus anthracis A 5
MicrobeMS ID : 2006_03_04_Famulla Staemmler_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-03 14:18:06
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A5\

genus, species, strain : Bacillus anthracis A58
MicrobeMS ID : 2015_08_11_Schneider Andy_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T09:17:18.296+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A58\

```
genus, species, strain : Bacillus anthracis A58
MicrobeMS ID          : 2015_08_11_Schneider Andy_0002
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-08-11T09:29:18.187+02:00
path to MS file       : \Bacillus\Bacillus anthracis\Bacillus anthracis A58\

genus, species, strain : Bacillus anthracis A58
MicrobeMS ID          : 2015_08_11_Schneider Andy_0003
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-08-11T09:31:36.812+02:00
path to MS file       : \Bacillus\Bacillus anthracis\Bacillus anthracis A58\

genus, species, strain : Bacillus anthracis A58
MicrobeMS ID          : 2015_08_11_Schneider Andy_0004
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-08-11T09:34:05.000+02:00
path to MS file       : \Bacillus\Bacillus anthracis\Bacillus anthracis A58\

genus, species, strain : Bacillus anthracis A 58
MicrobeMS ID          : 2006_10_04_Famulla Staemmler_0008
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37Grad Celsius
growth conditions     : 5$ CO2
growth medium         : LB
sample treatment      : in 80$ TFA/1:10 verd./1:1HCCATA2
concentration         : 3 Oesen im 100 muel
extra info            : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Mald
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2006-04-10 11:48:27
path to MS file       : \Bacillus\Bacillus anthracis\Bacillus anthracis A58\

genus, species, strain : Bacillus anthracis A59
MicrobeMS ID          : 2015_08_11_Schneider Andy_0005
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-08-11T09:37:37.359+02:00
path to MS file       : \Bacillus\Bacillus anthracis\Bacillus anthracis A59\

genus, species, strain : Bacillus anthracis A59
MicrobeMS ID          : 2015_08_11_Schneider Andy_0006
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-08-11T09:39:36.578+02:00
path to MS file       : \Bacillus\Bacillus anthracis\Bacillus anthracis A59\

genus, species, strain : Bacillus anthracis A59
MicrobeMS ID          : 2015_08_11_Schneider Andy_0007
NCBI tax ID's         : 1392 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
```

extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T09:41:39.578+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A59\

genus, species, strain : Bacillus anthracis A59
MicrobeMS ID : 2015_08_11_Schneider Andy_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T09:43:12.437+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A59\

genus, species, strain : Bacillus anthracis A 59
MicrobeMS ID : 2006_10_04_Famulla Staemmler_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-10 11:56:11
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A59\

genus, species, strain : Bacillus anthracis A6
MicrobeMS ID : 2015_05_19_Schneider Andy_0017
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:10:53.718+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A6\

genus, species, strain : Bacillus anthracis A6
MicrobeMS ID : 2015_05_19_Schneider Andy_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:12:49.984+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A6\

genus, species, strain : Bacillus anthracis A6
MicrobeMS ID : 2015_05_19_Schneider Andy_0019
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:15:08.875+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A6\

genus, species, strain : Bacillus anthracis A6
MicrobeMS ID : 2015_05_19_Schneider Andy_0020
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:16:59.093+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A6\

genus, species, strain : Bacillus anthracis A 6
MicrobeMS ID : 2006_03_04_Famulla Staemmler_0008
NCBI tax ID's : 1392 -

growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-03 14:21:04
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A6\

genus, species, strain : Bacillus anthracis A60
MicrobeMS ID : 2015_08_11_Schneider Andy_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T09:46:28.921+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A60\

genus, species, strain : Bacillus anthracis A60
MicrobeMS ID : 2015_08_11_Schneider Andy_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T09:49:22.718+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A60\

genus, species, strain : Bacillus anthracis A60
MicrobeMS ID : 2015_08_11_Schneider Andy_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T09:53:23.781+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A60\

genus, species, strain : Bacillus anthracis A60
MicrobeMS ID : 2015_08_11_Schneider Andy_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T09:56:27.718+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A60\

genus, species, strain : Bacillus anthracis A 60
MicrobeMS ID : 2006_10_04_Famulla Staemmler_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-10 12:00:04
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A60\

genus, species, strain : Bacillus anthracis A61
MicrobeMS ID : 2015_08_11_Schneider Andy_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-08-11T10:07:21.968+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A61\

genus, species, strain : Bacillus anthracis A61
MicrobeMS ID : 2015_08_11_Schneider Andy_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:09:30.078+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A61\

genus, species, strain : Bacillus anthracis A61
MicrobeMS ID : 2015_08_11_Schneider Andy_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:11:06.531+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A61\

genus, species, strain : Bacillus anthracis A61
MicrobeMS ID : 2015_08_11_Schneider Andy_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:12:44.156+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A61\

genus, species, strain : Bacillus anthracis A 61
MicrobeMS ID : 2006_10_04_Famulla Staemmler_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-10 12:03:48
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A61\

genus, species, strain : Bacillus anthracis A62
MicrobeMS ID : 2015_08_11_Schneider Andy_0017
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:16:44.000+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A62\

genus, species, strain : Bacillus anthracis A62
MicrobeMS ID : 2015_08_11_Schneider Andy_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:20:57.656+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A62\

genus, species, strain : Bacillus anthracis A62
MicrobeMS ID : 2015_08_11_Schneider Andy_0019
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:25:48.312+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A62\

genus, species, strain : Bacillus anthracis A62
MicrobeMS ID : 2015_08_11_Schneider Andy_0020
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:29:03.109+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A62\

genus, species, strain : Bacillus anthracis A 62
MicrobeMS ID : 2006_10_04_Famulla Staemmler_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-10 13:05:34
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A62\

genus, species, strain : Bacillus anthracis A63
MicrobeMS ID : 2015_08_11_Schneider Andy_0021
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:33:10.296+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A63\

genus, species, strain : Bacillus anthracis A63
MicrobeMS ID : 2015_08_11_Schneider Andy_0022
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:35:04.171+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A63\

genus, species, strain : Bacillus anthracis A63
MicrobeMS ID : 2015_08_11_Schneider Andy_0023
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:36:49.843+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A63\

genus, species, strain : Bacillus anthracis A63
MicrobeMS ID : 2015_08_11_Schneider Andy_0024
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:39:21.468+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A63\

genus, species, strain : Bacillus anthracis A 63

MicrobeMS ID : 2006_10_04_Famulla Staemmler_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-10 13:09:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A63\\

genus, species, strain : Bacillus anthracis A64
MicrobeMS ID : 2015_08_11_Schneider Andy_0025
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:44:44.453+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A64\\

genus, species, strain : Bacillus anthracis A64
MicrobeMS ID : 2015_08_11_Schneider Andy_0026
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:47:07.906+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A64\\

genus, species, strain : Bacillus anthracis A64
MicrobeMS ID : 2015_08_11_Schneider Andy_0027
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:50:16.515+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A64\\

genus, species, strain : Bacillus anthracis A64
MicrobeMS ID : 2015_08_11_Schneider Andy_0028
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:52:16.875+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A64\\

genus, species, strain : Bacillus anthracis A 64
MicrobeMS ID : 2006_10_04_Famulla Staemmler_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-10 13:11:54
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A64\\

genus, species, strain : Bacillus anthracis A65
MicrobeMS ID : 2015_08_11_Schneider Andy_0029
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:57:29.968+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A65\

genus, species, strain : Bacillus anthracis A65
MicrobeMS ID : 2015_08_11_Schneider Andy_0030
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T10:59:10.296+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A65\

genus, species, strain : Bacillus anthracis A65
MicrobeMS ID : 2015_08_11_Schneider Andy_0031
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T11:13:22.468+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A65\

genus, species, strain : Bacillus anthracis A65
MicrobeMS ID : 2015_08_11_Schneider Andy_0032
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T11:16:38.562+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A65\

genus, species, strain : Bacillus anthracis A 65
MicrobeMS ID : 2006_12_04_Famulla Staemmler_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-12 11:01:57
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A65\

genus, species, strain : Bacillus anthracis A66
MicrobeMS ID : 2015_08_11_Schneider Andy_0033
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T11:20:22.421+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A66\

genus, species, strain : Bacillus anthracis A66
MicrobeMS ID : 2015_08_11_Schneider Andy_0034
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T11:22:41.000+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A66\

genus, species, strain : Bacillus anthracis A66
MicrobeMS ID : 2015_08_11_Schneider Andy_0035
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T12:28:17.437+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A66\

genus, species, strain : Bacillus anthracis A66
MicrobeMS ID : 2015_08_11_Schneider Andy_0036
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T12:30:29.984+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A66\

genus, species, strain : Bacillus anthracis A 66
MicrobeMS ID : 2006_12_04_Famulla Staemmler_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-12 11:05:10
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A66\

genus, species, strain : Bacillus anthracis A67
MicrobeMS ID : 2015_08_11_Schneider Andy_0037
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T12:47:20.531+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A67\

genus, species, strain : Bacillus anthracis A67
MicrobeMS ID : 2015_08_11_Schneider Andy_0038
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T12:49:17.640+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A67\

genus, species, strain : Bacillus anthracis A67
MicrobeMS ID : 2015_08_11_Schneider Andy_0039
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T12:52:30.625+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A67\

genus, species, strain : Bacillus anthracis A67
MicrobeMS ID : 2015_08_11_Schneider Andy_0040
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-11T12:56:00.656+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A67\

genus, species, strain : Bacillus anthracis A 67
MicrobeMS ID : 2006_12_04_Famulla Staemmler_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-12 11:09:08
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A67\\

genus, species, strain : Bacillus anthracis A68
MicrobeMS ID : 2015_08_13_Schneider Andy_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T09:23:46.890+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A68\\

genus, species, strain : Bacillus anthracis A68
MicrobeMS ID : 2015_08_13_Schneider Andy_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T09:26:08.359+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A68\\

genus, species, strain : Bacillus anthracis A68
MicrobeMS ID : 2015_08_13_Schneider Andy_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T09:29:12.796+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A68\\

genus, species, strain : Bacillus anthracis A68
MicrobeMS ID : 2015_08_13_Schneider Andy_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T09:31:57.125+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A68\\

genus, species, strain : Bacillus anthracis A 68
MicrobeMS ID : 2006_12_04_Famulla Staemmler_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-12 11:17:54
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A68\\

genus, species, strain : Bacillus anthracis A69
MicrobeMS ID : 2015_08_13_Schneider Andy_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl

extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T09:39:20.765+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A69\

genus, species, strain : Bacillus anthracis A69
MicrobeMS ID : 2015_08_13_Schneider Andy_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T09:41:20.078+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A69\

genus, species, strain : Bacillus anthracis A69
MicrobeMS ID : 2015_08_13_Schneider Andy_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T09:43:11.875+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A69\

genus, species, strain : Bacillus anthracis A69
MicrobeMS ID : 2015_08_13_Schneider Andy_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T09:45:15.796+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A69\

genus, species, strain : Bacillus anthracis A 69
MicrobeMS ID : 2006_12_04_Famulla Staemmler_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-12 11:24:55
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A69\

genus, species, strain : Bacillus anthracis A7
MicrobeMS ID : 2015_05_19_Schneider Andy_0021
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:21:39.921+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A7\

genus, species, strain : Bacillus anthracis A7
MicrobeMS ID : 2015_05_19_Schneider Andy_0022
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:23:55.015+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A7\

genus, species, strain : Bacillus anthracis A7
MicrobeMS ID : 2015_05_19_Schneider Andy_0023
NCBI tax ID's : 1392 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:26:12.875+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A7\

genus, species, strain : Bacillus anthracis A7
MicrobeMS ID : 2015_05_19_Schneider Andy_0024
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:28:30.750+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A7\

genus, species, strain : Bacillus anthracis A 7
MicrobeMS ID : 2006_03_04_Famulla Staemmler_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-03 14:30:47
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A7\

genus, species, strain : Bacillus anthracis A70
MicrobeMS ID : 2015_08_13_Schneider Andy_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T09:49:23.515+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A70\

genus, species, strain : Bacillus anthracis A70
MicrobeMS ID : 2015_08_13_Schneider Andy_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T09:51:16.015+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A70\

genus, species, strain : Bacillus anthracis A70
MicrobeMS ID : 2015_08_13_Schneider Andy_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T09:53:56.031+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A70\

genus, species, strain : Bacillus anthracis A70
MicrobeMS ID : 2015_08_13_Schneider Andy_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-08-13T09:55:59.531+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A70\

genus, species, strain : Bacillus anthracis A 70
MicrobeMS ID : 2006_12_04_Famulla Staemmler_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-12 11:28:55
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A70\

genus, species, strain : Bacillus anthracis A71
MicrobeMS ID : 2015_08_13_Schneider Andy_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T10:00:58.390+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A71\

genus, species, strain : Bacillus anthracis A71
MicrobeMS ID : 2015_08_13_Schneider Andy_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T10:12:39.046+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A71\

genus, species, strain : Bacillus anthracis A71
MicrobeMS ID : 2015_08_13_Schneider Andy_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T10:15:45.765+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A71\

genus, species, strain : Bacillus anthracis A71
MicrobeMS ID : 2015_08_13_Schneider Andy_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T10:19:25.890+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A71\

genus, species, strain : Bacillus anthracis A 71
MicrobeMS ID : 2006_12_04_Famulla Staemmler_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-12 11:48:23
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A71\

genus, species, strain : Bacillus anthracis A72
MicrobeMS ID : 2015_08_13_Schneider Andy_0017
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T10:24:04.078+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A72\

genus, species, strain : Bacillus anthracis A72
MicrobeMS ID : 2015_08_13_Schneider Andy_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T10:26:05.078+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A72\

genus, species, strain : Bacillus anthracis A72
MicrobeMS ID : 2015_08_13_Schneider Andy_0019
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T10:28:29.718+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A72\

genus, species, strain : Bacillus anthracis A72
MicrobeMS ID : 2015_08_13_Schneider Andy_0020
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T10:31:55.562+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A72\

genus, species, strain : Bacillus anthracis A 72
MicrobeMS ID : 2006_12_04_Famulla Staemmler_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-12 11:51:45
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A72\

genus, species, strain : Bacillus anthracis A73
MicrobeMS ID : 2015_08_13_Schneider Andy_0021
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T10:35:14.437+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A73\

genus, species, strain : Bacillus anthracis A73
MicrobeMS ID : 2015_08_13_Schneider Andy_0022
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T10:37:14.796+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A73\

genus, species, strain : Bacillus anthracis A73

MicrobeMS ID : 2015_08_13_Schneider Andy_0023
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T10:39:04.515+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A73\

genus, species, strain : Bacillus anthracis A73
MicrobeMS ID : 2015_08_13_Schneider Andy_0024
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T10:41:18.281+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A73\

genus, species, strain : Bacillus anthracis A 73
MicrobeMS ID : 2006_12_04_Famulla Staemmler_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-12 11:55:07
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A73\

genus, species, strain : Bacillus anthracis A74
MicrobeMS ID : 2015_08_13_Schneider Andy_0025
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T10:47:14.734+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A74\

genus, species, strain : Bacillus anthracis A74
MicrobeMS ID : 2015_08_13_Schneider Andy_0026
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T10:55:14.625+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A74\

genus, species, strain : Bacillus anthracis A74
MicrobeMS ID : 2015_08_13_Schneider Andy_0027
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T10:58:17.859+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A74\

genus, species, strain : Bacillus anthracis A74
MicrobeMS ID : 2015_08_13_Schneider Andy_0028
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T11:00:45.156+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A74\

genus, species, strain : Bacillus anthracis A 74
MicrobeMS ID : 2006_12_04_Famulla Staemmler_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-12 12:03:50
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A74\

genus, species, strain : Bacillus anthracis A8
MicrobeMS ID : 2015_05_19_Schneider Andy_0025
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:33:15.781+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A8\

genus, species, strain : Bacillus anthracis A8
MicrobeMS ID : 2015_05_19_Schneider Andy_0026
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:35:29.375+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A8\

genus, species, strain : Bacillus anthracis A8
MicrobeMS ID : 2015_05_19_Schneider Andy_0027
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:37:28.156+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A8\

genus, species, strain : Bacillus anthracis A8
MicrobeMS ID : 2015_05_19_Schneider Andy_0028
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:39:48.062+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A8\

genus, species, strain : Bacillus anthracis A 8
MicrobeMS ID : 2006_03_04_Famulla Staemmler_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-03 14:34:09
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A8\

genus, species, strain : Bacillus anthracis A80
MicrobeMS ID : 2015_08_13_Schneider Andy_0029
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T11:05:02.468+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A80\

genus, species, strain : Bacillus anthracis A80
MicrobeMS ID : 2015_08_13_Schneider Andy_0030
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T11:07:00.968+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A80\

genus, species, strain : Bacillus anthracis A80
MicrobeMS ID : 2015_08_13_Schneider Andy_0031
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T11:09:04.671+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A80\

genus, species, strain : Bacillus anthracis A80
MicrobeMS ID : 2015_08_13_Schneider Andy_0032
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T11:11:16.953+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A80\

genus, species, strain : Bacillus anthracis A 80
MicrobeMS ID : 2006_12_04_Famulla Staemmler_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-12 12:07:26
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A80\

genus, species, strain : Bacillus anthracis A81
MicrobeMS ID : 2015_08_13_Schneider Andy_0033
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T11:17:00.765+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A81\

genus, species, strain : Bacillus anthracis A81
MicrobeMS ID : 2015_08_13_Schneider Andy_0034
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T12:35:49.859+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A81\

genus, species, strain : Bacillus anthracis A81
MicrobeMS ID : 2015_08_13_Schneider Andy_0035
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T12:41:15.609+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A81\

genus, species, strain : Bacillus anthracis A81
MicrobeMS ID : 2015_08_13_Schneider Andy_0036
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T12:44:48.500+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A81\

genus, species, strain : Bacillus anthracis A 81
MicrobeMS ID : 2006_12_04_Famulla Staemmler_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-12 12:10:07
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A81\

genus, species, strain : Bacillus anthracis A82
MicrobeMS ID : 2015_08_13_Schneider Andy_0037
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T12:48:44.796+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A82\

genus, species, strain : Bacillus anthracis A82
MicrobeMS ID : 2015_08_13_Schneider Andy_0038
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T12:50:18.078+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A82\

genus, species, strain : Bacillus anthracis A82
MicrobeMS ID : 2015_08_13_Schneider Andy_0039
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T12:52:31.843+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A82\

genus, species, strain : Bacillus anthracis A82
MicrobeMS ID : 2015_08_13_Schneider Andy_0040
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl

extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-08-13T12:55:49.578+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A82\

genus, species, strain : Bacillus anthracis A 82
MicrobeMS ID : 2006_13_04_Famulla Staemmler_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-13 11:07:20
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A82\

genus, species, strain : Bacillus anthracis A83
MicrobeMS ID : 2015_09_07_Schneider Andy_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T10:39:18.515+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A83\

genus, species, strain : Bacillus anthracis A83
MicrobeMS ID : 2015_09_07_Schneider Andy_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T10:41:50.250+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A83\

genus, species, strain : Bacillus anthracis A83
MicrobeMS ID : 01_02_2016_Julia Mitschke_0017
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T15:23:05.484+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A83\

genus, species, strain : Bacillus anthracis A83
MicrobeMS ID : 01_02_2016_Julia Mitschke_0018
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T15:27:09.515+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A83\

genus, species, strain : Bacillus anthracis A83
MicrobeMS ID : 01_02_2016_Julia Mitschke_0019
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T15:30:35.109+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A83\

genus, species, strain : Bacillus anthracis A83
MicrobeMS ID : 01_02_2016_Julia Mitschke_0020
NCBI tax ID's : 1392 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T15:35:32.859+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A83\

genus, species, strain : Bacillus anthracis A 83
MicrobeMS ID : 2006_13_04_Famulla Staemmler_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-13 11:10:48
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A83\

genus, species, strain : Bacillus anthracis A84
MicrobeMS ID : 01_02_2016_Julia Mitschke_0021
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T15:42:40.890+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A84\

genus, species, strain : Bacillus anthracis A84
MicrobeMS ID : 01_02_2016_Julia Mitschke_0022
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T15:47:08.609+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A84\

genus, species, strain : Bacillus anthracis A84
MicrobeMS ID : 01_02_2016_Julia Mitschke_0023
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T15:51:27.109+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A84\

genus, species, strain : Bacillus anthracis A84
MicrobeMS ID : 01_02_2016_Julia Mitschke_0024
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-01T15:55:02.375+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A84\

genus, species, strain : Bacillus anthracis A 84
MicrobeMS ID : 2006_13_04_Famulla Staemmler_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6

measurement date/time : 2006-04-13 11:14:46
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A84\

genus, species, strain : Bacillus anthracis A85
MicrobeMS ID : 2015_09_07_Schneider Andy_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T12:36:30.562+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A85\

genus, species, strain : Bacillus anthracis A85
MicrobeMS ID : 2015_09_07_Schneider Andy_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T12:38:31.312+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A85\

genus, species, strain : Bacillus anthracis A85
MicrobeMS ID : 2015_09_07_Schneider Andy_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T12:42:14.312+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A85\

genus, species, strain : Bacillus anthracis A85
MicrobeMS ID : 2015_09_07_Schneider Andy_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T12:49:09.656+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A85\

genus, species, strain : Bacillus anthracis A 85
MicrobeMS ID : 2006_13_04_Famulla Staemmler_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-13 11:21:32
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A85\

genus, species, strain : Bacillus anthracis A86
MicrobeMS ID : 03_02_2016_Julia Mitschke_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T09:29:32.890+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A86\

genus, species, strain : Bacillus anthracis A86
MicrobeMS ID : 03_02_2016_Julia Mitschke_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T09:34:21.781+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A86\

genus, species, strain : Bacillus anthracis A86
MicrobeMS ID : 03_02_2016_Julia Mitschke_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T09:38:06.046+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A86\

genus, species, strain : Bacillus anthracis A86
MicrobeMS ID : 03_02_2016_Julia Mitschke_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T09:42:33.593+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A86\

genus, species, strain : Bacillus anthracis A 86
MicrobeMS ID : 2006_13_04_Famulla Staemmler_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Mald
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-13 11:24:51
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A86\

genus, species, strain : Bacillus anthracis A87
MicrobeMS ID : 2015_09_07_Schneider Andy_0021
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T14:40:24.640+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A87\

genus, species, strain : Bacillus anthracis A87
MicrobeMS ID : 2015_09_07_Schneider Andy_0022
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T14:42:15.406+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A87\

genus, species, strain : Bacillus anthracis A87
MicrobeMS ID : 2015_09_07_Schneider Andy_0023
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T14:43:46.781+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A87\

genus, species, strain : Bacillus anthracis A87

MicrobeMS ID : 2015_09_07_Schneider Andy_0024
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T14:45:11.031+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A87\

genus, species, strain : Bacillus anthracis A 87
MicrobeMS ID : 2006_13_04_Famulla Staemmler_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-13 11:28:22
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A87\

genus, species, strain : Bacillus anthracis A88 blau
MicrobeMS ID : 2015_09_07_Schneider Andy_0029
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T15:00:05.687+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A88 blau\

genus, species, strain : Bacillus anthracis A88 blau
MicrobeMS ID : 2015_09_07_Schneider Andy_0030
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T15:01:58.406+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A88 blau\

genus, species, strain : Bacillus anthracis A88 blau
MicrobeMS ID : 2015_09_07_Schneider Andy_0031
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T15:03:51.140+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A88 blau\

genus, species, strain : Bacillus anthracis A88 blau
MicrobeMS ID : 2015_09_07_Schneider Andy_0032
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T15:06:00.953+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A88 blau\

genus, species, strain : Bacillus anthracis A 88 blau
MicrobeMS ID : 2006_13_04_Famulla Staemmler_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-13 11:52:11
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A88 blau\\

genus, species, strain : Bacillus anthracis A88 schwarz
MicrobeMS ID : 2015_09_07_Schneider Andy_0025
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T14:50:04.265+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A88 schwarz\\

genus, species, strain : Bacillus anthracis A88 schwarz
MicrobeMS ID : 2015_09_07_Schneider Andy_0026
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T14:52:18.890+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A88 schwarz\\

genus, species, strain : Bacillus anthracis A88 schwarz
MicrobeMS ID : 2015_09_07_Schneider Andy_0027
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T14:54:20.937+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A88 schwarz\\

genus, species, strain : Bacillus anthracis A88 schwarz
MicrobeMS ID : 2015_09_07_Schneider Andy_0028
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T14:56:23.250+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A88 schwarz\\

genus, species, strain : Bacillus anthracis A 88 schwarz
MicrobeMS ID : 2006_13_04_Famulla Staemmler_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-13 11:47:48
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A88 schwarz\\

genus, species, strain : Bacillus anthracis A89 blau
MicrobeMS ID : 2015_09_07_Schneider Andy_0037
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T15:21:47.359+02:00
path to MS file : \\Bacillus\\Bacillus anthracis\\Bacillus anthracis A89 blau\\

genus, species, strain : Bacillus anthracis A89 blau
MicrobeMS ID : 2015_09_07_Schneider Andy_0038
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T15:23:50.375+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A89 blau\

genus, species, strain : Bacillus anthracis A89 blau
MicrobeMS ID : 2015_09_07_Schneider Andy_0039
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T15:25:40.828+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A89 blau\

genus, species, strain : Bacillus anthracis A89 blau
MicrobeMS ID : 2015_09_07_Schneider Andy_0040
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-07T15:27:38.687+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A89 blau\

genus, species, strain : Bacillus anthracis A 89 blau
MicrobeMS ID : 2006_13_04_Famulla Staemmler_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-13 12:04:19
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A89 blau\

genus, species, strain : Bacillus anthracis A89 schwarz
MicrobeMS ID : 03_02_2016_Julia Mitschke_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T09:52:08.000
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A89 schwarz\

genus, species, strain : Bacillus anthracis A89 schwarz
MicrobeMS ID : 03_02_2016_Julia Mitschke_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T09:55:11.000
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A89 schwarz\

genus, species, strain : Bacillus anthracis A89 schwarz
MicrobeMS ID : 03_02_2016_Julia Mitschke_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T09:59:58.000
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A89 schwarz\

genus, species, strain : Bacillus anthracis A89 schwarz
MicrobeMS ID : 03_02_2016_Julia Mitschke_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T10:03:40.000
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A89 schwarz\

genus, species, strain : Bacillus anthracis A 89 schwarz
MicrobeMS ID : 2006_13_04_Famulla Staemmler_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-13 11:56:31
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A89 schwarz\

genus, species, strain : Bacillus anthracis A9
MicrobeMS ID : 2015_05_19_Schneider Andy_0029
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:43:46.296+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A9\

genus, species, strain : Bacillus anthracis A9
MicrobeMS ID : 2015_05_19_Schneider Andy_0030
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:46:13.187+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A9\

genus, species, strain : Bacillus anthracis A9
MicrobeMS ID : 2015_05_19_Schneider Andy_0031
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:48:27.484+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A9\

genus, species, strain : Bacillus anthracis A9
MicrobeMS ID : 2015_05_19_Schneider Andy_0032
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-19T14:50:03.781+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A9\

genus, species, strain : Bacillus anthracis A 9
MicrobeMS ID : 2006_03_04_Famulla Staemmler_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel

extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-03 14:38:29
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A9\

genus, species, strain : Bacillus anthracis A90 blau
MicrobeMS ID : 04_11_2015_Julia Mitschke_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T10:18:34.671+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A90 blau\

genus, species, strain : Bacillus anthracis A90 blau
MicrobeMS ID : 04_11_2015_Julia Mitschke_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T10:28:38.593+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A90 blau\

genus, species, strain : Bacillus anthracis A90 blau
MicrobeMS ID : 04_11_2015_Julia Mitschke_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T10:35:45.000+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A90 blau\

genus, species, strain : Bacillus anthracis A 90 blau
MicrobeMS ID : 04_11_2015_Julia Mitschke_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T10:45:15.125+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A90 blau\

genus, species, strain : Bacillus anthracis A 90 blau
MicrobeMS ID : 2006_13_04_Famulla Staemmler_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-13 12:10:58
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A90 blau\

genus, species, strain : Bacillus anthracis A90 schwarz
MicrobeMS ID : 03_02_2016_Julia Mitschke_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T10:10:41.000
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A90 schwarz\

genus, species, strain : Bacillus anthracis A90 schwarz
MicrobeMS ID : 03_02_2016_Julia Mitschke_0010
NCBI tax ID's : 1392 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T10:18:03.000
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A90 schwarz\

genus, species, strain : Bacillus anthracis A90 schwarz
MicrobeMS ID : 03_02_2016_Julia Mitschke_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T10:20:54.000
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A90 schwarz\

genus, species, strain : Bacillus anthracis A90 schwarz
MicrobeMS ID : 03_02_2016_Julia Mitschke_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-03T10:29:32.000
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A90 schwarz\

genus, species, strain : Bacillus anthracis A 90 schwarz
MicrobeMS ID : 2006_13_04_Famulla Staemmler_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-13 12:07:50
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A90 schwarz\

genus, species, strain : Bacillus anthracis A91
MicrobeMS ID : 04_11_2015_Julia Mitschke_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T11:07:43.562+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A91\

genus, species, strain : Bacillus anthracis A91
MicrobeMS ID : 04_11_2015_Julia Mitschke_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T11:13:13.343+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A91\

genus, species, strain : Bacillus anthracis A91
MicrobeMS ID : 04_11_2015_Julia Mitschke_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-11-04T12:30:57.078+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A91\

genus, species, strain : Bacillus anthracis A91
MicrobeMS ID : 04_11_2015_Julia Mitschke_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T11:00:50.125+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A91\

genus, species, strain : Bacillus anthracis A 91
MicrobeMS ID : 2006_24_04_Famulla Staemmler_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-04-24 13:28:08
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A91\

genus, species, strain : Bacillus anthracis A92
MicrobeMS ID : 04_11_2015_Julia Mitschke_0009
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T12:45:05.453+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A92\

genus, species, strain : Bacillus anthracis A92
MicrobeMS ID : 04_11_2015_Julia Mitschke_0010
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T12:52:40.156+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A92\

genus, species, strain : Bacillus anthracis A92
MicrobeMS ID : 04_11_2015_Julia Mitschke_0011
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T12:58:39.515+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A92\

genus, species, strain : Bacillus anthracis A92
MicrobeMS ID : 04_11_2015_Julia Mitschke_0012
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T13:06:00.796+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A92\

genus, species, strain : Bacillus anthracis A 92
MicrobeMS ID : 2006_24_04_Famulla Staemmler_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5% CO2
growth medium : LB

sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-24 13:31:46
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A92\

genus, species, strain : Bacillus anthracis A93
MicrobeMS ID : 04_11_2015_Julia Mitschke_0013
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T13:17:56.046+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A93\

genus, species, strain : Bacillus anthracis A93
MicrobeMS ID : 04_11_2015_Julia Mitschke_0014
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T13:23:22.468+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A93\

genus, species, strain : Bacillus anthracis A93
MicrobeMS ID : 04_11_2015_Julia Mitschke_0015
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T13:28:11.234+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A93\

genus, species, strain : Bacillus anthracis A93
MicrobeMS ID : 04_11_2015_Julia Mitschke_0016
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-04T13:38:08.187+01:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A93\

genus, species, strain : Bacillus anthracis A 93
MicrobeMS ID : 2006_24_04_Famulla Staemmler_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : 5§ CO2
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-04-24 13:37:42
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis A93\

genus, species, strain : Bacillus anthracis AF 28
MicrobeMS ID : 2009_11_06_Maren Staemmler_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/nach Berlin geschickt, ca.1d/ eingefrohren bei -20°C, ca. 1d und dann wieder aufgetaut/
1:1 HCCATA2 (ZA)
concentration : 3-5 Oesen in 100 muel
extra info : Herkunft: Uni Hohenheim; Anzucht und Präparation Labor von Dr. Beyer-Uni Hohenheim; Präp für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-11T08:20:43.406+00:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis AF 28\

genus, species, strain : Bacillus anthracis AF 29
MicrobeMS ID : 2009_11_06_Maren Stämmeler_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/nach Berlin geschickt, ca.1d/ eingefrohren bei -20°C, ca. 1d und dann wieder aufgetaut/
1:1 HCCATA2 (ZA)
concentration : 3-5 Oesen in 100 µl
extra info : Herkunft: Uni Hohenheim; Anzucht und Präparation Labor von Dr. Beyer-Uni Hohenheim; Präp für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-11T08:23:47.390+00:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis AF 29\

genus, species, strain : Bacillus anthracis AF 31
MicrobeMS ID : 2009_11_06_Maren Stämmeler_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/nach Berlin geschickt, ca.1d/ eingefrohren bei -20°C, ca. 1d und dann wieder aufgetaut/
1:1 HCCATA2 (ZA)
concentration : 3-5 Oesen in 100 µl
extra info : Herkunft: Uni Hohenheim; Anzucht und Präparation Labor von Dr. Beyer-Uni Hohenheim; Präp für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-11T08:28:08.703+00:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis AF 31\

genus, species, strain : Bacillus anthracis AF 71
MicrobeMS ID : 2009_11_06_Maren Stämmeler_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/nach Berlin geschickt, ca.1d/ eingefrohren bei -20°C, ca. 1d und dann wieder aufgetaut/
1:1 HCCATA2 (ZA)
concentration : 3-5 Oesen in 100 µl
extra info : Herkunft: Uni Hohenheim; Anzucht und Präparation Labor von Dr. Beyer-Uni Hohenheim; Präp für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-11T08:31:22.171+00:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis AF 71\

genus, species, strain : Bacillus anthracis AF 96
MicrobeMS ID : 2009_11_06_Maren Stämmeler_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/nach Berlin geschickt, ca.1d/ eingefrohren bei -20°C, ca. 1d und dann wieder aufgetaut/
1:1 HCCATA2 (ZA)
concentration : 3-5 Oesen in 100 µl
extra info : Herkunft: Uni Hohenheim; Anzucht und Präparation Labor von Dr. Beyer-Uni Hohenheim; Präp für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-11T09:10:09.812+00:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis AF 96\

genus, species, strain : Bacillus anthracis ATCC 4229
MicrobeMS ID : 31_05_2016_Julia Mitschke_0037
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T15:51:36.890+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis ATCC 4229\

genus, species, strain : Bacillus anthracis ATCC 4229
MicrobeMS ID : 31_05_2016_Julia Mitschke_0038
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T15:54:20.609+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis ATCC 4229\

genus, species, strain : Bacillus anthracis ATCC 4229
MicrobeMS ID : 31_05_2016_Julia Mitschke_0039
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : TSA
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T15:56:24.609+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis ATCC 4229\

genus, species, strain : Bacillus anthracis ATCC 4229
MicrobeMS ID : 31_05_2016_Julia Mitschke_0040
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T15:58:18.984+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis ATCC 4229\

genus, species, strain : Bacillus anthracis ATCC4229
MicrobeMS ID : 2016_05_26_Schneider_Andy_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-26T13:39:58.812+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis ATCC 4229\

genus, species, strain : Bacillus anthracis ATCC4229
MicrobeMS ID : 2016_05_26_Schneider_Andy_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-26T13:42:04.125+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis ATCC 4229\

genus, species, strain : Bacillus anthracis SA 20
MicrobeMS ID : 2009_11_06_Maren Stämmeler_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/nach Berlin geschickt, ca.1d/ eingefrohren bei -20°C, ca. 1d und dann wieder aufgetaut/
1:1 HCCATA2 (ZA)
concentration : 3-5 Oesen in 100 µl
extra info : Herkunft: Uni Hohenheim; Anzucht und Präparation Labor von Dr. Beyer-Uni Hohenheim; Präp für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-11T09:13:38.406+00:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis SA 20\

genus, species, strain : Bacillus anthracis Sterne
MicrobeMS ID : 2015_09_21_Schneider_Andy_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T10:02:13.734+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis Sterne\

genus, species, strain : Bacillus anthracis Sterne
MicrobeMS ID : 2015_09_21_Schneider_Andy_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T10:05:48.781+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis Sterne\

genus, species, strain : Bacillus anthracis Sterne
MicrobeMS ID : 2015_10_08_Schneider Andy_0001
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-08T09:28:45.312+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis Sterne\

genus, species, strain : Bacillus anthracis Sterne
MicrobeMS ID : 2015_10_08_Schneider Andy_0002
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-08T09:35:29.484+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis Sterne\

genus, species, strain : Bacillus anthracis Wirt
MicrobeMS ID : 2015_09_21_Schneider Andy_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T10:20:38.734+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis Wirt\

genus, species, strain : Bacillus anthracis Wirt
MicrobeMS ID : 2015_09_21_Schneider Andy_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T10:24:29.718+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis Wirt\

genus, species, strain : Bacillus anthracis Wirt
MicrobeMS ID : 2015_10_08_Schneider Andy_0005
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-08T09:50:04.984+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis Wirt\

genus, species, strain : Bacillus anthracis Wirt
MicrobeMS ID : 2015_10_08_Schneider Andy_0006
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-08T09:52:22.828+02:00
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis Wirt\

genus, species, strain : Bacillus anthracis vollum
MicrobeMS ID : 2007_06_03_Maren Stämmeler_0003
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : mikroaerophil
growth medium : Bicarbonat
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 µl

extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 05.03.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-06 10:48:44
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis vollum\

genus, species, strain : Bacillus anthracis vollum
MicrobeMS ID : 2007_06_03_Maren Stämmeler_0004
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : mikroaerophil
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 muel

extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 05.03.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-06 10:52:10
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis vollum\

genus, species, strain : Bacillus anthracis vollum
MicrobeMS ID : 2007_06_03_Maren Stämmeler_0007
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Bicarbonat

sample treatment : in 80% TFA/ 1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 muel

extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 05.03.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-06 13:00:46
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis vollum\

genus, species, strain : Bacillus anthracis vollum
MicrobeMS ID : 2007_06_03_Maren Stämmeler_0008
NCBI tax ID's : 1392 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA/ 1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 muel

extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 05.03.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-06 13:03:40
path to MS file : \Bacillus\Bacillus anthracis\Bacillus anthracis vollum\

Bacillus atrophaeus

genus, species, strain : Bacillus atrophaeus B4
MicrobeMS ID : 2014_12_01_Andy Schneider_0015
NCBI tax ID's : 1452 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:04:03.687+01:00
path to MS file : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus B4\

genus, species, strain : Bacillus atrophaeus B4
MicrobeMS ID : 2014_12_01_Andy Schneider_0013
NCBI tax ID's : 1452 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:01:04.468+01:00
path to MS file : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus B4\

genus, species, strain : Bacillus atrophaeus B4
MicrobeMS ID : 2014_12_01_Andy Schneider_0016
NCBI tax ID's : 1452 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:05:30.640+01:00
path to MS file : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus B4\

genus, species, strain : Bacillus atrophaeus B4
MicrobeMS ID : 2014_12_01_Andy_Schneider_0014
NCBI tax ID's : 1452 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:02:34.578+01:00
path to MS file : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus B4\

genus, species, strain : Bacillus atrophaeus B 4
MicrobeMS ID : 2006_11_08_Famulla_Staemmler_0006
NCBI tax ID's : 1452 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünn/nach Berlin geschickt, ca.1d/ eingefrohren bei -20°C, ca. 1d und dann wieder aufgetaut/
1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 µl
extra info : Herkunft: Uni Hohenheim; Anzucht und Präparation Labor von Dr. Beyer-Uni Hohenheim; Präp für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11T10:44:44.000
path to MS file : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus B4\

genus, species, strain : Bacillus atrophaeus B93
MicrobeMS ID : 2015_03_13_Schneider_Andy_0001
NCBI tax ID's : 1452 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-13T09:28:42.000
path to MS file : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus B93\

genus, species, strain : Bacillus atrophaeus B93
MicrobeMS ID : 2015_03_13_Schneider_Andy_0002
NCBI tax ID's : 1452 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-13T09:32:58.000
path to MS file : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus B93\

genus, species, strain : Bacillus atrophaeus B93
MicrobeMS ID : 2015_03_13_Schneider_Andy_0003
NCBI tax ID's : 1452 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-13T09:35:18.000
path to MS file : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus B93\

genus, species, strain : Bacillus atrophaeus B93
MicrobeMS ID : 2015_03_13_Schneider_Andy_0004
NCBI tax ID's : 1452 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-13T09:38:07.000
path to MS file : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus B93\

genus, species, strain : Bacillus atrophaeus B 93
MicrobeMS ID : 2006_15_08_Famulla_Staemmler_0003
NCBI tax ID's : 1452 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünn/nach Berlin geschickt, ca.1d/ eingefrohren bei -20°C, ca. 1d und dann wieder aufgetaut/
1:1 HCCATA2 (ZA)

concentration : 3 Oesen in 100 muel
extra info : Herkunft: Uni Hohenheim; Anzucht und Präparation Labor von Dr. Beyer-Uni Hohenheim; Präp für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-15T10:53:32.000
path to MS file : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus B93\

genus, species, strain : Bacillus atrophaeus DSM 2277
MicrobeMS ID : 2007_13_04_Maren Stämmeler_0012
NCBI tax ID's : 1452 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 13.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-13 11:04:38
path to MS file : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 2277\

genus, species, strain : Bacillus atrophaeus DSM 2277
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0011
NCBI tax ID's : 1452 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 03.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 09:04:52
path to MS file : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 2277\

genus, species, strain : Bacillus atrophaeus DSM 675
MicrobeMS ID : 2007_13_04_Maren Stämmeler_0011
NCBI tax ID's : 1452 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 13.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-13 11:01:45
path to MS file : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 675\

genus, species, strain : Bacillus atrophaeus DSM 675
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0010
NCBI tax ID's : 1452 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 03.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 08:57:55
path to MS file : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 675\

genus, species, strain : Bacillus atrophaeus DSM7264
MicrobeMS ID : 2017_11_28_Jaehne_Jennifer_0013
NCBI tax ID's : 1452 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-28T13:38:52.984+01:00
path to MS file : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 7264\

genus, species, strain : Bacillus atrophaeus DSM7264
MicrobeMS ID : 2017_11_28_Jaehne_Jennifer_0014
NCBI tax ID's : 1452 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-28T13:42:20.671+01:00

```
path to MS file      : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 7264\  
genus, species, strain : Bacillus atrophaeus DSM7264  
MicrobeMS ID        : 2017_11_28_Jaehne_Jennifer_0015  
NCBI tax ID's       : 1452 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : LB  
sample treatment    : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration        : 3 Oesen in 100µl  
extra info          : Stämme von der DSMZ  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2017-11-28T13:45:50.296+01:00  
path to MS file      : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 7264\  
  
genus, species, strain : Bacillus atrophaeus DSM7264  
MicrobeMS ID        : 2017_11_28_Jaehne_Jennifer_0016  
NCBI tax ID's       : 1452 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : LB  
sample treatment    : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration        : 3 Oesen in 100µl  
extra info          : Stämme von der DSMZ  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2017-11-28T13:49:00.781+01:00  
path to MS file      : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 7264\  
  
genus, species, strain : Bacillus atrophaeus DSM7264  
MicrobeMS ID        : 2017_12_15_Jaehne_Jennifer_0013  
NCBI tax ID's       : 1452 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : LB  
sample treatment    : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration        : 3 Oesen in 100µl  
extra info          : Stämme von der DSMZ  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2017-12-15T11:35:47.125+01:00  
path to MS file      : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 7264\  
  
genus, species, strain : Bacillus atrophaeus DSM7264  
MicrobeMS ID        : 2017_12_15_Jaehne_Jennifer_0014  
NCBI tax ID's       : 1452 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : LB  
sample treatment    : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration        : 3 Oesen in 100µl  
extra info          : Stämme von der DSMZ  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2017-12-15T11:40:59.062+01:00  
path to MS file      : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 7264\  
  
genus, species, strain : Bacillus atrophaeus DSM7264  
MicrobeMS ID        : 2017_12_15_Jaehne_Jennifer_0015  
NCBI tax ID's       : 1452 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : LB  
sample treatment    : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration        : 3 Oesen in 100µl  
extra info          : Stämme von der DSMZ  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2017-12-15T11:44:22.625+01:00  
path to MS file      : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 7264\  
  
genus, species, strain : Bacillus atrophaeus DSM7264  
MicrobeMS ID        : 2017_12_15_Jaehne_Jennifer_0016  
NCBI tax ID's       : 1452 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : LB  
sample treatment    : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration        : 3 Oesen in 100µl  
extra info          : Stämme von der DSMZ  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2017-12-15T11:47:28.375+01:00  
path to MS file      : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 7264\  
  
genus, species, strain : Bacillus atrophaeus DSM7264  
MicrobeMS ID        : 2018_05_28_Schneider_Andy_0013  
NCBI tax ID's       : 1452 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : LB  
sample treatment    : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
```

```
concentration      : 3 Oesen in 100µl
extra info        : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2018-05-28T10:29:18.843+02:00
path to MS file   : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 7264\

genus, species, strain : Bacillus atrophaeus DSM7264
MicrobMS ID          : 2018_05_28_Schneider_Andy_0014
NCBI tax ID's       : 1452 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration      : 3 Oesen in 100µl
extra info        : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2018-05-28T10:31:05.031+02:00
path to MS file   : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 7264\

genus, species, strain : Bacillus atrophaeus DSM7264
MicrobMS ID          : 2018_05_28_Schneider_Andy_0015
NCBI tax ID's       : 1452 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration      : 3 Oesen in 100µl
extra info        : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2018-05-28T10:33:18.687+02:00
path to MS file   : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 7264\

genus, species, strain : Bacillus atrophaeus DSM7264
MicrobMS ID          : 2018_05_28_Schneider_Andy_0016
NCBI tax ID's       : 1452 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration      : 3 Oesen in 100µl
extra info        : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2018-05-28T10:36:12.640+02:00
path to MS file   : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus DSM 7264\

genus, species, strain : Bacillus atrophaeus WIS-St. Nr. 39 ATCC 9372
MicrobMS ID          : 2007_15_01_Maren Stämmeler_0002
NCBI tax ID's       : 1452 -
growth time         :
growth temperature  :
growth conditions   :
growth medium       :
sample treatment    : in 80% TFA/ 1:1 HCCATA2 (A)
concentration      : 3 Oesen in 100 µel
extra info        : Anzucht und Verdünnung der Proben bei WIS / Ankunft:20.12.2005/Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer          : RKI ZBS6
measurement date/time : 2007-01-15 11:10:37
path to MS file   : \Bacillus\Bacillus atrophaeus\Bacillus atrophaeus WIS-St. Nr. 39 ATCC 9372\
```

Bacillus badius

```
genus, species, strain : Bacillus badius B44
MicrobMS ID          : 2014_12_10_Andy Schneider_0033
NCBI tax ID's       : 1455 -
growth time         : 1 Day
growth temperature  : 37Grad Celsius
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration      : 3 Oesen in 100 µel
extra info        : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2014-12-10T14:05:58.093+01:00
path to MS file   : \Bacillus\Bacillus badius\Bacillus badius B44\

genus, species, strain : Bacillus badius B44
MicrobMS ID          : 2014_12_10_Andy Schneider_0035
NCBI tax ID's       : 1455 -
growth time         : 1 Day
growth temperature  : 37Grad Celsius
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration      : 3 Oesen in 100 µel
extra info        : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2014-12-10T14:10:01.843+01:00
path to MS file   : \Bacillus\Bacillus badius\Bacillus badius B44\
```

genus, species, strain : Bacillus badius B44
MicrobeMS ID : 2014_12_10_Andy_Schneider_0034
NCBI tax ID's : 1455 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-10T14:07:46.750+01:00
path to MS file : \Bacillus\Bacillus badius\Bacillus badius B44\

genus, species, strain : Bacillus badius B44
MicrobeMS ID : 2014_12_10_Andy_Schneider_0036
NCBI tax ID's : 1455 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-10T14:12:02.187+01:00
path to MS file : \Bacillus\Bacillus badius\Bacillus badius B44\

genus, species, strain : Bacillus badius B 44
MicrobeMS ID : 2006_14_08_Famulla_Staemmler_0007
NCBI tax ID's : 1455 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-14 10:50:42
path to MS file : \Bacillus\Bacillus badius\Bacillus badius B44\

Bacillus bataviensis

genus, species, strain : Bacillus bataviensis DSM 15601
MicrobeMS ID : 2015_02_13_Andy_Schneider_0017
NCBI tax ID's : 220685 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T13:11:05.421+01:00
path to MS file : \Bacillus\Bacillus bataviensis\Bacillus bataviensis DSM 15601\

genus, species, strain : Bacillus bataviensis DSM 15601
MicrobeMS ID : 2015_02_13_Andy_Schneider_0019
NCBI tax ID's : 220685 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T13:15:52.359+01:00
path to MS file : \Bacillus\Bacillus bataviensis\Bacillus bataviensis DSM 15601\

genus, species, strain : Bacillus bataviensis DSM 15601
MicrobeMS ID : 2015_02_13_Andy_Schneider_0018
NCBI tax ID's : 220685 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T13:12:56.265+01:00
path to MS file : \Bacillus\Bacillus bataviensis\Bacillus bataviensis DSM 15601\

genus, species, strain : Bacillus bataviensis DSM 15601
MicrobeMS ID : 2015_02_13_Andy_Schneider_0020
NCBI tax ID's : 220685 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob


```
growth medium : LB
sample treatment : in 80$ TFA/1:10 verduennt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T13:17:58.953+01:00
path to MS file : \Bacillus\Bacillus bataviensis DSM 15601\

genus, species, strain : Bacillus bataviensis DSM 15601
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0017
NCBI tax ID's : 220685 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T10:26:36.937+01:00
path to MS file : \Bacillus\Bacillus bataviensis DSM 15601\

genus, species, strain : Bacillus bataviensis DSM 15601
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0018
NCBI tax ID's : 220685 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T10:29:07.234+01:00
path to MS file : \Bacillus\Bacillus bataviensis DSM 15601\

genus, species, strain : Bacillus bataviensis DSM 15601
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0019
NCBI tax ID's : 220685 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T10:31:50.796+01:00
path to MS file : \Bacillus\Bacillus bataviensis DSM 15601\

genus, species, strain : Bacillus bataviensis DSM 15601
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0020
NCBI tax ID's : 220685 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T10:35:18.703+01:00
path to MS file : \Bacillus\Bacillus bataviensis DSM 15601\

genus, species, strain : Bacillus bataviensis DSM 15601
MicrobeMS ID : 2015_02_19_Andy Schneider_0017
NCBI tax ID's : 220685 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80$ TFA/1:10 verduennt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T09:16:44.718+01:00
path to MS file : \Bacillus\Bacillus bataviensis DSM 15601\

genus, species, strain : Bacillus bataviensis DSM 15601
MicrobeMS ID : 2015_02_19_Andy Schneider_0018
NCBI tax ID's : 220685 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80$ TFA/1:10 verduennt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T09:18:47.984+01:00
path to MS file : \Bacillus\Bacillus bataviensis DSM 15601\
```

genus, species, strain : Bacillus bataviensis DSM 15601
MicrobeMS ID : 2015_02_19_Andy Schneider_0019
NCBI tax ID's : 220685 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdunnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T09:21:13.640+01:00
path to MS file : \Bacillus\Bacillus bataviensis\Bacillus bataviensis DSM 15601\

genus, species, strain : Bacillus bataviensis DSM 15601
MicrobeMS ID : 2015_02_19_Andy Schneider_0020
NCBI tax ID's : 220685 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdunnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T09:23:14.140+01:00
path to MS file : \Bacillus\Bacillus bataviensis\Bacillus bataviensis DSM 15601\

Bacillus cereus

genus, species, strain : Bacillus cereus ATCC 10987
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0003
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl
extra info : RKI-Stamm/ Anzucht und Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 09:18:19
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus ATCC 10987\

genus, species, strain : Bacillus cereus ATCC 10987
MicrobeMS ID : 2007_12_04_Maren Stämmeler_0013
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 12.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-12 14:42:48
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus ATCC 10987\

genus, species, strain : Bacillus cereus ATCC 10987
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0004
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 03.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 08:22:55
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus ATCC 10987\

genus, species, strain : Bacillus cereus ATCC 10987
MicrobeMS ID : 2015_09_21_Schneider Andy_0041
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T15:21:41.234+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus ATCC 10987\

genus, species, strain : Bacillus cereus ATCC 10987
MicrobeMS ID : 2015_09_21_Schneider Andy_0042
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T15:25:29.421+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus ATCC 10987\

genus, species, strain : Bacillus cereus ATCC 10987
MicrobeMS ID : 23_10_2015_Julia Mitschke_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : 80% TFA 30 Minuten, 1:10 Verdünnt in H2O, Matrix HCCA:TA2 (12g/l)
concentration : 2-4 Oesen in 100µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-23T09:36:20.109+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus ATCC 10987\

genus, species, strain : Bacillus cereus ATCC 10987
MicrobeMS ID : 23_10_2015_Julia Mitschke_0008
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : 80% TFA 30 Minuten, 1:10 Verdünnt in H2O, Matrix HCCA:TA2 (12g/l)
concentration : 2-4 Oesen in 100µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-23T09:41:47.796+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus ATCC 10987\

genus, species, strain : Bacillus cereus 1 Paciflor
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0012
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Stamm von Dr. Reisbrot/ Anzucht und Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 10:06:21
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus 1 Paciflor\

genus, species, strain : Bacillus cereus 10 Paciflor
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Stamm von Dr. Reisbrot/ Anzucht und Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 10:34:26
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus 10 Paciflor\

genus, species, strain : Bacillus cereus 111 Paciflor
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0020
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Stamm von Dr. Reisbrot/ Anzucht und Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 10:56:51
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus 111 Paciflor\

genus, species, strain : Bacillus cereus 14 Toyocerin
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0023
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Stamm von Dr. Reisbrot/ Anzucht und Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 11:10:39
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus 14 Toyocerin\

genus, species, strain : Bacillus cereus 16 Toyocerin
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0024
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Stamm von Dr. Reisbrot/ Anzucht und Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 11:14:13
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus 16 Toyocerin\

genus, species, strain : Bacillus cereus 19 Toyocerin
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0026
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Stamm von Dr. Reisbrot/ Anzucht und Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 11:45:26
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus 19 Toyocerin\

genus, species, strain : Bacillus cereus 23 Toyocerin
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0027
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Stamm von Dr. Reisbrot/ Anzucht und Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 11:51:51
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus 23 Toyocerin\

genus, species, strain : Bacillus cereus 301101RA0432
MicrobeMS ID : 2007_12_04_Maren Staemmler_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 12.04.2007; Praeparation fuer Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-12 13:48:45
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus 301101RA0432\

genus, species, strain : Bacillus cereus 301101RA0432
MicrobeMS ID : 2007_23_04_Maren Staemmler_0009
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 23.04.2007; Praeparation fuer Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-23 10:58:49
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus 301101RA0432\

genus, species, strain : Bacillus cereus 43 Paciflor
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0018
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Stamm von Dr. Reisbrot/ Anzucht und Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 10:43:05
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus 43 Paciflor\

genus, species, strain : Bacillus cereus 5 Toyocerin
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0014
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Stamm von Dr. Reisbrot/ Anzucht und Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 10:25:40
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus 5 Toyocerin\

genus, species, strain : Bacillus cereus 8 Toyocerin
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Stamm von Dr. Reisbrot/ Anzucht und Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 10:30:54
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus 8 Toyocerin\

genus, species, strain : Bacillus cereus 9 Toyocerin
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0022
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Stamm von Dr. Reisbrot/ Anzucht und Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 11:02:50
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus 9 Toyocerin\

genus, species, strain : Bacillus cereus 92 Paciflor
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0019
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Stamm von Dr. Reisbrot/ Anzucht und Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 10:52:24
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus 92 Paciflor\

genus, species, strain : Bacillus cereus ATCC 11778
MicrobeMS ID : 2007_03_05_Maren Staemmler_0006
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 03.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation fuer Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 08:31:41
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus ATCC 11778\

genus, species, strain : Bacillus cereus ATCC 14579
MicrobeMS ID : 2007_03_05_Maren Staemmler_0005
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 03.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation fuer Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 08:28:20
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus ATCC 14579\

genus, species, strain : Bacillus cereus B10
MicrobeMS ID : 2014_12_01_Andy Schneider_0029
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:33:28.078+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B10\

genus, species, strain : Bacillus cereus B10
MicrobeMS ID : 2014_12_01_Andy Schneider_0031
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:37:43.859+01:00
path to MS file : \\Bacillus\Bacillus cereus\Bacillus cereus B10\

genus, species, strain : Bacillus cereus B10
MicrobeMS ID : 2014_12_01_Andy Schneider_0030
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:35:26.500+01:00
path to MS file : \\Bacillus\Bacillus cereus\Bacillus cereus B10\

genus, species, strain : Bacillus cereus B19
MicrobeMS ID : 2014_12_01_Andy Schneider_0032
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:39:46.906+01:00
path to MS file : \\Bacillus\Bacillus cereus\Bacillus cereus B10\

genus, species, strain : Bacillus cereus B 10
MicrobeMS ID : 2006_11_08_Famulla Staemmler_0011
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 11:13:54
path to MS file : \\Bacillus\Bacillus cereus\Bacillus cereus B10\

genus, species, strain : Bacillus cereus B108
MicrobeMS ID : 2015_03_13_Schneider Andy_0029
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-13T11:11:28.203+01:00
path to MS file : \\Bacillus\Bacillus cereus\Bacillus cereus B108\

genus, species, strain : Bacillus cereus B108
MicrobeMS ID : 2015_03_13_Schneider Andy_0030
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-13T11:14:31.359+01:00
path to MS file : \\Bacillus\Bacillus cereus\Bacillus cereus B108\

genus, species, strain : Bacillus cereus B108
MicrobeMS ID : 2015_03_13_Schneider Andy_0031
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl

extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-13T11:18:10.531+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B108\

genus, species, strain : Bacillus cereus B108
MicrobeMS ID : 2015_03_13_Schneider Andy_0032
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-13T11:25:54.687+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B108\

genus, species, strain : Bacillus cereus B 108
MicrobeMS ID : 2006_15_08_Famulla Staemmler_0012
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-15 11:41:33
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B108\

genus, species, strain : Bacillus cereus B109
MicrobeMS ID : 2015_03_13_Schneider Andy_0033
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-13T12:56:49.500+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B109\

genus, species, strain : Bacillus cereus B109
MicrobeMS ID : 2015_03_13_Schneider Andy_0034
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-13T12:59:06.984+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B109\

genus, species, strain : Bacillus cereus B109
MicrobeMS ID : 2015_03_13_Schneider Andy_0035
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-13T13:01:42.718+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B109\

genus, species, strain : Bacillus cereus B109
MicrobeMS ID : 2015_03_13_Schneider Andy_0036
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-13T13:03:59.609+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B109\

genus, species, strain : Bacillus cereus B 109
MicrobeMS ID : 2006_15_08_Famulla Staemmler_0014
NCBI tax ID's : 1396 -

growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-15 11:52:54
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B109\

genus, species, strain : Bacillus cereus B110
MicrobeMS ID : 2015_03_13_Schneider Andy_0037
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-13T13:08:56.593+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B110\

genus, species, strain : Bacillus cereus B110
MicrobeMS ID : 2015_03_13_Schneider Andy_0038
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-13T13:11:36.156+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B110\

genus, species, strain : Bacillus cereus B110
MicrobeMS ID : 2015_03_13_Schneider Andy_0039
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-13T13:14:30.703+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B110\

genus, species, strain : Bacillus cereus B110
MicrobeMS ID : 2015_03_13_Schneider Andy_0040
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-13T13:16:54.234+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B110\

genus, species, strain : Bacillus cereus B 110
MicrobeMS ID : 2006_15_08_Famulla Staemmler_0015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-15 11:58:10
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B110\

genus, species, strain : Bacillus cereus B146
MicrobeMS ID : 2015_03_27_Schneider Andy_0009
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-03-27T09:44:28.218+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B146\

genus, species, strain : Bacillus cereus B146
MicrobeMS ID : 2015_03_27_Schneider Andy_0010
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T09:48:26.796+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B146\

genus, species, strain : Bacillus cereus B146
MicrobeMS ID : 2015_03_27_Schneider Andy_0011
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T09:50:50.828+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B146\

genus, species, strain : Bacillus cereus B146
MicrobeMS ID : 2015_03_27_Schneider Andy_0012
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T09:53:50.875+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B146\

genus, species, strain : Bacillus cereus B 146
MicrobeMS ID : 2006_15_08_Famulla Staemmler_0032
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-15 14:13:52
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B146\

genus, species, strain : Bacillus cereus B148
MicrobeMS ID : 2015_03_27_Schneider Andy_0017
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:12:36.281+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B148\

genus, species, strain : Bacillus cereus B148
MicrobeMS ID : 2015_03_27_Schneider Andy_0018
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:14:43.265+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B148\

genus, species, strain : Bacillus cereus B148
MicrobeMS ID : 2015_03_27_Schneider Andy_0019
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:24:06.593+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B148\

genus, species, strain : Bacillus cereus B148
MicrobeMS ID : 2015_03_27_Schneider Andy_0020
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:26:50.140+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B148\

genus, species, strain : Bacillus cereus B 148
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0003
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 12:28:28
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B148\

genus, species, strain : Bacillus cereus B16
MicrobeMS ID : 2014_12_02_Andy Schneider_0005
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:22:38.093+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B16\

genus, species, strain : Bacillus cereus B16
MicrobeMS ID : 2014_12_02_Andy Schneider_0007
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:26:54.078+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B16\

genus, species, strain : Bacillus cereus B16
MicrobeMS ID : 2014_12_02_Andy Schneider_0006
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:24:55.453+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B16\

genus, species, strain : Bacillus cereus B16
MicrobeMS ID : 2014_12_02_Andy Schneider_0008
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:28:53.671+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B16\

genus, species, strain : Bacillus cereus B 16

MicrobeMS ID : 2006_11_08_Famulla Staemmler_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 11:34:44
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B16\

genus, species, strain : Bacillus cereus B169
MicrobeMS ID : 2015_03_30_Schneider Andy_013
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T11:22:14.500+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B169\

genus, species, strain : Bacillus cereus B169
MicrobeMS ID : 2015_03_30_Schneider Andy_014
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T11:24:24.406+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B169\

genus, species, strain : Bacillus cereus B169
MicrobeMS ID : 2015_03_30_Schneider Andy_015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T11:26:44.406+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B169\

genus, species, strain : Bacillus cereus B169
MicrobeMS ID : 2015_03_30_Schneider Andy_016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T11:28:53.093+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B169\

genus, species, strain : Bacillus cereus B 169
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 14:21:21
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B169\

genus, species, strain : Bacillus cereus B170
MicrobeMS ID : 2015_03_30_Schneider Andy_017
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T11:33:18.828+02:00
path to MS file : \\Bacillus\\Bacillus cereus\\Bacillus cereus B170\\

genus, species, strain : Bacillus cereus B170
MicrobeMS ID : 2015_03_30_Schneider Andy_018
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T11:35:22.406+02:00
path to MS file : \\Bacillus\\Bacillus cereus\\Bacillus cereus B170\\

genus, species, strain : Bacillus cereus B170
MicrobeMS ID : 2015_03_30_Schneider Andy_019
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T11:37:19.046+02:00
path to MS file : \\Bacillus\\Bacillus cereus\\Bacillus cereus B170\\

genus, species, strain : Bacillus cereus B170
MicrobeMS ID : 2015_03_30_Schneider Andy_020
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T11:39:11.140+02:00
path to MS file : \\Bacillus\\Bacillus cereus\\Bacillus cereus B170\\

genus, species, strain : Bacillus cereus B 170
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0018
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 14:30:22
path to MS file : \\Bacillus\\Bacillus cereus\\Bacillus cereus B170\\

genus, species, strain : Bacillus cereus B181
MicrobeMS ID : 2015_03_30_Schneider Andy_037
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T13:40:15.031+02:00
path to MS file : \\Bacillus\\Bacillus cereus\\Bacillus cereus B181\\

genus, species, strain : Bacillus cereus B181
MicrobeMS ID : 2015_03_30_Schneider Andy_038
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T13:42:35.687+02:00
path to MS file : \\Bacillus\\Bacillus cereus\\Bacillus cereus B181\\

genus, species, strain : Bacillus cereus B181
MicrobeMS ID : 2015_03_30_Schneider Andy_039
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T13:47:49.531+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B181\

genus, species, strain : Bacillus cereus B181
MicrobeMS ID : 2015_03_30_Schneider Andy_040
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T13:50:58.484+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B181\

genus, species, strain : Bacillus cereus B 181
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0024
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 14:54:53
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B181\

genus, species, strain : Bacillus cereus B185
MicrobeMS ID : 2015_04_07_Schneider Andy_0001
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T12:53:29.859+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B185\

genus, species, strain : Bacillus cereus B185
MicrobeMS ID : 2015_04_07_Schneider Andy_0002
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T12:56:02.546+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B185\

genus, species, strain : Bacillus cereus B185
MicrobeMS ID : 2015_04_07_Schneider Andy_0003
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T12:57:55.953+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B185\

genus, species, strain : Bacillus cereus B185
MicrobeMS ID : 2015_04_07_Schneider Andy_0004
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T13:00:07.046+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B185\

genus, species, strain : Bacillus cereus B 185
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0026
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 15:21:16
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B185\

genus, species, strain : Bacillus cereus B186
MicrobeMS ID : 2015_04_07_Schneider Andy_0005
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald MS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T13:05:27.906+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B186\

genus, species, strain : Bacillus cereus B186
MicrobeMS ID : 2015_04_07_Schneider Andy_0006
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald MS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T13:07:51.765+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B186\

genus, species, strain : Bacillus cereus B186
MicrobeMS ID : 2015_04_07_Schneider Andy_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald MS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T13:09:58.109+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B186\

genus, species, strain : Bacillus cereus B186
MicrobeMS ID : 2015_04_07_Schneider Andy_0008
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald MS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T13:11:51.531+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B186\

genus, species, strain : Bacillus cereus B 186
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0027
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 15:24:39
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B186\

genus, species, strain : Bacillus cereus B187
MicrobeMS ID : 2015_04_07_Schneider Andy_0009
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl

extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T13:19:04.671+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B187\

genus, species, strain : Bacillus cereus B187
MicrobeMS ID : 2015_04_07_Schneider Andy_0010
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T13:21:24.546+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B187\

genus, species, strain : Bacillus cereus B187
MicrobeMS ID : 2015_04_07_Schneider Andy_0011
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T13:23:44.546+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B187\

genus, species, strain : Bacillus cereus B187
MicrobeMS ID : 2015_04_07_Schneider Andy_0012
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T13:26:57.656+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B187\

genus, species, strain : Bacillus cereus B 187
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0028
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 15:29:10
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B187\

genus, species, strain : Bacillus cereus B190
MicrobeMS ID : 2015_04_07_Schneider Andy_0017
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T14:21:24.875+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B190\

genus, species, strain : Bacillus cereus B190
MicrobeMS ID : 2015_04_07_Schneider Andy_0018
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T14:23:19.203+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B190\

genus, species, strain : Bacillus cereus B190
MicrobeMS ID : 2015_04_07_Schneider Andy_0019
NCBI tax ID's : 1396 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T14:25:19.312+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B190\

genus, species, strain : Bacillus cereus B190
MicrobeMS ID : 2015_04_07_Schneider Andy_0020
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T14:27:11.187+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B190\

genus, species, strain : Bacillus cereus B 190
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0031
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 15:41:55
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B190\

genus, species, strain : Bacillus cereus B192
MicrobeMS ID : 2015_04_07_Schneider Andy_0021
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T14:30:57.906+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B192\

genus, species, strain : Bacillus cereus B192
MicrobeMS ID : 2015_04_07_Schneider Andy_0022
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T14:32:47.484+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B192\

genus, species, strain : Bacillus cereus B192
MicrobeMS ID : 2015_04_07_Schneider Andy_0023
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T14:35:13.453+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B192\

genus, species, strain : Bacillus cereus B192
MicrobeMS ID : 2015_04_07_Schneider Andy_0024
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-04-07T14:37:05.593+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B192\

genus, species, strain : Bacillus cereus B 192
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0032
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 15:45:19
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B192\

genus, species, strain : Bacillus cereus B194
MicrobeMS ID : 2015_04_07_Schneider Andy_0025
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T14:41:19.421+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B194\

genus, species, strain : Bacillus cereus B194
MicrobeMS ID : 2015_04_07_Schneider Andy_0026
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T14:43:07.015+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B194\

genus, species, strain : Bacillus cereus B194
MicrobeMS ID : 2015_04_07_Schneider Andy_0027
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T14:45:10.250+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B194\

genus, species, strain : Bacillus cereus B194
MicrobeMS ID : 2015_04_07_Schneider Andy_0028
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T14:47:15.187+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B194\

genus, species, strain : Bacillus cereus B 194
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0002
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-17 15:49:06
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B194\

genus, species, strain : Bacillus cereus B195
MicrobeMS ID : 2015_04_07_Schneider Andy_0029
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB

```
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-04-07T14:50:55.593+02:00
path to MS file      : \Bacillus\Bacillus cereus\Bacillus cereus B195\

genus, species, strain : Bacillus cereus B195
MicrobeMS ID          : 2015_04_07_Schneider Andy_0030
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-04-07T14:52:50.296+02:00
path to MS file      : \Bacillus\Bacillus cereus\Bacillus cereus B195\

genus, species, strain : Bacillus cereus B195
MicrobeMS ID          : 2015_04_07_Schneider Andy_0031
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-04-07T14:54:52.843+02:00
path to MS file      : \Bacillus\Bacillus cereus\Bacillus cereus B195\

genus, species, strain : Bacillus cereus B195
MicrobeMS ID          : 2015_04_07_Schneider Andy_0032
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-04-07T14:56:39.937+02:00
path to MS file      : \Bacillus\Bacillus cereus\Bacillus cereus B195\

genus, species, strain : Bacillus cereus B 195
MicrobeMS ID          : 2006_17_08_Famulla Staemmler_0003
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2006-08-17 15:51:57
path to MS file      : \Bacillus\Bacillus cereus\Bacillus cereus B195\

genus, species, strain : Bacillus cereus B196
MicrobeMS ID          : 2015_04_07_Schneider Andy_0033
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-04-07T15:00:47.921+02:00
path to MS file      : \Bacillus\Bacillus cereus\Bacillus cereus B196\

genus, species, strain : Bacillus cereus B196
MicrobeMS ID          : 2015_04_07_Schneider Andy_0034
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-04-07T15:02:45.093+02:00
path to MS file      : \Bacillus\Bacillus cereus\Bacillus cereus B196\

genus, species, strain : Bacillus cereus B196
```

MicrobeMS ID : 2015_04_07_Schneider Andy_0035
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T15:05:55.234+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B196\

genus, species, strain : Bacillus cereus B196
MicrobeMS ID : 2015_04_07_Schneider Andy_0036
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T15:09:38.328+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B196\

genus, species, strain : Bacillus cereus B 196
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0004
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-17 15:55:17
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B196\

genus, species, strain : Bacillus cereus B197
MicrobeMS ID : 2015_04_07_Schneider Andy_0037
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T15:13:39.546+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B197\

genus, species, strain : Bacillus cereus B197
MicrobeMS ID : 2015_04_07_Schneider Andy_0038
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T15:16:25.562+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B197\

genus, species, strain : Bacillus cereus B197
MicrobeMS ID : 2015_04_07_Schneider Andy_0039
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T15:19:05.281+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B197\

genus, species, strain : Bacillus cereus B197
MicrobeMS ID : 2015_04_07_Schneider Andy_0040
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T15:21:15.062+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B197\

genus, species, strain : Bacillus cereus B 197
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0006
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-17 16:09:59
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B197\

genus, species, strain : Bacillus cereus B198
MicrobeMS ID : 2015_04_14_Schneider Andy_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T11:23:06.312+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B198\

genus, species, strain : Bacillus cereus B198
MicrobeMS ID : 2015_04_14_Schneider Andy_0008
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T11:25:06.078+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B198\

genus, species, strain : Bacillus cereus B198
MicrobeMS ID : 2015_04_14_Schneider Andy_0009
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T11:28:45.234+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B198\

genus, species, strain : Bacillus cereus B198
MicrobeMS ID : 2015_04_14_Schneider Andy_0010
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T12:25:10.781+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B198\

genus, species, strain : Bacillus cereus B 198
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-17 16:13:43
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B198\

genus, species, strain : Bacillus cereus B199
MicrobeMS ID : 2015_04_14_Schneider Andy_0011
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T12:30:16.515+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B199\

genus, species, strain : Bacillus cereus B199
MicrobeMS ID : 2015_04_14_Schneider Andy_0012
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T12:31:52.765+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B199\

genus, species, strain : Bacillus cereus B199
MicrobeMS ID : 2015_04_14_Schneider Andy_0013
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T12:38:53.765+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B199\

genus, species, strain : Bacillus cereus B199
MicrobeMS ID : 2015_04_14_Schneider Andy_0014
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T12:40:23.859+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B199\

genus, species, strain : Bacillus cereus B 199
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0008
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-17 16:17:11
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B199\

genus, species, strain : Bacillus cereus B200
MicrobeMS ID : 2015_04_14_Schneider Andy_0015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T12:44:24.265+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B200\

genus, species, strain : Bacillus cereus B200
MicrobeMS ID : 2015_04_14_Schneider Andy_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T12:45:54.703+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B200\

```
genus, species, strain : Bacillus cereus B200
MicrobeMS ID           : 2015_04_14_Schneider Andy_0017
NCBI tax ID's          : 1396 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100 µl
extra info            : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time  : 2015-04-14T12:48:13.015+02:00
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B200\

genus, species, strain : Bacillus cereus B200
MicrobeMS ID           : 2015_04_14_Schneider Andy_0018
NCBI tax ID's          : 1396 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100 µl
extra info            : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time  : 2015-04-14T12:49:59.421+02:00
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B200\

genus, species, strain : Bacillus cereus B 200
MicrobeMS ID           : 2006_17_08_Famulla Staemmler_0010
NCBI tax ID's          : 1396 -
growth time            : 24h
growth temperature     : 37Grad Celsius
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80% TFA/1:10 verd./1:1 HCCATA2
concentration          : 3 Oesen in 100 µl
extra info            : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time  : 2006-08-17 16:29:46
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B200\

genus, species, strain : Bacillus cereus B23
MicrobeMS ID           : 2014_12_02_Andy Schneider_0029
NCBI tax ID's          : 1396 -
growth time            : 1 Day
growth temperature     : 37Grad Celsius
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration          : 3 Oesen in 100 µl
extra info            : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time  : 2014-12-02T12:57:51.671+01:00
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B23\

genus, species, strain : Bacillus cereus B23
MicrobeMS ID           : 2014_12_02_Andy Schneider_0031
NCBI tax ID's          : 1396 -
growth time            : 1 Day
growth temperature     : 37Grad Celsius
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration          : 3 Oesen in 100 µl
extra info            : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time  : 2014-12-02T13:02:11.359+01:00
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B23\

genus, species, strain : Bacillus cereus B23
MicrobeMS ID           : 2014_12_02_Andy Schneider_0030
NCBI tax ID's          : 1396 -
growth time            : 1 Day
growth temperature     : 37Grad Celsius
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration          : 3 Oesen in 100 µl
extra info            : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time  : 2014-12-02T12:59:48.359+01:00
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B23\

genus, species, strain : Bacillus cereus B23
MicrobeMS ID           : 2014_12_02_Andy Schneider_0032
NCBI tax ID's          : 1396 -
growth time            : 1 Day
growth temperature     : 37Grad Celsius
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration          : 3 Oesen in 100 µl
```

extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T13:04:07.906+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B23\

genus, species, strain : Bacillus cereus B 23
MicrobeMS ID : 2006_11_08_Famulla Staemmler_0024
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 12:08:29
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B23\

genus, species, strain : Bacillus cereus B232
MicrobeMS ID : 2015_04_20_Schneider Andy_0017
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T13:24:39.953+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B232\

genus, species, strain : Bacillus cereus B232
MicrobeMS ID : 2015_04_20_Schneider Andy_0018
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T13:26:32.703+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B232\

genus, species, strain : Bacillus cereus B232
MicrobeMS ID : 2015_04_20_Schneider Andy_0019
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T13:28:35.562+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B232\

genus, species, strain : Bacillus cereus B232
MicrobeMS ID : 2015_04_20_Schneider Andy_0020
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T13:30:10.140+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B232\

genus, species, strain : Bacillus cereus B 232
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0026
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-18 10:52:54
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B232\

genus, species, strain : Bacillus cereus B233
MicrobeMS ID : 2015_04_20_Schneider Andy_0021
NCBI tax ID's : 1396 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T13:46:08.781+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B233\

genus, species, strain : Bacillus cereus B233
MicrobeMS ID : 2015_04_20_Schneider Andy_0022
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T13:47:41.265+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B233\

genus, species, strain : Bacillus cereus B233
MicrobeMS ID : 2015_04_20_Schneider Andy_0023
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T13:50:22.875+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B233\

genus, species, strain : Bacillus cereus B233
MicrobeMS ID : 2015_04_20_Schneider Andy_0024
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T13:52:02.453+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B233\

genus, species, strain : Bacillus cereus B 233
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0027
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-18 10:56:18
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B233\

genus, species, strain : Bacillus cereus B234
MicrobeMS ID : 2015_04_20_Schneider Andy_0025
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T13:55:33.640+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B234\

genus, species, strain : Bacillus cereus B234
MicrobeMS ID : 2015_04_20_Schneider Andy_0026
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-04-20T13:57:55.531+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B234\

genus, species, strain : Bacillus cereus B234
MicrobeMS ID : 2015_04_20_Schneider Andy_0027
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T14:01:59.203+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B234\

genus, species, strain : Bacillus cereus B234
MicrobeMS ID : 2015_04_20_Schneider Andy_0028
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T14:05:14.953+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B234\

genus, species, strain : Bacillus cereus B 234
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0028
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-18 11:00:12
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B234\

genus, species, strain : Bacillus cereus B235
MicrobeMS ID : 2015_04_20_Schneider Andy_0029
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T14:08:56.562+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B235\

genus, species, strain : Bacillus cereus B235
MicrobeMS ID : 2015_04_20_Schneider Andy_0030
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T14:10:42.140+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B235\

genus, species, strain : Bacillus cereus B235
MicrobeMS ID : 2015_04_20_Schneider Andy_0031
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T14:12:18.750+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B235\

genus, species, strain : Bacillus cereus B235
MicrobeMS ID : 2015_04_20_Schneider Andy_0032
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T14:13:59.828+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B235\

genus, species, strain : Bacillus cereus B 235
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0030
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-18 11:11:49
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B235\

genus, species, strain : Bacillus cereus B237
MicrobeMS ID : 2015_04_20_Schneider Andy_0033
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T14:17:17.125+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B237\

genus, species, strain : Bacillus cereus B237
MicrobeMS ID : 2015_04_20_Schneider Andy_0034
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T14:18:49.703+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B237\

genus, species, strain : Bacillus cereus B237
MicrobeMS ID : 2015_04_20_Schneider Andy_0035
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T14:20:25.250+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B237\

genus, species, strain : Bacillus cereus B237
MicrobeMS ID : 2015_04_20_Schneider Andy_0036
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T14:21:57.718+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B237\

genus, species, strain : Bacillus cereus B 237
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0031
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-18 11:15:44
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B237\

genus, species, strain : Bacillus cereus B238

MicrobeMS ID : 2015_04_20_Schneider Andy_0037
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T14:25:59.625+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B238\

genus, species, strain : Bacillus cereus B238
MicrobeMS ID : 2015_04_20_Schneider Andy_0038
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T14:28:23.906+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B238\

genus, species, strain : Bacillus cereus B238
MicrobeMS ID : 2015_04_20_Schneider Andy_0039
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T14:30:17.234+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B238\

genus, species, strain : Bacillus cereus B238
MicrobeMS ID : 2015_04_20_Schneider Andy_0040
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T14:32:14.187+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B238\

genus, species, strain : Bacillus cereus B 238
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0032
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-18 11:19:31
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B238\

genus, species, strain : Bacillus cereus B239
MicrobeMS ID : 2015_04_22_Schneider Andy_0001
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-22T13:07:59.828+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B239\

genus, species, strain : Bacillus cereus B239
MicrobeMS ID : 2015_04_22_Schneider Andy_0002
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-22T13:09:21.109+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B239\

genus, species, strain : Bacillus cereus B239
MicrobeMS ID : 2015_04_22_Schneider Andy_0003
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-22T13:11:44.359+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B239\

genus, species, strain : Bacillus cereus B239
MicrobeMS ID : 2015_04_22_Schneider Andy_0004
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-22T13:14:11.078+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B239\

genus, species, strain : Bacillus cereus B 239
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0002
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 09:22:37
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B239\

genus, species, strain : Bacillus cereus B241
MicrobeMS ID : 2015_04_22_Schneider Andy_0005
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-22T13:17:34.750+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B241\

genus, species, strain : Bacillus cereus B241
MicrobeMS ID : 2015_04_22_Schneider Andy_0006
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-22T13:19:51.187+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B241\

genus, species, strain : Bacillus cereus B241
MicrobeMS ID : 2015_04_22_Schneider Andy_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-22T13:27:18.203+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B241\

genus, species, strain : Bacillus cereus B241
MicrobeMS ID : 2015_04_22_Schneider Andy_0008
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-22T13:28:57.515+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B241\

genus, species, strain : Bacillus cereus B 241
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0003
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 09:26:18
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B241\

genus, species, strain : Bacillus cereus B242
MicrobeMS ID : 2015_04_22_Schneider Andy_0009
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-22T13:32:44.546+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B242\

genus, species, strain : Bacillus cereus B242
MicrobeMS ID : 2015_04_22_Schneider Andy_0010
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-22T13:35:03.546+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B242\

genus, species, strain : Bacillus cereus B242
MicrobeMS ID : 2015_04_22_Schneider Andy_0011
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-22T13:37:02.171+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B242\

genus, species, strain : Bacillus cereus B242
MicrobeMS ID : 2015_04_22_Schneider Andy_0012
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-22T13:39:47.390+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B242\

genus, species, strain : Bacillus cereus B 242
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0004
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 09:29:25
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B242\

```
genus, species, strain : Bacillus cereus B243
MicrobeMS ID           : 2015_04_22_Schneider Andy_0013
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-04-22T13:43:21.609+02:00
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B243\

genus, species, strain : Bacillus cereus B243
MicrobeMS ID           : 2015_04_22_Schneider Andy_0014
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-04-22T13:45:33.796+02:00
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B243\

genus, species, strain : Bacillus cereus B243
MicrobeMS ID           : 2015_04_22_Schneider Andy_0015
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-04-22T13:47:22.687+02:00
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B243\

genus, species, strain : Bacillus cereus B243
MicrobeMS ID           : 2015_04_22_Schneider Andy_0016
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-04-22T14:47:29.562+02:00
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B243\

genus, species, strain : Bacillus cereus B 243
MicrobeMS ID           : 2006_14_09_Famulla Staemmler_0006
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/1:10 verd./1:1HCCATA2
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2006-09-14 09:39:29
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B243\

genus, species, strain : Bacillus cereus B244
MicrobeMS ID           : 2015_04_22_Schneider Andy_0017
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-04-22T14:51:43.859+02:00
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B244\

genus, species, strain : Bacillus cereus B244
MicrobeMS ID           : 2015_04_22_Schneider Andy_0018
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
```

extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-22T14:54:14.328+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B244\

genus, species, strain : Bacillus cereus B244
MicrobeMS ID : 2015_04_22_Schneider Andy_0019
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-22T14:56:40.468+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B244\

genus, species, strain : Bacillus cereus B244
MicrobeMS ID : 2015_04_22_Schneider Andy_0020
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-22T14:59:13.484+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B244\

genus, species, strain : Bacillus cereus B 244
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 09:43:08
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B244\

genus, species, strain : Bacillus cereus B245
MicrobeMS ID : 05_02_2016_Julia Mitschke_0013
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T12:31:45.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B245\

genus, species, strain : Bacillus cereus B245
MicrobeMS ID : 05_02_2016_Julia Mitschke_0014
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T12:34:49.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B245\

genus, species, strain : Bacillus cereus B245
MicrobeMS ID : 05_02_2016_Julia Mitschke_0015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T12:37:09.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B245\

genus, species, strain : Bacillus cereus B245
MicrobeMS ID : 05_02_2016_Julia Mitschke_0016
NCBI tax ID's : 1396 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T12:39:48.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B245\

genus, species, strain : Bacillus cereus B 245
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0008
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 09:49:28
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B245\

genus, species, strain : Bacillus cereus B247
MicrobeMS ID : 2015_04_23_Schneider Andy_0005
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T13:38:58.562+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B247\

genus, species, strain : Bacillus cereus B247
MicrobeMS ID : 2015_04_23_Schneider Andy_0006
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T13:40:18.765+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B247\

genus, species, strain : Bacillus cereus B247
MicrobeMS ID : 2015_04_23_Schneider Andy_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T13:41:59.921+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B247\

genus, species, strain : Bacillus cereus B247
MicrobeMS ID : 2015_04_23_Schneider Andy_0008
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T13:43:33.359+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B247\

genus, species, strain : Bacillus cereus B 247
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0010
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6

measurement date/time : 2006-09-14 10:24:08
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B247\

genus, species, strain : Bacillus cereus B248
MicrobeMS ID : 2015_04_23_Schneider Andy_0009
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T13:47:32.953+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B248\

genus, species, strain : Bacillus cereus B248
MicrobeMS ID : 2015_04_23_Schneider Andy_0010
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T13:49:25.234+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B248\

genus, species, strain : Bacillus cereus B248
MicrobeMS ID : 2015_04_23_Schneider Andy_0011
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T13:51:01.453+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B248\

genus, species, strain : Bacillus cereus B248
MicrobeMS ID : 2015_04_23_Schneider Andy_0012
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T13:53:33.531+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B248\

genus, species, strain : Bacillus cereus B 248
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0011
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 10:28:29
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B248\

genus, species, strain : Bacillus cereus B249
MicrobeMS ID : 2015_04_23_Schneider Andy_0013
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T14:14:38.531+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B249\

genus, species, strain : Bacillus cereus B249
MicrobeMS ID : 2015_04_23_Schneider Andy_0014
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T14:17:11.703+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B249\

genus, species, strain : Bacillus cereus B249
MicrobeMS ID : 2015_04_23_Schneider Andy_0015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T14:20:39.718+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B249\

genus, species, strain : Bacillus cereus B249
MicrobeMS ID : 2015_04_23_Schneider Andy_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T14:22:45.359+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B249\

genus, species, strain : Bacillus cereus B 249
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0012
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 10:31:49
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B249\

genus, species, strain : Bacillus cereus B252
MicrobeMS ID : 05_02_2016_Julia Mitschke_0017
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T12:45:25.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B252\

genus, species, strain : Bacillus cereus B252
MicrobeMS ID : 05_02_2016_Julia Mitschke_0018
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T12:47:52.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B252\

genus, species, strain : Bacillus cereus B252
MicrobeMS ID : 05_02_2016_Julia Mitschke_0019
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T12:50:22.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B252\

genus, species, strain : Bacillus cereus B252

MicrobeMS ID : 05_02_2016_Julia Mitschke_0020
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T12:53:56.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B252\

genus, species, strain : Bacillus cereus B 252
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 10:45:33
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B252\

genus, species, strain : Bacillus cereus B253
MicrobeMS ID : 2015_04_23_Schneider Andy_0025
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T14:45:03.265+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B253\

genus, species, strain : Bacillus cereus B253
MicrobeMS ID : 2015_04_23_Schneider Andy_0026
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T14:46:59.593+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B253\

genus, species, strain : Bacillus cereus B253
MicrobeMS ID : 2015_04_23_Schneider Andy_0027
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T14:48:57.078+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B253\

genus, species, strain : Bacillus cereus B253
MicrobeMS ID : 2015_04_23_Schneider Andy_0028
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T14:52:38.015+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B253\

genus, species, strain : Bacillus cereus B 253
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 10:49:52
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B253\

genus, species, strain : Bacillus cereus B254
MicrobeMS ID : 2015_04_23_Schneider Andy_0029
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T14:56:34.343+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B254\

genus, species, strain : Bacillus cereus B254
MicrobeMS ID : 2015_04_23_Schneider Andy_0030
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T15:00:04.812+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B254\

genus, species, strain : Bacillus cereus B254
MicrobeMS ID : 2015_04_23_Schneider Andy_0031
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T15:02:16.859+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B254\

genus, species, strain : Bacillus cereus B254
MicrobeMS ID : 2015_04_23_Schneider Andy_0032
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T15:05:21.140+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B254\

genus, species, strain : Bacillus cereus B255
MicrobeMS ID : 2015_04_23_Schneider Andy_0033
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T15:15:57.921+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B255\

genus, species, strain : Bacillus cereus B255
MicrobeMS ID : 2015_04_23_Schneider Andy_0034
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T15:17:39.062+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B255\

genus, species, strain : Bacillus cereus B255
MicrobeMS ID : 2015_04_23_Schneider Andy_0035
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T15:18:51.406+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B255\

genus, species, strain : Bacillus cereus B255
MicrobeMS ID : 2015_04_23_Schneider Andy_0036
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-23T15:20:41.718+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B255\

genus, species, strain : Bacillus cereus B 255
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0019
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 11:02:54
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B255\

genus, species, strain : Bacillus cereus B256
MicrobeMS ID : 05_02_2016_Julia Mitschke_0021
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T13:01:14.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B256\

genus, species, strain : Bacillus cereus B256
MicrobeMS ID : 05_02_2016_Julia Mitschke_0022
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T13:04:30.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B256\

genus, species, strain : Bacillus cereus B256
MicrobeMS ID : 05_02_2016_Julia Mitschke_0023
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T13:07:25.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B256\

genus, species, strain : Bacillus cereus B256
MicrobeMS ID : 05_02_2016_Julia Mitschke_0024
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T13:12:25.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B256\

genus, species, strain : Bacillus cereus B 256
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0020
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 11:06:27
path to MS file : \\Bacillus\\Bacillus cereus\\Bacillus cereus B256\\

genus, species, strain : Bacillus cereus B257
MicrobeMS ID : 2015_04_28_Schneider Andy_0011
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T11:22:25.828+02:00
path to MS file : \\Bacillus\\Bacillus cereus\\Bacillus cereus B257\\

genus, species, strain : Bacillus cereus B257
MicrobeMS ID : 2015_04_28_Schneider Andy_0012
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T11:24:01.781+02:00
path to MS file : \\Bacillus\\Bacillus cereus\\Bacillus cereus B257\\

genus, species, strain : Bacillus cereus B257
MicrobeMS ID : 2015_04_28_Schneider Andy_0013
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T11:25:55.453+02:00
path to MS file : \\Bacillus\\Bacillus cereus\\Bacillus cereus B257\\

genus, species, strain : Bacillus cereus B257
MicrobeMS ID : 2015_04_28_Schneider Andy_0014
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T11:28:10.984+02:00
path to MS file : \\Bacillus\\Bacillus cereus\\Bacillus cereus B257\\

genus, species, strain : Bacillus cereus B 257
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0022
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 11:19:06
path to MS file : \\Bacillus\\Bacillus cereus\\Bacillus cereus B257\\

genus, species, strain : Bacillus cereus B258
MicrobeMS ID : 2015_04_28_Schneider Andy_0015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl

extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T11:32:11.125+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B258\

genus, species, strain : Bacillus cereus B258
MicrobeMS ID : 2015_04_28_Schneider Andy_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T11:33:46.828+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B258\

genus, species, strain : Bacillus cereus B258
MicrobeMS ID : 2015_04_28_Schneider Andy_0017
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T12:32:49.140+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B258\

genus, species, strain : Bacillus cereus B258
MicrobeMS ID : 2015_04_28_Schneider Andy_0018
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T12:34:15.593+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B258\

genus, species, strain : Bacillus cereus B 258
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0023
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 11:22:21
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B258\

genus, species, strain : Bacillus cereus B259
MicrobeMS ID : 2015_04_28_Schneider Andy_0019
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T12:37:26.906+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B259\

genus, species, strain : Bacillus cereus B259
MicrobeMS ID : 2015_04_28_Schneider Andy_0020
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T12:39:22.296+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B259\

genus, species, strain : Bacillus cereus B259
MicrobeMS ID : 2015_04_28_Schneider Andy_0021
NCBI tax ID's : 1396 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T12:41:02.515+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B259\

genus, species, strain : Bacillus cereus B259
MicrobeMS ID : 2015_04_28_Schneider Andy_0022
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T12:42:23.203+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B259\

genus, species, strain : Bacillus cereus B 259
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0024
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 11:25:25
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B259\

genus, species, strain : Bacillus cereus B260
MicrobeMS ID : 05_02_2016_Julia Mitschke_0025
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T13:18:34.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B260\

genus, species, strain : Bacillus cereus B260
MicrobeMS ID : 05_02_2016_Julia Mitschke_0026
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T13:21:03.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B260\

genus, species, strain : Bacillus cereus B260
MicrobeMS ID : 05_02_2016_Julia Mitschke_0027
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-05T13:24:34.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B260\

genus, species, strain : Bacillus cereus B260
MicrobeMS ID : 05_02_2016_Julia Mitschke_0028
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2016-02-05T13:28:04.000
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B260\

genus, species, strain : Bacillus cereus B 260
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0026
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 13:43:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B260\

genus, species, strain : Bacillus cereus B261
MicrobeMS ID : 2015_04_28_Schneider Andy_0027
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T12:56:00.234+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B261\

genus, species, strain : Bacillus cereus B261
MicrobeMS ID : 2015_04_28_Schneider Andy_0028
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T12:57:19.968+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B261\

genus, species, strain : Bacillus cereus B261
MicrobeMS ID : 2015_04_28_Schneider Andy_0029
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T12:59:03.640+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B261\

genus, species, strain : Bacillus cereus B261
MicrobeMS ID : 2015_04_28_Schneider Andy_0030
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:00:32.515+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B261\

genus, species, strain : Bacillus cereus B 261
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0027
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 13:46:34
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B261\

genus, species, strain : Bacillus cereus B262
MicrobeMS ID : 2015_04_28_Schneider Andy_0031
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:04:28.562+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B262\

genus, species, strain : Bacillus cereus B262
MicrobeMS ID : 2015_04_28_Schneider Andy_0032
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:05:51.984+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B262\

genus, species, strain : Bacillus cereus B262
MicrobeMS ID : 2015_04_28_Schneider Andy_0033
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:07:30.250+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B262\

genus, species, strain : Bacillus cereus B262
MicrobeMS ID : 2015_04_28_Schneider Andy_0034
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:08:50.796+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B262\

genus, species, strain : Bacillus cereus B 262
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0028
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 13:49:44
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B262\

genus, species, strain : Bacillus cereus B264
MicrobeMS ID : 2015_04_28_Schneider Andy_0035
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:11:59.828+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B264\

genus, species, strain : Bacillus cereus B264
MicrobeMS ID : 2015_04_28_Schneider Andy_0036
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:13:23.171+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B264\

genus, species, strain : Bacillus cereus B264

MicrobeMS ID : 2015_04_28_Schneider Andy_0037
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:15:00.296+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B264\

genus, species, strain : Bacillus cereus B264
MicrobeMS ID : 2015_04_28_Schneider Andy_0038
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:16:47.125+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B264\

genus, species, strain : Bacillus cereus B 264
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0030
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 13:58:51
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B264\

genus, species, strain : Bacillus cereus B265
MicrobeMS ID : 2015_04_28_Schneider Andy_0039
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:19:46.640+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B265\

genus, species, strain : Bacillus cereus B265
MicrobeMS ID : 2015_04_28_Schneider Andy_0040
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:21:26.953+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B265\

genus, species, strain : Bacillus cereus B265
MicrobeMS ID : 2015_04_28_Schneider Andy_0041
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:23:06.000+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B265\

genus, species, strain : Bacillus cereus B265
MicrobeMS ID : 2015_04_28_Schneider Andy_0042
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:24:35.031+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B265\

genus, species, strain : Bacillus cereus B 265
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0031
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 14:02:19
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B265\

genus, species, strain : Bacillus cereus B267
MicrobeMS ID : 2015_04_28_Schneider Andy_0043
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:27:55.593+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B267\

genus, species, strain : Bacillus cereus B267
MicrobeMS ID : 2015_04_28_Schneider Andy_0044
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:29:30.062+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B267\

genus, species, strain : Bacillus cereus B267
MicrobeMS ID : 2015_04_28_Schneider Andy_0045
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:31:06.359+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B267\

genus, species, strain : Bacillus cereus B267
MicrobeMS ID : 2015_04_28_Schneider Andy_0046
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:32:24.750+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B267\

genus, species, strain : Bacillus cereus B 267
MicrobeMS ID : 2006_14_09_Famulla Staemmler_0032
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-14 14:05:33
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B267\

genus, species, strain : Bacillus cereus B268
MicrobeMS ID : 2015_04_28_Schneider Andy_0047
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:35:43.640+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B268\

genus, species, strain : Bacillus cereus B268
MicrobeMS ID : 2015_04_28_Schneider Andy_0048
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:37:05.093+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B268\

genus, species, strain : Bacillus cereus B268
MicrobeMS ID : 2015_04_28_Schneider Andy_0049
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-28T13:38:33.421+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B268\

genus, species, strain : Bacillus cereus B 268
MicrobeMS ID : 2006_15_09_Famulla Staemmler_0002
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-15 13:25:50
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B268\

genus, species, strain : Bacillus cereus B269
MicrobeMS ID : 2015_04_29_Schneider Andy_0005
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T10:31:28.500+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B269\

genus, species, strain : Bacillus cereus B269
MicrobeMS ID : 2015_04_29_Schneider Andy_0006
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T10:33:08.046+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B269\

```
genus, species, strain : Bacillus cereus B269
MicrobeMS ID           : 2015_04_29_Schneider Andy_0007
NCBI tax ID's          : 1396 -
growth time             : 24h
growth temperature      : 37°C
growth conditions       : aerob
growth medium           : LB
sample treatment        : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration           : 3 Oesen in 100 µl
extra info              : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard    : E. coli Standard K12 (DSM 3871)
measurement method      : ToM_200ns_20130611.par
customer                : RKI ZBS6
measurement date/time   : 2015-04-29T10:34:22.562+02:00
path to MS file         : \Bacillus\Bacillus cereus\Bacillus cereus B269\

genus, species, strain : Bacillus cereus B269
MicrobeMS ID           : 2015_04_29_Schneider Andy_0008
NCBI tax ID's          : 1396 -
growth time             : 24h
growth temperature      : 37°C
growth conditions       : aerob
growth medium           : LB
sample treatment        : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration           : 3 Oesen in 100 µl
extra info              : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard    : E. coli Standard K12 (DSM 3871)
measurement method      : ToM_200ns_20130611.par
customer                : RKI ZBS6
measurement date/time   : 2015-04-29T10:35:46.234+02:00
path to MS file         : \Bacillus\Bacillus cereus\Bacillus cereus B269\

genus, species, strain : Bacillus cereus B 269
MicrobeMS ID           : 2006_15_09_Famulla Staemmler_0003
NCBI tax ID's          : 1396 -
growth time             : 24h
growth temperature      : 37Grad Celsius
growth conditions       : aerob
growth medium           : LB
sample treatment        : in 80% TFA/1:10 verd./1:1HCCATA2
concentration           : 3 Oesen in 100 µl
extra info              : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard    : ProteinStandard 1 (Bruker)
measurement method      : ToM_200ns.par
customer                : RKI ZBS6
measurement date/time   : 2006-09-15 13:28:37
path to MS file         : \Bacillus\Bacillus cereus\Bacillus cereus B269\

genus, species, strain : Bacillus cereus B270
MicrobeMS ID           : 2015_04_29_Schneider Andy_0009
NCBI tax ID's          : 1396 -
growth time             : 24h
growth temperature      : 37°C
growth conditions       : aerob
growth medium           : LB
sample treatment        : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration           : 3 Oesen in 100 µl
extra info              : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard    : E. coli Standard K12 (DSM 3871)
measurement method      : ToM_200ns_20130611.par
customer                : RKI ZBS6
measurement date/time   : 2015-04-29T10:57:54.062+02:00
path to MS file         : \Bacillus\Bacillus cereus\Bacillus cereus B270\

genus, species, strain : Bacillus cereus B270
MicrobeMS ID           : 2015_04_29_Schneider Andy_0010
NCBI tax ID's          : 1396 -
growth time             : 24h
growth temperature      : 37°C
growth conditions       : aerob
growth medium           : LB
sample treatment        : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration           : 3 Oesen in 100 µl
extra info              : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard    : E. coli Standard K12 (DSM 3871)
measurement method      : ToM_200ns_20130611.par
customer                : RKI ZBS6
measurement date/time   : 2015-04-29T10:59:30.421+02:00
path to MS file         : \Bacillus\Bacillus cereus\Bacillus cereus B270\

genus, species, strain : Bacillus cereus B270
MicrobeMS ID           : 2015_04_29_Schneider Andy_0011
NCBI tax ID's          : 1396 -
growth time             : 24h
growth temperature      : 37°C
growth conditions       : aerob
growth medium           : LB
sample treatment        : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration           : 3 Oesen in 100 µl
extra info              : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard    : E. coli Standard K12 (DSM 3871)
measurement method      : ToM_200ns_20130611.par
customer                : RKI ZBS6
measurement date/time   : 2015-04-29T11:01:00.000+02:00
path to MS file         : \Bacillus\Bacillus cereus\Bacillus cereus B270\

genus, species, strain : Bacillus cereus B270
MicrobeMS ID           : 2015_04_29_Schneider Andy_0012
NCBI tax ID's          : 1396 -
growth time             : 24h
growth temperature      : 37°C
growth conditions       : aerob
growth medium           : LB
sample treatment        : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration           : 3 Oesen in 100 µl
```

extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T11:02:16.625+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B270\

genus, species, strain : Bacillus cereus B 270
MicrobeMS ID : 2006_15_09_Famulla Staemmler_0004
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-15 13:31:54
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B270\

genus, species, strain : Bacillus cereus B271
MicrobeMS ID : 2015_04_29_Schneider Andy_0013
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T11:05:04.203+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B271\

genus, species, strain : Bacillus cereus B271
MicrobeMS ID : 2015_04_29_Schneider Andy_0014
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T11:06:26.500+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B271\

genus, species, strain : Bacillus cereus B271
MicrobeMS ID : 2015_04_29_Schneider Andy_0015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T11:07:57.093+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B271\

genus, species, strain : Bacillus cereus B271
MicrobeMS ID : 2015_04_29_Schneider Andy_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T11:09:30.812+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B271\

genus, species, strain : Bacillus cereus B 271
MicrobeMS ID : 2006_15_09_Famulla Staemmler_0006
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-15 13:59:37
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B271\

genus, species, strain : Bacillus cereus B272
MicrobeMS ID : 2015_04_29_Schneider Andy_0017
NCBI tax ID's : 1396 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T11:12:22.671+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B272\

genus, species, strain : Bacillus cereus B272
MicrobeMS ID : 2015_04_29_Schneider Andy_0018
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T11:14:01.343+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B272\

genus, species, strain : Bacillus cereus B272
MicrobeMS ID : 2015_04_29_Schneider Andy_0019
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T11:15:33.890+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B272\

genus, species, strain : Bacillus cereus B272
MicrobeMS ID : 2015_04_29_Schneider Andy_0020
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T11:16:52.890+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B272\

genus, species, strain : Bacillus cereus B 272
MicrobeMS ID : 2006_15_09_Famulla Staemmler_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-15 14:03:01
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B272\

genus, species, strain : Bacillus cereus B273
MicrobeMS ID : 2015_04_29_Schneider Andy_0021
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T11:19:34.125+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B273\

genus, species, strain : Bacillus cereus B273
MicrobeMS ID : 2015_04_29_Schneider Andy_0022
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-04-29T11:21:03.953+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B273\

genus, species, strain : Bacillus cereus B273
MicrobeMS ID : 2015_04_29_Schneider Andy_0023
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T11:22:53.000+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B273\

genus, species, strain : Bacillus cereus B273
MicrobeMS ID : 2015_04_29_Schneider Andy_0024
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T11:24:13.796+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B273\

genus, species, strain : Bacillus cereus B 273
MicrobeMS ID : 2006_15_09_Famulla Staemmler_0008
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-15 14:06:25
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B273\

genus, species, strain : Bacillus cereus B274
MicrobeMS ID : 2015_04_29_Schneider Andy_0025
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T12:37:43.156+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B274\

genus, species, strain : Bacillus cereus B274
MicrobeMS ID : 2015_04_29_Schneider Andy_0026
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T12:40:31.312+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B274\

genus, species, strain : Bacillus cereus B274
MicrobeMS ID : 2015_04_29_Schneider Andy_0027
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T12:43:32.640+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B274\

genus, species, strain : Bacillus cereus B274
MicrobeMS ID : 2015_04_29_Schneider Andy_0028
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T12:46:14.921+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B274\

genus, species, strain : Bacillus cereus B 274
MicrobeMS ID : 2006_15_09_Famulla Staemmler_0010
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-15 14:16:17
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B274\

genus, species, strain : Bacillus cereus B275
MicrobeMS ID : 2015_04_29_Schneider Andy_0029
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T12:49:21.765+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B275\

genus, species, strain : Bacillus cereus B275
MicrobeMS ID : 2015_04_29_Schneider Andy_0030
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T12:50:52.093+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B275\

genus, species, strain : Bacillus cereus B275
MicrobeMS ID : 2015_04_29_Schneider Andy_0031
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T12:52:27.703+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B275\

genus, species, strain : Bacillus cereus B275
MicrobeMS ID : 2015_04_29_Schneider Andy_0032
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T12:54:02.531+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B275\

genus, species, strain : Bacillus cereus B 275
MicrobeMS ID : 2006_15_09_Famulla Staemmler_0011
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-15 14:19:18
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B275\

genus, species, strain : Bacillus cereus B277

MicrobeMS ID : 2015_04_29_Schneider Andy_0033
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T13:10:09.437+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B277\

genus, species, strain : Bacillus cereus B277
MicrobeMS ID : 2015_04_29_Schneider Andy_0034
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T13:11:54.234+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B277\

genus, species, strain : Bacillus cereus B277
MicrobeMS ID : 2015_04_29_Schneider Andy_0035
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T13:13:28.046+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B277\

genus, species, strain : Bacillus cereus B277
MicrobeMS ID : 2015_04_29_Schneider Andy_0036
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T13:15:09.109+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B277\

genus, species, strain : Bacillus cereus B 277
MicrobeMS ID : 2006_15_09_Famulla Staemmler_0012
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-15 14:22:41
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B277\

genus, species, strain : Bacillus cereus B278
MicrobeMS ID : 2015_04_29_Schneider Andy_0037
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T13:19:35.281+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B278\

genus, species, strain : Bacillus cereus B278
MicrobeMS ID : 2015_04_29_Schneider Andy_0038
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T13:20:54.781+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B278\

genus, species, strain : Bacillus cereus B278
MicrobeMS ID : 2015_04_29_Schneider Andy_0039
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T13:22:26.515+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B278\

genus, species, strain : Bacillus cereus B278
MicrobeMS ID : 2015_04_29_Schneider Andy_0040
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T13:24:06.078+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B278\

genus, species, strain : Bacillus cereus B 278
MicrobeMS ID : 2006_15_09_Famulla Staemmler_0014
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-15 14:33:33
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B278\

genus, species, strain : Bacillus cereus B282
MicrobeMS ID : 2015_04_29_Schneider Andy_0041
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T13:28:22.828+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B282\

genus, species, strain : Bacillus cereus B282
MicrobeMS ID : 2015_04_29_Schneider Andy_0042
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T13:30:19.156+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B282\

genus, species, strain : Bacillus cereus B282
MicrobeMS ID : 2015_04_29_Schneider Andy_0043
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T13:32:02.781+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B282\

genus, species, strain : Bacillus cereus B282
MicrobeMS ID : 2015_04_29_Schneider Andy_0044
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-29T13:33:41.046+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B282\

genus, species, strain : Bacillus cereus B 282
MicrobeMS ID : 2006_15_09_Famulla Staemmler_0015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-15 14:37:20
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B282\

genus, species, strain : Bacillus cereus B284
MicrobeMS ID : 2015_04_30_Schneider Andy_0001
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T08:38:21.234+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B284\

genus, species, strain : Bacillus cereus B284
MicrobeMS ID : 2015_04_30_Schneider Andy_0002
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T08:40:23.218+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B284\

genus, species, strain : Bacillus cereus B284
MicrobeMS ID : 2015_04_30_Schneider Andy_0003
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T08:42:04.562+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B284\

genus, species, strain : Bacillus cereus B284
MicrobeMS ID : 2015_04_30_Schneider Andy_0004
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T08:43:53.375+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B284\

genus, species, strain : Bacillus cereus B 284
MicrobeMS ID : 2006_15_09_Famulla Staemmler_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-15 14:40:16
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B284\

```
genus, species, strain : Bacillus cereus B289
MicrobeMS ID          : 2015_04_30_Schneider Andy_0005
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-04-30T08:49:49.343+02:00
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B289\

genus, species, strain : Bacillus cereus B289
MicrobeMS ID          : 2015_04_30_Schneider Andy_0006
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-04-30T08:51:57.062+02:00
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B289\

genus, species, strain : Bacillus cereus B289
MicrobeMS ID          : 2015_04_30_Schneider Andy_0007
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-04-30T08:53:28.453+02:00
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B289\

genus, species, strain : Bacillus cereus B289
MicrobeMS ID          : 2015_04_30_Schneider Andy_0008
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-04-30T08:56:18.484+02:00
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B289\

genus, species, strain : Bacillus cereus B 289
MicrobeMS ID          : 2006_19_09_Famulla Staemmler_0002
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/1:10 verd./1:1HCCATA2
concentration         : 3 Oesen in 100 µl
extra info            : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2006-09-19 09:02:29
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B289\

genus, species, strain : Bacillus cereus B293
MicrobeMS ID          : 2015_04_30_Schneider Andy_0013
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-04-30T09:07:55.359+02:00
path to MS file       : \Bacillus\Bacillus cereus\Bacillus cereus B293\

genus, species, strain : Bacillus cereus B293
MicrobeMS ID          : 2015_04_30_Schneider Andy_0014
NCBI tax ID's         : 1396 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
```

extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:09:39.406+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B293\

genus, species, strain : Bacillus cereus B293
MicrobeMS ID : 2015_04_30_Schneider Andy_0015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:11:06.328+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B293\

genus, species, strain : Bacillus cereus B293
MicrobeMS ID : 2015_04_30_Schneider Andy_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:12:35.218+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B293\

genus, species, strain : Bacillus cereus B 293
MicrobeMS ID : 2006_19_09_Famulla Staemmler_0004
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-19 09:09:10
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B293\

genus, species, strain : Bacillus cereus B294
MicrobeMS ID : 2015_04_30_Schneider Andy_0017
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:17:59.765+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B294\

genus, species, strain : Bacillus cereus B294
MicrobeMS ID : 2015_04_30_Schneider Andy_0018
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:34:12.359+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B294\

genus, species, strain : Bacillus cereus B294
MicrobeMS ID : 2015_04_30_Schneider Andy_0019
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:37:06.953+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B294\

genus, species, strain : Bacillus cereus B294
MicrobeMS ID : 2015_04_30_Schneider Andy_0020
NCBI tax ID's : 1396 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:38:57.796+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B294\

genus, species, strain : Bacillus cereus B 294
MicrobeMS ID : 2006_19_09_Famulla Staemmler_0006
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-19 09:16:44
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B294\

genus, species, strain : Bacillus cereus B295
MicrobeMS ID : 2015_04_30_Schneider Andy_0021
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:42:12.562+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B295\

genus, species, strain : Bacillus cereus B295
MicrobeMS ID : 2015_04_30_Schneider Andy_0022
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:43:47.015+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B295\

genus, species, strain : Bacillus cereus B295
MicrobeMS ID : 2015_04_30_Schneider Andy_0023
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:45:20.046+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B295\

genus, species, strain : Bacillus cereus B295
MicrobeMS ID : 2015_04_30_Schneider Andy_0024
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:46:36.140+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B295\

genus, species, strain : Bacillus cereus B 295
MicrobeMS ID : 2006_19_09_Famulla Staemmler_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6

measurement date/time : 2006-09-19 09:20:13
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B295\

genus, species, strain : Bacillus cereus B296
MicrobeMS ID : 2015_04_30_Schneider Andy_0025
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:49:59.078+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B296\

genus, species, strain : Bacillus cereus B296
MicrobeMS ID : 2015_04_30_Schneider Andy_0026
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:51:37.343+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B296\

genus, species, strain : Bacillus cereus B296
MicrobeMS ID : 2015_04_30_Schneider Andy_0027
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:53:24.406+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B296\

genus, species, strain : Bacillus cereus B296
MicrobeMS ID : 2015_04_30_Schneider Andy_0028
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:55:02.796+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B296\

genus, species, strain : Bacillus cereus B 296
MicrobeMS ID : 2006_19_09_Famulla Staemmler_0008
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-19 09:23:22
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B296\

genus, species, strain : Bacillus cereus B297
MicrobeMS ID : 2015_05_05_Schneider Andy_0009
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:18:08.453+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B297\

genus, species, strain : Bacillus cereus B297
MicrobeMS ID : 2015_05_05_Schneider Andy_0010
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:19:47.578+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B297\

genus, species, strain : Bacillus cereus B297
MicrobeMS ID : 2015_05_05_Schneider Andy_0011
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:22:01.125+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B297\

genus, species, strain : Bacillus cereus B297
MicrobeMS ID : 2015_05_05_Schneider Andy_0012
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:23:48.125+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B297\

genus, species, strain : Bacillus cereus B 297
MicrobeMS ID : 2006_19_09_Famulla Staemmler_0010
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-19 09:32:50
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B297\

genus, species, strain : Bacillus cereus B298
MicrobeMS ID : 2015_05_05_Schneider Andy_0013
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:27:15.765+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B298\

genus, species, strain : Bacillus cereus B298
MicrobeMS ID : 2015_05_05_Schneider Andy_0014
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:31:57.875+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B298\

genus, species, strain : Bacillus cereus B298
MicrobeMS ID : 2015_05_05_Schneider Andy_0015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:33:35.062+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B298\

genus, species, strain : Bacillus cereus B298

MicrobeMS ID : 2015_05_05_Schneider Andy_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:35:07.015+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B298\

genus, species, strain : Bacillus cereus B 298
MicrobeMS ID : 2006_19_09_Famulla Staemmler_0011
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-19 09:36:04
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B298\

genus, species, strain : Bacillus cereus B299
MicrobeMS ID : 2015_05_05_Schneider Andy_0017
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:38:21.250+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B299\

genus, species, strain : Bacillus cereus B299
MicrobeMS ID : 2015_05_05_Schneider Andy_0018
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:39:52.296+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B299\

genus, species, strain : Bacillus cereus B299
MicrobeMS ID : 2015_05_05_Schneider Andy_0019
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:41:40.468+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B299\

genus, species, strain : Bacillus cereus B299
MicrobeMS ID : 2015_05_05_Schneider Andy_0020
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:43:33.562+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B299\

genus, species, strain : Bacillus cereus B 299
MicrobeMS ID : 2006_19_09_Famulla Staemmler_0012
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-19 09:39:06
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B299\

genus, species, strain : Bacillus cereus B3
MicrobeMS ID : 2014_12_01_Andy Schneider_0009
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T12:52:48.671+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B3\

genus, species, strain : Bacillus cereus B3
MicrobeMS ID : 2014_12_01_Andy Schneider_0011
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T12:56:14.890+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B3\

genus, species, strain : Bacillus cereus B3
MicrobeMS ID : 2014_12_01_Andy Schneider_0010
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T12:54:08.562+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B3\

genus, species, strain : Bacillus cereus B3
MicrobeMS ID : 2014_12_01_Andy Schneider_0012
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T12:57:44.250+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B3\

genus, species, strain : Bacillus cereus B 3
MicrobeMS ID : 2006_11_08_Famulla Staemmler_0004
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 10:35:53
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B3\

genus, species, strain : Bacillus cereus B300
MicrobeMS ID : 2015_05_05_Schneider Andy_0021
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:48:26.703+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B300\

genus, species, strain : Bacillus cereus B300
MicrobeMS ID : 2015_05_05_Schneider Andy_0022
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:50:01.593+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B300\

genus, species, strain : Bacillus cereus B300
MicrobeMS ID : 2015_05_05_Schneider Andy_0023
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:52:02.156+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B300\

genus, species, strain : Bacillus cereus B300
MicrobeMS ID : 2015_05_05_Schneider Andy_0024
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:53:58.671+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B300\

genus, species, strain : Bacillus cereus B 300
MicrobeMS ID : 2006_19_09_Famulla Staemmler_0014
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-19 10:13:14
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B300\

genus, species, strain : Bacillus cereus B302
MicrobeMS ID : 2015_05_05_Schneider Andy_0029
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T11:07:29.390+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B302\

genus, species, strain : Bacillus cereus B302
MicrobeMS ID : 2015_05_05_Schneider Andy_0030
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T11:09:48.593+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B302\

genus, species, strain : Bacillus cereus B302
MicrobeMS ID : 2015_05_05_Schneider Andy_0031
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T11:11:42.265+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B302\

genus, species, strain : Bacillus cereus B302
MicrobeMS ID : 2015_05_05_Schneider Andy_0032
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T11:13:04.125+02:00
path to MS file : \\Bacillus\Bacillus cereus\Bacillus cereus B302\

genus, species, strain : Bacillus cereus B 302
MicrobeMS ID : 2006_19_09_Famulla Staemmler_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-19 10:20:00
path to MS file : \\Bacillus\Bacillus cereus\Bacillus cereus B302\

genus, species, strain : Bacillus cereus B303
MicrobeMS ID : 2015_05_05_Schneider Andy_0033
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T11:16:21.468+02:00
path to MS file : \\Bacillus\Bacillus cereus\Bacillus cereus B303\

genus, species, strain : Bacillus cereus B303
MicrobeMS ID : 2015_05_05_Schneider Andy_0034
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T11:17:31.468+02:00
path to MS file : \\Bacillus\Bacillus cereus\Bacillus cereus B303\

genus, species, strain : Bacillus cereus B303
MicrobeMS ID : 2015_05_05_Schneider Andy_0035
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T11:19:08.218+02:00
path to MS file : \\Bacillus\Bacillus cereus\Bacillus cereus B303\

genus, species, strain : Bacillus cereus B303
MicrobeMS ID : 2015_05_05_Schneider Andy_0036
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T11:29:22.765+02:00
path to MS file : \\Bacillus\Bacillus cereus\Bacillus cereus B303\

genus, species, strain : Bacillus cereus B 303
MicrobeMS ID : 2006_22_09_Famulla Staemmler_0002
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel

extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-22 13:48:53
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B303\

genus, species, strain : Bacillus cereus B304
MicrobeMS ID : 2015_05_05_Schneider Andy_0037
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T11:33:16.968+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B304\

genus, species, strain : Bacillus cereus B304
MicrobeMS ID : 2015_05_05_Schneider Andy_0038
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T11:35:24.843+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B304\

genus, species, strain : Bacillus cereus B304
MicrobeMS ID : 2015_05_05_Schneider Andy_0039
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T11:36:58.765+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B304\

genus, species, strain : Bacillus cereus B304
MicrobeMS ID : 2015_05_05_Schneider Andy_0040
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T11:39:18.375+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B304\

genus, species, strain : Bacillus cereus B 304
MicrobeMS ID : 2006_22_09_Famulla Staemmler_0003
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-22 13:52:23
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B304\

genus, species, strain : Bacillus cereus B305
MicrobeMS ID : 2015_05_05_Schneider Andy_0041
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T12:20:26.765+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B305\

genus, species, strain : Bacillus cereus B305
MicrobeMS ID : 2015_05_05_Schneider Andy_0042
NCBI tax ID's : 1396 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T12:22:11.312+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B305\

genus, species, strain : Bacillus cereus B305
MicrobeMS ID : 2015_05_05_Schneider Andy_0043
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T12:25:02.656+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B305\

genus, species, strain : Bacillus cereus B305
MicrobeMS ID : 2015_05_05_Schneider Andy_0044
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T12:26:48.015+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B305\

genus, species, strain : Bacillus cereus B 305
MicrobeMS ID : 2006_22_09_Famulla Staemmler_0004
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-22 13:56:56
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B305\

genus, species, strain : Bacillus cereus B306
MicrobeMS ID : 2015_05_05_Schneider Andy_0045
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T12:29:57.000+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B306\

genus, species, strain : Bacillus cereus B306
MicrobeMS ID : 2015_05_05_Schneider Andy_0046
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T12:31:49.171+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B306\

genus, species, strain : Bacillus cereus B306
MicrobeMS ID : 2015_05_05_Schneider Andy_0047
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-05-05T12:34:05.500+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B306\

genus, species, strain : Bacillus cereus B306
MicrobeMS ID : 2015_05_05_Schneider Andy_0048
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T12:35:51.843+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B306\

genus, species, strain : Bacillus cereus B 306
MicrobeMS ID : 2006_22_09_Famulla Staemmler_0006
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-09-22 14:03:26
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B306\

genus, species, strain : Bacillus cereus B308
MicrobeMS ID : 2015_05_05_Schneider Andy_0053
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T12:48:29.296+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B308\

genus, species, strain : Bacillus cereus B308
MicrobeMS ID : 2015_05_05_Schneider Andy_0054
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T12:50:08.578+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B308\

genus, species, strain : Bacillus cereus B308
MicrobeMS ID : 2015_05_05_Schneider Andy_0055
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T12:51:33.718+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B308\

genus, species, strain : Bacillus cereus B308
MicrobeMS ID : 2015_05_05_Schneider Andy_0056
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T12:53:20.468+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B308\

genus, species, strain : Bacillus cereus B 308
MicrobeMS ID : 2006_22_09_Famulla Staemmler_0008
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-22 14:12:09
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B308\

genus, species, strain : Bacillus cereus B309
MicrobeMS ID : 2015_05_07_Schneider Andy_0001
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T09:21:45.359+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B309\

genus, species, strain : Bacillus cereus B309
MicrobeMS ID : 2015_05_07_Schneider Andy_0002
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T09:23:09.765+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B309\

genus, species, strain : Bacillus cereus B309
MicrobeMS ID : 2015_05_07_Schneider Andy_0003
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T09:25:29.000+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B309\

genus, species, strain : Bacillus cereus B309
MicrobeMS ID : 2015_05_07_Schneider Andy_0004
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T09:26:51.828+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B309\

genus, species, strain : Bacillus cereus B 309
MicrobeMS ID : 2006_22_09_Famulla Staemmler_0010
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-22 14:18:57
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B309\

genus, species, strain : Bacillus cereus B310
MicrobeMS ID : 2015_05_07_Schneider Andy_0005
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T09:29:59.921+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B310\

genus, species, strain : Bacillus cereus B310

MicrobeMS ID : 2015_05_07_Schneider Andy_0006
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T09:31:52.296+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B310\

genus, species, strain : Bacillus cereus B310
MicrobeMS ID : 2015_05_07_Schneider Andy_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T09:33:25.468+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B310\

genus, species, strain : Bacillus cereus B310
MicrobeMS ID : 2015_05_07_Schneider Andy_0008
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T09:35:03.000+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B310\

genus, species, strain : Bacillus cereus B 310
MicrobeMS ID : 2006_22_09_Famulla Staemmler_0011
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-22 14:21:52
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B310\

genus, species, strain : Bacillus cereus B311
MicrobeMS ID : 2015_05_07_Schneider Andy_0009
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T09:38:16.859+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B311\

genus, species, strain : Bacillus cereus B311
MicrobeMS ID : 2015_05_07_Schneider Andy_0010
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T09:39:57.593+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B311\

genus, species, strain : Bacillus cereus B311
MicrobeMS ID : 2015_05_07_Schneider Andy_0011
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T09:41:17.250+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B311\

genus, species, strain : Bacillus cereus B311
MicrobeMS ID : 2015_05_07_Schneider Andy_0012
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T09:42:39.562+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B311\

genus, species, strain : Bacillus cereus B 311
MicrobeMS ID : 2006_22_09_Famulla Staemmler_0012
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-22 14:44:01
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B311\

genus, species, strain : Bacillus cereus B316
MicrobeMS ID : 2015_05_07_Schneider Andy_0021
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:16:35.093+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B316\

genus, species, strain : Bacillus cereus B316
MicrobeMS ID : 2015_05_07_Schneider Andy_0022
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:18:11.984+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B316\

genus, species, strain : Bacillus cereus B316
MicrobeMS ID : 2015_05_07_Schneider Andy_0023
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:19:19.250+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B316\

genus, species, strain : Bacillus cereus B316
MicrobeMS ID : 2015_05_07_Schneider Andy_0024
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:22:42.031+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B316\

genus, species, strain : Bacillus cereus B 316
MicrobeMS ID : 2006_22_09_Famulla Staemmler_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius

growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-22 14:58:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B316\

genus, species, strain : Bacillus cereus B329
MicrobeMS ID : 2015_05_07_Schneider Andy_0041
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T11:19:18.921+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B329\

genus, species, strain : Bacillus cereus B329
MicrobeMS ID : 2015_05_07_Schneider Andy_0042
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T11:20:56.187+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B329\

genus, species, strain : Bacillus cereus B329
MicrobeMS ID : 2015_05_07_Schneider Andy_0043
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T11:22:39.500+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B329\

genus, species, strain : Bacillus cereus B329
MicrobeMS ID : 2015_05_07_Schneider Andy_0044
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T11:24:38.515+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B329\

genus, species, strain : Bacillus cereus B 329
MicrobeMS ID : 2006_29_09_Famulla Staemmler_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-29 09:25:43
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B329\

genus, species, strain : Bacillus cereus B33
MicrobeMS ID : 2014_12_10_Andy Schneider_0009
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-10T12:54:18.562+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B33\

```
genus, species, strain : Bacillus cereus B33
MicrobeMS ID           : 2014_12_10_Andy_Schneider_0011
NCBI tax ID's          : 1396 -
growth time             : 1 Day
growth temperature      : 37Grad Celsius
growth conditions       : aerob
growth medium           : LB
sample treatment        : in 80$ TFA/1:10 verd./1:1 HCCA:TA2
concentration           : 3 Oesen in 100 muel
extra info              : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard    : E. coli Standard K12 (DSM 3871)
measurement method      : ToM_200ns_20130611.par
customer                : RKI ZBS6
measurement date/time   : 2014-12-10T13:01:32.578+01:00
path to MS file         : \Bacillus\Bacillus cereus\Bacillus cereus B33\

genus, species, strain : Bacillus cereus B33
MicrobeMS ID           : 2014_12_10_Andy_Schneider_0010
NCBI tax ID's          : 1396 -
growth time             : 1 Day
growth temperature      : 37Grad Celsius
growth conditions       : aerob
growth medium           : LB
sample treatment        : in 80$ TFA/1:10 verd./1:1 HCCA:TA2
concentration           : 3 Oesen in 100 muel
extra info              : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard    : E. coli Standard K12 (DSM 3871)
measurement method      : ToM_200ns_20130611.par
customer                : RKI ZBS6
measurement date/time   : 2014-12-10T12:59:21.875+01:00
path to MS file         : \Bacillus\Bacillus cereus\Bacillus cereus B33\

genus, species, strain : Bacillus cereus B33
MicrobeMS ID           : 2014_12_10_Andy_Schneider_0012
NCBI tax ID's          : 1396 -
growth time             : 1 Day
growth temperature      : 37Grad Celsius
growth conditions       : aerob
growth medium           : LB
sample treatment        : in 80$ TFA/1:10 verd./1:1 HCCA:TA2
concentration           : 3 Oesen in 100 muel
extra info              : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard    : E. coli Standard K12 (DSM 3871)
measurement method      : ToM_200ns_20130611.par
customer                : RKI ZBS6
measurement date/time   : 2014-12-10T13:03:34.343+01:00
path to MS file         : \Bacillus\Bacillus cereus\Bacillus cereus B33\

genus, species, strain : Bacillus cereus B 33
MicrobeMS ID           : 2006_11_08_Famulla_Staemmler_0031
NCBI tax ID's          : 1396 -
growth time             : 24h
growth temperature      : 37Grad Celsius
growth conditions       : aerob
growth medium           : LB
sample treatment        : in 80$ TFA/1:10 verd./1:1HCCATA2
concentration           : 3 Oesen in 100 muel
extra info              : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard    : ProteinStandard 1 (Bruker)
measurement method      : ToM_200ns.par
customer                : RKI ZBS6
measurement date/time   : 2006-08-11 13:34:43
path to MS file         : \Bacillus\Bacillus cereus\Bacillus cereus B33\

genus, species, strain : Bacillus cereus B331
MicrobeMS ID           : 2015_05_07_Schneider_Andy_0045
NCBI tax ID's          : 1396 -
growth time             : 24h
growth temperature      : 37°C
growth conditions       : aerob
growth medium           : LB
sample treatment        : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration           : 3 Oesen in 100 µl
extra info              : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard    : E. coli Standard K12 (DSM 3871)
measurement method      : ToM_200ns_20130611.par
customer                : RKI ZBS6
measurement date/time   : 2015-05-07T11:27:54.625+02:00
path to MS file         : \Bacillus\Bacillus cereus\Bacillus cereus B331\

genus, species, strain : Bacillus cereus B331
MicrobeMS ID           : 2015_05_07_Schneider_Andy_0046
NCBI tax ID's          : 1396 -
growth time             : 24h
growth temperature      : 37°C
growth conditions       : aerob
growth medium           : LB
sample treatment        : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration           : 3 Oesen in 100 µl
extra info              : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard    : E. coli Standard K12 (DSM 3871)
measurement method      : ToM_200ns_20130611.par
customer                : RKI ZBS6
measurement date/time   : 2015-05-07T11:30:20.093+02:00
path to MS file         : \Bacillus\Bacillus cereus\Bacillus cereus B331\

genus, species, strain : Bacillus cereus B331
MicrobeMS ID           : 2015_05_07_Schneider_Andy_0047
NCBI tax ID's          : 1396 -
growth time             : 24h
growth temperature      : 37°C
growth conditions       : aerob
growth medium           : LB
sample treatment        : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration           : 3 Oesen in 100 µl
```

extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T11:32:01.281+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B331\

genus, species, strain : Bacillus cereus B331
MicrobeMS ID : 2015_05_07_Schneider Andy_0048
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T11:34:34.953+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B331\

genus, species, strain : Bacillus cereus B 331
MicrobeMS ID : 2006_29_09_Famulla Staemmler_0008
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-29 09:32:23
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B331\

genus, species, strain : Bacillus cereus B332
MicrobeMS ID : 2015_05_07_Schneider Andy_0049
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T12:21:15.765+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B332\

genus, species, strain : Bacillus cereus B332
MicrobeMS ID : 2015_05_07_Schneider Andy_0050
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T12:23:22.312+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B332\

genus, species, strain : Bacillus cereus B332
MicrobeMS ID : 2015_05_07_Schneider Andy_0051
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T12:26:17.531+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B332\

genus, species, strain : Bacillus cereus B332
MicrobeMS ID : 2015_05_07_Schneider Andy_0052
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T12:28:05.203+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B332\

genus, species, strain : Bacillus cereus B 332
MicrobeMS ID : 2006_29_09_Famulla Staemmler_0010
NCBI tax ID's : 1396 -

growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-29 10:02:39
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B332\

genus, species, strain : Bacillus cereus B338
MicrobeMS ID : 2015_05_08_Schneider Andy_0013
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T09:40:47.640+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B338\

genus, species, strain : Bacillus cereus B338
MicrobeMS ID : 2015_05_08_Schneider Andy_0014
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T09:42:07.968+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B338\

genus, species, strain : Bacillus cereus B338
MicrobeMS ID : 2015_05_08_Schneider Andy_0015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T09:43:39.453+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B338\

genus, species, strain : Bacillus cereus B338
MicrobeMS ID : 2015_05_08_Schneider Andy_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T09:45:04.156+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B338\

genus, species, strain : Bacillus cereus B 338
MicrobeMS ID : 2006_29_09_Famulla Staemmler_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-29 10:28:43
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B338\

genus, species, strain : Bacillus cereus B69
MicrobeMS ID : 2015_02_06_Andy Schneider_0017
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-02-06T13:10:34.250+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B69\

genus, species, strain : Bacillus cereus B69
MicrobeMS ID : 2015_02_06_Andy Schneider_0019
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-06T13:19:04.718+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B69\

genus, species, strain : Bacillus cereus B69
MicrobeMS ID : 2015_02_06_Andy Schneider_0018
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-06T13:15:33.109+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B69\

genus, species, strain : Bacillus cereus B69
MicrobeMS ID : 2015_02_06_Andy Schneider_0020
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-06T13:55:44.343+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B69\

genus, species, strain : Bacillus cereus B 69
MicrobeMS ID : 2006_14_08_Famulla Staemmler_0020
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-14 11:57:23
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B69\

genus, species, strain : Bacillus cereus B74
MicrobeMS ID : 2015_02_09_Andy Schneider_0009
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T13:37:48.671+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B74\

genus, species, strain : Bacillus cereus B74
MicrobeMS ID : 2015_02_09_Andy Schneider_0011
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T13:44:08.156+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B74\

genus, species, strain : Bacillus cereus B74
MicrobeMS ID : 2015_02_09_Andy Schneider_0010
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T13:41:06.515+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B74\

genus, species, strain : Bacillus cereus B74
MicrobeMS ID : 2015_02_09_Anyd Schneider_0012
NCBI tax ID's : 1396 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T13:45:50.187+01:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B74\

genus, species, strain : Bacillus cereus B 74
MicrobeMS ID : 2006_14_08_Famulla Staemmler_0024
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-14 12:12:39
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus B74\

genus, species, strain : Bacillus cereus BW-B
MicrobeMS ID : 2007_12_04_Maren Staemmler_0011
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 12.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-12 14:35:12
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus BW-B\

genus, species, strain : Bacillus cereus BW-B
MicrobeMS ID : 2007_16_04_Maren Staemmler_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 13.10.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 16.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-16 13:42:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus BW-B\

genus, species, strain : Bacillus cereus BW-B
MicrobeMS ID : 2007_23_04_Maren Staemmler_0017
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 23.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-23 13:07:50
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus BW-B\

genus, species, strain : Bacillus cereus BW-B
MicrobeMS ID : 2015_09_21_Schneider Andy_0009
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T10:49:02.859+02:00

```
path to MS file      : \Bacillus\Bacillus cereus\Bacillus cereus BW-B\  
genus, species, strain : Bacillus cereus BW-B  
MicrobeMS ID       : 2015_09_21_Schneider Andy_0010  
NCBI tax ID's      : 1396 -  
growth time        : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment   : in 80% TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100 µl  
extra info         : cells from solid cultures  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer           : RKI ZBS6  
measurement date/time : 2015-09-21T10:53:18.312+02:00  
path to MS file      : \Bacillus\Bacillus cereus\Bacillus cereus BW-B\  
genus, species, strain : Bacillus cereus BW-B  
MicrobeMS ID       : 2015_10_08_Schneider Andy_0009  
NCBI tax ID's      : 1396 -  
growth time        : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment   : in 80% TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100 µl  
extra info         : cells from solid cultures  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer           : RKI ZBS6  
measurement date/time : 2015-10-08T10:01:57.828+02:00  
path to MS file      : \Bacillus\Bacillus cereus\Bacillus cereus BW-B\  
genus, species, strain : Bacillus cereus BW-B  
MicrobeMS ID       : 2015_10_08_Schneider Andy_0010  
NCBI tax ID's      : 1396 -  
growth time        : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment   : in 80% TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100 µl  
extra info         : cells from solid cultures  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer           : RKI ZBS6  
measurement date/time : 2015-10-08T10:04:12.296+02:00  
path to MS file      : \Bacillus\Bacillus cereus\Bacillus cereus BW-B\  
genus, species, strain : Bacillus cereus DSM 31  
MicrobeMS ID       : 2006_22_06_Famulla Staemmler_0002  
NCBI tax ID's      : 1396 -  
growth time        : 24h  
growth temperature  : 37Grad Celsius  
growth conditions   : aerob  
growth medium       : LB  
sample treatment   : in 80% TFA/1:10 verd./1:HCCATA2  
concentration       : 3 Oesen im 100 muel  
extra info         : RKI-Stamm/ Anzucht und Praeparation fuer Maldi MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer           : RKI ZBS6  
measurement date/time : 2006-06-22 09:09:15  
path to MS file      : \Bacillus\Bacillus cereus\Bacillus cereus DSM 31\  
genus, species, strain : Bacillus cereus DSM 31  
MicrobeMS ID       : 2007_16_04_Maren Stämmler_0001  
NCBI tax ID's      : 1396 -  
growth time        : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : LB  
sample treatment   : in 80% TFA/ 1:1 HCCATA2 (A)  
concentration       : 3-5 Oesen in 100 muel  
extra info         : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 13.10.2005; Proben eingefrohren bei -20 Grad Celsius;  
aufgetaut am 16.04.2007; Praeparation für Maldi: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer           : RKI ZBS6  
measurement date/time : 2007-04-16 13:10:13  
path to MS file      : \Bacillus\Bacillus cereus\Bacillus cereus DSM 31\  
genus, species, strain : Bacillus cereus DSM 31  
MicrobeMS ID       : 2007_18_04_Maren Stämmler_0004  
NCBI tax ID's      : 1396 -  
growth time        : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : LB  
sample treatment   : in 80% TFA/ 1:1 HCCATA2 (A)  
concentration       : 3-5 Oesen in 100 muel  
extra info         : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;  
aufgetaut am 18.04.2007; Praeparation für Maldi: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer           : RKI ZBS6  
measurement date/time : 2007-04-18 15:32:51  
path to MS file      : \Bacillus\Bacillus cereus\Bacillus cereus DSM 31\  
genus, species, strain : Bacillus cereus DSM 31  
MicrobeMS ID       : 2015_09_21_Schneider Andy_0021  
NCBI tax ID's      : 1396 -  
growth time        : 24h  
growth temperature  : 37°C  
growth conditions   : aerob
```

growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T13:17:38.281+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 31\

genus, species, strain : Bacillus cereus DSM 31
MicrobeMS ID : 2015_09_21_Schneider Andy_0022
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T13:21:38.859+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 31\

genus, species, strain : Bacillus cereus DSM 31
MicrobeMS ID : 22_10_2015_Julia Mitschke_0001
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : 80% TFA 30 Minuten, 1:10 Verdünnt in H2O, Matrix HCCA:TA2 (12g/l)
concentration : 2-4 Oesen in 100µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-22T09:00:10.890+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 31\

genus, species, strain : Bacillus cereus DSM 31
MicrobeMS ID : 22_10_2015_Julia Mitschke_0002
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : 80% TFA 30 Minuten, 1:10 Verdünnt in H2O, Matrix HCCA:TA2 (12g/l)
concentration : 2-4 Oesen in 100µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-22T09:06:12.656+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 31\

genus, species, strain : Bacillus cereus DSM4312
MicrobeMS ID : 2016_06_30_Schneider_Andy_0005
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-30T15:10:24.734+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4312\

genus, species, strain : Bacillus cereus DSM4312
MicrobeMS ID : 2016_06_30_Schneider_Andy_0006
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-30T15:12:41.390+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4312\

genus, species, strain : Bacillus cereus DSM4312
MicrobeMS ID : 2016_06_30_Schneider_Andy_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-30T15:16:42.875+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4312\

genus, species, strain : Bacillus cereus DSM4312
MicrobeMS ID : 2016_06_30_Schneider_Andy_0008
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-30T15:18:35.234+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4312\

genus, species, strain : Bacillus cereus DSM 4312
MicrobeMS ID : 2017_05_24_Mitschke_Julia_0001
NCBI tax ID's : 1396 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-05-24T10:46:19.796+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4312\

genus, species, strain : Bacillus cereus DSM 4312
MicrobeMS ID : 2017_05_24_Mitschke_Julia_0002
NCBI tax ID's : 1396 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-05-24T10:48:00.203+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4312\

genus, species, strain : Bacillus cereus DSM 4312
MicrobeMS ID : 2017_05_24_Mitschke_Julia_0003
NCBI tax ID's : 1396 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-05-24T10:49:37.265+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4312\

genus, species, strain : Bacillus cereus DSM 4312
MicrobeMS ID : 2017_05_24_Mitschke_Julia_0004
NCBI tax ID's : 1396 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-05-24T10:51:10.453+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4312\

genus, species, strain : Bacillus cereus DSM_4312
MicrobeMS ID : 2017_05_30_Schneider_Andy_0015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB Agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-05-30T15:18:25.296+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4312\

genus, species, strain : Bacillus cereus DSM_4312
MicrobeMS ID : 2017_05_30_Schneider_Andy_0016
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB Agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ

calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-05-30T15:19:44.265+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4312\

genus, species, strain : Bacillus cereus DSM_4312
MicrobeMS ID : 2017_05_30_Schneider_Andy_0017
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB Agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verdunnt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-05-30T15:22:01.671+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4312\

genus, species, strain : Bacillus cereus DSM_4312
MicrobeMS ID : 2017_05_30_Schneider_Andy_0018
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB Agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verdunnt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-05-30T15:26:11.828+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4312\

genus, species, strain : Bacillus cereus DSM 4312
MicrobeMS ID : 2006_22_06_Famulla_Staemmler_0004
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : RKI-Stamm/ Anzucht und Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 09:22:19
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4312\

genus, species, strain : Bacillus cereus DSM 4312
MicrobeMS ID : 2007_12_04_Maren_Staemmler_0012
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 12.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-12 14:39:56
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4312\

genus, species, strain : Bacillus cereus DSM 4312
MicrobeMS ID : 2007_03_05_Maren_Staemmler_0003
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 03.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 08:19:58
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4312\

genus, species, strain : Bacillus cereus DSM 4490
MicrobeMS ID : 2007_16_04_Maren_Staemmler_0009
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 13.10.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 16.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-16 13:52:04
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4490\

genus, species, strain : Bacillus cereus DSM 4490

MicrobeMS ID : 2007_03_05_Maren Stämmeler_0013
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 03.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 09:18:46
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4490\

genus, species, strain : Bacillus cereus DSM 4490
MicrobeMS ID : 2015_09_21_Schneider Andy_0013
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T11:08:11.953+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4490\

genus, species, strain : Bacillus cereus DSM 4490
MicrobeMS ID : 2015_09_21_Schneider Andy_0014
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T11:11:40.156+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4490\

genus, species, strain : Bacillus cereus DSM 4490
MicrobeMS ID : 2015_10_08_Schneider Andy_0013
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-08T10:48:40.953+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4490\

genus, species, strain : Bacillus cereus DSM 4490
MicrobeMS ID : 2015_10_08_Schneider Andy_0014
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, Zentrifugation und Sterilfiltration, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-08T10:50:53.625+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 4490\

genus, species, strain : Bacillus cereus DSM 609
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 09.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 09:44:52
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 609\

genus, species, strain : Bacillus cereus DSM 609
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0028
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel

extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 01.12.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 13:54:55
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 609\

genus, species, strain : Bacillus cereus DSM 609
MicrobeMS ID : 2015_09_21_Schneider Andy_0029
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T13:59:20.187+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 609\

genus, species, strain : Bacillus cereus DSM 609
MicrobeMS ID : 2015_09_21_Schneider Andy_0030
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T14:32:27.437+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 609\

genus, species, strain : Bacillus cereus DSM 609
MicrobeMS ID : 23_10_2015_Julia Mitschke_0001
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : 80§ TFA 30 Minuten, 1:10 Verdünnt in H2O, Matrix HCCA:TA2 (12g/l)
concentration : 2-4 Oesen in 100µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-23T08:58:52.218+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 609\

genus, species, strain : Bacillus cereus DSM 609
MicrobeMS ID : 23_10_2015_Julia Mitschke_0002
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : 80§ TFA 30 Minuten, 1:10 Verdünnt in H2O, Matrix HCCA:TA2 (12g/l)
concentration : 2-4 Oesen in 100µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-23T09:02:55.234+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus DSM 609\

genus, species, strain : Bacillus cereus Hohenheim
MicrobeMS ID : 2007_12_04_Maren Stämmeler_0010
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 12.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-12 14:32:24
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Hohenheim\

genus, species, strain : Bacillus cereus Hohenheim
MicrobeMS ID : 2007_16_04_Maren Stämmeler_0005
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 13.10.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 16.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-16 13:32:02
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Hohenheim\

genus, species, strain : Bacillus cereus Hohenheim
MicrobeMS ID : 2007_23_04_Maren Staemmler_0015
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 23.04.2007; Praeparation fuer Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-23 12:55:39
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Hohenheim\

genus, species, strain : Bacillus cereus Paciflor
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0030
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Stamm von Dr. Reisbrot/ Anzucht und Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 12:01:15
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Paciflor\

genus, species, strain : Bacillus cereus Toyocerin
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0028
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Stamm von Dr. Reisbrot/ Anzucht und Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 11:55:08
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Toyocerin\

genus, species, strain : Bacillus cereus WIS-St. Nr. 283 ATCC 12826
MicrobeMS ID : 2007_15_01_Maren Staemmler_0003
NCBI tax ID's : 1396 -
growth time :
growth temperature :
growth conditions :
growth medium :
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Deaktivierung und Verduennung der Proben bei WIS / Ankunft:20.12.2005/Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-15 11:16:01
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus WIS-St. Nr. 283 ATCC 12826\

genus, species, strain : Bacillus cereus WIS-St. Nr. 29
MicrobeMS ID : 2007_15_01_Maren Staemmler_0001
NCBI tax ID's : 1396 -
growth time :
growth temperature :
growth conditions :
growth medium :
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Deaktivierung und Verduennung der Proben bei WIS / Ankunft:20.12.2005/Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-15 11:07:30
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus WIS-St. Nr. 29\

genus, species, strain : Bacillus cereus WIS-St. Nr. 311
MicrobeMS ID : 2007_15_01_Maren Staemmler_0004
NCBI tax ID's : 1396 -
growth time :
growth temperature :
growth conditions :
growth medium :
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Deaktivierung und Verduennung der Proben bei WIS / Ankunft:20.12.2005/Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-15 11:19:22
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus WIS-St. Nr. 311\

genus, species, strain : Bacillus cereus WSBC 10028
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0006
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel

extra info : Stamm von Weihenstephan/ Anzucht und Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 09:34:31
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus WSBC 10028\

genus, species, strain : Bacillus cereus WSBC 10028
MicrobeMS ID : 2006_07_11_Famulla Staemmler_0002
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Praeparation 02.11.2006 und Praeparation fuer Maldi 06.11.2006: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-07 09:28:09
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus WSBC 10028\

genus, species, strain : Bacillus cereus WSBC 10030
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Stamm von Weihenstephan/ Anzucht und Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 09:44:32
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus WSBC 10030\

genus, species, strain : Bacillus cereus WSBC 10030
MicrobeMS ID : 2006_07_11_Famulla Staemmler_0003
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Praeparation 02.11.2006 und Praeparation fuer Maldi 06.11.2006: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-07 09:31:21
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus WSBC 10030\

genus, species, strain : Bacillus cereus WSBC 10286
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0008
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Stamm von Weihenstephan/ Anzucht und Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 09:49:26
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus WSBC 10286\

genus, species, strain : Bacillus cereus WSBC 10286
MicrobeMS ID : 2006_07_11_Famulla Staemmler_0004
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Praeparation 02.11.2006 und Praeparation fuer Maldi 06.11.2006: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-07 09:34:18
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus WSBC 10286\

genus, species, strain : Bacillus cereus WSBC 10288
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0010
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Stamm von Weihenstephan/ Anzucht und Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 09:56:16
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus WSBC 10288\

genus, species, strain : Bacillus cereus WSBC 10288
MicrobeMS ID : 2006_07_11_Famulla Staemmler_0006
NCBI tax ID's : 1396 -

growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Praeparation 02.11.2006 und Praeparation fuer Maldi 06.11.2006: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-07 09:44:19
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus WSBC 10288\

genus, species, strain : Bacillus cereus WSBC 10441
MicrobeMS ID : 2006_22_06_Famulla Staemmler_0011
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Stamm von Weihenstephan/ Anzucht und Praeoperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-06-22 10:02:32
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus WSBC 10441\

genus, species, strain : Bacillus cereus WSBC 10441
MicrobeMS ID : 2006_07_11_Famulla Staemmler_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Praeparation 02.11.2006 und Praeparation fuer Maldi 06.11.2006: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-07 09:47:04
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus WSBC 10441\

genus, species, strain : Bacillus cereus Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0005
NCBI tax ID's : 1396 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T13:07:07.203+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0006
NCBI tax ID's : 1396 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T13:10:12.015+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0007
NCBI tax ID's : 1396 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T13:16:58.203+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0008
NCBI tax ID's : 1396 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6

measurement date/time : 2014-09-17T13:20:33.625+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0005
NCBI tax ID's : 1396 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T10:46:09.781+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0006
NCBI tax ID's : 1396 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T10:49:20.765+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0007
NCBI tax ID's : 1396 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T10:53:07.875+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0008
NCBI tax ID's : 1396 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T10:57:38.468+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus Wasserisolat
MicrobeMS ID : 2014_09_19_Maren Stämmeler_0005
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T11:54:41.890+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus Wasserisolat
MicrobeMS ID : 2014_09_19_Maren Stämmeler_0006
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T11:57:48.156+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus Wasserisolat
MicrobeMS ID : 2014_09_19_Maren Stämmeler_0007
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso

sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µl
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T12:00:45.671+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus Wasserisolat
MicrobeMS ID : 2014_09_19_Maren Stämmeler_0008
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µl
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T12:03:33.375+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus Wasserprobe
MicrobeMS ID : 2014_09_12_Max Weydmann_0005
NCBI tax ID's : 1396 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µl
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T11:30:54.750+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus Wasserprobe
MicrobeMS ID : 2014_09_12_Max Weydmann_0006
NCBI tax ID's : 1396 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µl
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T11:34:09.515+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus Wasserprobe
MicrobeMS ID : 2014_09_12_Max Weydmann_0007
NCBI tax ID's : 1396 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µl
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T11:37:39.515+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus Wasserprobe
MicrobeMS ID : 2014_09_12_Max Weydmann_0008
NCBI tax ID's : 1396 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µl
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T11:41:05.140+02:00
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus Wasserprobe\

genus, species, strain : Bacillus cereus biovar anthracis Affenstamm [A]: AaCol
MicrobeMS ID : 2007_06_03_Maren Stämmeler_0009
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : mikroaerophil
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 05.03.2007; Praeparation für Maldi: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-06 13:11:54
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus biovar anthracis Affenstamm (A) AaCol\

genus, species, strain : Bacillus cereus biovar anthracis Affenstamm [A]: AaCol

MicrobeMS ID : 2007_06_03_Maren Stämmeler_0010
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : mikroaerophil
growth medium : Bicarbonat
sample treatment : in 80% TFA/ 1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 05.03.2007; Praeparation für Mald: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-06 13:14:25
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus biovar anthracis Affenstamm (A) AaCol\

genus, species, strain : Bacillus cereus biovar anthracis Affenstamm [B]: SK1b
MicrobeMS ID : 2007_06_03_Maren Stämmeler_0005
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 05.03.2007; Praeparation für Mald: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-06 12:49:34
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus biovar anthracis Affenstamm (B) SK1b\

genus, species, strain : Bacillus cereus biovar anthracis Affenstamm [B]: SK1b
MicrobeMS ID : 2007_06_03_Maren Stämmeler_0006
NCBI tax ID's : 1396 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Bicarbonat
sample treatment : in 80% TFA/ 1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 05.03.2007; Praeparation für Mald: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-06 12:55:24
path to MS file : \Bacillus\Bacillus cereus\Bacillus cereus biovar anthracis Affenstamm (B) SK1b\

Bacillus circulans

genus, species, strain : Bacillus circulans B216
MicrobeMS ID : 2015_04_14_Schneider Andy_0035
NCBI tax ID's : 1397 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T13:50:36.000
path to MS file : \Bacillus\Bacillus circulans\Bacillus circulans B216\

genus, species, strain : Bacillus circulans B216
MicrobeMS ID : 2015_04_14_Schneider Andy_0036
NCBI tax ID's : 1397 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T13:52:31.000
path to MS file : \Bacillus\Bacillus circulans\Bacillus circulans B216\

genus, species, strain : Bacillus circulans B216
MicrobeMS ID : 2015_04_14_Schneider Andy_0037
NCBI tax ID's : 1397 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T13:54:22.000
path to MS file : \Bacillus\Bacillus circulans\Bacillus circulans B216\

genus, species, strain : Bacillus circulans B216
MicrobeMS ID : 2015_04_14_Schneider Andy_0038
NCBI tax ID's : 1397 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2

concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T13:56:16.000
path to MS file : \\Bacillus\\Bacillus circulans\\Bacillus circulans B216\

genus, species, strain : Bacillus circulans B 216
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0016
NCBI tax ID's : 1397 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-17 16:51:42
path to MS file : \\Bacillus\\Bacillus circulans\\Bacillus circulans B216\

genus, species, strain : Bacillus circulans B46
MicrobeMS ID : 2014_12_10_Andy Schneider_0037
NCBI tax ID's : 1397 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-10T14:23:39.671+01:00
path to MS file : \\Bacillus\\Bacillus circulans\\Bacillus circulans B46\

genus, species, strain : Bacillus circulans B46
MicrobeMS ID : 2014_12_10_Andy Schneider_0039
NCBI tax ID's : 1397 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-10T14:30:57.484+01:00
path to MS file : \\Bacillus\\Bacillus circulans\\Bacillus circulans B46\

genus, species, strain : Bacillus circulans B46
MicrobeMS ID : 2014_12_10_Andy Schneider_0038
NCBI tax ID's : 1397 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-10T14:28:57.515+01:00
path to MS file : \\Bacillus\\Bacillus circulans\\Bacillus circulans B46\

genus, species, strain : Bacillus circulans B46
MicrobeMS ID : 2014_12_10_Andy Schneider_0040
NCBI tax ID's : 1397 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-10T14:32:46.750+01:00
path to MS file : \\Bacillus\\Bacillus circulans\\Bacillus circulans B46\

genus, species, strain : Bacillus circulans B 46
MicrobeMS ID : 2006_14_08_Famulla Staemmler_0008
NCBI tax ID's : 1397 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-14 10:53:43
path to MS file : \\Bacillus\\Bacillus circulans\\Bacillus circulans B46\

genus, species, strain : Bacillus circulans DSM 11
MicrobeMS ID : 2007_13_04_Maren Staemmler_0005

NCBI tax ID's : 1397 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 13.04.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-13 10:25:05
path to MS file : \Bacillus\Bacillus circulans\Bacillus circulans DSM 11\

genus, species, strain : Bacillus circulans DSM 11
MicrobeMS ID : 2007_18_04_Maren Stämmeler_0006
NCBI tax ID's : 1397 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 18.04.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-18 15:41:06
path to MS file : \Bacillus\Bacillus circulans\Bacillus circulans DSM 11\

genus, species, strain : Bacillus circulans DSM 7257
MicrobeMS ID : 2007_13_04_Maren Stämmeler_0013
NCBI tax ID's : 1397 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 13.04.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-13 11:10:43
path to MS file : \Bacillus\Bacillus circulans\Bacillus circulans DSM 7257\

genus, species, strain : Bacillus circulans DSM 7257
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0012
NCBI tax ID's : 1397 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 03.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 09:08:30
path to MS file : \Bacillus\Bacillus circulans\Bacillus circulans DSM 7257\

Bacillus clarkii

genus, species, strain : Bacillus clarkii DSM 8720
MicrobeMS ID : 2015_02_13_Andy Schneider_0021
NCBI tax ID's : 79879 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB + 1ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80% TFA/1:10 verdunnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T13:27:48.546+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 8720\

genus, species, strain : Bacillus clarkii DSM 8720
MicrobeMS ID : 2015_02_13_Andy Schneider_0023
NCBI tax ID's : 79879 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB + 1ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80% TFA/1:10 verdunnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T13:35:12.640+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 8720\

genus, species, strain : Bacillus clarkii DSM 8720
MicrobeMS ID : 2015_02_13_Andy Schneider_0022
NCBI tax ID's : 79879 -
growth time : 1 Day
growth temperature : 37Grad Celsius

growth conditions : aerob
growth medium : LB + 1ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T13:32:48.750+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 8720\

genus, species, strain : Bacillus clarkii DSM 8720
MicrobeMS ID : 2015_02_13_Andy Schneider_0024
NCBI tax ID's : 79879 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB + 1ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T13:38:58.031+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 8720\

genus, species, strain : Bacillus clarkii DSM 8720
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0021
NCBI tax ID's : 79879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB+0,42% NaHCO3/0,53%Na2CO3
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T10:43:59.515+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 8720\

genus, species, strain : Bacillus clarkii DSM 8720
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0022
NCBI tax ID's : 79879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB+0,42% NaHCO3/0,53%Na2CO3
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T10:47:00.859+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 8720\

genus, species, strain : Bacillus clarkii DSM 8720
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0023
NCBI tax ID's : 79879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB+0,42% NaHCO3/0,53%Na2CO3
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T10:49:30.609+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 8720\

genus, species, strain : Bacillus clarkii DSM 8720
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0024
NCBI tax ID's : 79879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB+0,42% NaHCO3/0,53%Na2CO3
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-16T10:52:17.921+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 8720\

genus, species, strain : Bacillus clarkii DSM 8720
MicrobeMS ID : 2015_02_19_Andy Schneider_0021
NCBI tax ID's : 79879 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB + 2ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T09:27:56.468+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 8720\

genus, species, strain : Bacillus clarkii DSM 8720
MicrobeMS ID : 2015_02_19_Andy Schneider_0022
NCBI tax ID's : 79879 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB + 2ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80§ TFA/1:10 verduennt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T09:32:51.281+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 8720\

genus, species, strain : Bacillus clarkii DSM 8720
MicrobeMS ID : 2015_02_19_Andy Schneider_0023
NCBI tax ID's : 79879 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB + 2ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80§ TFA/1:10 verduennt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T09:36:04.968+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 8720\

genus, species, strain : Bacillus clarkii DSM 8720
MicrobeMS ID : 2015_02_19_Andy Schneider_0024
NCBI tax ID's : 79879 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB + 2ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80§ TFA/1:10 verduennt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T09:39:46.250+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 8720\

genus, species, strain : Bacillus clarkii DSM 9725
MicrobeMS ID : 2015_02_20_Schneider Andy_0001
NCBI tax ID's : 79879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB + 2ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T09:38:49.234+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 9725\

genus, species, strain : Bacillus clarkii DSM 9725
MicrobeMS ID : 2015_02_20_Schneider Andy_0002
NCBI tax ID's : 79879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB + 2ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T09:41:50.484+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 9725\

genus, species, strain : Bacillus clarkii DSM 9725
MicrobeMS ID : 2015_02_20_Schneider Andy_0003
NCBI tax ID's : 79879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB + 2ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T09:46:21.078+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 9725\

genus, species, strain : Bacillus clarkii DSM 9725
MicrobeMS ID : 2015_02_20_Schneider Andy_0004
NCBI tax ID's : 79879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB + 2ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl

extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T09:50:04.093+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 9725\

genus, species, strain : Bacillus clarkii DSM 9725
MicrobeMS ID : 2015_02_23_Maren Stämmeler_0001
NCBI tax ID's : 79879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB+0,42§ NaHCO3/0,53§Na2CO3
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T09:22:59.625+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 9725\

genus, species, strain : Bacillus clarkii DSM 9725
MicrobeMS ID : 2015_02_23_Maren Stämmeler_0002
NCBI tax ID's : 79879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB+0,42§ NaHCO3/0,53§Na2CO3
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T09:26:37.500+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 9725\

genus, species, strain : Bacillus clarkii DSM 9725
MicrobeMS ID : 2015_02_23_Maren Stämmeler_0003
NCBI tax ID's : 79879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB+0,42§ NaHCO3/0,53§Na2CO3
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T09:38:52.218+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 9725\

genus, species, strain : Bacillus clarkii DSM 9725
MicrobeMS ID : 2015_02_23_Maren Stämmeler_0004
NCBI tax ID's : 79879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB+0,42§ NaHCO3/0,53§Na2CO3
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T09:46:53.140+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 9725\

genus, species, strain : Bacillus clarkii DSM 9725
MicrobeMS ID : 2015_02_25_Schneider Andy_0001
NCBI tax ID's : 79879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB + 2ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T10:15:33.687+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 9725\

genus, species, strain : Bacillus clarkii DSM 9725
MicrobeMS ID : 2015_02_25_Schneider Andy_0002
NCBI tax ID's : 79879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB + 2ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T10:18:25.578+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 9725\

genus, species, strain : Bacillus clarkii DSM 9725
MicrobeMS ID : 2015_02_25_Schneider Andy_0003
NCBI tax ID's : 79879 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB + 2ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T10:20:36.843+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 9725\

genus, species, strain : Bacillus clarkii DSM 9725
MicrobeMS ID : 2015_02_25_Schneider Andy_0004
NCBI tax ID's : 79879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB + 2ml (sterilerNaHCO3 4.2g + Na2CO3 anhydrous 5.3 g in Distilled water 100.0 ml)
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T10:24:58.359+01:00
path to MS file : \Bacillus\Bacillus clarkii\Bacillus clarkii DSM 9725\

Bacillus clausii

genus, species, strain : Bacillus clausii A-281/1
MicrobeMS ID : 2012_06_15_Maren Stämmeler_0002
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-15T10:16:15.328+02:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii A281_1\

genus, species, strain : Bacillus clausii A-281/1
MicrobeMS ID : 2012_06_15_Maren Stämmeler_0004
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-15T10:31:29.375+02:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii A281_1\

genus, species, strain : Bacillus clausii A-281/1
MicrobeMS ID : 2012_05_31_Maren Stämmeler_0001
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-05-31T09:42:39.562+02:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii A281_1\

genus, species, strain : Bacillus clausii A-281/1
MicrobeMS ID : 2012_06_20_Maren Stämmeler_0002
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-20T09:46:48.656+02:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii A281_1\

genus, species, strain : Bacillus clausii A-281/1
MicrobeMS ID : 2012_06_20_Maren Stämmeler_0004
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: MS

calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-20T10:09:04.015+02:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii A281_1\

genus, species, strain : Bacillus clausii DSM 8716
MicrobeMS ID : 2015_02_20_Schneider Andy_0005
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T09:54:07.656+01:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii DSM 8716\

genus, species, strain : Bacillus clausii DSM 8716
MicrobeMS ID : 2015_02_20_Schneider Andy_0006
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T09:56:06.015+01:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii DSM 8716\

genus, species, strain : Bacillus clausii DSM 8716
MicrobeMS ID : 2015_02_20_Schneider Andy_0007
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T09:58:38.812+01:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii DSM 8716\

genus, species, strain : Bacillus clausii DSM 8716
MicrobeMS ID : 2015_02_20_Schneider Andy_0008
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:00:47.875+01:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii DSM 8716\

genus, species, strain : Bacillus clausii DSM 8716
MicrobeMS ID : 2015_02_23_Maren Stämmeler_0005
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T09:50:42.375+01:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii DSM 8716\

genus, species, strain : Bacillus clausii DSM 8716
MicrobeMS ID : 2015_02_23_Maren Stämmeler_0006
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T09:53:20.093+01:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii DSM 8716\

genus, species, strain : Bacillus clausii DSM 8716
MicrobeMS ID : 2015_02_23_Maren Stämmeler_0007
NCBI tax ID's : 79880 -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T09:56:34.453+01:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii DSM 8716\

genus, species, strain : Bacillus clausii DSM 8716
MicrobeMS ID : 2015_02_23_Maren Stämmeler_0008
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T09:59:30.671+01:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii DSM 8716\

genus, species, strain : Bacillus clausii DSM 8716
MicrobeMS ID : 2015_02_25_Schneider Andy_0005
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T10:29:14.171+01:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii DSM 8716\

genus, species, strain : Bacillus clausii DSM 8716
MicrobeMS ID : 2015_02_25_Schneider Andy_0006
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T10:31:20.750+01:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii DSM 8716\

genus, species, strain : Bacillus clausii DSM 8716
MicrobeMS ID : 2015_02_25_Schneider Andy_0007
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T10:34:11.031+01:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii DSM 8716\

genus, species, strain : Bacillus clausii DSM 8716
MicrobeMS ID : 2015_02_25_Schneider Andy_0008
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T10:36:22.031+01:00
path to MS file : \Bacillus\Bacillus clausii\Bacillus clausii DSM 8716\

genus, species, strain : Bacillus clausii Oman 24
MicrobeMS ID : 2012_06_15_Maren Stämmeler_0001
NCBI tax ID's : 79880 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-15T10:09:53.781+02:00

```
path to MS file      : \\Bacillus\\Bacillus clausii\\Bacillus clausii Oman 24\\
genus, species, strain : Bacillus clausii Oman 24
MicrobeMS ID        : 2012_06_15_Maren Stämmeler_0003
NCBI tax ID's       : 79880 -
growth time         : 24h
growth temperature  : 37 Grad Celsius
growth conditions   : aerob
growth medium       : Caso
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : ca. 3-5 Oesen in 100 µel
extra info          : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method  : ToM_200ns.par
customer            : RKI ZBS2/ZBS6
measurement date/time : 2012-06-15T10:27:23.375+02:00
path to MS file     : \\Bacillus\\Bacillus clausii\\Bacillus clausii Oman 24\\

genus, species, strain : Bacillus clausii Oman 24
MicrobeMS ID        : 2012_06_08_Maren Stämmeler_0001
NCBI tax ID's       : 79880 -
growth time         : 24h
growth temperature  : 37 Grad Celsius
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : ca. 3-5 Oesen in 100 µel
extra info          : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method  : ToM_200ns.par
customer            : RKI ZBS2/ZBS6
measurement date/time : 2012-06-08T09:58:57.062+02:00
path to MS file     : \\Bacillus\\Bacillus clausii\\Bacillus clausii Oman 24\\

genus, species, strain : Bacillus clausii Oman 24
MicrobeMS ID        : 2012_06_20_Maren Stämmeler_0001
NCBI tax ID's       : 79880 -
growth time         : 24h
growth temperature  : 37 Grad Celsius
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : ca. 3-5 Oesen in 100 µel
extra info          : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method  : ToM_200ns.par
customer            : RKI ZBS2/ZBS6
measurement date/time : 2012-06-20T09:44:03.406+02:00
path to MS file     : \\Bacillus\\Bacillus clausii\\Bacillus clausii Oman 24\\

genus, species, strain : Bacillus clausii Oman 24
MicrobeMS ID        : 2012_06_20_Maren Stämmeler_0003
NCBI tax ID's       : 79880 -
growth time         : 24h
growth temperature  : 37 Grad Celsius
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : ca. 3-5 Oesen in 100 µel
extra info          : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method  : ToM_200ns.par
customer            : RKI ZBS2/ZBS6
measurement date/time : 2012-06-20T10:06:34.765+02:00
path to MS file     : \\Bacillus\\Bacillus clausii\\Bacillus clausii Oman 24\\
```

Bacillus coagulans

```
genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID        : 2017_01_11_Leyla_Al-Sabbagh_0005
NCBI tax ID's       : 1398 - 1121088
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80µ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 25µl
extra info          : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2017-01-12T15:19:48.375+01:00
path to MS file     : \\Bacillus\\Bacillus coagulans\\Bacillus coagulans DSM 1\\

genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID        : 2017_01_11_Leyla_Al-Sabbagh_0006
NCBI tax ID's       : 1398 - 1121088
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80µ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 25µl
extra info          : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2017-01-12T15:22:00.718+01:00
path to MS file     : \\Bacillus\\Bacillus coagulans\\Bacillus coagulans DSM 1\\

genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID        : 2017_01_11_Leyla_Al-Sabbagh_0007
NCBI tax ID's       : 1398 - 1121088
growth time         : 24h
growth temperature  : 37°C
```

growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-12T15:24:28.031+01:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID : 2017_01_11_Leyla_Al-Sabbagh_0008
NCBI tax ID's : 1398 - 1121088
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-12T15:28:37.531+01:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID : 2017_01_06_Leyla_Al-Sabbagh_0013
NCBI tax ID's : 1398 - 1121088
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T12:29:11.968+01:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID : 2017_01_06_Leyla_Al-Sabbagh_0014
NCBI tax ID's : 1398 - 1121088
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T12:32:54.375+01:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID : 2017_01_06_Leyla_Al-Sabbagh_0015
NCBI tax ID's : 1398 - 1121088
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T12:37:01.453+01:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID : 2017_01_06_Leyla_Al-Sabbagh_0016
NCBI tax ID's : 1398 - 1121088
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T13:34:45.328+01:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID : 2017_01_20_Leyla_Al-Sabbagh_0001
NCBI tax ID's : 1398 - 1121088
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-20T10:26:05.765+01:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\


```
genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID           : 2017_01_20_Leyla_Al-Sabbagh_0002
NCBI tax ID's          : 1398 - 1121088
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 25µl
extra info             : Stämme von DSMZ
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2017-01-20T10:28:32.828+01:00
path to MS file        : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID           : 2017_01_20_Leyla_Al-Sabbagh_0003
NCBI tax ID's          : 1398 - 1121088
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 25µl
extra info             : Stämme von DSMZ
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2017-01-20T10:31:46.234+01:00
path to MS file        : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID           : 2017_01_20_Leyla_Al-Sabbagh_0004
NCBI tax ID's          : 1398 - 1121088
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 25µl
extra info             : Stämme von DSMZ
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2017-01-20T10:33:38.484+01:00
path to MS file        : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID           : 2017_01_06_Leyla_Al-Sabbagh_0001
NCBI tax ID's          : 1398 - 1121088
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 25µl
extra info             : Stämme von DSMZ
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2017-01-06T10:30:16.343+01:00
path to MS file        : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID           : 2017_01_06_Leyla_Al-Sabbagh_0002
NCBI tax ID's          : 1398 - 1121088
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 25µl
extra info             : Stämme von DSMZ
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2017-01-06T10:34:50.781+01:00
path to MS file        : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID           : 2017_01_06_Leyla_Al-Sabbagh_0003
NCBI tax ID's          : 1398 - 1121088
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 25µl
extra info             : Stämme von DSMZ
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2017-01-06T10:38:23.187+01:00
path to MS file        : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM 1
MicrobeMS ID           : 2017_01_06_Leyla_Al-Sabbagh_0004
NCBI tax ID's          : 1398 - 1121088
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 25µl
```

extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T10:40:09.843+01:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM_1
MicrobeMS ID : 2017_04_19_Schneider_Andy_0001
NCBI tax ID's : 1398 - 1121088
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB Agar
sample treatment : 80s TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-19T12:39:22.968+02:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM_1
MicrobeMS ID : 2017_04_19_Schneider_Andy_0002
NCBI tax ID's : 1398 - 1121088
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB Agar
sample treatment : 80s TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-19T12:41:16.156+02:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM_1
MicrobeMS ID : 2017_04_19_Schneider_Andy_0003
NCBI tax ID's : 1398 - 1121088
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB Agar
sample treatment : 80s TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-19T12:43:56.125+02:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM_1
MicrobeMS ID : 2017_04_19_Schneider_Andy_0004
NCBI tax ID's : 1398 - 1121088
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB Agar
sample treatment : 80s TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-19T12:45:11.500+02:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM_1
MicrobeMS ID : 2017_04_19_Schneider_Andy_0009
NCBI tax ID's : 1398 - 1121088
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB Agar
sample treatment : 80s TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-19T12:58:38.500+02:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM_1
MicrobeMS ID : 2017_04_19_Schneider_Andy_0010
NCBI tax ID's : 1398 - 1121088
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB Agar
sample treatment : 80s TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-19T13:01:10.156+02:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM_1
MicrobeMS ID : 2017_04_19_Schneider_Andy_0011
NCBI tax ID's : 1398 - 1121088

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB Agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verdüent in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-19T13:02:52.312+02:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

genus, species, strain : Bacillus coagulans DSM_1
MicrobeMS ID : 2017_04_19_Schneider_Andy_0012
NCBI tax ID's : 1398 - 1121088
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB Agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verdüent in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-19T13:04:46.218+02:00
path to MS file : \Bacillus\Bacillus coagulans\Bacillus coagulans DSM 1\

Bacillus cohnii

genus, species, strain : Bacillus cohnii DSM 6307
MicrobeMS ID : 2015_02_20_Schneider_Andy_0009
NCBI tax ID's : 33932 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:12:58.515+01:00
path to MS file : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6307\

genus, species, strain : Bacillus cohnii DSM 6307
MicrobeMS ID : 2015_02_20_Schneider_Andy_0010
NCBI tax ID's : 33932 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:14:57.656+01:00
path to MS file : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6307\

genus, species, strain : Bacillus cohnii DSM 6307
MicrobeMS ID : 2015_02_20_Schneider_Andy_0011
NCBI tax ID's : 33932 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:17:20.750+01:00
path to MS file : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6307\

genus, species, strain : Bacillus cohnii DSM 6307
MicrobeMS ID : 2015_02_20_Schneider_Andy_0012
NCBI tax ID's : 33932 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:19:40.218+01:00
path to MS file : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6307\

genus, species, strain : Bacillus cohnii DSM 6307
MicrobeMS ID : 2015_02_23_Maren_Stämmeler_0009
NCBI tax ID's : 33932 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldic MS

```
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T10:22:18.703+01:00
path to MS file      : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6307\

genus, species, strain : Bacillus cohnii DSM 6307
MicrobeMS ID          : 2015_02_23_Maren Stämmeler_0010
NCBI tax ID's         : 33932 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2-3 Oesen in 50 µl
extra info            : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard  : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T10:24:56.640+01:00
path to MS file      : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6307\

genus, species, strain : Bacillus cohnii DSM 6307
MicrobeMS ID          : 2015_02_23_Maren Stämmeler_0011
NCBI tax ID's         : 33932 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2-3 Oesen in 50 µl
extra info            : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard  : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T10:27:55.187+01:00
path to MS file      : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6307\

genus, species, strain : Bacillus cohnii DSM 6307
MicrobeMS ID          : 2015_02_23_Maren Stämmeler_0012
NCBI tax ID's         : 33932 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2-3 Oesen in 50 µl
extra info            : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard  : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T10:30:37.734+01:00
path to MS file      : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6307\

genus, species, strain : Bacillus cohnii DSM 6307
MicrobeMS ID          : 2015_02_25_Schneider Andy_0009
NCBI tax ID's         : 33932 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : cells from solid cultures
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T10:42:24.109+01:00
path to MS file      : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6307\

genus, species, strain : Bacillus cohnii DSM 6307
MicrobeMS ID          : 2015_02_25_Schneider Andy_0010
NCBI tax ID's         : 33932 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : cells from solid cultures
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T10:44:25.093+01:00
path to MS file      : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6307\

genus, species, strain : Bacillus cohnii DSM 6307
MicrobeMS ID          : 2015_02_25_Schneider Andy_0011
NCBI tax ID's         : 33932 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : cells from solid cultures
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T10:46:57.359+01:00
path to MS file      : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6307\

genus, species, strain : Bacillus cohnii DSM 6307
MicrobeMS ID          : 2015_02_25_Schneider Andy_0012
NCBI tax ID's         : 33932 -
growth time           : 24h
```

growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T10:49:05.515+01:00
path to MS file : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6307\

genus, species, strain : Bacillus cohnii DSM 6350
MicrobeMS ID : 2015_02_20_Schneider Andy_0013
NCBI tax ID's : 33932 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:25:08.937+01:00
path to MS file : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6350\

genus, species, strain : Bacillus cohnii DSM 6350
MicrobeMS ID : 2015_02_20_Schneider Andy_0014
NCBI tax ID's : 33932 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:27:41.796+01:00
path to MS file : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6350\

genus, species, strain : Bacillus cohnii DSM 6350
MicrobeMS ID : 2015_02_20_Schneider Andy_0015
NCBI tax ID's : 33932 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:29:43.718+01:00
path to MS file : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6350\

genus, species, strain : Bacillus cohnii DSM 6350
MicrobeMS ID : 2015_02_20_Schneider Andy_0016
NCBI tax ID's : 33932 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:33:05.484+01:00
path to MS file : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6350\

genus, species, strain : Bacillus cohnii DSM 6350
MicrobeMS ID : 2015_02_23_Maren Stämmeler_0013
NCBI tax ID's : 33932 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T10:38:27.312+01:00
path to MS file : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6350\

genus, species, strain : Bacillus cohnii DSM 6350
MicrobeMS ID : 2015_02_23_Maren Stämmeler_0014
NCBI tax ID's : 33932 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T10:42:02.343+01:00

```
path to MS file      : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6350\  
genus, species, strain : Bacillus cohnii DSM 6350  
MicrobeMS ID        : 2015_02_23_Maren Stämmeler_0015  
NCBI tax ID's       : 33932 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : LB  
sample treatment    : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 2-3 Oesen in 50 µl  
extra info          : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS  
calibration standard : E.coli K12 (DSM 3871) linear kalibriert  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2015-02-23T10:45:20.640+01:00  
path to MS file      : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6350\  
  
genus, species, strain : Bacillus cohnii DSM 6350  
MicrobeMS ID        : 2015_02_23_Maren Stämmeler_0016  
NCBI tax ID's       : 33932 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : LB  
sample treatment    : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 2-3 Oesen in 50 µl  
extra info          : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS  
calibration standard : E.coli K12 (DSM 3871) linear kalibriert  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2015-02-23T10:48:56.781+01:00  
path to MS file      : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6350\  
  
genus, species, strain : Bacillus cohnii DSM 6350  
MicrobeMS ID        : 2015_02_25_Schneider Andy_0013  
NCBI tax ID's       : 33932 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : LB  
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration        : 3 Oesen in 100 µl  
extra info          : cells from solid cultures  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2015-02-25T10:56:02.109+01:00  
path to MS file      : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6350\  
  
genus, species, strain : Bacillus cohnii DSM 6350  
MicrobeMS ID        : 2015_02_25_Schneider Andy_0014  
NCBI tax ID's       : 33932 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : LB  
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration        : 3 Oesen in 100 µl  
extra info          : cells from solid cultures  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2015-02-25T10:58:18.546+01:00  
path to MS file      : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6350\  
  
genus, species, strain : Bacillus cohnii DSM 6350  
MicrobeMS ID        : 2015_02_25_Schneider Andy_0015  
NCBI tax ID's       : 33932 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : LB  
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration        : 3 Oesen in 100 µl  
extra info          : cells from solid cultures  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2015-02-25T11:02:31.421+01:00  
path to MS file      : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6350\  
  
genus, species, strain : Bacillus cohnii DSM 6350  
MicrobeMS ID        : 2015_02_25_Schneider Andy_0016  
NCBI tax ID's       : 33932 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : LB  
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration        : 3 Oesen in 100 µl  
extra info          : cells from solid cultures  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2015-02-25T11:04:45.078+01:00  
path to MS file      : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6350\  
  
genus, species, strain : Bacillus cohnii DSM 6351  
MicrobeMS ID        : 2015_02_20_Schneider Andy_0017  
NCBI tax ID's       : 33932 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : LB  
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
```

```
concentration      : 3 Oesen in 100 µl
extra info        : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:37:05.437+01:00
path to MS file   : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6351\

genus, species, strain : Bacillus cohnii DSM 6351
MicrobeMS ID         : 2015_02_20_Schneider Andy_0018
NCBI tax ID's       : 33932 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration      : 3 Oesen in 100 µl
extra info        : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:39:06.750+01:00
path to MS file   : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6351\

genus, species, strain : Bacillus cohnii DSM 6351
MicrobeMS ID         : 2015_02_20_Schneider Andy_0019
NCBI tax ID's       : 33932 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration      : 3 Oesen in 100 µl
extra info        : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:41:41.453+01:00
path to MS file   : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6351\

genus, species, strain : Bacillus cohnii DSM 6351
MicrobeMS ID         : 2015_02_20_Schneider Andy_0020
NCBI tax ID's       : 33932 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration      : 3 Oesen in 100 µl
extra info        : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:44:02.718+01:00
path to MS file   : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6351\

genus, species, strain : Bacillus cohnii DSM 6351
MicrobeMS ID         : 2015_02_23_Maren Stämmeler_0017
NCBI tax ID's       : 33932 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration      : ca. 2-3 Oesen in 50 µl
extra info        : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T10:57:50.375+01:00
path to MS file   : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6351\

genus, species, strain : Bacillus cohnii DSM 6351
MicrobeMS ID         : 2015_02_23_Maren Stämmeler_0018
NCBI tax ID's       : 33932 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration      : ca. 2-3 Oesen in 50 µl
extra info        : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T11:01:03.953+01:00
path to MS file   : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6351\

genus, species, strain : Bacillus cohnii DSM 6351
MicrobeMS ID         : 2015_02_23_Maren Stämmeler_0019
NCBI tax ID's       : 33932 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration      : ca. 2-3 Oesen in 50 µl
extra info        : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T11:03:57.984+01:00
path to MS file   : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6351\

genus, species, strain : Bacillus cohnii DSM 6351
MicrobeMS ID         : 2015_02_23_Maren Stämmeler_0020
```

```

NCBI tax ID's       : 33932 -
growth time        : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium      : LB
sample treatment   : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration      : ca. 2-3 Oesen in 50 µel
extra info        : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T11:08:04.453+01:00
path to MS file    : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6351\

genus, species, strain : Bacillus cohnii DSM 6351
MicrobeMS ID         : 2015_02_25_Schneider Andy_0017
NCBI tax ID's       : 33932 -
growth time        : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium      : LB
sample treatment   : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration      : 3 Oesen in 100 µl
extra info        : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T11:10:39.421+01:00
path to MS file    : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6351\

genus, species, strain : Bacillus cohnii DSM 6351
MicrobeMS ID         : 2015_02_25_Schneider Andy_0018
NCBI tax ID's       : 33932 -
growth time        : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium      : LB
sample treatment   : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration      : 3 Oesen in 100 µl
extra info        : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T11:13:04.015+01:00
path to MS file    : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6351\

genus, species, strain : Bacillus cohnii DSM 6351
MicrobeMS ID         : 2015_02_25_Schneider Andy_0019
NCBI tax ID's       : 33932 -
growth time        : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium      : LB
sample treatment   : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration      : 3 Oesen in 100 µl
extra info        : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T11:16:26.609+01:00
path to MS file    : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6351\

genus, species, strain : Bacillus cohnii DSM 6351
MicrobeMS ID         : 2015_02_25_Schneider Andy_0020
NCBI tax ID's       : 33932 -
growth time        : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium      : LB
sample treatment   : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration      : 3 Oesen in 100 µl
extra info        : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T11:18:49.906+01:00
path to MS file    : \Bacillus\Bacillus cohnii\Bacillus cohnii DSM 6351\

```

Bacillus cucumis

```

genus, species, strain : Bacillus cucumis DSM 101566
MicrobeMS ID         : 2017_01_11_Leyla_Al-Sabbagh_0017
NCBI tax ID's       : 1740721 -
growth time        : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium      : LB
sample treatment   : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration      : 3 Oesen in 25µl
extra info        : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2017-01-12T17:24:33.109+01:00
path to MS file    : \Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

genus, species, strain : Bacillus cucumis DSM 101566
MicrobeMS ID         : 2017_01_11_Leyla_Al-Sabbagh_0018
NCBI tax ID's       : 1740721 -
growth time        : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium      : LB
sample treatment   : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration      : 3 Oesen in 25µl

```



```
extra info          : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2017-01-12T17:26:07.187+01:00
path to MS file     : \Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

genus, species, strain : Bacillus cucumis DSM 101566
MicrobeMS ID          : 2017_01_11_Leyla_Al-Sabbagh_0019
NCBI tax ID's         : 1740721 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 25µl
extra info           : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-01-12T17:28:21.453+01:00
path to MS file     : \Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

genus, species, strain : Bacillus cucumis DSM 101566
MicrobeMS ID          : 2017_01_11_Leyla_Al-Sabbagh_0020
NCBI tax ID's         : 1740721 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 25µl
extra info           : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-01-12T17:30:42.312+01:00
path to MS file     : \Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

genus, species, strain : Bacillus cucumis DSM 101566
MicrobeMS ID          : 2017_01_20_Leyla_Al-Sabbagh_0013
NCBI tax ID's         : 1740721 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 25µl
extra info           : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-01-20T11:11:06.281+01:00
path to MS file     : \Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

genus, species, strain : Bacillus cucumis DSM 101566
MicrobeMS ID          : 2017_01_20_Leyla_Al-Sabbagh_0014
NCBI tax ID's         : 1740721 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 25µl
extra info           : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-01-20T11:13:45.734+01:00
path to MS file     : \Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

genus, species, strain : Bacillus cucumis DSM 101566
MicrobeMS ID          : 2017_01_20_Leyla_Al-Sabbagh_0015
NCBI tax ID's         : 1740721 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 25µl
extra info           : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-01-20T11:15:56.421+01:00
path to MS file     : \Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

genus, species, strain : Bacillus cucumis DSM 101566
MicrobeMS ID          : 2017_01_20_Leyla_Al-Sabbagh_0016
NCBI tax ID's         : 1740721 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 25µl
extra info           : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-01-20T11:18:48.890+01:00
path to MS file     : \Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

genus, species, strain : Bacillus cucumis DSM 101566
MicrobeMS ID          : 2017_02_23_Leyla_Al-Sabbagh_0009
NCBI tax ID's         : 1740721 -
```

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-23T15:14:29.156+01:00
path to MS file : \Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

genus, species, strain : Bacillus cucumis DSM 101566
MicrobeMS ID : 2017_02_23_Leyla_Al-Sabbagh_0010
NCBI tax ID's : 1740721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-23T15:16:52.656+01:00
path to MS file : \Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

genus, species, strain : Bacillus cucumis DSM 101566
MicrobeMS ID : 2017_02_23_Leyla_Al-Sabbagh_0011
NCBI tax ID's : 1740721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-23T15:19:45.328+01:00
path to MS file : \Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

genus, species, strain : Bacillus cucumis DSM 101566
MicrobeMS ID : 2017_02_23_Leyla_Al-Sabbagh_0012
NCBI tax ID's : 1740721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-23T15:21:41.578+01:00
path to MS file : \Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

genus, species, strain : Bacillus cucumis DSM_101566
MicrobeMS ID : 2017_03_31_Schneider_Andy_0001
NCBI tax ID's : 1740721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T09:12:34.000+02:00
path to MS file : \Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

genus, species, strain : Bacillus cucumis DSM_101566
MicrobeMS ID : 2017_03_31_Schneider_Andy_0002
NCBI tax ID's : 1740721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T09:17:19.718+02:00
path to MS file : \Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

genus, species, strain : Bacillus cucumis DSM_101566
MicrobeMS ID : 2017_03_31_Schneider_Andy_0003
NCBI tax ID's : 1740721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2017-03-31T09:20:21.687+02:00
path to MS file : \\Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

genus, species, strain : Bacillus cucumis DSM_101566
MicrobEMS ID : 2017_03_31_Schneider_Andy_0004
NCBI tax ID's : 1740721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verdunnt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T09:23:16.796+02:00
path to MS file : \\Bacillus\Bacillus cucumis\Bacillus cucumis DSM 101566\

Bacillus cytotoxicus

genus, species, strain : Bacillus cytotoxicus CVUAS10202
MicrobEMS ID : 2016_05_30_Schneider_Andy_0033
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T13:30:38.546+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus CVUAS10202
MicrobEMS ID : 2016_05_30_Schneider_Andy_0034
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T13:32:56.453+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus CVUAS10202
MicrobEMS ID : 2016_05_30_Schneider_Andy_0035
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T13:34:35.578+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus CVUAS10202
MicrobEMS ID : 2016_05_30_Schneider_Andy_0036
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T13:36:23.625+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus CVUAS10202
MicrobEMS ID : 2016_05_27_Schneider_Andy_0005
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren2015_06.par
customer : RKI ZBS6
measurement date/time : 2016-05-27T10:40:33.390+01:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus CVUAS10202
MicrobEMS ID : 2016_05_27_Schneider_Andy_0006
NCBI tax ID's : 580165 -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren2015_06.par
customer : RKI ZBS6
measurement date/time : 2016-05-27T10:42:24.296+01:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus CVUAS10202
MicrobeMS ID : 2016_05_27_Schneider_Andy_0007
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren2015_06.par
customer : RKI ZBS6
measurement date/time : 2016-05-27T10:53:55.328+01:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus CVUAS10202
MicrobeMS ID : 2016_05_27_Schneider_Andy_0008
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren2015_06.par
customer : RKI ZBS6
measurement date/time : 2016-05-27T10:55:15.156+01:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus CVUAS10202
MicrobeMS ID : 2016_05_27_Schneider_Andy_0009
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren2015_06.par
customer : RKI ZBS6
measurement date/time : 2016-05-27T10:51:29.359+01:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus 10202
MicrobeMS ID : 08_06_2016_Julia Mitschke_0001
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T12:56:44.015+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus 10202
MicrobeMS ID : 08_06_2016_Julia Mitschke_0002
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T13:01:01.500+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus 10202
MicrobeMS ID : 08_06_2016_Julia Mitschke_0003
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T13:03:59.250+02:00

```
path to MS file      : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\
genus, species, strain : Bacillus cytotoxicus 10202
MicrobeMS ID        : 08_06_2016_Julia Mitschke_0004
NCBI tax ID's       : 580165 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info          : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2016-06-08T13:05:58.437+02:00
path to MS file      : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus CVUAS 10202
MicrobeMS ID        : 07_07_2016_Julia Mitschke_0019
NCBI tax ID's       : 580165 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info          : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2016-07-07T10:39:10.796+02:00
path to MS file      : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus CVUAS 10202
MicrobeMS ID        : 07_07_2016_Julia Mitschke_0020
NCBI tax ID's       : 580165 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info          : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2016-07-07T10:41:30.000+02:00
path to MS file      : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus CVUAS 10202
MicrobeMS ID        : 12_07_2016_Julia Mitschke_0009
NCBI tax ID's       : 580165 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info          : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2016-07-12T10:48:32.328+02:00
path to MS file      : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus CVUAS 10202
MicrobeMS ID        : 12_07_2016_Julia Mitschke_0010
NCBI tax ID's       : 580165 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info          : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2016-07-12T10:51:57.187+02:00
path to MS file      : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus CVUAS 10202
MicrobeMS ID        : 19_07_2016_Julia Mitschke_0019
NCBI tax ID's       : 580165 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info          : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2016-07-19T13:50:29.000+02:00
path to MS file      : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 10202\

genus, species, strain : Bacillus cytotoxicus CVUAS 10202
MicrobeMS ID        : 19_07_2016_Julia Mitschke_0020
NCBI tax ID's       : 580165 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
```

concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T13:53:06.468+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 10202\\

genus, species, strain : Bacillus cytotoxicus CVUAS2833
MicrobeMS ID : 2016_05_30_Schneider_Andy_0013
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T10:30:00.296+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 2833\\

genus, species, strain : Bacillus cytotoxicus CVUAS2833
MicrobeMS ID : 2016_05_30_Schneider_Andy_0014
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T10:32:31.234+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 2833\\

genus, species, strain : Bacillus cytotoxicus CVUAS2833
MicrobeMS ID : 2016_05_30_Schneider_Andy_0015
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T10:34:13.125+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 2833\\

genus, species, strain : Bacillus cytotoxicus CVUAS2833
MicrobeMS ID : 2016_05_30_Schneider_Andy_0016
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T10:37:23.453+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 2833\\

genus, species, strain : Bacillus cytotoxicus CVUAS2833
MicrobeMS ID : 2016_05_27_Schneider_Andy_0001
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : D:\\Methods\\flexControlMethods\\Bakterien_testmaren2015_06.par
customer : RKI ZBS6
measurement date/time : 2016-05-27T10:28:26.000+01:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 2833\\

genus, species, strain : Bacillus cytotoxicus CVUAS2833
MicrobeMS ID : 2016_05_27_Schneider_Andy_0002
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : D:\\Methods\\flexControlMethods\\Bakterien_testmaren2015_06.par
customer : RKI ZBS6
measurement date/time : 2016-05-27T10:30:08.031+01:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 2833\\

genus, species, strain : Bacillus cytotoxicus CVUAS2833
MicrobeMS ID : 2016_05_27_Schneider_Andy_0003

NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren2015_06.par
customer : RKI ZBS6
measurement date/time : 2016-05-27T10:32:24.437+01:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2833\

genus, species, strain : Bacillus cytotoxicus CVUAS2833
MicrobeMS ID : 2016_05_27_Schneider_Andy_0004
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren2015_06.par
customer : RKI ZBS6
measurement date/time : 2016-05-27T10:35:33.718+01:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2833\

genus, species, strain : Bacillus cytotoxicus 2833
MicrobeMS ID : 08_06_2016_Julia Mitschke_0037
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T15:11:43.515+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2833\

genus, species, strain : Bacillus cytotoxicus 2833
MicrobeMS ID : 08_06_2016_Julia Mitschke_0038
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T15:13:35.406+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2833\

genus, species, strain : Bacillus cytotoxicus 2833
MicrobeMS ID : 08_06_2016_Julia Mitschke_0039
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T15:15:14.343+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2833\

genus, species, strain : Bacillus cytotoxicus 2833
MicrobeMS ID : 08_06_2016_Julia Mitschke_0040
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T15:16:52.343+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2833\

genus, species, strain : Bacillus cytotoxicus CVUAS 2833
MicrobeMS ID : 07_07_2016_Julia Mitschke_0003
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par

customer : RKI ZBS6
measurement date/time : 2016-07-07T09:36:46.484+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 2833\\

genus, species, strain : Bacillus cytotoxicus CVUAS 2833
MicrobeMS ID : 07_07_2016_Julia Mitschke_0004
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T09:39:39.968+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 2833\\

genus, species, strain : Bacillus cytotoxicus CVUAS 2833
MicrobeMS ID : 07_07_2016_Julia Mitschke_0023
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T15:03:14.265+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 2833\\

genus, species, strain : Bacillus cytotoxicus CVUAS 2833
MicrobeMS ID : 07_07_2016_Julia Mitschke_0024
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T15:08:02.218+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 2833\\

genus, species, strain : Bacillus cytotoxicus CVUAS 2833
MicrobeMS ID : 19_07_2016_Julia Mitschke_0003
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T11:24:03.765+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 2833\\

genus, species, strain : Bacillus cytotoxicus CVUAS 2833
MicrobeMS ID : 19_07_2016_Julia Mitschke_0004
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T11:27:19.390+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 2833\\

genus, species, strain : Bacillus cytotoxicus CVUAS2979
MicrobeMS ID : 2016_05_30_Schneider_Andy_0017
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T10:42:26.296+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 2979\\

genus, species, strain : Bacillus cytotoxicus CVUAS2979
MicrobeMS ID : 2016_05_30_Schneider_Andy_0018
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T10:44:32.921+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\CVUAS 2979\

genus, species, strain : Bacillus cytotoxicus CVUAS2979
MicrobeMS ID : 2016_05_30_Schneider_Andy_0019
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T10:46:50.578+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\CVUAS 2979\

genus, species, strain : Bacillus cytotoxicus CVUAS2979
MicrobeMS ID : 2016_05_30_Schneider_Andy_0020
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T10:48:47.640+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\CVUAS 2979\

genus, species, strain : Bacillus cytotoxicus 2979
MicrobeMS ID : 08_06_2016_Julia Mitschke_0025
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:36:38.687+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2979\

genus, species, strain : Bacillus cytotoxicus 2979
MicrobeMS ID : 08_06_2016_Julia Mitschke_0026
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:38:40.187+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2979\

genus, species, strain : Bacillus cytotoxicus 2979
MicrobeMS ID : 08_06_2016_Julia Mitschke_0027
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:40:50.781+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2979\

genus, species, strain : Bacillus cytotoxicus 2979
MicrobeMS ID : 08_06_2016_Julia Mitschke_0028
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:42:38.984+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2979\

genus, species, strain : Bacillus cytotoxicus CVUAS 2979
MicrobeMS ID : 07_07_2016_Julia Mitschke_0005
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T09:44:36.015+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2979\

genus, species, strain : Bacillus cytotoxicus CVUAS 2979
MicrobeMS ID : 07_07_2016_Julia Mitschke_0006
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T09:48:04.265+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2979\

genus, species, strain : Bacillus cytotoxicus CVUAS 2979
MicrobeMS ID : 07_07_2016_Julia Mitschke_0025
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T15:16:41.218+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2979\

genus, species, strain : Bacillus cytotoxicus CVUAS 2979
MicrobeMS ID : 07_07_2016_Julia Mitschke_0026
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T15:19:46.968+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2979\

genus, species, strain : Bacillus cytotoxicus CVUAS 2979
MicrobeMS ID : 19_07_2016_Julia Mitschke_0005
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T12:51:12.109+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2979\

genus, species, strain : Bacillus cytotoxicus CVUAS 2979
MicrobeMS ID : 19_07_2016_Julia Mitschke_0006
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T12:53:33.828+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 2979\

genus, species, strain : Bacillus cytotoxicus CVUAS3827
MicrobeMS ID : 2016_05_30_Schneider_Andy_0005
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS

calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T09:31:59.734+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 3827\

genus, species, strain : Bacillus cytotoxicus CVUAS3827
MicrobeMS ID : 2016_05_30_Schneider_Andy_0006
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T09:33:47.937+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 3827\

genus, species, strain : Bacillus cytotoxicus CVUAS3827
MicrobeMS ID : 2016_05_30_Schneider_Andy_0007
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T09:35:06.265+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 3827\

genus, species, strain : Bacillus cytotoxicus CVUAS3827
MicrobeMS ID : 2016_05_30_Schneider_Andy_0008
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T09:37:02.187+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 3827\

genus, species, strain : Bacillus cytotoxicus 3827
MicrobeMS ID : 08_06_2016_Julia Mitschke_0009
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T13:36:38.843+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 3827\

genus, species, strain : Bacillus cytotoxicus 3827
MicrobeMS ID : 08_06_2016_Julia Mitschke_0010
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T13:44:49.515+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 3827\

genus, species, strain : Bacillus cytotoxicus 3827
MicrobeMS ID : 08_06_2016_Julia Mitschke_0011
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T13:48:47.015+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 3827\

genus, species, strain : Bacillus cytotoxicus 3827
MicrobeMS ID : 08_06_2016_Julia Mitschke_0012
NCBI tax ID's : 580165 -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T13:51:51.031+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 3827\

genus, species, strain : Bacillus cytotoxicus CVUAS 3827
MicrobeMS ID : 07_07_2016_Julia Mitschke_0007
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T09:52:31.375+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 3827\

genus, species, strain : Bacillus cytotoxicus CVUAS 3827
MicrobeMS ID : 07_07_2016_Julia Mitschke_0008
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T09:55:01.812+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 3827\

genus, species, strain : Bacillus cytotoxicus CVUAS 3827
MicrobeMS ID : 07_07_2016_Julia Mitschke_0027
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T15:23:47.500+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 3827\

genus, species, strain : Bacillus cytotoxicus CVUAS 3827
MicrobeMS ID : 07_07_2016_Julia Mitschke_0028
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T15:26:22.359+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 3827\

genus, species, strain : Bacillus cytotoxicus CVUAS 3827
MicrobeMS ID : 19_07_2016_Julia Mitschke_0007
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T12:56:35.984+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 3827\

genus, species, strain : Bacillus cytotoxicus CVUAS 3827
MicrobeMS ID : 19_07_2016_Julia Mitschke_0008
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T12:59:59.109+02:00

path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 3827\
genus, species, strain : Bacillus cytotoxicus CVUAS3828
MicrobeMS ID : 2016_05_30_Schneider_Andy_0009
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T09:40:26.906+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 3828\
genus, species, strain : Bacillus cytotoxicus CVUAS3828
MicrobeMS ID : 2016_05_30_Schneider_Andy_0010
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T09:42:01.328+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 3828\
genus, species, strain : Bacillus cytotoxicus CVUAS3828
MicrobeMS ID : 2016_05_30_Schneider_Andy_0011
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T09:43:37.953+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 3828\
genus, species, strain : Bacillus cytotoxicus CVUAS3828
MicrobeMS ID : 2016_05_30_Schneider_Andy_0012
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T09:45:21.843+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 3828\
genus, species, strain : Bacillus cytotoxicus 3828
MicrobeMS ID : 08_06_2016_Julia Mitschke_0033
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:58:29.453+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 3828\
genus, species, strain : Bacillus cytotoxicus 3828
MicrobeMS ID : 08_06_2016_Julia Mitschke_0034
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T15:00:58.359+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 3828\
genus, species, strain : Bacillus cytotoxicus 3828
MicrobeMS ID : 08_06_2016_Julia Mitschke_0035
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)

concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T15:05:40.031+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 3828\\

genus, species, strain : Bacillus cytotoxicus 3828
MicrobeMS ID : 08_06_2016_Julia Mitschke_0036
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T15:08:25.906+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 3828\\

genus, species, strain : Bacillus cytotoxicus CVUAS 3828
MicrobeMS ID : 07_07_2016_Julia Mitschke_0009
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T10:00:51.734+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 3828\\

genus, species, strain : Bacillus cytotoxicus CVUAS 3828
MicrobeMS ID : 07_07_2016_Julia Mitschke_0010
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T10:04:02.875+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 3828\\

genus, species, strain : Bacillus cytotoxicus CVUAS 3828
MicrobeMS ID : 07_07_2016_Julia Mitschke_0029
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T15:36:55.250+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 3828\\

genus, species, strain : Bacillus cytotoxicus CVUAS 3828
MicrobeMS ID : 07_07_2016_Julia Mitschke_0030
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T15:40:40.906+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 3828\\

genus, species, strain : Bacillus cytotoxicus CVUAS 3828
MicrobeMS ID : 19_07_2016_Julia Mitschke_0009
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T13:07:54.859+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 3828\\

genus, species, strain : Bacillus cytotoxicus CVUAS 3828
MicrobeMS ID : 19_07_2016_Julia Mitschke_0010

NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T13:10:53.343+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 3828\

genus, species, strain : Bacillus cytotoxicus CVUAS6082
MicrobeMS ID : 2016_05_30_Schneider_Andy_0021
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T10:52:57.000+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6082\

genus, species, strain : Bacillus cytotoxicus CVUAS6082
MicrobeMS ID : 2016_05_30_Schneider_Andy_0022
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T12:42:19.718+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6082\

genus, species, strain : Bacillus cytotoxicus CVUAS6082
MicrobeMS ID : 2016_05_30_Schneider_Andy_0023
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T12:44:21.156+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6082\

genus, species, strain : Bacillus cytotoxicus CVUAS6082
MicrobeMS ID : 2016_05_30_Schneider_Andy_0024
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T12:46:16.437+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6082\

genus, species, strain : Bacillus cytotoxicus 6082
MicrobeMS ID : 08_06_2016_Julia Mitschke_0017
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:11:20.000+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6082\

genus, species, strain : Bacillus cytotoxicus 6082
MicrobeMS ID : 08_06_2016_Julia Mitschke_0018
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par

customer : RKI ZBS6
measurement date/time : 2016-06-08T14:13:41.609+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6082\

genus, species, strain : Bacillus cytotoxicus 6082
MicrobEMS ID : 08_06_2016_Julia Mitschke_0019
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:15:34.843+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6082\

genus, species, strain : Bacillus cytotoxicus 6082
MicrobEMS ID : 08_06_2016_Julia Mitschke_0020
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:18:22.281+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6082\

genus, species, strain : Bacillus cytotoxicus CVUAS 6082
MicrobEMS ID : 07_07_2016_Julia Mitschke_0011
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T10:07:18.953+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6082\

genus, species, strain : Bacillus cytotoxicus CVUAS 6082
MicrobEMS ID : 07_07_2016_Julia Mitschke_0012
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T10:10:05.968+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6082\

genus, species, strain : Bacillus cytotoxicus CVUAS 6082
MicrobEMS ID : 12_07_2016_Julia Mitschke_0001
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-12T10:05:22.421+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6082\

genus, species, strain : Bacillus cytotoxicus CVUAS 6082
MicrobEMS ID : 12_07_2016_Julia Mitschke_0002
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-12T10:10:52.921+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6082\

genus, species, strain : Bacillus cytotoxicus CVUAS 6082
MicrobEMS ID : 19_07_2016_Julia Mitschke_0011
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T13:15:44.156+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\CVUAS 6082\

genus, species, strain : Bacillus cytotoxicus CVUAS 6082
MicrobeMS ID : 19_07_2016_Julia Mitschke_0012
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T13:18:35.843+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\CVUAS 6082\

genus, species, strain : Bacillus cytotoxicus CVUAS6183
MicrobeMS ID : 2016_05_30_Schneider_Andy_0025
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T12:49:51.093+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\CVUAS 6183\

genus, species, strain : Bacillus cytotoxicus CVUAS6183
MicrobeMS ID : 2016_05_30_Schneider_Andy_0026
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T12:52:24.062+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\CVUAS 6183\

genus, species, strain : Bacillus cytotoxicus CVUAS6183
MicrobeMS ID : 2016_05_30_Schneider_Andy_0027
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T12:54:38.750+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\CVUAS 6183\

genus, species, strain : Bacillus cytotoxicus CVUAS6183
MicrobeMS ID : 2016_05_30_Schneider_Andy_0028
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T12:56:25.515+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\CVUAS 6183\

genus, species, strain : Bacillus cytotoxicus 6183
MicrobeMS ID : 08_06_2016_Julia Mitschke_0021
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:26:28.937+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6183\

genus, species, strain : Bacillus cytotoxicus 6183
MicrobeMS ID : 08_06_2016_Julia Mitschke_0022
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:29:09.796+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6183\

genus, species, strain : Bacillus cytotoxicus 6183
MicrobeMS ID : 08_06_2016_Julia Mitschke_0023
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:31:19.234+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6183\

genus, species, strain : Bacillus cytotoxicus 6183
MicrobeMS ID : 08_06_2016_Julia Mitschke_0024
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:33:05.546+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6183\

genus, species, strain : Bacillus cytotoxicus CVUAS 6183
MicrobeMS ID : 07_07_2016_Julia Mitschke_0013
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T10:19:07.875+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6183\

genus, species, strain : Bacillus cytotoxicus CVUAS 6183
MicrobeMS ID : 07_07_2016_Julia Mitschke_0014
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T10:22:35.046+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6183\

genus, species, strain : Bacillus cytotoxicus CVUAS 6183
MicrobeMS ID : 12_07_2016_Julia Mitschke_0003
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-12T10:14:54.515+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6183\

genus, species, strain : Bacillus cytotoxicus CVUAS 6183
MicrobeMS ID : 12_07_2016_Julia Mitschke_0004
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS

calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-12T10:19:35.312+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6183\

genus, species, strain : Bacillus cytotoxicus CVUAS 6183
MicrobeMS ID : 19_07_2016_Julia Mitschke_0013
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T13:27:52.203+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6183\

genus, species, strain : Bacillus cytotoxicus CVUAS 6183
MicrobeMS ID : 19_07_2016_Julia Mitschke_0014
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T13:31:24.765+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6183\

genus, species, strain : Bacillus cytotoxicus CVUAS6244
MicrobeMS ID : 2016_05_30_Schneider_Andy_0029
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T13:01:25.125+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6244\

genus, species, strain : Bacillus cytotoxicus CVUAS6244
MicrobeMS ID : 2016_05_30_Schneider_Andy_0030
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T13:03:06.484+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6244\

genus, species, strain : Bacillus cytotoxicus CVUAS6244
MicrobeMS ID : 2016_05_30_Schneider_Andy_0031
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T13:22:19.937+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6244\

genus, species, strain : Bacillus cytotoxicus CVUAS6244
MicrobeMS ID : 2016_05_30_Schneider_Andy_0032
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T13:24:34.687+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6244\

genus, species, strain : Bacillus cytotoxicus 6244
MicrobeMS ID : 08_06_2016_Julia Mitschke_0029
NCBI tax ID's : 580165 -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:46:03.484+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6244\

genus, species, strain : Bacillus cytotoxicus 6244
MicrobeMS ID : 08_06_2016_Julia Mitschke_0030
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:48:21.625+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6244\

genus, species, strain : Bacillus cytotoxicus 6244
MicrobeMS ID : 08_06_2016_Julia Mitschke_0031
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:50:33.406+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6244\

genus, species, strain : Bacillus cytotoxicus 6244
MicrobeMS ID : 08_06_2016_Julia Mitschke_0032
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:52:22.296+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6244\

genus, species, strain : Bacillus cytotoxicus CVUAS 6244
MicrobeMS ID : 07_07_2016_Julia Mitschke_0015
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T10:25:30.843+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6244\

genus, species, strain : Bacillus cytotoxicus CVUAS 6244
MicrobeMS ID : 07_07_2016_Julia Mitschke_0016
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T10:28:53.125+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6244\

genus, species, strain : Bacillus cytotoxicus CVUAS 6244
MicrobeMS ID : 12_07_2016_Julia Mitschke_0005
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-12T10:26:27.218+02:00

path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 6244\
genus, species, strain : Bacillus cytotoxicus CVUAS 6244
MicrobeMS ID : 12_07_2016_Julia Mitschke_0006
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-12T10:30:05.250+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 6244\
genus, species, strain : Bacillus cytotoxicus CVUAS 6244
MicrobeMS ID : 19_07_2016_Julia Mitschke_0015
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T13:34:35.843+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 6244\
genus, species, strain : Bacillus cytotoxicus CVUAS 6244
MicrobeMS ID : 19_07_2016_Julia Mitschke_0016
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T13:37:47.484+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 6244\
genus, species, strain : Bacillus cytotoxicus CVUAS644
MicrobeMS ID : 2016_05_30_Schneider_Andy_0001
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T09:24:07.609+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 644\
genus, species, strain : Bacillus cytotoxicus CVUAS644
MicrobeMS ID : 2016_05_30_Schneider_Andy_0002
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T09:25:22.531+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 644\
genus, species, strain : Bacillus cytotoxicus CVUAS644
MicrobeMS ID : 2016_05_30_Schneider_Andy_0003
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T09:27:37.031+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 644\
genus, species, strain : Bacillus cytotoxicus CVUAS644
MicrobeMS ID : 2016_05_30_Schneider_Andy_0004
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)

concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-30T09:28:59.687+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 644\\

genus, species, strain : Bacillus cytotoxicus 644
MicrobeMS ID : 08_06_2016_Julia Mitschke_0013
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T13:57:45.203+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 644\\

genus, species, strain : Bacillus cytotoxicus 644
MicrobeMS ID : 08_06_2016_Julia Mitschke_0014
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:02:33.765+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 644\\

genus, species, strain : Bacillus cytotoxicus 644
MicrobeMS ID : 08_06_2016_Julia Mitschke_0015
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:04:28.218+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 644\\

genus, species, strain : Bacillus cytotoxicus 644
MicrobeMS ID : 08_06_2016_Julia Mitschke_0016
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T14:06:46.796+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 644\\

genus, species, strain : Bacillus cytotoxicus CVUAS 644
MicrobeMS ID : 07_07_2016_Julia Mitschke_0001
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T09:31:29.140+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 644\\

genus, species, strain : Bacillus cytotoxicus CVUAS 644
MicrobeMS ID : 07_07_2016_Julia Mitschke_0002
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T09:34:00.234+02:00
path to MS file : \\Bacillus\\Bacillus cytotoxicus\\Bacillus cytotoxicus CVUAS 644\\

genus, species, strain : Bacillus cytotoxicus CVUAS 644
MicrobeMS ID : 07_07_2016_Julia Mitschke_0021

NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T14:51:46.156+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 644\

genus, species, strain : Bacillus cytotoxicus CVUAS 644
MicrobeMS ID : 07_07_2016_Julia Mitschke_0022
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T15:00:33.765+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 644\

genus, species, strain : Bacillus cytotoxicus CVUAS 644
MicrobeMS ID : 19_07_2016_Julia Mitschke_0001
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T11:13:49.906+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 644\

genus, species, strain : Bacillus cytotoxicus CVUAS 644
MicrobeMS ID : 19_07_2016_Julia Mitschke_0002
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T11:19:45.796+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 644\

genus, species, strain : Bacillus cytotoxicus 6688
MicrobeMS ID : 03_06_2016_Julia Mitschke_0001
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-03T13:33:45.343+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6688\

genus, species, strain : Bacillus cytotoxicus 6688
MicrobeMS ID : 03_06_2016_Julia Mitschke_0002
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-03T13:37:39.812+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6688\

genus, species, strain : Bacillus cytotoxicus 6688
MicrobeMS ID : 03_06_2016_Julia Mitschke_0003
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par

customer : RKI ZBS6
measurement date/time : 2016-06-03T13:40:29.687+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6688\

genus, species, strain : Bacillus cytotoxicus 6688
MicrobeMS ID : 03_06_2016_Julia Mitschke_0004
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-03T13:42:38.531+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6688\

genus, species, strain : Bacillus cytotoxicus 6688
MicrobeMS ID : 08_06_2016_Julia Mitschke_0005
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T13:19:37.281+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6688\

genus, species, strain : Bacillus cytotoxicus 6688
MicrobeMS ID : 08_06_2016_Julia Mitschke_0006
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T13:22:43.187+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6688\

genus, species, strain : Bacillus cytotoxicus 6688
MicrobeMS ID : 08_06_2016_Julia Mitschke_0007
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T13:26:25.968+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6688\

genus, species, strain : Bacillus cytotoxicus 6688
MicrobeMS ID : 08_06_2016_Julia Mitschke_0008
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-08T13:29:05.046+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6688\

genus, species, strain : Bacillus cytotoxicus CVUAS 6688
MicrobeMS ID : 07_07_2016_Julia Mitschke_0017
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T10:34:19.953+02:00
path to MS file : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus CVUAS 6688\

genus, species, strain : Bacillus cytotoxicus CVUAS 6688
MicrobeMS ID : 07_07_2016_Julia Mitschke_0018
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-07T10:36:41.562+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\CVUAS 6688\

genus, species, strain : Bacillus cytotoxicus CVUAS 6688
MicrobeMS ID : 12_07_2016_Julia Mitschke_0007
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-12T10:37:22.171+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\CVUAS 6688\

genus, species, strain : Bacillus cytotoxicus CVUAS 6688
MicrobeMS ID : 12_07_2016_Julia Mitschke_0008
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-12T10:42:18.453+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\CVUAS 6688\

genus, species, strain : Bacillus cytotoxicus CVUAS 6688
MicrobeMS ID : 19_07_2016_Julia Mitschke_0017
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T13:44:35.937+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\CVUAS 6688\

genus, species, strain : Bacillus cytotoxicus CVUAS 6688
MicrobeMS ID : 19_07_2016_Julia Mitschke_0018
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von Jörg Rau CVUAS
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-19T13:47:36.015+02:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\CVUAS 6688\

genus, species, strain : Bacillus cytotoxicus DSM 22905
MicrobeMS ID : 2015_12_02_Andy Schneider_0001
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-02T13:47:56.734+01:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus DSM 22905\

genus, species, strain : Bacillus cytotoxicus DSM 22905
MicrobeMS ID : 2015_12_02_Andy Schneider_0002
NCBI tax ID's : 580165 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-02T13:50:56.187+01:00
path to MS file : \\Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus DSM 22905\

```
genus, species, strain : Bacillus cytotoxicus DSM 22905
MicrobeMS ID           : 2015_12_02_Andy_Schneider_0003
NCBI tax ID's         : 580165 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-02T13:54:41.906+01:00
path to MS file       : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus DSM 22905\

genus, species, strain : Bacillus cytotoxicus DSM 22905
MicrobeMS ID           : 2015_12_02_Andy_Schneider_0004
NCBI tax ID's         : 580165 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-02T13:56:42.375+01:00
path to MS file       : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus DSM 22905\

genus, species, strain : Bacillus cytotoxicus DSM 22905
MicrobeMS ID           : 2015_12_04_Andy_Schneider_0001
NCBI tax ID's         : 580165 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-04T09:38:56.687+01:00
path to MS file       : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus DSM 22905\

genus, species, strain : Bacillus cytotoxicus DSM 22905
MicrobeMS ID           : 2015_12_04_Andy_Schneider_0002
NCBI tax ID's         : 580165 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-04T10:11:13.890+01:00
path to MS file       : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus DSM 22905\

genus, species, strain : Bacillus cytotoxicus DSM 22905
MicrobeMS ID           : 2015_12_04_Andy_Schneider_0003
NCBI tax ID's         : 580165 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-04T10:17:13.593+01:00
path to MS file       : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus DSM 22905\

genus, species, strain : Bacillus cytotoxicus DSM 22905
MicrobeMS ID           : 2015_12_04_Andy_Schneider_0004
NCBI tax ID's         : 580165 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-04T10:19:15.078+01:00
path to MS file       : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus DSM 22905\

genus, species, strain : Bacillus cytotoxicus DSM 22905
MicrobeMS ID           : 02_02_2016_Julia_Mitschke_0001
NCBI tax ID's         : 580165 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
```

```
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-02T14:39:13.609+01:00
path to MS file      : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus DSM 22905\

genus, species, strain : Bacillus cytotoxicus DSM 22905
MicrobeMS ID          : 02_02_2016_Julia Mitschke_0002
NCBI tax ID's         : 580165 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-02T14:43:46.156+01:00
path to MS file      : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus DSM 22905\

genus, species, strain : Bacillus cytotoxicus DSM 22905
MicrobeMS ID          : 02_02_2016_Julia Mitschke_0003
NCBI tax ID's         : 580165 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-02T14:47:07.500+01:00
path to MS file      : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus DSM 22905\

genus, species, strain : Bacillus cytotoxicus DSM 22905
MicrobeMS ID          : 02_02_2016_Julia Mitschke_0004
NCBI tax ID's         : 580165 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-02T14:50:54.187+01:00
path to MS file      : \Bacillus\Bacillus cytotoxicus\Bacillus cytotoxicus DSM 22905\
```

Bacillus ectoiniformans

```
genus, species, strain : Bacillus ectoiniformans DSM_28970
MicrobeMS ID          : 2017_03_20_Mitschke Julia_0011
NCBI tax ID's         : 1494429 -
growth time           : 24 h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration         : 3 Oesen in 25µl
extra info            : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-03-20T13:55:07.765+01:00
path to MS file      : \Bacillus\Bacillus ectoiniformans\Bacillus ectoiniformans DSM 28970\

genus, species, strain : Bacillus ectoiniformans DSM_28970
MicrobeMS ID          : 2017_03_20_Mitschke Julia_0012
NCBI tax ID's         : 1494429 -
growth time           : 24 h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration         : 3 Oesen in 25µl
extra info            : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-03-20T14:03:00.953+01:00
path to MS file      : \Bacillus\Bacillus ectoiniformans\Bacillus ectoiniformans DSM 28970\

genus, species, strain : Bacillus ectoiniformans DSM_28970
MicrobeMS ID          : 2017_03_20_Mitschke Julia_0013
NCBI tax ID's         : 1494429 -
growth time           : 24 h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration         : 3 Oesen in 25µl
extra info            : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-03-20T14:08:37.000+01:00
path to MS file      : \Bacillus\Bacillus ectoiniformans\Bacillus ectoiniformans DSM 28970\

genus, species, strain : Bacillus ectoiniformans DSM_28970
```

MicrobeMS ID : 2017_03_20_Mitschke Julia_0014
NCBI tax ID's : 1494429 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T14:14:27.296+01:00
path to MS file : \Bacillus\Bacillus ectoioformans\Bacillus ectoioformans DSM 28970\

genus, species, strain : Bacillus ectoioformans DSM_28970
MicrobeMS ID : 2017_03_20_Mitschke Julia_0015
NCBI tax ID's : 1494429 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T14:25:52.328+01:00
path to MS file : \Bacillus\Bacillus ectoioformans\Bacillus ectoioformans DSM 28970\

genus, species, strain : Bacillus ectoioformans DSM_28970
MicrobeMS ID : 2017_03_20_Mitschke Julia_0016
NCBI tax ID's : 1494429 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T14:30:25.656+01:00
path to MS file : \Bacillus\Bacillus ectoioformans\Bacillus ectoioformans DSM 28970\

genus, species, strain : Bacillus ectoioformans DSM_28970
MicrobeMS ID : 2017_03_20_Mitschke Julia_0017
NCBI tax ID's : 1494429 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T14:35:11.968+01:00
path to MS file : \Bacillus\Bacillus ectoioformans\Bacillus ectoioformans DSM 28970\

genus, species, strain : Bacillus ectoioformans DSM_28970
MicrobeMS ID : 2017_03_20_Mitschke Julia_0018
NCBI tax ID's : 1494429 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T14:38:06.578+01:00
path to MS file : \Bacillus\Bacillus ectoioformans\Bacillus ectoioformans DSM 28970\

genus, species, strain : Bacillus ectoioformans DSM_28970
MicrobeMS ID : 2017_03_17_Mitschke Julia_0005
NCBI tax ID's : 1494429 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:2 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-17T09:57:12.468+01:00
path to MS file : \Bacillus\Bacillus ectoioformans\Bacillus ectoioformans DSM 28970\

genus, species, strain : Bacillus ectoioformans DSM_28970
MicrobeMS ID : 2017_03_17_Mitschke Julia_0006
NCBI tax ID's : 1494429 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:2 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-17T10:04:46.796+01:00
path to MS file : \\Bacillus\\Bacillus ectoiniformans\\Bacillus ectoiniformans DSM 28970\\

genus, species, strain : Bacillus ectoiniformans DSM_28970
MicrobeMS ID : 2017_03_20_Mitschke Julia_0019
NCBI tax ID's : 1494429 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T14:44:08.406+01:00
path to MS file : \\Bacillus\\Bacillus ectoiniformans\\Bacillus ectoiniformans DSM 28970\\

genus, species, strain : Bacillus ectoiniformans DSM_28970
MicrobeMS ID : 2017_03_20_Mitschke Julia_0020
NCBI tax ID's : 1494429 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T14:48:21.484+01:00
path to MS file : \\Bacillus\\Bacillus ectoiniformans\\Bacillus ectoiniformans DSM 28970\\

genus, species, strain : Bacillus ectoiniformans DSM_28970
MicrobeMS ID : 2017_03_31_Schneider_Andy_0013
NCBI tax ID's : 1494429 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80\$ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T10:07:28.421+02:00
path to MS file : \\Bacillus\\Bacillus ectoiniformans\\Bacillus ectoiniformans DSM 28970\\

genus, species, strain : Bacillus ectoiniformans DSM_28970
MicrobeMS ID : 2017_03_31_Schneider_Andy_0014
NCBI tax ID's : 1494429 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80\$ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T10:11:10.062+02:00
path to MS file : \\Bacillus\\Bacillus ectoiniformans\\Bacillus ectoiniformans DSM 28970\\

genus, species, strain : Bacillus ectoiniformans DSM_28970
MicrobeMS ID : 2017_03_31_Schneider_Andy_0016
NCBI tax ID's : 1494429 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80\$ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T10:14:08.640+02:00
path to MS file : \\Bacillus\\Bacillus ectoiniformans\\Bacillus ectoiniformans DSM 28970\\

genus, species, strain : Bacillus ectoiniformans DSM_28970
MicrobeMS ID : 2017_03_31_Schneider_Andy_0015
NCBI tax ID's : 1494429 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80\$ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T10:15:44.281+02:00
path to MS file : \\Bacillus\\Bacillus ectoiniformans\\Bacillus ectoiniformans DSM 28970\\

genus, species, strain : Bacillus ectoiniformans DSM_28970
MicrobeMS ID : 2017_04_07_Schneider_Andy_0001
NCBI tax ID's : 1494429 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-07T14:51:26.578+02:00
path to MS file : \Bacillus\Bacillus ectoioinformans\Bacillus ectoioinformans DSM 28970\

genus, species, strain : Bacillus ectoioinformans DSM_28970
MicrobeMS ID : 2017_04_07_Schneider_Andy_0002
NCBI tax ID's : 1494429 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-07T14:54:30.062+02:00
path to MS file : \Bacillus\Bacillus ectoioinformans\Bacillus ectoioinformans DSM 28970\

genus, species, strain : Bacillus ectoioinformans DSM_28970
MicrobeMS ID : 2017_04_07_Schneider_Andy_0003
NCBI tax ID's : 1494429 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-07T14:56:38.265+02:00
path to MS file : \Bacillus\Bacillus ectoioinformans\Bacillus ectoioinformans DSM 28970\

genus, species, strain : Bacillus ectoioinformans DSM_28970
MicrobeMS ID : 2017_04_07_Schneider_Andy_0004
NCBI tax ID's : 1494429 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-07T14:59:57.359+02:00
path to MS file : \Bacillus\Bacillus ectoioinformans\Bacillus ectoioinformans DSM 28970\

Bacillus encimensis

genus, species, strain : Bacillus encimensis DSM 28241
MicrobeMS ID : 2017_01_05_Leyla_Al-Sabbagh_0009
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-05T15:18:06.750+01:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

genus, species, strain : Bacillus encimensis DSM 28241
MicrobeMS ID : 2017_01_05_Leyla_Al-Sabbagh_0010
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-05T15:23:13.187+01:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

genus, species, strain : Bacillus encimensis DSM 28241
MicrobeMS ID : 2017_01_05_Leyla_Al-Sabbagh_0011
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par

```
customer : RKI ZBS6
measurement date/time : 2017-01-05T15:28:27.343+01:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

genus, species, strain : Bacillus encimensis DSM 28241
MicrobEMS ID : 2017_01_05_Leyla_Al-Sabbagh_0012
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-05T15:36:12.843+01:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

genus, species, strain : Bacillus encimensis DSM 28241
MicrobEMS ID : 2017_01_06_Leyla_Al-Sabbagh_0021
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T13:12:44.953+01:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

genus, species, strain : Bacillus encimensis DSM 28241
MicrobEMS ID : 2017_01_06_Leyla_Al-Sabbagh_0022
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T13:15:29.390+01:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

genus, species, strain : Bacillus encimensis DSM 28241
MicrobEMS ID : 2017_01_06_Leyla_Al-Sabbagh_0023
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T13:17:47.453+01:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

genus, species, strain : Bacillus encimensis DSM 28241
MicrobEMS ID : 2017_01_06_Leyla_Al-Sabbagh_0024
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T13:20:04.343+01:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

genus, species, strain : Bacillus encimensis DSM 28241
MicrobEMS ID : 2017_01_06_Leyla_Al-Sabbagh_0009
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 2 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T11:08:26.625+01:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

genus, species, strain : Bacillus encimensis DSM 28241
MicrobEMS ID : 2017_01_06_Leyla_Al-Sabbagh_0010
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
```

growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 2 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T11:14:20.062+01:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

genus, species, strain : Bacillus encimensis DSM 28241
MicrobeMS ID : 2017_01_06_Leyla_Al-Sabbagh_0011
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 2 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T11:17:59.687+01:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

genus, species, strain : Bacillus encimensis DSM 28241
MicrobeMS ID : 2017_01_06_Leyla_Al-Sabbagh_0012
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 2 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T11:21:06.265+01:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

genus, species, strain : Bacillus encimensis DSM_28241
MicrobeMS ID : 2017_04_19_Schneider_Andy_0005
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-19T12:49:48.312+02:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

genus, species, strain : Bacillus encimensis DSM_28241
MicrobeMS ID : 2017_04_19_Schneider_Andy_0006
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-19T12:52:02.843+02:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

genus, species, strain : Bacillus encimensis DSM_28241
MicrobeMS ID : 2017_04_19_Schneider_Andy_0007
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-19T12:54:28.109+02:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

genus, species, strain : Bacillus encimensis DSM_28241
MicrobeMS ID : 2017_04_19_Schneider_Andy_0008
NCBI tax ID's : 1414647 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-19T12:56:03.265+02:00
path to MS file : \Bacillus\Bacillus encimensis\Bacillus encimensis DSM 28241\

Bacillus firmus

genus, species, strain : Bacillus firmus B30
MicrobEMS ID : 2014_12_02_Andy_Schneider_0037
NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T13:31:21.000
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B30\

genus, species, strain : Bacillus firmus B30
MicrobEMS ID : 2014_12_02_Andy_Schneider_0039
NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T13:35:45.000
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B30\

genus, species, strain : Bacillus firmus B30
MicrobEMS ID : 2014_12_02_Andy_Schneider_0038
NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T13:33:49.000
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B30\

genus, species, strain : Bacillus firmus B30
MicrobEMS ID : 2014_12_02_Andy_Schneider_0040
NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T13:38:03.000
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B30\

genus, species, strain : Bacillus firmus B 30
MicrobEMS ID : 2006_11_08_Famulla_Staemmler_0027
NCBI tax ID's : 1399 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 13:17:14
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B30\

genus, species, strain : Bacillus firmus B48
MicrobEMS ID : 2015_01_07_Andy_Schneider_0005
NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-01-07T13:14:00.062+01:00
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B48\

genus, species, strain : Bacillus firmus B48
MicrobEMS ID : 2015_01_07_Andy_Schneider_0007
NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2

concentration : 3 Oesen in 100µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-01-07T13:17:57.140+01:00
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B48\

genus, species, strain : Bacillus firmus B48
MicrobeMS ID : 2015_01_07_Andy Schneider_0006
NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-01-07T13:15:57.000+01:00
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B48\

genus, species, strain : Bacillus firmus B48
MicrobeMS ID : 2015_01_07_Andy Schneider_0008
NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-01-07T13:20:42.968+01:00
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B48\

genus, species, strain : Bacillus firmus B 48
MicrobeMS ID : 2006_14_08_Famulla Staemmler_0011
NCBI tax ID's : 1399 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCATA2
concentration : 3 Oesen in 100 µuel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-14 11:08:19
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B48\

genus, species, strain : Bacillus firmus B70
MicrobeMS ID : 2015_02_09_Andy Schneider_0001
NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µuel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T12:58:16.843+01:00
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B70\

genus, species, strain : Bacillus firmus B70
MicrobeMS ID : 2015_02_09_Andy Schneider_0003
NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µuel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T13:11:47.468+01:00
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B70\

genus, species, strain : Bacillus firmus B70
MicrobeMS ID : 2015_02_09_Andy Schneider_0002
NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µuel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T13:04:07.218+01:00
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B70\

genus, species, strain : Bacillus firmus B70
MicrobeMS ID : 2015_02_09_Andy Schneider_0004

NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T13:15:34.250+01:00
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B70\

genus, species, strain : Bacillus firmus B 70
MicrobeMS ID : 2006_14_08_Famulla Staemmler_0022
NCBI tax ID's : 1399 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-14 12:05:57
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B70\

genus, species, strain : Bacillus firmus B88
MicrobeMS ID : 2015_02_09_Andy Schneider_0025
NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T14:39:33.140+01:00
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B88\

genus, species, strain : Bacillus firmus B88
MicrobeMS ID : 2015_02_09_Andy Schneider_0027
NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T14:46:06.906+01:00
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B88\

genus, species, strain : Bacillus firmus B88
MicrobeMS ID : 2015_02_09_Andy Schneider_0026
NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T14:42:40.593+01:00
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B88\

genus, species, strain : Bacillus firmus B88
MicrobeMS ID : 2015_02_09_Andy Schneider_0028
NCBI tax ID's : 1399 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T14:50:05.281+01:00
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B88\

genus, species, strain : Bacillus firmus B 88
MicrobeMS ID : 2006_14_08_Famulla Staemmler_0030
NCBI tax ID's : 1399 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2006-08-14 14:03:00
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus B88\

genus, species, strain : Bacillus firmus DSM 12
MicrobeMS ID : 2007_13_04_Maren Stämmeler_0003
NCBI tax ID's : 1399 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 13.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-13 10:08:49
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus DSM 12\

genus, species, strain : Bacillus firmus DSM 12
MicrobeMS ID : 2007_18_04_Maren Stämmeler_0003
NCBI tax ID's : 1399 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 18.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-18 15:30:12
path to MS file : \Bacillus\Bacillus firmus\Bacillus firmus DSM 12\

genus, species, strain : Bacillus flexus DSM 1320
MicrobeMS ID : 2016_02_12_Schneider_Andy_0005
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-12T10:09:59.859+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1320\

genus, species, strain : Bacillus flexus DSM 1320
MicrobeMS ID : 2016_02_12_Schneider_Andy_0006
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-12T10:12:46.031+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1320\

genus, species, strain : Bacillus flexus DSM 1320
MicrobeMS ID : 2016_02_12_Schneider_Andy_0007
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-12T10:17:40.625+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1320\

genus, species, strain : Bacillus flexus DSM 1320
MicrobeMS ID : 2016_02_12_Schneider_Andy_0008
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-12T10:19:39.687+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1320\

genus, species, strain : Bacillus flexus DSM 1320

```
MicrobeMS ID      : 2016_02_15_Schneider_Andy_0001
NCBI tax ID's    : 86664 -
growth time      : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium    : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2016-02-15T13:58:31.578+01:00
path to MS file   : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1320\

genus, species, strain : Bacillus flexus DSM 1320
MicrobeMS ID      : 2016_02_15_Schneider_Andy_0002
NCBI tax ID's    : 86664 -
growth time      : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium    : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2016-02-15T14:01:04.109+01:00
path to MS file   : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1320\

genus, species, strain : Bacillus flexus DSM 1320
MicrobeMS ID      : 2016_02_15_Schneider_Andy_0003
NCBI tax ID's    : 86664 -
growth time      : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium    : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2016-02-15T14:03:34.484+01:00
path to MS file   : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1320\

genus, species, strain : Bacillus flexus DSM 1320
MicrobeMS ID      : 2016_02_15_Schneider_Andy_0004
NCBI tax ID's    : 86664 -
growth time      : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium    : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2016-02-15T14:06:06.078+01:00
path to MS file   : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1320\

genus, species, strain : Bacillus flexus DSM 1320
MicrobeMS ID      : 12_02_2016_Julia Mitschke_0005
NCBI tax ID's    : 86664 -
growth time      : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium    : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2016-02-12T13:17:30.812+01:00
path to MS file   : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1320\

genus, species, strain : Bacillus flexus DSM 1320
MicrobeMS ID      : 12_02_2016_Julia Mitschke_0006
NCBI tax ID's    : 86664 -
growth time      : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium    : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2016-02-12T13:22:22.578+01:00
path to MS file   : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1320\

genus, species, strain : Bacillus flexus DSM 1320
MicrobeMS ID      : 18_02_2016_Julia Mitschke_0001
NCBI tax ID's    : 86664 -
growth time      : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium    : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
```

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-18T09:33:49.500+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1320\

genus, species, strain : Bacillus flexus DSM 1320
MicrobeMS ID : 18_02_2016_Julia Mitschke_0002
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-18T09:36:36.921+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1320\

genus, species, strain : Bacillus flexus DSM 1667
MicrobeMS ID : 2017_01_04_Leyla_Al-Sabbagh_0005
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-04T11:33:47.546+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\

genus, species, strain : Bacillus flexus DSM 1667
MicrobeMS ID : 2017_01_04_Leyla_Al-Sabbagh_0006
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-04T11:38:20.687+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\

genus, species, strain : Bacillus flexus DSM 1667
MicrobeMS ID : 2017_01_04_Leyla_Al-Sabbagh_0007
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-04T11:36:17.515+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\

genus, species, strain : Bacillus flexus DSM 1667
MicrobeMS ID : 2017_01_04_Leyla_Al-Sabbagh_0008
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-04T11:41:32.562+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\

genus, species, strain : Bacillus flexus DSM 1667
MicrobeMS ID : 2017_01_06_Leyla_Al-Sabbagh_0017
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T12:57:24.796+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\

genus, species, strain : Bacillus flexus DSM 1667
MicrobeMS ID : 2017_01_06_Leyla_Al-Sabbagh_0018
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C

```
growth conditions : aerob
growth medium : LB
sample treatment : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T13:55:24.546+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\

genus, species, strain : Bacillus flexus DSM 1667
MicrobeMS ID : 2017_01_06_Leyla_Al-Sabbagh_0019
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T13:57:04.203+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\

genus, species, strain : Bacillus flexus DSM 1667
MicrobeMS ID : 2017_01_06_Leyla_Al-Sabbagh_0020
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T14:18:55.406+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\

genus, species, strain : Bacillus flexus DSM 1667
MicrobeMS ID : 2017_01_06_Leyla_Al-Sabbagh_0005
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 2 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T10:48:14.593+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\

genus, species, strain : Bacillus flexus DSM 1667
MicrobeMS ID : 2017_01_06_Leyla_Al-Sabbagh_0006
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 2 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T10:50:20.046+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\

genus, species, strain : Bacillus flexus DSM 1667
MicrobeMS ID : 2017_01_06_Leyla_Al-Sabbagh_0007
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 2 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T10:54:29.000+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\

genus, species, strain : Bacillus flexus DSM 1667
MicrobeMS ID : 2017_01_06_Leyla_Al-Sabbagh_0008
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 2 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-06T10:59:02.625+01:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\
```

genus, species, strain : Bacillus flexus DSM_1667
MicrobeMS ID : 2017_03_31_Schneider_Andy_0009
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T09:44:01.125+02:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\

genus, species, strain : Bacillus flexus DSM_1667
MicrobeMS ID : 2017_03_31_Schneider_Andy_0010
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T09:45:52.218+02:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\

genus, species, strain : Bacillus flexus DSM_1667
MicrobeMS ID : 2017_03_31_Schneider_Andy_0011
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T09:50:51.250+02:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\

genus, species, strain : Bacillus flexus DSM_1667
MicrobeMS ID : 2017_03_31_Schneider_Andy_0012
NCBI tax ID's : 86664 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T09:52:56.906+02:00
path to MS file : \Bacillus\Bacillus flexus\Bacillus flexus DSM 1667\

Bacillus halodurans

genus, species, strain : Bacillus halodurans DSM 497
MicrobeMS ID : 2015_02_20_Schneider_Andy_0021
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:49:31.203+01:00
path to MS file : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 497\

genus, species, strain : Bacillus halodurans DSM 497
MicrobeMS ID : 2015_02_20_Schneider_Andy_0022
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:51:43.140+01:00
path to MS file : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 497\

genus, species, strain : Bacillus halodurans DSM 497
MicrobeMS ID : 2015_02_20_Schneider_Andy_0023
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:54:35.156+01:00
path to MS file : \\Bacillus\Bacillus halodurans\Bacillus halodurans DSM 497\

genus, species, strain : Bacillus halodurans DSM 497
MicrobeMS ID : 2015_02_20_Schneider Andy_0024
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-20T10:57:02.453+01:00
path to MS file : \\Bacillus\Bacillus halodurans\Bacillus halodurans DSM 497\

genus, species, strain : Bacillus halodurans DSM 497
MicrobeMS ID : 2015_02_23_Maren Stämmeler_0021
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T11:15:31.171+01:00
path to MS file : \\Bacillus\Bacillus halodurans\Bacillus halodurans DSM 497\

genus, species, strain : Bacillus halodurans DSM 497
MicrobeMS ID : 2015_02_23_Maren Stämmeler_0022
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T11:17:56.671+01:00
path to MS file : \\Bacillus\Bacillus halodurans\Bacillus halodurans DSM 497\

genus, species, strain : Bacillus halodurans DSM 497
MicrobeMS ID : 2015_02_23_Maren Stämmeler_0023
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T12:46:27.875+01:00
path to MS file : \\Bacillus\Bacillus halodurans\Bacillus halodurans DSM 497\

genus, species, strain : Bacillus halodurans DSM 497
MicrobeMS ID : 2015_02_23_Maren Stämmeler_0024
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-23T12:49:01.062+01:00
path to MS file : \\Bacillus\Bacillus halodurans\Bacillus halodurans DSM 497\

genus, species, strain : Bacillus halodurans DSM 497
MicrobeMS ID : 2015_02_25_Schneider Andy_0021
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T11:57:57.250+01:00
path to MS file : \\Bacillus\Bacillus halodurans\Bacillus halodurans DSM 497\

genus, species, strain : Bacillus halodurans DSM 497
MicrobeMS ID : 2015_02_25_Schneider Andy_0022
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T12:00:42.734+01:00
path to MS file : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 497\

genus, species, strain : Bacillus halodurans DSM 497
MicrobeMS ID : 2015_02_25_Schneider Andy_0023
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T12:03:43.312+01:00
path to MS file : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 497\

genus, species, strain : Bacillus halodurans DSM 497
MicrobeMS ID : 2015_02_25_Schneider Andy_0024
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-02-25T12:05:45.046+01:00
path to MS file : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 497\

genus, species, strain : Bacillus halodurans DSM 6939
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0005
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T10:10:22.703+01:00
path to MS file : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6939\

genus, species, strain : Bacillus halodurans DSM 6939
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0006
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T10:13:26.218+01:00
path to MS file : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6939\

genus, species, strain : Bacillus halodurans DSM 6939
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0007
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T10:16:00.234+01:00
path to MS file : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6939\

genus, species, strain : Bacillus halodurans DSM 6939
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0008
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS

calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T10:18:48.437+01:00
path to MS file : \\Bacillus\\Bacillus halodurans\\Bacillus halodurans DSM 6939\\

genus, species, strain : Bacillus halodurans DSM 6939
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0005
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T10:23:50.796+01:00
path to MS file : \\Bacillus\\Bacillus halodurans\\Bacillus halodurans DSM 6939\\

genus, species, strain : Bacillus halodurans DSM 6939
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0006
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T10:27:36.375+01:00
path to MS file : \\Bacillus\\Bacillus halodurans\\Bacillus halodurans DSM 6939\\

genus, species, strain : Bacillus halodurans DSM 6939
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0007
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T10:30:28.140+01:00
path to MS file : \\Bacillus\\Bacillus halodurans\\Bacillus halodurans DSM 6939\\

genus, species, strain : Bacillus halodurans DSM 6939
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0008
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T10:33:13.062+01:00
path to MS file : \\Bacillus\\Bacillus halodurans\\Bacillus halodurans DSM 6939\\

genus, species, strain : Bacillus halodurans DSM 6939
MicrobeMS ID : 2015_03_10_Schneider Andy_0001
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T12:57:35.734+01:00
path to MS file : \\Bacillus\\Bacillus halodurans\\Bacillus halodurans DSM 6939\\

genus, species, strain : Bacillus halodurans DSM 6939
MicrobeMS ID : 2015_03_10_Schneider Andy_0002
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:00:06.390+01:00
path to MS file : \\Bacillus\\Bacillus halodurans\\Bacillus halodurans DSM 6939\\

genus, species, strain : Bacillus halodurans DSM 6939
MicrobeMS ID : 2015_03_10_Schneider Andy_0003
NCBI tax ID's : 86665 -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:03:44.640+01:00
path to MS file : \\Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6939\

genus, species, strain : Bacillus halodurans DSM 6939
MicrobeMS ID : 2015_03_10_Schneider Andy_0004
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:06:38.937+01:00
path to MS file : \\Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6939\

genus, species, strain : Bacillus halodurans DSM 6940
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0009
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T10:27:37.218+01:00
path to MS file : \\Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6940\

genus, species, strain : Bacillus halodurans DSM 6940
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0010
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T10:32:02.968+01:00
path to MS file : \\Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6940\

genus, species, strain : Bacillus halodurans DSM 6940
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0011
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T10:35:29.250+01:00
path to MS file : \\Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6940\

genus, species, strain : Bacillus halodurans DSM 6940
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0012
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T10:38:30.062+01:00
path to MS file : \\Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6940\

genus, species, strain : Bacillus halodurans DSM 6940
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0009
NCBI tax ID's : 86665 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T10:40:54.187+01:00

```
path to MS file      : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6940\
genus, species, strain : Bacillus halodurans DSM 6940
MicrobeMS ID        : 2015_03_06_Maren Stämmeler_0010
NCBI tax ID's       : 86665 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : ca. 2 Oesen in 25 µel
extra info          : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T10:44:47.187+01:00
path to MS file     : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6940\

genus, species, strain : Bacillus halodurans DSM 6940
MicrobeMS ID        : 2015_03_06_Maren Stämmeler_0011
NCBI tax ID's       : 86665 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : ca. 2 Oesen in 25 µel
extra info          : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T10:47:41.703+01:00
path to MS file     : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6940\

genus, species, strain : Bacillus halodurans DSM 6940
MicrobeMS ID        : 2015_03_06_Maren Stämmeler_0012
NCBI tax ID's       : 86665 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : ca. 2 Oesen in 25 µel
extra info          : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T10:50:37.625+01:00
path to MS file     : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6940\

genus, species, strain : Bacillus halodurans DSM 6940
MicrobeMS ID        : 2015_03_10_Schneider Andy_0005
NCBI tax ID's       : 86665 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info          : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:15:39.125+01:00
path to MS file     : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6940\

genus, species, strain : Bacillus halodurans DSM 6940
MicrobeMS ID        : 2015_03_10_Schneider Andy_0006
NCBI tax ID's       : 86665 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info          : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:18:24.296+01:00
path to MS file     : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6940\

genus, species, strain : Bacillus halodurans DSM 6940
MicrobeMS ID        : 2015_03_10_Schneider Andy_0007
NCBI tax ID's       : 86665 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info          : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:21:32.671+01:00
path to MS file     : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6940\

genus, species, strain : Bacillus halodurans DSM 6940
MicrobeMS ID        : 2015_03_10_Schneider Andy_0008
NCBI tax ID's       : 86665 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : LB
sample treatment    : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
```

concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:24:08.640+01:00
path to MS file : \Bacillus\Bacillus halodurans\Bacillus halodurans DSM 6940\

Bacillus halotolerans

genus, species, strain : Bacillus halotolerans DSM18911
MicrobeMS ID : 2017_11_30_Jaehne_Jennifer_0005
NCBI tax ID's : 260554 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-30T10:58:15.531+01:00
path to MS file : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 18911\

genus, species, strain : Bacillus halotolerans DSM18911
MicrobeMS ID : 2017_11_30_Jaehne_Jennifer_0006
NCBI tax ID's : 260554 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-30T11:01:15.390+01:00
path to MS file : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 18911\

genus, species, strain : Bacillus halotolerans DSM18911
MicrobeMS ID : 2017_11_30_Jaehne_Jennifer_0007
NCBI tax ID's : 260554 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-30T11:04:58.359+01:00
path to MS file : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 18911\

genus, species, strain : Bacillus halotolerans DSM18911
MicrobeMS ID : 2017_11_30_Jaehne_Jennifer_0008
NCBI tax ID's : 260554 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-30T11:08:44.937+01:00
path to MS file : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 18911\

genus, species, strain : Bacillus halotolerans DSM18911
MicrobeMS ID : 2017_12_21_Jaehne_Jennifer_0005
NCBI tax ID's : 260554 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-21T09:41:59.640+01:00
path to MS file : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 18911\

genus, species, strain : Bacillus halotolerans DSM18911
MicrobeMS ID : 2017_12_21_Jaehne_Jennifer_0006
NCBI tax ID's : 260554 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-21T09:45:23.531+01:00
path to MS file : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 18911\

```
genus, species, strain : Bacillus halotolerans DSM18911
MicrobeMS ID           : 2017_12_21_Jaehne_Jennifer_0007
NCBI tax ID's         : 260554 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info             : Stämme von der DSMZ
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2017-12-21T09:50:03.703+01:00
path to MS file        : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 18911\

genus, species, strain : Bacillus halotolerans DSM18911
MicrobeMS ID           : 2017_12_21_Jaehne_Jennifer_0008
NCBI tax ID's         : 260554 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info             : Stämme von der DSMZ
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2017-12-21T09:54:54.656+01:00
path to MS file        : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 18911\

genus, species, strain : Bacillus halotolerans DSM18911
MicrobeMS ID           : 2018_05_23_Schneider_Andy_0009
NCBI tax ID's         : 260554 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info             : Stämme von der DSMZ
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2018-05-23T16:00:42.140+02:00
path to MS file        : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 18911\

genus, species, strain : Bacillus halotolerans DSM18911
MicrobeMS ID           : 2018_05_23_Schneider_Andy_0010
NCBI tax ID's         : 260554 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info             : Stämme von der DSMZ
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2018-05-23T16:02:32.125+02:00
path to MS file        : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 18911\

genus, species, strain : Bacillus halotolerans DSM18911
MicrobeMS ID           : 2018_05_23_Schneider_Andy_0011
NCBI tax ID's         : 260554 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info             : Stämme von der DSMZ
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2018-05-23T16:04:35.531+02:00
path to MS file        : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 18911\

genus, species, strain : Bacillus halotolerans DSM18911
MicrobeMS ID           : 2018_05_23_Schneider_Andy_0012
NCBI tax ID's         : 260554 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info             : Stämme von der DSMZ
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2018-05-23T16:07:05.968+02:00
path to MS file        : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 18911\

genus, species, strain : Bacillus halotolerans DSM8802
MicrobeMS ID           : 2017_12_12_Jaehne_Jennifer_0009
NCBI tax ID's         : 260554 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
```

```
extra info          : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2017-12-12T12:22:01.062+01:00
path to MS file     : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 8802\

genus, species, strain : Bacillus halotolerans DSM8802
MicrobeMS ID          : 2017_12_12_Jaehne_Jennifer_0010
NCBI tax ID's         : 260554 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2017-12-12T12:25:38.734+01:00
path to MS file     : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 8802\

genus, species, strain : Bacillus halotolerans DSM8802
MicrobeMS ID          : 2017_12_12_Jaehne_Jennifer_0011
NCBI tax ID's         : 260554 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2017-12-12T12:31:22.234+01:00
path to MS file     : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 8802\

genus, species, strain : Bacillus halotolerans DSM8802
MicrobeMS ID          : 2017_12_12_Jaehne_Jennifer_0012
NCBI tax ID's         : 260554 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2017-12-12T12:36:17.781+01:00
path to MS file     : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 8802\

genus, species, strain : Bacillus halotolerans DSM8802
MicrobeMS ID          : 2017_12_21_Jaehne_Jennifer_0021
NCBI tax ID's         : 260554 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2017-12-21T10:59:11.625+01:00
path to MS file     : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 8802\

genus, species, strain : Bacillus halotolerans DSM8802
MicrobeMS ID          : 2017_12_21_Jaehne_Jennifer_0022
NCBI tax ID's         : 260554 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2017-12-21T11:02:51.890+01:00
path to MS file     : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 8802\

genus, species, strain : Bacillus halotolerans DSM8802
MicrobeMS ID          : 2017_12_21_Jaehne_Jennifer_0023
NCBI tax ID's         : 260554 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2017-12-21T11:07:20.203+01:00
path to MS file     : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 8802\

genus, species, strain : Bacillus halotolerans DSM8802
MicrobeMS ID          : 2017_12_21_Jaehne_Jennifer_0024
NCBI tax ID's         : 260554 -
```


growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-21T11:11:16.843+01:00
path to MS file : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 8802\

genus, species, strain : Bacillus halotolerans DSM8802
MicrobeMS ID : 2018_05_28_Schneider_Andy_0005
NCBI tax ID's : 260554 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-28T10:09:10.937+02:00
path to MS file : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 8802\

genus, species, strain : Bacillus halotolerans DSM8802
MicrobeMS ID : 2018_05_28_Schneider_Andy_0006
NCBI tax ID's : 260554 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-28T10:11:10.921+02:00
path to MS file : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 8802\

genus, species, strain : Bacillus halotolerans DSM8802
MicrobeMS ID : 2018_05_28_Schneider_Andy_0007
NCBI tax ID's : 260554 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-28T10:12:55.281+02:00
path to MS file : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 8802\

genus, species, strain : Bacillus halotolerans DSM8802
MicrobeMS ID : 2018_05_28_Schneider_Andy_0008
NCBI tax ID's : 260554 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-28T10:15:21.671+02:00
path to MS file : \Bacillus\Bacillus halotolerans\Bacillus halotolerans DSM 8802\

Bacillus horneckiae

genus, species, strain : Bacillus horneckiae DSM 23495
MicrobeMS ID : 2016_12_09_Leyla_Al-Sabbagh_0001
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T09:14:43.562+01:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae DSM 23495\

genus, species, strain : Bacillus horneckiae DSM 23495
MicrobeMS ID : 2016_12_09_Leyla_Al-Sabbagh_0002
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ

calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T09:17:54.406+01:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae DSM 23495\

genus, species, strain : Bacillus horneckiae DSM 23495
MicrobEMS ID : 2016_12_09_Leyla_Al-Sabbagh_0003
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T09:21:33.015+01:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae DSM 23495\

genus, species, strain : Bacillus horneckiae DSM 23495
MicrobEMS ID : 2016_12_09_Leyla_Al-Sabbagh_0004
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T09:26:11.171+01:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae DSM 23495\

genus, species, strain : Bacillus horneckiae DSM 23495
MicrobEMS ID : 2016_12_09_Leyla_Al-Sabbagh_0009
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T13:44:11.078+01:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae DSM 23495\

genus, species, strain : Bacillus horneckiae DSM 23495
MicrobEMS ID : 2016_12_09_Leyla_Al-Sabbagh_0010
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T13:49:33.187+01:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae DSM 23495\

genus, species, strain : Bacillus horneckiae DSM 23495
MicrobEMS ID : 2016_12_09_Leyla_Al-Sabbagh_0011
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T13:52:18.000+01:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae DSM 23495\

genus, species, strain : Bacillus horneckiae DSM 23495
MicrobEMS ID : 2016_12_09_Leyla_Al-Sabbagh_0012
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T13:58:15.187+01:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae DSM 23495\

genus, species, strain : Bacillus horneckiae DSM_23495
MicrobEMS ID : 2016_12_15_Schneider_Andy_0025
NCBI tax ID's : 549687 -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:49:07.703+01:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae DSM 23495\

genus, species, strain : Bacillus horneckiae DSM_23495
MicrobeMS ID : 2016_12_15_Schneider_Andy_0026
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:52:55.421+01:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae DSM 23495\

genus, species, strain : Bacillus horneckiae DSM_23495
MicrobeMS ID : 2016_12_15_Schneider_Andy_0027
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:54:35.546+01:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae DSM 23495\

genus, species, strain : Bacillus horneckiae DSM_23495
MicrobeMS ID : 2016_12_15_Schneider_Andy_0028
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:56:26.375+01:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae DSM 23495\

genus, species, strain : Bacillus horneckiae RRLuftkeim02_01
MicrobeMS ID : 2015_04_15_Maren Stämmeler_0005
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-15T10:45:03.531+02:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae RRLK02_01\

genus, species, strain : Bacillus horneckiae RRLuftkeim02_01
MicrobeMS ID : 2015_04_15_Maren Stämmeler_0006
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-15T10:47:47.359+02:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae RRLK02_01\

genus, species, strain : Bacillus horneckiae RRLuftkeim02_01
MicrobeMS ID : 2015_04_15_Maren Stämmeler_0007
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-15T10:50:54.093+02:00
path to MS file : \\Bacillus\Bacillus horneckiae\Bacillus horneckiae RRLK02_01\

genus, species, strain : Bacillus horneckiae RRLuftkeim02_01
MicrobeMS ID : 2015_04_15_Maren Stämmeler_0008
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-15T10:54:38.468+02:00
path to MS file : \\Bacillus\Bacillus horneckiae\Bacillus horneckiae RRLK02_01\

genus, species, strain : Bacillus horneckiae RRLuftkeim02_01
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0005
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-22T10:43:28.765+02:00
path to MS file : \\Bacillus\Bacillus horneckiae\Bacillus horneckiae RRLK02_01\

genus, species, strain : Bacillus horneckiae RRLuftkeim02_01
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0006
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-22T10:46:22.750+02:00
path to MS file : \\Bacillus\Bacillus horneckiae\Bacillus horneckiae RRLK02_01\

genus, species, strain : Bacillus horneckiae RRLuftkeim02_01
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0007
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-22T10:53:08.078+02:00
path to MS file : \\Bacillus\Bacillus horneckiae\Bacillus horneckiae RRLK02_01\

genus, species, strain : Bacillus horneckiae RRLuftkeim02_01
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0008
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-22T10:55:47.250+02:00
path to MS file : \\Bacillus\Bacillus horneckiae\Bacillus horneckiae RRLK02_01\

genus, species, strain : Bacillus horneckiae RRLuftkeim02_01
MicrobeMS ID : 2015_05_18_Maren Stämmeler_0005
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T10:56:11.390+02:00
path to MS file : \\Bacillus\Bacillus horneckiae\Bacillus horneckiae RRLK02_01\

genus, species, strain : Bacillus horneckiae RRLuftkeim02_01
MicrobeMS ID : 2015_05_18_Maren Stämmeler_0006
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T10:59:21.015+02:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae RRLK02_01\

genus, species, strain : Bacillus horneckiae RRLuftkeim02_01
MicrobeMS ID : 2015_05_18_Maren Stämmeler_0007
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T11:02:28.171+02:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae RRLK02_01\

genus, species, strain : Bacillus horneckiae RRLuftkeim02_01
MicrobeMS ID : 2015_05_18_Maren Stämmeler_0008
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T11:06:49.656+02:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae RRLK02_01\

genus, species, strain : Bacillus horneckiae Isolat Platte 02 Probe 1
MicrobeMS ID : 2014_04_15_Maren Stämmeler_0005
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-15T14:08:46.546+02:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae RRLK02_01\

genus, species, strain : Bacillus horneckiae Isolat Platte 02 Probe 1
MicrobeMS ID : 2014_04_17_Maren Stämmeler_0005
NCBI tax ID's : 549687 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-17T10:33:24.656+02:00
path to MS file : \Bacillus\Bacillus horneckiae\Bacillus horneckiae RRLK02_01\

Bacillus infantis

genus, species, strain : Bacillus infantis DSM 19098
MicrobeMS ID : 2016_02_12_Schneider_Andy_0009
NCBI tax ID's : 324767 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-12T10:26:42.375+01:00
path to MS file : \Bacillus\Bacillus infantis\Bacillus infantis DSM 19089\

genus, species, strain : Bacillus infantis DSM 19098

MicrobeMS ID : 2016_02_12_Schneider_Andy_0010
NCBI tax ID's : 324767 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-12T10:28:39.265+01:00
path to MS file : \Bacillus\Bacillus infantis\Bacillus infantis DSM 19089\

genus, species, strain : Bacillus infantis DSM 19098
MicrobeMS ID : 2016_02_12_Schneider_Andy_0011
NCBI tax ID's : 324767 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-12T10:32:51.750+01:00
path to MS file : \Bacillus\Bacillus infantis\Bacillus infantis DSM 19089\

genus, species, strain : Bacillus infantis DSM 19098
MicrobeMS ID : 2016_02_12_Schneider_Andy_0012
NCBI tax ID's : 324767 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-12T10:36:02.906+01:00
path to MS file : \Bacillus\Bacillus infantis\Bacillus infantis DSM 19089\

genus, species, strain : Bacillus infantis DSM 19098
MicrobeMS ID : 2016_02_15_Schneider_Andy_0005
NCBI tax ID's : 324767 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-15T14:10:07.531+01:00
path to MS file : \Bacillus\Bacillus infantis\Bacillus infantis DSM 19089\

genus, species, strain : Bacillus infantis DSM 19098
MicrobeMS ID : 2016_02_15_Schneider_Andy_0006
NCBI tax ID's : 324767 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-15T14:11:56.000+01:00
path to MS file : \Bacillus\Bacillus infantis\Bacillus infantis DSM 19089\

genus, species, strain : Bacillus infantis DSM 19098
MicrobeMS ID : 2016_02_15_Schneider_Andy_0007
NCBI tax ID's : 324767 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-15T14:14:49.078+01:00
path to MS file : \Bacillus\Bacillus infantis\Bacillus infantis DSM 19089\

genus, species, strain : Bacillus infantis DSM 19098
MicrobeMS ID : 2016_02_15_Schneider_Andy_0008
NCBI tax ID's : 324767 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)

```
measurement method : ToM_200ns_20130611.par
customer           : RKI ZBS6
measurement date/time : 2016-02-15T14:17:42.187+01:00
path to MS file    : \Bacillus\Bacillus infantis\Bacillus infantis DSM 19089\

genus, species, strain : Bacillus infantis DSM 19098
MicrobeMS ID         : 18_02_2016_Julia Mitschke_0005
NCBI tax ID's        : 324767 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-18T09:51:55.562+01:00
path to MS file      : \Bacillus\Bacillus infantis\Bacillus infantis DSM 19089\

genus, species, strain : Bacillus infantis DSM 19098
MicrobeMS ID         : 18_02_2016_Julia Mitschke_0006
NCBI tax ID's        : 324767 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-18T09:55:45.281+01:00
path to MS file      : \Bacillus\Bacillus infantis\Bacillus infantis DSM 19089\

genus, species, strain : Bacillus infantis DSM 19098
MicrobeMS ID         : 12_02_2016_Julia Mitschke_0009
NCBI tax ID's        : 324767 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-12T13:46:27.203+01:00
path to MS file      : \Bacillus\Bacillus infantis\Bacillus infantis DSM 19089\

genus, species, strain : Bacillus infantis DSM 19098
MicrobeMS ID         : 12_02_2016_Julia Mitschke_0010
NCBI tax ID's        : 324767 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-12T14:12:27.140+01:00
path to MS file      : \Bacillus\Bacillus infantis\Bacillus infantis DSM 19089\
```

Bacillus lentus

```
genus, species, strain : Bacillus lentus DSM 5221
MicrobeMS ID         : 2017_01_11_Leyla_Al-Sabbagh_0013
NCBI tax ID's        : 1467 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 25µl
extra info           : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-01-12T17:13:09.843+01:00
path to MS file      : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM 5221
MicrobeMS ID         : 2017_01_11_Leyla_Al-Sabbagh_0014
NCBI tax ID's        : 1467 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 25µl
extra info           : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-01-12T17:15:26.296+01:00
path to MS file      : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM 5221
MicrobeMS ID         : 2017_01_11_Leyla_Al-Sabbagh_0015
```

NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-12T17:17:19.687+01:00
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM 5221
MicrobeMS ID : 2017_01_11_Leyla_Al-Sabbagh_0016
NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-12T17:19:24.062+01:00
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM 5221
MicrobeMS ID : 2017_01_20_Leyla_Al-Sabbagh_0009
NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-20T10:58:13.765+01:00
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM 5221
MicrobeMS ID : 2017_01_20_Leyla_Al-Sabbagh_0010
NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-20T11:00:03.218+01:00
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM 5221
MicrobeMS ID : 2017_01_20_Leyla_Al-Sabbagh_0011
NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-20T11:05:02.265+01:00
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM 5221
MicrobeMS ID : 2017_01_20_Leyla_Al-Sabbagh_0012
NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-20T11:06:53.687+01:00
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM 5221
MicrobeMS ID : 2017_02_23_Leyla_Al-Sabbagh_0001
NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par

customer : RKI ZBS6
measurement date/time : 2017-02-23T14:45:15.578+01:00
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM 5221
MicrobeMS ID : 2017_02_23_Leyla_Al-Sabbagh_0002
NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-23T14:49:30.515+01:00
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM 5221
MicrobeMS ID : 2017_02_23_Leyla_Al-Sabbagh_0003
NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-23T14:51:41.015+01:00
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM 5221
MicrobeMS ID : 2017_02_23_Leyla_Al-Sabbagh_0004
NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-23T14:54:41.671+01:00
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM_5221
MicrobeMS ID : 2017_03_31_Schneider_Andy_0017
NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T10:22:48.046+02:00
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM_5221
MicrobeMS ID : 2017_03_31_Schneider_Andy_0018
NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T10:25:43.406+02:00
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM_5221
MicrobeMS ID : 2017_03_31_Schneider_Andy_0019
NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T10:27:49.703+02:00
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM_5221
MicrobeMS ID : 2017_03_31_Schneider_Andy_0020
NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : LB
sample treatment : 80% TFA, 30 Minuten, 1:10 Verdünnt in H₂O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T10:31:23.578+02:00
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 5221\

genus, species, strain : Bacillus lentus DSM 9
MicrobeMS ID : 2007_13_04_Maren Stämmeler_0001
NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 13.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-13 09:58:40
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 9\

genus, species, strain : Bacillus lentus DSM 9
MicrobeMS ID : 2007_18_04_Maren Stämmeler_0001
NCBI tax ID's : 1467 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 18.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-18 15:22:36
path to MS file : \Bacillus\Bacillus lentus\Bacillus lentus DSM 9\

Bacillus licheniformis

genus, species, strain : Bacillus licheniformis ATCC 12759
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0008
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 03.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 08:49:18
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis ATCC 12759\

genus, species, strain : Bacillus licheniformis B115
MicrobeMS ID : 2015_03_26_Schneider Andy_0009
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T12:12:06.312+01:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B115\

genus, species, strain : Bacillus licheniformis B115
MicrobeMS ID : 2015_03_26_Schneider Andy_0010
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T12:14:15.078+01:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B115\

genus, species, strain : Bacillus licheniformis B115
MicrobeMS ID : 2015_03_26_Schneider Andy_0011
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi

calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T12:17:58.265+01:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B115\

genus, species, strain : Bacillus licheniformis B115
MicrobeMS ID : 2015_03_26_Schneider Andy_0012
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T12:20:00.703+01:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B115\

genus, species, strain : Bacillus licheniformis B 115
MicrobeMS ID : 2006_15_08_Famulla Staemmler_0019
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-15 13:15:45
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B115\

genus, species, strain : Bacillus licheniformis B116
MicrobeMS ID : 2015_03_26_Schneider Andy_0013
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T13:10:53.171+01:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B116\

genus, species, strain : Bacillus licheniformis B116
MicrobeMS ID : 2015_03_26_Schneider Andy_0014
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T13:13:43.765+01:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B116\

genus, species, strain : Bacillus licheniformis B116
MicrobeMS ID : 2015_03_26_Schneider Andy_0015
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T13:16:15.640+01:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B116\

genus, species, strain : Bacillus licheniformis B116
MicrobeMS ID : 2015_03_26_Schneider Andy_0016
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T13:18:15.546+01:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B116\

genus, species, strain : Bacillus licheniformis B 116
MicrobeMS ID : 2006_15_08_Famulla Staemmler_0020
NCBI tax ID's : 1402 -
growth time : 24h

growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-15 13:21:09
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis B116\\

genus, species, strain : Bacillus licheniformis B118
MicrobeMS ID : 2015_03_26_Schneider Andy_0021
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T13:33:36.296+01:00
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis B118\\

genus, species, strain : Bacillus licheniformis B118
MicrobeMS ID : 2015_03_26_Schneider Andy_0022
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T13:35:44.656+01:00
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis B118\\

genus, species, strain : Bacillus licheniformis B118
MicrobeMS ID : 2015_03_26_Schneider Andy_0023
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T13:37:51.328+01:00
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis B118\\

genus, species, strain : Bacillus licheniformis B118
MicrobeMS ID : 2015_03_26_Schneider Andy_0024
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T14:13:16.015+01:00
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis B118\\

genus, species, strain : Bacillus licheniformis B 118
MicrobeMS ID : 2006_15_08_Famulla Staemmler_0023
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-15 13:35:48
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis B118\\

genus, species, strain : Bacillus licheniformis B178
MicrobeMS ID : 2015_03_30_Schneider Andy_033
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T13:28:40.968+02:00

path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B178\
genus, species, strain : Bacillus licheniformis B178
MicrobeMS ID : 2015_03_30_Schneider Andy_034
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T13:30:55.953+02:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B178\
genus, species, strain : Bacillus licheniformis B178
MicrobeMS ID : 2015_03_30_Schneider Andy_035
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T13:33:02.031+02:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B178\
genus, species, strain : Bacillus licheniformis B178
MicrobeMS ID : 2015_03_30_Schneider Andy_036
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T13:35:10.546+02:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B178\
genus, species, strain : Bacillus licheniformis B 178
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0023
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 14:51:26
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B178\
genus, species, strain : Bacillus licheniformis B62
MicrobeMS ID : 2015_01_07_Andy Schneider_0013
NCBI tax ID's : 1402 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-01-07T13:37:58.000
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B62\
genus, species, strain : Bacillus licheniformis B62
MicrobeMS ID : 2015_01_07_Andy Schneider_0015
NCBI tax ID's : 1402 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-01-07T13:42:07.000
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B62\
genus, species, strain : Bacillus licheniformis B62
MicrobeMS ID : 2015_01_07_Andy Schneider_0014
NCBI tax ID's : 1402 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)

concentration : 3 Oesen in 100µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-01-07T13:40:02.000
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis B62\\

genus, species, strain : Bacillus licheniformis B62
MicrobeMS ID : 2015_01_07_Andy Schneider_0016
NCBI tax ID's : 1402 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-01-07T13:44:56.000
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis B62\\

genus, species, strain : Bacillus licheniformis B 62
MicrobeMS ID : 2006_14_08_Famulla Staemmler_0014
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCATA2
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-14 11:32:14
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis B62\\

genus, species, strain : Bacillus licheniformis B72
MicrobeMS ID : 2015_02_09_Andy Schneider_0005
NCBI tax ID's : 1402 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T13:25:07.625+01:00
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis B72\\

genus, species, strain : Bacillus licheniformis B72
MicrobeMS ID : 2015_02_09_Andy Schneider_0007
NCBI tax ID's : 1402 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T13:29:15.000+01:00
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis B72\\

genus, species, strain : Bacillus licheniformis B72
MicrobeMS ID : 2015_02_09_Andy Schneider_0006
NCBI tax ID's : 1402 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T13:27:24.781+01:00
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis B72\\

genus, species, strain : Bacillus licheniformis B72
MicrobeMS ID : 2015_02_09_Andy Schneider_0008
NCBI tax ID's : 1402 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T13:32:05.343+01:00
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis B72\\

genus, species, strain : Bacillus licheniformis B 72
MicrobeMS ID : 2006_14_08_Famulla Staemmler_0023

NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-14 12:09:32
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis B72\

genus, species, strain : Bacillus licheniformis Isolat Platte 08 Probe 4
MicrobeMS ID : 2014_04_17_Maren Staemmler_0030
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-17T13:34:24.281+02:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis BRLK08_04\

genus, species, strain : Bacillus licheniformis BRLuftkeim08_04
MicrobeMS ID : 2015_04_17_Maren Staemmler_0017
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T13:27:08.234+02:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis BRLK08_04\

genus, species, strain : Bacillus licheniformis BRLuftkeim08_04
MicrobeMS ID : 2015_04_17_Maren Staemmler_0018
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T13:32:19.765+02:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis BRLK08_04\

genus, species, strain : Bacillus licheniformis BRLuftkeim08_04
MicrobeMS ID : 2015_04_17_Maren Staemmler_0019
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T13:35:02.187+02:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis BRLK08_04\

genus, species, strain : Bacillus licheniformis BRLuftkeim08_04
MicrobeMS ID : 2015_04_17_Maren Staemmler_0020
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T13:37:50.515+02:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis BRLK08_04\

genus, species, strain : Bacillus licheniformis BRLuftkeim08_04
MicrobeMS ID : 2015_04_24_Maren Staemmler_0013
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso

sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MALDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T09:56:15.046+02:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis BRLK08_04\

genus, species, strain : Bacillus licheniformis BRLuftkeim08_04
MicrobeMS ID : 2015_04_24_Maren Stämmeler_0014
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MALDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T09:59:38.109+02:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis BRLK08_04\

genus, species, strain : Bacillus licheniformis BRLuftkeim08_04
MicrobeMS ID : 2015_04_24_Maren Stämmeler_0015
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MALDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T10:03:18.906+02:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis BRLK08_04\

genus, species, strain : Bacillus licheniformis BRLuftkeim08_04
MicrobeMS ID : 2015_04_24_Maren Stämmeler_0016
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MALDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T10:07:25.437+02:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis BRLK08_04\

genus, species, strain : Bacillus licheniformis BRLuftkeim08_04
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0013
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MALDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T14:03:36.515+02:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis BRLK08_04\

genus, species, strain : Bacillus licheniformis BRLuftkeim08_04
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0014
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MALDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T14:07:00.765+02:00
path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis BRLK08_04\

genus, species, strain : Bacillus licheniformis BRLuftkeim08_04
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0015
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MALDI: MS

calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T14:09:50.734+02:00
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis BRLK08_04\

genus, species, strain : Bacillus licheniformis BRLuftkeim08_04
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0016
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T14:14:55.015+02:00
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis BRLK08_04\

genus, species, strain : Bacillus licheniformis C schleimig
MicrobeMS ID : 2007_12_04_Maren Stämmeler_0009
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 12.04.2007; Praeparation für MalDI: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-12 13:58:11
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis C schleimig\

genus, species, strain : Bacillus licheniformis C schleimig
MicrobeMS ID : 2007_16_04_Maren Stämmeler_0004
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 13.10.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 16.04.2007; Praeparation für MalDI: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-16 13:28:12
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis C schleimig\

genus, species, strain : Bacillus licheniformis C schleimig
MicrobeMS ID : 2007_23_04_Maren Stämmeler_0014
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 23.04.2007; Praeparation für MalDI: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-23 12:44:40
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis C schleimig\

genus, species, strain : Bacillus licheniformis DSM 13
MicrobeMS ID : 2007_12_04_Maren Stämmeler_0002
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 12.04.2007; Praeparation für MalDI: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-12 13:23:18
path to MS file : \\Bacillus\\Bacillus licheniformis\\Bacillus licheniformis DSM 13\

genus, species, strain : Bacillus licheniformis DSM 13
MicrobeMS ID : 2007_18_04_Maren Stämmeler_0013
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 18.04.2007; Praeparation für MalDI: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-19 09:41:43

path to MS file : \Bacillus\Bacillus licheniformis\Bacillus licheniformis DSM 13\

Bacillus megaterium

genus, species, strain : Bacillus megaterium B120
MicrobeMS ID : 2015_03_26_Schneider Andy_0029
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T14:28:51.406+01:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B120\

genus, species, strain : Bacillus megaterium B120
MicrobeMS ID : 2015_03_26_Schneider Andy_0030
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T14:31:18.546+01:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B120\

genus, species, strain : Bacillus megaterium B120
MicrobeMS ID : 2015_03_26_Schneider Andy_0031
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T14:34:23.625+01:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B120\

genus, species, strain : Bacillus megaterium B120
MicrobeMS ID : 2015_03_26_Schneider Andy_0032
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-26T14:37:06.234+01:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B120\

genus, species, strain : Bacillus megaterium B 120
MicrobeMS ID : 2006_15_08_Famulla Staemmler_0026
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-15 13:48:54
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B120\

genus, species, strain : Bacillus megaterium B172
MicrobeMS ID : 2015_03_30_Schneider Andy_021
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T12:50:41.828+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B172\

genus, species, strain : Bacillus megaterium B172
MicrobeMS ID : 2015_03_30_Schneider Andy_022
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T12:52:42.968+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B172\

genus, species, strain : Bacillus megaterium B172
MicrobeMS ID : 2015_03_30_Schneider Andy_023
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T12:54:40.484+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B172\

genus, species, strain : Bacillus megaterium B172
MicrobeMS ID : 2015_03_30_Schneider Andy_024
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T12:56:37.062+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B172\

genus, species, strain : Bacillus megaterium B 172
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0019
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 14:33:39
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B172\

genus, species, strain : Bacillus megaterium B175
MicrobeMS ID : 2015_03_30_Schneider Andy_025
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T13:02:15.703+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B175\

genus, species, strain : Bacillus megaterium B175
MicrobeMS ID : 2015_03_30_Schneider Andy_026
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T13:04:12.000+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B175\

genus, species, strain : Bacillus megaterium B175
MicrobeMS ID : 2015_03_30_Schneider Andy_027
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T13:08:14.171+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B175\

genus, species, strain : Bacillus megaterium B175
MicrobeMS ID : 2015_03_30_Schneider_Andy_028
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T13:10:39.453+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B175\

genus, species, strain : Bacillus megaterium B 175
MicrobeMS ID : 2006_16_08_Famulla_Staemmler_0020
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 14:36:32
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B175\

genus, species, strain : Bacillus megaterium B2
MicrobeMS ID : 2014_12_01_Andy_Schneider_0005
NCBI tax ID's : 1404 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T12:45:14.906+01:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B2\

genus, species, strain : Bacillus megaterium B2
MicrobeMS ID : 2014_12_01_Andy_Schneider_0007
NCBI tax ID's : 1404 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T12:48:05.546+01:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B2\

genus, species, strain : Bacillus megaterium B2
MicrobeMS ID : 2014_12_01_Andy_Schneider_0006
NCBI tax ID's : 1404 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T12:46:38.781+01:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B2\

genus, species, strain : Bacillus megaterium B2
MicrobeMS ID : 2014_12_01_Andy_Schneider_0008
NCBI tax ID's : 1404 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T12:49:28.656+01:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B2\

genus, species, strain : Bacillus megaterium B 2
MicrobeMS ID : 2006_11_08_Famulla_Staemmler_0003
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel

extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 10:32:13
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B2\

genus, species, strain : Bacillus megaterium B333
MicrobeMS ID : 2015_05_11_Schneider Andy_0001
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80s TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-11T10:46:41.078+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B333\

genus, species, strain : Bacillus megaterium B333
MicrobeMS ID : 2015_05_11_Schneider Andy_0002
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80s TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-11T10:49:34.390+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B333\

genus, species, strain : Bacillus megaterium B333
MicrobeMS ID : 2015_05_11_Schneider Andy_0003
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80s TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-11T10:51:45.421+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B333\

genus, species, strain : Bacillus megaterium B333
MicrobeMS ID : 2015_05_11_Schneider Andy_0004
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80s TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-11T10:54:55.109+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B333\

genus, species, strain : Bacillus megaterium B 333
MicrobeMS ID : 2006_29_09_Famulla Staemmler_0011
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80s TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-29 10:06:05
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium B333\

genus, species, strain : Bacillus megaterium DSM 32
MicrobeMS ID : 2007_13_04_Maren Staemmler_0006
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80s TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattemann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 13.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-13 10:30:02
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium DSM 32\

genus, species, strain : Bacillus megaterium DSM 32
MicrobeMS ID : 2007_18_04_Maren Staemmler_0009

NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 18.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-18 15:53:31
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium DSM 32\

genus, species, strain : Bacillus megaterium DSM 90
MicrobeMS ID : 2007_13_04_Maren Stämmeler_0004
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 13.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-13 10:11:57
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium DSM 90\

genus, species, strain : Bacillus megaterium DSM 90
MicrobeMS ID : 2007_18_04_Maren Stämmeler_0005
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 18.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-18 15:37:32
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium DSM 90\

genus, species, strain : Bacillus megaterium RRLuftkeim06_01
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0009
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T11:08:02.593+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium RRLK06_01\

genus, species, strain : Bacillus megaterium RRLuftkeim06_01
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0010
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T11:10:41.171+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium RRLK06_01\

genus, species, strain : Bacillus megaterium RRLuftkeim06_01
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0011
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T11:13:24.812+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium RRLK06_01\

genus, species, strain : Bacillus megaterium RRLuftkeim06_01
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0012
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T11:15:50.421+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium RRLK06_01\

genus, species, strain : Bacillus megaterium RRLuftkeim06_01
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0005
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T09:31:44.718+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium RRLK06_01\

genus, species, strain : Bacillus megaterium RRLuftkeim06_01
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0006
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T09:34:39.593+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium RRLK06_01\

genus, species, strain : Bacillus megaterium RRLuftkeim06_01
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0007
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T09:38:14.968+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium RRLK06_01\

genus, species, strain : Bacillus megaterium RRLuftkeim06_01
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0008
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T09:41:32.078+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium RRLK06_01\

genus, species, strain : Bacillus megaterium RRLuftkeim06_01
MicrobeMS ID : 2015_05_21_Maren Stämmeler_0005
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-21T09:38:17.296+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium RRLK06_01\

genus, species, strain : Bacillus megaterium RRLuftkeim06_01
MicrobeMS ID : 2015_05_21_Maren Stämmeler_0006
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung

und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-21T09:41:07.687+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium RRLK06_01\

genus, species, strain : Bacillus megaterium RRLuftkeim06_01
MicrobeMS ID : 2015_05_21_Maren Stämmeler_0007
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-21T10:12:57.109+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium RRLK06_01\

genus, species, strain : Bacillus megaterium RRLuftkeim06_01
MicrobeMS ID : 2015_05_21_Maren Stämmeler_0008
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-21T10:16:00.859+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium RRLK06_01\

genus, species, strain : Bacillus megaterium Isolat Platte 06 Probe 1
MicrobeMS ID : 2014_04_15_Maren Stämmeler_0019
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-15T14:59:56.218+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium RRLK06_01\

genus, species, strain : Bacillus megaterium Isolat Platte 06 Probe 1
MicrobeMS ID : 2014_04_17_Maren Stämmeler_0019
NCBI tax ID's : 1404 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-17T11:38:58.375+02:00
path to MS file : \Bacillus\Bacillus megaterium\Bacillus megaterium RRLK06_01\

Bacillus mojavensis

genus, species, strain : Bacillus mojavensis DSM 9205
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0013
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T10:47:17.859+01:00
path to MS file : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9205\

genus, species, strain : Bacillus mojavensis DSM 9205
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0014
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par

customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T10:51:34.375+01:00
path to MS file : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9205\

genus, species, strain : Bacillus mojavensis DSM 9205
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0015
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T11:23:35.671+01:00
path to MS file : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9205\

genus, species, strain : Bacillus mojavensis DSM 9205
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0016
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T11:26:42.453+01:00
path to MS file : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9205\

genus, species, strain : Bacillus mojavensis DSM 9205
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0013
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T10:53:53.406+01:00
path to MS file : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9205\

genus, species, strain : Bacillus mojavensis DSM 9205
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0014
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T10:58:01.750+01:00
path to MS file : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9205\

genus, species, strain : Bacillus mojavensis DSM 9205
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0015
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T11:05:09.718+01:00
path to MS file : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9205\

genus, species, strain : Bacillus mojavensis DSM 9205
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0016
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T11:08:17.125+01:00
path to MS file : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9205\

genus, species, strain : Bacillus mojavensis DSM 9205
MicrobeMS ID : 2015_03_10_Schneider Andy_0009
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:31:45.500+01:00
path to MS file : \\Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9205\

genus, species, strain : Bacillus mojavensis DSM 9205
MicrobeMS ID : 2015_03_10_Schneider Andy_0010
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:35:59.531+01:00
path to MS file : \\Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9205\

genus, species, strain : Bacillus mojavensis DSM 9205
MicrobeMS ID : 2015_03_10_Schneider Andy_0011
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:38:48.562+01:00
path to MS file : \\Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9205\

genus, species, strain : Bacillus mojavensis DSM 9205
MicrobeMS ID : 2015_03_10_Schneider Andy_0012
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:41:16.468+01:00
path to MS file : \\Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9205\

genus, species, strain : Bacillus mojavensis DSM 9206
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0017
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T11:33:08.000
path to MS file : \\Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9206\

genus, species, strain : Bacillus mojavensis DSM 9206
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0018
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T11:35:53.000
path to MS file : \\Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9206\

genus, species, strain : Bacillus mojavensis DSM 9206
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0019
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T12:39:20.000
path to MS file : \\Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9206\

```
genus, species, strain : Bacillus mojavensis DSM 9206
MicrobeMS ID           : 2015_03_02_Maren Stämmeler_0020
NCBI tax ID's         : 72360 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2 Oesen in 25 µel
extra info           : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T12:42:57.000
path to MS file       : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9206\

genus, species, strain : Bacillus mojavensis DSM 9206
MicrobeMS ID           : 2015_03_06_Maren Stämmeler_0017
NCBI tax ID's         : 72360 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2 Oesen in 25 µel
extra info           : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T11:20:11.000
path to MS file       : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9206\

genus, species, strain : Bacillus mojavensis DSM 9206
MicrobeMS ID           : 2015_03_06_Maren Stämmeler_0018
NCBI tax ID's         : 72360 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2 Oesen in 25 µel
extra info           : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T11:23:56.000
path to MS file       : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9206\

genus, species, strain : Bacillus mojavensis DSM 9206
MicrobeMS ID           : 2015_03_06_Maren Stämmeler_0019
NCBI tax ID's         : 72360 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2 Oesen in 25 µel
extra info           : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T12:33:41.000
path to MS file       : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9206\

genus, species, strain : Bacillus mojavensis DSM 9206
MicrobeMS ID           : 2015_03_06_Maren Stämmeler_0020
NCBI tax ID's         : 72360 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2 Oesen in 25 µel
extra info           : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T12:36:52.000
path to MS file       : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9206\

genus, species, strain : Bacillus mojavensis DSM 9206
MicrobeMS ID           : 2015_03_10_Schneider Andy_0013
NCBI tax ID's         : 72360 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80s TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:45:34.203+01:00
path to MS file       : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9206\

genus, species, strain : Bacillus mojavensis DSM 9206
MicrobeMS ID           : 2015_03_10_Schneider Andy_0014
NCBI tax ID's         : 72360 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80s TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
```

calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:48:02.781+01:00
path to MS file : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9206\

genus, species, strain : Bacillus mojavensis DSM 9206
MicrobeMS ID : 2015_03_10_Schneider Andy_0015
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:50:20.406+01:00
path to MS file : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9206\

genus, species, strain : Bacillus mojavensis DSM 9206
MicrobeMS ID : 2015_03_10_Schneider Andy_0016
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:53:19.109+01:00
path to MS file : \Bacillus\Bacillus mojavensis\Bacillus mojavensis DSM 9206\

genus, species, strain : Bacillus mojavensis DSM 9206
MicrobeMS ID : 2015_03_10_Schneider Andy_0017
NCBI tax ID's : 72360 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T12:49:30.546+01:00
path to MS file : \Bacillus\Bacillus muralis\Bacillus muralis DSM 16288\

genus, species, strain : Bacillus muralis DSM 16288
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0021
NCBI tax ID's : 264697 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T12:53:06.781+01:00
path to MS file : \Bacillus\Bacillus muralis\Bacillus muralis DSM 16288\

genus, species, strain : Bacillus muralis DSM 16288
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0022
NCBI tax ID's : 264697 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T12:57:50.703+01:00
path to MS file : \Bacillus\Bacillus muralis\Bacillus muralis DSM 16288\

genus, species, strain : Bacillus muralis DSM 16288
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0023
NCBI tax ID's : 264697 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T13:00:48.343+01:00
path to MS file : \Bacillus\Bacillus muralis\Bacillus muralis DSM 16288\

genus, species, strain : Bacillus muralis DSM 16288
MicrobeMS ID : 2015_03_02_Maren Stämmeler_0024
NCBI tax ID's : 264697 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µl
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-02T13:00:48.343+01:00
path to MS file : \Bacillus\Bacillus muralis\Bacillus muralis DSM 16288\

genus, species, strain : Bacillus muralis DSM 16288

MicrobeMS ID : 2015_03_06_Maren Stämmeler_0021
NCBI tax ID's : 264697 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T12:40:49.296+01:00
path to MS file : \Bacillus\Bacillus muralis\Bacillus muralis DSM 16288\

genus, species, strain : Bacillus muralis DSM 16288
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0022
NCBI tax ID's : 264697 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T12:43:50.531+01:00
path to MS file : \Bacillus\Bacillus muralis\Bacillus muralis DSM 16288\

genus, species, strain : Bacillus muralis DSM 16288
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0023
NCBI tax ID's : 264697 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T12:46:41.328+01:00
path to MS file : \Bacillus\Bacillus muralis\Bacillus muralis DSM 16288\

genus, species, strain : Bacillus muralis DSM 16288
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0024
NCBI tax ID's : 264697 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T12:49:44.453+01:00
path to MS file : \Bacillus\Bacillus muralis\Bacillus muralis DSM 16288\

genus, species, strain : Bacillus muralis DSM 16288
MicrobeMS ID : 2015_03_10_Schneider Andy_0017
NCBI tax ID's : 264697 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T13:58:30.640+01:00
path to MS file : \Bacillus\Bacillus muralis\Bacillus muralis DSM 16288\

genus, species, strain : Bacillus muralis DSM 16288
MicrobeMS ID : 2015_03_10_Schneider Andy_0018
NCBI tax ID's : 264697 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T14:01:48.390+01:00
path to MS file : \Bacillus\Bacillus muralis\Bacillus muralis DSM 16288\

genus, species, strain : Bacillus muralis DSM 16288
MicrobeMS ID : 2015_03_10_Schneider Andy_0019
NCBI tax ID's : 264697 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T14:04:44.906+01:00
path to MS file : \\Bacillus\\Bacillus muralis\\Bacillus muralis DSM 16288\

genus, species, strain : Bacillus muralis DSM 16288
MicrobeMS ID : 2015_03_10_Schneider Andy_0020
NCBI tax ID's : 264697 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-10T14:08:02.703+01:00
path to MS file : \\Bacillus\\Bacillus muralis\\Bacillus muralis DSM 16288\

Bacillus mycoides

genus, species, strain : Bacillus mycoides DSM 2048
MicrobeMS ID : 2007_11_04_Maren Stämmeler_0010
NCBI tax ID's : 1405 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: Juli 2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 11.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-11 15:01:29
path to MS file : \\Bacillus\\Bacillus mycoides\\Bacillus mycoides DSM2048\

genus, species, strain : Bacillus mycoides DSM 2048
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0001
NCBI tax ID's : 1405 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 03.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 07:54:44
path to MS file : \\Bacillus\\Bacillus mycoides\\Bacillus mycoides DSM2048\

genus, species, strain : Bacillus mycoides DSM 2048
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0019
NCBI tax ID's : 1405 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 24.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 10:18:37
path to MS file : \\Bacillus\\Bacillus mycoides\\Bacillus mycoides DSM2048\

genus, species, strain : Bacillus mycoides DSM 2048
MicrobeMS ID : 2015_09_21_Schneider Andy_0025
NCBI tax ID's : 1405 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T13:41:41.437+02:00
path to MS file : \\Bacillus\\Bacillus mycoides\\Bacillus mycoides DSM2048\

genus, species, strain : Bacillus mycoides DSM 2048
MicrobeMS ID : 2015_09_21_Schneider Andy_0026
NCBI tax ID's : 1405 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T13:45:29.406+02:00
path to MS file : \\Bacillus\\Bacillus mycoides\\Bacillus mycoides DSM2048\

genus, species, strain : Bacillus mycoides DSM 2048
MicrobeMS ID : 2015_09_21_Schneider Andy_0026
NCBI tax ID's : 1405 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T13:45:29.406+02:00
path to MS file : \\Bacillus\\Bacillus mycoides\\Bacillus mycoides DSM2048\

genus, species, strain : Bacillus mycoides DSM 2048
MicrobeMS ID : 2015_09_21_Schneider Andy_0026
NCBI tax ID's : 1405 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T13:45:29.406+02:00
path to MS file : \\Bacillus\\Bacillus mycoides\\Bacillus mycoides DSM2048\

```
genus, species, strain : Bacillus mycoides DSM 2048
MicrobeMS ID          : 22_10_2015_Julia Mitschke_0005
NCBI tax ID's         : 1405 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Col. Blut
sample treatment      : 80§ TFA 30 Minuten, 1:10 Verdünnt in H2O, Matrix HCCA:TA2 (12g/1)
concentration         : 2-4 Ösen in 100µl
extra info            : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-10-22T09:33:16.125+02:00
path to MS file       : \Bacillus\Bacillus mycoides\Bacillus mycoides DSM2048\

genus, species, strain : Bacillus mycoides DSM 2048
MicrobeMS ID          : 22_10_2015_Julia Mitschke_0006
NCBI tax ID's         : 1405 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Col. Blut
sample treatment      : 80§ TFA 30 Minuten, 1:10 Verdünnt in H2O, Matrix HCCA:TA2 (12g/1)
concentration         : 2-4 Ösen in 100µl
extra info            : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-10-22T09:39:44.984+02:00
path to MS file       : \Bacillus\Bacillus mycoides\Bacillus mycoides DSM2048\

genus, species, strain : Bacillus mycoides WSBC 10277
MicrobeMS ID          : 2006_07_11_Famulla Staemmler_0011
NCBI tax ID's         : 1405 -
growth time           : 24h
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration         : 3 Oesen in 100 muel
extra info            : Anzucht, Praeparation 02.11.2006 und Praeparation fuer Maldi 06.11.2006: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2006-11-07 10:04:08
path to MS file       : \Bacillus\Bacillus mycoides\Bacillus mycoides WSBC 10277\

genus, species, strain : Bacillus mycoides WSBC 10279
MicrobeMS ID          : 2006_07_11_Famulla Staemmler_0012
NCBI tax ID's         : 1405 -
growth time           : 24h
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration         : 3 Oesen in 100 muel
extra info            : Anzucht, Praeparation 02.11.2006 und Praeparation fuer Maldi 06.11.2006: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2006-11-07 10:06:54
path to MS file       : \Bacillus\Bacillus mycoides\Bacillus mycoides WSBC 10279\

genus, species, strain : Bacillus mycoides WSBC 10291
MicrobeMS ID          : 2006_07_11_Famulla Staemmler_0014
NCBI tax ID's         : 1405 -
growth time           : 24h
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration         : 3 Oesen in 100 muel
extra info            : Anzucht, Praeparation 02.11.2006 und Praeparation fuer Maldi 06.11.2006: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2006-11-07 10:18:14
path to MS file       : \Bacillus\Bacillus mycoides\Bacillus mycoides WSBC 10291\

genus, species, strain : Bacillus mycoides WSBC 10360
MicrobeMS ID          : 2006_07_11_Famulla Staemmler_0015
NCBI tax ID's         : 1405 -
growth time           : 24h
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80§ TFA/1:10 verd./1:1HCCATA2
concentration         : 3 Oesen in 100 muel
extra info            : Anzucht, Praeparation 02.11.2006 und Praeparation fuer Maldi 06.11.2006: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2006-11-07 10:23:57
path to MS file       : \Bacillus\Bacillus mycoides\Bacillus mycoides WSBC 10360\


```

Bacillus pseudomycooides

```
genus, species, strain : Bacillus pseudomycooides DSM 12442
MicrobeMS ID          : 2017_01_11_Leyla_Al-Sabbagh_0009
NCBI tax ID's         : 64104 - 527000
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
```

```
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-12T15:53:13.437+01:00
path to MS file : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\

genus, species, strain : Bacillus pseudomycooides DSM 12442
MicrobeMS ID : 2017_01_11_Leyla_Al-Sabbagh_0010
NCBI tax ID's : 64104 - 527000
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-12T15:39:46.765+01:00
path to MS file : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\

genus, species, strain : Bacillus pseudomycooides DSM 12442
MicrobeMS ID : 2017_01_11_Leyla_Al-Sabbagh_0011
NCBI tax ID's : 64104 - 527000
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-12T15:44:17.609+01:00
path to MS file : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\

genus, species, strain : Bacillus pseudomycooides DSM 12442
MicrobeMS ID : 2017_01_11_Leyla_Al-Sabbagh_0012
NCBI tax ID's : 64104 - 527000
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-12T15:55:49.078+01:00
path to MS file : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\

genus, species, strain : Bacillus pseudomycooides DSM 12442
MicrobeMS ID : 2017_01_20_Leyla_Al-Sabbagh_0005
NCBI tax ID's : 64104 - 527000
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-20T10:43:36.125+01:00
path to MS file : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\

genus, species, strain : Bacillus pseudomycooides DSM 12442
MicrobeMS ID : 2017_01_20_Leyla_Al-Sabbagh_0006
NCBI tax ID's : 64104 - 527000
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-20T10:46:07.687+01:00
path to MS file : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\

genus, species, strain : Bacillus pseudomycooides DSM 12442
MicrobeMS ID : 2017_01_20_Leyla_Al-Sabbagh_0007
NCBI tax ID's : 64104 - 527000
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-01-20T10:50:09.000+01:00
path to MS file : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\
```



```
genus, species, strain : Bacillus pseudomycooides DSM 12442
MicrobeMS ID           : 2017_01_20_Leyla_Al-Sabbagh_0008
NCBI tax ID's         : 64104 - 527000
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 25µl
extra info           : Stämme von DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-01-20T10:53:00.015+01:00
path to MS file      : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\

genus, species, strain : Bacillus pseudomycooides DSM 12442
MicrobeMS ID           : 2017_02_23_Leyla_Al-Sabbagh_0005
NCBI tax ID's         : 64104 - 527000
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 25µl
extra info           : Stämme von DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-02-23T15:00:16.578+01:00
path to MS file      : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\

genus, species, strain : Bacillus pseudomycooides DSM 12442
MicrobeMS ID           : 2017_02_23_Leyla_Al-Sabbagh_0006
NCBI tax ID's         : 64104 - 527000
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 25µl
extra info           : Stämme von DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-02-23T15:03:20.078+01:00
path to MS file      : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\

genus, species, strain : Bacillus pseudomycooides DSM 12442
MicrobeMS ID           : 2017_02_23_Leyla_Al-Sabbagh_0007
NCBI tax ID's         : 64104 - 527000
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 25µl
extra info           : Stämme von DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-02-23T15:07:10.718+01:00
path to MS file      : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\

genus, species, strain : Bacillus pseudomycooides DSM 12442
MicrobeMS ID           : 2017_02_23_Leyla_Al-Sabbagh_0008
NCBI tax ID's         : 64104 - 527000
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 25µl
extra info           : Stämme von DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-02-23T15:09:26.734+01:00
path to MS file      : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\

genus, species, strain : Bacillus pseudomycooides DSM_12442
MicrobeMS ID           : 2017_04_07_Schneider_Andy_0005
NCBI tax ID's         : 64104 - 527000
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : 80% TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
calibration standard  : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-04-07T15:03:30.406+02:00
path to MS file      : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\

genus, species, strain : Bacillus pseudomycooides DSM_12442
MicrobeMS ID           : 2017_04_07_Schneider_Andy_0006
NCBI tax ID's         : 64104 - 527000
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment     : 80% TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
```

```
calibration standard : E.coli Standard (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-04-07T15:05:51.171+02:00
path to MS file      : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\

genus, species, strain : Bacillus pseudomycooides DSM_12442
MicrobeMS ID          : 2017_04_07_Schneider_Andy_0007
NCBI tax ID's         : 64104 - 527000
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : 80s TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-04-07T15:12:04.140+02:00
path to MS file      : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\

genus, species, strain : Bacillus pseudomycooides DSM_12442
MicrobeMS ID          : 2017_04_07_Schneider_Andy_0008
NCBI tax ID's         : 64104 - 527000
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : 80s TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-04-07T15:14:18.515+02:00
path to MS file      : \Bacillus\Bacillus pseudomycooides\Bacillus pseudomycooides DSM 12442\
```

Bacillus psychrosaccharolyticus

```
genus, species, strain : Bacillus psychrosaccharolyticus DSM 6
MicrobeMS ID          : 2016_02_12_Schneider_Andy_0001
NCBI tax ID's         : 1407 -
growth time           : 24h
growth temperature    : 21°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80s TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-12T09:53:06.171+01:00
path to MS file      : \Bacillus\Bacillus psychrosaccharolyticus\Bacillus psychrosaccharolyticus DSM 6\

genus, species, strain : Bacillus psychrosaccharolyticus DSM 6
MicrobeMS ID          : 2016_02_12_Schneider_Andy_0002
NCBI tax ID's         : 1407 -
growth time           : 24h
growth temperature    : 21°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80s TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-12T09:55:57.562+01:00
path to MS file      : \Bacillus\Bacillus psychrosaccharolyticus\Bacillus psychrosaccharolyticus DSM 6\

genus, species, strain : Bacillus psychrosaccharolyticus DSM 6
MicrobeMS ID          : 2016_02_12_Schneider_Andy_0003
NCBI tax ID's         : 1407 -
growth time           : 24h
growth temperature    : 21°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80s TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-12T10:02:13.343+01:00
path to MS file      : \Bacillus\Bacillus psychrosaccharolyticus\Bacillus psychrosaccharolyticus DSM 6\

genus, species, strain : Bacillus psychrosaccharolyticus DSM 6
MicrobeMS ID          : 2016_02_12_Schneider_Andy_0004
NCBI tax ID's         : 1407 -
growth time           : 24h
growth temperature    : 21°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80s TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-12T10:04:14.218+01:00
path to MS file      : \Bacillus\Bacillus psychrosaccharolyticus\Bacillus psychrosaccharolyticus DSM 6\

genus, species, strain : Bacillus psychrosaccharolyticus DSM 6
```

```
MicrobeMS ID      : 12_02_2016_Julia Mitschke_0011
NCBI tax ID's    : 1407 -
growth time      : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium    : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2016-02-12T14:17:39.828+01:00
path to MS file   : \Bacillus\Bacillus psychrosaccharolyticus\Bacillus psychrosaccharolyticus DSM 6\

genus, species, strain : Bacillus psychrosaccharolyticus DSM 6
MicrobeMS ID      : 12_02_2016_Julia Mitschke_0012
NCBI tax ID's    : 1407 -
growth time      : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium    : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2016-02-12T14:21:02.796+01:00
path to MS file   : \Bacillus\Bacillus psychrosaccharolyticus\Bacillus psychrosaccharolyticus DSM 6\

genus, species, strain : Bacillus psychrosaccharolyticus DSM 6
MicrobeMS ID      : 18_02_2016_Julia Mitschke_0007
NCBI tax ID's    : 1407 -
growth time      : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium    : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2016-02-18T10:00:19.937+01:00
path to MS file   : \Bacillus\Bacillus psychrosaccharolyticus\Bacillus psychrosaccharolyticus DSM 6\

genus, species, strain : Bacillus psychrosaccharolyticus DSM 6
MicrobeMS ID      : 18_02_2016_Julia Mitschke_0008
NCBI tax ID's    : 1407 -
growth time      : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium    : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2016-02-18T10:03:40.968+01:00
path to MS file   : \Bacillus\Bacillus psychrosaccharolyticus\Bacillus psychrosaccharolyticus DSM 6\

genus, species, strain : Bacillus psychrosaccharolyticus DSM 6
MicrobeMS ID      : 18_02_2016_Julia Mitschke_0009
NCBI tax ID's    : 1407 -
growth time      : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium    : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2016-02-18T10:10:51.015+01:00
path to MS file   : \Bacillus\Bacillus psychrosaccharolyticus\Bacillus psychrosaccharolyticus DSM 6\

genus, species, strain : Bacillus psychrosaccharolyticus DSM 6
MicrobeMS ID      : 18_02_2016_Julia Mitschke_0010
NCBI tax ID's    : 1407 -
growth time      : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium    : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2016-02-18T10:15:09.875+01:00
path to MS file   : \Bacillus\Bacillus psychrosaccharolyticus\Bacillus psychrosaccharolyticus DSM 6\

genus, species, strain : Bacillus psychrosaccharolyticus DSM 6
MicrobeMS ID      : 18_02_2016_Julia Mitschke_0011
NCBI tax ID's    : 1407 -
growth time      : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium    : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
```

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-18T10:18:10.625+01:00
path to MS file : \Bacillus\Bacillus psychrosaccharolyticus\Bacillus psychrosaccharolyticus DSM 6\

genus, species, strain : Bacillus psychrosaccharolyticus DSM 6
MicrobeMS ID : 18_02_2016_Julia Mitschke_0012
NCBI tax ID's : 1407 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-18T10:21:48.937+01:00
path to MS file : \Bacillus\Bacillus psychrosaccharolyticus\Bacillus psychrosaccharolyticus DSM 6\

Bacillus pumilus

genus, species, strain : Bacillus pumilus B160
MicrobeMS ID : 2015_03_27_Schneider Andy_0041
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T12:18:54.812+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B160\

genus, species, strain : Bacillus pumilus B160
MicrobeMS ID : 2015_03_27_Schneider Andy_0042
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T12:21:29.750+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B160\

genus, species, strain : Bacillus pumilus B160
MicrobeMS ID : 2015_03_27_Schneider Andy_0043
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T12:23:32.000+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B160\

genus, species, strain : Bacillus pumilus B160
MicrobeMS ID : 2015_03_27_Schneider Andy_0044
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T12:25:38.171+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B160\

genus, species, strain : Bacillus pumilus B 160
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0011
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 13:02:50
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B160\

genus, species, strain : Bacillus pumilus B161
MicrobeMS ID : 2015_03_27_Schneider Andy_0045

NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T12:30:02.750+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B161\

genus, species, strain : Bacillus pumilus B161
MicrobeMS ID : 2015_03_27_Schneider Andy_0046
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T12:33:10.765+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B161\

genus, species, strain : Bacillus pumilus B161
MicrobeMS ID : 2015_03_27_Schneider Andy_0047
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T12:35:34.906+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B161\

genus, species, strain : Bacillus pumilus B161
MicrobeMS ID : 2015_03_27_Schneider Andy_0048
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T12:37:55.937+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B161\

genus, species, strain : Bacillus pumilus B 161
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0012
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 13:05:25
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B161\

genus, species, strain : Bacillus pumilus B162
MicrobeMS ID : 2015_03_30_Schneider Andy_0005
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T11:00:19.265+02:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B162\

genus, species, strain : Bacillus pumilus B162
MicrobeMS ID : 2015_03_30_Schneider Andy_0006
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par

customer : RKI ZBS6
measurement date/time : 2015-03-30T11:01:47.390+02:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B162\

genus, species, strain : Bacillus pumilus B162
MicrobeMS ID : 2015_03_30_Schneider Andy_0007
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T11:03:57.953+02:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B162\

genus, species, strain : Bacillus pumilus B162
MicrobeMS ID : 2015_03_30_Schneider Andy_0008
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T11:06:45.906+02:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B162\

genus, species, strain : Bacillus pumilus B 162
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0014
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 14:15:32
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B162\

genus, species, strain : Bacillus pumilus B165
MicrobeMS ID : 2015_03_30_Schneider Andy_009
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T11:11:23.765+02:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B165\

genus, species, strain : Bacillus pumilus B165
MicrobeMS ID : 2015_03_30_Schneider Andy_010
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T11:14:12.875+02:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B165\

genus, species, strain : Bacillus pumilus B165
MicrobeMS ID : 2015_03_30_Schneider Andy_011
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T11:16:18.015+02:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B165\

genus, species, strain : Bacillus pumilus B165
MicrobeMS ID : 2015_03_30_Schneider Andy_012
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T11:18:13.906+02:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B165\

genus, species, strain : Bacillus pumilus B 165
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0015
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 14:18:33
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B165\

genus, species, strain : Bacillus pumilus B17
MicrobeMS ID : 2014_12_02_Andy Schneider_0009
NCBI tax ID's : 1408 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:34:34.000
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B17\

genus, species, strain : Bacillus pumilus B17
MicrobeMS ID : 2014_12_02_Andy Schneider_0011
NCBI tax ID's : 1408 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:41:28.000
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B17\

genus, species, strain : Bacillus pumilus B17
MicrobeMS ID : 2014_12_02_Andy Schneider_0010
NCBI tax ID's : 1408 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:36:40.000
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B17\

genus, species, strain : Bacillus pumilus B17
MicrobeMS ID : 2014_12_02_Andy Schneider_0012
NCBI tax ID's : 1408 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:43:33.000
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B17\

genus, species, strain : Bacillus pumilus B 17
MicrobeMS ID : 2006_11_08_Famulla Staemmler_0018
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11T11:45:02.000
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B17\

```
genus, species, strain : Bacillus pumilus B31
MicrobeMS ID           : 2014_12_10_Andy_Schneider_0001
NCBI tax ID's         : 1408 -
growth time           : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80$ TFA/1:10 verd./1:1 HCCA:TA2
concentration         : 3 Oesen in 100 muel
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankomst:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2014-12-10T12:31:10.921+01:00
path to MS file      : \Bacillus\Bacillus pumilus\Bacillus pumilus B31\

genus, species, strain : Bacillus pumilus B31
MicrobeMS ID           : 2014_12_10_Andy_Schneider_0003
NCBI tax ID's         : 1408 -
growth time           : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80$ TFA/1:10 verd./1:1 HCCA:TA2
concentration         : 3 Oesen in 100 muel
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankomst:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2014-12-10T12:35:32.531+01:00
path to MS file      : \Bacillus\Bacillus pumilus\Bacillus pumilus B31\

genus, species, strain : Bacillus pumilus B31
MicrobeMS ID           : 2014_12_10_Andy_Schneider_0002
NCBI tax ID's         : 1408 -
growth time           : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80$ TFA/1:10 verd./1:1 HCCA:TA2
concentration         : 3 Oesen in 100 muel
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankomst:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2014-12-10T12:33:19.265+01:00
path to MS file      : \Bacillus\Bacillus pumilus\Bacillus pumilus B31\

genus, species, strain : Bacillus pumilus B31
MicrobeMS ID           : 2014_12_10_Andy_Schneider_0004
NCBI tax ID's         : 1408 -
growth time           : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80$ TFA/1:10 verd./1:1 HCCA:TA2
concentration         : 3 Oesen in 100 muel
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankomst:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2014-12-10T12:37:43.031+01:00
path to MS file      : \Bacillus\Bacillus pumilus\Bacillus pumilus B31\

genus, species, strain : Bacillus pumilus B 31
MicrobeMS ID           : 2006_11_08_Famulla_Staemmler_0028
NCBI tax ID's         : 1408 -
growth time           : 24h
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80$ TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen in 100 muel
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankomst:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2006-08-11 13:20:29
path to MS file      : \Bacillus\Bacillus pumilus\Bacillus pumilus B31\

genus, species, strain : Bacillus pumilus B91
MicrobeMS ID           : 2015_02_09_Andy_Schneider_0033
NCBI tax ID's         : 1408 -
growth time           : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80$ TFA/1:10 verd./1:1 HCCA:TA2
concentration         : 3 Oesen in 100 muel
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankomst:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-02-09T15:07:42.984+01:00
path to MS file      : \Bacillus\Bacillus pumilus\Bacillus pumilus B91\

genus, species, strain : Bacillus pumilus B91
MicrobeMS ID           : 2015_02_09_Andy_Schneider_0035
NCBI tax ID's         : 1408 -
growth time           : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment     : in 80$ TFA/1:10 verd./1:1 HCCA:TA2
concentration         : 3 Oesen in 100 muel
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankomst:09.08.2006/ Praeparation fuer Maldi
```


calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T15:11:18.640+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B91\

genus, species, strain : Bacillus pumilus B91
MicrobeMS ID : 2015_02_09_Andy Schneider_0034
NCBI tax ID's : 1408 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T15:09:31.343+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B91\

genus, species, strain : Bacillus pumilus B91
MicrobeMS ID : 2015_02_09_Andy Schneider_0036
NCBI tax ID's : 1408 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T15:13:55.125+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B91\

genus, species, strain : Bacillus pumilus B 91
MicrobeMS ID : 2006_14_08_Famulla Staemmler_0032
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-14 14:09:16
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus B91\

genus, species, strain : Bacillus pumilus DSM 13835
MicrobeMS ID : 2007_12_04_Maren Staemmler_0005
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 12.04.2007; Praeparation fuer Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-12 13:40:48
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 13835\

genus, species, strain : Bacillus pumilus DSM 13835
MicrobeMS ID : 2007_23_04_Maren Staemmler_0005
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 23.04.2007; Praeparation fuer Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-23 10:22:12
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 13835\

genus, species, strain : Bacillus pumilus DSM 27
MicrobeMS ID : 2007_13_04_Maren Staemmler_0008
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 13.04.2007; Praeparation fuer Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-13 10:42:10
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 27\

genus, species, strain : Bacillus pumilus DSM 27

MicrobeMS ID : 2007_18_04_Maren Stämmeler_0011
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 18.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-19 09:19:11
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 27\

genus, species, strain : Bacillus pumilus DSM27
MicrobeMS ID : 2017_11_28_Jaehne_Jennifer_0001
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-28T12:24:52.781+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 27 Neukauf2017\

genus, species, strain : Bacillus pumilus DSM27
MicrobeMS ID : 2017_11_28_Jaehne_Jennifer_0002
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-28T12:29:19.171+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 27 Neukauf2017\

genus, species, strain : Bacillus pumilus DSM27
MicrobeMS ID : 2017_11_28_Jaehne_Jennifer_0003
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-28T12:32:36.250+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 27 Neukauf2017\

genus, species, strain : Bacillus pumilus DSM27
MicrobeMS ID : 2017_11_28_Jaehne_Jennifer_0004
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-28T12:36:54.500+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 27 Neukauf2017\

genus, species, strain : Bacillus pumilus DSM27
MicrobeMS ID : 2017_12_15_Jaehne_Jennifer_0001
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-15T10:35:36.781+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 27 Neukauf2017\

genus, species, strain : Bacillus pumilus DSM27
MicrobeMS ID : 2017_12_15_Jaehne_Jennifer_0002
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ

calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-15T10:38:17.437+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 27 Neukauf2017\

genus, species, strain : Bacillus pumilus DSM27
MicrobeMS ID : 2017_12_15_Jaehne_Jennifer_0003
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-15T10:41:11.625+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 27 Neukauf2017\

genus, species, strain : Bacillus pumilus DSM27
MicrobeMS ID : 2017_12_15_Jaehne_Jennifer_0004
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-15T10:44:28.953+01:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 27 Neukauf2017\

genus, species, strain : Bacillus pumilus DSM27
MicrobeMS ID : 2018_05_23_Schneider_Andy_0001
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-23T15:24:18.031+02:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 27 Neukauf2017\

genus, species, strain : Bacillus pumilus DSM27
MicrobeMS ID : 2018_05_23_Schneider_Andy_0002
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-23T15:25:58.703+02:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 27 Neukauf2017\

genus, species, strain : Bacillus pumilus DSM27
MicrobeMS ID : 2018_05_23_Schneider_Andy_0003
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-23T15:40:13.406+02:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 27 Neukauf2017\

genus, species, strain : Bacillus pumilus DSM27
MicrobeMS ID : 2018_05_23_Schneider_Andy_0004
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-23T15:42:03.078+02:00
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus DSM 27 Neukauf2017\

genus, species, strain : Bacillus pumilus MM 171
MicrobeMS ID : 2007_03_05_Maren_Staemmler_0024
NCBI tax ID's : 1408 -
growth time : 24h

growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 24.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 13:30:26
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus MM 171\

genus, species, strain : Bacillus pumilus MM 171
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0027
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 01.12.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 13:50:46
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus MM 171\

genus, species, strain : Bacillus pumilus MM 171
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0031
NCBI tax ID's : 1408 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 09.12.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 14:57:22
path to MS file : \Bacillus\Bacillus pumilus\Bacillus pumilus MM 171\

Bacillus salarius

genus, species, strain : Bacillus salarius DSM 16461
MicrobeMS ID : 2015_03_17_Maren Stämmeler_0001
NCBI tax ID's : 284579 -
growth time : 72h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB mit 10 Proz. NaCl
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 16.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-17T08:49:56.140+01:00
path to MS file : \Bacillus\Bacillus salarius\Bacillus salarius DSM 16461\

genus, species, strain : Bacillus salarius DSM 16461
MicrobeMS ID : 2015_03_17_Maren Stämmeler_0002
NCBI tax ID's : 284579 -
growth time : 72h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB mit 10 Proz. NaCl
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 16.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-17T08:52:29.781+01:00
path to MS file : \Bacillus\Bacillus salarius\Bacillus salarius DSM 16461\

genus, species, strain : Bacillus salarius DSM 16461
MicrobeMS ID : 2015_03_17_Maren Stämmeler_0003
NCBI tax ID's : 284579 -
growth time : 72h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB mit 10 Proz. NaCl
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 16.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-17T08:55:07.015+01:00
path to MS file : \Bacillus\Bacillus salarius\Bacillus salarius DSM 16461\

genus, species, strain : Bacillus salarius DSM 16461
MicrobeMS ID : 2015_03_17_Maren Stämmeler_0004
NCBI tax ID's : 284579 -
growth time : 72h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB mit 10 Proz. NaCl
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 16.03.2014/ 1:1 HCCA/TA2 (A)

concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-17T08:58:19.125+01:00
path to MS file : \\Bacillus\\Bacillus salarius\\Bacillus salarius DSM 16461\\

genus, species, strain : Bacillus salarius DSM 16461
MicrobeMS ID : 2015_03_17_Maren Stämmeler_0005
NCBI tax ID's : 284579 -
growth time : 72h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB mit 10 Proz. NaCL
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 16.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-17T09:04:47.218+01:00
path to MS file : \\Bacillus\\Bacillus salarius\\Bacillus salarius DSM 16461\\

genus, species, strain : Bacillus salarius DSM 16461
MicrobeMS ID : 2015_03_17_Maren Stämmeler_0006
NCBI tax ID's : 284579 -
growth time : 72h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB mit 10 Proz. NaCL
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 16.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-17T09:07:17.578+01:00
path to MS file : \\Bacillus\\Bacillus salarius\\Bacillus salarius DSM 16461\\

genus, species, strain : Bacillus salarius DSM 16461
MicrobeMS ID : 2015_03_17_Maren Stämmeler_0007
NCBI tax ID's : 284579 -
growth time : 72h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB mit 10 Proz. NaCL
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 16.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-17T09:18:34.640+01:00
path to MS file : \\Bacillus\\Bacillus salarius\\Bacillus salarius DSM 16461\\

genus, species, strain : Bacillus salarius DSM 16461
MicrobeMS ID : 2015_03_17_Maren Stämmeler_0008
NCBI tax ID's : 284579 -
growth time : 72h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB mit 10 Proz. NaCL
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 16.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-17T09:20:56.937+01:00
path to MS file : \\Bacillus\\Bacillus salarius\\Bacillus salarius DSM 16461\\

genus, species, strain : Bacillus salarius DSM 16461
MicrobeMS ID : 2015_03_30_Schneider Andy_0001
NCBI tax ID's : 284579 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer MalDI
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T10:47:47.109+02:00
path to MS file : \\Bacillus\\Bacillus salarius\\Bacillus salarius DSM 16461\\

genus, species, strain : Bacillus salarius DSM 16461
MicrobeMS ID : 2015_03_30_Schneider Andy_0002
NCBI tax ID's : 284579 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer MalDI
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T10:50:16.437+02:00
path to MS file : \\Bacillus\\Bacillus salarius\\Bacillus salarius DSM 16461\\

genus, species, strain : Bacillus salarius DSM 16461
MicrobeMS ID : 2015_03_30_Schneider Andy_0003

NCBI tax ID's : 284579 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T10:53:09.687+02:00
path to MS file : \Bacillus\Bacillus salarius\Bacillus salarius DSM 16461\

genus, species, strain : Bacillus salarius DSM 16461
MicrobeMS ID : 2015_03_30_Schneider Andy_0004
NCBI tax ID's : 284579 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-30T10:55:51.656+02:00
path to MS file : \Bacillus\Bacillus salarius\Bacillus salarius DSM 16461\

Bacillus siamensis

genus, species, strain : Bacillus siamensis DSM25261
MicrobeMS ID : 2017_12_12_Jaehne_Jennifer_0005
NCBI tax ID's : 659243 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Marine Broth
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-12T12:02:31.531+01:00
path to MS file : \Bacillus\Bacillus siamensis\Bacillus siamensis DSM 25261\

genus, species, strain : Bacillus siamensis DSM25261
MicrobeMS ID : 2017_12_12_Jaehne_Jennifer_0006
NCBI tax ID's : 659243 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Marine Broth
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-12T12:05:09.593+01:00
path to MS file : \Bacillus\Bacillus siamensis\Bacillus siamensis DSM 25261\

genus, species, strain : Bacillus siamensis DSM25261
MicrobeMS ID : 2017_12_12_Jaehne_Jennifer_0007
NCBI tax ID's : 659243 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Marine Broth
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-12T12:08:39.000+01:00
path to MS file : \Bacillus\Bacillus siamensis\Bacillus siamensis DSM 25261\

genus, species, strain : Bacillus siamensis DSM25261
MicrobeMS ID : 2017_12_12_Jaehne_Jennifer_0008
NCBI tax ID's : 659243 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Marine Broth
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-12T12:11:36.468+01:00
path to MS file : \Bacillus\Bacillus siamensis\Bacillus siamensis DSM 25261\

genus, species, strain : Bacillus siamensis DSM25261
MicrobeMS ID : 2017_12_21_Jaehne_Jennifer_0029
NCBI tax ID's : 659243 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Marine Broth
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl

```
extra info          : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-12-21T11:36:05.421+01:00
path to MS file      : \Bacillus\Bacillus siamensis\Bacillus siamensis DSM 25261\

genus, species, strain : Bacillus siamensis DSM25261
MicrobeMS ID          : 2017_12_21_Jaehne_Jennifer_0030
NCBI tax ID's         : 659243 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Marine Broth
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-12-21T11:39:27.984+01:00
path to MS file      : \Bacillus\Bacillus siamensis\Bacillus siamensis DSM 25261\

genus, species, strain : Bacillus siamensis DSM25261
MicrobeMS ID          : 2017_12_21_Jaehne_Jennifer_0031
NCBI tax ID's         : 659243 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Marine Broth
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-12-21T11:42:07.265+01:00
path to MS file      : \Bacillus\Bacillus siamensis\Bacillus siamensis DSM 25261\

genus, species, strain : Bacillus siamensis DSM25261
MicrobeMS ID          : 2017_12_21_Jaehne_Jennifer_0032
NCBI tax ID's         : 659243 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Marine Broth
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-12-21T11:44:44.265+01:00
path to MS file      : \Bacillus\Bacillus siamensis\Bacillus siamensis DSM 25261\

genus, species, strain : Bacillus siamensis DSM25261
MicrobeMS ID          : 2018_05_24_Schneider_Andy_0013
NCBI tax ID's         : 659243 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Marine Broth
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2018-05-24T13:13:10.843+02:00
path to MS file      : \Bacillus\Bacillus siamensis\Bacillus siamensis DSM 25261\

genus, species, strain : Bacillus siamensis DSM25261
MicrobeMS ID          : 2018_05_24_Schneider_Andy_0014
NCBI tax ID's         : 659243 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Marine Broth
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2018-05-24T13:14:55.390+02:00
path to MS file      : \Bacillus\Bacillus siamensis\Bacillus siamensis DSM 25261\

genus, species, strain : Bacillus siamensis DSM25261
MicrobeMS ID          : 2018_05_24_Schneider_Andy_0015
NCBI tax ID's         : 659243 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Marine Broth
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2018-05-24T13:16:43.062+02:00
path to MS file      : \Bacillus\Bacillus siamensis\Bacillus siamensis DSM 25261\

genus, species, strain : Bacillus siamensis DSM25261
MicrobeMS ID          : 2018_05_24_Schneider_Andy_0016
NCBI tax ID's         : 659243 -
```

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Marine Broth
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100ul
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-24T13:19:00.203+02:00
path to MS file : \Bacillus\Bacillus siamensis\Bacillus siamensis DSM 25261\

Bacillus simplex

genus, species, strain : Bacillus simplex A379-1
MicrobeMS ID : 2013_04_23_Andy Schneider_0001
NCBI tax ID's : 1478 -
growth time : 24
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/ 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-04-23T13:00:36.000
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex A379\

genus, species, strain : Bacillus simplex A379-1
MicrobeMS ID : 2013_04_23_Andy Schneider_0002
NCBI tax ID's : 1478 -
growth time : 24
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/ 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-04-23T13:20:46.000
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex A379\

genus, species, strain : Bacillus simplex A379-1
MicrobeMS ID : 2013_07_10_Andy Schneider_0009
NCBI tax ID's : 1478 -
growth time : 24
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/ 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2013-07-10T09:53:04.000
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex A379\

genus, species, strain : Bacillus simplex A379-1
MicrobeMS ID : 2013_07_10_Andy Schneider_0010
NCBI tax ID's : 1478 -
growth time : 24
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/ 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2013-07-10T09:58:26.000
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex A379\

genus, species, strain : Bacillus simplex A379-1
MicrobeMS ID : 2013_07_10_Andy Schneider_0011
NCBI tax ID's : 1478 -
growth time : 24
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/ 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2013-07-10T10:07:22.000
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex A379\

genus, species, strain : Bacillus simplex A379-1
MicrobeMS ID : 2013_07_10_Andy Schneider_0012
NCBI tax ID's : 1478 -
growth time : 24
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/ 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS

calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2013-07-10T10:12:59.000
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex A379\

genus, species, strain : Bacillus simplex A379-1
MicrobeMS ID : 2013_07_10_Andy_Schneider_0013
NCBI tax ID's : 1478 -
growth time : 24
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/ 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Osen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2013-07-10T10:21:16.000
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex A379\

genus, species, strain : Bacillus simplex A379-1
MicrobeMS ID : 2013_07_10_Andy_Schneider_0014
NCBI tax ID's : 1478 -
growth time : 24
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/ 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Osen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2013-07-10T10:25:45.000
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex A379\

genus, species, strain : Bacillus simplex DSM 1321
MicrobeMS ID : 2016_12_08_Leyla_Al-Sabbagh_0001
NCBI tax ID's : 1478 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-08T14:04:38.281+01:00
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex DSM 1321\

genus, species, strain : Bacillus simplex DSM 1321
MicrobeMS ID : 2016_12_08_Leyla_Al-Sabbagh_0002
NCBI tax ID's : 1478 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-08T14:08:17.718+01:00
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex DSM 1321\

genus, species, strain : Bacillus simplex DSM 1321
MicrobeMS ID : 2016_12_08_Leyla_Al-Sabbagh_0003
NCBI tax ID's : 1478 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-08T14:12:54.593+01:00
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex DSM 1321\

genus, species, strain : Bacillus simplex DSM 1321
MicrobeMS ID : 2016_12_08_Leyla_Al-Sabbagh_0004
NCBI tax ID's : 1478 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-08T14:16:54.421+01:00
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex DSM 1321\

genus, species, strain : Bacillus simplex DSM 1321
MicrobeMS ID : 2016_12_09_Leyla_Al-Sabbagh_0013
NCBI tax ID's : 1478 -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T12:55:36.531+01:00
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex DSM 1321\

genus, species, strain : Bacillus simplex DSM 1321
MicrobeMS ID : 2016_12_09_Leyla_Al-Sabbagh_0014
NCBI tax ID's : 1478 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T13:06:21.000
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex DSM 1321\

genus, species, strain : Bacillus simplex DSM 1321
MicrobeMS ID : 2016_12_09_Leyla_Al-Sabbagh_0015
NCBI tax ID's : 1478 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T13:11:22.421+01:00
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex DSM 1321\

genus, species, strain : Bacillus simplex DSM 1321
MicrobeMS ID : 2016_12_09_Leyla_Al-Sabbagh_0016
NCBI tax ID's : 1478 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T13:18:03.578+01:00
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex DSM 1321\

genus, species, strain : Bacillus simplex DSM_1321
MicrobeMS ID : 2016_12_15_Schneider_Andy_0017
NCBI tax ID's : 1478 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:31:32.265+01:00
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex DSM 1321\

genus, species, strain : Bacillus simplex DSM_1321
MicrobeMS ID : 2016_12_15_Schneider_Andy_0018
NCBI tax ID's : 1478 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:33:15.375+01:00
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex DSM 1321\

genus, species, strain : Bacillus simplex DSM_1321
MicrobeMS ID : 2016_12_15_Schneider_Andy_0019
NCBI tax ID's : 1478 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:35:01.593+01:00

path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex DSM 1321\
genus, species, strain : Bacillus simplex DSM_1321
MicrobeMS ID : 2016_12_15_Schneider_Andy_0020
NCBI tax ID's : 1478 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:36:40.203+01:00
path to MS file : \Bacillus\Bacillus simplex\Bacillus simplex DSM 1321\

Bacillus sonorensis

genus, species, strain : Bacillus sonorensis DSM 13779
MicrobeMS ID : 2016_12_08_Leyla_Al-Sabbagh_0005
NCBI tax ID's : 119858 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-08T14:44:21.265+01:00
path to MS file : \Bacillus\Bacillus sonorensis\Bacillus sonorensis DSM 13779\

genus, species, strain : Bacillus sonorensis DSM 13779
MicrobeMS ID : 2016_12_08_Leyla_Al-Sabbagh_0006
NCBI tax ID's : 119858 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-08T14:46:48.500+01:00
path to MS file : \Bacillus\Bacillus sonorensis\Bacillus sonorensis DSM 13779\

genus, species, strain : Bacillus sonorensis DSM 13779
MicrobeMS ID : 2016_12_08_Leyla_Al-Sabbagh_0007
NCBI tax ID's : 119858 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-08T14:48:47.234+01:00
path to MS file : \Bacillus\Bacillus sonorensis\Bacillus sonorensis DSM 13779\

genus, species, strain : Bacillus sonorensis DSM 13779
MicrobeMS ID : 2016_12_08_Leyla_Al-Sabbagh_0008
NCBI tax ID's : 119858 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-08T14:52:00.171+01:00
path to MS file : \Bacillus\Bacillus sonorensis\Bacillus sonorensis DSM 13779\

genus, species, strain : Bacillus sonorensis DSM 13779
MicrobeMS ID : 2016_12_09_Leyla_Al-Sabbagh_0005
NCBI tax ID's : 119858 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T13:22:01.718+01:00
path to MS file : \Bacillus\Bacillus sonorensis\Bacillus sonorensis DSM 13779\

genus, species, strain : Bacillus sonorensis DSM 13779
MicrobeMS ID : 2016_12_09_Leyla_Al-Sabbagh_0006
NCBI tax ID's : 119858 -
growth time : 24h
growth temperature : 37°C

```
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T13:28:48.984+01:00
path to MS file : \Bacillus\Bacillus sonorensis\Bacillus sonorensis DSM 13779\

genus, species, strain : Bacillus sonorensis DSM 13779
MicrobeMS ID : 2016_12_09_Leyla_Al-Sabbagh_0007
NCBI tax ID's : 119858 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T13:35:04.062+01:00
path to MS file : \Bacillus\Bacillus sonorensis\Bacillus sonorensis DSM 13779\

genus, species, strain : Bacillus sonorensis DSM 13779
MicrobeMS ID : 2016_12_09_Leyla_Al-Sabbagh_0008
NCBI tax ID's : 119858 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-09T13:40:04.140+01:00
path to MS file : \Bacillus\Bacillus sonorensis\Bacillus sonorensis DSM 13779\

genus, species, strain : Bacillus sonorensis DSM_13779
MicrobeMS ID : 2016_12_15_Schneider_Andy_0021
NCBI tax ID's : 119858 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:39:54.750+01:00
path to MS file : \Bacillus\Bacillus sonorensis\Bacillus sonorensis DSM 13779\

genus, species, strain : Bacillus sonorensis DSM_13779
MicrobeMS ID : 2016_12_15_Schneider_Andy_0022
NCBI tax ID's : 119858 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:42:03.234+01:00
path to MS file : \Bacillus\Bacillus sonorensis\Bacillus sonorensis DSM 13779\

genus, species, strain : Bacillus sonorensis DSM_13779
MicrobeMS ID : 2016_12_15_Schneider_Andy_0023
NCBI tax ID's : 119858 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:43:33.656+01:00
path to MS file : \Bacillus\Bacillus sonorensis\Bacillus sonorensis DSM 13779\

genus, species, strain : Bacillus sonorensis DSM_13779
MicrobeMS ID : 2016_12_15_Schneider_Andy_0024
NCBI tax ID's : 119858 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:45:29.812+01:00
path to MS file : \Bacillus\Bacillus sonorensis\Bacillus sonorensis DSM 13779\
```

Bacillus sp

genus, species, strain : Bacillus sp. B147
MicrobeMS ID : 2015_03_27_Schneider Andy_0013
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:00:07.000
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B147\

genus, species, strain : Bacillus sp. B147
MicrobeMS ID : 2015_03_27_Schneider Andy_0014
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:02:08.000
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B147\

genus, species, strain : Bacillus sp. B147
MicrobeMS ID : 2015_03_27_Schneider Andy_0015
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:04:53.000
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B147\

genus, species, strain : Bacillus sp. B147
MicrobeMS ID : 2015_03_27_Schneider Andy_0016
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:07:03.000
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B147\

genus, species, strain : Bacillus sp. B 147
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0002
NCBI tax ID's : -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16T12:25:12.000
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B147\

genus, species, strain : Bacillus unknown B158
MicrobeMS ID : 2015_03_27_Schneider Andy_0033
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T11:07:44.546+01:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B158\

genus, species, strain : Bacillus unknown B158
MicrobeMS ID : 2015_03_27_Schneider Andy_0034
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)

concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T11:09:42.218+01:00
path to MS file : \\Bacillus\\Bacillus sp\\Bacillus sp. unknown B158\\

genus, species, strain : Bacillus unknown B158
MicrobeMS ID : 2015_03_27_Schneider Andy_0035
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T11:11:50.640+01:00
path to MS file : \\Bacillus\\Bacillus sp\\Bacillus sp. unknown B158\\

genus, species, strain : Bacillus unknown B158
MicrobeMS ID : 2015_03_27_Schneider Andy_0036
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T11:13:53.859+01:00
path to MS file : \\Bacillus\\Bacillus sp\\Bacillus sp. unknown B158\\

genus, species, strain : Bacillus spp. B21
MicrobeMS ID : 2014_12_02_Andy Schneider_0021
NCBI tax ID's : -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T12:34:51.812+01:00
path to MS file : \\Bacillus\\Bacillus sp\\Bacillus sp. unknown B21\\

genus, species, strain : Bacillus ssp. B21
MicrobeMS ID : 2014_12_02_Andy Schneider_0023
NCBI tax ID's : -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T12:39:22.062+01:00
path to MS file : \\Bacillus\\Bacillus sp\\Bacillus sp. unknown B21\\

genus, species, strain : Bacillus ssp. B21
MicrobeMS ID : 2014_12_02_Andy Schneider_0022
NCBI tax ID's : -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T12:37:12.812+01:00
path to MS file : \\Bacillus\\Bacillus sp\\Bacillus sp. unknown B21\\

genus, species, strain : Bacillus ssp. B21
MicrobeMS ID : 2014_12_02_Andy Schneider_0024
NCBI tax ID's : -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T12:41:35.843+01:00
path to MS file : \\Bacillus\\Bacillus sp\\Bacillus sp. unknown B21\\

genus, species, strain : Bacillus spez.? B 21
MicrobeMS ID : 2006_11_08_Famulla Staemmler_0022

NCBI tax ID's : -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 12:01:56
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B21\

genus, species, strain : Bacillus ssp. B22
MicrobeMS ID : 2014_12_02_Andy Schneider_0025
NCBI tax ID's : -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T12:45:40.625+01:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B22\

genus, species, strain : Bacillus ssp. B22
MicrobeMS ID : 2014_12_02_Andy Schneider_0027
NCBI tax ID's : -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T12:49:56.406+01:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B22\

genus, species, strain : Bacillus ssp. B22
MicrobeMS ID : 2014_12_02_Andy Schneider_0028
NCBI tax ID's : -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T12:47:42.593+01:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B22\

genus, species, strain : Bacillus ssp. B22
MicrobeMS ID : 2014_12_02_Andy Schneider_0028
NCBI tax ID's : -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T12:52:43.046+01:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B22\

genus, species, strain : Bacillus spez.? B 22
MicrobeMS ID : 2006_11_08_Famulla Staemmler_0023
NCBI tax ID's : -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 12:05:35
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B22\

genus, species, strain : Bacillus sp. B292
MicrobeMS ID : 2015_04_30_Schneider Andy_0009
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par

customer : RKI ZBS6
measurement date/time : 2015-04-30T08:59:33.171+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B292\

genus, species, strain : Bacillus sp. B292
MicrobeMS ID : 2015_04_30_Schneider Andy_0010
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:01:22.234+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B292\

genus, species, strain : Bacillus sp. B292
MicrobeMS ID : 2015_04_30_Schneider Andy_0011
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:03:03.281+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B292\

genus, species, strain : Bacillus sp. B292
MicrobeMS ID : 2015_04_30_Schneider Andy_0012
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-30T09:04:37.500+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B292\

genus, species, strain : Bacillus sp. B301
MicrobeMS ID : 2015_05_05_Schneider Andy_0025
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T10:58:15.609+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B301\

genus, species, strain : Bacillus sp. B301
MicrobeMS ID : 2015_05_05_Schneider Andy_0026
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T11:00:24.640+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B301\

genus, species, strain : Bacillus sp. B301
MicrobeMS ID : 2015_05_05_Schneider Andy_0027
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T11:02:24.062+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B301\

genus, species, strain : Bacillus sp. B301
MicrobeMS ID : 2015_05_05_Schneider Andy_0028
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T11:04:19.156+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B301\

genus, species, strain : Bacillus spez.? B 301
MicrobeMS ID : 2006_19_09_Famulla Staemmler_0015
NCBI tax ID's : -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-19 10:16:34
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B301\

genus, species, strain : Bacillus sp. B307
MicrobeMS ID : 2015_05_05_Schneider Andy_0049
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T12:39:11.156+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B307\

genus, species, strain : Bacillus sp. B307
MicrobeMS ID : 2015_05_05_Schneider Andy_0050
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T12:40:47.156+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B307\

genus, species, strain : Bacillus sp. B307
MicrobeMS ID : 2015_05_05_Schneider Andy_0051
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T12:42:31.093+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B307\

genus, species, strain : Bacillus sp. B307
MicrobeMS ID : 2015_05_05_Schneider Andy_0052
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-05T12:43:48.843+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B307\

genus, species, strain : Bacillus spez.? B 307
MicrobeMS ID : 2006_22_09_Famulla Staemmler_0007
NCBI tax ID's : -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-22 14:06:18
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B307\

```
genus, species, strain : Bacillus sp. B313
MicrobeMS ID           : 2015_05_07_Schneider Andy_0013
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-05-07T09:54:03.468+02:00
path to MS file      : \Bacillus\Bacillus sp\Bacillus sp. unknown B313\

genus, species, strain : Bacillus sp. B313
MicrobeMS ID           : 2015_05_07_Schneider Andy_0014
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-05-07T09:55:39.484+02:00
path to MS file      : \Bacillus\Bacillus sp\Bacillus sp. unknown B313\

genus, species, strain : Bacillus sp. B313
MicrobeMS ID           : 2015_05_07_Schneider Andy_0015
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-05-07T09:57:59.171+02:00
path to MS file      : \Bacillus\Bacillus sp\Bacillus sp. unknown B313\

genus, species, strain : Bacillus sp. B313
MicrobeMS ID           : 2015_05_07_Schneider Andy_0016
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-05-07T09:59:26.437+02:00
path to MS file      : \Bacillus\Bacillus sp\Bacillus sp. unknown B313\

genus, species, strain : Bacillus spez.? B 313
MicrobeMS ID           : 2006_22_09_Famulla Staemmler_0014
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2006-09-22 14:51:44
path to MS file      : \Bacillus\Bacillus sp\Bacillus sp. unknown B313\

genus, species, strain : Bacillus sp. B314
MicrobeMS ID           : 2015_05_07_Schneider Andy_0017
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-05-07T10:02:29.640+02:00
path to MS file      : \Bacillus\Bacillus sp\Bacillus sp. unknown B314\

genus, species, strain : Bacillus sp. B314
MicrobeMS ID           : 2015_05_07_Schneider Andy_0018
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
```

calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:04:20.734+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B314\

genus, species, strain : Bacillus sp. B314
MicrobeMS ID : 2015_05_07_Schneider Andy_0019
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:07:35.500+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B314\

genus, species, strain : Bacillus sp. B314
MicrobeMS ID : 2015_05_07_Schneider Andy_0020
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:11:34.140+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B314\

genus, species, strain : Bacillus spez.? B 314
MicrobeMS ID : 2006_22_09_Famulla Staemmler_0015
NCBI tax ID's : -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-22 14:54:55
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B314\

genus, species, strain : Bacillus sp. B318
MicrobeMS ID : 2015_05_07_Schneider Andy_0025
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:26:50.015+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B318\

genus, species, strain : Bacillus sp. B318
MicrobeMS ID : 2015_05_07_Schneider Andy_0026
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:28:17.546+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B318\

genus, species, strain : Bacillus sp. B318
MicrobeMS ID : 2015_05_07_Schneider Andy_0027
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:29:51.312+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B318\

genus, species, strain : Bacillus sp. B318
MicrobeMS ID : 2015_05_07_Schneider Andy_0028
NCBI tax ID's : -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:31:33.953+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B318\

genus, species, strain : Bacillus spez.? B 318
MicrobeMS ID : 2006_29_09_Famulla Staemmler_0002
NCBI tax ID's : -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-29 09:02:47
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B318\

genus, species, strain : Bacillus sp. B319
MicrobeMS ID : 2015_05_07_Schneider Andy_0029
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:35:10.281+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B319\

genus, species, strain : Bacillus sp. B319
MicrobeMS ID : 2015_05_07_Schneider Andy_0030
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:37:11.718+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B319\

genus, species, strain : Bacillus sp. B319
MicrobeMS ID : 2015_05_07_Schneider Andy_0031
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:40:59.046+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B319\

genus, species, strain : Bacillus sp. B319
MicrobeMS ID : 2015_05_07_Schneider Andy_0032
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:42:46.625+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B319\

genus, species, strain : Bacillus spez.? B 319
MicrobeMS ID : 2006_29_09_Famulla Staemmler_0003
NCBI tax ID's : -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-29 09:06:20

path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B319\
genus, species, strain : Bacillus sp. B321
MicrobeMS ID : 2015_05_07_Schneider Andy_0033
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankomst:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:46:39.671+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B321\
genus, species, strain : Bacillus sp. B321
MicrobeMS ID : 2015_05_07_Schneider Andy_0034
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankomst:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:50:26.000+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B321\
genus, species, strain : Bacillus sp. B321
MicrobeMS ID : 2015_05_07_Schneider Andy_0035
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankomst:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T10:54:41.484+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B321\
genus, species, strain : Bacillus sp. B321
MicrobeMS ID : 2015_05_07_Schneider Andy_0036
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankomst:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T11:04:57.671+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B321\
genus, species, strain : Bacillus spez.? B 321
MicrobeMS ID : 2006_29_09_Famulla Staemmler_0004
NCBI tax ID's : -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankomst:09.08.2006/ Praeparation fuer Mald
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-29 09:09:12
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B321\
genus, species, strain : Bacillus sp. B324
MicrobeMS ID : 2015_05_07_Schneider Andy_0037
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankomst:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T11:08:50.328+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B324\
genus, species, strain : Bacillus sp. B324
MicrobeMS ID : 2015_05_07_Schneider Andy_0038
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)

concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T11:10:57.218+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B324\

genus, species, strain : Bacillus sp. B324
MicrobeMS ID : 2015_05_07_Schneider Andy_0039
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T11:12:51.750+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B324\

genus, species, strain : Bacillus sp. B324
MicrobeMS ID : 2015_05_07_Schneider Andy_0040
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-07T11:15:28.953+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B324\

genus, species, strain : Bacillus spez.? B 324
MicrobeMS ID : 2006_29_09_Famulla Staemmler_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-29 09:19:42
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B324\

genus, species, strain : Bacillus sp. B334
MicrobeMS ID : 2015_05_08_Schneider Andy_0001
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T09:00:16.765+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B334\

genus, species, strain : Bacillus sp. B334
MicrobeMS ID : 2015_05_08_Schneider Andy_0002
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T09:02:18.765+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B334\

genus, species, strain : Bacillus sp. B334
MicrobeMS ID : 2015_05_08_Schneider Andy_0003
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T09:03:52.375+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B334\

genus, species, strain : Bacillus sp. B334
MicrobeMS ID : 2015_05_08_Schneider Andy_0004

NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T09:05:45.734+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B334\

genus, species, strain : Bacillus spez.? B 334
MicrobeMS ID : 2006_29_09_Famulla Staemmler_0012
NCBI tax ID's : -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-09-29 10:10:32
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B334\

genus, species, strain : Bacillus sp. B340
MicrobeMS ID : 2015_05_08_Schneider Andy_0021
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T09:58:16.921+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B340\

genus, species, strain : Bacillus sp. B340
MicrobeMS ID : 2015_05_08_Schneider Andy_0022
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T10:01:21.625+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B340\

genus, species, strain : Bacillus sp. B340
MicrobeMS ID : 2015_05_08_Schneider Andy_0023
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T10:04:54.093+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B340\

genus, species, strain : Bacillus sp. B340
MicrobeMS ID : 2015_05_08_Schneider Andy_0024
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T10:07:05.609+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B340\

genus, species, strain : Bacillus sp. B341
MicrobeMS ID : 2015_05_08_Schneider Andy_0025
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par

customer : RKI ZBS6
measurement date/time : 2015-05-08T10:10:52.265+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B341\

genus, species, strain : Bacillus sp. B341
MicrobeMS ID : 2015_05_08_Schneider Andy_0026
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T10:12:14.015+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B341\

genus, species, strain : Bacillus sp. B341
MicrobeMS ID : 2015_05_08_Schneider Andy_0027
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T10:14:04.109+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B341\

genus, species, strain : Bacillus sp. B341
MicrobeMS ID : 2015_05_08_Schneider Andy_0028
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T10:15:42.234+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B341\

genus, species, strain : Bacillus sp. B342
MicrobeMS ID : 2015_05_08_Schneider Andy_0029
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T10:19:21.984+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B342\

genus, species, strain : Bacillus sp. B342
MicrobeMS ID : 2015_05_08_Schneider Andy_0030
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T10:21:10.437+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B342\

genus, species, strain : Bacillus sp. B342
MicrobeMS ID : 2015_05_08_Schneider Andy_0031
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T10:23:48.125+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B342\

genus, species, strain : Bacillus sp. B342
MicrobeMS ID : 2015_05_08_Schneider Andy_0032
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T10:25:20.656+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B342\

genus, species, strain : Bacillus sp. B343
MicrobeMS ID : 2015_05_08_Schneider Andy_0033
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T10:28:49.187+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B343\

genus, species, strain : Bacillus sp. B343
MicrobeMS ID : 2015_05_08_Schneider Andy_0034
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T10:30:11.500+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B343\

genus, species, strain : Bacillus sp. B343
MicrobeMS ID : 2015_05_08_Schneider Andy_0035
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T10:32:40.796+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B343\

genus, species, strain : Bacillus sp. B343
MicrobeMS ID : 2015_05_08_Schneider Andy_0036
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-08T10:34:42.546+02:00
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown B343\

genus, species, strain : Bacillus sp. DSM 12369
MicrobeMS ID : 2007_16_04_Maren Stämmeler_0002
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 13.10.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 16.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-16 13:16:59
path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown DSM 12369\

genus, species, strain : Bacillus sp. DSM 12369
MicrobeMS ID : 2007_18_04_Maren Stämmeler_0007
NCBI tax ID's : 1402 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 18.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-18 15:45:33

path to MS file : \Bacillus\Bacillus sp\Bacillus sp. unknown DSM 12369\

Bacillus sporothermodurans

genus, species, strain : Bacillus sporothermodurans DSM 10599
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0025
NCBI tax ID's : 46224 -
growth time : 48h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 04.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T12:59:45.984+01:00
path to MS file : \Bacillus\Bacillus sporothermodurans\Bacillus sporothermodurans DSM 10599\

genus, species, strain : Bacillus sporothermodurans DSM 10599
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0026
NCBI tax ID's : 46224 -
growth time : 48h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 04.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T13:02:49.656+01:00
path to MS file : \Bacillus\Bacillus sporothermodurans\Bacillus sporothermodurans DSM 10599\

genus, species, strain : Bacillus sporothermodurans DSM 10599
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0027
NCBI tax ID's : 46224 -
growth time : 48h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 04.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T13:06:48.750+01:00
path to MS file : \Bacillus\Bacillus sporothermodurans\Bacillus sporothermodurans DSM 10599\

genus, species, strain : Bacillus sporothermodurans DSM 10599
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0028
NCBI tax ID's : 46224 -
growth time : 48h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 04.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T13:10:10.625+01:00
path to MS file : \Bacillus\Bacillus sporothermodurans\Bacillus sporothermodurans DSM 10599\

genus, species, strain : Bacillus sporothermodurans DSM 10599
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0029
NCBI tax ID's : 46224 -
growth time : 48h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 04.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T13:35:45.750+01:00
path to MS file : \Bacillus\Bacillus sporothermodurans\Bacillus sporothermodurans DSM 10599\

genus, species, strain : Bacillus sporothermodurans DSM 10599
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0030
NCBI tax ID's : 46224 -
growth time : 48h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 04.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T13:38:30.687+01:00
path to MS file : \Bacillus\Bacillus sporothermodurans\Bacillus sporothermodurans DSM 10599\

genus, species, strain : Bacillus sporothermodurans DSM 10599
MicrobeMS ID : 2015_03_06_Maren Stämmeler_0031
NCBI tax ID's : 46224 -
growth time : 48h
growth temperature : 30°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 04.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T13:41:44.921+01:00
path to MS file : \Bacillus\Bacillus sporothermodurans\Bacillus sporothermodurans DSM 10599\

genus, species, strain : Bacillus sporothermodurans DSM 10599
MicrobeMS ID : 2015_03_06_Maren StämmIer_0032
NCBI tax ID's : 46224 -
growth time : 48h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 04.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T13:44:24.437+01:00
path to MS file : \Bacillus\Bacillus sporothermodurans\Bacillus sporothermodurans DSM 10599\

genus, species, strain : Bacillus sporothermodurans DSM 10599
MicrobeMS ID : 2015_03_06_Maren StämmIer_0033
NCBI tax ID's : 46224 -
growth time : 48h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 06.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T14:17:22.296+01:00
path to MS file : \Bacillus\Bacillus sporothermodurans\Bacillus sporothermodurans DSM 10599\

genus, species, strain : Bacillus sporothermodurans DSM 10599
MicrobeMS ID : 2015_03_06_Maren StämmIer_0034
NCBI tax ID's : 46224 -
growth time : 48h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 06.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T14:20:40.140+01:00
path to MS file : \Bacillus\Bacillus sporothermodurans\Bacillus sporothermodurans DSM 10599\

genus, species, strain : Bacillus sporothermodurans DSM 10599
MicrobeMS ID : 2015_03_06_Maren StämmIer_0035
NCBI tax ID's : 46224 -
growth time : 48h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 06.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T14:25:46.031+01:00
path to MS file : \Bacillus\Bacillus sporothermodurans\Bacillus sporothermodurans DSM 10599\

genus, species, strain : Bacillus sporothermodurans DSM 10599
MicrobeMS ID : 2015_03_06_Maren StämmIer_0036
NCBI tax ID's : 46224 -
growth time : 48h
growth temperature : 30°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 06.03.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-03-06T14:29:08.093+01:00
path to MS file : \Bacillus\Bacillus sporothermodurans\Bacillus sporothermodurans DSM 10599\

Bacillus subtilis

genus, species, strain : Bacillus subtilis ATCC 6633
MicrobeMS ID : 2007_03_05_Maren StämmIer_0007
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 03.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für MalDI: MS
calibration standard : ProteinStandard 1 (Bruker)

```
measurement method : ToM_200ns.par
customer           : RKI ZBS6
measurement date/time : 2007-05-03 08:45:06
path to MS file    : \Bacillus\Bacillus subtilis\Bacillus subtilis ATCC 6633\

genus, species, strain : Bacillus subtilis B rauh
MicrobeMS ID         : 2007_11_04_Maren Stämmeler_0008
NCBI tax ID's        : 1423 -
growth time          : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA/ 1:1 HCCATA2 (A)
concentration         : 3-5 Oesen in 100 muel
extra info           : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: Juli 2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 11.04.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2007-04-11 14:53:44
path to MS file       : \Bacillus\Bacillus subtilis\Bacillus subtilis B rauh\

genus, species, strain : Bacillus subtilis B rauh
MicrobeMS ID         : 2007_23_04_Maren Stämmeler_0012
NCBI tax ID's        : 1423 -
growth time          : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA/ 1:1 HCCATA2 (A)
concentration         : 3-5 Oesen in 100 muel
extra info           : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 23.04.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2007-04-23 11:10:05
path to MS file       : \Bacillus\Bacillus subtilis\Bacillus subtilis B rauh\

genus, species, strain : Bacillus subtilis B1
MicrobeMS ID         : 2014_12_01_Andy Schneider_0001
NCBI tax ID's        : 1423 -
growth time          : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA/1:10 verd./1:1 HCCA:TA2
concentration         : 3 Oesen in 100 muel
extra info           : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2014-12-01T12:35:59.984+01:00
path to MS file       : \Bacillus\Bacillus subtilis\Bacillus subtilis B1\

genus, species, strain : Bacillus subtilis B1
MicrobeMS ID         : 2014_12_01_Andy Schneider_0003
NCBI tax ID's        : 1423 -
growth time          : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA/1:10 verd./1:1 HCCA:TA2
concentration         : 3 Oesen in 100 muel
extra info           : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2014-12-01T12:40:41.953+01:00
path to MS file       : \Bacillus\Bacillus subtilis\Bacillus subtilis B1\

genus, species, strain : Bacillus subtilis B1
MicrobeMS ID         : 2014_12_01_Andy Schneider_0002
NCBI tax ID's        : 1423 -
growth time          : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA/1:10 verd./1:1 HCCA:TA2
concentration         : 3 Oesen in 100 muel
extra info           : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2014-12-01T12:37:21.125+01:00
path to MS file       : \Bacillus\Bacillus subtilis\Bacillus subtilis B1\

genus, species, strain : Bacillus subtilis B1
MicrobeMS ID         : 2014_12_01_Andy Schneider_0004
NCBI tax ID's        : 1423 -
growth time          : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA/1:10 verd./1:1 HCCA:TA2
concentration         : 3 Oesen in 100 muel
extra info           : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2014-12-01T12:42:01.140+01:00
path to MS file       : \Bacillus\Bacillus subtilis\Bacillus subtilis B1\

genus, species, strain : Bacillus subtilis B 1
MicrobeMS ID         : 2006_11_08_Famulla Staemmler_0002
NCBI tax ID's        : 1423 -
```

growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 10:26:54
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B1\

genus, species, strain : Bacillus subtilis B12
MicrobeMS ID : 2014_12_01_Andy Schneider_0033
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T14:12:40.187+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B12\

genus, species, strain : Bacillus subtilis B12
MicrobeMS ID : 2014_12_01_Andy Schneider_0035
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T14:15:24.500+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B12\

genus, species, strain : Bacillus subtilis B12
MicrobeMS ID : 2014_12_01_Andy Schneider_0034
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T14:14:02.062+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B12\

genus, species, strain : Bacillus subtilis B12
MicrobeMS ID : 2014_12_01_Andy Schneider_0036
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T14:16:42.437+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B12\

genus, species, strain : Bacillus subtilis B 12
MicrobeMS ID : 2006_11_08_Famulla Staemmler_0012
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 11:16:55
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B12\

genus, species, strain : Bacillus subtilis B129
MicrobeMS ID : 2015_03_27_Schneider Andy_0001
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-03-27T09:19:40.234+01:00
path to MS file : \\Bacillus\Bacillus subtilis\Bacillus subtilis B129\
genus, species, strain : Bacillus subtilis B129
MicrobeMS ID : 2015_03_27_Schneider Andy_0002
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T09:21:07.171+01:00
path to MS file : \\Bacillus\Bacillus subtilis\Bacillus subtilis B129\
genus, species, strain : Bacillus subtilis B129
MicrobeMS ID : 2015_03_27_Schneider Andy_0003
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T09:23:06.406+01:00
path to MS file : \\Bacillus\Bacillus subtilis\Bacillus subtilis B129\
genus, species, strain : Bacillus subtilis B129
MicrobeMS ID : 2015_03_27_Schneider Andy_0004
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T09:24:57.421+01:00
path to MS file : \\Bacillus\Bacillus subtilis\Bacillus subtilis B129\
genus, species, strain : Bacillus subtilis B 129
MicrobeMS ID : 2006_15_08_Famulla Staemmler_0030
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-15T14:06:00.000
path to MS file : \\Bacillus\Bacillus subtilis\Bacillus subtilis B129\
genus, species, strain : Bacillus subtilis B13
MicrobeMS ID : 2014_12_01_Andy Schneider_0037
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T14:19:49.515+01:00
path to MS file : \\Bacillus\Bacillus subtilis\Bacillus subtilis B13\
genus, species, strain : Bacillus subtilis B13
MicrobeMS ID : 2014_12_01_Andy Schneider_0038
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T14:23:00.140+01:00
path to MS file : \\Bacillus\Bacillus subtilis\Bacillus subtilis B13\
genus, species, strain : Bacillus subtilis B13
MicrobeMS ID : 2014_12_01_Andy Schneider_0039
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T14:21:42.046+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B13\

genus, species, strain : Bacillus subtilis B13
MicrobeMS ID : 2014_12_01_Andy Schneider_0040
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T14:24:42.562+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B13\

genus, species, strain : Bacillus subtilis B 13
MicrobeMS ID : 2006_11_08_Famulla Staemmler_0014
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 11:27:40
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B13\

genus, species, strain : Bacillus subtilis B130
MicrobeMS ID : 2015_03_27_Schneider Andy_0005
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T09:28:45.328+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B130\

genus, species, strain : Bacillus subtilis B130
MicrobeMS ID : 2015_03_27_Schneider Andy_0006
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T09:31:12.015+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B130\

genus, species, strain : Bacillus subtilis B130
MicrobeMS ID : 2015_03_27_Schneider Andy_0007
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T09:34:48.390+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B130\

genus, species, strain : Bacillus subtilis B130
MicrobeMS ID : 2015_03_27_Schneider Andy_0008
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T09:37:33.671+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B130\

genus, species, strain : Bacillus subtilis B 130

MicrobeMS ID : 2006_15_08_Famulla Staemmler_0031
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-15T14:09:21.000
path to MS file : \\Bacillus\\Bacillus subtilis\\Bacillus subtilis B130\

genus, species, strain : Bacillus subtilis B14
MicrobeMS ID : 2014_12_02_Andy Schneider_0001
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:14:19.125+01:00
path to MS file : \\Bacillus\\Bacillus subtilis\\Bacillus subtilis B14\

genus, species, strain : Bacillus subtilis B14
MicrobeMS ID : 2014_12_02_Andy Schneider_0003
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:18:50.921+01:00
path to MS file : \\Bacillus\\Bacillus subtilis\\Bacillus subtilis B14\

genus, species, strain : Bacillus subtilis B14
MicrobeMS ID : 2014_12_02_Andy Schneider_0002
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:15:51.484+01:00
path to MS file : \\Bacillus\\Bacillus subtilis\\Bacillus subtilis B14\

genus, species, strain : Bacillus subtilis B14
MicrobeMS ID : 2014_12_02_Andy Schneider_0004
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:20:21.265+01:00
path to MS file : \\Bacillus\\Bacillus subtilis\\Bacillus subtilis B14\

genus, species, strain : Bacillus subtilis B 14
MicrobeMS ID : 2006_11_08_Famulla Staemmler_0015
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 11:31:21
path to MS file : \\Bacillus\\Bacillus subtilis\\Bacillus subtilis B14\

genus, species, strain : Bacillus subtilis B154
MicrobeMS ID : 2015_03_27_Schneider Andy_0021
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:32:54.484+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B154\

genus, species, strain : Bacillus subtilis B154
MicrobeMS ID : 2015_03_27_Schneider Andy_0022
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:35:16.640+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B154\

genus, species, strain : Bacillus subtilis B154
MicrobeMS ID : 2015_03_27_Schneider Andy_0023
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:38:12.359+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B154\

genus, species, strain : Bacillus subtilis B154
MicrobeMS ID : 2015_03_27_Schneider Andy_0024
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:41:17.937+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B154\

genus, species, strain : Bacillus subtilis B 154
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0004
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 12:32:33
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B154\

genus, species, strain : Bacillus subtilis B156
MicrobeMS ID : 2015_03_27_Schneider Andy_0025
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:45:34.125+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B156\

genus, species, strain : Bacillus subtilis B156
MicrobeMS ID : 2015_03_27_Schneider Andy_0026
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:47:34.140+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B156\

genus, species, strain : Bacillus subtilis B156
MicrobeMS ID : 2015_03_27_Schneider Andy_0027
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:49:35.671+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B156\

genus, species, strain : Bacillus subtilis B156
MicrobeMS ID : 2015_03_27_Schneider Andy_0028
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-27T10:51:32.296+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B156\

genus, species, strain : Bacillus subtilis B 156
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0006
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 12:44:51
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B156\

genus, species, strain : Bacillus subtilis B19
MicrobeMS ID : 2014_12_02_Andy Schneider_0015
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:53:42.562+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B19\

genus, species, strain : Bacillus subtilis B19
MicrobeMS ID : 2014_12_02_Andy Schneider_0013
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:49:21.296+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B19\

genus, species, strain : Bacillus subtilis B19
MicrobeMS ID : 2014_12_02_Andy Schneider_0016
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:56:01.062+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B19\

genus, species, strain : Bacillus subtilis B19
MicrobeMS ID : 2014_12_02_Andy Schneider_0014
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T10:51:14.453+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B19\

genus, species, strain : Bacillus subtilis B 19
MicrobeMS ID : 2006_11_08_Famulla Staemmler_0019
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 11:48:15
path to MS file : \\Bacillus\\Bacillus subtilis\\Bacillus subtilis B19\\

genus, species, strain : Bacillus subtilis B20
MicrobeMS ID : 2014_12_02_Andy Schneider_0017
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T11:00:54.765+01:00
path to MS file : \\Bacillus\\Bacillus subtilis\\Bacillus subtilis B20\\

genus, species, strain : Bacillus subtilis B20
MicrobeMS ID : 2014_12_02_Andy Schneider_0019
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T11:05:04.531+01:00
path to MS file : \\Bacillus\\Bacillus subtilis\\Bacillus subtilis B20\\

genus, species, strain : Bacillus subtilis B20
MicrobeMS ID : 2014_12_02_Andy Schneider_0018
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T11:03:03.656+01:00
path to MS file : \\Bacillus\\Bacillus subtilis\\Bacillus subtilis B20\\

genus, species, strain : Bacillus subtilis B20
MicrobeMS ID : 2014_12_02_Andy Schneider_0020
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T11:07:53.421+01:00
path to MS file : \\Bacillus\\Bacillus subtilis\\Bacillus subtilis B20\\

genus, species, strain : Bacillus subtilis B 20
MicrobeMS ID : 2006_11_08_Famulla Staemmler_0020
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 11:51:11
path to MS file : \\Bacillus\\Bacillus subtilis\\Bacillus subtilis B20\\

genus, species, strain : Bacillus subtilis B28
MicrobeMS ID : 2014_12_02_Andy Schneider_0033
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel

extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T13:08:49.156+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B28\

genus, species, strain : Bacillus subtilis B28
MicrobeMS ID : 2014_12_02_Andy Schneider_0035
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T13:11:56.765+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B28\

genus, species, strain : Bacillus subtilis B28
MicrobeMS ID : 2014_12_02_Andy Schneider_0034
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T13:10:26.015+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B28\

genus, species, strain : Bacillus subtilis B28
MicrobeMS ID : 2014_12_02_Andy Schneider_0036
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-02T13:13:31.812+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B28\

genus, species, strain : Bacillus subtilis B 28
MicrobeMS ID : 2006_11_08_Famulla Staemmler_0026
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 13:13:47
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B28\

genus, species, strain : Bacillus subtilis B32
MicrobeMS ID : 2014_12_10_Andy Schneider_0005
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-10T12:41:36.140+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B32\

genus, species, strain : Bacillus subtilis B32
MicrobeMS ID : 2014_12_10_Andy Schneider_0007
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-10T12:46:22.218+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B32\

genus, species, strain : Bacillus subtilis B32
MicrobeMS ID : 2014_12_10_Andy Schneider_0006
NCBI tax ID's : 1423 -

growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-10T12:44:06.343+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B32\

genus, species, strain : Bacillus subtilis B32
MicrobeMS ID : 2014_12_10_Andy Schneider_0008
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-10T12:48:44.937+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B32\

genus, species, strain : Bacillus subtilis B 32
MicrobeMS ID : 2006_11_08_Famulla Staemmler_0030
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 13:31:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B32\

genus, species, strain : Bacillus subtilis B6
MicrobeMS ID : 2014_12_01_Andy Schneider_0017
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:09:00.281+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B6\

genus, species, strain : Bacillus subtilis B6
MicrobeMS ID : 2014_12_01_Andy Schneider_0019
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:11:46.281+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B6\

genus, species, strain : Bacillus subtilis B6
MicrobeMS ID : 2014_12_01_Andy Schneider_0018
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:10:22.562+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B6\

genus, species, strain : Bacillus subtilis B6
MicrobeMS ID : 2014_12_01_Andy Schneider_0020
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2014-12-01T13:13:19.812+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B6\

genus, species, strain : Bacillus subtilis B 6
MicrobeMS ID : 2006_11_08_Famulla Staemmler_0007
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 10:47:54
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B6\

genus, species, strain : Bacillus subtilis B61
MicrobeMS ID : 2015_01_07_Andy Schneider_0009
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-01-07T13:26:06.781+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B61\

genus, species, strain : Bacillus subtilis B61
MicrobeMS ID : 2015_01_07_Andy Schneider_0011
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-01-07T13:30:51.203+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B61\

genus, species, strain : Bacillus subtilis B61
MicrobeMS ID : 2015_01_07_Andy Schneider_0010
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-01-07T13:28:28.468+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B61\

genus, species, strain : Bacillus subtilis B61
MicrobeMS ID : 2015_01_07_Andy Schneider_0012
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-01-07T13:32:46.375+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B61\

genus, species, strain : Bacillus subtilis B 61
MicrobeMS ID : 2006_14_08_Famulla Staemmler_0012
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-14 11:11:29
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B61\

genus, species, strain : Bacillus subtilis B7
MicrobeMS ID : 2014_12_01_Andy Schneider_0021
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:17:30.359+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B7\

genus, species, strain : Bacillus subtilis B7
MicrobeMS ID : 2014_12_01_Andy_Schneider_0023
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:20:18.984+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B7\

genus, species, strain : Bacillus subtilis B7
MicrobeMS ID : 2014_12_01_Andy_Schneider_0022
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:18:49.750+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B7\

genus, species, strain : Bacillus subtilis B7
MicrobeMS ID : 2014_12_01_Andy_Schneider_0024
NCBI tax ID's : 1423 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:21:41.515+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B7\

genus, species, strain : Bacillus subtilis B7
MicrobeMS ID : 2006_11_08_Famulla_Staemmler_0008
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 10:50:47
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis B7\

genus, species, strain : Bacillus subtilis Isolat Platte 08 Probe 2
MicrobeMS ID : 2014_04_17_Maren_Staemmler_0028
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-17T13:23:07.156+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis BRLK08_02\

genus, species, strain : Bacillus subtilis BRLuftkeim08_02
MicrobeMS ID : 2015_04_17_Maren_Staemmler_0013
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T13:08:07.609+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis BRLK08_02\

genus, species, strain : Bacillus subtilis BRLuftkeim08_02
MicrobeMS ID : 2015_04_17_Maren Stämmeler_0014
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T13:10:40.750+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis BRLK08_02\

genus, species, strain : Bacillus subtilis BRLuftkeim08_02
MicrobeMS ID : 2015_04_17_Maren Stämmeler_0015
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T13:13:25.890+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis BRLK08_02\

genus, species, strain : Bacillus subtilis BRLuftkeim08_02
MicrobeMS ID : 2015_04_17_Maren Stämmeler_0016
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T13:15:56.656+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis BRLK08_02\

genus, species, strain : Bacillus subtilis BRLuftkeim08_02
MicrobeMS ID : 2015_04_24_Maren Stämmeler_0009
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T09:37:07.640+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis BRLK08_02\

genus, species, strain : Bacillus subtilis BRLuftkeim08_02
MicrobeMS ID : 2015_04_24_Maren Stämmeler_0010
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T09:40:21.406+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis BRLK08_02\

genus, species, strain : Bacillus subtilis BRLuftkeim08_02
MicrobeMS ID : 2015_04_24_Maren Stämmeler_0011
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T09:43:38.468+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis BRLK08_02\

genus, species, strain : Bacillus subtilis BRLuftkeim08_02
MicrobeMS ID : 2015_04_24_Maren Stämmeler_0012
NCBI tax ID's : 1423 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T09:46:18.375+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis BRLK08_02\

genus, species, strain : Bacillus subtilis BRLuftkeim08_02
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0009
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T13:38:47.250+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis BRLK08_02\

genus, species, strain : Bacillus subtilis BRLuftkeim08_02
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0010
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T13:41:10.781+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis BRLK08_02\

genus, species, strain : Bacillus subtilis BRLuftkeim08_02
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0011
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T13:43:40.812+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis BRLK08_02\

genus, species, strain : Bacillus subtilis BRLuftkeim08_02
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0012
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T13:46:15.031+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis BRLK08_02\

genus, species, strain : Bacillus subtilis DSM 10
MicrobeMS ID : 22_03_2016_Julia Mitschke_0001
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-03-22T09:31:09.671+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis DSM 10\

genus, species, strain : Bacillus subtilis DSM 10
MicrobeMS ID : 22_03_2016_Julia Mitschke_0002
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)

```
concentration      : 3 Oesen in 100 µl
extra info        :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer           : RKI ZBS6
measurement date/time : 2016-03-22T09:33:38.140+01:00
path to MS file    : \Bacillus\Bacillus subtilis\Bacillus subtilis DSM 10\

genus, species, strain : Bacillus subtilis DSM 10
MicrobeMS ID          : 22_03_2016_Julia Mitschke_0003
NCBI tax ID's         : 1423 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-03-22T09:35:52.750+01:00
path to MS file       : \Bacillus\Bacillus subtilis\Bacillus subtilis DSM 10\

genus, species, strain : Bacillus subtilis DSM 10
MicrobeMS ID          : 22_03_2016_Julia Mitschke_0004
NCBI tax ID's         : 1423 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-03-22T09:40:24.750+01:00
path to MS file       : \Bacillus\Bacillus subtilis\Bacillus subtilis DSM 10\

genus, species, strain : Bacillus subtilis DSM 10
MicrobeMS ID          : 2016_03_23_Schneider_Andy_0001
NCBI tax ID's         : 1423 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-03-23T13:09:46.562+01:00
path to MS file       : \Bacillus\Bacillus subtilis\Bacillus subtilis DSM 10\

genus, species, strain : Bacillus subtilis DSM 10
MicrobeMS ID          : 2016_03_23_Schneider_Andy_0002
NCBI tax ID's         : 1423 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-03-23T13:11:27.359+01:00
path to MS file       : \Bacillus\Bacillus subtilis\Bacillus subtilis DSM 10\

genus, species, strain : Bacillus subtilis DSM 10
MicrobeMS ID          : 2016_03_23_Schneider_Andy_0003
NCBI tax ID's         : 1423 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-03-23T13:18:04.078+01:00
path to MS file       : \Bacillus\Bacillus subtilis\Bacillus subtilis DSM 10\

genus, species, strain : Bacillus subtilis DSM 10
MicrobeMS ID          : 2016_03_23_Schneider_Andy_0004
NCBI tax ID's         : 1423 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-03-23T13:19:53.859+01:00
path to MS file       : \Bacillus\Bacillus subtilis\Bacillus subtilis DSM 10\

genus, species, strain : Bacillus subtilis DSM 347
MicrobeMS ID          : 2007_12_04_Maren Stämmeler_0004
```

NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 12.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-12 13:32:59
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis DSM 347\

genus, species, strain : Bacillus subtilis DSM 347
MicrobeMS ID : 2007_23_04_Maren Stämmeler_0004
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 23.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-23 10:16:55
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis DSM 347\

genus, species, strain : Bacillus subtilis DSM 347
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0023
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 24.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 13:27:05
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis DSM 347\

genus, species, strain : Bacillus subtilis DSM 347
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0026
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 01.12.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 13:43:29
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis DSM 347\

genus, species, strain : Bacillus subtilis DSM 347
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0030
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 09.12.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 14:08:16
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis DSM 347\

genus, species, strain : Bacillus subtilis E rauh
MicrobeMS ID : 2007_12_04_Maren Stämmeler_0008
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 12.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-12 13:52:18
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis E rauh\

genus, species, strain : Bacillus subtilis E rauh
MicrobeMS ID : 2007_23_04_Maren Stämmeler_0013
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob

growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 23.04.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-23 12:41:32
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis E rauh\

genus, species, strain : Bacillus subtilis I rauh
MicrobeMS ID : 2007_11_04_Maren Stämmeler_0007
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: Juli 2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 11.04.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-11 14:49:53
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis I rauh\

genus, species, strain : Bacillus subtilis I rauh
MicrobeMS ID : 2007_23_04_Maren Stämmeler_0011
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 23.04.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-23 11:07:02
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis I rauh\

genus, species, strain : Bacillus subtilis MM 508
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0022
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 24.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 13:19:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis MM 508\

genus, species, strain : Bacillus subtilis MM 508
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0025
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 01.12.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 13:39:43
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis MM 508\

genus, species, strain : Bacillus subtilis MM 508
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0029
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 09.12.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 14:04:23
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis MM 508\

genus, species, strain : Bacillus subtilis RKI/w2gr
MicrobeMS ID : 2008_20_02_Maren Stämmeler_0001
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-20T13:29:38.281+00:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis RKI-w2gr\

genus, species, strain : Bacillus subtilis RKI/w2gr
MicrobeMS ID : 2008_02_04_Maren Stämmeler_0001
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-02T12:55:07.828+00:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis RKI-w2gr\

genus, species, strain : Bacillus subtilis RKI/w2gr
MicrobeMS ID : 2008_04_09_Maren Stämmeler_0001
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-04T10:45:55.281+00:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis RKI-w2gr\

genus, species, strain : Bacillus subtilis RKI/w2gr
MicrobeMS ID : 2008_04_09_Maren Stämmeler_0001
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-09T11:13:15.937+00:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis RKI-w2gr\

genus, species, strain : Bacillus subtilis RKI/w2gr
MicrobeMS ID : 2008_25_04_Maren Stämmeler_0001
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-25T09:39:35.296+00:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis RKI-w2gr\

genus, species, strain : Bacillus subtilis RKI/w2gr
MicrobeMS ID : 2008_16_05_Maren Stämmeler_0001
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ bei -20°C über Nacht eingefroren; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-16T09:37:08.515+00:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis RKI-w2gr\

genus, species, strain : Bacillus subtilis WIS-St. Nr. 491
MicrobeMS ID : 2007_15_01_Maren Stämmeler_0006
NCBI tax ID's : 1423 -
growth time :
growth temperature :
growth conditions :
growth medium :
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht, Deaktivierung und Verdünnung der Proben bei WIS / Ankunft:20.12.2005/Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-15 11:26:30
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis WIS-St. Nr. 491\

genus, species, strain : Bacillus subtilis subsp. inaquosorum DSM 22148
MicrobeMS ID : 2016_02_12_Schneider_Andy_0013
NCBI tax ID's : 1423 -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-12T10:41:22.390+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis ssp. inaquosorum DSM 22148\

genus, species, strain : Bacillus subtilis subsp. inaquosorum DSM 22148
MicrobeMS ID : 2016_02_12_Schneider_Andy_0014
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-12T10:44:37.125+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis ssp. inaquosorum DSM 22148\

genus, species, strain : Bacillus subtilis subsp. inaquosorum DSM 22148
MicrobeMS ID : 2016_02_12_Schneider_Andy_0015
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-12T10:50:06.515+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis ssp. inaquosorum DSM 22148\

genus, species, strain : Bacillus subtilis subsp. inaquosorum DSM 22148
MicrobeMS ID : 2016_02_12_Schneider_Andy_0016
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-12T10:55:26.781+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis ssp. inaquosorum DSM 22148\

genus, species, strain : Bacillus subtilis subsp. inaquosorum DSM 22148
MicrobeMS ID : 12_02_2016_Julia Mitschke_0007
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-12T13:29:28.546+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis ssp. inaquosorum DSM 22148\

genus, species, strain : Bacillus subtilis subsp. inaquosorum DSM 22148
MicrobeMS ID : 12_02_2016_Julia Mitschke_0008
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-12T13:36:25.796+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis ssp. inaquosorum DSM 22148\

genus, species, strain : Bacillus subtilis subsp. inaquosorum DSM 22148
MicrobeMS ID : 2016_02_15_Schneider_Andy_0009
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-02-15T14:22:31.687+01:00

```
path to MS file      : \Bacillus\Bacillus subtilis\Bacillus subtilis ssp. inaquosorum DSM 22148\
genus, species, strain : Bacillus subtilis subsp. inaquosorum DSM 22148
MicrobeMS ID         : 2016_02_15_Schneider_Andy_0010
NCBI tax ID's        : 1423 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-15T14:25:32.296+01:00
path to MS file      : \Bacillus\Bacillus subtilis\Bacillus subtilis ssp. inaquosorum DSM 22148\

genus, species, strain : Bacillus subtilis subsp. inaquosorum DSM 22148
MicrobeMS ID         : 2016_02_15_Schneider_Andy_0011
NCBI tax ID's        : 1423 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-15T14:28:20.984+01:00
path to MS file      : \Bacillus\Bacillus subtilis\Bacillus subtilis ssp. inaquosorum DSM 22148\

genus, species, strain : Bacillus subtilis subsp. inaquosorum DSM 22148
MicrobeMS ID         : 2016_02_15_Schneider_Andy_0012
NCBI tax ID's        : 1423 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-15T14:31:41.234+01:00
path to MS file      : \Bacillus\Bacillus subtilis\Bacillus subtilis ssp. inaquosorum DSM 22148\

genus, species, strain : Bacillus subtilis subsp. inaquosorum DSM 22148
MicrobeMS ID         : 18_02_2016_Julia Mitschke_0003
NCBI tax ID's        : 1423 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-18T09:42:33.500+01:00
path to MS file      : \Bacillus\Bacillus subtilis\Bacillus subtilis ssp. inaquosorum DSM 22148\

genus, species, strain : Bacillus subtilis subsp. inaquosorum DSM 22148
MicrobeMS ID         : 18_02_2016_Julia Mitschke_0004
NCBI tax ID's        : 1423 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-02-18T09:45:24.531+01:00
path to MS file      : \Bacillus\Bacillus subtilis\Bacillus subtilis ssp. inaquosorum DSM 22148\

genus, species, strain : Bacillus subtilis subsp. Spizizenii DSM1087
MicrobeMS ID         : 2017_11_28_Jaehne_Jennifer_0009
NCBI tax ID's        : 1423 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-11-28T13:17:32.703+01:00
path to MS file      : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. spizizenii DSM 1087\

genus, species, strain : Bacillus subtilis subsp. Spizizenii DSM1087
MicrobeMS ID         : 2017_11_28_Jaehne_Jennifer_0010
NCBI tax ID's        : 1423 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
```

```
concentration      : 3 Oesen in 100µl
extra info        : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2017-11-28T13:24:15.390+01:00
path to MS file   : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. spizizenii DSM 1087\

genus, species, strain : Bacillus subtilis subsp. Spizizenii DSM1087
MicrobeMS ID         : 2017_11_28_Jaehne_Jennifer_0011
NCBI tax ID's        : 1423 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100µl
extra info          : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2017-11-28T13:27:47.718+01:00
path to MS file     : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. spizizenii DSM 1087\

genus, species, strain : Bacillus subtilis subsp. Spizizenii DSM1087
MicrobeMS ID         : 2017_11_28_Jaehne_Jennifer_0012
NCBI tax ID's        : 1423 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100µl
extra info          : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2017-11-28T13:31:31.093+01:00
path to MS file     : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. spizizenii DSM 1087\

genus, species, strain : Bacillus subtilis subsp. Spizizenii DSM1087
MicrobeMS ID         : 2017_12_15_Jaehne_Jennifer_0009
NCBI tax ID's        : 1423 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100µl
extra info          : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2017-12-15T11:15:59.250+01:00
path to MS file     : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. spizizenii DSM 1087\

genus, species, strain : Bacillus subtilis subsp. Spizizenii DSM1087
MicrobeMS ID         : 2017_12_15_Jaehne_Jennifer_0010
NCBI tax ID's        : 1423 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100µl
extra info          : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2017-12-15T11:19:25.609+01:00
path to MS file     : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. spizizenii DSM 1087\

genus, species, strain : Bacillus subtilis subsp. Spizizenii DSM1087
MicrobeMS ID         : 2017_12_15_Jaehne_Jennifer_0011
NCBI tax ID's        : 1423 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100µl
extra info          : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2017-12-15T11:22:48.828+01:00
path to MS file     : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. spizizenii DSM 1087\

genus, species, strain : Bacillus subtilis subsp. Spizizenii DSM1087
MicrobeMS ID         : 2017_12_15_Jaehne_Jennifer_0012
NCBI tax ID's        : 1423 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100µl
extra info          : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2017-12-15T11:26:40.890+01:00
path to MS file     : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. spizizenii DSM 1087\

genus, species, strain : Bacillus subtilis subsp. spizizenii DSM1087
MicrobeMS ID         : 2018_05_24_Schneider_Andy_0001
```


NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-24T12:38:26.984+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. spizizenii DSM 1087\

genus, species, strain : Bacillus subtilis subsp. Spizizenii DSM1087
MicrobeMS ID : 2018_05_24_Schneider_Andy_0002
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-24T12:40:01.468+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. spizizenii DSM 1087\

genus, species, strain : Bacillus subtilis subsp. Spizizenii DSM1087
MicrobeMS ID : 2018_05_24_Schneider_Andy_0003
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-24T12:41:49.812+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. spizizenii DSM 1087\

genus, species, strain : Bacillus subtilis subsp. Spizizenii DSM1087
MicrobeMS ID : 2018_05_24_Schneider_Andy_0004
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-24T12:46:30.203+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. spizizenii DSM 1087\

genus, species, strain : Bacillus subtilis subsp. Subtilis DSM402
MicrobeMS ID : 2017_11_28_Jaehne_Jennifer_0005
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-28T12:48:24.140+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. subtilis DSM 402\

genus, species, strain : Bacillus subtilis subsp. Subtilis DSM402
MicrobeMS ID : 2017_11_28_Jaehne_Jennifer_0006
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-28T12:52:34.515+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. subtilis DSM 402\

genus, species, strain : Bacillus subtilis subsp. Subtilis DSM402
MicrobeMS ID : 2017_11_28_Jaehne_Jennifer_0007
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par

customer : RKI ZBS6
measurement date/time : 2017-11-28T12:55:33.765+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. subtilis DSM 402\

genus, species, strain : Bacillus subtilis subsp. Subtilis DSM402
MicrobeMS ID : 2017_11_28_Jaehne_Jennifer_0008
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100ul
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-28T13:20:57.625+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. subtilis DSM 402\

genus, species, strain : Bacillus subtilis subsp. Subtilis DSM402
MicrobeMS ID : 2017_12_15_Jaehne_Jennifer_0005
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100ul
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-15T10:56:01.375+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. subtilis DSM 402\

genus, species, strain : Bacillus subtilis subsp. Subtilis DSM402
MicrobeMS ID : 2017_12_15_Jaehne_Jennifer_0006
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100ul
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-15T11:00:15.375+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. subtilis DSM 402\

genus, species, strain : Bacillus subtilis subsp. Subtilis DSM402
MicrobeMS ID : 2017_12_15_Jaehne_Jennifer_0007
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100ul
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-15T11:03:27.437+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. subtilis DSM 402\

genus, species, strain : Bacillus subtilis subsp. Subtilis DSM402
MicrobeMS ID : 2017_12_15_Jaehne_Jennifer_0008
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100ul
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-15T11:07:12.312+01:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. subtilis DSM 402\

genus, species, strain : Bacillus subtilis subsp. subtilis DSM402
MicrobeMS ID : 2018_05_28_Schneider_Andy_0001
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100ul
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-28T09:56:03.984+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. subtilis DSM 402\

genus, species, strain : Bacillus subtilis subsp. Subtilis DSM402
MicrobeMS ID : 2018_05_28_Schneider_Andy_0002
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-28T09:58:05.296+02:00
path to MS file : \Bacillus\Bacillus subtilis subsp. subtilis DSM 402\

genus, species, strain : Bacillus subtilis subsp. Subtilis DSM402
MicrobEMS ID : 2018_05_28_Schneider_Andy_0003
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-28T09:59:42.906+02:00
path to MS file : \Bacillus\Bacillus subtilis subsp. subtilis DSM 402\

genus, species, strain : Bacillus subtilis subsp. Subtilis DSM402
MicrobEMS ID : 2018_05_28_Schneider_Andy_0004
NCBI tax ID's : 1423 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-28T10:01:31.984+02:00
path to MS file : \Bacillus\Bacillus subtilis\Bacillus subtilis subsp. subtilis DSM 402\

Bacillus thuringiensis

genus, species, strain : Bacillus thuringiensis B188
MicrobEMS ID : 2015_04_07_Schneider_Andy_0013
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T14:10:28.015+02:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis B188\

genus, species, strain : Bacillus thuringiensis B188
MicrobEMS ID : 2015_04_07_Schneider_Andy_0014
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T14:12:35.937+02:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis B188\

genus, species, strain : Bacillus thuringiensis B188
MicrobEMS ID : 2015_04_07_Schneider_Andy_0015
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-07T14:14:55.062+02:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis B188\

genus, species, strain : Bacillus thuringiensis B188
MicrobEMS ID : 2015_04_07_Schneider_Andy_0016
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-04-07T14:17:21.859+02:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis B188\

genus, species, strain : Bacillus thuringiensis B 188
MicrobeMS ID : 2006_16_08_Famulla Staemmler_0030
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-16 15:38:44
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis B188\

genus, species, strain : Bacillus thuringiensis B8
MicrobeMS ID : 2014_12_01_Andy Schneider_0025
NCBI tax ID's : 1428 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:24:43.171+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis B8\

genus, species, strain : Bacillus thuringiensis B8
MicrobeMS ID : 2014_12_01_Andy Schneider_0027
NCBI tax ID's : 1428 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:27:49.078+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis B8\

genus, species, strain : Bacillus thuringiensis B8
MicrobeMS ID : 2014_12_01_Andy Schneider_0026
NCBI tax ID's : 1428 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:26:23.062+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis B8\

genus, species, strain : Bacillus thuringiensis B8
MicrobeMS ID : 2014_12_01_Andy Schneider_0028
NCBI tax ID's : 1428 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1 HCCA:TA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-01T13:29:13.312+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis B8\

genus, species, strain : Bacillus thuringiensis B 8
MicrobeMS ID : 2006_11_08_Famulla Staemmler_0010
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-11 11:10:41
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis B8\

genus, species, strain : Bacillus thuringiensis DSM 350
MicrobeMS ID : 2015_02_03_Andy Schneider_0013
NCBI tax ID's : 1428 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : CASO

```
sample treatment      : in 80$ TFA/1:10 verdünnt / gespottet 1:1 mit Matrix HCCA:TA2
concentration         : 3 Oesen in 100µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-02-03T11:42:53.593+01:00
path to MS file      : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 350\

genus, species, strain : Bacillus thuringiensis DSM 350
MicrobeMS ID          : 2015_02_03_Andy Schneider_0017
NCBI tax ID's         : 1428 -
growth time           : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA/1:10 verdünnt / gespottet 1:1 mit Matrix HCCA:TA2
concentration         : 3 Oesen in 100µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-02-03T12:37:52.656+01:00
path to MS file      : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 350\

genus, species, strain : Bacillus thuringiensis DSM 350
MicrobeMS ID          : 2015_02_03_Andy Schneider_0021
NCBI tax ID's         : 1428 -
growth time           : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA/1:10 verdünnt / gespottet 1:1 mit Matrix HCCA:TA2
concentration         : 3 Oesen in 100µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-02-03T12:48:33.156+01:00
path to MS file      : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 350\

genus, species, strain : Bacillus thuringiensis DSM 350
MicrobeMS ID          : 2015_02_03_Andy Schneider_0015
NCBI tax ID's         : 1428 -
growth time           : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA/1:10 verdünnt / gespottet 1:1 mit Matrix HCCA:TA2
concentration         : 3 Oesen in 100µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-02-03T11:48:13.359+01:00
path to MS file      : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 350\

genus, species, strain : Bacillus thuringiensis DSM 350
MicrobeMS ID          : 2015_02_03_Andy Schneider_0019
NCBI tax ID's         : 1428 -
growth time           : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA/1:10 verdünnt / gespottet 1:1 mit Matrix HCCA:TA2
concentration         : 3 Oesen in 100µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-02-03T12:43:33.984+01:00
path to MS file      : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 350\

genus, species, strain : Bacillus thuringiensis DSM 350
MicrobeMS ID          : 2015_02_03_Andy Schneider_0023
NCBI tax ID's         : 1428 -
growth time           : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA/1:10 verdünnt / gespottet 1:1 mit Matrix HCCA:TA2
concentration         : 3 Oesen in 100µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-02-03T12:52:56.765+01:00
path to MS file      : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 350\

genus, species, strain : Bacillus thuringiensis DSM 350
MicrobeMS ID          : 2007_11_04_Maren Stämmeler_0003
NCBI tax ID's         : 1428 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA/ 1:1 HCCATA2 (A)
concentration         : 3-5 Oesen in 100 µel
extra info           : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: Juli 2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 11.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2007-04-11 14:32:01
path to MS file      : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 350\
```

genus, species, strain : Bacillus thuringiensis DSM 350
MicrobeMS ID : 2007_23_04_Maren Stämmeler_0003
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 23.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-23 10:11:57
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 350\

genus, species, strain : Bacillus thuringiensis DSM 5815
MicrobeMS ID : 2015_09_21_Schneider Andy_0037
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T15:03:22.531+02:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 5815\

genus, species, strain : Bacillus thuringiensis DSM 5815
MicrobeMS ID : 2015_09_21_Schneider Andy_0038
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T15:07:14.703+02:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 5815\

genus, species, strain : Bacillus thuringiensis DSM 5815
MicrobeMS ID : 20_10_2015_Julia Mitschke_0006
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : 80§ TFA 30 Minuten, 1:10 Verdünnt in H2O, Matrix HCCA:TA2 (12g/1)
concentration : 2-4 Oesen in 100µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-20T13:35:45.000+02:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 5815\

genus, species, strain : Bacillus thuringiensis DSM 5815
MicrobeMS ID : 20_10_2015_Julia Mitschke_0005
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : 80§ TFA 30 Minuten, 1:10 Verdünnt in H2O, Matrix HCCA:TA2 (12g/1)
concentration : 2-4 Oesen in 100µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-20T13:28:41.562+02:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 5815\

genus, species, strain : Bacillus thuringiensis DSM 6073
MicrobeMS ID : 2015_12_02_Andy Schneider_0009
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-02T14:20:00.421+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6073\

genus, species, strain : Bacillus thuringiensis DSM 6073
MicrobeMS ID : 2015_12_02_Andy Schneider_0010
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl

```
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-02T14:24:05.578+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6073\

genus, species, strain : Bacillus thuringiensis DSM 6073
MicrobeMS ID : 2015_12_02_Andy_Schneider_0011
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-02T14:30:11.953+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6073\

genus, species, strain : Bacillus thuringiensis DSM 6073
MicrobeMS ID : 2015_12_02_Andy_Schneider_0012
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-02T14:33:10.062+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6073\

genus, species, strain : Bacillus thuringiensis DSM 6073
MicrobeMS ID : 2015_12_04_Andy_Schneider_0009
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T10:36:48.562+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6073\

genus, species, strain : Bacillus thuringiensis DSM 6073
MicrobeMS ID : 2015_12_04_Andy_Schneider_0010
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T10:40:21.968+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6073\

genus, species, strain : Bacillus thuringiensis DSM 6073
MicrobeMS ID : 2015_12_04_Andy_Schneider_0011
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T10:43:16.687+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6073\

genus, species, strain : Bacillus thuringiensis DSM 6073
MicrobeMS ID : 2015_12_04_Andy_Schneider_0012
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T10:48:12.093+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6073\

genus, species, strain : Bacillus thuringiensis DSM 6073
MicrobeMS ID : 04_12_2015_Julia_Mitschke_0005
NCBI tax ID's : 1428 -
```

```
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T13:26:41.500+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6073\

genus, species, strain : Bacillus thuringiensis DSM 6073
MicrobeMS ID : 04_12_2015_Julia Mitschke_0006
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T13:30:58.953+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6073\

genus, species, strain : Bacillus thuringiensis DSM 6073
MicrobeMS ID : 04_12_2015_Julia Mitschke_0007
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T13:34:20.875+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6073\

genus, species, strain : Bacillus thuringiensis DSM 6073
MicrobeMS ID : 04_12_2015_Julia Mitschke_0008
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T13:37:47.687+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6073\

genus, species, strain : Bacillus thuringiensis DSM 6890
MicrobeMS ID : 2015_12_02_Andy Schneider_0005
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-02T14:05:20.359+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6890\

genus, species, strain : Bacillus thuringiensis DSM 6890
MicrobeMS ID : 2015_12_02_Andy Schneider_0006
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-02T14:07:31.015+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6890\

genus, species, strain : Bacillus thuringiensis DSM 6890
MicrobeMS ID : 2015_12_02_Andy Schneider_0007
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
```


measurement date/time : 2015-12-02T14:09:37.750+01:00
path to MS file : \\Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6890\

genus, species, strain : Bacillus thuringiensis DSM 6890
MicrobeMS ID : 2015_12_02_Andy Schneider_0008
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-02T14:12:57.359+01:00
path to MS file : \\Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6890\

genus, species, strain : Bacillus thuringiensis DSM 6890
MicrobeMS ID : 2015_12_04_Andy Schneider_0005
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T10:24:11.578+01:00
path to MS file : \\Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6890\

genus, species, strain : Bacillus thuringiensis DSM 6890
MicrobeMS ID : 2015_12_04_Andy Schneider_0006
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T10:25:50.468+01:00
path to MS file : \\Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6890\

genus, species, strain : Bacillus thuringiensis DSM 6890
MicrobeMS ID : 2015_12_04_Andy Schneider_0007
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T10:28:05.171+01:00
path to MS file : \\Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6890\

genus, species, strain : Bacillus thuringiensis DSM 6890
MicrobeMS ID : 2015_12_04_Andy Schneider_0008
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T10:30:10.937+01:00
path to MS file : \\Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6890\

genus, species, strain : Bacillus thuringiensis DSM 6890
MicrobeMS ID : 04_12_2015_Julia Mitschke_0001
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T13:02:30.000+01:00
path to MS file : \\Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6890\

genus, species, strain : Bacillus thuringiensis DSM 6890
MicrobeMS ID : 04_12_2015_Julia Mitschke_0002
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T13:06:10.734+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6890\

genus, species, strain : Bacillus thuringiensis DSM 6890
MicrobeMS ID : 04_12_2015_Julia Mitschke_0003
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T13:10:35.421+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6890\

genus, species, strain : Bacillus thuringiensis DSM 6890
MicrobeMS ID : 04_12_2015_Julia Mitschke_0004
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-04T13:15:47.828+01:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM 6890\

genus, species, strain : Bacillus thuringiensis DSM 2046
MicrobeMS ID : 2007_12_04_Maren Stämmeler_0006
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 30.09.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 12.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-12 13:45:19
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM2046\

genus, species, strain : Bacillus thuringiensis DSM 2046
MicrobeMS ID : 2007_23_04_Maren Stämmeler_0006
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 23.04.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-23 10:25:48
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM2046\

genus, species, strain : Bacillus thuringiensis DSM 2046
MicrobeMS ID : 2007_03_05_Maren Stämmeler_0017
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 24.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 09:54:32
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM2046\

genus, species, strain : Bacillus thuringiensis DSM 2046
MicrobeMS ID : 2015_09_21_Schneider Andy_0045
NCBI tax ID's : 1428 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T15:39:19.546+02:00

path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM2046\
genus, species, strain : Bacillus thuringiensis DSM 2046
MicrobeMS ID : 2015_09_21_Schneider Andy_0046
NCBI tax ID's : 1428 -
growth time : 24h -
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-09-21T15:43:34.062+02:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM2046\
genus, species, strain : Bacillus thuringiensis DSM 2046
MicrobeMS ID : 20_10_2015_Julia Mitschke_0001
NCBI tax ID's : 1428 -
growth time : 24h -
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : 80\$ TFA 30 Minuten, 1:10 Verdünnt in H2O, Matrix HCCA:TA2 (12g/l)
concentration : 2-4 Oesen in 100µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-20T10:35:59.171+02:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM2046\
genus, species, strain : Bacillus thuringiensis DSM 2046
MicrobeMS ID : 20_10_2015_Julia Mitschke_0002
NCBI tax ID's : 1428 -
growth time : 24h -
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : 80\$ TFA 30 Minuten, 1:10 Verdünnt in H2O, Matrix HCCA:TA2 (12g/l)
concentration : 2-4 Oesen in 100µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-10-20T10:42:19.968+02:00
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis DSM2046\
genus, species, strain : Bacillus thuringiensis WSBC 28001
MicrobeMS ID : 2006_07_11_Famulla Staemmler_0022
NCBI tax ID's : 1428 -
growth time : 24h -
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Praeparation 02.11.2006 und Praeparation fuer Maldi 06.11.2006: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-07 11:27:06
path to MS file : \Bacillus\Bacillus thuringiensis\Bacillus thuringiensis WSBC 28001\

Bacillus vallismortis

genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_20_Mitschke Julia_0001
NCBI tax ID's : 72361 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T09:41:30.953+01:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\
genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_20_Mitschke Julia_0002
NCBI tax ID's : 72361 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T09:47:04.406+01:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\
genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_20_Mitschke Julia_0003
NCBI tax ID's : 72361 -
growth time : 24 h
growth temperature : 37°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T09:54:24.109+01:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\

genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_20_Mitschke Julia_0004
NCBI tax ID's : 72361 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T10:02:00.484+01:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\

genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_20_Mitschke Julia_0005
NCBI tax ID's : 72361 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T10:08:26.625+01:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\

genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_20_Mitschke Julia_0006
NCBI tax ID's : 72361 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T10:13:48.921+01:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\

genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_20_Mitschke Julia_0007
NCBI tax ID's : 72361 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T10:21:36.343+01:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\

genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_20_Mitschke Julia_0008
NCBI tax ID's : 72361 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T10:26:54.906+01:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\

genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_17_Mitschke Julia_0003
NCBI tax ID's : 72361 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-17T09:34:10.421+01:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\

genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_17_Mitschke Julia_0004
NCBI tax ID's : 72361 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2),dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-17T09:38:00.015+01:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\

genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_20_Mitschke Julia_0009
NCBI tax ID's : 72361 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T10:28:56.609+01:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\

genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_20_Mitschke Julia_0010
NCBI tax ID's : 72361 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2), dreimal gespottet
concentration : 3 Oesen in 25µl
extra info : Stämme von DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-20T10:31:09.781+01:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\

genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_31_Schneider_Andy_0005
NCBI tax ID's : 72361 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T09:27:13.343+02:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\

genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_31_Schneider_Andy_0006
NCBI tax ID's : 72361 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T09:29:25.109+02:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\

genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_31_Schneider_Andy_0007
NCBI tax ID's : 72361 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T09:31:25.000+02:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\

genus, species, strain : Bacillus vallismortis DSM_11031
MicrobeMS ID : 2017_03_31_Schneider_Andy_0008
NCBI tax ID's : 72361 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl

extra info : Stämme von DSMZ
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T09:33:59.671+02:00
path to MS file : \Bacillus\Bacillus vallismortis\Bacillus vallismortis DSM 11031\

Bacillus weihenstephanensis

genus, species, strain : Bacillus weihenstephanensis DSM104119
MicrobeMS ID : 2017_11_24_Jaehne_Jennifer_0005
NCBI tax ID's : 1405 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-24T10:53:59.000+01:00
path to MS file : \Bacillus\Bacillus weihenstephanensis\Bacillus weihenstephanensis DSM 104119\

genus, species, strain : Bacillus weihenstephanensis DSM104119
MicrobeMS ID : 2017_11_24_Jaehne_Jennifer_0006
NCBI tax ID's : 1405 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-24T10:57:02.984+01:00
path to MS file : \Bacillus\Bacillus weihenstephanensis\Bacillus weihenstephanensis DSM 104119\

genus, species, strain : Bacillus weihenstephanensis DSM104119
MicrobeMS ID : 2017_11_24_Jaehne_Jennifer_0007
NCBI tax ID's : 1405 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-24T11:01:54.671+01:00
path to MS file : \Bacillus\Bacillus weihenstephanensis\Bacillus weihenstephanensis DSM 104119\

genus, species, strain : Bacillus weihenstephanensis DSM104119
MicrobeMS ID : 2017_11_24_Jaehne_Jennifer_0008
NCBI tax ID's : 1405 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-24T11:06:18.578+01:00
path to MS file : \Bacillus\Bacillus weihenstephanensis\Bacillus weihenstephanensis DSM 104119\

genus, species, strain : Bacillus weihenstephanensis DSM104119
MicrobeMS ID : 2017_12_14_Jaehne_Jennifer_0009
NCBI tax ID's : 1405 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-14T10:50:08.625+01:00
path to MS file : \Bacillus\Bacillus weihenstephanensis\Bacillus weihenstephanensis DSM 104119\

genus, species, strain : Bacillus weihenstephanensis DSM104119
MicrobeMS ID : 2017_12_14_Jaehne_Jennifer_0010
NCBI tax ID's : 1405 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-14T10:54:42.390+01:00
path to MS file : \Bacillus\Bacillus weihenstephanensis\Bacillus weihenstephanensis DSM 104119\

```
genus, species, strain : Bacillus weihenstephanensis DSM104119
MicrobeMS ID           : 2017_12_14_Jaehne_Jennifer_0012
NCBI tax ID's         : 1405 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-12-14T11:16:38.562+01:00
path to MS file       : \Bacillus\Bacillus weihenstephanensis\Bacillus weihenstephanensis DSM 104119\

genus, species, strain : Bacillus weihenstephanensis DSM104119
MicrobeMS ID           : 2018_05_09_Schneider_Andy_0013
NCBI tax ID's         : 1405 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2018-05-09T14:03:57.750+02:00
path to MS file       : \Bacillus\Bacillus weihenstephanensis\Bacillus weihenstephanensis DSM 104119\

genus, species, strain : Bacillus weihenstephanensis DSM104119
MicrobeMS ID           : 2018_05_09_Schneider_Andy_0014
NCBI tax ID's         : 1405 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2018-05-09T14:07:35.984+02:00
path to MS file       : \Bacillus\Bacillus weihenstephanensis\Bacillus weihenstephanensis DSM 104119\

genus, species, strain : Bacillus weihenstephanensis DSM104119
MicrobeMS ID           : 2018_05_09_Schneider_Andy_0015
NCBI tax ID's         : 1405 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2018-05-09T14:12:38.812+02:00
path to MS file       : \Bacillus\Bacillus weihenstephanensis\Bacillus weihenstephanensis DSM 104119\

genus, species, strain : Bacillus weihenstephanensis DSM104119
MicrobeMS ID           : 2018_05_09_Schneider_Andy_0016
NCBI tax ID's         : 1405 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von der DSMZ
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2018-05-09T14:15:23.343+02:00
path to MS file       : \Bacillus\Bacillus weihenstephanensis\Bacillus weihenstephanensis DSM 104119\

genus, species, strain : Bacillus weihenstephanensis DSM 11821
MicrobeMS ID           : 2007_11_04_Maren Stämmeler_0011
NCBI tax ID's         : 86662 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/ 1:1 HCCATA2 (A)
concentration         : 3-5 Oesen in 100 µel
extra info           : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: Juli 2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 11.04.2007; Praeparation für Maldi: MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2007-04-11 15:06:44
path to MS file       : \Bacillus\Bacillus weihenstephanensis\Bacillus weihenstephanensis DSM 11821\

genus, species, strain : Bacillus weihenstephanensis DSM 11821
MicrobeMS ID           : 2007_03_05_Maren Stämmeler_0002
NCBI tax ID's         : 86662 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/ 1:1 HCCATA2 (A)
concentration         : 3-5 Oesen in 100 µel
```

extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 03.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 07:57:06
path to MS file : \\Bacillus\\Bacillus weihenstephanensis\\Bacillus weihenstephanensis DSM 11821\\

genus, species, strain : Bacillus weihenstephanensis DSM 11821
MicrobeMS ID : 2007_03_05_Maren Staemmler_0020
NCBI tax ID's : 86662 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 24.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03 10:23:36
path to MS file : \\Bacillus\\Bacillus weihenstephanensis\\Bacillus weihenstephanensis DSM 11821\\

genus, species, strain : Bacillus weihenstephanensis WSBC 10204
MicrobeMS ID : 2006_07_11_Famulla Staemmler_0023
NCBI tax ID's : 86662 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Praeparation 02.11.2006 und Praeparation fuer Mald: 06.11.2006: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-07 11:30:51
path to MS file : \\Bacillus\\Bacillus weihenstephanensis\\Bacillus weihenstephanensis WSBC 10204\\

genus, species, strain : Bacillus weihenstephanensis WSBC 10207
MicrobeMS ID : 2006_07_11_Famulla Staemmler_0024
NCBI tax ID's : 86662 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Praeparation 02.11.2006 und Praeparation fuer Mald: 06.11.2006: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-07 11:34:01
path to MS file : \\Bacillus\\Bacillus weihenstephanensis\\Bacillus weihenstephanensis WSBC 10207\\

genus, species, strain : Bacillus weihenstephanensis WSBC 10295
MicrobeMS ID : 2006_07_11_Famulla Staemmler_0026
NCBI tax ID's : 86662 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Praeparation 02.11.2006 und Praeparation fuer Mald: 06.11.2006: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-07 11:41:10
path to MS file : \\Bacillus\\Bacillus weihenstephanensis\\Bacillus weihenstephanensis WSBC 10295\\

genus, species, strain : Bacillus weihenstephanensis WSBC 10363
MicrobeMS ID : 2006_07_11_Famulla Staemmler_0027
NCBI tax ID's : 86662 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Praeparation 02.11.2006 und Praeparation fuer Mald: 06.11.2006: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-07 11:44:17
path to MS file : \\Bacillus\\Bacillus weihenstephanensis\\Bacillus weihenstephanensis WSBC 10363\\

genus, species, strain : Bacillus weihenstephanensis WSBC 10387
MicrobeMS ID : 2006_07_11_Famulla Staemmler_0028
NCBI tax ID's : 86662 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Praeparation 02.11.2006 und Praeparation fuer Mald: 06.11.2006: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-07 11:47:08
path to MS file : \\Bacillus\\Bacillus weihenstephanensis\\Bacillus weihenstephanensis WSBC 10387\\

Brucella

Brucella abortus

genus, species, strain : Brucella abortus Ringvers. A-269_06 A
MicrobeMS ID : 2012_04_04_Maren Stämmeler_0011
NCBI tax ID's : 235 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Brucella-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µl
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T14:10:10.062+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus A-269_06 A\

genus, species, strain : Brucella abortus Ringvers. A-269_06 A
MicrobeMS ID : 2012_04_02_Maren Stämmeler_0011
NCBI tax ID's : 235 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Brucella-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µl
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-02T14:31:39.421+02:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus A-269_06 A\

genus, species, strain : Brucella abortus A104-10
MicrobeMS ID : 2017_05_01_Schneider_Andy_0001
NCBI tax ID's : 235 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : CASO Agar
sample treatment : 80% TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verdünnung in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-06-01T14:58:20.843+02:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus A104-10 (Ringversuch A938-1)\

genus, species, strain : Brucella abortus A104-10
MicrobeMS ID : 2017_05_01_Schneider_Andy_0002
NCBI tax ID's : 235 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : CASO Agar
sample treatment : 80% TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verdünnung in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-06-01T14:59:40.031+02:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus A104-10 (Ringversuch A938-1)\

genus, species, strain : Brucella abortus A104-10
MicrobeMS ID : 2017_05_01_Schneider_Andy_0003
NCBI tax ID's : 235 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : CASO Agar
sample treatment : 80% TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verdünnung in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-06-01T15:01:13.640+02:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus A104-10 (Ringversuch A938-1)\

genus, species, strain : Brucella abortus A104-10
MicrobeMS ID : 2017_05_01_Schneider_Andy_0004
NCBI tax ID's : 235 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : CASO Agar
sample treatment : 80% TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verdünnung in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-06-01T15:02:40.265+02:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus A104-10 (Ringversuch A938-1)\

genus, species, strain : Brucella abortus A104-10
MicrobeMS ID : 2017_05_30_Schneider_Andy_0001
NCBI tax ID's : 235 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob+CO2
growth medium : CASO Agar
sample treatment : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verdunnt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-05-30T14:46:08.625+02:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus A104-10 (Ringversuch A938-1)\

genus, species, strain : Brucella abortus A104-10
MicrobeMS ID : 2017_05_30_Schneider_Andy_0002
NCBI tax ID's : 235 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : CASO Agar
sample treatment : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verdunnt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-05-30T14:47:40.015+02:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus A104-10 (Ringversuch A938-1)\

genus, species, strain : Brucella abortus S19
MicrobeMS ID : 2015_03_17_Schneider_Andy_0003
NCBI tax ID's : 235 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI FG14
measurement date/time : 2015-03-17T12:17:18.593+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus S19 RKI\

genus, species, strain : Brucella abortus S19
MicrobeMS ID : 2015_03_17_Schneider_Andy_0004
NCBI tax ID's : 235 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI FG14
measurement date/time : 2015-03-17T12:20:55.453+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus S19 RKI\

genus, species, strain : Brucella abortus S19
MicrobeMS ID : 2015_03_20_Schneider_Andy_0005
NCBI tax ID's : 235 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-20T12:14:02.078+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus S19 RKI\

genus, species, strain : Brucella abortus S19
MicrobeMS ID : 2015_03_20_Schneider_Andy_0006
NCBI tax ID's : 235 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-20T12:15:15.593+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus S19 RKI\

genus, species, strain : Brucella abortus S19
MicrobeMS ID : 2015_03_20_Schneider_Andy_0007
NCBI tax ID's : 235 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-20T12:16:32.906+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus S19 RKI\

```
genus, species, strain : Brucella abortus S19
MicrobeMS ID           : 2015_03_20_Schneider Andy_0008
NCBI tax ID's          : 235 -
growth time            : 72h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : CASO
sample treatment       : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100 µl
extra info             : cells from solid cultures
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2015-03-20T12:17:47.687+01:00
path to MS file       : \Brucella\Brucella abortus\Brucella abortus S19 RKI\

genus, species, strain : Brucella abortus S19 delta mglA3.14
MicrobeMS ID           : 2015_03_17_Schneider Andy_0001
NCBI tax ID's          : 235 -
growth time            : 72h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : TSA
sample treatment       : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100 µl
extra info             : cells from solid cultures
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI FG14
measurement date/time  : 2015-03-17T12:10:27.296+01:00
path to MS file       : \Brucella\Brucella abortus\Brucella abortus S19 delta mglA 3.14 RKI\

genus, species, strain : Brucella abortus S19 delta mglA3.14
MicrobeMS ID           : 2015_03_17_Schneider Andy_0002
NCBI tax ID's          : 235 -
growth time            : 72h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : TSA
sample treatment       : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100 µl
extra info             : cells from solid cultures
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI FG14
measurement date/time  : 2015-03-17T12:14:06.390+01:00
path to MS file       : \Brucella\Brucella abortus\Brucella abortus S19 delta mglA 3.14 RKI\

genus, species, strain : Brucella abortus S19 delta mglA3.14
MicrobeMS ID           : 2015_03_20_Schneider Andy_0001
NCBI tax ID's          : 235 -
growth time            : 72h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : CASO
sample treatment       : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100 µl
extra info             : cells from solid cultures
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2015-03-20T12:05:58.375+01:00
path to MS file       : \Brucella\Brucella abortus\Brucella abortus S19 delta mglA 3.14 RKI\

genus, species, strain : Brucella abortus S19 delta mglA3.14
MicrobeMS ID           : 2015_03_20_Schneider Andy_0002
NCBI tax ID's          : 235 -
growth time            : 72h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : CASO
sample treatment       : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100 µl
extra info             : cells from solid cultures
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2015-03-20T12:07:16.031+01:00
path to MS file       : \Brucella\Brucella abortus\Brucella abortus S19 delta mglA 3.14 RKI\

genus, species, strain : Brucella abortus S19 delta mglA3.14
MicrobeMS ID           : 2015_03_20_Schneider Andy_0003
NCBI tax ID's          : 235 -
growth time            : 72h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : CASO
sample treatment       : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100 µl
extra info             : cells from solid cultures
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2015-03-20T12:09:22.375+01:00
path to MS file       : \Brucella\Brucella abortus\Brucella abortus S19 delta mglA 3.14 RKI\

genus, species, strain : Brucella abortus S19 delta mglA3.14
MicrobeMS ID           : 2015_03_20_Schneider Andy_0004
NCBI tax ID's          : 235 -
growth time            : 72h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : CASO
sample treatment       : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100 µl
```

```
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-20T12:10:42.265+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus S19 delta mgIa 3.14 RKI\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0001
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:42:31.559+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0002
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:42:48.794+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0003
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:43:07.451+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0004
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:43:23.295+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0005
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:43:37.811+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0006
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:43:52.077+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0007
NCBI tax ID's : 235 -
```

growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:44:08.312+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0008
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:44:25.390+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0009
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:44:47.402+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0010
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:45:04.090+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0011
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:45:18.043+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0012
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:45:33.466+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0013
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands

```
measurement date/time : 2010-12-15T14:45:48.716+01:00
path to MS file       : \Brucella\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0014
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-15T14:46:04.029+01:00
path to MS file       : \Brucella\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0015
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-15T14:46:19.311+01:00
path to MS file       : \Brucella\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0016
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-15T14:46:35.983+01:00
path to MS file       : \Brucella\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0017
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T11:49:36.298+01:00
path to MS file       : \Brucella\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0018
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T11:49:50.361+01:00
path to MS file       : \Brucella\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0019
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T11:50:05.814+01:00
path to MS file       : \Brucella\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0020
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
```

sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:50:22.612+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0021
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:50:36.753+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0022
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:50:52.363+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0023
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:51:09.097+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 1 (BM373)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0024
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:51:24.551+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 1 (BM373)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0025
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:36:55.988+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0026
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:37:26.645+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)

MicrobeMS ID : 2010_08_12_Amand_Paauw_0027
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:37:54.630+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0028
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:38:11.631+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0029
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:38:31.334+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0030
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:39:04.445+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0031
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:39:25.351+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0032
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:39:43.727+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0033
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)

measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:40:21.020+01:00
path to MS file : \Bruccella\Bruccella abortus\Bruccella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0034
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:40:40.380+01:00
path to MS file : \Bruccella\Bruccella abortus\Bruccella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0035
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:40:55.709+01:00
path to MS file : \Bruccella\Bruccella abortus\Bruccella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0036
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:41:09.600+01:00
path to MS file : \Bruccella\Bruccella abortus\Bruccella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0037
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:41:26.256+01:00
path to MS file : \Bruccella\Bruccella abortus\Bruccella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0038
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:41:42.882+01:00
path to MS file : \Bruccella\Bruccella abortus\Bruccella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0039
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:42:00.866+01:00
path to MS file : \Bruccella\Bruccella abortus\Bruccella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0040
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C

growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:42:16.179+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0041
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:44:37.525+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0042
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:44:54.275+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0043
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:45:17.760+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0044
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:45:38.730+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0045
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:46:05.183+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0046
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:46:28.793+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0047
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:46:48.325+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM369)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0048
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:47:05.091+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM369)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0049
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:47:17.660+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0050
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:47:57.802+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0051
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:48:43.397+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0052
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:49:22.039+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0053
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O

```
extra info          : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer            : TNO Netherlands
measurement date/time : 2010-12-08T14:50:04.743+01:00
path to MS file     : \Bruella\Bruella abortus\Bruella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0054
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T14:50:34.775+01:00
path to MS file       : \Bruella\Bruella abortus\Bruella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0055
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T14:51:13.807+01:00
path to MS file       : \Bruella\Bruella abortus\Bruella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0056
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T14:51:56.714+01:00
path to MS file       : \Bruella\Bruella abortus\Bruella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0057
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-15T14:49:02.971+01:00
path to MS file       : \Bruella\Bruella abortus\Bruella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0058
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-15T14:49:16.784+01:00
path to MS file       : \Bruella\Bruella abortus\Bruella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0059
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-15T14:49:37.644+01:00
path to MS file       : \Bruella\Bruella abortus\Bruella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0060
NCBI tax ID's         : 235 -
```

growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:49:51.691+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0061
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:50:13.707+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0062
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:50:31.770+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0063
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:50:49.661+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0064
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:51:04.943+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0065
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:54:15.165+01:00
path to MS file : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0066
NCBI tax ID's : 235 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands

```
measurement date/time : 2010-12-22T11:54:37.400+01:00
path to MS file       : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0067
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T11:54:58.384+01:00
path to MS file       : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0068
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T11:55:35.479+01:00
path to MS file       : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0069
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T11:55:50.901+01:00
path to MS file       : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0070
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T11:56:06.355+01:00
path to MS file       : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0071
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T11:56:24.449+01:00
path to MS file       : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0072
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T11:56:41.153+01:00
path to MS file       : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\

genus, species, strain : Brucella abortus biovar 3 (BM382)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0073
NCBI tax ID's         : 235 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T11:56:41.153+01:00
path to MS file       : \Brucella\Brucella abortus\Brucella abortus biovar 3 (BM382)\
```

Brucella canis

```
genus, species, strain : Brucella canis (BM385)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0073
NCBI tax ID's         : 36855 -
growth time           : 2 x 48h
```

growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:52:11.340+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0074
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:52:25.700+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0075
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:52:40.075+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0076
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:52:54.419+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0077
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:53:11.513+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0078
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:53:27.326+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0079
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:53:42.061+01:00

path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\
genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0080
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:53:56.405+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0081
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:51:20.209+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0082
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:51:34.037+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0083
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:51:49.366+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0084
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:52:03.319+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0085
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:52:17.288+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0086
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)

concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:52:31.242+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0087
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:52:45.133+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0088
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:53:00.493+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0089
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:56:55.169+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0090
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:57:09.450+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0091
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:57:24.998+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0092
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:57:39.045+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0093

NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:57:53.201+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0094
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:58:07.327+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0095
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:58:22.796+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis (BM385)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0096
NCBI tax ID's : 36855 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:58:38.171+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis (BM385)\

genus, species, strain : Brucella canis A183-5
MicrobeMS ID : 2013_04_26_Andy_Schneider_0007
NCBI tax ID's : 36855 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T10:09:28.000
path to MS file : \Brucella\Brucella canis\Brucella canis A183-5\

genus, species, strain : Brucella canis A183-5
MicrobeMS ID : 2013_04_26_Andy_Schneider_0008
NCBI tax ID's : 36855 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T10:13:49.000
path to MS file : \Brucella\Brucella canis\Brucella canis A183-5\

genus, species, strain : Brucella canis A183-5
MicrobeMS ID : 2013_04_26_Andy_Schneider_0009
NCBI tax ID's : 36855 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par

customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T10:21:55.000
path to MS file : \Brucella\Brucella canis\Brucella canis A183-5\

genus, species, strain : Brucella canis A183-5
MicrobeMS ID : 2013_04_26_Andy Schneider_0010
NCBI tax ID's : 36855 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T10:25:51.000
path to MS file : \Brucella\Brucella canis\Brucella canis A183-5\

genus, species, strain : Brucella canis A183-5
MicrobeMS ID : 2013_04_26_Andy Schneider_0011
NCBI tax ID's : 36855 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T10:33:50.000
path to MS file : \Brucella\Brucella canis\Brucella canis A183-5\

genus, species, strain : Brucella canis A183-5
MicrobeMS ID : 2013_04_26_Andy Schneider_0012
NCBI tax ID's : 36855 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T10:38:17.000
path to MS file : \Brucella\Brucella canis\Brucella canis A183-5\

genus, species, strain : Brucella canis A446-3
MicrobeMS ID : 2014_03_05_Schneider Andy_0007
NCBI tax ID's : 36855 -
growth time : 3 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : C.Blut + CO2
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2014-03-05T14:37:55.828+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis A466-3\

genus, species, strain : Brucella canis A446-3
MicrobeMS ID : 2014_03_05_Schneider Andy_0010
NCBI tax ID's : 36855 -
growth time : 3 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : C.Blut + CO2
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2014-03-05T14:41:40.171+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis A466-3\

genus, species, strain : Brucella canis A446-3
MicrobeMS ID : 2014_03_05_Schneider Andy_0008
NCBI tax ID's : 36855 -
growth time : 3 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : C.Blut + CO2
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2014-03-05T14:45:14.890+01:00
path to MS file : \Brucella\Brucella canis\Brucella canis A466-3\

genus, species, strain : Brucella canis A446-3
MicrobeMS ID : 2014_03_05_Schneider Andy_0009
NCBI tax ID's : 36855 -
growth time : 3 Day
growth temperature : 37 grad celsius
growth conditions : aerob

growth medium : C.Blut + CO2
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2014-03-05T14:51:19.984+01:00
path to MS file : \Bruccella\Bruccella canis\Bruccella canis A466-3\

genus, species, strain : Brucella canis A446-3
MicrobeMS ID : 2014_03_05_Schneider Andy_0011
NCBI tax ID's : 36855 -
growth time : 3 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : C.Blut + CO2
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2014-03-05T14:56:18.468+01:00
path to MS file : \Bruccella\Bruccella canis\Bruccella canis A466-3\

genus, species, strain : Brucella canis A446-3
MicrobeMS ID : 2014_03_05_Schneider Andy_0012
NCBI tax ID's : 36855 -
growth time : 3 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : C.Blut + CO2
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2014-03-05T15:00:29.218+01:00
path to MS file : \Bruccella\Bruccella canis\Bruccella canis A466-3\

Brucella ceti

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paaauw_0097
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:54:18.343+01:00
path to MS file : \Bruccella\Bruccella ceti\Bruccella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paaauw_0098
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:54:35.594+01:00
path to MS file : \Bruccella\Bruccella ceti\Bruccella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paaauw_0099
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:54:52.766+01:00
path to MS file : \Bruccella\Bruccella ceti\Bruccella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paaauw_0100
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands

measurement date/time : 2010-12-08T14:55:06.985+01:00
path to MS file : \Bruccella\Bruccella ceti\Bruccella ceti (BM389)\

genus, species, strain : Bruccella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0101
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:55:21.110+01:00
path to MS file : \Bruccella\Bruccella ceti\Bruccella ceti (BM389)\

genus, species, strain : Bruccella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0102
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:55:36.923+01:00
path to MS file : \Bruccella\Bruccella ceti\Bruccella ceti (BM389)\

genus, species, strain : Bruccella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0103
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:55:56.830+01:00
path to MS file : \Bruccella\Bruccella ceti\Bruccella ceti (BM389)\

genus, species, strain : Bruccella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0104
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:56:12.846+01:00
path to MS file : \Bruccella\Bruccella ceti\Bruccella ceti (BM389)\

genus, species, strain : Bruccella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0105
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:53:23.540+01:00
path to MS file : \Bruccella\Bruccella ceti\Bruccella ceti (BM389)\

genus, species, strain : Bruccella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0106
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:53:40.072+01:00
path to MS file : \Bruccella\Bruccella ceti\Bruccella ceti (BM389)\

genus, species, strain : Bruccella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0107
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar

sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:53:53.900+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0108
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:54:09.198+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0109
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:54:23.042+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0110
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:54:42.433+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0111
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:54:56.355+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0112
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:55:11.684+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0113
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:58:58.656+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)

MicrobeMS ID : 2010_08_12_Amand_Paauw_0114
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:59:15.438+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0115
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:59:30.845+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0116
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:59:44.892+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0117
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:00:00.377+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0118
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:00:15.768+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0119
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:00:29.799+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM389)\

genus, species, strain : Brucella ceti (BM389)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0120
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)

measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:00:43.940+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM389)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0121
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:56:27.378+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0122
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:56:41.941+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0123
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:56:56.285+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0124
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:57:10.644+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0125
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:57:25.207+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0126
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:57:39.536+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0127
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C

growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:57:54.192+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0128
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:58:11.224+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0129
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:55:28.372+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0130
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:55:44.903+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0131
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:55:58.732+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0132
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:56:12.685+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0133
NCBI tax ID's : 120577 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:56:28.076+01:00
path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

```
genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID           : 2010_08_12_Amand_Paauw_0134
NCBI tax ID's         : 120577 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-15T14:56:41.952+01:00
path to MS file       : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID           : 2010_08_12_Amand_Paauw_0135
NCBI tax ID's         : 120577 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-15T14:56:57.327+01:00
path to MS file       : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID           : 2010_08_12_Amand_Paauw_0136
NCBI tax ID's         : 120577 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-15T14:57:11.218+01:00
path to MS file       : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID           : 2010_08_12_Amand_Paauw_0137
NCBI tax ID's         : 120577 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-22T12:00:58.112+01:00
path to MS file       : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID           : 2010_08_12_Amand_Paauw_0138
NCBI tax ID's         : 120577 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-22T12:01:13.613+01:00
path to MS file       : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID           : 2010_08_12_Amand_Paauw_0139
NCBI tax ID's         : 120577 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-22T12:01:30.348+01:00
path to MS file       : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
MicrobeMS ID           : 2010_08_12_Amand_Paauw_0140
NCBI tax ID's         : 120577 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
```

extra info : cells from solid cultures
 calibration standard : Bacterial test standard (BTS)
 measurement method : D:\Methods\flexControlMethods\LP_bact.par
 customer : TNO Netherlands
 measurement date/time : 2010-12-22T12:01:47.129+01:00
 path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
 MicrobeMS ID : 2010_08_12_Amand_Paauw_0141
 NCBI tax ID's : 120577 -
 growth time : 2 x 48h
 growth temperature : 35°C
 growth conditions : aerob, 5 perc. CO2
 growth medium : blood agar
 sample treatment : ethanol | FA protocol (bdal)
 concentration : 30 colonies in 300 mL H2O
 extra info : cells from solid cultures
 calibration standard : Bacterial test standard (BTS)
 measurement method : D:\Methods\flexControlMethods\LP_bact.par
 customer : TNO Netherlands
 measurement date/time : 2010-12-22T12:02:01.177+01:00
 path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
 MicrobeMS ID : 2010_08_12_Amand_Paauw_0142
 NCBI tax ID's : 120577 -
 growth time : 2 x 48h
 growth temperature : 35°C
 growth conditions : aerob, 5 perc. CO2
 growth medium : blood agar
 sample treatment : ethanol | FA protocol (bdal)
 concentration : 30 colonies in 300 mL H2O
 extra info : cells from solid cultures
 calibration standard : Bacterial test standard (BTS)
 measurement method : D:\Methods\flexControlMethods\LP_bact.par
 customer : TNO Netherlands
 measurement date/time : 2010-12-22T12:02:16.771+01:00
 path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
 MicrobeMS ID : 2010_08_12_Amand_Paauw_0143
 NCBI tax ID's : 120577 -
 growth time : 2 x 48h
 growth temperature : 35°C
 growth conditions : aerob, 5 perc. CO2
 growth medium : blood agar
 sample treatment : ethanol | FA protocol (bdal)
 concentration : 30 colonies in 300 mL H2O
 extra info : cells from solid cultures
 calibration standard : Bacterial test standard (BTS)
 measurement method : D:\Methods\flexControlMethods\LP_bact.par
 customer : TNO Netherlands
 measurement date/time : 2010-12-22T12:02:32.177+01:00
 path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

genus, species, strain : Brucella ceti (BM403)
 MicrobeMS ID : 2010_08_12_Amand_Paauw_0144
 NCBI tax ID's : 120577 -
 growth time : 2 x 48h
 growth temperature : 35°C
 growth conditions : aerob, 5 perc. CO2
 growth medium : blood agar
 sample treatment : ethanol | FA protocol (bdal)
 concentration : 30 colonies in 300 mL H2O
 extra info : cells from solid cultures
 calibration standard : Bacterial test standard (BTS)
 measurement method : D:\Methods\flexControlMethods\LP_bact.par
 customer : TNO Netherlands
 measurement date/time : 2010-12-22T12:02:47.584+01:00
 path to MS file : \Brucella\Brucella ceti\Brucella ceti (BM403)\

Brucella melitensis

genus, species, strain : Brucella melitensis Ringvers. A-269_03 A
 MicrobeMS ID : 2012_04_02_Maren Stämmeler_0005
 NCBI tax ID's : 29459 -
 growth time : 48h
 growth temperature : 37 Grad Celsius
 growth conditions : aerob
 growth medium : Brucella-Agar
 sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
 concentration : ca. 3 Oesen in 100 muel
 extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Mald: MS
 calibration standard : E.coli K12 (DSM 3871) kalibriert
 measurement method : ToM_200ns.par
 customer : RKI ZBS2/ZBS6
 measurement date/time : 2012-04-02T14:00:01.796+02:00
 path to MS file : \Brucella\Brucella melitensis\Brucella melitensis A-269_03 A\

genus, species, strain : Brucella melitensis Ringvers. A-269_03 A
 MicrobeMS ID : 2012_04_04_Maren Stämmeler_0005
 NCBI tax ID's : 29459 -
 growth time : 48h
 growth temperature : 37 Grad Celsius
 growth conditions : aerob
 growth medium : Brucella-Agar
 sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
 concentration : ca. 3 Oesen in 100 muel
 extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Mald: MS
 calibration standard : E.coli K12 (DSM 3871) kalibriert
 measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren.par
 customer : RKI ZBS2/ZBS6
 measurement date/time : 2012-04-04T13:51:50.593+01:00
 path to MS file : \Brucella\Brucella melitensis\Brucella melitensis A-269_03 A\

```
genus, species, strain : Brucella melitensis A146-13
MicrobeMS ID           : 2017_05_01_Schneider_Andy_0009
NCBI tax ID's          : 29459 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob+CO2
growth medium          : CASO Agar
sample treatment      : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info             : Stämme von ZBS2
calibration standard   : E.coli Standard (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS2
measurement date/time  : 2017-06-01T15:13:22.375+02:00
path to MS file        : \Brucella\Brucella melitensis\Brucella melitensis A146-13 (Ringversuch A938-3)\

genus, species, strain : Brucella melitensis A146-13
MicrobeMS ID           : 2017_05_01_Schneider_Andy_0010
NCBI tax ID's          : 29459 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob+CO2
growth medium          : CASO Agar
sample treatment      : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info             : Stämme von ZBS2
calibration standard   : E.coli Standard (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS2
measurement date/time  : 2017-06-01T15:15:38.734+02:00
path to MS file        : \Brucella\Brucella melitensis\Brucella melitensis A146-13 (Ringversuch A938-3)\

genus, species, strain : Brucella melitensis A146-13
MicrobeMS ID           : 2017_05_01_Schneider_Andy_0011
NCBI tax ID's          : 29459 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob+CO2
growth medium          : CASO Agar
sample treatment      : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info             : Stämme von ZBS2
calibration standard   : E.coli Standard (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS2
measurement date/time  : 2017-06-01T15:16:58.562+02:00
path to MS file        : \Brucella\Brucella melitensis\Brucella melitensis A146-13 (Ringversuch A938-3)\

genus, species, strain : Brucella melitensis A146-13
MicrobeMS ID           : 2017_05_01_Schneider_Andy_0012
NCBI tax ID's          : 29459 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob+CO2
growth medium          : CASO Agar
sample treatment      : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info             : Stämme von ZBS2
calibration standard   : E.coli Standard (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS2
measurement date/time  : 2017-06-01T15:18:20.609+02:00
path to MS file        : \Brucella\Brucella melitensis\Brucella melitensis A146-13 (Ringversuch A938-3)\

genus, species, strain : Brucella melitensis A146-13
MicrobeMS ID           : 2017_05_30_Schneider_Andy_0005
NCBI tax ID's          : 29459 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob+CO2
growth medium          : CASO Agar
sample treatment      : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info             : Stämme von ZBS2
calibration standard   : E.coli Standard (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS2
measurement date/time  : 2017-05-30T14:52:41.187+02:00
path to MS file        : \Brucella\Brucella melitensis\Brucella melitensis A146-13 (Ringversuch A938-3)\

genus, species, strain : Brucella melitensis A146-13
MicrobeMS ID           : 2017_05_30_Schneider_Andy_0006
NCBI tax ID's          : 29459 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob+CO2
growth medium          : CASO Agar
sample treatment      : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100µl
extra info             : Stämme von ZBS2
calibration standard   : E.coli Standard (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS2
measurement date/time  : 2017-05-30T14:54:21.328+02:00
path to MS file        : \Brucella\Brucella melitensis\Brucella melitensis A146-13 (Ringversuch A938-3)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID           : 2010_08_12_Amand_Paauw_0145
NCBI tax ID's          : 29459 -
growth time            : 2 x 48h
growth temperature     : 35°C
growth conditions      : aerob, 5 perc. CO2
growth medium          : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration          : 30 colonies in 300 mL H2O
extra info             : cells from solid cultures
```

calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:44:42.375+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0146
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:44:56.719+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0147
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:45:12.360+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0148
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:45:29.455+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0149
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:45:43.611+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0150
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:46:06.002+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0151
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:46:20.237+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0152
NCBI tax ID's : 29459 -
growth time : 2 x 48h

growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:46:35.222+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0153
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:46:55.343+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0154
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:47:10.718+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0155
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:47:25.953+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0156
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:47:39.860+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0157
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:47:55.251+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0158
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:48:10.720+01:00

```
path to MS file      : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\
genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0159
NCBI tax ID's       : 29459 -
growth time         : 2 x 48h
growth temperature   : 35°C
growth conditions    : aerob, 5 perc. CO2
growth medium        : blood agar
sample treatment     : ethanol | FA protocol (bdal)
concentration        : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer            : TNO Netherlands
measurement date/time : 2010-12-15T14:48:24.626+01:00
path to MS file      : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0160
NCBI tax ID's       : 29459 -
growth time         : 2 x 48h
growth temperature   : 35°C
growth conditions    : aerob, 5 perc. CO2
growth medium        : blood agar
sample treatment     : ethanol | FA protocol (bdal)
concentration        : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer            : TNO Netherlands
measurement date/time : 2010-12-15T14:48:38.705+01:00
path to MS file      : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0161
NCBI tax ID's       : 29459 -
growth time         : 2 x 48h
growth temperature   : 35°C
growth conditions    : aerob, 5 perc. CO2
growth medium        : blood agar
sample treatment     : ethanol | FA protocol (bdal)
concentration        : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer            : TNO Netherlands
measurement date/time : 2010-12-22T11:51:41.301+01:00
path to MS file      : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0162
NCBI tax ID's       : 29459 -
growth time         : 2 x 48h
growth temperature   : 35°C
growth conditions    : aerob, 5 perc. CO2
growth medium        : blood agar
sample treatment     : ethanol | FA protocol (bdal)
concentration        : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer            : TNO Netherlands
measurement date/time : 2010-12-22T11:52:00.708+01:00
path to MS file      : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0163
NCBI tax ID's       : 29459 -
growth time         : 2 x 48h
growth temperature   : 35°C
growth conditions    : aerob, 5 perc. CO2
growth medium        : blood agar
sample treatment     : ethanol | FA protocol (bdal)
concentration        : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer            : TNO Netherlands
measurement date/time : 2010-12-22T11:52:16.130+01:00
path to MS file      : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0164
NCBI tax ID's       : 29459 -
growth time         : 2 x 48h
growth temperature   : 35°C
growth conditions    : aerob, 5 perc. CO2
growth medium        : blood agar
sample treatment     : ethanol | FA protocol (bdal)
concentration        : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer            : TNO Netherlands
measurement date/time : 2010-12-22T11:52:34.225+01:00
path to MS file      : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0165
NCBI tax ID's       : 29459 -
growth time         : 2 x 48h
growth temperature   : 35°C
growth conditions    : aerob, 5 perc. CO2
growth medium        : blood agar
sample treatment     : ethanol | FA protocol (bdal)
```

concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:52:48.287+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0166
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:53:05.038+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0167
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:53:21.695+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM374)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0168
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T11:53:38.398+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM374)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0169
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:00:48.634+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0170
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:01:07.275+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0171
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:01:24.385+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0172


```
NCBI tax ID's      : 29459 -
growth time       : 2 x 48h
growth temperature : 35°C
growth conditions  : aerob, 5 perc. CO2
growth medium     : blood agar
sample treatment  : ethanol | FA protocol (bdal)
concentration     : 30 colonies in 300 mL H2O
extra info       : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer         : TNO Netherlands
measurement date/time : 2010-12-08T15:01:42.401+01:00
path to MS file   : \Bruella\Bruella melitensis\Bruella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0173
NCBI tax ID's        : 29459 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium      : blood agar
sample treatment   : ethanol | FA protocol (bdal)
concentration      : 30 colonies in 300 mL H2O
extra info        : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer          : TNO Netherlands
measurement date/time : 2010-12-08T15:02:00.667+01:00
path to MS file    : \Bruella\Bruella melitensis\Bruella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0174
NCBI tax ID's        : 29459 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium      : blood agar
sample treatment   : ethanol | FA protocol (bdal)
concentration      : 30 colonies in 300 mL H2O
extra info        : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer          : TNO Netherlands
measurement date/time : 2010-12-08T15:02:27.043+01:00
path to MS file    : \Bruella\Bruella melitensis\Bruella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0175
NCBI tax ID's        : 29459 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium      : blood agar
sample treatment   : ethanol | FA protocol (bdal)
concentration      : 30 colonies in 300 mL H2O
extra info        : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer          : TNO Netherlands
measurement date/time : 2010-12-08T15:03:00.356+01:00
path to MS file    : \Bruella\Bruella melitensis\Bruella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0176
NCBI tax ID's        : 29459 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium      : blood agar
sample treatment   : ethanol | FA protocol (bdal)
concentration      : 30 colonies in 300 mL H2O
extra info        : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer          : TNO Netherlands
measurement date/time : 2010-12-08T15:03:20.279+01:00
path to MS file    : \Bruella\Bruella melitensis\Bruella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0177
NCBI tax ID's        : 29459 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium      : blood agar
sample treatment   : ethanol | FA protocol (bdal)
concentration      : 30 colonies in 300 mL H2O
extra info        : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer          : TNO Netherlands
measurement date/time : 2010-12-15T14:59:36.143+01:00
path to MS file    : \Bruella\Bruella melitensis\Bruella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0178
NCBI tax ID's        : 29459 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium      : blood agar
sample treatment   : ethanol | FA protocol (bdal)
concentration      : 30 colonies in 300 mL H2O
extra info        : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
```

```
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:59:52.675+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0179
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:00:10.629+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0180
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:00:25.864+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0181
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:00:43.755+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0182
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:00:57.646+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0183
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:01:11.646+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0184
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:01:25.553+01:00
path to MS file : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0185
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
```

growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:05:17.010+01:00
path to MS file : \Bruccella\Bruccella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0186
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:05:31.057+01:00
path to MS file : \Bruccella\Bruccella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0187
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:05:46.495+01:00
path to MS file : \Bruccella\Bruccella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0188
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:06:00.495+01:00
path to MS file : \Bruccella\Bruccella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0189
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:06:15.933+01:00
path to MS file : \Bruccella\Bruccella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0190
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:06:31.293+01:00
path to MS file : \Bruccella\Bruccella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0191
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:06:45.309+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 1 (BM407)\

```
genus, species, strain : Brucella melitensis biovar 1 (BM407)
MicrobeMS ID           : 2010_08_12_Amand_Paauw_0192
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-22T12:06:59.340+01:00
path to MS file       : \Brucella\Brucella melitensis\Brucella melitensis biovar 1 (BM407)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID           : 2010_08_12_Amand_Paauw_0193
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-08T15:03:43.529+01:00
path to MS file       : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID           : 2010_08_12_Amand_Paauw_0194
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-08T15:03:59.295+01:00
path to MS file       : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID           : 2010_08_12_Amand_Paauw_0195
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-08T15:04:14.093+01:00
path to MS file       : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID           : 2010_08_12_Amand_Paauw_0196
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-08T15:04:30.359+01:00
path to MS file       : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID           : 2010_08_12_Amand_Paauw_0197
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-08T15:04:46.078+01:00
path to MS file       : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID           : 2010_08_12_Amand_Paauw_0198
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
```

```
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-08T15:05:00.344+01:00
path to MS file      : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID          : 2010_08_12_Amand_Paaau_0199
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mkL H2O
extra info            : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-08T15:05:14.735+01:00
path to MS file      : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID          : 2010_08_12_Amand_Paaau_0200
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mkL H2O
extra info            : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-08T15:05:32.063+01:00
path to MS file      : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID          : 2010_08_12_Amand_Paaau_0201
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mkL H2O
extra info            : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-15T15:01:45.787+01:00
path to MS file      : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID          : 2010_08_12_Amand_Paaau_0202
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mkL H2O
extra info            : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-15T15:01:59.850+01:00
path to MS file      : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID          : 2010_08_12_Amand_Paaau_0203
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mkL H2O
extra info            : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-15T15:02:15.179+01:00
path to MS file      : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID          : 2010_08_12_Amand_Paaau_0204
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mkL H2O
extra info            : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-15T15:02:28.992+01:00
path to MS file      : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID          : 2010_08_12_Amand_Paaau_0205
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
```

growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:02:44.336+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0206
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:02:58.227+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0207
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:03:12.149+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0208
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:03:26.134+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0209
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:07:22.529+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0210
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:07:40.576+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0211
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:07:54.576+01:00

```
path to MS file      : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\
genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0212
NCBI tax ID's       : 29459 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info         : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer           : TNO Netherlands
measurement date/time : 2010-12-22T12:08:10.186+01:00
path to MS file     : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0213
NCBI tax ID's       : 29459 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info         : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer           : TNO Netherlands
measurement date/time : 2010-12-22T12:08:24.218+01:00
path to MS file     : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0214
NCBI tax ID's       : 29459 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info         : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer           : TNO Netherlands
measurement date/time : 2010-12-22T12:08:38.327+01:00
path to MS file     : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0215
NCBI tax ID's       : 29459 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info         : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer           : TNO Netherlands
measurement date/time : 2010-12-22T12:08:52.406+01:00
path to MS file     : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM408)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0216
NCBI tax ID's       : 29459 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info         : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer           : TNO Netherlands
measurement date/time : 2010-12-22T12:09:06.625+01:00
path to MS file     : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM408)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0217
NCBI tax ID's       : 29459 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info         : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer           : TNO Netherlands
measurement date/time : 2010-12-08T15:05:46.548+01:00
path to MS file     : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0218
NCBI tax ID's       : 29459 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
```

```
concentration      : 30 colonies in 300 mkL H2O
extra info        : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer          : TNO Netherlands
measurement date/time : 2010-12-08T15:06:03.642+01:00
path to MS file   : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0219
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mkL H2O
extra info            : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T15:06:22.471+01:00
path to MS file       : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0220
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mkL H2O
extra info            : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T15:06:39.471+01:00
path to MS file       : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0221
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mkL H2O
extra info            : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T15:06:53.831+01:00
path to MS file       : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0222
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mkL H2O
extra info            : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T15:07:16.394+01:00
path to MS file       : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0223
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mkL H2O
extra info            : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T15:07:30.832+01:00
path to MS file       : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0224
NCBI tax ID's         : 29459 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mkL H2O
extra info            : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T15:07:48.192+01:00
path to MS file       : \Brucella\Brucella melitensis\Brucella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0225
```


NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:03:41.509+01:00
path to MS file : \Bruella\Bruella melitensis\Bruella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0226
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:03:56.744+01:00
path to MS file : \Bruella\Bruella melitensis\Bruella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0227
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:04:10.619+01:00
path to MS file : \Bruella\Bruella melitensis\Bruella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0228
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:04:26.042+01:00
path to MS file : \Bruella\Bruella melitensis\Bruella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0229
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:04:41.354+01:00
path to MS file : \Bruella\Bruella melitensis\Bruella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0230
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:04:58.011+01:00
path to MS file : \Bruella\Bruella melitensis\Bruella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0231
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par

```
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:05:12.027+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0232
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:05:27.371+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0233
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:09:20.735+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0234
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:09:36.251+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0235
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:09:50.220+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0236
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:10:05.673+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0237
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:10:22.393+01:00
path to MS file : \Bruccella\Bruccella melitensis\Bruccella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0238
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
```

growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:10:36.408+01:00
path to MS file : \Brucella\Brucella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobEMS ID : 2010_08_12_Amand_Paauw_0239
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:10:51.862+01:00
path to MS file : \Brucella\Brucella melitensis biovar 2 (BM410)\

genus, species, strain : Brucella melitensis biovar 2 (BM410)
MicrobEMS ID : 2010_08_12_Amand_Paauw_0240
NCBI tax ID's : 29459 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:11:05.909+01:00
path to MS file : \Brucella\Brucella melitensis biovar 2 (BM410)\

Brucella microti

genus, species, strain : Brucella microti CCM 4915
MicrobEMS ID : 2015_03_17_Schneider Andy_0009
NCBI tax ID's : NaN - NaN
growth time : 48h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : FG 14
measurement date/time : 2015-03-17T12:40:54.734+01:00
path to MS file : \Brucella\Brucella microti\Brucella microti CCM 4915\

genus, species, strain : Brucella microti CCM 4915
MicrobEMS ID : 2015_03_17_Schneider Andy_0010
NCBI tax ID's : NaN - NaN
growth time : 48h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : FG 14
measurement date/time : 2015-03-17T12:42:51.843+01:00
path to MS file : \Brucella\Brucella microti\Brucella microti CCM 4915\

genus, species, strain : Brucella microti CCM 4915
MicrobEMS ID : 2015_03_20_Schneider Andy_0017
NCBI tax ID's : NaN - NaN
growth time : 48h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : ZBS6
measurement date/time : 2015-03-20T12:38:40.656+01:00
path to MS file : \Brucella\Brucella microti\Brucella microti CCM 4915\

genus, species, strain : Brucella microti CCM 4915
MicrobEMS ID : 2015_03_20_Schneider Andy_0018
NCBI tax ID's : NaN - NaN
growth time : 48h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : ZBS6

measurement date/time : 2015-03-20T12:39:58.500+01:00
path to MS file : \Bruccella\Bruccella microti\Bruccella microti CCM 4915\

genus, species, strain : Bruccella microti CCM 4915
MicrobEMS ID : 2015_03_20_Schneider Andy_0019
NCBI tax ID's : NaN - NaN
growth time : 48h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : ZBS6
measurement date/time : 2015-03-20T12:41:59.296+01:00
path to MS file : \Bruccella\Bruccella microti\Bruccella microti CCM 4915\

genus, species, strain : Bruccella microti CCM 4915
MicrobEMS ID : 2015_03_20_Schneider Andy_0020
NCBI tax ID's : NaN - NaN
growth time : 48h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : ZBS6
measurement date/time : 2015-03-20T12:43:34.187+01:00
path to MS file : \Bruccella\Bruccella microti\Bruccella microti CCM 4915\

Brucella neotomae

genus, species, strain : Brucella neotomae (BM421)
MicrobEMS ID : 2010_08_12_Amand_Paauw_0241
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 µL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:08:08.864+01:00
path to MS file : \Bruccella\Bruccella neotomae\Bruccella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobEMS ID : 2010_08_12_Amand_Paauw_0242
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 µL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:08:24.771+01:00
path to MS file : \Bruccella\Bruccella neotomae\Bruccella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobEMS ID : 2010_08_12_Amand_Paauw_0243
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 µL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:08:39.209+01:00
path to MS file : \Bruccella\Bruccella neotomae\Bruccella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobEMS ID : 2010_08_12_Amand_Paauw_0244
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 µL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:08:53.881+01:00
path to MS file : \Bruccella\Bruccella neotomae\Bruccella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobEMS ID : 2010_08_12_Amand_Paauw_0245
NCBI tax ID's : 29460 -
growth time : 2 x 48h

growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:09:09.788+01:00
path to MS file : \Bruccella\Bruccella neotomae\Bruccella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0246
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:09:24.335+01:00
path to MS file : \Bruccella\Bruccella neotomae\Bruccella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0247
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:09:38.960+01:00
path to MS file : \Bruccella\Bruccella neotomae\Bruccella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0248
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:09:56.258+01:00
path to MS file : \Bruccella\Bruccella neotomae\Bruccella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0249
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:05:49.091+01:00
path to MS file : \Bruccella\Bruccella neotomae\Bruccella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0250
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:06:06.982+01:00
path to MS file : \Bruccella\Bruccella neotomae\Bruccella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0251
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:06:20.966+01:00

```
path to MS file      : \Brucella\Brucella neotomae\Brucella neotomae (BM421)\
genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0252
NCBI tax ID's       : 29460 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info          : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer            : TNO Netherlands
measurement date/time : 2010-12-15T15:06:36.279+01:00
path to MS file     : \Brucella\Brucella neotomae\Brucella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0253
NCBI tax ID's       : 29460 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info          : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer            : TNO Netherlands
measurement date/time : 2010-12-15T15:06:50.170+01:00
path to MS file     : \Brucella\Brucella neotomae\Brucella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0254
NCBI tax ID's       : 29460 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info          : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer            : TNO Netherlands
measurement date/time : 2010-12-15T15:07:04.233+01:00
path to MS file     : \Brucella\Brucella neotomae\Brucella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0255
NCBI tax ID's       : 29460 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info          : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer            : TNO Netherlands
measurement date/time : 2010-12-15T15:07:20.890+01:00
path to MS file     : \Brucella\Brucella neotomae\Brucella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0256
NCBI tax ID's       : 29460 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info          : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer            : TNO Netherlands
measurement date/time : 2010-12-15T15:07:41.609+01:00
path to MS file     : \Brucella\Brucella neotomae\Brucella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0257
NCBI tax ID's       : 29460 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info          : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer            : TNO Netherlands
measurement date/time : 2010-12-22T12:11:27.629+01:00
path to MS file     : \Brucella\Brucella neotomae\Brucella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0258
NCBI tax ID's       : 29460 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
```

concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:11:42.988+01:00
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0259
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:11:57.067+01:00
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0260
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:12:12.583+01:00
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0261
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:12:27.974+01:00
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0262
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:12:43.396+01:00
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0263
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:12:58.818+01:00
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae (BM421)\

genus, species, strain : Brucella neotomae (BM421)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0264
NCBI tax ID's : 29460 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:13:14.225+01:00
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae (BM421)\

genus, species, strain : Brucella neotomae 5K33
MicrobeMS ID : 2015_03_17_Schneider Andy_0005

NCBI tax ID's : 29460 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI FG14
measurement date/time : 2015-03-17T12:25:21.906+01:00
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae A148-7 (5K33)\

genus, species, strain : Brucella neotomae 5K33
MicrobeMS ID : 2015_03_17_Schneider Andy_0006
NCBI tax ID's : 29460 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI FG14
measurement date/time : 2015-03-17T12:26:57.906+01:00
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae A148-7 (5K33)\

genus, species, strain : Brucella neotomae 5K33
MicrobeMS ID : 2015_03_20_Schneider Andy_0013
NCBI tax ID's : 29460 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-20T12:29:48.781+01:00
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae A148-7 (5K33)\

genus, species, strain : Brucella neotomae 5K33
MicrobeMS ID : 2015_03_20_Schneider Andy_0014
NCBI tax ID's : 29460 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-20T12:31:33.171+01:00
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae A148-7 (5K33)\

genus, species, strain : Brucella neotomae 5K33
MicrobeMS ID : 2015_03_20_Schneider Andy_0015
NCBI tax ID's : 29460 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-20T12:33:20.578+01:00
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae A148-7 (5K33)\

genus, species, strain : Brucella neotomae 5K33
MicrobeMS ID : 2015_03_20_Schneider Andy_0016
NCBI tax ID's : 29460 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-20T12:34:38.921+01:00
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae A148-7 (5K33)\

genus, species, strain : Brucella neotomae A148-7
MicrobeMS ID : 2013_04_26_Andy Schneider_0001
NCBI tax ID's : 29460 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par

customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T09:35:45.000
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae A148-7 (5K33)\

genus, species, strain : Brucella neotomae A148-7
MicrobeMS ID : 2013_04_26_Andy_Schneider_0002
NCBI tax ID's : 29460 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T09:39:53.000
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae A148-7 (5K33)\

genus, species, strain : Brucella neotomae A148-7
MicrobeMS ID : 2013_04_26_Andy_Schneider_0003
NCBI tax ID's : 29460 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T09:45:56.000
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae A148-7 (5K33)\

genus, species, strain : Brucella neotomae A148-7
MicrobeMS ID : 2013_04_26_Andy_Schneider_0004
NCBI tax ID's : 29460 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T09:50:07.000
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae A148-7 (5K33)\

genus, species, strain : Brucella neotomae A148-7
MicrobeMS ID : 2013_04_26_Andy_Schneider_0005
NCBI tax ID's : 29460 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T09:57:05.000
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae A148-7 (5K33)\

genus, species, strain : Brucella neotomae A148-7
MicrobeMS ID : 2013_04_26_Andy_Schneider_0006
NCBI tax ID's : 29460 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T10:01:03.000
path to MS file : \Brucella\Brucella neotomae\Brucella neotomae A148-7 (5K33)\

Brucella ovis

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0265
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 µL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:10:12.618+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0266
NCBI tax ID's : 236 -

growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:10:28.649+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0267
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:10:46.962+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0268
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:11:04.353+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0269
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:11:21.604+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0270
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:11:38.635+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0271
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:11:52.979+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0272
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands

measurement date/time : 2010-12-08T15:12:07.402+01:00
path to MS file : \Bruccella\Bruccella ovis\Bruccella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0273
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:07:58.297+01:00
path to MS file : \Bruccella\Bruccella ovis\Bruccella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0274
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:08:17.532+01:00
path to MS file : \Bruccella\Bruccella ovis\Bruccella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0275
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:08:31.438+01:00
path to MS file : \Bruccella\Bruccella ovis\Bruccella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0276
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:08:49.361+01:00
path to MS file : \Bruccella\Bruccella ovis\Bruccella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0277
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:09:33.659+01:00
path to MS file : \Bruccella\Bruccella ovis\Bruccella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0278
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:09:47.753+01:00
path to MS file : \Bruccella\Bruccella ovis\Bruccella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0279
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar

```
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-15T15:10:04.425+01:00
path to MS file      : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0280
NCBI tax ID's         : 236 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-15T15:10:19.597+01:00
path to MS file      : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0281
NCBI tax ID's         : 236 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-22T12:13:28.304+01:00
path to MS file      : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0282
NCBI tax ID's         : 236 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-22T12:13:43.741+01:00
path to MS file      : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0283
NCBI tax ID's         : 236 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-22T12:13:57.742+01:00
path to MS file      : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0284
NCBI tax ID's         : 236 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-22T12:14:15.992+01:00
path to MS file      : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0285
NCBI tax ID's         : 236 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method   : D:\Methods\flexControlMethods\LP_bact.par
customer             : TNO Netherlands
measurement date/time : 2010-12-22T12:14:30.024+01:00
path to MS file      : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
```

MicrobeMS ID : 2010_08_12_Amand_Paaaw_0286
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:14:44.071+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0287
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:14:58.196+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis (BM423)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0288
NCBI tax ID's : 236 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:15:12.244+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis (BM423)\

genus, species, strain : Brucella ovis 63-290
MicrobeMS ID : 2015_03_17_Schneider Andy_0011
NCBI tax ID's : 236 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : Blut Agar (NBZ) + 5% CO2
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI FG14
measurement date/time : 2015-03-17T12:46:08.078+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis 63-290 RKI\

genus, species, strain : Brucella ovis 63-290
MicrobeMS ID : 2015_03_17_Schneider Andy_0012
NCBI tax ID's : 236 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : Blut Agar (NBZ) + 5% CO2
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI FG14
measurement date/time : 2015-03-17T12:48:24.359+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis 63-290 RKI\

genus, species, strain : Brucella ovis 63-290
MicrobeMS ID : 2015_03_20_Schneider Andy_0021
NCBI tax ID's : 236 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : Blut Agar (NBZ) + 5% CO2
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-20T12:48:11.906+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis 63-290 RKI\

genus, species, strain : Brucella ovis 63-290
MicrobeMS ID : 2015_03_20_Schneider Andy_0022
NCBI tax ID's : 236 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : Blut Agar (NBZ) + 5% CO2
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-20T12:50:22.734+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis 63-290 RKI\

genus, species, strain : Brucella ovis 63-290
MicrobeMS ID : 2015_03_20_Schneider Andy_0023
NCBI tax ID's : 236 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : Blut Agar (NBZ) + 5% CO2
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-20T12:52:34.953+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis 63-290 RKI\

genus, species, strain : Brucella ovis 63-290
MicrobeMS ID : 2015_03_20_Schneider Andy_0024
NCBI tax ID's : 236 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : Blut Agar (NBZ) + 5% CO2
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-03-20T12:54:29.343+01:00
path to MS file : \Brucella\Brucella ovis\Brucella ovis 63-290 RKI\

genus, species, strain : Brucella ovis A183-7
MicrobeMS ID : 2013_04_23_Andy Schneider_0003
NCBI tax ID's : 236 -
growth time : 48
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-04-23T13:30:06.000
path to MS file : \Brucella\Brucella ovis\Brucella ovis A138-7\

genus, species, strain : Brucella ovis A183-7
MicrobeMS ID : 2013_04_23_Andy Schneider_0004
NCBI tax ID's : 236 -
growth time : 48
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-04-23T13:34:38.000
path to MS file : \Brucella\Brucella ovis\Brucella ovis A138-7\

genus, species, strain : Brucella ovis A183-7
MicrobeMS ID : 2013_04_23_Andy Schneider_0005
NCBI tax ID's : 236 -
growth time : 48
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-04-23T13:43:43.000
path to MS file : \Brucella\Brucella ovis\Brucella ovis A138-7\

genus, species, strain : Brucella ovis A183-7
MicrobeMS ID : 2013_04_23_Andy Schneider_0006
NCBI tax ID's : 236 -
growth time : 48
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-04-23T13:48:59.000
path to MS file : \Brucella\Brucella ovis\Brucella ovis A138-7\

genus, species, strain : Brucella ovis A183-7
MicrobeMS ID : 2013_04_23_Andy Schneider_0007
NCBI tax ID's : 236 -
growth time : 48
growth temperature : 37 grad celsius

```
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-04-23T13:56:19.000
path to MS file : \Brucella\Brucella ovis\Brucella ovis A138-7\

genus, species, strain : Brucella ovis A183-7
MicrobeMS ID : 2013_04_23_Andy_Schneider_0008
NCBI tax ID's : 236 -
growth time : 48
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : CASO
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2013-04-23T14:01:19.000
path to MS file : \Brucella\Brucella ovis\Brucella ovis A138-7\
```

Brucella pinnipedalis

```
genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0289
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:58:34.647+01:00
path to MS file : \Brucella\Brucella pinnipedalis\Brucella pinnipedialis (BM405)\
```

```
genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0290
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:58:49.069+01:00
path to MS file : \Brucella\Brucella pinnipedalis\Brucella pinnipedialis (BM405)\
```

```
genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0291
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:59:03.397+01:00
path to MS file : \Brucella\Brucella pinnipedalis\Brucella pinnipedialis (BM405)\
```

```
genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0292
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:59:20.335+01:00
path to MS file : \Brucella\Brucella pinnipedalis\Brucella pinnipedialis (BM405)\
```

```
genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0293
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
```

```
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:59:35.070+01:00
path to MS file : \Bruella\Bruella pinnipedialis\Bruella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0294
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T14:59:49.383+01:00
path to MS file : \Bruella\Bruella pinnipedialis\Bruella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0295
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:00:03.477+01:00
path to MS file : \Bruella\Bruella pinnipedialis\Bruella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0296
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:00:20.540+01:00
path to MS file : \Bruella\Bruella pinnipedialis\Bruella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0297
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:57:31.359+01:00
path to MS file : \Bruella\Bruella pinnipedialis\Bruella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0298
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:57:46.609+01:00
path to MS file : \Bruella\Bruella pinnipedialis\Bruella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0299
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:58:00.500+01:00
path to MS file : \Bruella\Bruella pinnipedialis\Bruella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0300
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
```


growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:58:18.516+01:00
path to MS file : \Bruccella\Bruccella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0301
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:58:32.439+01:00
path to MS file : \Bruccella\Bruccella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0302
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:58:51.689+01:00
path to MS file : \Bruccella\Bruccella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0303
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:59:05.486+01:00
path to MS file : \Bruccella\Bruccella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0304
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T14:59:20.815+01:00
path to MS file : \Bruccella\Bruccella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0305
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:03:09.460+01:00
path to MS file : \Bruccella\Bruccella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0306
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:03:26.210+01:00
path to MS file : \Bruccella\Bruccella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0307
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:03:41.695+01:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0308
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:03:57.164+01:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0309
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:04:11.242+01:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0310
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:04:28.055+01:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0311
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:04:44.790+01:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM405)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0312
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:04:58.806+01:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM405)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0313
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures

calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:23:52.123+01:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0314
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:24:08.014+01:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0315
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:24:22.592+01:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0316
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:24:37.218+01:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0317
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:24:55.109+01:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0318
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:25:10.312+01:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0319
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:25:25.125+01:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0320
NCBI tax ID's : 120576 -
growth time : 2 x 48h

growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:25:40.204+01:00
path to MS file : \Bruccella\Bruccella pinnipedialis\Bruccella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0321
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:20:43.317+01:00
path to MS file : \Bruccella\Bruccella pinnipedialis\Bruccella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0322
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:20:58.598+01:00
path to MS file : \Bruccella\Bruccella pinnipedialis\Bruccella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0323
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:21:15.302+01:00
path to MS file : \Bruccella\Bruccella pinnipedialis\Bruccella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0324
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:21:29.240+01:00
path to MS file : \Bruccella\Bruccella pinnipedialis\Bruccella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0325
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:21:43.271+01:00
path to MS file : \Bruccella\Bruccella pinnipedialis\Bruccella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0326
NCBI tax ID's : 120576 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:21:57.225+01:00

```
path to MS file      : \Brucella\Brucella pinnipedalis\Brucella pinnipedialis (BM763)\
genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0327
NCBI tax ID's       : 120576 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info         : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer           : TNO Netherlands
measurement date/time : 2010-12-15T15:22:15.225+01:00
path to MS file     : \Brucella\Brucella pinnipedalis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0328
NCBI tax ID's       : 120576 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info         : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer           : TNO Netherlands
measurement date/time : 2010-12-15T15:22:30.585+01:00
path to MS file     : \Brucella\Brucella pinnipedalis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0329
NCBI tax ID's       : 120576 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info         : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer           : TNO Netherlands
measurement date/time : 2010-12-22T12:25:43.025+01:00
path to MS file     : \Brucella\Brucella pinnipedalis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0330
NCBI tax ID's       : 120576 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info         : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer           : TNO Netherlands
measurement date/time : 2010-12-22T12:25:58.448+01:00
path to MS file     : \Brucella\Brucella pinnipedalis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0331
NCBI tax ID's       : 120576 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info         : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer           : TNO Netherlands
measurement date/time : 2010-12-22T12:26:15.261+01:00
path to MS file     : \Brucella\Brucella pinnipedalis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0332
NCBI tax ID's       : 120576 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
concentration       : 30 colonies in 300 mL H2O
extra info         : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer           : TNO Netherlands
measurement date/time : 2010-12-22T12:26:29.370+01:00
path to MS file     : \Brucella\Brucella pinnipedalis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID        : 2010_08_12_Amand_Paauw_0333
NCBI tax ID's       : 120576 -
growth time         : 2 x 48h
growth temperature  : 35°C
growth conditions   : aerob, 5 perc. CO2
growth medium       : blood agar
sample treatment    : ethanol | FA protocol (bdal)
```

```
concentration      : 30 colonies in 300 mL H2O
extra info        : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer          : TNO Netherlands
measurement date/time : 2010-12-22T12:26:43.418+01:00
path to MS file   : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0334
NCBI tax ID's         : 120576 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T12:26:57.512+01:00
path to MS file       : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0335
NCBI tax ID's         : 120576 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T12:27:11.590+01:00
path to MS file       : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis (BM763)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0336
NCBI tax ID's         : 120576 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T12:27:25.669+01:00
path to MS file       : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis (BM763)\

genus, species, strain : Brucella pinnipedialis A 148-8
MicrobeMS ID          : 31_05_2016_Julia Mitschke_0033
NCBI tax ID's         : 120576 -
growth time           : 48h
growth temperature    : 37°C
growth conditions     : aerob+5%CO2
growth medium         : Col. Blut
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-05-31T15:40:07.750+02:00
path to MS file       : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis A148-8 (M1771-94-1)\

genus, species, strain : Brucella pinnipedialis A 148-8
MicrobeMS ID          : 31_05_2016_Julia Mitschke_0034
NCBI tax ID's         : 120576 -
growth time           : 48h
growth temperature    : 37°C
growth conditions     : aerob+5%CO2
growth medium         : Col. Blut
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-05-31T15:42:36.593+02:00
path to MS file       : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis A148-8 (M1771-94-1)\

genus, species, strain : Brucella pinnipedialis A 148-8
MicrobeMS ID          : 31_05_2016_Julia Mitschke_0035
NCBI tax ID's         : 120576 -
growth time           : 48h
growth temperature    : 37°C
growth conditions     : aerob+5%CO2
growth medium         : Col. Blut
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-05-31T15:44:58.953+02:00
path to MS file       : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis A148-8 (M1771-94-1)\

genus, species, strain : Brucella pinnipedialis A 148-8
MicrobeMS ID          : 31_05_2016_Julia Mitschke_0036
```

NCBI tax ID's : 120576 -
growth time : 48h
growth temperature : 37°C
growth conditions : aerob+5%CO2
growth medium : Col. Blut
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T15:47:10.343+02:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis A148-8 (M1771-94-1)\

genus, species, strain : Brucella pinnipedialis A148-8/M1771-94-1
MicrobeMS ID : 2016_05_26_Schneider_Andy_0001
NCBI tax ID's : 120576 -
growth time : 48h
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : Columbia Blood
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-26T13:32:09.234+02:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis A148-8 (M1771-94-1)\

genus, species, strain : Brucella pinnipedialis A148-8/M1771-94-1
MicrobeMS ID : 2016_05_26_Schneider_Andy_0002
NCBI tax ID's : 120576 -
growth time : 48h
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : Columbia Blood
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-26T13:33:37.843+02:00
path to MS file : \Brucella\Brucella pinnipedialis\Brucella pinnipedialis A148-8 (M1771-94-1)\

Brucella suis

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0337
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 µL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:21:40.495+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0338
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 µL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:21:59.261+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0339
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 µL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:22:14.011+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0340
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 µL H2O

```
extra info          : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method  : D:\Methods\flexControlMethods\LP_bact.par
customer            : TNO Netherlands
measurement date/time : 2010-12-08T15:22:29.090+01:00
path to MS file     : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0341
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T15:22:43.559+01:00
path to MS file       : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0342
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T15:22:58.262+01:00
path to MS file       : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0343
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T15:23:15.591+01:00
path to MS file       : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0344
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T15:23:34.638+01:00
path to MS file       : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0345
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-15T15:18:47.704+01:00
path to MS file       : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0346
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info           : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-15T15:19:01.611+01:00
path to MS file       : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0347
NCBI tax ID's         : 29461 -
```


growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:19:15.611+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobEMS ID : 2010_08_12_Amand_Paaaw_0348
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:19:30.971+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobEMS ID : 2010_08_12_Amand_Paaaw_0349
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:19:44.878+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobEMS ID : 2010_08_12_Amand_Paaaw_0350
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:19:58.831+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobEMS ID : 2010_08_12_Amand_Paaaw_0351
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:20:12.753+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobEMS ID : 2010_08_12_Amand_Paaaw_0352
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:20:26.691+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobEMS ID : 2010_08_12_Amand_Paaaw_0353
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands

```
measurement date/time : 2010-12-22T12:23:47.601+01:00
path to MS file       : \Bruella\Bruella suis\Bruella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0354
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T12:24:01.585+01:00
path to MS file       : \Bruella\Bruella suis\Bruella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0355
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T12:24:15.633+01:00
path to MS file       : \Bruella\Bruella suis\Bruella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0356
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T12:24:31.133+01:00
path to MS file       : \Bruella\Bruella suis\Bruella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0357
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T12:24:45.180+01:00
path to MS file       : \Bruella\Bruella suis\Bruella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0358
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T12:24:59.290+01:00
path to MS file       : \Bruella\Bruella suis\Bruella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0359
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T12:25:13.478+01:00
path to MS file       : \Bruella\Bruella suis\Bruella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 1 (BM431)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0360
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
```

sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:25:29.009+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 1 (BM431)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0361
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:12:36.012+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0362
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:12:57.247+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0363
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:13:17.357+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0364
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:13:34.451+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0365
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:13:49.061+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0366
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:14:07.905+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)

MicrobeMS ID : 2010_08_12_Amand_Paaaw_0367
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:14:25.296+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0368
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:14:39.812+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0369
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:10:39.895+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0370
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:10:55.192+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0371
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:11:10.474+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0372
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:11:24.380+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0373
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)

measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:11:39.740+01:00
path to MS file : \Bruccella\Bruccella suis\Bruccella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0374
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:11:53.615+01:00
path to MS file : \Bruccella\Bruccella suis\Bruccella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0375
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:12:07.538+01:00
path to MS file : \Bruccella\Bruccella suis\Bruccella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0376
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:12:21.522+01:00
path to MS file : \Bruccella\Bruccella suis\Bruccella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0377
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:15:32.791+01:00
path to MS file : \Bruccella\Bruccella suis\Bruccella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0378
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:15:50.854+01:00
path to MS file : \Bruccella\Bruccella suis\Bruccella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0379
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:16:10.308+01:00
path to MS file : \Bruccella\Bruccella suis\Bruccella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0380
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C

growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:16:24.386+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0381
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:16:39.840+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0382
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:16:55.262+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0383
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:17:10.637+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 2 (BM427)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0384
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:17:24.669+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 2 (BM427)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0385
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:14:54.437+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0386
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:15:13.266+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0387
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:15:27.876+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0388
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:15:42.548+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0389
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:15:58.501+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0390
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:16:15.924+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0391
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:16:36.159+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0392
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:16:51.190+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0393
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O

```
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:12:40.820+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0394
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:12:56.070+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0395
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:13:15.352+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0396
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:13:29.259+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0397
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:13:43.212+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0398
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:13:59.822+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0399
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:14:14.994+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0400
NCBI tax ID's : 29461 -
```


growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:14:30.229+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0401
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:17:41.435+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0402
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:17:58.217+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0403
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:18:13.592+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0404
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:18:29.014+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0405
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:18:45.780+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 3 (BM428)\

genus, species, strain : Brucella suis biovar 3 (BM428)
MicrobeMS ID : 2010_08_12_Amand_Paaaw_0406
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands

```
measurement date/time : 2010-12-22T12:18:59.875+01:00
path to MS file       : \Bruella\Bruella suis\Bruella suis biovar 3 (BM428)\

genus, species, strain : Bruella suis biovar 3 (BM428)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0407
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T12:19:15.328+01:00
path to MS file       : \Bruella\Bruella suis\Bruella suis biovar 3 (BM428)\

genus, species, strain : Bruella suis biovar 3 (BM428)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0408
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-22T12:19:32.157+01:00
path to MS file       : \Bruella\Bruella suis\Bruella suis biovar 3 (BM428)\

genus, species, strain : Bruella suis biovar 5 (BM430)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0409
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T15:19:28.241+01:00
path to MS file       : \Bruella\Bruella suis\Bruella suis biovar 5 (BM430)\

genus, species, strain : Bruella suis biovar 5 (BM430)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0410
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T15:19:44.195+01:00
path to MS file       : \Bruella\Bruella suis\Bruella suis biovar 5 (BM430)\

genus, species, strain : Bruella suis biovar 5 (BM430)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0411
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T15:19:58.883+01:00
path to MS file       : \Bruella\Bruella suis\Bruella suis biovar 5 (BM430)\

genus, species, strain : Bruella suis biovar 5 (BM430)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0412
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
sample treatment      : ethanol | FA protocol (bdal)
concentration         : 30 colonies in 300 mL H2O
extra info            : cells from solid cultures
calibration standard  : Bacterial test standard (BTS)
measurement method    : D:\Methods\flexControlMethods\LP_bact.par
customer              : TNO Netherlands
measurement date/time : 2010-12-08T15:20:14.024+01:00
path to MS file       : \Bruella\Bruella suis\Bruella suis biovar 5 (BM430)\

genus, species, strain : Bruella suis biovar 5 (BM430)
MicrobeMS ID          : 2010_08_12_Amand_Paauw_0413
NCBI tax ID's         : 29461 -
growth time           : 2 x 48h
growth temperature    : 35°C
growth conditions     : aerob, 5 perc. CO2
growth medium         : blood agar
```

sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:20:31.774+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0414
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:20:46.431+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0415
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:21:01.025+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0416
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-08T15:21:19.681+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0417
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:16:45.482+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0418
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:16:59.451+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0419
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:17:13.546+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)

MicrobeMS ID : 2010_08_12_Amand_Paauw_0420
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:17:27.530+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0421
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:17:41.453+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0422
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:17:55.437+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0423
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:18:09.422+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0424
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-15T15:18:23.422+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0425
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:21:46.832+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0426
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mkL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)

measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:22:00.895+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0427
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:22:14.989+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0428
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:22:29.130+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0429
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:22:43.302+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0430
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:22:57.412+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0431
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:23:11.568+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

genus, species, strain : Brucella suis biovar 5 (BM430)
MicrobeMS ID : 2010_08_12_Amand_Paauw_0432
NCBI tax ID's : 29461 -
growth time : 2 x 48h
growth temperature : 35°C
growth conditions : aerob, 5 perc. CO2
growth medium : blood agar
sample treatment : ethanol | FA protocol (bdal)
concentration : 30 colonies in 300 mL H2O
extra info : cells from solid cultures
calibration standard : Bacterial test standard (BTS)
measurement method : D:\Methods\flexControlMethods\LP_bact.par
customer : TNO Netherlands
measurement date/time : 2010-12-22T12:23:25.756+01:00
path to MS file : \Brucella\Brucella suis\Brucella suis biovar 5 (BM430)\

Brucella vulpis

genus, species, strain : Brucella vulpis DSM_101715
MicrobeMS ID : 2016_12_15_Schneider_Andy_0001

NCBI tax ID's : 981386 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : columbia blood
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T09:54:16.734+01:00
path to MS file : \Brucella\Brucella vulpis\Brucella vulpis DSM 101715\

genus, species, strain : Brucella vulpis DSM_101715
MicrobeMS ID : 2016_12_15_Schneider_Andy_0002
NCBI tax ID's : 981386 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : columbia blood
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T09:57:40.156+01:00
path to MS file : \Brucella\Brucella vulpis\Brucella vulpis DSM 101715\

genus, species, strain : Brucella vulpis DSM_101715
MicrobeMS ID : 2016_12_15_Schneider_Andy_0003
NCBI tax ID's : 981386 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : columbia blood
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T09:59:35.625+01:00
path to MS file : \Brucella\Brucella vulpis\Brucella vulpis DSM 101715\

genus, species, strain : Brucella vulpis DSM_101715
MicrobeMS ID : 2016_12_15_Schneider_Andy_0004
NCBI tax ID's : 981386 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : columbia blood
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:01:03.281+01:00
path to MS file : \Brucella\Brucella vulpis\Brucella vulpis DSM 101715\

genus, species, strain : Brucella vulpis DSM_101715
MicrobeMS ID : 2016_12_15_Schneider_Andy_0005
NCBI tax ID's : 981386 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : columbia blood
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:03:43.578+01:00
path to MS file : \Brucella\Brucella vulpis\Brucella vulpis DSM 101715\

genus, species, strain : Brucella vulpis DSM_101715
MicrobeMS ID : 2016_12_15_Schneider_Andy_0006
NCBI tax ID's : 981386 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : columbia blood
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:05:18.984+01:00
path to MS file : \Brucella\Brucella vulpis\Brucella vulpis DSM 101715\

genus, species, strain : Brucella vulpis DSM_101715
MicrobeMS ID : 2016_12_15_Schneider_Andy_0007
NCBI tax ID's : 981386 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : columbia blood
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par

```
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:06:47.093+01:00
path to MS file : \Brucella\Brucella vulpis\Brucella vulpis DSM 101715\

genus, species, strain : Brucella vulpis DSM_101715
MicrobeMS ID : 2016_12_15_Schneider_Andy_0008
NCBI tax ID's : 981386 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : columbia blood
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:08:24.593+01:00
path to MS file : \Brucella\Brucella vulpis\Brucella vulpis DSM 101715\

genus, species, strain : Brucella vulpis DSM_101715
MicrobeMS ID : 2016_12_12_Schneider_Andy_0001
NCBI tax ID's : 981386 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : columbia blood
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-12T09:36:54.218+01:00
path to MS file : \Brucella\Brucella vulpis\Brucella vulpis DSM 101715\

genus, species, strain : Brucella vulpis DSM_101715
MicrobeMS ID : 2016_12_12_Schneider_Andy_0002
NCBI tax ID's : 981386 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : columbia blood
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-12T09:38:21.062+01:00
path to MS file : \Brucella\Brucella vulpis\Brucella vulpis DSM 101715\

genus, species, strain : Brucella vulpis DSM_101715
MicrobeMS ID : 2016_12_12_Schneider_Andy_0003
NCBI tax ID's : 981386 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : columbia blood
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-12T09:39:50.640+01:00
path to MS file : \Brucella\Brucella vulpis\Brucella vulpis DSM 101715\

genus, species, strain : Brucella vulpis DSM_101715
MicrobeMS ID : 2016_12_12_Schneider_Andy_0004
NCBI tax ID's : 981386 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : columbia blood
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-12T09:41:24.453+01:00
path to MS file : \Brucella\Brucella vulpis\Brucella vulpis DSM 101715\
```

Burkholderia

Burkholderia caledonica

```
genus, species, strain : Burkholderia caledonica LMG 19076
MicrobeMS ID : 2012_04_20_Maren Stämmeler_0007
NCBI tax ID's : 134536 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-20T10:53:37.312+02:00
```



```
growth conditions : aerob
growth medium : TSA
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-20T11:12:33.437+02:00
path to MS file : \Burkholderia\Burkholderia caribensis\Burkholderia caribensis LMG 18531\

genus, species, strain : Burkholderia caribensis LMG 18531
MicrobeMS ID : 2012_04_27_Maren Stämmeler_0011
NCBI tax ID's : 75105 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-27T11:15:19.937+02:00
path to MS file : \Burkholderia\Burkholderia caribensis\Burkholderia caribensis LMG 18531\

genus, species, strain : Burkholderia caribensis LMG 18532
MicrobeMS ID : 2012_04_13_Maren Stämmeler_0004
NCBI tax ID's : 75105 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-13T12:59:06.765+02:00
path to MS file : \Burkholderia\Burkholderia caribensis\Burkholderia caribensis LMG 18532\

genus, species, strain : Burkholderia caribensis LMG 18532
MicrobeMS ID : 2012_04_20_Maren Stämmeler_0012
NCBI tax ID's : 75105 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-20T11:15:15.890+02:00
path to MS file : \Burkholderia\Burkholderia caribensis\Burkholderia caribensis LMG 18532\

genus, species, strain : Burkholderia caribensis LMG 18532
MicrobeMS ID : 2012_04_27_Maren Stämmeler_0012
NCBI tax ID's : 75105 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-27T11:17:58.125+02:00
path to MS file : \Burkholderia\Burkholderia caribensis\Burkholderia caribensis LMG 18532\
```

Burkholderia cepacia complex

Burkholderia ambifaria

```
genus, species, strain : Burkholderia ambifaria DSM 16087/ LMG 19182
MicrobeMS ID : 2007_03_01_Alejandro Minan_0021
NCBI tax ID's : 152480 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 21:18:14
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia ambifaria\

genus, species, strain : Burkholderia ambifaria DSM 16087/ LMG 19182
MicrobeMS ID : 2007_03_01_Alejandro Minan_0022
NCBI tax ID's : 152480 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
```

extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 21:21:22
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia ambifaria\

genus, species, strain : Burkholderia ambifaria DSM 16087/ LMG 19182
MicrobeMS ID : 2007_25_01_Alejandro Minan_0010
NCBI tax ID's : 152480 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 15:28:06
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia ambifaria\

genus, species, strain : Burkholderia ambifaria DSM 16087/ LMG 19182
MicrobeMS ID : 2007_25_01_Alejandro Minan_0011
NCBI tax ID's : 152480 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 15:33:19
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia ambifaria\

genus, species, strain : Burkholderia ambifaria DSM 16087/ LMG 19182
MicrobeMS ID : 2007_25_01_Alejandro Minan_0012
NCBI tax ID's : 152480 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 15:36:07
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia ambifaria\

genus, species, strain : Burkholderia ambifaria Fq 6804
MicrobeMS ID : 2007_10_01_Alejandro Minan_0031
NCBI tax ID's : 152480 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-10 20:15:55
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia ambifaria\

genus, species, strain : Burkholderia ambifaria Fq 6804
MicrobeMS ID : 2007_10_01_Alejandro Minan_0032
NCBI tax ID's : 152480 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-10 20:18:42
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia ambifaria\

genus, species, strain : Burkholderia ambifaria Fq 6804
MicrobeMS ID : 2007_15_01_Alejandro Minan_0005
NCBI tax ID's : 152480 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-15 17:23:22
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia ambifaria\

genus, species, strain : Burkholderia ambifaria Fq 6804
MicrobeMS ID : 2007_15_01_Alejandro Minan_0006
NCBI tax ID's : 152480 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-15 17:26:30
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia ambifaria\

genus, species, strain : Burkholderia ambifaria LMG_19467
MicrobEMS ID : 2006_17_11_Alejandro Minan_0008
NCBI tax ID's : 152480 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-17 15:10:30
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia ambifaria\

genus, species, strain : Burkholderia ambifaria LMG_19467
MicrobEMS ID : 2006_13_12_Alejandro Minan_0019
NCBI tax ID's : 152480 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 19:47:38
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia ambifaria\

genus, species, strain : Burkholderia ambifaria LMG_19467
MicrobEMS ID : 2006_13_12_Alejandro Minan_0020
NCBI tax ID's : 152480 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 19:54:36
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia ambifaria\

Burkholderia anthina

genus, species, strain : Burkholderia anthina DSM 16086/ LMG 20980
MicrobEMS ID : 2007_03_01_Alejandro Minan_0023
NCBI tax ID's : 179879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 21:44:08
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia anthina\

genus, species, strain : Burkholderia anthina DSM 16086/ LMG 20980
MicrobEMS ID : 2007_03_01_Alejandro Minan_0024
NCBI tax ID's : 179879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 21:47:59
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia anthina\

genus, species, strain : Burkholderia anthina DSM 16086/ LMG 20980
MicrobEMS ID : 2007_25_01_Alejandro Minan_0013
NCBI tax ID's : 179879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 15:40:08
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia anthina\\

genus, species, strain : Burkholderia anthina DSM 16086/ LMG 20980
MicrobEMS ID : 2007_25_01_Alejandro Minan_0014
NCBI tax ID's : 179879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 15:42:30
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia anthina\\

genus, species, strain : Burkholderia anthina DSM 16086/ LMG 20980
MicrobEMS ID : 2007_25_01_Alejandro Minan_0015
NCBI tax ID's : 179879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 15:49:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia anthina\\

genus, species, strain : Burkholderia anthina LMG 20983
MicrobEMS ID : 2006_17_11_Alejandro Minan_0009
NCBI tax ID's : 179879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-17 15:22:06
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia anthina\\

genus, species, strain : Burkholderia anthina LMG 20983
MicrobEMS ID : 2006_13_12_Alejandro Minan_0021
NCBI tax ID's : 179879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 20:08:15
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia anthina\\

genus, species, strain : Burkholderia anthina LMG 20983
MicrobEMS ID : 2006_13_12_Alejandro Minan_0022
NCBI tax ID's : 179879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 20:13:32
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia anthina\\

genus, species, strain : Burkholderia anthina LMG 29983
MicrobEMS ID : 2007_20_07_Maren Stämmeler_0005
NCBI tax ID's : 179879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von Alejandro Minan aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-07-20 09:23:33
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia anthina\\

genus, species, strain : Burkholderia anthina LMG 29983
MicrobEMS ID : 2007_27_07_Maren Stämmeler_0005
NCBI tax ID's : 179879 -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von Aljandro Minan aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-07-27 09:06:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia anthina\

genus, species, strain : Burkholderia anthina LMG 29983
MicrobeMS ID : 2007_06_08_Maren Stämmeler_0005
NCBI tax ID's : 179879 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von Aljandro Minan aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-08-06 09:50:15
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia anthina\

Burkholderia arboris

genus, species, strain : Burkholderia arboris DSM 23435
MicrobeMS ID : 2010_12_11_Maren Stämmeler_0005
NCBI tax ID's : 488730 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-12T10:37:18.531+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

genus, species, strain : Burkholderia arboris DSM 23435
MicrobeMS ID : 2010_18_11_Maren Stämmeler_0005
NCBI tax ID's : 488730 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-18T12:14:11.578+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

genus, species, strain : Burkholderia arboris DSM 23435
MicrobeMS ID : 2010_25_11_Maren Stämmeler_0005
NCBI tax ID's : 488730 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-25T10:47:29.109+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

genus, species, strain : Burkholderia arboris DSM 23435
MicrobeMS ID : 2010_01_12_Maren Stämmeler_0005
NCBI tax ID's : 488730 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-12-01T10:31:10.546+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

genus, species, strain : Burkholderia arboris LMG_24269
MicrobeMS ID : 20170403_Schneider_Andy_0009
NCBI tax ID's : 488730 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verdünnung in H₂O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T10:40:02.171+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

genus, species, strain : Burkholderia arboris LMG_24269
MicrobeMS ID : 20170403_Schneider_Andy_0010
NCBI tax ID's : 488730 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80s TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T10:41:37.921+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

genus, species, strain : Burkholderia arboris LMG_24269
MicrobeMS ID : 20170403_Schneider_Andy_0011
NCBI tax ID's : 488730 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80s TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T10:43:01.187+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

genus, species, strain : Burkholderia arboris LMG_24269
MicrobeMS ID : 20170403_Schneider_Andy_0012
NCBI tax ID's : 488730 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80s TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T10:44:54.937+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

genus, species, strain : Burkholderia arboris LMG_24269
MicrobeMS ID : 20170403_Schneider_Andy_0025
NCBI tax ID's : 488730 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80s TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T12:54:21.531+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

genus, species, strain : Burkholderia arboris LMG_24269
MicrobeMS ID : 20170403_Schneider_Andy_0026
NCBI tax ID's : 488730 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80s TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T12:57:10.468+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

genus, species, strain : Burkholderia arboris LMG_24269
MicrobeMS ID : 20170403_Schneider_Andy_0027
NCBI tax ID's : 488730 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80s TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T12:59:58.328+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

genus, species, strain : Burkholderia arboris LMG_24269
MicrobeMS ID : 20170403_Schneider_Andy_0028
NCBI tax ID's : 488730 -
growth time : 24h
growth temperature : 28°C

growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T13:01:55.953+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

genus, species, strain : Burkholderia arboris LMG 24269
MicrobeMS ID : 2017_03_31_Mitschke_Julia_0001
NCBI tax ID's : 488730 -
growth time : 24 h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T12:59:55.953+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

genus, species, strain : Burkholderia arboris LMG 24269
MicrobeMS ID : 2017_03_31_Mitschke_Julia_0002
NCBI tax ID's : 488730 -
growth time : 24 h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T13:02:12.875+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

genus, species, strain : Burkholderia arboris LMG 24269
MicrobeMS ID : 2017_03_31_Mitschke_Julia_0003
NCBI tax ID's : 488730 -
growth time : 24 h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T13:05:14.265+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

genus, species, strain : Burkholderia arboris LMG 24269
MicrobeMS ID : 2017_03_31_Mitschke_Julia_0004
NCBI tax ID's : 488730 -
growth time : 24 h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T13:08:40.296+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia arboris\

Burkholderia cenocepacia

genus, species, strain : Burkholderia cenocepacia DSM 16553/ LMG 16656
MicrobeMS ID : 2007_03_01_Alejandro Minan_0015
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 20:42:03
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\

genus, species, strain : Burkholderia cenocepacia DSM 16553/ LMG 16656
MicrobeMS ID : 2007_03_01_Alejandro Minan_0016
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

```
customer : RKI ZBS6
measurement date/time : 2007-01-03 20:45:51
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia DSM 16553/ LMG 16656
MicrobeMS ID : 2007_25_01_Alejandro Minan_0001
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 14:53:52
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia DSM 16553/ LMG 16656
MicrobeMS ID : 2007_25_01_Alejandro Minan_0002
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 14:58:37
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia DSM 16553/ LMG 16656
MicrobeMS ID : 2007_25_01_Alejandro Minan_0003
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 15:02:25
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia Fq 6403
MicrobeMS ID : 2006_16_11_Alejandro Minan_0009
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-16 14:51:25
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia Fq 6403
MicrobeMS ID : 2009_02_07_Maren Stämmeler_0001
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-02T09:18:02.953+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia Fq 6717
MicrobeMS ID : 2006_08_11_Alejandro Minan_0003
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-08 14:04:05
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia Fq 6717
MicrobeMS ID : 2009_26_06_Maren Stämmeler_0001
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
```


growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-26T10:07:35.437+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia HST 103
MicrobeMS ID : 2006_06_11_Alejandro Minan_0009
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-06 16:42:58
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia HST 103
MicrobeMS ID : 2006_12_12_Alejandro Minan_0001
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 11:43:53
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia HST 103
MicrobeMS ID : 2007_05_01_Alejandro Minan_0009
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-05 18:01:38
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia HST 51393
MicrobeMS ID : 2007_10_01_Alejandro Minan_0017
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-10 19:02:18
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia HST 51393
MicrobeMS ID : 2007_10_01_Alejandro Minan_0018
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-10 19:06:33
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia LMG 18863
MicrobeMS ID : 2006_08_11_Alejandro Minan_0005
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-08 14:17:40
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

```
genus, species, strain : Burkholderia cenocepacia LMG 18863
MicrobeMS ID           : 2006_13_12_Alejandro Minan_0009
NCBI tax ID's         : 95486 -
growth time           : 24h -
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration         : 3 Loops in 100 µl
extra info           : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2006-12-13 18:15:42
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\

genus, species, strain : Burkholderia cenocepacia LMG 18863
MicrobeMS ID           : 2006_13_12_Alejandro Minan_0010
NCBI tax ID's         : 95486 -
growth time           : 24h -
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration         : 3 Loops in 100 µl
extra info           : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2006-12-13 18:25:24
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\

genus, species, strain : Burkholderia cenocepacia LMG 18863
MicrobeMS ID           : 2007_20_07_Maren Stämmeler_0002
NCBI tax ID's         : 95486 -
growth time           : 24h -
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von Alejandro Minan aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2007-07-20 09:11:59
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\

genus, species, strain : Burkholderia cenocepacia LMG 18863
MicrobeMS ID           : 2007_27_07_Maren Stämmeler_0002
NCBI tax ID's         : 95486 -
growth time           : 24h -
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von Alejandro Minan aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2007-07-27 08:54:12
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\

genus, species, strain : Burkholderia cenocepacia LMG 18863
MicrobeMS ID           : 2007_06_08_Maren Stämmeler_0002
NCBI tax ID's         : 95486 -
growth time           : 24h -
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration         : 3 Oesen in 100 µl
extra info           : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von Alejandro Minan aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2007-08-06 09:39:23
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\

genus, species, strain : Burkholderia cenocepacia NF 171
MicrobeMS ID           : 2006_23_10_Alejandro Minan_0009
NCBI tax ID's         : 95486 -
growth time           : 24h -
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration         : 3 Loops in 100 µl
extra info           : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2006-10-24 16:22:52
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\

genus, species, strain : Burkholderia cenocepacia NF 171
MicrobeMS ID           : 2006_01_11_Alejandro Minan_0009
NCBI tax ID's         : 95486 -
growth time           : 24h -
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration         : 3 Loops in 100 µl
extra info           : Growing and Preparation A. MinanStrains from CINDEFI
```

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-01 14:04:03
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\

genus, species, strain : Burkholderia cenocepacia NF 171
MicrobeMS ID : 2007_05_01_Alejandro Minan_0010
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-05 18:04:26
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\

genus, species, strain : Burkholderia cenocepacia NF 172
MicrobeMS ID : 2006_23_10_Alejandro Minan_0010
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-24 16:27:37
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\

genus, species, strain : Burkholderia cenocepacia NF 172
MicrobeMS ID : 2006_01_11_Alejandro Minan_0010
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-01 14:11:30
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\

genus, species, strain : Burkholderia cenocepacia NF 172
MicrobeMS ID : 2006_12_12_Alejandro Minan_0002
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 11:48:46
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\

genus, species, strain : Burkholderia cenocepacia NF 172
MicrobeMS ID : 2007_05_01_Alejandro Minan_0011
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-05 18:08:58
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\

genus, species, strain : Burkholderia cenocepacia Fq 6593
MicrobeMS ID : 2006_29_11_Alejandro Minan_0002
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-29 18:01:51
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\

genus, species, strain : Burkholderia cenocepacia Fq 6593
MicrobeMS ID : 2009_14_05_Maren Stämmeler_0009
NCBI tax ID's : 95486 -
growth time : 24h

growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2009-05-14T20:47:37.953+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia J 190
MicrobeMS ID : 2006_23_10_Alejandro Minan_0005
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-10-24 15:43:38
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia J 190
MicrobeMS ID : 2006_01_11_Alejandro Minan_0005
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-11-01 11:28:36
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia LMG 16654
MicrobeMS ID : 2006_26_10_Alejandro Minan_0006
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-10-26 16:26:42
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia LMG 16654
MicrobeMS ID : 2006_01_11_Alejandro Minan_0016
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-11-01 14:54:14
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia LMG 16654
MicrobeMS ID : 2006_18_12_Alejandro Minan_0003
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-12-18 14:08:57
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cenocepacia\\

genus, species, strain : Burkholderia cenocepacia LMG 16654
MicrobeMS ID : 2006_18_12_Alejandro Minan_0004
NCBI tax ID's : 95486 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-12-18 14:12:20

```
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\  
genus, species, strain : Burkholderia cenocepacia LMG 16654  
MicrobeMS ID       : 2007_20_07_Maren Stämmeler_0003  
NCBI tax ID's      : 95486 -  
growth time        : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment   : in 80$ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration       : 3 Oesen in 100 muel  
extra info         : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von Aljandro Minan aus Argentinien in unserer Stammsammlung  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer           : RKI ZBS6  
measurement date/time : 2007-07-20 09:14:58  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\  
  
genus, species, strain : Burkholderia cenocepacia LMG 16654  
MicrobeMS ID       : 2007_27_07_Maren Stämmeler_0003  
NCBI tax ID's      : 95486 -  
growth time        : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment   : in 80$ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration       : 3 Oesen in 100 muel  
extra info         : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von Aljandro Minan aus Argentinien in unserer Stammsammlung  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer           : RKI ZBS6  
measurement date/time : 2007-07-27 08:57:50  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\  
  
genus, species, strain : Burkholderia cenocepacia LMG 16654  
MicrobeMS ID       : 2007_06_08_Maren Stämmeler_0003  
NCBI tax ID's      : 95486 -  
growth time        : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment   : in 80$ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration       : 3 Oesen in 100 muel  
extra info         : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von Aljandro Minan aus Argentinien in unserer Stammsammlung  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer           : RKI ZBS6  
measurement date/time : 2007-08-06 09:42:32  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia cenocepacia\  
  
Burkholderia cepacia
```

```
genus, species, strain : Burkholderia cepacia ATCC 25608  
MicrobeMS ID       : 2007_04_05_Maren Stämmeler_0002  
NCBI tax ID's      : 292 -  
growth time        : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment   : in 80$ TFA/ 1:1 HCCATA2 (A)  
concentration       : 3-4 Oesen in 100 muel  
extra info         : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer           : RKI ZBS6  
measurement date/time : 2007-05-04 13:23:17  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\  
  
genus, species, strain : Burkholderia cepacia ATCC 25608  
MicrobeMS ID       : 2007_09_05_Maren Stämmeler_0002  
NCBI tax ID's      : 292 -  
growth time        : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment   : in 80$ TFA/ 1:1 HCCATA2 (A)  
concentration       : 3-4 Oesen in 100 muel  
extra info         : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer           : RKI ZBS6  
measurement date/time : 2007-05-09 13:45:23  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\  
  
genus, species, strain : Burkholderia cepacia ATCC 25608  
MicrobeMS ID       : 2007_16_05_Maren Stämmeler_0002  
NCBI tax ID's      : 292 -  
growth time        : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment   : in 80$ TFA/ 1:1 HCCATA2 (A)  
concentration       : 3-4 Oesen in 100 muel  
extra info         : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer           : RKI ZBS6  
measurement date/time : 2007-05-16 09:45:04  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\  
  
genus, species, strain : Burkholderia cepacia DSM 7288 Typst.  
MicrobeMS ID       : 2007_04_05_Maren Stämmeler_0003  
NCBI tax ID's      : 292 -  
growth time        : 24h  
growth temperature  : 37 Grad Celsius
```

growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-04 13:28:20
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cepacia\\

genus, species, strain : Burkholderia cepacia DSM 7288 Typst.
MicrobeMS ID : 2007_09_05_Maren Stämmeler_0003
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-09 13:50:16
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cepacia\\

genus, species, strain : Burkholderia cepacia DSM 7288 Typst.
MicrobeMS ID : 2007_16_05_Maren Stämmeler_0003
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-16 09:48:07
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cepacia\\

genus, species, strain : Burkholderia cepacia ATCC 25416
MicrobeMS ID : 2006_03_11_Alejandro Minan_0001
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Praeparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-03 14:30:37
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cepacia\\

genus, species, strain : Burkholderia cepacia ATCC 25416
MicrobeMS ID : 2006_13_12_Alejandro Minan_0003
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Praeparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 17:06:23
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cepacia\\

genus, species, strain : Burkholderia cepacia ATCC 25416
MicrobeMS ID : 2006_13_12_Alejandro Minan_0004
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Praeparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 17:12:19
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cepacia\\

genus, species, strain : Burkholderia cepacia ATCC 25416
MicrobeMS ID : 2007_04_05_Maren Stämmeler_0001
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-04 13:20:28
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cepacia\\

genus, species, strain : Burkholderia cepacia ATCC 25416
MicrobeMS ID : 2007_09_05_Maren Stämmeler_0001
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-09 13:42:38
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cepacia\\

genus, species, strain : Burkholderia cepacia ATCC 25416
MicrobeMS ID : 2007_16_05_Maren Stämmeler_0001
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-16 09:40:40
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cepacia\\

genus, species, strain : Burkholderia cepacia ATCC 25416
MicrobeMS ID : 2007_20_07_Maren Stämmeler_0001
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von Aljandro Minan aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-07-20 09:08:23
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cepacia\\

genus, species, strain : Burkholderia cepacia ATCC 25416
MicrobeMS ID : 2007_27_07_Maren Stämmeler_0001
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von Aljandro Minan aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-07-27 08:51:25
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cepacia\\

genus, species, strain : Burkholderia cepacia ATCC 25416
MicrobeMS ID : 2007_06_08_Maren Stämmeler_0001
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von Aljandro Minan aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-08-06 09:36:12
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cepacia\\

genus, species, strain : Burkholderia cepacia Amb chrema
MicrobeMS ID : 2008_18_11_Maren Stämmeler_0006
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); ca. 3 Wochen bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-18T10:26:37.437+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia cepacia\\

genus, species, strain : Burkholderia cepacia Amb chrema
MicrobeMS ID : 2008_21_11_Maren Stämmeler_0006
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); 2 Tage bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 muel

extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-21T10:33:32.453+00:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\

genus, species, strain : Burkholderia cepacia BC 13
MicrobeMS ID : 2006_17_11_Alejandro Minan_0002
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-17 14:25:40
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\

genus, species, strain : Burkholderia cepacia BC 13
MicrobeMS ID : 2009_02_07_Maren Stämmeler_0002
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-02T09:20:36.937+00:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\

genus, species, strain : Burkholderia cepacia GIH
MicrobeMS ID : 2007_10_01_Alejandro Minan_0015
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-10 18:54:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\

genus, species, strain : Burkholderia cepacia GIH
MicrobeMS ID : 2007_10_01_Alejandro Minan_0016
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-10 18:57:06
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\

genus, species, strain : Burkholderia cepacia DSM 50181
MicrobeMS ID : 2006_29_11_Alejandro Minan_0001
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-29 17:57:35
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\

genus, species, strain : Burkholderia cepacia DSM 50181
MicrobeMS ID : 2006_13_12_Alejandro Minan_0001
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 16:55:07
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\

genus, species, strain : Burkholderia cepacia DSM 50181
MicrobeMS ID : 2006_13_12_Alejandro Minan_0002
NCBI tax ID's : 292 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 17:00:28
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\

genus, species, strain : Burkholderia cepacia DSM 9241
MicrobeMS ID : 2007_03_01_Alejandro Minan_0013
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 20:26:56
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\

genus, species, strain : Burkholderia cepacia DSM 9241
MicrobeMS ID : 2007_03_01_Alejandro Minan_0014
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 20:31:36
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\

genus, species, strain : Burkholderia cepacia DSM 9241
MicrobeMS ID : 2007_24_01_Alejandro Minan_0019
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 21:02:52
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\

genus, species, strain : Burkholderia cepacia DSM 9241
MicrobeMS ID : 2007_24_01_Alejandro Minan_0020
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 21:06:32
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\

genus, species, strain : Burkholderia cepacia DSM 9241
MicrobeMS ID : 2007_24_01_Alejandro Minan_0021
NCBI tax ID's : 292 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 21:11:44
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia cepacia\

Burkholderia contaminans

genus, species, strain : Burkholderia contaminans Amb S3
MicrobeMS ID : 2008_18_11_Maren Stämmeler_0007
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); ca. 3 Wochen bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Präparation: MS

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-18T10:31:34.421+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Amb S3
MicrobeMS ID : 2008_21_11_Maren Stämmeler_0007
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); 2 Tage bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-21T10:45:16.875+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Amb T1
MicrobeMS ID : 2008_18_11_Maren Stämmeler_0010
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); ca. 3 Wochen bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-18T10:43:28.296+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Amb T1
MicrobeMS ID : 2008_21_11_Maren Stämmeler_0010
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); 2 Tage bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-21T11:01:35.968+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Amb T2
MicrobeMS ID : 2008_18_11_Maren Stämmeler_0012
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); ca. 3 Wochen bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-18T10:52:26.437+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Amb T2
MicrobeMS ID : 2008_21_11_Maren Stämmeler_0012
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); 2 Tage bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-21T11:08:56.421+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Amb T5
MicrobeMS ID : 2008_18_11_Maren Stämmeler_0014
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); ca. 3 Wochen bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-18T10:59:21.859+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Amb T5
MicrobeMS ID : 2008_21_11_Maren Stämmeler_0014
NCBI tax ID's : 488447 -
growth time : 24h

growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); 2 Tage bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2008-11-21T11:15:04.156+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 01
MicrobeMS ID : 2006_17_11_Alejandro Minan_0001
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-11-17 14:19:52
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 01
MicrobeMS ID : 2006_19_12_Alejandro Minan_0007
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-12-19 10:02:44
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 01
MicrobeMS ID : 2006_19_12_Alejandro Minan_0008
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-12-19 10:06:45
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 01
MicrobeMS ID : 2007_04_01_Alejandro Minan_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2007-01-04 18:24:37
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 20
MicrobeMS ID : 2006_26_10_Alejandro Minan_0007
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-10-26 16:36:27
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 20
MicrobeMS ID : 2006_01_11_Alejandro Minan_0017
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-11-01 15:00:43

```
path to MS file      : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\
genus, species, strain : Burkholderia contaminans BC 24
MicrobeMS ID        : 2006_26_10_Alejandro Minan_0009
NCBI tax ID's       : 488447 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : TSA
sample treatment    : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration       : 3 Oesen in 100 µl
extra info          : Anzucht und Präparation + Präparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2006-10-26 16:49:13
path to MS file      : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 24
MicrobeMS ID        : 2006_01_11_Alejandro Minan_0019
NCBI tax ID's       : 488447 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : TSA
sample treatment    : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration       : 3 Oesen in 100 µl
extra info          : Anzucht und Präparation + Präparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2006-11-01 15:12:53
path to MS file      : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 24
MicrobeMS ID        : 2007_04_01_Alejandro Minan_0010
NCBI tax ID's       : 488447 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : TSA
sample treatment    : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration       : 3 Oesen in 100 µl
extra info          : Anzucht und Präparation + Präparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2007-01-04 18:58:42
path to MS file      : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 25
MicrobeMS ID        : 2006_17_11_Alejandro Minan_0003
NCBI tax ID's       : 488447 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : TSA
sample treatment    : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration       : 3 Oesen in 100 µl
extra info          : Anzucht und Präparation + Präparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2006-11-17 14:34:42
path to MS file      : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 25
MicrobeMS ID        : 2007_04_01_Alejandro Minan_0011
NCBI tax ID's       : 488447 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : TSA
sample treatment    : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration       : 3 Oesen in 100 µl
extra info          : Anzucht und Präparation + Präparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2007-01-04 20:34:09
path to MS file      : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 26
MicrobeMS ID        : 2006_22_11_Alejandro Minan_0012
NCBI tax ID's       : 488447 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : TSA
sample treatment    : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration       : 3 Oesen in 100 µl
extra info          : Anzucht und Präparation + Präparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2006-11-22 16:52:23
path to MS file      : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 26
MicrobeMS ID        : 2009_14_05_Maren Stämmeler_0010
NCBI tax ID's       : 488447 -
growth time         : 24h
growth temperature  : 37 Grad Celsius
growth conditions   : aerob
growth medium       : TSA
sample treatment    : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
```

concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-05-14T20:50:17.484+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fq 6407
MicrobeMS ID : 2006_06_11_Alejandro Minan_0005
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-06 16:19:52
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fq 6407
MicrobeMS ID : 2009_26_06_Maren Stämmeler_0002
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-26T10:10:28.921+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fq 6507
MicrobeMS ID : 2006_03_11_Alejandro Minan_0005
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-03 14:59:47
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fq 6507
MicrobeMS ID : 2009_15_05_Maren Stämmeler_0005
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-05-15T21:52:33.656+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fq 6929
MicrobeMS ID : 2007_11_01_Alejandro Minan_0031
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 22:24:35
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fq 6929
MicrobeMS ID : 2007_11_01_Alejandro Minan_0032
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 22:27:41
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans HST 102
MicrobeMS ID : 2006_06_11_Alejandro Minan_0008

NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-06 16:36:36
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans HST 102
MicrobeMS ID : 2009_15_05_Maren Stämmeler_0006
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-05-15T21:54:52.484+00:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans HST 18
MicrobeMS ID : 2007_10_01_Alejandro Minan_0021
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-10 19:29:50
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans HST 18
MicrobeMS ID : 2007_10_01_Alejandro Minan_0022
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-10 19:33:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans HST 18
MicrobeMS ID : 2008_18_11_Maren Stämmeler_0013
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); ca. 3 Wochen bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-18T10:56:47.343+00:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans HST 18
MicrobeMS ID : 2008_21_11_Maren Stämmeler_0013
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); 2 Tage bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-21T11:12:29.765+00:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans HST 31
MicrobeMS ID : 2007_11_01_Alejandro Minan_0023
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2007-01-11 18:26:44
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans HST 31
MicrobeMS ID : 2007_11_01_Alejandro Minan_0024
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 19:27:16
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans HST 35
MicrobeMS ID : 2007_19_01_Alejandro Minan_0005
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 14:43:46
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans HST 35
MicrobeMS ID : 2007_19_01_Alejandro Minan_0006
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 14:47:15
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans HST R1
MicrobeMS ID : 2007_15_01_Alejandro Minan_0023
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 17:50:57
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans HST R1
MicrobeMS ID : 2007_15_01_Alejandro Minan_0024
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 17:54:19
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans J 32452
MicrobeMS ID : 2006_17_11_Alejandro Minan_0005
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-17 14:52:01
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans J 32452
MicrobeMS ID : 2009_02_07_Maren Stämmeler_0003
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob

growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-02T09:27:56.937+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans J 32452
MicrobeMS ID : 2009_06_08_Maren Stämmeler_0013
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-08-06T09:04:11.171+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans M 84
MicrobeMS ID : 2006_26_10_Alejandro Minan_0001
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-26 15:54:16
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans M 84
MicrobeMS ID : 2006_01_11_Alejandro Minan_0011
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-01 14:16:10
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans M 84
MicrobeMS ID : 2007_05_01_Alejandro Minan_0001
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-05 17:18:10
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans M 89
MicrobeMS ID : 2006_26_10_Alejandro Minan_0002
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-26 15:59:50
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans M 89
MicrobeMS ID : 2006_01_11_Alejandro Minan_0012
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-01 14:23:52
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans M 89
MicrobeMS ID : 2007_05_01_Alejandro Minan_0002
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-05 17:21:06
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans M 97
MicrobeMS ID : 2006_26_10_Alejandro Minan_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-26 16:13:43
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans M 97
MicrobeMS ID : 2006_01_11_Alejandro Minan_0014
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-01 14:36:22
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans M 97
MicrobeMS ID : 2007_05_01_Alejandro Minan_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-05 17:28:52
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 23
MicrobeMS ID : 2006_11_10_Alejandro Minan_0001
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-11 10:22:01
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 23
MicrobeMS ID : 2006_13_10_Alejandro Minan_0001
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-13 13:55:07
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 23
MicrobeMS ID : 2006_13_10_Alejandro Minan_0006
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-13 14:53:21
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 50
MicrobeMS ID : 2006_21_11_Alejandro Minan_0007
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-21 14:14:17
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 50
MicrobeMS ID : 2009_10_07_Maren Stämmeler_0001
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-10T09:52:39.140+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 50
MicrobeMS ID : 2009_06_08_Maren Stämmeler_0001
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-08-06T08:10:30.468+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 57
MicrobeMS ID : 2006_21_11_Alejandro Minan_0009
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-21 14:36:23
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 57
MicrobeMS ID : 2009_10_07_Maren Stämmeler_0002
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-10T09:59:42.750+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 57
MicrobeMS ID : 2009_06_08_Maren Stämmeler_0002
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-08-06T08:13:17.671+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 64
MicrobeMS ID : 2006_11_10_Alejandro Minan_0015
NCBI tax ID's : 488447 -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Präparation + Präparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-11 15:37:31
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 64
MicrobeMS ID : 2006_13_10_Alejandro Minan_0003
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Präparation + Präparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-13 14:15:19
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 64
MicrobeMS ID : 2006_13_10_Alejandro Minan_0008
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Präparation + Präparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-13 15:18:13
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 67
MicrobeMS ID : 2006_21_11_Alejandro Minan_0010
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Präparation + Präparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-21 14:42:52
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 67
MicrobeMS ID : 2009_10_07_Maren Stämmeler_0003
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-10T10:06:28.890+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 67
MicrobeMS ID : 2009_06_08_Maren Stämmeler_0003
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-08-06T08:15:58.015+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 69
MicrobeMS ID : 2006_11_10_Alejandro Minan_0022
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Präparation + Präparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-11 16:22:51

path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 69
MicrobeMS ID : 2006_13_10_Alejandro Minan_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-13 14:25:25
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 69
MicrobeMS ID : 2006_13_10_Alejandro Minan_0009
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-13 15:32:43
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 70
MicrobeMS ID : 2006_08_11_Alejandro Minan_0001
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-08 13:54:45
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans FF 70
MicrobeMS ID : 2009_15_05_Maren Stämmeler_0007
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-05-15T22:05:05.593+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 74
MicrobeMS ID : 2006_16_11_Alejandro Minan_0002
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-16 11:44:04
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 74
MicrobeMS ID : 2008_18_11_Maren Stämmeler_0009
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); ca. 3 Wochen bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-18T10:40:39.312+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 74
MicrobeMS ID : 2008_21_11_Maren Stämmeler_0009
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); 2 Tage bei -20°C im Tiefkühlschrank

concentration : 3 Oesen in 100 muel
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-21T10:58:58.015+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 74
MicrobeMS ID : 2009_02_07_Maren Stämmeler_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-02T09:34:52.812+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 77
MicrobeMS ID : 2006_22_11_Alejandro Minan_0009
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-22 16:30:27
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 77
MicrobeMS ID : 2009_10_07_Maren Stämmeler_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-10T10:09:18.843+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 77
MicrobeMS ID : 2009_06_08_Maren Stämmeler_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-08-06T08:22:40.312+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 79
MicrobeMS ID : 2006_22_11_Alejandro Minan_0010
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-22 16:38:39
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 79
MicrobeMS ID : 2009_10_07_Maren Stämmeler_0005
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-10T10:15:42.078+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 79
MicrobeMS ID : 2009_06_08_Maren Stämmeler_0005

NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-08-06T08:26:40.328+00:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 92
MicrobeMS ID : 2006_23_10_Alejandro Minan_0001
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-24 15:15:01
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 92
MicrobeMS ID : 2006_01_11_Alejandro Minan_0001
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-01 10:54:09
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 92
MicrobeMS ID : 2007_20_07_Maren Stämmeler_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von Aljandro Minan aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-07-20 09:20:43
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 92
MicrobeMS ID : 2007_27_07_Maren Stämmeler_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von Aljandro Minan aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-07-27 09:02:59
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans NF 92
MicrobeMS ID : 2007_06_08_Maren Stämmeler_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von Aljandro Minan aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-08-06 09:47:14
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Amb Desifectante 98
MicrobeMS ID : 2008_18_11_Maren Stämmeler_0008
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); ca. 3 Wochen bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2008-11-18T10:34:39.906+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Amb Desinficante 98
MicrobeMS ID : 2008_21_11_Maren Stämmeler_0008
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); 2 Tage bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-21T10:47:52.718+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID : 29_07_2016_Julia Mitschke_0005
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T09:09:36.656+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID : 29_07_2016_Julia Mitschke_0006
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T09:12:16.312+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID : 29_07_2016_Julia Mitschke_0007
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T09:16:20.687+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID : 29_07_2016_Julia Mitschke_0008
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T09:21:17.093+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID : 2016_03_08_Oskar Hübner_0009
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-03T14:01:46.281+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID : 2016_03_08_Oskar Hübner_0010
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

```
growth medium : TSA
sample treatment : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-03T14:05:10.625+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID : 2016_03_08_Oskar Hübner_0011
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-03T14:08:01.109+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID : 2016_03_08_Oskar Hübner_0012
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-03T14:11:30.328+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID : 2016_10_08_Oskar Hübner_0009
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-10T13:37:08.703+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID : 2016_10_08_Oskar Hübner_0010
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-10T13:43:15.171+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID : 2016_10_08_Oskar Hübner_0011
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-10T13:46:52.000+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID : 2016_10_08_Oskar Hübner_0012
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-10T13:49:59.281+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\
```



```
genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID           : 2016_17_08_Oskar Hübner_0009
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-17T13:27:33.125+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID           : 2016_17_08_Oskar Hübner_0010
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-17T13:32:00.312+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID           : 2016_17_08_Oskar Hübner_0011
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-17T13:34:37.656+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1516 FQ C 2524
MicrobeMS ID           : 2016_17_08_Oskar Hübner_0012
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-17T13:37:17.609+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID           : 29_07_2016_Julia Mitschke_0009
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-07-29T09:30:02.687+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID           : 29_07_2016_Julia Mitschke_0010
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-07-29T09:37:03.703+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID           : 29_07_2016_Julia Mitschke_0011
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
```

```
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-07-29T09:40:46.046+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID          : 29_07_2016_Julia Mitschke_0012
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-07-29T09:44:11.046+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID          : 2016_10_08_Oskar Hübner_0013
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-10T13:59:46.546+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID          : 2016_10_08_Oskar Hübner_0014
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-10T14:03:43.390+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID          : 2016_10_08_Oskar Hübner_0015
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-10T14:08:07.281+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID          : 2016_10_08_Oskar Hübner_0016
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-10T14:13:21.875+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID          : 2016_17_08_Oskar Hübner_0013
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-17T13:44:30.390+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID          : 2016_17_08_Oskar Hübner_0014
NCBI tax ID's         : 488447 -
growth time           : 24h
```

growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-17T13:49:48.000+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID : 2016_17_08_Oskar Hübner_0015
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-17T13:54:32.703+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID : 2016_17_08_Oskar Hübner_0016
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-17T13:59:02.687+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID : 2016_03_08_Oskar Hübner_0013
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-03T14:18:24.468+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID : 2016_03_08_Oskar Hübner_0014
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-03T14:21:45.671+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID : 2016_03_08_Oskar Hübner_0015
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-03T14:25:14.656+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 1653 FQ C 3058
MicrobeMS ID : 2016_03_08_Oskar Hübner_0016
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-03T14:29:14.687+02:00

```
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\  
genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174  
MicrobeMS ID        : 2016_03_08_Oskar Hübner_0001  
NCBI tax ID's       : 488447 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100 µl  
extra info          :  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-08-03T13:26:34.312+02:00  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\  
  
genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174  
MicrobeMS ID        : 2016_03_08_Oskar Hübner_0002  
NCBI tax ID's       : 488447 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100 µl  
extra info          :  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-08-03T13:29:56.937+02:00  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\  
  
genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174  
MicrobeMS ID        : 2016_03_08_Oskar Hübner_0003  
NCBI tax ID's       : 488447 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100 µl  
extra info          :  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-08-03T13:33:44.750+02:00  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\  
  
genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174  
MicrobeMS ID        : 2016_03_08_Oskar Hübner_0004  
NCBI tax ID's       : 488447 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100 µl  
extra info          :  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-08-03T13:37:07.750+02:00  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\  
  
genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174  
MicrobeMS ID        : 2016_17_08_Oskar Hübner_0001  
NCBI tax ID's       : 488447 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100 µl  
extra info          :  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-08-17T12:47:28.015+02:00  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\  
  
genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174  
MicrobeMS ID        : 2016_17_08_Oskar Hübner_0002  
NCBI tax ID's       : 488447 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100 µl  
extra info          :  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-08-17T12:51:32.671+02:00  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\  
  
genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174  
MicrobeMS ID        : 2016_17_08_Oskar Hübner_0003  
NCBI tax ID's       : 488447 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
```

```
concentration      : 3 Oesen in 100 µl
extra info        :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer           : RKI ZBS6
measurement date/time : 2016-08-17T12:54:12.390+02:00
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174
MicrobeMS ID          : 2016_17_08_Oskar Hübner_0004
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-08-17T12:58:39.125+02:00
path to MS file       : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174
MicrobeMS ID          : 2016_24_08_Oskar Hübner_0001
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 2 Oesen in 25 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-08-24T10:50:54.140+02:00
path to MS file       : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174
MicrobeMS ID          : 2016_24_08_Oskar Hübner_0002
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 2 Oesen in 25 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-08-24T10:54:49.296+02:00
path to MS file       : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174
MicrobeMS ID          : 2016_24_08_Oskar Hübner_0003
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 2 Oesen in 25 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-08-24T11:00:22.390+02:00
path to MS file       : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174
MicrobeMS ID          : 2016_24_08_Oskar Hübner_0004
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 2 Oesen in 25 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-08-24T11:03:49.453+02:00
path to MS file       : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174
MicrobeMS ID          : 2016_27_07_Oskar Hübner_0001
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-07-27T14:26:34.125+02:00
path to MS file       : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174
MicrobeMS ID          : 2016_27_07_Oskar Hübner_0002
```

NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-27T14:29:39.656+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174
MicrobeMS ID : 2016_27_07_Oskar Hübner_0003
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-27T14:32:19.578+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 184 NF 174
MicrobeMS ID : 2016_27_07_Oskar Hübner_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-27T14:40:15.875+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 29_07_2016_Julia Mitschke_0013
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T10:00:01.750+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 29_07_2016_Julia Mitschke_0014
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T10:01:56.500+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 29_07_2016_Julia Mitschke_0015
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T10:04:26.171+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 29_07_2016_Julia Mitschke_0016
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par

customer : RKI ZBS6
measurement date/time : 2016-07-29T10:07:35.828+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 2016_09_08_Oskar Hübner_0001
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-09T12:44:11.562+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 2016_09_08_Oskar Hübner_0002
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-09T12:47:52.671+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 2016_09_08_Oskar Hübner_0003
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-09T12:50:41.656+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 2016_09_08_Oskar Hübner_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-09T12:54:38.843+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 2016_16_08_Oskar Hübner_0001
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-16T12:53:03.718+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 2016_16_08_Oskar Hübner_0002
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-16T12:56:52.890+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 2016_16_08_Oskar Hübner_0003
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

```
growth medium : TSA
sample treatment : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-16T13:01:06.921+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 2016_16_08_Oskar Hübner_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-16T13:04:15.562+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 2016_23_08_Oskar Hübner_0001
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-23T10:19:57.359+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 2016_23_08_Oskar Hübner_0002
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-23T10:24:10.953+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 2016_23_08_Oskar Hübner_0003
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-23T10:29:18.890+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans CAMPA 188 FQ 8452
MicrobeMS ID : 2016_23_08_Oskar Hübner_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-23T10:33:32.953+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID : 29_07_2016_Julia Mitschke_0001
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T08:49:23.656+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\
```


genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID : 29_07_2016_Julia Mitschke_0002
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T08:53:40.625+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID : 29_07_2016_Julia Mitschke_0003
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T08:59:13.640+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID : 29_07_2016_Julia Mitschke_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T09:02:40.859+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID : 2016_03_08_Oskar Hübner_0005
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-03T13:42:49.656+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID : 2016_03_08_Oskar Hübner_0006
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-03T13:46:56.765+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID : 2016_03_08_Oskar Hübner_0007
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-03T13:50:13.171+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID : 2016_03_08_Oskar Hübner_0008
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :

```
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-03T13:54:59.812+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID          : 2016_10_08_Oskar Hübner_0005
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions      : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-10T13:19:50.203+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID          : 2016_10_08_Oskar Hübner_0006
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions      : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-10T13:23:25.703+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID          : 2016_10_08_Oskar Hübner_0007
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions      : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-10T13:27:12.375+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID          : 2016_10_08_Oskar Hübner_0008
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions      : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-10T13:30:10.328+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID          : 2016_17_08_Oskar Hübner_0005
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions      : aerob
growth medium         : Caso
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-17T13:05:01.687+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID          : 2016_17_08_Oskar Hübner_0006
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions      : aerob
growth medium         : Caso
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-17T13:08:03.906+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID          : 2016_17_08_Oskar Hübner_0007
NCBI tax ID's         : 488447 -
growth time           : 24h
```

growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-17T13:11:33.328+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq 9086
MicrobeMS ID : 2016_17_08_Oskar Hübner_0008
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-17T13:18:29.671+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID : 29_07_2016_Julia Mitschke_0021
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T10:27:16.984+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID : 29_07_2016_Julia Mitschke_0022
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T10:30:23.343+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID : 29_07_2016_Julia Mitschke_0023
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T10:32:40.234+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID : 29_07_2016_Julia Mitschke_0024
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T10:36:38.765+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID : 2016_09_08_Oskar Hübner_0005
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-09T13:01:56.765+02:00

```
path to MS file      : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\
genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID        : 2016_09_08_Oskar Hübner_0006
NCBI tax ID's       : 488447 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : TSA
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info         :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer           : RKI ZBS6
measurement date/time : 2016-08-09T13:05:07.375+02:00
path to MS file     : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID        : 2016_09_08_Oskar Hübner_0007
NCBI tax ID's       : 488447 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : TSA
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info         :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer           : RKI ZBS6
measurement date/time : 2016-08-09T13:10:41.656+02:00
path to MS file     : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID        : 2016_09_08_Oskar Hübner_0008
NCBI tax ID's       : 488447 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : TSA
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info         :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer           : RKI ZBS6
measurement date/time : 2016-08-09T13:14:27.562+02:00
path to MS file     : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID        : 2016_16_08_Oskar Hübner_0005
NCBI tax ID's       : 488447 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : TSA
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info         :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer           : RKI ZBS6
measurement date/time : 2016-08-16T13:14:42.031+02:00
path to MS file     : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID        : 2016_16_08_Oskar Hübner_0006
NCBI tax ID's       : 488447 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : TSA
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info         :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer           : RKI ZBS6
measurement date/time : 2016-08-16T13:19:35.156+02:00
path to MS file     : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID        : 2016_16_08_Oskar Hübner_0007
NCBI tax ID's       : 488447 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : TSA
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info         :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer           : RKI ZBS6
measurement date/time : 2016-08-16T13:35:16.000+02:00
path to MS file     : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID        : 2016_16_08_Oskar Hübner_0008
NCBI tax ID's       : 488447 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : TSA
sample treatment    : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
```

```
concentration      : 3 Oesen in 100 µl
extra info        :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer           : RKI ZBS6
measurement date/time : 2016-08-16T13:40:18.562+02:00
path to MS file    : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID         : 2016_23_08_Oskar Hübner_0005
NCBI tax ID's        : 488447 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
extra info          :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-23T10:41:12.000+02:00
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID         : 2016_23_08_Oskar Hübner_0006
NCBI tax ID's        : 488447 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
extra info          :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-23T10:45:49.250+02:00
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID         : 2016_23_08_Oskar Hübner_0007
NCBI tax ID's        : 488447 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
extra info          :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-23T10:49:14.015+02:00
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans Fq B 1003
MicrobeMS ID         : 2016_23_08_Oskar Hübner_0008
NCBI tax ID's        : 488447 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
extra info          :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-23T10:51:57.546+02:00
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans 103
MicrobeMS ID         : 2006_03_11_Alejandro Minan_0008
NCBI tax ID's        : 488447 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : TSA
sample treatment     : in 80$ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration        : 3 Oesen in 100 µl
extra info          : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2006-11-03 15:19:27
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans 103
MicrobeMS ID         : 2007_04_01_Alejandro Minan_0012
NCBI tax ID's        : 488447 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : TSA
sample treatment     : in 80$ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration        : 3 Oesen in 100 µl
extra info          : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2007-01-04 20:37:50
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans BC 04
MicrobeMS ID         : 2006_21_11_Alejandro Minan_0001
```

NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-21 11:40:22
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans BC 04
MicrobeMS ID : 2006_19_12_Alejandro Minan_0011
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-19 10:28:19
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans BC 04
MicrobeMS ID : 2006_19_12_Alejandro Minan_0012
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-19 10:34:30
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans BC 04
MicrobeMS ID : 2007_04_01_Alejandro Minan_0006
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-04 18:33:18
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans BC 05
MicrobeMS ID : 2006_21_11_Alejandro Minan_0002
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-21 11:46:41
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans BC 05
MicrobeMS ID : 2006_19_12_Alejandro Minan_0013
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-19 18:55:45
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans BC 05
MicrobeMS ID : 2006_19_12_Alejandro Minan_0014
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2006-12-19 18:59:42
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 05
MicrobeMS ID : 2007_04_01_Alejandro Minan_0007
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-04 18:38:22
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 11
MicrobeMS ID : 2007_15_01_Alejandro Minan_0043
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 19:32:47
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 11
MicrobeMS ID : 2007_15_01_Alejandro Minan_0044
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 19:35:37
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 21
MicrobeMS ID : 2006_26_10_Alejandro Minan_0008
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-26 16:41:31
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans BC 21
MicrobeMS ID : 2009_15_05_Maren Stämmeler_0003
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-05-15T21:46:44.265+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fq 6406
MicrobeMS ID : 2006_03_11_Alejandro Minan_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-03 14:48:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fq 6406
MicrobeMS ID : 2008_18_11_Maren Stämmeler_0011
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob

growth medium : TSA
sample treatment : in 80% TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); ca. 3 Wochen bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-18T10:49:13.765+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fg 6406
MicrobeMS ID : 2008_21_11_Maren Stämmeler_0011
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); 2 Tage bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-21T11:06:31.562+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans Fg 6406
MicrobeMS ID : 2009_15_05_Maren Stämmeler_0004
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-05-15T21:48:53.421+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 98
MicrobeMS ID : 2006_11_10_Alejandro Minan_0029
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-12 09:11:24
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 98
MicrobeMS ID : 2006_13_10_Alejandro Minan_0005
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-13 14:37:48
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 98
MicrobeMS ID : 2006_13_10_Alejandro Minan_0010
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-13 15:42:28
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 99
MicrobeMS ID : 2006_08_11_Alejandro Minan_0006
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-08 14:24:36
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia contaminans\\

genus, species, strain : Burkholderia contaminans NF 99
MicrobeMS ID : 2009_15_05_Maren Stämmeler_0008
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-05-15T22:07:24.796+00:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361
MicrobeMS ID : 11_05_2016_Julia Mitschke_0005
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-11T14:35:39.031+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361
MicrobeMS ID : 11_05_2016_Julia Mitschke_0006
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-11T14:39:09.171+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361
MicrobeMS ID : 11_05_2016_Julia Mitschke_0007
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-11T14:41:46.375+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361
MicrobeMS ID : 11_05_2016_Julia Mitschke_0008
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-11T14:43:55.828+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361
MicrobeMS ID : 11_05_2016_Julia Mitschke_0001
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-11T14:19:45.671+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361
MicrobeMS ID : 11_05_2016_Julia Mitschke_0002
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :

```
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-11T14:23:27.375+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361
MicrobeMS ID          : 11_05_2016_Julia Mitschke_0003
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-11T14:26:26.453+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361
MicrobeMS ID          : 11_05_2016_Julia Mitschke_0004
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-11T14:28:37.140+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361 / DSM 22706
MicrobeMS ID          : 2016_16_08_Oskar Hübner_0009
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-16T13:43:58.953+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361 / DSM 22706
MicrobeMS ID          : 2016_16_08_Oskar Hübner_0010
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-16T13:47:11.156+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361 / DSM 22706
MicrobeMS ID          : 2016_16_08_Oskar Hübner_0011
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-16T13:52:37.843+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361 / DSM 22706
MicrobeMS ID          : 2016_16_08_Oskar Hübner_0012
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-08-16T13:56:00.109+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361
MicrobeMS ID          : 29_07_2016_Julia Mitschke_0029
NCBI tax ID's         : 488447 -
growth time           : 24h
```

growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T10:54:36.125+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361
MicrobeMS ID : 29_07_2016_Julia Mitschke_0030
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T10:57:02.546+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361
MicrobeMS ID : 29_07_2016_Julia Mitschke_0031
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T10:59:11.578+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361
MicrobeMS ID : 29_07_2016_Julia Mitschke_0032
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-29T11:01:36.250+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361 / DSM 22706
MicrobeMS ID : 2016_09_08_Oskar Hübner_0009
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-09T13:18:52.765+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361 / DSM 22706
MicrobeMS ID : 2016_09_08_Oskar Hübner_0010
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-09T13:21:36.281+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans LMG 23361 / DSM 22706
MicrobeMS ID : 2016_09_08_Oskar Hübner_0011
NCBI tax ID's : 488447 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-09T13:24:40.500+02:00

```
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\  
genus, species, strain : Burkholderia contaminans LMG 23361 / DSM 22706  
MicrobeMS ID        : 2016_09_08_Oskar Hübner_0012  
NCBI tax ID's       : 488447 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100 µl  
extra info          :  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-08-09T13:27:46.562+02:00  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\  
  
genus, species, strain : Burkholderia contaminans LMG 23361 / DSM 22706  
MicrobeMS ID        : 2016_23_08_Oskar Hübner_0009  
NCBI tax ID's       : 488447 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100 µl  
extra info          :  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-08-23T11:00:55.078+02:00  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\  
  
genus, species, strain : Burkholderia contaminans LMG 23361 / DSM 22706  
MicrobeMS ID        : 2016_23_08_Oskar Hübner_0010  
NCBI tax ID's       : 488447 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100 µl  
extra info          :  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-08-23T11:04:24.796+02:00  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\  
  
genus, species, strain : Burkholderia contaminans LMG 23361 / DSM 22706  
MicrobeMS ID        : 2016_23_08_Oskar Hübner_0011  
NCBI tax ID's       : 488447 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100 µl  
extra info          :  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-08-23T11:07:57.968+02:00  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\  
  
genus, species, strain : Burkholderia contaminans LMG 23361 / DSM 22706  
MicrobeMS ID        : 2016_23_08_Oskar Hübner_0012  
NCBI tax ID's       : 488447 -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration       : 3 Oesen in 100 µl  
extra info          :  
calibration standard : E. coli Standard K12 (DSM 3871)  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS6  
measurement date/time : 2016-08-23T11:11:50.500+02:00  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\  
  
genus, species, strain : Burkholderia contaminans DSM 22706  
MicrobeMS ID        : 2010_12_11_Maren Stämmeler_0003  
NCBI tax ID's       : 488447 -  
growth time         : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration       : 3-4 Oesen in 100 µl  
extra info          : Stämme von der DSMZ Anzucht und Präp.: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2010-11-12T10:30:18.890+01:00  
path to MS file     : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\  
  
genus, species, strain : Burkholderia contaminans DSM 22706  
MicrobeMS ID        : 2010_18_11_Maren Stämmeler_0003  
NCBI tax ID's       : 488447 -  
growth time         : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
```

```
concentration      : 3 Oesen in 100 muel
extra info        : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer          : RKI ZBS6
measurement date/time : 2010-11-18T12:02:20.765+01:00
path to MS file   : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans DSM 22706
MicrobeMS ID          : 2010_25_11_Maren Stämmeler_0003
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : TSA
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-4 Oesen in 100 muel
extra info           : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2010-11-25T10:38:07.734+01:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia contaminans DSM 22706
MicrobeMS ID          : 2010_01_12_Maren Stämmeler_0003
NCBI tax ID's         : 488447 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : TSA
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-4 Oesen in 100 muel
extra info           : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2010-12-01T10:12:28.812+01:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID          : 29_07_2016_Julia Mitschke_0025
NCBI tax ID's         : 482957 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment     : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-07-29T10:41:33.312+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID          : 29_07_2016_Julia Mitschke_0026
NCBI tax ID's         : 482957 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment     : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-07-29T10:44:31.562+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID          : 29_07_2016_Julia Mitschke_0027
NCBI tax ID's         : 482957 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment     : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-07-29T10:46:38.046+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID          : 29_07_2016_Julia Mitschke_0028
NCBI tax ID's         : 482957 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment     : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-07-29T10:48:31.390+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID          : 2016_09_08_Oskar Hübner_0013
```

NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-09T13:36:30.109+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID : 2016_09_08_Oskar Hübner_0014
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-09T13:39:46.640+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID : 2016_09_08_Oskar Hübner_0015
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-09T13:42:23.203+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID : 2016_09_08_Oskar Hübner_0016
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-09T13:45:01.421+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID : 2016_16_08_Oskar Hübner_0013
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-16T14:02:34.312+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID : 2016_16_08_Oskar Hübner_0014
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-16T14:05:43.250+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID : 2016_16_08_Oskar Hübner_0015
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par

customer : RKI ZBS6
measurement date/time : 2016-08-16T14:08:37.171+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID : 2016_16_08_Oskar Hübner_0016
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-16T14:12:25.421+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID : 2016_23_08_Oskar Hübner_0013
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-23T11:18:47.031+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID : 2016_23_08_Oskar Hübner_0014
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-23T11:22:55.515+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID : 2016_23_08_Oskar Hübner_0015
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-23T11:27:25.531+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

genus, species, strain : Burkholderia lata LMG 22485
MicrobeMS ID : 2016_23_08_Oskar Hübner_0016
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-08-23T11:29:58.359+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia contaminans\

Burkholderia diffusa

genus, species, strain : Burkholderia diffusa DSM 23434
MicrobeMS ID : 20_05_2016_Julia Mitschke_0021
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-20T13:15:16.328+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa DSM 23434
MicrobeMS ID : 20_05_2016_Julia Mitschke_0022
NCBI tax ID's : 488732 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-20T13:17:50.937+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa DSM 23434
MicrobeMS ID : 20_05_2016_Julia Mitschke_0023
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-20T13:22:21.031+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa DSM 23434
MicrobeMS ID : 20_05_2016_Julia Mitschke_0024
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-20T13:24:27.484+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa DSM23434
MicrobeMS ID : 2016_05_24_Schneider_Andy_0013
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-24T14:05:52.406+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa DSM23434
MicrobeMS ID : 2016_05_24_Schneider_Andy_0014
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-24T14:07:57.218+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa DSM23434
MicrobeMS ID : 2016_05_24_Schneider_Andy_0015
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-24T14:10:27.875+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa DSM23434
MicrobeMS ID : 2016_05_24_Schneider_Andy_0016
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2016-05-24T14:12:06.140+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa DSM 23434
MicrobeMS ID : 31_05_2016_Julia Mitschke_0021
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T15:04:22.421+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa DSM 23434
MicrobeMS ID : 31_05_2016_Julia Mitschke_0022
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T15:06:33.281+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa DSM 23434
MicrobeMS ID : 31_05_2016_Julia Mitschke_0023
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T15:08:51.468+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa DSM 23434
MicrobeMS ID : 31_05_2016_Julia Mitschke_0024
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T15:10:50.203+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa LMG_24065
MicrobeMS ID : 20170403_Schneider_Andy_0005
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T10:15:14.000+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa LMG_24065
MicrobeMS ID : 20170403_Schneider_Andy_0006
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T10:17:38.781+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa LMG_24065
MicrobeMS ID : 20170403_Schneider_Andy_0007
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar

sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T10:19:37.062+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa LMG_24065
MicrobeMS ID : 20170403_Schneider_Andy_0008
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T10:24:43.671+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa LMG_24065
MicrobeMS ID : 20170403_Schneider_Andy_0021
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T11:17:09.562+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa LMG_24065
MicrobeMS ID : 20170403_Schneider_Andy_0022
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T11:19:04.078+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa LMG_24065
MicrobeMS ID : 20170403_Schneider_Andy_0023
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T11:23:37.312+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa LMG_24065
MicrobeMS ID : 20170403_Schneider_Andy_0024
NCBI tax ID's : 488732 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T12:47:13.453+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa LMG_24065
MicrobeMS ID : 2017_03_29_Mitschke_Julia_0005
NCBI tax ID's : 488732 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:10 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-29T15:38:42.484+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa LMG_24065

MicrobeMS ID : 2017_03_29_Mitschke Julia_0006
NCBI tax ID's : 488732 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:10 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-29T15:42:29.125+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa LMG 24065
MicrobeMS ID : 2017_03_29_Mitschke Julia_0007
NCBI tax ID's : 488732 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:10 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-29T15:45:13.390+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

genus, species, strain : Burkholderia diffusa LMG 24065
MicrobeMS ID : 2017_03_29_Mitschke Julia_0008
NCBI tax ID's : 488732 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:10 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-29T15:48:08.187+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia diffusa\

Burkholderia dolosa

genus, species, strain : Burkholderia dolosa DSM 16088
MicrobeMS ID : 2007_03_01_Alejandro Minan_0019
NCBI tax ID's : 152500 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 21:07:02
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia dolosa\

genus, species, strain : Burkholderia dolosa DSM 16088
MicrobeMS ID : 2007_03_01_Alejandro Minan_0020
NCBI tax ID's : 152500 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 21:11:50
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia dolosa\

genus, species, strain : Burkholderia dolosa DSM 16088
MicrobeMS ID : 2007_25_01_Alejandro Minan_0007
NCBI tax ID's : 152500 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 15:17:49
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia dolosa\

genus, species, strain : Burkholderia dolosa DSM 16088
MicrobeMS ID : 2007_25_01_Alejandro Minan_0008
NCBI tax ID's : 152500 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2

concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 15:20:22
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia dolosa\\

genus, species, strain : Burkholderia dolosa DSM 16088
MicrobEMS ID : 2007_25_01_Alejandro Minan_0009
NCBI tax ID's : 152500 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 15:25:31
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia dolosa\\

genus, species, strain : Burkholderia dolosa LMG 21820
MicrobEMS ID : 2006_17_11_Alejandro Minan_0007
NCBI tax ID's : 152500 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-17 15:04:46
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia dolosa\\

genus, species, strain : Burkholderia dolosa LMG 21820
MicrobEMS ID : 2006_13_12_Alejandro Minan_0017
NCBI tax ID's : 152500 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 19:18:56
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia dolosa\\

genus, species, strain : Burkholderia dolosa LMG 21820
MicrobEMS ID : 2006_13_12_Alejandro Minan_0018
NCBI tax ID's : 152500 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 19:22:46
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia dolosa\\

Burkholderia lata

genus, species, strain : Burkholderia lata DSM 23089
MicrobEMS ID : 20_05_2016_Julia Mitschke_0013
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-20T12:50:27.593+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia lata\\

genus, species, strain : Burkholderia lata DSM 23089
MicrobEMS ID : 20_05_2016_Julia Mitschke_0014
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-20T12:53:14.312+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia lata\\

```
genus, species, strain : Burkholderia lata DSM 23089
MicrobeMS ID          : 20_05_2016_Julia Mitschke_0015
NCBI tax ID's         : 482957 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-20T12:58:00.937+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia lata\

genus, species, strain : Burkholderia lata DSM 23089
MicrobeMS ID          : 20_05_2016_Julia Mitschke_0016
NCBI tax ID's         : 482957 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-20T13:00:21.843+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia lata\

genus, species, strain : Burkholderia lata DSM23089
MicrobeMS ID          : 2016_05_24_Schneider_Andy_0009
NCBI tax ID's         : 482957 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-24T13:49:55.812+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia lata\

genus, species, strain : Burkholderia lata DSM23089
MicrobeMS ID          : 2016_05_24_Schneider_Andy_0010
NCBI tax ID's         : 482957 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-24T13:56:13.156+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia lata\

genus, species, strain : Burkholderia lata DSM23089
MicrobeMS ID          : 2016_05_24_Schneider_Andy_0011
NCBI tax ID's         : 482957 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-24T13:59:04.609+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia lata\

genus, species, strain : Burkholderia lata DSM23089
MicrobeMS ID          : 2016_05_24_Schneider_Andy_0012
NCBI tax ID's         : 482957 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-24T14:01:37.531+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia lata\

genus, species, strain : Burkholderia lata DSM 23089
MicrobeMS ID          : 31_05_2016_Julia Mitschke_0013
NCBI tax ID's         : 482957 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
```

```
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T14:39:17.281+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia lata\

genus, species, strain : Burkholderia lata DSM 23089
MicrobeMS ID : 31_05_2016_Julia Mitschke_0014
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T14:41:49.359+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia lata\

genus, species, strain : Burkholderia lata DSM 23089
MicrobeMS ID : 31_05_2016_Julia Mitschke_0015
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T14:44:08.953+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia lata\

genus, species, strain : Burkholderia lata DSM 23089
MicrobeMS ID : 31_05_2016_Julia Mitschke_0016
NCBI tax ID's : 482957 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T14:46:10.000+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia lata\
```

Burkholderia latens

```
genus, species, strain : Burkholderia latens DSM 23436
MicrobeMS ID : 20_05_2016_Julia Mitschke_0017
NCBI tax ID's : 488446 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-20T13:04:03.234+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia latens\

genus, species, strain : Burkholderia latens DSM 23436
MicrobeMS ID : 20_05_2016_Julia Mitschke_0018
NCBI tax ID's : 488446 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-20T13:06:50.015+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia latens\

genus, species, strain : Burkholderia latens DSM 23436
MicrobeMS ID : 20_05_2016_Julia Mitschke_0019
NCBI tax ID's : 488446 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-20T13:10:47.984+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia latens\
```

genus, species, strain : Burkholderia latens DSM 23436
MicrobeMS ID : 20_05_2016_Julia Mitschke_0020
NCBI tax ID's : 488446 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-20T13:12:48.421+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia latens\

genus, species, strain : Burkholderia latens DSM23436
MicrobeMS ID : 2016_05_24_Schneider_Andy_0017
NCBI tax ID's : 488446 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-24T14:16:35.171+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia latens\

genus, species, strain : Burkholderia latens DSM23436
MicrobeMS ID : 2016_05_24_Schneider_Andy_0018
NCBI tax ID's : 488446 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-24T14:18:58.265+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia latens\

genus, species, strain : Burkholderia latens DSM23436
MicrobeMS ID : 2016_05_24_Schneider_Andy_0019
NCBI tax ID's : 488446 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-24T14:21:25.281+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia latens\

genus, species, strain : Burkholderia latens DSM23436
MicrobeMS ID : 2016_05_24_Schneider_Andy_0020
NCBI tax ID's : 488446 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-24T14:24:20.703+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia latens\

genus, species, strain : Burkholderia latens DSM 23436
MicrobeMS ID : 31_05_2016_Julia Mitschke_0017
NCBI tax ID's : 488446 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T14:51:32.453+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia latens\

genus, species, strain : Burkholderia latens DSM 23436
MicrobeMS ID : 31_05_2016_Julia Mitschke_0018
NCBI tax ID's : 488446 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :

```

calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-31T14:53:30.656+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia latens\

genus, species, strain : Burkholderia latens DSM 23436
MicrobeMS ID           : 31_05_2016_Julia Mitschke_0019
NCBI tax ID's         : 488446 -
growth time            : 24h
growth temperature    : 37°C
growth conditions      : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100 µl
extra info            :
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2016-05-31T14:56:15.125+02:00
path to MS file        : \Burkholderia\Burkholderia cepacia complex\Burkholderia latens\

genus, species, strain : Burkholderia latens DSM 23436
MicrobeMS ID           : 31_05_2016_Julia Mitschke_0020
NCBI tax ID's         : 488446 -
growth time            : 24h
growth temperature    : 37°C
growth conditions      : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration          : 3 Oesen in 100 µl
extra info            :
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2016-05-31T14:58:35.531+02:00
path to MS file        : \Burkholderia\Burkholderia cepacia complex\Burkholderia latens\

```

Burkholderia metallica

```

genus, species, strain : Burkholderia metallica DSM 23519
MicrobeMS ID           : 2010_12_11_Maren Stämmeler_0006
NCBI tax ID's         : 488729 -
growth time            : 24h
growth temperature    : 37 Grad Celsius
growth conditions      : aerob
growth medium         : TSA
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration          : 3-4 Oesen in 100 µl
extra info            : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard   : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2010-11-12T10:39:58.578+01:00
path to MS file        : \Burkholderia\Burkholderia cepacia complex\Burkholderia metallica\

genus, species, strain : Burkholderia metallica DSM 23519
MicrobeMS ID           : 2010_18_11_Maren Stämmeler_0006
NCBI tax ID's         : 488729 -
growth time            : 24h
growth temperature    : 37 Grad Celsius
growth conditions      : aerob
growth medium         : TSA
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration          : 3 Oesen in 100 µl
extra info            : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard   : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2010-11-18T12:16:51.765+01:00
path to MS file        : \Burkholderia\Burkholderia cepacia complex\Burkholderia metallica\

genus, species, strain : Burkholderia metallica DSM 23519
MicrobeMS ID           : 2010_25_11_Maren Stämmeler_0006
NCBI tax ID's         : 488729 -
growth time            : 24h
growth temperature    : 37 Grad Celsius
growth conditions      : aerob
growth medium         : TSA
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration          : 3-4 Oesen in 100 µl
extra info            : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard   : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2010-11-25T10:49:56.000+01:00
path to MS file        : \Burkholderia\Burkholderia cepacia complex\Burkholderia metallica\

genus, species, strain : Burkholderia metallica DSM 23519
MicrobeMS ID           : 2010_01_12_Maren Stämmeler_0006
NCBI tax ID's         : 488729 -
growth time            : 24h
growth temperature    : 37 Grad Celsius
growth conditions      : aerob
growth medium         : TSA
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration          : 3-4 Oesen in 100 µl
extra info            : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard   : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2010-12-01T10:34:46.890+01:00
path to MS file        : \Burkholderia\Burkholderia cepacia complex\Burkholderia metallica\

genus, species, strain : Burkholderia metallica LMG_24275

```


MicrobeMS ID : 20170403_Schneider_Andy_0013
NCBI tax ID's : 488729 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T10:48:59.046+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia metallica\

genus, species, strain : Burkholderia metallica LMG_24275
MicrobeMS ID : 20170403_Schneider_Andy_0014
NCBI tax ID's : 488729 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T10:50:33.671+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia metallica\

genus, species, strain : Burkholderia metallica LMG_24275
MicrobeMS ID : 20170403_Schneider_Andy_0015
NCBI tax ID's : 488729 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T10:51:48.156+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia metallica\

genus, species, strain : Burkholderia metallica LMG_24275
MicrobeMS ID : 20170403_Schneider_Andy_0016
NCBI tax ID's : 488729 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T10:53:39.453+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia metallica\

genus, species, strain : Burkholderia metallica LMG_24275
MicrobeMS ID : 20170403_Schneider_Andy_0029
NCBI tax ID's : 488729 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T13:05:34.437+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia metallica\

genus, species, strain : Burkholderia metallica LMG_24275
MicrobeMS ID : 20170403_Schneider_Andy_0030
NCBI tax ID's : 488729 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T13:07:34.781+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia metallica\

genus, species, strain : Burkholderia metallica LMG_24275
MicrobeMS ID : 20170403_Schneider_Andy_0031
NCBI tax ID's : 488729 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T13:09:39.890+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia metallica\\

genus, species, strain : Burkholderia metallica LMG_24275
MicrobeMS ID : 20170403_Schneider_Andy_0032
NCBI tax ID's : 488729 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T13:11:58.375+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia metallica\\

genus, species, strain : Burkholderia metallica LMG 24275
MicrobeMS ID : 2017_03_31_Mitschke_Julia_0005
NCBI tax ID's : 488729 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:10 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T13:25:04.656+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia metallica\\

genus, species, strain : Burkholderia metallica LMG 24275
MicrobeMS ID : 2017_03_31_Mitschke_Julia_0006
NCBI tax ID's : 488729 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:10 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T13:35:26.234+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia metallica\\

genus, species, strain : Burkholderia metallica LMG 24275
MicrobeMS ID : 2017_03_31_Mitschke_Julia_0007
NCBI tax ID's : 488729 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:10 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T13:44:38.765+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia metallica\\

genus, species, strain : Burkholderia metallica LMG 24275
MicrobeMS ID : 2017_03_31_Mitschke_Julia_0008
NCBI tax ID's : 488729 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:10 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-31T13:49:09.843+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia metallica\\

Burkholderia multivorans

genus, species, strain : Burkholderia multivorans CCUG 34080
MicrobeMS ID : 2007_04_05_Maren Stämmeler_0004
NCBI tax ID's : 87883 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-04 13:31:27
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia multivorans\\

genus, species, strain : Burkholderia multivorans CCUG 34080
MicrobeMS ID : 2007_09_05_Maren Stämmeler_0004

NCBI tax ID's : 87883 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-09 13:52:48
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia multivorans\

genus, species, strain : Burkholderia multivorans CCUG 34080
MicrobeMS ID : 2007_16_05_Maren Stämmeler_0004
NCBI tax ID's : 87883 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-16 09:50:57
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia multivorans\

genus, species, strain : Burkholderia multivorans CCUG 37240
MicrobeMS ID : 2007_04_05_Maren Stämmeler_0005
NCBI tax ID's : 87883 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-04 13:35:53
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia multivorans\

genus, species, strain : Burkholderia multivorans CCUG 37240
MicrobeMS ID : 2007_09_05_Maren Stämmeler_0005
NCBI tax ID's : 87883 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-09 13:57:07
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia multivorans\

genus, species, strain : Burkholderia multivorans CCUG 37240
MicrobeMS ID : 2007_16_05_Maren Stämmeler_0005
NCBI tax ID's : 87883 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-16 09:56:31
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia multivorans\

genus, species, strain : Burkholderia multivorans ATCC 17616
MicrobeMS ID : 2006_03_11_Alejandro Minan_0002
NCBI tax ID's : 87883 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Praeparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-03 14:35:43
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia multivorans\

genus, species, strain : Burkholderia multivorans ATCC 17616
MicrobeMS ID : 2006_13_12_Alejandro Minan_0005
NCBI tax ID's : 87883 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Praeparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2006-12-13 17:21:41
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia multivorans\

genus, species, strain : Burkholderia multivorans ATCC 17616
MicrobeMS ID : 2006_13_12_Alejandro Minan_0006
NCBI tax ID's : 87883 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 17:25:10
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia multivorans\

genus, species, strain : Burkholderia multivorans HST 101
MicrobeMS ID : 2006_08_11_Alejandro Minan_0002
NCBI tax ID's : 87883 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-08 13:57:56
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia multivorans\

genus, species, strain : Burkholderia multivorans HST 101
MicrobeMS ID : 2007_05_01_Alejandro Minan_0007
NCBI tax ID's : 87883 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-05 17:43:04
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia multivorans\

genus, species, strain : Burkholderia multivorans LMG 13010
MicrobeMS ID : 2006_03_11_Alejandro Minan_0010
NCBI tax ID's : 87883 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-03 15:33:37
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia multivorans\

genus, species, strain : Burkholderia multivorans LMG 13010
MicrobeMS ID : 2006_13_12_Alejandro Minan_0007
NCBI tax ID's : 87883 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 17:58:23
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia multivorans\

genus, species, strain : Burkholderia multivorans LMG 13010
MicrobeMS ID : 2006_13_12_Alejandro Minan_0008
NCBI tax ID's : 87883 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 18:03:53
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia multivorans\

Burkholderia pseudomultivorans

genus, species, strain : Burkholderia pseudomultivorans LMG_16669
MicrobeMS ID : 2017_03_27_Schneider_Andy_0017
NCBI tax ID's : 1207504 -

```
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T14:17:43.437+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG_16669
MicrobeMS ID : 2017_03_27_Schneider_Andy_0018
NCBI tax ID's : 1207504 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T14:19:23.718+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG_16669
MicrobeMS ID : 2017_03_27_Schneider_Andy_0019
NCBI tax ID's : 1207504 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T14:23:39.296+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG_16669
MicrobeMS ID : 2017_03_21_Mitschke_Julia_0005
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-21T14:22:18.890+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 16669
MicrobeMS ID : 2017_03_21_Mitschke_Julia_0006
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-21T14:25:50.718+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 16669
MicrobeMS ID : 2017_03_21_Mitschke_Julia_0007
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
```

measurement date/time : 2017-03-21T14:30:07.750+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 16669
MicrobeMS ID : 2017_03_21_Mitschke Julia_0008
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-21T14:32:02.640+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 16669
MicrobeMS ID : 2017_03_24_Mitschke Julia_0001
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T10:43:25.953+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 16669
MicrobeMS ID : 2017_03_24_Mitschke Julia_0002
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T10:47:22.046+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 16669
MicrobeMS ID : 2017_03_24_Mitschke Julia_0003
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T10:53:03.343+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 16669
MicrobeMS ID : 2017_03_24_Mitschke Julia_0004
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T10:56:25.468+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG_26883
MicrobeMS ID : 2017_03_27_Schneider_Andy_0021
NCBI tax ID's : 1207504 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80\$ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T14:28:02.046+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG_26883
MicrobeMS ID : 2017_03_27_Schneider_Andy_0022
NCBI tax ID's : 1207504 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar

sample treatment : 80% TFA, 30 Minuten, 1:10 Verdünnt in H₂O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T14:29:39.609+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG_26883
MicrobeMS ID : 2017_03_27_Schneider_Andy_0023
NCBI tax ID's : 1207504 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verdünnt in H₂O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T14:31:32.046+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG_26883
MicrobeMS ID : 2017_03_27_Schneider_Andy_0024
NCBI tax ID's : 1207504 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verdünnt in H₂O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T14:33:46.093+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26883
MicrobeMS ID : 2017_03_21_Mitschke Julia_0009
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-21T14:37:35.656+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26883
MicrobeMS ID : 2017_03_21_Mitschke Julia_0010
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-21T14:41:03.437+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26883
MicrobeMS ID : 2017_03_21_Mitschke Julia_0011
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-21T14:43:46.593+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26883
MicrobeMS ID : 2017_03_21_Mitschke Julia_0012
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-21T14:47:07.046+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26883

MicrobeMS ID : 2017_03_24_Mitschke Julia_0013
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T13:07:26.890+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26883
MicrobeMS ID : 2017_03_24_Mitschke Julia_0014
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T13:10:17.093+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26883
MicrobeMS ID : 2017_03_24_Mitschke Julia_0015
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T13:12:35.000+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26883
MicrobeMS ID : 2017_03_24_Mitschke Julia_0016
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T13:15:21.265+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG_26914
MicrobeMS ID : 2017_03_27_Schneider_Andy_0029
NCBI tax ID's : 1207504 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verdünnt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T15:02:44.703+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG_26914
MicrobeMS ID : 2017_03_27_Schneider_Andy_0030
NCBI tax ID's : 1207504 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verdünnt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T15:04:32.093+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG_26914
MicrobeMS ID : 2017_03_27_Schneider_Andy_0031
NCBI tax ID's : 1207504 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verdünnt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T15:07:03.265+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG_26914
MicrobeMS ID : 2017_03_27_Schneider_Andy_0032
NCBI tax ID's : 1207504 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T15:09:03.375+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26914
MicrobeMS ID : 2017_03_24_Mitschke Julia_0021
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T13:36:44.578+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26914
MicrobeMS ID : 2017_03_24_Mitschke Julia_0022
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T13:39:24.109+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26914
MicrobeMS ID : 2017_03_24_Mitschke Julia_0023
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T13:42:45.125+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26914
MicrobeMS ID : 2017_03_24_Mitschke Julia_0024
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T13:44:39.859+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26914
MicrobeMS ID : 2017_03_24_Mitschke Julia_0017
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T13:22:04.218+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26914
MicrobeMS ID : 2017_03_24_Mitschke Julia_0018
NCBI tax ID's : 1207504 -
growth time : 24 h
growth temperature : 37°C

growth conditions : aerob
 growth medium : CASO
 sample treatment : in 80 μ l TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
 concentration : 3 Oesen in 100 μ l
 extra info : Stämme von LMG
 calibration standard : E. coli Standard K12 (DSM 3871)
 measurement method : ToM_200ns_20130611.par
 customer : RKI ZBS6
 measurement date/time : 2017-03-24T13:24:48.250+01:00
 path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26914
 MicrobeMS ID : 2017_03_24_Mitschke Julia_0019
 NCBI tax ID's : 1207504 -
 growth time : 24 h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : CASO
 sample treatment : in 80 μ l TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
 concentration : 3 Oesen in 100 μ l
 extra info : Stämme von LMG
 calibration standard : E. coli Standard K12 (DSM 3871)
 measurement method : ToM_200ns_20130611.par
 customer : RKI ZBS6
 measurement date/time : 2017-03-24T13:26:49.062+01:00
 path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

genus, species, strain : Burkholderia pseudomultivorans LMG 26914
 MicrobeMS ID : 2017_03_24_Mitschke Julia_0020
 NCBI tax ID's : 1207504 -
 growth time : 24 h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : CASO
 sample treatment : in 80 μ l TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
 concentration : 3 Oesen in 100 μ l
 extra info : Stämme von LMG
 calibration standard : E. coli Standard K12 (DSM 3871)
 measurement method : ToM_200ns_20130611.par
 customer : RKI ZBS6
 measurement date/time : 2017-03-24T13:29:04.921+01:00
 path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pseudomultivorans\

Burkholderia puraquae

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244) glänzend
 MicrobeMS ID : 2016_03_11_Maren Stämmeler_0011
 NCBI tax ID's : -
 growth time : 24h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80 μ l TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
 concentration : ca. 2 Oesen in 25 μ l
 extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
 calibration standard : E.coli K12 (DSM 3871) linear kalibriert
 measurement method : ToM_200ns_20130611.par
 customer : RKI ZBS2/ZBS6
 measurement date/time : 2016-03-11T14:21:29.890+01:00
 path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244) glänzend
 MicrobeMS ID : 2016_03_11_Maren Stämmeler_0012
 NCBI tax ID's : -
 growth time : 24h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80 μ l TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
 concentration : ca. 2 Oesen in 25 μ l
 extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
 calibration standard : E.coli K12 (DSM 3871) linear kalibriert
 measurement method : ToM_200ns_20130611.par
 customer : RKI ZBS2/ZBS6
 measurement date/time : 2016-03-11T14:23:45.781+01:00
 path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244)
 MicrobeMS ID : 2016_03_18_Maren Stämmeler_0009
 NCBI tax ID's : -
 growth time : 24h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80 μ l TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
 concentration : ca. 2 Oesen in 25 μ l
 extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
 calibration standard : E.coli K12 (DSM 3871) linear kalibriert
 measurement method : ToM_200ns_20130611.par
 customer : RKI ZBS2/ZBS6
 measurement date/time : 2016-03-18T12:56:42.375+01:00
 path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244)
 MicrobeMS ID : 2016_03_18_Maren Stämmeler_0010
 NCBI tax ID's : -
 growth time : 24h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80 μ l TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
 concentration : ca. 2 Oesen in 25 μ l
 extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
 calibration standard : E.coli K12 (DSM 3871) linear kalibriert
 measurement method : ToM_200ns_20130611.par

customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T12:59:17.828+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0031
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:41:25.687+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0032
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:43:53.765+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0033
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:46:13.218+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0034
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:48:33.562+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0017
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T14:51:19.015+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0018
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T14:53:56.921+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0019
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T14:56:43.203+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0020
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T15:01:45.718+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0017
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T14:00:38.687+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0018
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T14:03:11.828+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0019
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T14:05:29.234+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 1030 (HST 244)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0020
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T14:07:56.687+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobeMS ID : 2016_03_11_Maren Stämmeler_0015
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-11T14:37:47.703+01:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobeMS ID : 2016_03_11_Maren Stämmeler_0016
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-11T14:40:15.640+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0011
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T13:04:17.281+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0012
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T13:06:48.312+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0035
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:54:41.671+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0036
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:57:19.093+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0037
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:59:55.640+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0038
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS

calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T15:02:33.484+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobMS ID : 2016_03_29_Maren Stämmeler_0021
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldit: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T15:07:41.515+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobMS ID : 2016_03_29_Maren Stämmeler_0022
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldit: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T15:10:11.828+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobMS ID : 2016_03_29_Maren Stämmeler_0023
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldit: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T15:12:38.984+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobMS ID : 2016_03_29_Maren Stämmeler_0024
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldit: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T15:15:07.875+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobMS ID : 2016_04_01_Maren Stämmeler_0021
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldit: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T14:10:17.375+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobMS ID : 2016_04_01_Maren Stämmeler_0022
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldit: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T14:12:49.437+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobMS ID : 2016_04_01_Maren Stämmeler_0023
NCBI tax ID's : -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T14:21:29.640+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1040T (HST 245)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0024
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T14:23:44.218+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)
MicrobeMS ID : 2016_03_11_Maren Stämmeler_0017
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-11T14:47:35.890+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)
MicrobeMS ID : 2016_03_11_Maren Stämmeler_0018
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-11T14:50:00.265+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0013
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T13:09:28.546+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0014
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T13:11:55.718+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0039
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T15:07:38.562+01:00

```
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\  
genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)  
MicrobeMS ID        : 2016_03_18_Maren Stämmeler_0040  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 2 Oesen in 25 muel  
extra info          : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS  
calibration standard : E.coli K12 (DSM 3871) linear kalibriert  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2016-03-18T15:09:56.953+01:00  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\  
  
genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)  
MicrobeMS ID        : 2016_03_18_Maren Stämmeler_0041  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 2 Oesen in 25 muel  
extra info          : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS  
calibration standard : E.coli K12 (DSM 3871) linear kalibriert  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2016-03-18T15:12:30.703+01:00  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\  
  
genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)  
MicrobeMS ID        : 2016_03_18_Maren Stämmeler_0042  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 2 Oesen in 25 muel  
extra info          : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS  
calibration standard : E.coli K12 (DSM 3871) linear kalibriert  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2016-03-18T15:14:59.046+01:00  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\  
  
genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)  
MicrobeMS ID        : 2016_03_29_Maren Stämmeler_0025  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 2 Oesen in 25 muel  
extra info          : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS  
calibration standard : E.coli K12 (DSM 3871) linear kalibriert  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2016-03-29T15:21:48.062+02:00  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\  
  
genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)  
MicrobeMS ID        : 2016_03_29_Maren Stämmeler_0026  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 2 Oesen in 25 muel  
extra info          : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS  
calibration standard : E.coli K12 (DSM 3871) linear kalibriert  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2016-03-29T15:25:28.171+02:00  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\  
  
genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)  
MicrobeMS ID        : 2016_03_29_Maren Stämmeler_0027  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 2 Oesen in 25 muel  
extra info          : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS  
calibration standard : E.coli K12 (DSM 3871) linear kalibriert  
measurement method  : ToM_200ns_20130611.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2016-03-29T15:27:56.078+02:00  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\  
  
genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)  
MicrobeMS ID        : 2016_03_29_Maren Stämmeler_0028  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
```


concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T15:32:46.328+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)
MicrobeMS ID : 2016_04_01_Maren Stämmmler_0025
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T14:51:33.281+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)
MicrobeMS ID : 2016_04_01_Maren Stämmmler_0026
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T14:54:22.156+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)
MicrobeMS ID : 2016_04_01_Maren Stämmmler_0027
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T14:59:32.968+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 1043 (HST 249)
MicrobeMS ID : 2016_04_01_Maren Stämmmler_0028
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T15:02:08.796+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189) stumpf
MicrobeMS ID : 2016_03_11_Maren Stämmmler_0005
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-11T13:51:08.843+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189) stumpf
MicrobeMS ID : 2016_03_11_Maren Stämmmler_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-11T13:53:48.765+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189)
MicrobeMS ID : 2016_03_18_Maren Stämmmler_0003

NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T12:36:42.171+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0004
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T12:38:58.703+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0019
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T13:53:05.687+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0020
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T13:55:29.265+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0021
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T13:58:22.125+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0022
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:01:47.578+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0005
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par

customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T13:58:19.812+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T14:00:38.562+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0007
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T14:02:59.453+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0008
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T14:05:26.328+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0005
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T09:57:45.640+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T10:00:22.343+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0007
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T10:02:55.609+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 565 (HST 189)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0008
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T10:05:33.890+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobeMS ID : 2016_03_11_Maren Stämmeler_0007
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-11T14:01:11.953+01:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobeMS ID : 2016_03_11_Maren Stämmeler_0008
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-11T14:03:31.062+01:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0005
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T12:43:52.859+01:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T12:46:08.625+01:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0023
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:08:22.046+01:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0024
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:10:45.828+01:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

```
genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobeMS ID          : 2016_03_18_Maren Stämmeler_0025
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2 Oesen in 25 muel
extra info           : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:13:28.375+01:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobeMS ID          : 2016_03_18_Maren Stämmeler_0026
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2 Oesen in 25 muel
extra info           : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:16:25.718+01:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobeMS ID          : 2016_03_29_Maren Stämmeler_0009
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2 Oesen in 25 muel
extra info           : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T14:08:00.984+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobeMS ID          : 2016_03_29_Maren Stämmeler_0010
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2 Oesen in 25 muel
extra info           : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T14:10:27.656+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobeMS ID          : 2016_03_29_Maren Stämmeler_0011
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2 Oesen in 25 muel
extra info           : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T14:15:50.484+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobeMS ID          : 2016_03_29_Maren Stämmeler_0012
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2 Oesen in 25 muel
extra info           : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T14:18:21.500+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobeMS ID          : 2016_04_01_Maren Stämmeler_0009
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2 Oesen in 25 muel
extra info           : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
```

calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T11:07:08.078+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobMS ID : 2016_04_01_Maren Stämmeler_0010
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T11:09:57.031+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobMS ID : 2016_04_01_Maren Stämmeler_0011
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T11:12:25.390+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 566 (HST 190)
MicrobMS ID : 2016_04_01_Maren Stämmeler_0012
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T11:14:38.640+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobMS ID : 2016_03_11_Maren Stämmeler_0009
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-11T14:16:11.250+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobMS ID : 2016_03_11_Maren Stämmeler_0010
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-11T14:18:33.562+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobMS ID : 2016_03_18_Maren Stämmeler_0007
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T12:50:42.500+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobMS ID : 2016_03_18_Maren Stämmeler_0008
NCBI tax ID's : -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T12:53:10.218+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0027
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:23:36.906+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0028
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:25:54.656+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0029
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:28:12.109+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0030
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T14:30:49.109+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0013
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T14:36:30.703+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0014
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T14:38:59.812+02:00

path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0015
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T14:44:38.890+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0016
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T14:47:14.562+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0013
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T13:47:17.078+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0014
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T13:49:42.765+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0015
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T13:52:09.171+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae CAMPA 567 (HST 194)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0016
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T13:54:29.093+02:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia puraquae\\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_03_11_Maren Stämmeler_0001
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)

concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-11T13:28:07.937+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_03_11_Maren Stämmeler_0002
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-11T13:30:50.453+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0001
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T11:20:04.078+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0002
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 11.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T11:22:25.828+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0015
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T13:38:34.859+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0016
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T13:40:56.125+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0017
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T13:48:00.453+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_03_18_Maren Stämmeler_0018

NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 18.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-18T13:50:24.343+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0001
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T13:44:21.031+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0002
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T13:47:09.812+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0003
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T13:49:34.406+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_03_29_Maren Stämmeler_0004
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 24.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-03-29T13:52:25.562+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0001
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T09:43:18.515+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0002
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par

```
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T09:46:06.281+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0003
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T09:48:48.203+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\

genus, species, strain : Burkholderia puraquae R-50214 (BP 78)
MicrobeMS ID : 2016_04_01_Maren Stämmeler_0004
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 31.03.2016/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : Stämme aus Argentinien gefriergetrocknete Kultur von Anfang März 2016/ Kultivierung und Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2016-04-01T09:51:35.031+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia puraquae\
```

Burkholderia pyrrocinia

```
genus, species, strain : Burkholderia pyrrocinia ATCC 15958/ DSM 10685
MicrobeMS ID : 2007_03_01_Alejandro Minan_0025
NCBI tax ID's : 60550 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 21:56:55
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia ATCC 15958/ DSM 10685
MicrobeMS ID : 2007_03_01_Alejandro Minan_0026
NCBI tax ID's : 60550 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 22:01:30
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia ATCC 15958/ DSM 10685
MicrobeMS ID : 2007_25_01_Alejandro Minan_0016
NCBI tax ID's : 60550 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 15:52:18
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia ATCC 15958/ DSM 10685
MicrobeMS ID : 2007_25_01_Alejandro Minan_0017
NCBI tax ID's : 60550 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 15:57:50
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia ATCC 15958/ DSM 10685
MicrobeMS ID : 2007_25_01_Alejandro Minan_0018
NCBI tax ID's : 60550 -
```

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 16:00:21
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia LMG 14191
MicrobeMS ID : 2006_21_11_Alejandro Minan_0011
NCBI tax ID's : 60550 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-21 14:57:36
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia LMG 14191
MicrobeMS ID : 2006_13_12_Alejandro Minan_0023
NCBI tax ID's : 60550 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 20:20:38
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia LMG 14191
MicrobeMS ID : 2006_13_12_Alejandro Minan_0024
NCBI tax ID's : 60550 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 20:24:17
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia LMG_21822
MicrobeMS ID : 20170403_Schneider_Andy_0001
NCBI tax ID's : 60550 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verdünnung in H₂O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T10:06:22.203+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia LMG_21822
MicrobeMS ID : 20170403_Schneider_Andy_0002
NCBI tax ID's : 60550 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verdünnung in H₂O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T10:07:50.421+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia LMG_21822
MicrobeMS ID : 20170403_Schneider_Andy_0003
NCBI tax ID's : 60550 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verdünnung in H₂O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2017-04-03T10:09:40.562+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia LMG_21822
MicrobeMS ID : 20170403_Schneider_Andy_0004
NCBI tax ID's : 60550 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T10:11:15.375+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia LMG_21822
MicrobeMS ID : 20170403_Schneider_Andy_0017
NCBI tax ID's : 60550 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T11:07:32.906+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia LMG_21822
MicrobeMS ID : 20170403_Schneider_Andy_0018
NCBI tax ID's : 60550 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T11:09:17.453+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia LMG_21822
MicrobeMS ID : 20170403_Schneider_Andy_0019
NCBI tax ID's : 60550 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T11:10:59.812+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia LMG_21822
MicrobeMS ID : 20170403_Schneider_Andy_0020
NCBI tax ID's : 60550 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-04-03T11:13:16.546+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia LMG_21822
MicrobeMS ID : 2017_03_29_Mitschke_Julia_0001
NCBI tax ID's : 60550 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:10 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-29T15:22:04.187+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia LMG_21822
MicrobeMS ID : 2017_03_29_Mitschke_Julia_0002
NCBI tax ID's : 60550 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO

sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:10 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-29T15:25:15.562+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia LMG 21822
MicrobeMS ID : 2017_03_29_Mitschke Julia_0003
NCBI tax ID's : 60550 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:10 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-29T15:29:18.718+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

genus, species, strain : Burkholderia pyrrocinia LMG 21822
MicrobeMS ID : 2017_03_29_Mitschke Julia_0004
NCBI tax ID's : 60550 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:10 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 25µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-29T15:32:55.109+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia pyrrocinia\

Burkholderia seminalis

genus, species, strain : Burkholderia seminalis DSM 23518
MicrobeMS ID : 2010_12_11_Maren Stämmeler_0001
NCBI tax ID's : 488731 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-12T10:23:46.781+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia seminalis\

genus, species, strain : Burkholderia seminalis DSM 23518
MicrobeMS ID : 2010_18_11_Maren Stämmeler_0001
NCBI tax ID's : 488731 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-18T11:55:53.015+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia seminalis\

genus, species, strain : Burkholderia seminalis DSM 23518
MicrobeMS ID : 2010_25_11_Maren Stämmeler_0001
NCBI tax ID's : 488731 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-25T10:32:49.000+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia seminalis\

genus, species, strain : Burkholderia seminalis DSM 23518
MicrobeMS ID : 2010_01_12_Maren Stämmeler_0001
NCBI tax ID's : 488731 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-12-01T10:02:48.843+01:00

path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia seminalis\
 genus, species, strain : Burkholderia seminalis HST 20
 MicrobeMS ID : 2007_11_01_Alejandro Minan_0003
 NCBI tax ID's : 488731 -
 growth time : 24h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
 concentration : 3 Loops in 100 muel
 extra info : Growing and Preparation A. MinanStrains from CINDEFI
 calibration standard : ProteinStandard 1 (Bruker)
 measurement method : ToM_200ns.par
 customer : RKI ZBS6
 measurement date/time : 2007-01-11 16:35:47
 path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia seminalis\

genus, species, strain : Burkholderia seminalis HST 20
 MicrobeMS ID : 2007_11_01_Alejandro Minan_0004
 NCBI tax ID's : 488731 -
 growth time : 24h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
 concentration : 3 Loops in 100 muel
 extra info : Growing and Preparation A. MinanStrains from CINDEFI
 calibration standard : ProteinStandard 1 (Bruker)
 measurement method : ToM_200ns.par
 customer : RKI ZBS6
 measurement date/time : 2007-01-11 16:39:02
 path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia seminalis\

Burkholderia stabilis

genus, species, strain : Burkholderia stabilis CCUG 13348
 MicrobeMS ID : 2007_04_05_Maren Stämmeler_0007
 NCBI tax ID's : 95485 -
 growth time : 24h
 growth temperature : 37 Grad Celsius
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
 concentration : 3-4 Oesen in 100 muel
 extra info : Anzucht und Praeparation und Praeparation für Mald: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
 calibration standard : ProteinStandard 1 (Bruker)
 measurement method : ToM_200ns.par
 customer : RKI ZBS6
 measurement date/time : 2007-05-04 13:45:52
 path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\
 genus, species, strain : Burkholderia stabilis CCUG 13348
 MicrobeMS ID : 2007_09_05_Maren Stämmeler_0007
 NCBI tax ID's : 95485 -
 growth time : 24h
 growth temperature : 37 Grad Celsius
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
 concentration : 3-4 Oesen in 100 muel
 extra info : Anzucht und Praeparation und Praeparation für Mald: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
 calibration standard : ProteinStandard 1 (Bruker)
 measurement method : ToM_200ns.par
 customer : RKI ZBS6
 measurement date/time : 2007-05-09 14:03:39
 path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\
 genus, species, strain : Burkholderia stabilis CCUG 13348
 MicrobeMS ID : 2007_16_05_Maren Stämmeler_0007
 NCBI tax ID's : 95485 -
 growth time : 24h
 growth temperature : 37 Grad Celsius
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
 concentration : 3-4 Oesen in 100 muel
 extra info : Anzucht und Praeparation und Praeparation für Mald: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
 calibration standard : ProteinStandard 1 (Bruker)
 measurement method : ToM_200ns.par
 customer : RKI ZBS6
 measurement date/time : 2007-05-16 10:05:01
 path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\
 genus, species, strain : Burkholderia stabilis CCUG 34168
 MicrobeMS ID : 2007_04_05_Maren Stämmeler_0008
 NCBI tax ID's : 95485 -
 growth time : 24h
 growth temperature : 37 Grad Celsius
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
 concentration : 3-4 Oesen in 100 muel
 extra info : Anzucht und Praeparation und Praeparation für Mald: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
 calibration standard : ProteinStandard 1 (Bruker)
 measurement method : ToM_200ns.par
 customer : RKI ZBS6
 measurement date/time : 2007-05-04 13:48:39
 path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\
 genus, species, strain : Burkholderia stabilis CCUG 34168
 MicrobeMS ID : 2007_09_05_Maren Stämmeler_0008
 NCBI tax ID's : 95485 -
 growth time : 24h
 growth temperature : 37 Grad Celsius

growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Mald: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-09 14:05:57
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia stabilis\\

genus, species, strain : Burkholderia stabilis CCUG 34168
MicrobeMS ID : 2007_16_05_Maren Stämmeler_0008
NCBI tax ID's : 95485 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Mald: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-16 10:07:37
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia stabilis\\

genus, species, strain : Burkholderia stabilis DSM 16586/ LMG 14294
MicrobeMS ID : 2007_03_01_Alejandro Minan_0017
NCBI tax ID's : 95485 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Praeparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 20:53:30
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia stabilis\\

genus, species, strain : Burkholderia stabilis DSM 16586/ LMG 14294
MicrobeMS ID : 2007_03_01_Alejandro Minan_0018
NCBI tax ID's : 95485 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Praeparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 20:59:01
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia stabilis\\

genus, species, strain : Burkholderia stabilis DSM 16586/ LMG 14294
MicrobeMS ID : 2007_25_01_Alejandro Minan_0004
NCBI tax ID's : 95485 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Praeparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 15:05:06
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia stabilis\\

genus, species, strain : Burkholderia stabilis DSM 16586/ LMG 14294
MicrobeMS ID : 2007_25_01_Alejandro Minan_0005
NCBI tax ID's : 95485 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Praeparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 15:09:10
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia stabilis\\

genus, species, strain : Burkholderia stabilis DSM 16586/ LMG 14294
MicrobeMS ID : 2007_25_01_Alejandro Minan_0006
NCBI tax ID's : 95485 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Praeparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-25 15:12:33
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia stabilis\\


```
genus, species, strain : Burkholderia stabilis LMG 18870
MicrobeMS ID           : 2006_03_11_Alejandro Minan_0003
NCBI tax ID's         : 95485 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium        : TSA
sample treatment     : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration        : 3 Loops in 100 µel
extra info           : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2006-11-03 14:42:22
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\

genus, species, strain : Burkholderia stabilis LMG 18870
MicrobeMS ID           : 2006_13_12_Alejandro Minan_0013
NCBI tax ID's         : 95485 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium        : TSA
sample treatment     : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration        : 3 Loops in 100 µel
extra info           : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2006-12-13 18:48:53
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\

genus, species, strain : Burkholderia stabilis LMG 18870
MicrobeMS ID           : 2006_13_12_Alejandro Minan_0014
NCBI tax ID's         : 95485 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium        : TSA
sample treatment     : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration        : 3 Loops in 100 µel
extra info           : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2006-12-13 18:56:40
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\

genus, species, strain : Burkholderia stabilis M 35
MicrobeMS ID           : 2006_01_11_Alejandro Minan_0003
NCBI tax ID's         : 95485 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium        : TSA
sample treatment     : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration        : 3 Loops in 100 µel
extra info           : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2006-11-01 11:12:57
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\

genus, species, strain : Burkholderia stabilis M 35
MicrobeMS ID           : 2006_19_12_Alejandro Minan_0001
NCBI tax ID's         : 95485 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium        : TSA
sample treatment     : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration        : 3 Loops in 100 µel
extra info           : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2006-12-19 09:22:07
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\

genus, species, strain : Burkholderia stabilis M 35
MicrobeMS ID           : 2006_19_12_Alejandro Minan_0002
NCBI tax ID's         : 95485 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium        : TSA
sample treatment     : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration        : 3 Loops in 100 µel
extra info           : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2006-12-19 09:27:17
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\

genus, species, strain : Burkholderia stabilis M 35
MicrobeMS ID           : 2007_04_01_Alejandro Minan_0001
NCBI tax ID's         : 95485 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium        : TSA
sample treatment     : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration        : 3 Loops in 100 µel
```

extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-04 16:49:48
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\

genus, species, strain : Burkholderia stabilis M 42
MicrobeMS ID : 2006_23_10_Alejandro Minan_0007
NCBI tax ID's : 95485 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-24 16:02:38
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\

genus, species, strain : Burkholderia stabilis M 42
MicrobeMS ID : 2006_01_11_Alejandro Minan_0007
NCBI tax ID's : 95485 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-01 11:47:27
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\

genus, species, strain : Burkholderia stabilis M 42
MicrobeMS ID : 2006_19_12_Alejandro Minan_0005
NCBI tax ID's : 95485 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-19 09:51:16
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\

genus, species, strain : Burkholderia stabilis M 42
MicrobeMS ID : 2006_19_12_Alejandro Minan_0006
NCBI tax ID's : 95485 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-19 09:55:43
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\

genus, species, strain : Burkholderia stabilis M 42
MicrobeMS ID : 2007_04_01_Alejandro Minan_0003
NCBI tax ID's : 95485 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-04 18:19:18
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stabilis\

Burkholderia stagnalis

genus, species, strain : Burkholderia stagnalis LMG_28156
MicrobeMS ID : 2017_02_28_Schneider_Andy_0001
NCBI tax ID's : 1503054 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verdünnung in H₂O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-28T13:17:41.468+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG_28156
MicrobeMS ID : 2017_02_28_Schneider_Andy_0002
NCBI tax ID's : 1503054 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-28T13:19:23.953+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG_28156
MicrobeMS ID : 2017_02_28_Schneider_Andy_0003
NCBI tax ID's : 1503054 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-28T13:20:46.281+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG_28156
MicrobeMS ID : 2017_02_28_Schneider_Andy_0004
NCBI tax ID's : 1503054 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-28T13:22:25.984+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG 28156
MicrobeMS ID : 2017_03_16_Mitschke Julia_0001
NCBI tax ID's : 1503054 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T13:11:02.125+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG 28156
MicrobeMS ID : 2017_03_16_Mitschke Julia_0002
NCBI tax ID's : 1503054 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T13:13:27.656+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG 28156
MicrobeMS ID : 2017_03_16_Mitschke Julia_0003
NCBI tax ID's : 1503054 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T13:16:07.125+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG 28156
MicrobeMS ID : 2017_03_16_Mitschke Julia_0004
NCBI tax ID's : 1503054 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von LMG

calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T13:19:39.671+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG_28156
MicrobeMS ID : 2017_03_27_Schneider_Andy_0001
NCBI tax ID's : 1503054 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T12:44:23.093+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG_28156
MicrobeMS ID : 2017_03_27_Schneider_Andy_0002
NCBI tax ID's : 1503054 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T12:46:44.062+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG_28156
MicrobeMS ID : 2017_03_27_Schneider_Andy_0003
NCBI tax ID's : 1503054 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T12:48:39.609+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG_28156
MicrobeMS ID : 2017_03_27_Schneider_Andy_0004
NCBI tax ID's : 1503054 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T12:50:35.046+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG_28157
MicrobeMS ID : 2017_02_28_Schneider_Andy_0005
NCBI tax ID's : 1503054 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-28T13:26:48.015+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG_28157
MicrobeMS ID : 2017_02_28_Schneider_Andy_0006
NCBI tax ID's : 1503054 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-28T13:28:03.953+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG_28157
MicrobeMS ID : 2017_02_28_Schneider_Andy_0007
NCBI tax ID's : 1503054 -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-28T13:29:30.453+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG_28157
MicrobeMS ID : 2017_02_28_Schneider_Andy_0008
NCBI tax ID's : 1503054 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-28T13:31:11.859+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG 28157
MicrobeMS ID : 2017_03_16_Mitschke Julia_0005
NCBI tax ID's : 1503054 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T13:26:53.703+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG 28157
MicrobeMS ID : 2017_03_16_Mitschke Julia_0006
NCBI tax ID's : 1503054 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T13:31:58.546+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG 28157
MicrobeMS ID : 2017_03_16_Mitschke Julia_0007
NCBI tax ID's : 1503054 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T13:35:53.515+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG 28157
MicrobeMS ID : 2017_03_16_Mitschke Julia_0008
NCBI tax ID's : 1503054 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T13:40:06.968+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\

genus, species, strain : Burkholderia stagnalis LMG_28157
MicrobeMS ID : 2017_03_27_Schneider_Andy_0005
NCBI tax ID's : 1503054 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T12:57:07.906+02:00

```
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\  
  
genus, species, strain : Burkholderia stagnalis LMG_28157  
MicrobeMS ID         : 2017_03_27_Schneider_Andy_0006  
NCBI tax ID's        : 1503054 -  
growth time          : 24h  
growth temperature   : 37°C  
growth conditions    : aerob  
growth medium        : Caso agar  
sample treatment     : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration         : 3 Oesen in 100µl  
extra info           : Stämme von LMG  
calibration standard : E.coli Standard (DSM 3871)  
measurement method   : ToM_200ns_20130611.par  
customer              : RKI ZBS6  
measurement date/time : 2017-03-27T12:59:32.046+02:00  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\  
  
genus, species, strain : Burkholderia stagnalis LMG_28157  
MicrobeMS ID         : 2017_03_27_Schneider_Andy_0007  
NCBI tax ID's        : 1503054 -  
growth time          : 24h  
growth temperature   : 37°C  
growth conditions    : aerob  
growth medium        : Caso agar  
sample treatment     : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration         : 3 Oesen in 100µl  
extra info           : Stämme von LMG  
calibration standard : E.coli Standard (DSM 3871)  
measurement method   : ToM_200ns_20130611.par  
customer              : RKI ZBS6  
measurement date/time : 2017-03-27T13:02:59.750+02:00  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\  
  
genus, species, strain : Burkholderia stagnalis LMG_28157  
MicrobeMS ID         : 2017_03_27_Schneider_Andy_0008  
NCBI tax ID's        : 1503054 -  
growth time          : 24h  
growth temperature   : 37°C  
growth conditions    : aerob  
growth medium        : Caso agar  
sample treatment     : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration         : 3 Oesen in 100µl  
extra info           : Stämme von LMG  
calibration standard : E.coli Standard (DSM 3871)  
measurement method   : ToM_200ns_20130611.par  
customer              : RKI ZBS6  
measurement date/time : 2017-03-27T13:06:04.906+02:00  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia stagnalis\  
  
genus, species, strain : Burkholderia stagnalis LMG_28157  
MicrobeMS ID         : 2017_03_27_Schneider_Andy_0009  
NCBI tax ID's        : 1503055 -  
growth time          : 24h  
growth temperature   : 37°C  
growth conditions    : aerob  
growth medium        : Caso agar  
sample treatment     : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration         : 3 Oesen in 100µl  
extra info           : Stämme von LMG  
calibration standard : E.coli Standard (DSM 3871)  
measurement method   : ToM_200ns_20130611.par  
customer              : RKI ZBS6  
measurement date/time : 2017-02-28T13:34:51.765+01:00  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\  
  
genus, species, strain : Burkholderia territorii LMG_28158  
MicrobeMS ID         : 2017_02_28_Schneider_Andy_0010  
NCBI tax ID's        : 1503055 -  
growth time          : 24h  
growth temperature   : 37°C  
growth conditions    : aerob  
growth medium        : Caso agar  
sample treatment     : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration         : 3 Oesen in 100µl  
extra info           : Stämme von LMG  
calibration standard : E.coli Standard (DSM 3871)  
measurement method   : ToM_200ns_20130611.par  
customer              : RKI ZBS6  
measurement date/time : 2017-02-28T13:36:23.562+01:00  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\  
  
genus, species, strain : Burkholderia territorii LMG_28158  
MicrobeMS ID         : 2017_02_28_Schneider_Andy_0011  
NCBI tax ID's        : 1503055 -  
growth time          : 24h  
growth temperature   : 37°C  
growth conditions    : aerob  
growth medium        : Caso agar  
sample treatment     : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration         : 3 Oesen in 100µl  
extra info           : Stämme von LMG  
calibration standard : E.coli Standard (DSM 3871)  
measurement method   : ToM_200ns_20130611.par  
customer              : RKI ZBS6  
measurement date/time : 2017-02-28T13:37:49.500+01:00  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\  
  
genus, species, strain : Burkholderia territorii LMG_28158  
MicrobeMS ID         : 2017_02_28_Schneider_Andy_0012  
NCBI tax ID's        : 1503055 -  
growth time          : 24h  
growth temperature   : 37°C
```

Burkholderia territorii

```
genus, species, strain : Burkholderia territorii LMG_28158  
MicrobeMS ID         : 2017_02_28_Schneider_Andy_0009  
NCBI tax ID's        : 1503055 -  
growth time          : 24h  
growth temperature   : 37°C  
growth conditions    : aerob  
growth medium        : Caso agar  
sample treatment     : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration         : 3 Oesen in 100µl  
extra info           : Stämme von LMG  
calibration standard : E.coli Standard (DSM 3871)  
measurement method   : ToM_200ns_20130611.par  
customer              : RKI ZBS6  
measurement date/time : 2017-02-28T13:34:51.765+01:00  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\  
  
genus, species, strain : Burkholderia territorii LMG_28158  
MicrobeMS ID         : 2017_02_28_Schneider_Andy_0010  
NCBI tax ID's        : 1503055 -  
growth time          : 24h  
growth temperature   : 37°C  
growth conditions    : aerob  
growth medium        : Caso agar  
sample treatment     : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration         : 3 Oesen in 100µl  
extra info           : Stämme von LMG  
calibration standard : E.coli Standard (DSM 3871)  
measurement method   : ToM_200ns_20130611.par  
customer              : RKI ZBS6  
measurement date/time : 2017-02-28T13:36:23.562+01:00  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\  
  
genus, species, strain : Burkholderia territorii LMG_28158  
MicrobeMS ID         : 2017_02_28_Schneider_Andy_0011  
NCBI tax ID's        : 1503055 -  
growth time          : 24h  
growth temperature   : 37°C  
growth conditions    : aerob  
growth medium        : Caso agar  
sample treatment     : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)  
concentration         : 3 Oesen in 100µl  
extra info           : Stämme von LMG  
calibration standard : E.coli Standard (DSM 3871)  
measurement method   : ToM_200ns_20130611.par  
customer              : RKI ZBS6  
measurement date/time : 2017-02-28T13:37:49.500+01:00  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\  
  
genus, species, strain : Burkholderia territorii LMG_28158  
MicrobeMS ID         : 2017_02_28_Schneider_Andy_0012  
NCBI tax ID's        : 1503055 -  
growth time          : 24h  
growth temperature   : 37°C
```

growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-02-28T13:39:59.109+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG 28158
MicrobeMS ID : 2017_03_16_Mitschke Julia_0009
NCBI tax ID's : 1503055 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T13:46:13.250+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG 28158
MicrobeMS ID : 2017_03_16_Mitschke Julia_0010
NCBI tax ID's : 1503055 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T13:48:50.750+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG 28158
MicrobeMS ID : 2017_03_16_Mitschke Julia_0011
NCBI tax ID's : 1503055 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T13:51:13.921+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG 28158
MicrobeMS ID : 2017_03_16_Mitschke Julia_0012
NCBI tax ID's : 1503055 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T13:53:11.062+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG_28158
MicrobeMS ID : 2017_03_27_Schneider_Andy_0009
NCBI tax ID's : 1503055 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T13:55:44.156+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG_28158
MicrobeMS ID : 2017_03_27_Schneider_Andy_0010
NCBI tax ID's : 1503055 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T13:57:49.953+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

```
genus, species, strain : Burkholderia territorii LMG_28158
MicrobeMS ID           : 2017_03_27_Schneider_Andy_0011
NCBI tax ID's         : 1503055 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso agar
sample treatment      : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von LMG
calibration standard  : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-03-27T13:59:45.609+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG_28158
MicrobeMS ID           : 2017_03_27_Schneider_Andy_0012
NCBI tax ID's         : 1503055 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso agar
sample treatment      : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von LMG
calibration standard  : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-03-27T14:01:16.171+02:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG_28159
MicrobeMS ID           : 2017_02_28_Schneider_Andy_0013
NCBI tax ID's         : 1503055 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso agar
sample treatment      : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von LMG
calibration standard  : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-02-28T13:43:17.328+01:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG_28159
MicrobeMS ID           : 2017_02_28_Schneider_Andy_0014
NCBI tax ID's         : 1503055 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso agar
sample treatment      : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von LMG
calibration standard  : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-02-28T13:45:22.281+01:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG_28159
MicrobeMS ID           : 2017_02_28_Schneider_Andy_0015
NCBI tax ID's         : 1503055 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso agar
sample treatment      : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von LMG
calibration standard  : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-02-28T13:47:20.890+01:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG_28159
MicrobeMS ID           : 2017_02_28_Schneider_Andy_0016
NCBI tax ID's         : 1503055 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso agar
sample treatment      : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von LMG
calibration standard  : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2017-02-28T13:48:57.406+01:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG_28159
MicrobeMS ID           : 2017_03_16_Mitschke_Julia_0013
NCBI tax ID's         : 1503055 -
growth time           : 24 h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
```


extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T14:05:11.000+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG 28159
MicrobeMS ID : 2017_03_16_Mitschke Julia_0014
NCBI tax ID's : 1503055 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T14:07:05.546+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG 28159
MicrobeMS ID : 2017_03_16_Mitschke Julia_0015
NCBI tax ID's : 1503055 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T14:09:03.500+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG 28159
MicrobeMS ID : 2017_03_16_Mitschke Julia_0016
NCBI tax ID's : 1503055 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-16T14:11:34.984+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG_28159
MicrobeMS ID : 2017_03_27_Schneider_Andy_0013
NCBI tax ID's : 1503055 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T14:06:40.453+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG_28159
MicrobeMS ID : 2017_03_27_Schneider_Andy_0014
NCBI tax ID's : 1503055 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T14:10:47.187+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG_28159
MicrobeMS ID : 2017_03_27_Schneider_Andy_0015
NCBI tax ID's : 1503055 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80% TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T14:12:39.593+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

genus, species, strain : Burkholderia territorii LMG_28159
MicrobeMS ID : 2017_03_27_Schneider_Andy_0016
NCBI tax ID's : 1503055 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T14:15:25.421+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia territorii\

Burkholderia ubonensis

genus, species, strain : Burkholderia ubonensis DSM 17311
MicrobeMS ID : 2010_12_11_Maren Stämmeler_0004
NCBI tax ID's : 101571 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-12T10:33:01.625+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

genus, species, strain : Burkholderia ubonensis DSM 17311
MicrobeMS ID : 2010_18_11_Maren Stämmeler_0004
NCBI tax ID's : 101571 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-18T12:09:45.062+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

genus, species, strain : Burkholderia ubonensis DSM 17311
MicrobeMS ID : 2010_25_11_Maren Stämmeler_0004
NCBI tax ID's : 101571 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-25T10:40:47.796+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

genus, species, strain : Burkholderia ubonensis DSM 17311
MicrobeMS ID : 2010_01_12_Maren Stämmeler_0004
NCBI tax ID's : 101571 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-12-01T10:16:27.000+01:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

genus, species, strain : Burkholderia ubonensis LMG_24263
MicrobeMS ID : 2017_03_27_Schneider_Andy_0025
NCBI tax ID's : 101571 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T14:37:55.218+02:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

genus, species, strain : Burkholderia ubonensis LMG_24263
MicrobeMS ID : 2017_03_27_Schneider_Andy_0026
NCBI tax ID's : 101571 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG

calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T14:40:00.125+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

genus, species, strain : Burkholderia ubonensis LMG_24263
MicrobeMS ID : 2017_03_27_Schneider_Andy_0027
NCBI tax ID's : 101571 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T14:42:32.406+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

genus, species, strain : Burkholderia ubonensis LMG_24263
MicrobeMS ID : 2017_03_27_Schneider_Andy_0028
NCBI tax ID's : 101571 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso agar
sample treatment : 80§ TFA, 30 Minuten, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-27T14:44:33.078+02:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

genus, species, strain : Burkholderia ubonensis LMG 24263
MicrobeMS ID : 2017_03_24_Mitschke Julia_0009
NCBI tax ID's : 101571 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T12:49:44.218+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

genus, species, strain : Burkholderia ubonensis LMG 24263
MicrobeMS ID : 2017_03_24_Mitschke Julia_0010
NCBI tax ID's : 101571 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T12:55:22.421+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

genus, species, strain : Burkholderia ubonensis LMG 24263
MicrobeMS ID : 2017_03_24_Mitschke Julia_0011
NCBI tax ID's : 101571 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T12:57:40.265+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

genus, species, strain : Burkholderia ubonensis LMG 24263
MicrobeMS ID : 2017_03_24_Mitschke Julia_0012
NCBI tax ID's : 101571 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T13:00:45.593+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

genus, species, strain : Burkholderia ubonensis LMG 24263
MicrobeMS ID : 2017_03_24_Mitschke Julia_0005
NCBI tax ID's : 101571 -
growth time : 24 h

growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T11:10:34.125+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

genus, species, strain : Burkholderia ubonensis LMG 24263
MicrobeMS ID : 2017_03_24_Mitschke Julia_0006
NCBI tax ID's : 101571 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T11:14:32.234+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

genus, species, strain : Burkholderia ubonensis LMG 24263
MicrobeMS ID : 2017_03_24_Mitschke Julia_0007
NCBI tax ID's : 101571 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T12:33:20.390+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

genus, species, strain : Burkholderia ubonensis LMG 24263
MicrobeMS ID : 2017_03_24_Mitschke Julia_0008
NCBI tax ID's : 101571 -
growth time : 24 h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von LMG
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-03-24T12:37:22.625+01:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia ubonensis\

Burkholderia vietnamiensis

genus, species, strain : Burkholderia vietnamiensis CCUG 34169
MicrobeMS ID : 2007_04_05_Maren Stämmeler_0010
NCBI tax ID's : 60552 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Mald: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-04 13:59:38
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia vietnamiensis\

genus, species, strain : Burkholderia vietnamiensis CCUG 34169
MicrobeMS ID : 2007_09_05_Maren Stämmeler_0010
NCBI tax ID's : 60552 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Mald: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-09 14:13:56
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Burkholderia vietnamiensis\

genus, species, strain : Burkholderia vietnamiensis CCUG 34169
MicrobeMS ID : 2007_16_05_Maren Stämmeler_0010
NCBI tax ID's : 60552 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Mald: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-16 10:27:31
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia vietnamiensis\\

genus, species, strain : Burkholderia vietnamiensis CCUG 9631
MicrobeMS ID : 2007_04_05_Maren Stämmeler_0009
NCBI tax ID's : 60552 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-04 13:53:56
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia vietnamiensis\\

genus, species, strain : Burkholderia vietnamiensis CCUG 9631
MicrobeMS ID : 2007_09_05_Maren Stämmeler_0009
NCBI tax ID's : 60552 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-09 14:11:26
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia vietnamiensis\\

genus, species, strain : Burkholderia vietnamiensis CCUG 9631
MicrobeMS ID : 2007_16_05_Maren Stämmeler_0009
NCBI tax ID's : 60552 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-16 10:25:02
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia vietnamiensis\\

genus, species, strain : Burkholderia vietnamiensis LMG 10929
MicrobeMS ID : 2006_17_11_Alejandro Minan_0006
NCBI tax ID's : 60552 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-17 14:57:24
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia vietnamiensis\\

genus, species, strain : Burkholderia vietnamiensis LMG 10929
MicrobeMS ID : 2006_13_12_Alejandro Minan_0015
NCBI tax ID's : 60552 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 19:05:05
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia vietnamiensis\\

genus, species, strain : Burkholderia vietnamiensis LMG 10929
MicrobeMS ID : 2006_13_12_Alejandro Minan_0016
NCBI tax ID's : 60552 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-12-13 19:10:07
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Burkholderia vietnamiensis\\

genus, species, strain : Burkholderia vietnamiensis LMG 10929
MicrobeMS ID : 2007_20_07_Maren Stämmeler_0006
NCBI tax ID's : 60552 -
growth time : 24h
growth temperature : 37°C

```
growth conditions      : aerob
growth medium         : TSA
sample treatment     : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration        : 3 Oesen in 100 µl
extra info           : Anzucht und Präparation + Präparation für Maldi MS; Stämme von Aljandro Minan aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2007-07-20 09:26:52
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia vietnamiensis\

genus, species, strain : Burkholderia vietnamiensis LMG 10929
MicrobeMS ID          : 2007_27_07_Maren Stämmeler_0006
NCBI tax ID's         : 60552 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment     : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration        : 3 Oesen in 100 µl
extra info           : Anzucht und Präparation + Präparation für Maldi MS; Stämme von Aljandro Minan aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2007-07-27 09:08:47
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia vietnamiensis\

genus, species, strain : Burkholderia vietnamiensis LMG 10929
MicrobeMS ID          : 2007_06_08_Maren Stämmeler_0006
NCBI tax ID's         : 60552 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment     : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration        : 3 Oesen in 100 µl
extra info           : Anzucht und Präparation + Präparation für Maldi MS; Stämme von Aljandro Minan aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2007-08-06 09:53:00
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Burkholderia vietnamiensis\
```

Taxon K - spp unknown

```
genus, species, strain : Burkholderia taxon K BC 2813
MicrobeMS ID          : 2007_10_01_Alejandro Minan_0023
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment     : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration        : 3 Oesen in 100 µl
extra info           : Anzucht und Präparation + Präparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2007-01-10 19:38:28
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K BC 2813
MicrobeMS ID          : 2007_10_01_Alejandro Minan_0024
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment     : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration        : 3 Oesen in 100 µl
extra info           : Anzucht und Präparation + Präparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2007-01-10 19:41:37
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K Fq 6584
MicrobeMS ID          : 2006_06_11_Alejandro Minan_0002
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment     : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration        : 3 Oesen in 100 µl
extra info           : Anzucht und Präparation + Präparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2006-11-06 15:47:21
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon k Fq 6584
MicrobeMS ID          : 2009_26_06_Maren Stämmeler_0003
NCBI tax ID's         : -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : TSA
sample treatment     : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration        : 3-5 Oesen in 100 µl
extra info           : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
```

customer : RKI ZBS6
measurement date/time : 2009-06-26T10:16:27.265+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K Fq 6597
MicrobeMS ID : 2006_06_11_Alejandro Minan_0007
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-06 16:31:58
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon k Fq 6597
MicrobeMS ID : 2009_26_06_Maren Stämmeler_0004
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-26T10:18:52.718+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon k Fq 6603
MicrobeMS ID : 2009_15_05_Maren Stämmeler_0009
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-05-15T22:11:19.390+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon k Fq 6603
MicrobeMS ID : 2009_19_06_Maren Stämmeler_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-19T13:31:31.421+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K Fq 6673
MicrobeMS ID : 2006_08_11_Alejandro Minan_0004
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-08 14:09:10
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon k Fq 6673
MicrobeMS ID : 2009_26_06_Maren Stämmeler_0005
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-26T10:23:18.468+00:00
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K Fq 6926
MicrobeMS ID : 2007_11_01_Alejandro Minan_0029
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 22:16:07
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K Fq 6926
MicrobeMS ID : 2007_11_01_Alejandro Minan_0030
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 22:19:32
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K Fq 6930
MicrobeMS ID : 2007_11_01_Alejandro Minan_0030
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 22:33:41
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K Fq 6930
MicrobeMS ID : 2007_11_01_Alejandro Minan_0034
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 22:36:43
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K Fq 6931
MicrobeMS ID : 2007_19_01_Alejandro Minan_0027
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 16:42:14
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K Fq 6931
MicrobeMS ID : 2007_19_01_Alejandro Minan_0028
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 16:44:49
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 09
MicrobeMS ID : 2007_15_01_Alejandro Minan_0025
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 17:59:29
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 09
MicrobeMS ID : 2007_15_01_Alejandro Minan_0026
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 18:04:43
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 10
MicrobeMS ID : 2007_15_01_Alejandro Minan_0027
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 18:10:37
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 10
MicrobeMS ID : 2007_15_01_Alejandro Minan_0028
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 18:14:13
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 105
MicrobeMS ID : 2007_19_01_Alejandro Minan_0013
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 15:25:56
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 105
MicrobeMS ID : 2007_19_01_Alejandro Minan_0014
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 15:29:50
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 106
MicrobeMS ID : 2007_19_01_Alejandro Minan_0015
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 15:39:59
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 106
MicrobeMS ID : 2007_19_01_Alejandro Minan_0016
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 15:44:02
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 108
MicrobEMS ID : 2007_19_01_Alejandro Minan_0019
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für MalDI: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 15:59:06
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 108
MicrobEMS ID : 2007_19_01_Alejandro Minan_0020
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für MalDI: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 16:03:26
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 11
MicrobEMS ID : 2007_15_01_Alejandro Minan_0029
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für MalDI: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 18:21:17
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 11
MicrobEMS ID : 2007_15_01_Alejandro Minan_0030
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für MalDI: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 18:28:43
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 116
MicrobEMS ID : 2007_19_01_Alejandro Minan_0023
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für MalDI: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 16:22:38
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 116
MicrobEMS ID : 2007_19_01_Alejandro Minan_0024
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für MalDI: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 16:25:40
path to MS file : \\Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 12
MicrobEMS ID : 2007_15_01_Alejandro Minan_0031
NCBI tax ID's : -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 18:40:53
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 12
MicrobeMS ID : 2007_15_01_Alejandro Minan_0032
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 18:44:14
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 13
MicrobeMS ID : 2007_15_01_Alejandro Minan_0033
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 18:49:42
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 13
MicrobeMS ID : 2007_15_01_Alejandro Minan_0034
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 18:53:14
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 14
MicrobeMS ID : 2007_15_01_Alejandro Minan_0035
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 19:01:35
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 14
MicrobeMS ID : 2007_15_01_Alejandro Minan_0036
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 19:06:13
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 15
MicrobeMS ID : 2007_15_01_Alejandro Minan_0037
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 19:09:56

```
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\  
genus, species, strain : Burkholderia taxon K HST 15  
MicrobeMS ID        : 2007_15_01_Alejandro Minan_0038  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration       : 3 Oesen in 100 muel  
extra info          : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2007-01-18 19:12:55  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\  
  
genus, species, strain : Burkholderia taxon K HST 16  
MicrobeMS ID        : 2007_15_01_Alejandro Minan_0039  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration       : 3 Oesen in 100 muel  
extra info          : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2007-01-18 19:17:23  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\  
  
genus, species, strain : Burkholderia taxon K HST 16  
MicrobeMS ID        : 2007_15_01_Alejandro Minan_0040  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration       : 3 Oesen in 100 muel  
extra info          : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2007-01-18 19:20:23  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\  
  
genus, species, strain : Burkholderia taxon K HST 17  
MicrobeMS ID        : 2007_15_01_Alejandro Minan_0041  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration       : 3 Oesen in 100 muel  
extra info          : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2007-01-18 19:25:09  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\  
  
genus, species, strain : Burkholderia taxon K HST 17  
MicrobeMS ID        : 2007_15_01_Alejandro Minan_0042  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration       : 3 Oesen in 100 muel  
extra info          : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2007-01-18 19:28:03  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\  
  
genus, species, strain : Burkholderia taxon K HST 24  
MicrobeMS ID        : 2007_11_01_Alejandro Minan_0011  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration       : 3 Oesen in 100 muel  
extra info          : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2007-01-11 17:27:27  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\  
  
genus, species, strain : Burkholderia taxon K HST 24  
MicrobeMS ID        : 2007_11_01_Alejandro Minan_0012  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
```

concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 17:30:21
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 24
MicrobeMS ID : 2007_15_01_Alejandro Minan_0015
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 16:38:55
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 24
MicrobeMS ID : 2007_15_01_Alejandro Minan_0016
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 16:46:29
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 25
MicrobeMS ID : 2007_11_01_Alejandro Minan_0013
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 17:35:58
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 25
MicrobeMS ID : 2007_11_01_Alejandro Minan_0014
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 17:39:38
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 26
MicrobeMS ID : 2007_11_01_Alejandro Minan_0015
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 17:45:48
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 26
MicrobeMS ID : 2007_11_01_Alejandro Minan_0016
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 17:48:41
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST27
MicrobeMS ID : 2007_11_01_Alejandro Minan_0017

NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 17:53:41
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 27
MicrobeMS ID : 2007_11_01_Alejandro Minan_0018
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 17:57:02
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 27
MicrobeMS ID : 2007_15_01_Alejandro Minan_0017
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 16:56:54
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 27
MicrobeMS ID : 2007_15_01_Alejandro Minan_0018
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 17:00:40
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 28
MicrobeMS ID : 2007_11_01_Alejandro Minan_0019
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 18:02:07
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 28
MicrobeMS ID : 2007_11_01_Alejandro Minan_0020
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 18:05:10
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 29
MicrobeMS ID : 2007_11_01_Alejandro Minan_0021
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2007-01-11 18:18:40
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 29
MicrobeMS ID : 2007_11_01_Alejandro Minan_0022
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 18:22:13
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 29
MicrobeMS ID : 2007_15_01_Alejandro Minan_0019
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 17:06:46
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 29
MicrobeMS ID : 2007_15_01_Alejandro Minan_0020
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-18 17:09:53
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 32
MicrobeMS ID : 2007_11_01_Alejandro Minan_0025
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 19:32:42
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 32
MicrobeMS ID : 2007_11_01_Alejandro Minan_0026
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-11 19:35:44
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 33
MicrobeMS ID : 2007_19_01_Alejandro Minan_0001
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 14:17:37
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 33
MicrobeMS ID : 2007_19_01_Alejandro Minan_0002
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 14:23:29
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 34
MicrobeMS ID : 2007_19_01_Alejandro Minan_0003
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 14:30:59
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 34
MicrobeMS ID : 2007_19_01_Alejandro Minan_0004
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 14:37:03
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 43
MicrobeMS ID : 2007_19_01_Alejandro Minan_0007
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 14:53:39
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 43
MicrobeMS ID : 2007_19_01_Alejandro Minan_0008
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 14:59:20
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 44
MicrobeMS ID : 2007_19_01_Alejandro Minan_0009
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 15:05:27
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 44
MicrobeMS ID : 2007_19_01_Alejandro Minan_0010
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 15:11:02
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 45
MicrobeMS ID : 2007_19_01_Alejandro Minan_0011
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 15:16:41
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 45
MicrobeMS ID : 2007_19_01_Alejandro Minan_0012
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-19 15:20:08
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 46
MicrobeMS ID : 2006_06_11_Alejandro Minan_0003
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-06 16:08:07
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 46
MicrobeMS ID : 2007_05_01_Alejandro Minan_0012
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-05 18:13:12
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 88
MicrobeMS ID : 2007_22_01_Alejandro Minan_0011
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22 18:42:56
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 88
MicrobeMS ID : 2007_22_01_Alejandro Minan_0012
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22 18:46:07
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K HST 89
MicrobeMS ID : 2007_22_01_Alejandro Minan_0013
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22 18:51:07
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 89
MicrobEMS ID : 2007_22_01_Alejandro Minan_0014
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für MalDI: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22 18:54:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 99
MicrobEMS ID : 2006_06_11_Alejandro Minan_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für MalDI: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-06 16:25:31
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K HST 99
MicrobEMS ID : 2007_05_01_Alejandro Minan_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für MalDI: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-05 17:36:19
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K J 123
MicrobEMS ID : 2006_17_11_Alejandro Minan_0004
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für MalDI: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-17 14:42:44
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon k J 123
MicrobEMS ID : 2009_02_07_Maren Stämmeler_0005
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-02T09:38:29.734+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon k J 123
MicrobEMS ID : 2009_06_08_Maren Stämmeler_0014
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-08-06T09:08:57.750+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K J 142b
MicrobEMS ID : 2006_16_11_Alejandro Minan_0010
NCBI tax ID's : -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-16 14:57:21
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon k J 142b
MicrobeMS ID : 2009_26_06_Maren Stämmeler_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-26T10:25:56.218+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K M 162
MicrobeMS ID : 2006_23_10_Alejandro Minan_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-24 15:53:35
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K M 162
MicrobeMS ID : 2006_01_11_Alejandro Minan_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-01 11:41:54
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K M 162
MicrobeMS ID : 2007_05_01_Alejandro Minan_0005
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-05 17:33:13
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K M 56
MicrobeMS ID : 2006_03_11_Alejandro Minan_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-03 15:05:51
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K M 56
MicrobeMS ID : 2007_04_01_Alejandro Minan_0013
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-04 20:42:58

```
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\  
genus, species, strain : Burkholderia taxon K M 57  
MicrobeMS ID        : 2006_03_11_Alejandro Minan_0007  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration        : 3 Oesen in 100 µl  
extra info          : Anzucht und Präparation + Präparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2006-11-03 15:15:10  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\  
  
genus, species, strain : Burkholderia taxon K M 57  
MicrobeMS ID        : 2007_04_01_Alejandro Minan_0014  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration        : 3 Oesen in 100 µl  
extra info          : Anzucht und Präparation + Präparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2007-01-04 20:46:20  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\  
  
genus, species, strain : Burkholderia taxon K M 93  
MicrobeMS ID        : 2006_26_10_Alejandro Minan_0003  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration        : 3 Oesen in 100 µl  
extra info          : Anzucht und Präparation + Präparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2006-10-26 16:08:29  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\  
  
genus, species, strain : Burkholderia taxon K M 93  
MicrobeMS ID        : 2006_01_11_Alejandro Minan_0013  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration        : 3 Oesen in 100 µl  
extra info          : Anzucht und Präparation + Präparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2006-11-01 14:28:35  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\  
  
genus, species, strain : Burkholderia taxon K M 93  
MicrobeMS ID        : 2007_05_01_Alejandro Minan_0003  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration        : 3 Oesen in 100 µl  
extra info          : Anzucht und Präparation + Präparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2007-01-05 17:25:38  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\  
  
genus, species, strain : Burkholderia taxon K NF 101  
MicrobeMS ID        : 2006_16_11_Alejandro Minan_0004  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37°C  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration        : 3 Oesen in 100 µl  
extra info          : Anzucht und Präparation + Präparation für Maldi: Alejandro Minan; Stämme aus Argentinien in unserer Stammsammlung  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2006-11-16 12:03:52  
path to MS file      : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\  
  
genus, species, strain : Burkholderia taxon k NF 101  
MicrobeMS ID        : 2009_26_06_Maren Stämmeler_0008  
NCBI tax ID's       : -  
growth time         : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
```

concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-26T10:45:50.625+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K NF 108
MicrobeMS ID : 2006_16_11_Alejandro Minan_0005
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-16 14:23:25
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon k NF 108
MicrobeMS ID : 2009_02_07_Maren Stämmeler_0007
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-02T09:46:14.890+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K NF 113
MicrobeMS ID : 2006_22_11_Alejandro Minan_0011
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-22 16:45:15
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon k NF 113
MicrobeMS ID : 2009_10_07_Maren Stämmeler_0008
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-10T10:28:49.843+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon k NF 113
MicrobeMS ID : 2009_06_08_Maren Stämmeler_0008
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-08-06T08:42:56.453+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K NF 119
MicrobeMS ID : 2006_16_11_Alejandro Minan_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-16 14:29:25
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon k NF 119
MicrobeMS ID : 2009_02_07_Maren Stämmeler_0008

NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-02T09:49:44.468+00:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K NF 229
MicrobeMS ID : 2006_06_11_Alejandro Minan_0001
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-06 15:42:41
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon k NF 229
MicrobeMS ID : 2009_26_06_Maren Stämmeler_0009
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-26T10:50:32.359+00:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K NF 289
MicrobeMS ID : 2006_06_11_Alejandro Minan_0004
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-06 16:13:25
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon k NF 289
MicrobeMS ID : 2009_26_06_Maren Stämmeler_0010
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-26T10:53:05.093+00:00
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K NF 59
MicrobeMS ID : 2006_11_10_Alejandro Minan_0008
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-11 14:18:39
path to MS file : \Burkholderia\Burkholderia cepacia complex\Taxon K - spp unknown\

genus, species, strain : Burkholderia taxon K NF 59
MicrobeMS ID : 2006_13_10_Alejandro Minan_0002
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2006-10-13 14:02:10
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K NF 59
MicrobeMS ID : 2006_13_10_Alejandro Minan_0007
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-13 15:06:43
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K NF 71
MicrobeMS ID : 2006_16_11_Alejandro Minan_0001
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-16 11:35:59
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon k NF 71
MicrobeMS ID : 2009_26_06_Maren Stämmeler_0007
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-06-26T10:43:03.093+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K NF 72
MicrobeMS ID : 2006_22_11_Alejandro Minan_0008
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-22 16:21:49
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon k NF 72
MicrobeMS ID : 2009_10_07_Maren Stämmeler_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-10T10:21:51.203+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon k NF 72
MicrobeMS ID : 2009_06_08_Maren Stämmeler_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-08-06T08:32:47.390+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon K NF 75
MicrobeMS ID : 2006_22_11_Alejandro Minan_0007
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob

growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Präparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-22 16:15:44
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon k NF 75
MicrobeMS ID : 2009_10_07_Maren Stämmeler_0007
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-10T10:25:54.031+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon k NF 75
MicrobeMS ID : 2009_06_08_Maren Stämmeler_0007
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-08-06T08:35:58.765+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon k NF 96
MicrobeMS ID : 2006_16_11_Alejandro Minan_0003
NCBI tax ID's : -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Präparation + Praeparation für Maldi: Aljandro Minan; Stämme aus Argentinien in unserer Stammsammlung
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-16 11:51:49
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

genus, species, strain : Burkholderia taxon k NF 96
MicrobeMS ID : 2009_02_07_Maren Stämmeler_0006
NCBI tax ID's : -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-02T09:41:33.531+00:00
path to MS file : \\Burkholderia\\Burkholderia cepacia complex\\Taxon K - spp unknown\\

Burkholderia gladioli

genus, species, strain : Burkholderia gladioli ATCC 10248/ DSM 4285
MicrobeMS ID : 2007_03_01_Alejandro Minan_0011
NCBI tax ID's : 28095 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 19:43:24
path to MS file : \\Burkholderia\\Burkholderia gladioli\\Burkholderia gladioli ATCC 10248 DSM 4285\\

genus, species, strain : Burkholderia gladioli ATCC 10248/ DSM 4285
MicrobeMS ID : 2007_03_01_Alejandro Minan_0012
NCBI tax ID's : 28095 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6

measurement date/time : 2007-01-03 19:47:03
path to MS file : \\Burkholderia\Burkholderia gladioli\Burkholderia gladioli ATCC 10248 DSM 4285\

genus, species, strain : Burkholderia gladioli ATCC 10248/ DSM 4285
MicrobeMS ID : 2007_24_01_Alejandro Minan_0016
NCBI tax ID's : 28095 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 20:43:15
path to MS file : \\Burkholderia\Burkholderia gladioli\Burkholderia gladioli ATCC 10248 DSM 4285\

genus, species, strain : Burkholderia gladioli ATCC 10248/ DSM 4285
MicrobeMS ID : 2007_24_01_Alejandro Minan_0017
NCBI tax ID's : 28095 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 20:52:36
path to MS file : \\Burkholderia\Burkholderia gladioli\Burkholderia gladioli ATCC 10248 DSM 4285\

genus, species, strain : Burkholderia gladioli ATCC 10248/ DSM 4285
MicrobeMS ID : 2007_24_01_Alejandro Minan_0018
NCBI tax ID's : 28095 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 20:57:03
path to MS file : \\Burkholderia\Burkholderia gladioli\Burkholderia gladioli ATCC 10248 DSM 4285\

genus, species, strain : Burkholderia gladioli DSM 8361
MicrobeMS ID : 2010_12_11_Maren Stämmeler_0008
NCBI tax ID's : 28095 -
growth time : 24h
growth temperature : 37 Grad Celsius (eigentlich nicht so geeignet für diesen Stamm)
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µel
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2010-11-12T10:48:22.750+01:00
path to MS file : \\Burkholderia\Burkholderia gladioli\Burkholderia gladioli DSM 8361\

genus, species, strain : Burkholderia gladioli DSM 8361
MicrobeMS ID : 2010_18_11_Maren Stämmeler_0008
NCBI tax ID's : 28095 -
growth time : 24h
growth temperature : 37 Grad Celsius (eigentlich nicht so geeignet für diesen Stamm)
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2010-11-18T12:24:20.796+01:00
path to MS file : \\Burkholderia\Burkholderia gladioli\Burkholderia gladioli DSM 8361\

genus, species, strain : Burkholderia gladioli DSM 8361
MicrobeMS ID : 2010_25_11_Maren Stämmeler_0008
NCBI tax ID's : 28095 -
growth time : 24h
growth temperature : 37 Grad Celsius (eigentlich nicht so geeignet für diesen Stamm)
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µel
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2010-11-25T11:03:18.406+01:00
path to MS file : \\Burkholderia\Burkholderia gladioli\Burkholderia gladioli DSM 8361\

genus, species, strain : Burkholderia gladioli DSM 8361
MicrobeMS ID : 2010_01_12_Maren Stämmeler_0008
NCBI tax ID's : 28095 -
growth time : 24h
growth temperature : 37 Grad Celsius (eigentlich nicht so geeignet für diesen Stamm)
growth conditions : aerob
growth medium : TSA

sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
 concentration : 3-4 Oesen in 100 µl
 extra info : Stämme von der DSMZ Anzucht und Präp.: MS
 calibration standard : ProteinStandard 1 (Bruker)
 measurement method : ToM_200ns.par
 customer : RKI ZBS6
 measurement date/time : 2010-12-01T11:05:01.656+01:00
 path to MS file : \Burkholderia\Burkholderia gladioli\Burkholderia gladioli DSM 8361\

genus, species, strain : Burkholderia gladioli B. gladioli
 MicrobeMS ID : 2006_21_11_Alejandro Minan_0005
 NCBI tax ID's : 28095 -
 growth time : 24h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
 concentration : 3 Loops in 100 µl
 extra info : Growing and Preparation A. MinanStrains from CINDEFI
 calibration standard : ProteinStandard 1 (Bruker)
 measurement method : ToM_200ns.par
 customer : RKI ZBS6
 measurement date/time : 2006-11-21 13:55:46
 path to MS file : \Burkholderia\Burkholderia gladioli\Burkholderia gladioli fragl\

genus, species, strain : Burkholderia gladioli B. gladioli
 MicrobeMS ID : 2006_18_12_Alejandro Minan_0001
 NCBI tax ID's : 28095 -
 growth time : 24h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
 concentration : 3 Loops in 100 µl
 extra info : Growing and Preparation A. MinanStrains from CINDEFI
 calibration standard : ProteinStandard 1 (Bruker)
 measurement method : ToM_200ns.par
 customer : RKI ZBS6
 measurement date/time : 2006-12-18 13:58:47
 path to MS file : \Burkholderia\Burkholderia gladioli\Burkholderia gladioli fragl\

genus, species, strain : Burkholderia gladioli B. gladioli
 MicrobeMS ID : 2006_18_12_Alejandro Minan_0002
 NCBI tax ID's : 28095 -
 growth time : 24h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
 concentration : 3 Loops in 100 µl
 extra info : Growing and Preparation A. MinanStrains from CINDEFI
 calibration standard : ProteinStandard 1 (Bruker)
 measurement method : ToM_200ns.par
 customer : RKI ZBS6
 measurement date/time : 2006-12-18 14:03:07
 path to MS file : \Burkholderia\Burkholderia gladioli\Burkholderia gladioli fragl\

Burkholderia glathei

genus, species, strain : Burkholderia glathei LMG 14190
 MicrobeMS ID : 2012_04_13_Maren Stämmeler_0001
 NCBI tax ID's : 60547 -
 growth time : 48h
 growth temperature : 28 Grad Celsius
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
 concentration : ca. 3-5 Oesen in 100 µl
 extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
 calibration standard : E.coli K12 (DSM 3871) kalibriert
 measurement method : ToM_200ns.par
 customer : RKI ZBS2/ZBS6
 measurement date/time : 2012-04-13T11:53:14.000+02:00
 path to MS file : \Burkholderia\Burkholderia glathei\Burkholderia glathei LMG 14190\

genus, species, strain : Burkholderia glathei LMG 14190
 MicrobeMS ID : 2012_04_20_Maren Stämmeler_0009
 NCBI tax ID's : 60547 -
 growth time : 48h
 growth temperature : 28 Grad Celsius
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
 concentration : ca. 3-5 Oesen in 100 µl
 extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
 calibration standard : E.coli K12 (DSM 3871) kalibriert
 measurement method : ToM_200ns.par
 customer : RKI ZBS2/ZBS6
 measurement date/time : 2012-04-20T11:01:48.546+02:00
 path to MS file : \Burkholderia\Burkholderia glathei\Burkholderia glathei LMG 14190\

genus, species, strain : Burkholderia glathei LMG 14190
 MicrobeMS ID : 2012_04_27_Maren Stämmeler_0009
 NCBI tax ID's : 60547 -
 growth time : 48h
 growth temperature : 28 Grad Celsius
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
 concentration : ca. 3-5 Oesen in 100 µl
 extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
 calibration standard : E.coli K12 (DSM 3871) kalibriert
 measurement method : ToM_200ns.par
 customer : RKI ZBS2/ZBS6
 measurement date/time : 2012-04-27T10:28:54.953+02:00

```
path to MS file      : \Burkholderia\Burkholderia glathei\Burkholderia glathei LMG 14190\  
genus, species, strain : Burkholderia glathei LMG 14932  
MicrobeMS ID        : 2012_04_13_Maren Stämmeler_0002  
NCBI tax ID's       : 60547 -  
growth time         : 48h  
growth temperature  : 28 Grad Celsius  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 3-5 Oesen in 100 muel  
extra info          : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG  
calibration standard : E.coli K12 (DSM 3871) kalibriert  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2012-04-13T11:55:58.609+02:00  
path to MS file      : \Burkholderia\Burkholderia glathei\Burkholderia glathei LMG 14932\  
  
genus, species, strain : Burkholderia glathei LMG 14932  
MicrobeMS ID        : 2012_04_20_Maren Stämmeler_0010  
NCBI tax ID's       : 60547 -  
growth time         : 48h  
growth temperature  : 28 Grad Celsius  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 3-5 Oesen in 100 muel  
extra info          : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG  
calibration standard : E.coli K12 (DSM 3871) kalibriert  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2012-04-20T11:05:31.296+02:00  
path to MS file      : \Burkholderia\Burkholderia glathei\Burkholderia glathei LMG 14932\  
  
genus, species, strain : Burkholderia glathei LMG 14932  
MicrobeMS ID        : 2012_04_27_Maren Stämmeler_0010  
NCBI tax ID's       : 60547 -  
growth time         : 48h  
growth temperature  : 28 Grad Celsius  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 3-5 Oesen in 100 muel  
extra info          : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG  
calibration standard : E.coli K12 (DSM 3871) kalibriert  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2012-04-27T10:31:59.421+02:00  
path to MS file      : \Burkholderia\Burkholderia glathei\Burkholderia glathei LMG 14932\  

```

Burkholderia glumae

```
genus, species, strain : Burkholderia glumae LMG 1277.2  
MicrobeMS ID        : 2012_04_20_Maren Stämmeler_0003  
NCBI tax ID's       : 337 -  
growth time         : 48h  
growth temperature  : 28 Grad Celsius  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 3-5 Oesen in 100 muel  
extra info          : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG  
calibration standard : E.coli K12 (DSM 3871) kalibriert  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2012-04-20T10:05:11.515+02:00  
path to MS file      : \Burkholderia\Burkholderia glumae\Burkholderia glumae LMG 1277 2\  
  
genus, species, strain : Burkholderia glumae LMG 1277.2  
MicrobeMS ID        : 2012_04_27_Maren Stämmeler_0003  
NCBI tax ID's       : 337 -  
growth time         : 48h  
growth temperature  : 28 Grad Celsius  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 3-5 Oesen in 100 muel  
extra info          : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG  
calibration standard : E.coli K12 (DSM 3871) kalibriert  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2012-04-27T09:57:35.187+02:00  
path to MS file      : \Burkholderia\Burkholderia glumae\Burkholderia glumae LMG 1277 2\  
  
genus, species, strain : Burkholderia glumae LMG 1277.2  
MicrobeMS ID        : 2012_05_04_Maren Stämmeler_0003  
NCBI tax ID's       : 337 -  
growth time         : 48h  
growth temperature  : 28 Grad Celsius  
growth conditions   : aerob  
growth medium       : TSA  
sample treatment    : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 3-5 Oesen in 100 muel  
extra info          : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG  
calibration standard : E.coli K12 (DSM 3871) kalibriert  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS2/ZBS6  
measurement date/time : 2012-05-04T11:15:23.687+02:00  
path to MS file      : \Burkholderia\Burkholderia glumae\Burkholderia glumae LMG 1277 2\  
  
genus, species, strain : Burkholderia glumae LMG 2196  
MicrobeMS ID        : 2012_04_20_Maren Stämmeler_0004  
NCBI tax ID's       : 337 -  
growth time         : 48h  
growth temperature  : 28 Grad Celsius
```

growth conditions : aerob
growth medium : TSA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-20T10:08:34.250+02:00
path to MS file : \Burkholderia\Burkholderia glumae\Burkholderia glumae LMG 2196\

genus, species, strain : Burkholderia glumae LMG 2196
MicrobeMS ID : 2012_04_27_Maren Stämmeler_0004
NCBI tax ID's : 337 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-27T10:03:02.953+02:00
path to MS file : \Burkholderia\Burkholderia glumae\Burkholderia glumae LMG 2196\

genus, species, strain : Burkholderia glumae LMG 2196
MicrobeMS ID : 2012_05_04_Maren Stämmeler_0004
NCBI tax ID's : 337 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-05-04T11:20:54.734+02:00
path to MS file : \Burkholderia\Burkholderia glumae\Burkholderia glumae LMG 2196\

Burkholderia hospita

genus, species, strain : Burkholderia hospita LMG 20574
MicrobeMS ID : 2012_04_20_Maren Stämmeler_0001
NCBI tax ID's : 169430 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-20T09:49:17.718+02:00
path to MS file : \Burkholderia\Burkholderia hospita\Burkholderia hospita LMG 20574\

genus, species, strain : Burkholderia hospita LMG 20574
MicrobeMS ID : 2012_04_27_Maren Stämmeler_0001
NCBI tax ID's : 169430 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-27T09:44:40.437+02:00
path to MS file : \Burkholderia\Burkholderia hospita\Burkholderia hospita LMG 20574\

genus, species, strain : Burkholderia hospita LMG 20574
MicrobeMS ID : 2012_05_04_Maren Stämmeler_0001
NCBI tax ID's : 169430 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-05-04T11:00:28.062+02:00
path to MS file : \Burkholderia\Burkholderia hospita\Burkholderia hospita LMG 20574\

genus, species, strain : Burkholderia hospita LMG 20586
MicrobeMS ID : 2012_04_20_Maren Stämmeler_0002
NCBI tax ID's : 169430 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par

genus, species, strain : Burkholderia mallei ATCC 23344
MicrobeMS ID : 2009_03_09_Maren Stämmeler_0012
NCBI tax ID's : 13373 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung /Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-03T08:58:07.734+00:00
path to MS file : \Burkholderia\Burkholderia mallei\Burkholderia mallei ATCC 23344\

genus, species, strain : Burkholderia mallei ATCC 23344
MicrobeMS ID : 2007_24_08_Maren Stämmeler_0009
NCBI tax ID's : 13373 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/5 min EWZ; 20 min zentrifugiert 16,1 rcf; 5 min Handling/ 1:10 verdünnt/ 1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Inaktivierung der Staemme von Petra Lochau/Daniela Jacob; Uebergabe am 22.08.2007; Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-08-24 09:45:57
path to MS file : \Burkholderia\Burkholderia mallei\Burkholderia mallei ATCC 23344\

genus, species, strain : Burkholderia mallei ATCC 23344/BgVV
MicrobeMS ID : 2009_17_07_Maren Stämmeler_0003
NCBI tax ID's : 13373 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T08:11:09.437+00:00
path to MS file : \Burkholderia\Burkholderia mallei\Burkholderia mallei ATCC 23344\

genus, species, strain : Burkholderia mallei ATCC 23344/Uni Calgary; CDN
MicrobeMS ID : 2009_17_07_Maren Stämmeler_0004
NCBI tax ID's : 13373 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T08:14:10.906+00:00
path to MS file : \Burkholderia\Burkholderia mallei\Burkholderia mallei ATCC 23344\

genus, species, strain : Burkholderia mallei ATCC 23344/BgVV
MicrobeMS ID : 2009_17_07_Maren Stämmeler_0011
NCBI tax ID's : 13373 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T08:41:46.906+00:00
path to MS file : \Burkholderia\Burkholderia mallei\Burkholderia mallei ATCC 23344\

genus, species, strain : Burkholderia mallei ATCC 23344/Uni Calgary; CDN
MicrobeMS ID : 2009_17_07_Maren Stämmeler_0012
NCBI tax ID's : 13373 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T08:44:24.578+00:00
path to MS file : \Burkholderia\Burkholderia mallei\Burkholderia mallei ATCC 23344\

genus, species, strain : Burkholderia mallei ATCC 23344
MicrobeMS ID : 2009_04_09_Maren Stämmeler_0002
NCBI tax ID's : 13373 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung /Anzucht und Präparation: MS

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-04T10:41:57.218+00:00
path to MS file : \\Burkholderia\Burkholderia mallei\Burkholderia mallei ATCC 23344\

genus, species, strain : Burkholderia mallei Bogur
MicrobeMS ID : 2007_24_08_Maren Stämmeler_0011
NCBI tax ID's : 13373 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/5 min EWZ; 20 min zentrifugiert 16,1 rcf; 5 min Handling/ 1:10 verdünnt/ 1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Inaktivierung der Staemme von Petra Lochau/Daniela Jacob; Uebergabe am 22.08.2007; Praeoperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-08-24 09:58:59
path to MS file : \\Burkholderia\Burkholderia mallei\Burkholderia mallei Bogor\

genus, species, strain : Burkholderia mallei Bogur
MicrobeMS ID : 2009_17_07_Maren Stämmeler_0002
NCBI tax ID's : 13373 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T08:06:34.453+00:00
path to MS file : \\Burkholderia\Burkholderia mallei\Burkholderia mallei Bogor\

genus, species, strain : Burkholderia mallei Bogur
MicrobeMS ID : 2009_17_07_Maren Stämmeler_0010
NCBI tax ID's : 13373 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T08:38:57.625+00:00
path to MS file : \\Burkholderia\Burkholderia mallei\Burkholderia mallei Bogor\

genus, species, strain : Burkholderia mallei 10229
MicrobeMS ID : 2010_13_09_Maren Stämmeler_0002
NCBI tax ID's : 13373 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek; Präparation für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-09-13T09:56:25.218+02:00
path to MS file : \\Burkholderia\Burkholderia mallei\Burkholderia mallei CZ 10229\

genus, species, strain : Burkholderia mallei 10230
MicrobeMS ID : 2010_13_09_Maren Stämmeler_0003
NCBI tax ID's : 13373 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek; Präparation für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-09-13T09:59:28.328+02:00
path to MS file : \\Burkholderia\Burkholderia mallei\Burkholderia mallei CZ 10230\

genus, species, strain : Burkholderia mallei 10245
MicrobeMS ID : 2010_13_09_Maren Stämmeler_0004
NCBI tax ID's : 13373 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek; Präparation für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-09-13T10:02:43.265+02:00
path to MS file : \\Burkholderia\Burkholderia mallei\Burkholderia mallei CZ 10245\

genus, species, strain : Burkholderia mallei 10247
MicrobeMS ID : 2010_13_09_Maren Stämmeler_0005
NCBI tax ID's : 13373 -
growth time : 24h

growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek; Präparation für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-09-13T10:08:56.640+02:00
path to MS file : \Burkholderia\Burkholderia mallei\CZ 10247\

genus, species, strain : Burkholderia mallei 10248
MicrobeMS ID : 2010_13_09_Maren Stämmeler_0006
NCBI tax ID's : 13373 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek; Präparation für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-09-13T10:14:23.390+02:00
path to MS file : \Burkholderia\Burkholderia mallei\CZ 10248\

genus, species, strain : Burkholderia mallei 3708
MicrobeMS ID : 2010_13_09_Maren Stämmeler_0001
NCBI tax ID's : 13373 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek; Präparation für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-09-13T09:53:52.953+02:00
path to MS file : \Burkholderia\Burkholderia mallei\CZ 3708\

genus, species, strain : Burkholderia mallei Zagreb
MicrobeMS ID : 2007_24_08_Maren Stämmeler_0010
NCBI tax ID's : 13373 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/5 min EWZ; 20 min zentrifugiert 16,1 rcf; 5 min Handling/ 1:10 verdünnt/ 1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Inaktivierung der Staemme von Petra Lochau/Daniela Jacob; Uebergabe am 22.08.2007; Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-08-24 09:55:35
path to MS file : \Burkholderia\Burkholderia mallei\CZ 3708\

genus, species, strain : Burkholderia mallei Zagreb
MicrobeMS ID : 2009_17_07_Maren Stämmeler_0001
NCBI tax ID's : 13373 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T08:03:48.078+00:00
path to MS file : \Burkholderia\Burkholderia mallei\CZ 3708\

genus, species, strain : Burkholderia mallei Zagreb
MicrobeMS ID : 2009_17_07_Maren Stämmeler_0009
NCBI tax ID's : 13373 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T08:34:46.875+00:00
path to MS file : \Burkholderia\Burkholderia mallei\CZ 3708\

Burkholderia oklahomensis

genus, species, strain : Burkholderia oklahomensis Ringvers. A-269_04 A
MicrobeMS ID : 2012_04_02_Maren Stämmeler_0007
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert

measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-02T14:09:48.640+02:00
path to MS file : \\Burkholderia\Burkholderia oklahomensis\Burkholderia oklahomensis A-269_04 A\

genus, species, strain : Burkholderia oklahomensis Ringvers. A-269_04 A
MicrobeMS ID : 2012_04_04_Maren Stämmeler_0007
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T13:55:25.750+01:00
path to MS file : \\Burkholderia\Burkholderia oklahomensis\Burkholderia oklahomensis A-269_04 A\

genus, species, strain : Burkholderia oklahomensis DSM 21774
MicrobeMS ID : 2010_12_11_Maren Stämmeler_0002
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-12T10:26:43.984+01:00
path to MS file : \\Burkholderia\Burkholderia oklahomensis\Burkholderia oklahomensis DSM 21774\

genus, species, strain : Burkholderia oklahomensis DSM 21774
MicrobeMS ID : 2010_18_11_Maren Stämmeler_0002
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-18T11:59:28.218+01:00
path to MS file : \\Burkholderia\Burkholderia oklahomensis\Burkholderia oklahomensis DSM 21774\

genus, species, strain : Burkholderia oklahomensis DSM 21774
MicrobeMS ID : 2010_25_11_Maren Stämmeler_0002
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-25T10:35:33.953+01:00
path to MS file : \\Burkholderia\Burkholderia oklahomensis\Burkholderia oklahomensis DSM 21774\

genus, species, strain : Burkholderia oklahomensis DSM 21774
MicrobeMS ID : 2010_01_12_Maren Stämmeler_0002
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-12-01T10:05:56.265+01:00
path to MS file : \\Burkholderia\Burkholderia oklahomensis\Burkholderia oklahomensis DSM 21774\

genus, species, strain : Burkholderia oklahomensis LMG 23618
MicrobeMS ID : 2012_04_13_Maren Stämmeler_0007
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-13T13:19:22.593+02:00
path to MS file : \\Burkholderia\Burkholderia oklahomensis\Burkholderia oklahomensis LMG 23618\

genus, species, strain : Burkholderia oklahomensis LMG 23618
MicrobeMS ID : 2012_04_20_Maren Stämmeler_0015
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius

growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-20T11:49:35.187+02:00
path to MS file : \Burkholderia\Burkholderia oklahomensis\Burkholderia oklahomensis LMG 23618\

genus, species, strain : Burkholderia oklahomensis LMG 23618
MicrobeMS ID : 2012_04_27_Maren Stämmeler_0015
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-27T11:31:56.015+02:00
path to MS file : \Burkholderia\Burkholderia oklahomensis\Burkholderia oklahomensis LMG 23618\

genus, species, strain : Burkholderia oklahomensis LMG 23619
MicrobeMS ID : 2012_04_13_Maren Stämmeler_0008
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-13T13:22:06.031+02:00
path to MS file : \Burkholderia\Burkholderia oklahomensis\Burkholderia oklahomensis LMG 23619\

genus, species, strain : Burkholderia oklahomensis LMG 23619
MicrobeMS ID : 2012_04_20_Maren Stämmeler_0016
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-20T11:52:20.734+02:00
path to MS file : \Burkholderia\Burkholderia oklahomensis\Burkholderia oklahomensis LMG 23619\

genus, species, strain : Burkholderia oklahomensis LMG 23619
MicrobeMS ID : 2012_04_27_Maren Stämmeler_0016
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-27T11:36:12.671+02:00
path to MS file : \Burkholderia\Burkholderia oklahomensis\Burkholderia oklahomensis LMG 23619\

genus, species, strain : Burkholderia oklahomensis LMG 23620
MicrobeMS ID : 2012_04_13_Maren Stämmeler_0009
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-13T13:28:47.625+02:00
path to MS file : \Burkholderia\Burkholderia oklahomensis\Burkholderia oklahomensis LMG 23620\

genus, species, strain : Burkholderia oklahomensis LMG 23620
MicrobeMS ID : 2012_04_20_Maren Stämmeler_0017
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-20T12:00:30.750+02:00
path to MS file : \Burkholderia\Burkholderia oklahomensis\Burkholderia oklahomensis LMG 23620\

genus, species, strain : Burkholderia oklahomensis LMG 23620
MicrobeMS ID : 2012_04_27_Maren Stämmeler_0017
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-27T11:41:36.968+02:00
path to MS file : \\Burkholderia\\Burkholderia oklahomensis\\Burkholderia oklahomensis LMG 23620\\

genus, species, strain : Burkholderia oklahomensis LMG 23621
MicrobeMS ID : 2012_04_13_Maren Stämmeler_0010
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-13T13:31:22.296+02:00
path to MS file : \\Burkholderia\\Burkholderia oklahomensis\\Burkholderia oklahomensis LMG 23621\\

genus, species, strain : Burkholderia oklahomensis LMG 23621
MicrobeMS ID : 2012_04_20_Maren Stämmeler_0018
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-20T12:05:49.281+02:00
path to MS file : \\Burkholderia\\Burkholderia oklahomensis\\Burkholderia oklahomensis LMG 23621\\

genus, species, strain : Burkholderia oklahomensis LMG 23621
MicrobeMS ID : 2012_04_27_Maren Stämmeler_0018
NCBI tax ID's : 342113 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-27T11:44:16.234+02:00
path to MS file : \\Burkholderia\\Burkholderia oklahomensis\\Burkholderia oklahomensis LMG 23621\\

Burkholderia phymatum

genus, species, strain : Burkholderia phymatum DSM 17167
MicrobeMS ID : 2010_19_11_Maren Stämmeler_0001
NCBI tax ID's : 148447 -
growth time : 48h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-19T11:05:05.593+01:00
path to MS file : \\Burkholderia\\Burkholderia phymatum\\Burkholderia phymatum DSM 17167\\

genus, species, strain : Burkholderia phymatum DSM 17167
MicrobeMS ID : 2010_26_11_Maren Stämmeler_0001
NCBI tax ID's : 148447 -
growth time : 48h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-26T11:32:08.093+01:00
path to MS file : \\Burkholderia\\Burkholderia phymatum\\Burkholderia phymatum DSM 17167\\

genus, species, strain : Burkholderia phymatum DSM 17167
MicrobeMS ID : 2010_03_12_Maren Stämmeler_0001
NCBI tax ID's : 148447 -
growth time : 48h
growth temperature : 30 Grad Celsius
growth conditions : aerob

growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-12-03T09:33:21.125+01:00
path to MS file : \Burkholderia\Burkholderia phymatum\Burkholderia phymatum DSM 17167\

Burkholderia phytofirmans

genus, species, strain : Burkholderia phytofirmans DSM 17436
MicrobeMS ID : 2010_19_11_Maren Stämmmler_0002
NCBI tax ID's : 261302 -
growth time : 48h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-19T11:13:22.656+01:00
path to MS file : \Burkholderia\Burkholderia phytofirmans\Burkholderia phytofirmans DSM 17436\

genus, species, strain : Burkholderia phytofirmans DSM 17436
MicrobeMS ID : 2010_26_11_Maren Stämmmler_0002
NCBI tax ID's : 261302 -
growth time : 48h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-26T11:35:38.671+01:00
path to MS file : \Burkholderia\Burkholderia phytofirmans\Burkholderia phytofirmans DSM 17436\

genus, species, strain : Burkholderia phytofirmans DSM 17436
MicrobeMS ID : 2010_03_12_Maren Stämmmler_0002
NCBI tax ID's : 261302 -
growth time : 48h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-12-03T09:36:48.687+01:00
path to MS file : \Burkholderia\Burkholderia phytofirmans\Burkholderia phytofirmans DSM 17436\

Burkholderia plantarii

genus, species, strain : Burkholderia plantarii LMG 10907
MicrobeMS ID : 2012_04_20_Maren Stämmmler_0006
NCBI tax ID's : 41899 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-20T10:31:31.703+02:00
path to MS file : \Burkholderia\Burkholderia plantarii\Burkholderia plantarii LMG 10907\

genus, species, strain : Burkholderia plantarii LMG 10907
MicrobeMS ID : 2012_04_27_Maren Stämmmler_0006
NCBI tax ID's : 41899 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-27T10:11:30.734+02:00
path to MS file : \Burkholderia\Burkholderia plantarii\Burkholderia plantarii LMG 10907\

genus, species, strain : Burkholderia plantarii LMG 10907
MicrobeMS ID : 2012_05_04_Maren Stämmmler_0006
NCBI tax ID's : 41899 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG

calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-05-04T11:51:57.312+02:00
path to MS file : \Burkholderia\Burkholderia plantarii\Burkholderia plantarii LMG 10907\

genus, species, strain : Burkholderia plantarii LMG 9035
MicrobeMS ID : 2012_04_20_Maren Stämmeler_0005
NCBI tax ID's : 41899 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-20T10:28:38.390+02:00
path to MS file : \Burkholderia\Burkholderia plantarii\Burkholderia plantarii LMG 9035\

genus, species, strain : Burkholderia plantarii LMG 9035
MicrobeMS ID : 2012_04_27_Maren Stämmeler_0005
NCBI tax ID's : 41899 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-27T10:08:47.406+02:00
path to MS file : \Burkholderia\Burkholderia plantarii\Burkholderia plantarii LMG 9035\

genus, species, strain : Burkholderia plantarii LMG 9035
MicrobeMS ID : 2012_05_04_Maren Stämmeler_0005
NCBI tax ID's : 41899 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-05-04T11:47:22.656+02:00
path to MS file : \Burkholderia\Burkholderia plantarii\Burkholderia plantarii LMG 9035\

Burkholderia pseudomallei

genus, species, strain : Burkholderia pseudomallei Ringvers. A-269_01 A
MicrobeMS ID : 2012_04_02_Maren Stämmeler_0001
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-02T13:41:49.156+02:00
path to MS file : \Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei A-269_01 A\

genus, species, strain : Burkholderia pseudomallei Ringvers. A-269_01 A
MicrobeMS ID : 2012_04_04_Maren Stämmeler_0001
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T13:32:01.406+01:00
path to MS file : \Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei A-269_01 A\

genus, species, strain : Burkholderia pseudomallei A333-1
MicrobeMS ID : 2012_11_15_Andy Schneider_0001
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-15T14:12:27.000
path to MS file : \Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei A333\

genus, species, strain : Burkholderia pseudomallei A333-1

MicrobeMS ID : 2012_11_15_Andy_Schneider_0003
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-15T14:27:46.000
path to MS file : \\Burkholderia\\Burkholderia_pseudomallei\\Burkholderia_pseudomallei_A333\\

genus, species, strain : Burkholderia_pseudomallei_A333-1
MicrobeMS ID : 2012_11_15_Andy_Schneider_0005
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-15T14:43:19.000
path to MS file : \\Burkholderia\\Burkholderia_pseudomallei\\Burkholderia_pseudomallei_A333\\

genus, species, strain : Burkholderia_pseudomallei_A333-1
MicrobeMS ID : 2012_11_15_Andy_Schneider_0002
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-15T14:21:08.000
path to MS file : \\Burkholderia\\Burkholderia_pseudomallei\\Burkholderia_pseudomallei_A333\\

genus, species, strain : Burkholderia_pseudomallei_A333-1
MicrobeMS ID : 2012_11_15_Andy_Schneider_0004
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-15T14:36:02.000
path to MS file : \\Burkholderia\\Burkholderia_pseudomallei\\Burkholderia_pseudomallei_A333\\

genus, species, strain : Burkholderia_pseudomallei_A333-1
MicrobeMS ID : 2012_11_15_Andy_Schneider_0006
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-15T14:52:02.000
path to MS file : \\Burkholderia\\Burkholderia_pseudomallei\\Burkholderia_pseudomallei_A333\\

genus, species, strain : Burkholderia_pseudomallei_A335-1
MicrobeMS ID : 2012_11_15_Andy_Schneider_0007
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-15T15:04:49.000
path to MS file : \\Burkholderia\\Burkholderia_pseudomallei\\Burkholderia_pseudomallei_A335\\

genus, species, strain : Burkholderia_pseudomallei_A335-1
MicrobeMS ID : 2012_11_15_Andy_Schneider_0009
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert

measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-15T15:20:13.000
path to MS file : \\Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei A335\

genus, species, strain : Burkholderia pseudomallei A335-1
MicrobeMS ID : 2012_11_15_Andy_Schneider_0011
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-15T15:38:17.000
path to MS file : \\Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei A335\

genus, species, strain : Burkholderia pseudomallei A335-1
MicrobeMS ID : 2012_11_15_Andy_Schneider_0008
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-15T15:12:38.000
path to MS file : \\Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei A335\

genus, species, strain : Burkholderia pseudomallei A335-1
MicrobeMS ID : 2012_11_15_Andy_Schneider_0010
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-15T15:30:20.000
path to MS file : \\Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei A335\

genus, species, strain : Burkholderia pseudomallei A335-1
MicrobeMS ID : 2012_11_15_Andy_Schneider_0012
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 20 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-15T15:45:53.000
path to MS file : \\Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei A335\

genus, species, strain : Burkholderia pseudomallei CCUG 13790
MicrobeMS ID : 2007_24_08_Maren_Stämmeler_0005
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/5 min EWZ; 20 min zentrifugiert 16,1 rcf; 5 min Handling/ 1:10 verdünnt/ 1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Inaktivierung der Staemme von Petra Lochau/Daniela Jacob; Uebergabe am 22.08.2007; Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-08-24 08:37:42
path to MS file : \\Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei CCUG 13790\

genus, species, strain : Burkholderia pseudomallei CCUG 13790
MicrobeMS ID : 2009_17_07_Maren_Stämmeler_0005
NCBI tax ID's : 28450 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T08:18:17.359+00:00
path to MS file : \\Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei CCUG 13790\

genus, species, strain : Burkholderia pseudomallei CCUG 13790
MicrobeMS ID : 2009_17_07_Maren_Stämmeler_0013
NCBI tax ID's : 28450 -
growth time : 48h
growth temperature : 37 Grad Celsius

growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T08:48:53.296+00:00
path to MS file : \Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei CCUC 13790\

genus, species, strain : Burkholderia pseudomallei CCUG 15648
MicrobeMS ID : 2007_24_08_Maren Stämmeler_0006
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/5 min EWZ; 20 min zentrifugiert 16,1 rcf; 5 min Handling/ 1:10 verdünnt/ 1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Inaktivierung der Staemme von Petra Lochau/Daniela Jacob; Uebergabe am 22.08.2007; Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-08-24 08:40:35
path to MS file : \Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei CCUC 15648\

genus, species, strain : Burkholderia pseudomallei CCUG 15648
MicrobeMS ID : 2009_17_07_Maren Stämmeler_0007
NCBI tax ID's : 28450 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T08:25:03.031+00:00
path to MS file : \Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei CCUC 15648\

genus, species, strain : Burkholderia pseudomallei CCUG 15648
MicrobeMS ID : 2009_17_07_Maren Stämmeler_0015
NCBI tax ID's : 28450 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T09:11:51.093+00:00
path to MS file : \Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei CCUC 15648\

genus, species, strain : Burkholderia pseudomallei CCUG 15649
MicrobeMS ID : 2007_24_08_Maren Stämmeler_0007
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/5 min EWZ; 20 min zentrifugiert 16,1 rcf; 5 min Handling/ 1:10 verdünnt/ 1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Inaktivierung der Staemme von Petra Lochau/Daniela Jacob; Uebergabe am 22.08.2007; Praeperation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-08-24 09:39:50
path to MS file : \Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei CCUC 15649\

genus, species, strain : Burkholderia pseudomallei CCUG 15649
MicrobeMS ID : 2009_17_07_Maren Stämmeler_0006
NCBI tax ID's : 28450 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T08:21:04.406+00:00
path to MS file : \Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei CCUC 15649\

genus, species, strain : Burkholderia pseudomallei CCUG 15649
MicrobeMS ID : 2009_17_07_Maren Stämmeler_0014
NCBI tax ID's : 28450 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T08:51:34.843+00:00
path to MS file : \Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei CCUC 15649\

genus, species, strain : Burkholderia pseudomallei CCUG 15651
MicrobeMS ID : 2007_24_08_Maren Stämmeler_0008
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/5 min EWZ; 20 min zentrifugiert 16,1 rcf; 5 min Handling/ 1:10 verdünnt/ 1:1 HCCATA2 (ZA)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Inaktivierung der Staemme von Petra Lochau/Daniela Jacob; Uebergabe am 22.08.2007; Praeoperation fuer MalDI MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-08-24 09:43:05
path to MS file : \\Burkholderia\\Burkholderia pseudomallei\\Burkholderia pseudomallei CCUG 15651\\

genus, species, strain : Burkholderia pseudomallei CCUG 15651
MicrobeMS ID : 2009_17_07_Maren Stämmeler_0008
NCBI tax ID's : 28450 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für MalDI: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T08:27:58.421+00:00
path to MS file : \\Burkholderia\\Burkholderia pseudomallei\\Burkholderia pseudomallei CCUG 15651\\

genus, species, strain : Burkholderia pseudomallei CCUG 15651
MicrobeMS ID : 2009_17_07_Maren Stämmeler_0016
NCBI tax ID's : 28450 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/20d bei -80°C; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Jacob ZBS 1/Anzucht Jacob/Lochau; Präp. für MalDI: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-17T09:15:10.500+00:00
path to MS file : \\Burkholderia\\Burkholderia pseudomallei\\Burkholderia pseudomallei CCUG 15651\\

genus, species, strain : Burkholderia pseudomallei 10274
MicrobeMS ID : 2010_13_09_Maren Stämmeler_0012
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek; Präparation für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-09-13T10:37:09.000+02:00
path to MS file : \\Burkholderia\\Burkholderia pseudomallei\\Burkholderia pseudomallei CZ 10274\\

genus, species, strain : Burkholderia pseudomallei 11642
MicrobeMS ID : 2010_13_09_Maren Stämmeler_0013
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek; Präparation für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-09-13T10:42:04.109+02:00
path to MS file : \\Burkholderia\\Burkholderia pseudomallei\\Burkholderia pseudomallei CZ 11642\\

genus, species, strain : Burkholderia pseudomallei 3462
MicrobeMS ID : 2010_13_09_Maren Stämmeler_0007
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek; Präparation für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-09-13T10:19:40.234+02:00
path to MS file : \\Burkholderia\\Burkholderia pseudomallei\\Burkholderia pseudomallei CZ 3462\\

genus, species, strain : Burkholderia pseudomallei 3463
MicrobeMS ID : 2010_13_09_Maren Stämmeler_0008
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel

extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek; Präparation für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-09-13T10:22:17.906+02:00
path to MS file : \Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei CZ 3463\

genus, species, strain : Burkholderia pseudomallei 4845
MicrobeMS ID : 2010_13_09_Maren Stämmeler_0009
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek; Präparation für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-09-13T10:27:42.937+02:00
path to MS file : \Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei CZ 4845\

genus, species, strain : Burkholderia pseudomallei 7431
MicrobeMS ID : 2010_13_09_Maren Stämmeler_0010
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek; Präparation für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-09-13T10:30:18.453+02:00
path to MS file : \Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei CZ 7431\

genus, species, strain : Burkholderia pseudomallei 8708
MicrobeMS ID : 2010_13_09_Maren Stämmeler_0011
NCBI tax ID's : 28450 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek; Präparation für MS: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-09-13T10:34:29.062+02:00
path to MS file : \Burkholderia\Burkholderia pseudomallei\Burkholderia pseudomallei CZ 8708\

Burkholderia thailandensis

genus, species, strain : Burkholderia thailandensis Ringvers. A-269_07 A
MicrobeMS ID : 2012_04_02_Maren Stämmeler_0013
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-02T15:02:39.515+02:00
path to MS file : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis A-269_07 A\

genus, species, strain : Burkholderia thailandensis Ringvers. A-269_07 A
MicrobeMS ID : 2012_04_04_Maren Stämmeler_0013
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T14:22:34.609+01:00
path to MS file : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis A-269_07 A\

genus, species, strain : Burkholderia thailandensis DSM 13276 mittlere Kolonien
MicrobeMS ID : 2007_04_05_Maren Stämmeler_0012
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-04 14:14:12
path to MS file : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis DSM 13276\

genus, species, strain : Burkholderia thailandensis DSM 13276 mittlere Kolonien
MicrobeMS ID : 2007_09_05_Maren Stämmeler_0012
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Mald: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-09 14:23:08
path to MS file : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis DSM 13276\

genus, species, strain : Burkholderia thailandensis DSM 13276 mittlere Kolonien
MicrobeMS ID : 2007_16_05_Maren Stämmeler_0012
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Mald: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-16 10:35:58
path to MS file : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis DSM 13276\

genus, species, strain : Burkholderia thailandensis DSM 13276
MicrobeMS ID : 2010_05_11_Maren Stämmeler_0001
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-05T10:51:45.046+01:00
path to MS file : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis DSM 13276 n\

genus, species, strain : Burkholderia thailandensis DSM 13276
MicrobeMS ID : 2010_11_11_Maren Stämmeler_0001
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-11T09:08:05.578+01:00
path to MS file : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis DSM 13276 n\

genus, species, strain : Burkholderia thailandensis DSM 13276
MicrobeMS ID : 2010_17_11_Maren Stämmeler_0001
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-17T10:34:09.906+01:00
path to MS file : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis DSM 13276 n\

genus, species, strain : Burkholderia thailandensis DSM 13276
MicrobeMS ID : 2010_24_11_Maren Stämmeler_0001
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-24T10:31:23.703+01:00
path to MS file : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis DSM 13276 n\

genus, species, strain : Burkholderia thailandensis E049
MicrobeMS ID : 2010_05_11_Maren Stämmeler_0003
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-05T11:00:53.109+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 049\

genus, species, strain : Burkholderia thailandensis E049
MicrobeMS ID : 2010_11_11_Maren Stämmeler_0003
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-11T09:19:07.718+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 049\

genus, species, strain : Burkholderia thailandensis E049
MicrobeMS ID : 2010_17_11_Maren Stämmeler_0003
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-17T10:43:04.640+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 049\

genus, species, strain : Burkholderia thailandensis E049
MicrobeMS ID : 2010_24_11_Maren Stämmeler_0003
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-24T10:41:11.453+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 049\

genus, species, strain : Burkholderia thailandensis E058
MicrobeMS ID : 2010_05_11_Maren Stämmeler_0004
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-05T11:04:06.515+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 058\

genus, species, strain : Burkholderia thailandensis E058
MicrobeMS ID : 2010_11_11_Maren Stämmeler_0004
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-11T09:24:04.546+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 058\

genus, species, strain : Burkholderia thailandensis E058
MicrobeMS ID : 2010_17_11_Maren Stämmeler_0004
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-17T10:45:57.359+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 058\

genus, species, strain : Burkholderia thailandensis E058
MicrobeMS ID : 2010_24_11_Maren Stämmeler_0004
NCBI tax ID's : 57975 -
growth time : 24h

growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-24T10:46:12.078+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 058\

genus, species, strain : Burkholderia thailandensis E067
MicrobeMS ID : 2010_05_11_Maren Stämmeler_0005
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-05T11:20:26.468+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 067\

genus, species, strain : Burkholderia thailandensis E067
MicrobeMS ID : 2010_11_11_Maren Stämmeler_0005
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-11T09:29:58.812+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 067\

genus, species, strain : Burkholderia thailandensis E067
MicrobeMS ID : 2010_17_11_Maren Stämmeler_0005
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-17T10:52:06.546+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 067\

genus, species, strain : Burkholderia thailandensis E067
MicrobeMS ID : 2010_24_11_Maren Stämmeler_0005
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-24T10:53:04.609+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 067\

genus, species, strain : Burkholderia thailandensis E 125 mittlere Kolonien
MicrobeMS ID : 2007_04_05_Maren Stämmeler_0015
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Mald: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-04 14:24:38
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 125\

genus, species, strain : Burkholderia thailandensis E 125 mittlere Kolonien
MicrobeMS ID : 2007_09_05_Maren Stämmeler_0015
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Mald: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-09 14:58:06

```
path to MS file      : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 125\\
genus, species, strain : Burkholderia thailandensis E 125 mittlere Kolonien
MicrobeMS ID         : 2007_16_05_Maren Stämmeler_0015
NCBI tax ID's        : 57975 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : TSA
sample treatment     : in 80% TFA/ 1:1 HCCATA2 (A)
concentration         : 3-4 Oesen in 100 muel
extra info           : Anzucht und Praeparation und Praeparation für Mald: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2007-05-16 10:51:24
path to MS file      : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 125\\

genus, species, strain : Burkholderia thailandensis E125
MicrobeMS ID         : 2010_05_11_Maren Stämmeler_0002
NCBI tax ID's        : 57975 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : TSA
sample treatment     : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-4 Oesen in 100 muel
extra info           : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-11-05T10:56:31.718+01:00
path to MS file      : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 125 n\\

genus, species, strain : Burkholderia thailandensis E125
MicrobeMS ID         : 2010_11_11_Maren Stämmeler_0002
NCBI tax ID's        : 57975 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : TSA
sample treatment     : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-4 Oesen in 100 muel
extra info           : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-11-11T09:12:21.796+01:00
path to MS file      : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 125 n\\

genus, species, strain : Burkholderia thailandensis E125
MicrobeMS ID         : 2010_17_11_Maren Stämmeler_0002
NCBI tax ID's        : 57975 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : TSA
sample treatment     : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-4 Oesen in 100 muel
extra info           : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-11-17T10:37:57.500+01:00
path to MS file      : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 125 n\\

genus, species, strain : Burkholderia thailandensis E125
MicrobeMS ID         : 2010_24_11_Maren Stämmeler_0002
NCBI tax ID's        : 57975 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : TSA
sample treatment     : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-4 Oesen in 100 muel
extra info           : Stämme von ZBS II Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-11-24T10:33:57.312+01:00
path to MS file      : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 125 n\\

genus, species, strain : Burkholderia thailandensis E131
MicrobeMS ID         : 2010_05_11_Maren Stämmeler_0006
NCBI tax ID's        : 57975 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : TSA
sample treatment     : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-4 Oesen in 100 muel
extra info           : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-11-05T11:23:31.375+01:00
path to MS file      : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 131\\

genus, species, strain : Burkholderia thailandensis E131
MicrobeMS ID         : 2010_11_11_Maren Stämmeler_0006
NCBI tax ID's        : 57975 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : TSA
sample treatment     : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
```

concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-11T09:32:21.640+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 131\

genus, species, strain : Burkholderia thailandensis E131
MicrobeMS ID : 2010_17_11_Maren Stämmeler_0006
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-17T10:55:36.687+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 131\

genus, species, strain : Burkholderia thailandensis E131
MicrobeMS ID : 2010_24_11_Maren Stämmeler_0006
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-24T10:55:14.765+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 131\

genus, species, strain : Burkholderia thailandensis E143
MicrobeMS ID : 2010_05_11_Maren Stämmeler_0007
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-05T11:27:17.000+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 143\

genus, species, strain : Burkholderia thailandensis E143
MicrobeMS ID : 2010_11_11_Maren Stämmeler_0007
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-11T09:37:23.640+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 143\

genus, species, strain : Burkholderia thailandensis E143
MicrobeMS ID : 2010_17_11_Maren Stämmeler_0007
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-17T11:02:28.500+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 143\

genus, species, strain : Burkholderia thailandensis E143
MicrobeMS ID : 2010_24_11_Maren Stämmeler_0007
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-24T11:09:08.906+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 143\

genus, species, strain : Burkholderia thailandensis E153
MicrobeMS ID : 2010_05_11_Maren Stämmeler_0008

NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-05T11:30:05.218+01:00
path to MS file : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 153\\

genus, species, strain : Burkholderia thailandensis E153
MicrobeMS ID : 2010_11_11_Maren Stämmeler_0008
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-11T10:08:16.531+01:00
path to MS file : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 153\\

genus, species, strain : Burkholderia thailandensis E153
MicrobeMS ID : 2010_17_11_Maren Stämmeler_0008
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-17T11:07:54.671+01:00
path to MS file : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 153\\

genus, species, strain : Burkholderia thailandensis E153
MicrobeMS ID : 2010_24_11_Maren Stämmeler_0008
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-24T11:11:30.250+01:00
path to MS file : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 153\\

genus, species, strain : Burkholderia thailandensis E163
MicrobeMS ID : 2010_05_11_Maren Stämmeler_0009
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-05T11:36:16.515+01:00
path to MS file : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 163\\

genus, species, strain : Burkholderia thailandensis E163
MicrobeMS ID : 2010_11_11_Maren Stämmeler_0009
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-11T10:12:13.265+01:00
path to MS file : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 163\\

genus, species, strain : Burkholderia thailandensis E163
MicrobeMS ID : 2010_17_11_Maren Stämmeler_0009
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2010-11-17T11:19.953+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 163\

genus, species, strain : Burkholderia thailandensis E163
MicrobeMS ID : 2010_24_11_Maren Stämmeler_0009
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-24T11:16:51.781+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 163\

genus, species, strain : Burkholderia thailandensis E184
MicrobeMS ID : 2010_05_11_Maren Stämmeler_0010
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-05T11:39:03.281+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 184\

genus, species, strain : Burkholderia thailandensis E184
MicrobeMS ID : 2010_11_11_Maren Stämmeler_0010
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-11T10:15:17.265+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 184\

genus, species, strain : Burkholderia thailandensis E184
MicrobeMS ID : 2010_17_11_Maren Stämmeler_0010
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-17T11:16:41.609+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 184\

genus, species, strain : Burkholderia thailandensis E184
MicrobeMS ID : 2010_24_11_Maren Stämmeler_0010
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-24T11:19:26.656+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 184\

genus, species, strain : Burkholderia thailandensis E202
MicrobeMS ID : 2010_05_11_Maren Stämmeler_0011
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-05T11:45:01.984+01:00
path to MS file : \\Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E 202\

genus, species, strain : Burkholderia thailandensis E202
MicrobeMS ID : 2010_11_11_Maren Stämmeler_0011
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob

growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-11T10:20:40.484+01:00
path to MS file : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 202\

genus, species, strain : Burkholderia thailandensis E202
MicrobeMS ID : 2010_17_11_Maren Stämmeler_0011
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-17T11:19:25.781+01:00
path to MS file : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 202\

genus, species, strain : Burkholderia thailandensis E202
MicrobeMS ID : 2010_24_11_Maren Stämmeler_0011
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-24T11:24:21.484+01:00
path to MS file : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 202\

genus, species, strain : Burkholderia thailandensis E207
MicrobeMS ID : 2010_05_11_Maren Stämmeler_0012
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-05T11:50:26.015+01:00
path to MS file : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 207\

genus, species, strain : Burkholderia thailandensis E207
MicrobeMS ID : 2010_11_11_Maren Stämmeler_0012
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-11T10:23:06.140+01:00
path to MS file : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 207\

genus, species, strain : Burkholderia thailandensis E207
MicrobeMS ID : 2010_17_11_Maren Stämmeler_0012
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-17T11:23:53.187+01:00
path to MS file : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 207\

genus, species, strain : Burkholderia thailandensis E207
MicrobeMS ID : 2010_24_11_Maren Stämmeler_0012
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-24T11:27:15.015+01:00
path to MS file : \\Burkholderia\\Burkholderia thailandensis\\Burkholderia thailandensis E 207\

```
genus, species, strain : Burkholderia thailandensis E125
MicrobeMS ID           : 2017_05_01_Schneider_Andy_0017
NCBI tax ID's         : 57975 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO Agar
sample treatment      : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von ZBS2
calibration standard  : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2
measurement date/time : 2017-06-01T15:30:12.265+02:00
path to MS file       : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E125 (Ringversuch A938-4b)\

genus, species, strain : Burkholderia thailandensis E125
MicrobeMS ID           : 2017_05_01_Schneider_Andy_0018
NCBI tax ID's         : 57975 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO Agar
sample treatment      : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von ZBS2
calibration standard  : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2
measurement date/time : 2017-06-01T15:39:07.906+02:00
path to MS file       : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E125 (Ringversuch A938-4b)\

genus, species, strain : Burkholderia thailandensis E125
MicrobeMS ID           : 2017_05_01_Schneider_Andy_0019
NCBI tax ID's         : 57975 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO Agar
sample treatment      : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von ZBS2
calibration standard  : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2
measurement date/time : 2017-06-01T15:41:16.125+02:00
path to MS file       : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E125 (Ringversuch A938-4b)\

genus, species, strain : Burkholderia thailandensis E125
MicrobeMS ID           : 2017_05_01_Schneider_Andy_0020
NCBI tax ID's         : 57975 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO Agar
sample treatment      : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von ZBS2
calibration standard  : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2
measurement date/time : 2017-06-01T15:43:29.015+02:00
path to MS file       : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E125 (Ringversuch A938-4b)\

genus, species, strain : Burkholderia thailandensis E125
MicrobeMS ID           : 2017_05_30_Schneider_Andy_0009
NCBI tax ID's         : 57975 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO Agar
sample treatment      : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von ZBS2
calibration standard  : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2
measurement date/time : 2017-05-30T15:02:41.656+02:00
path to MS file       : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E125 (Ringversuch A938-4b)\

genus, species, strain : Burkholderia thailandensis E125
MicrobeMS ID           : 2017_05_30_Schneider_Andy_0010
NCBI tax ID's         : 57975 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO Agar
sample treatment      : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von ZBS2
calibration standard  : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2
measurement date/time : 2017-05-30T15:04:47.875+02:00
path to MS file       : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis E125 (Ringversuch A938-4b)\

genus, species, strain : Burkholderia thailandensis LMG 20219
MicrobeMS ID           : 2012_04_13_Maren Stämmeler_0005
NCBI tax ID's         : 57975 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 3-5 Oesen in 100 µl
extra info           : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
```

calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-13T13:04:53.031+02:00
path to MS file : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis LMG 20219\

genus, species, strain : Burkholderia thailandensis LMG 20219
MicrobeMS ID : 2012_04_20_Maren Stämmeler_0013
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-20T11:23:09.203+02:00
path to MS file : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis LMG 20219\

genus, species, strain : Burkholderia thailandensis LMG 20219
MicrobeMS ID : 2012_04_27_Maren Stämmeler_0013
NCBI tax ID's : 57975 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-27T11:23:35.203+02:00
path to MS file : \Burkholderia\Burkholderia thailandensis\Burkholderia thailandensis LMG 20219\

Burkholderia tuberum

genus, species, strain : Burkholderia tuberum LMG 21444
MicrobeMS ID : 2012_04_13_Maren Stämmeler_0006
NCBI tax ID's : 157910 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-13T13:14:08.140+02:00
path to MS file : \Burkholderia\Burkholderia tuberum\Burkholderia tuberum LMG 21444\

genus, species, strain : Burkholderia tuberum LMG 21444
MicrobeMS ID : 2012_04_20_Maren Stämmeler_0014
NCBI tax ID's : 157910 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-20T11:25:45.687+02:00
path to MS file : \Burkholderia\Burkholderia tuberum\Burkholderia tuberum LMG 21444\

genus, species, strain : Burkholderia tuberum LMG 21444
MicrobeMS ID : 2012_04_27_Maren Stämmeler_0014
NCBI tax ID's : 157910 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Anzucht + TFA-Aufschluß und Präparation für Maldi: MS Stämme von LMG
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-27T11:26:25.437+02:00
path to MS file : \Burkholderia\Burkholderia tuberum\Burkholderia tuberum LMG 21444\

Burkholderia xenovorans

genus, species, strain : Burkholderia xenovorans DSM 17367
MicrobeMS ID : 2010_19_11_Maren Stämmeler_0003
NCBI tax ID's : 36873 -
growth time : 48h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Stämme von ZBS II Anzucht und Präp.: Ines/Maren
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-19T11:20:46.234+01:00

path to MS file : \\Burkholderia\Burkholderia xenovorans\Burkholderia xenovorans DSM 17367\
genus, species, strain : Burkholderia xenovorans DSM 17367
MicrobeMS ID : 2010_26_11_Maren Stämmeler_0003
NCBI tax ID's : 36873 -
growth time : 48h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Stämme von ZBS II Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-26T11:48:54.625+01:00
path to MS file : \\Burkholderia\Burkholderia xenovorans\Burkholderia xenovorans DSM 17367\

genus, species, strain : Burkholderia xenovorans DSM 17367
MicrobeMS ID : 2010_03_12_Maren Stämmeler_0003
NCBI tax ID's : 36873 -
growth time : 48h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Stämme von der DSMZ Anzucht und Präp.: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-12-03T09:42:20.484+01:00
path to MS file : \\Burkholderia\Burkholderia xenovorans\Burkholderia xenovorans DSM 17367\

Campylobacter

Campylobacter jejuni

genus, species, strain : Campylobacter jejuni A343-1
MicrobeMS ID : 2012_11_23_Andy Schneider_0001
NCBI tax ID's : 197 -
growth time : 7d
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : HCA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 5 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-23T09:33:58.984+01:00
path to MS file : \\Campylobacter\Campylobacter jejuni\Campylobacter jejuni A343\

genus, species, strain : Campylobacter jejuni A343-1
MicrobeMS ID : 2012_11_23_Andy Schneider_0003
NCBI tax ID's : 197 -
growth time : 7d
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : HCA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 5 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-23T09:51:25.265+01:00
path to MS file : \\Campylobacter\Campylobacter jejuni\Campylobacter jejuni A343\

genus, species, strain : Campylobacter jejuni A343-1
MicrobeMS ID : 2012_11_23_Andy Schneider_0005
NCBI tax ID's : 197 -
growth time : 7d
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : HCA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 5 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-23T10:06:38.140+01:00
path to MS file : \\Campylobacter\Campylobacter jejuni\Campylobacter jejuni A343\

genus, species, strain : Campylobacter jejuni A343-1
MicrobeMS ID : 2012_11_23_Andy Schneider_0002
NCBI tax ID's : 197 -
growth time : 7d
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : HCA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 5 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-23T09:42:21.187+01:00
path to MS file : \\Campylobacter\Campylobacter jejuni\Campylobacter jejuni A343\

genus, species, strain : Campylobacter jejuni A343-1
MicrobeMS ID : 2012_11_23_Andy Schneider_0004
NCBI tax ID's : 197 -
growth time : 7d
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : HCA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 5 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-23T09:59:08.250+01:00
path to MS file : \Campylobacter\Campylobacter jejuni\Campylobacter jejuni A343\

genus, species, strain : Campylobacter jejuni A343-1
MicrobeMS ID : 2012_11_23_Andy Schneider_0006
NCBI tax ID's : 197 -
growth time : 7d
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : HCA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 5 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-11-23T10:14:48.531+01:00
path to MS file : \Campylobacter\Campylobacter jejuni\Campylobacter jejuni A343\

genus, species, strain : Campylobacter jejuni A-669
MicrobeMS ID : 2015_09_30_Maren Stämmeler_0001
NCBI tax ID's : 197 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : ColBlut
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-09-29T11:31:11.546+02:00
path to MS file : \Campylobacter\Campylobacter jejuni\Campylobacter jejuni A669\

genus, species, strain : Campylobacter jejuni A-669
MicrobeMS ID : 2015_09_30_Maren Stämmeler_0002
NCBI tax ID's : 197 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : ColBlut
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-09-29T11:33:53.109+02:00
path to MS file : \Campylobacter\Campylobacter jejuni\Campylobacter jejuni A669\

genus, species, strain : Campylobacter jejuni A-669
MicrobeMS ID : 2015_09_30_Maren Stämmeler_0003
NCBI tax ID's : 197 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : ColBlut
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-09-29T11:37:15.703+02:00
path to MS file : \Campylobacter\Campylobacter jejuni\Campylobacter jejuni A669\

genus, species, strain : Campylobacter jejuni A-669
MicrobeMS ID : 2015_09_30_Maren Stämmeler_0004
NCBI tax ID's : 197 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : ColBlut
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-09-29T11:40:38.890+02:00
path to MS file : \Campylobacter\Campylobacter jejuni\Campylobacter jejuni A669\

Citrobacter

Citrobacter amalonaticus

genus, species, strain : Citrobacter amalonaticus 04/08695
MicrobeMS ID : 2008_09_05_Maren Stämmeler_0010

NCBI tax ID's : 35703 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Enterobacteriaceae aus Wernigerode über Dr. Nattermann / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-09T11:07:54.453+00:00
path to MS file : \Citrobacter\Citrobacter amalonaticus\Citrobacter amalonaticus 04 08695\

genus, species, strain : Citrobacter amalonaticus 04/08695
MicrobEMS ID : 2008_09_06_Maren Stämmeler_0010
NCBI tax ID's : 35703 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren, nach 17 Tagen aufgetaut (Präp vom 23.05.) /1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 20µl davon 2µl plus 8µl TFA 100§, ges.: 10µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-06-09T11:43:17.156+00:00
path to MS file : \Citrobacter\Citrobacter amalonaticus\Citrobacter amalonaticus 04 08695\

Citrobacter diversus

genus, species, strain : Citrobacter diversus ATCC 25408
MicrobEMS ID : 2008_04_11_Maren Stämmeler_0002
NCBI tax ID's : 545 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T10:23:24.093+00:00
path to MS file : \Citrobacter\Citrobacter diversus\Citrobacter diversus ATCC 25408\

genus, species, strain : Citrobacter diversus ATCC 25408
MicrobEMS ID : 2008_18_04_Maren Stämmeler_0002
NCBI tax ID's : 545 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-18T14:05:01.328+00:00
path to MS file : \Citrobacter\Citrobacter diversus\Citrobacter diversus ATCC 25408\

Citrobacter freundii

genus, species, strain : Citrobacter freundii 07/07764
MicrobEMS ID : 2008_09_05_Maren Stämmeler_0009
NCBI tax ID's : 546 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Enterobacteriaceae aus Wernigerode über Dr. Nattermann / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-09T11:05:11.296+00:00
path to MS file : \Citrobacter\Citrobacter freundii\Citrobacter freundii 07 07764\

genus, species, strain : Citrobacter freundii 07/07764
MicrobEMS ID : 2008_09_06_Maren Stämmeler_0009
NCBI tax ID's : 546 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren, nach 17 Tagen aufgetaut (Präp vom 23.05.) /1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 20µl davon 2µl plus 8µl TFA 100§, ges.: 10µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-06-09T11:36:45.937+00:00
path to MS file : \Citrobacter\Citrobacter freundii\Citrobacter freundii 07 07764\

genus, species, strain : Citrobacter freundii DSM 30039
MicrobEMS ID : 2008_20_02_Maren Stämmeler_0002
NCBI tax ID's : 546 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob

growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-20T13:32:30.140+00:00
path to MS file : \\Citrobacter\Citrobacter freundii\DSM 30039\

genus, species, strain : Citrobacter freundii DSM 30039
MicrobeMS ID : 2008_02_04_Maren Stämmeler_0002
NCBI tax ID's : 546 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-02T12:57:40.859+00:00
path to MS file : \\Citrobacter\Citrobacter freundii\DSM 30039\

genus, species, strain : Citrobacter freundii DSM 30039
MicrobeMS ID : 2008_04_04_Maren Stämmeler_0002
NCBI tax ID's : 546 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-04T10:48:25.718+00:00
path to MS file : \\Citrobacter\Citrobacter freundii\DSM 30039\

genus, species, strain : Citrobacter freundii DSM 30039
MicrobeMS ID : 2008_04_09_Maren Stämmeler_0002
NCBI tax ID's : 546 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-09T11:16:02.843+00:00
path to MS file : \\Citrobacter\Citrobacter freundii\DSM 30039\

genus, species, strain : Citrobacter freundii DSM 30039
MicrobeMS ID : 2008_04_11_Maren Stämmeler_0003
NCBI tax ID's : 546 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T10:28:35.984+00:00
path to MS file : \\Citrobacter\Citrobacter freundii\DSM 30039\

genus, species, strain : Citrobacter freundii DSM 30039
MicrobeMS ID : 2008_18_04_Maren Stämmeler_0003
NCBI tax ID's : 546 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-18T14:07:31.359+00:00
path to MS file : \\Citrobacter\Citrobacter freundii\DSM 30039\

genus, species, strain : Citrobacter freundii DSM 30039
MicrobeMS ID : 2008_25_04_Maren Stämmeler_0002
NCBI tax ID's : 546 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-25T09:42:16.296+00:00
path to MS file : \\Citrobacter\Citrobacter freundii\DSM 30039\

genus, species, strain : Citrobacter freundii DSM 30039
MicrobeMS ID : 2008_16_05_Maren Stämmeler_0002
NCBI tax ID's : 546 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C über Nacht eingefrohren; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-16T09:41:06.390+00:00
path to MS file : \Citrobacter\Citrobacter freundii\Citrobacter freundii DSM 30039\

Corynebacterium

Corynebacterium amycolatum

genus, species, strain : Corynebacterium amycolatum RRLuftkeim02_02
MicrobeMS ID : 2015_04_15_Maren Stämmeler_0009
NCBI tax ID's : 43765 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-15T11:03:30.859+02:00
path to MS file : \Corynebacterium\Corynebacterium amycolatum\Corynebacterium amycolatum RRLK02_02\

genus, species, strain : Corynebacterium amycolatum RRLuftkeim02_02
MicrobeMS ID : 2015_04_15_Maren Stämmeler_0010
NCBI tax ID's : 43765 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-15T11:06:30.546+02:00
path to MS file : \Corynebacterium\Corynebacterium amycolatum\Corynebacterium amycolatum RRLK02_02\

genus, species, strain : Corynebacterium amycolatum RRLuftkeim02_02
MicrobeMS ID : 2015_04_15_Maren Stämmeler_0011
NCBI tax ID's : 43765 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-15T11:09:53.640+02:00
path to MS file : \Corynebacterium\Corynebacterium amycolatum\Corynebacterium amycolatum RRLK02_02\

genus, species, strain : Corynebacterium amycolatum RRLuftkeim02_02
MicrobeMS ID : 2015_04_15_Maren Stämmeler_0012
NCBI tax ID's : 43765 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-15T11:12:41.718+02:00
path to MS file : \Corynebacterium\Corynebacterium amycolatum\Corynebacterium amycolatum RRLK02_02\

genus, species, strain : Corynebacterium amycolatum RRLuftkeim02_02
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0009
NCBI tax ID's : 43765 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6

measurement date/time : 2015-04-22T11:06:31.921+02:00
path to MS file : \Corynebacterium\Corynebacterium amycolatum\Corynebacterium amycolatum RRLK02_02\
genus, species, strain : Corynebacterium amycolatum RRLuftkeim02_02
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0010
NCBI tax ID's : 43765 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-22T11:12:04.375+02:00
path to MS file : \Corynebacterium\Corynebacterium amycolatum\Corynebacterium amycolatum RRLK02_02\
genus, species, strain : Corynebacterium amycolatum RRLuftkeim02_02
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0011
NCBI tax ID's : 43765 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-22T11:15:25.296+02:00
path to MS file : \Corynebacterium\Corynebacterium amycolatum\Corynebacterium amycolatum RRLK02_02\
genus, species, strain : Corynebacterium amycolatum RRLuftkeim02_02
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0012
NCBI tax ID's : 43765 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-22T11:17:50.000+02:00
path to MS file : \Corynebacterium\Corynebacterium amycolatum\Corynebacterium amycolatum RRLK02_02\
genus, species, strain : Corynebacterium amycolatum RRLuftkeim02_02
MicrobeMS ID : 2015_05_18_Maren Stämmeler_0009
NCBI tax ID's : 43765 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T11:14:21.703+02:00
path to MS file : \Corynebacterium\Corynebacterium amycolatum\Corynebacterium amycolatum RRLK02_02\
genus, species, strain : Corynebacterium amycolatum RRLuftkeim02_02
MicrobeMS ID : 2015_05_18_Maren Stämmeler_0010
NCBI tax ID's : 43765 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T11:17:09.125+02:00
path to MS file : \Corynebacterium\Corynebacterium amycolatum\Corynebacterium amycolatum RRLK02_02\
genus, species, strain : Corynebacterium amycolatum RRLuftkeim02_02
MicrobeMS ID : 2015_05_18_Maren Stämmeler_0011
NCBI tax ID's : 43765 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T11:20:26.734+02:00
path to MS file : \Corynebacterium\Corynebacterium amycolatum\Corynebacterium amycolatum RRLK02_02\
genus, species, strain : Corynebacterium amycolatum RRLuftkeim02_02

```

MicrobeMS ID      : 2015_05_18_Maren Stämmeler_0012
NCBI tax ID's    : 43765 -
growth time      : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium    : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration    : ca. 2 Oesen in 25 µl
extra info      : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T11:23:39.921+02:00
path to MS file   : \Corynebacterium\Corynebacterium amycolatum\Corynebacterium amycolatum RRLK02_02\

genus, species, strain : Corynebacterium amycolatum Isolat Platte 02 Probe 2
MicrobeMS ID          : 2014_04_15_Maren Stämmeler_0006
NCBI tax ID's        : 43765 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : ca. 2-3 Oesen in 25 µl
extra info          : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2014-04-15T14:12:03.343+02:00
path to MS file   : \Corynebacterium\Corynebacterium amycolatum\Corynebacterium amycolatum RRLK02_02\

genus, species, strain : Corynebacterium amycolatum Isolat Platte 02 Probe 2
MicrobeMS ID          : 2014_04_17_Maren Stämmeler_0006
NCBI tax ID's        : 43765 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : ca. 2-3 Oesen in 25 µl
extra info          : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2014-04-17T10:45:42.953+02:00
path to MS file   : \Corynebacterium\Corynebacterium amycolatum\Corynebacterium amycolatum RRLK02_02\

```

Domibacillus

Domibacillus aminovorans

```

genus, species, strain : Domibacillus aminovorans DSM 1314
MicrobeMS ID          : 2015_02_13_Andy Schneider_0005
NCBI tax ID's        : 29332 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration        : 3 Oesen in 25 µl
extra info          : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2015-02-13T12:33:47.109+01:00
path to MS file   : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 1314\

genus, species, strain : Domibacillus aminovorans DSM 1314
MicrobeMS ID          : 2015_02_13_Andy Schneider_0007
NCBI tax ID's        : 29332 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration        : 3 Oesen in 25 µl
extra info          : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2015-02-13T12:38:18.453+01:00
path to MS file   : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 1314\

genus, species, strain : Domibacillus aminovorans DSM 1314
MicrobeMS ID          : 2015_02_13_Andy Schneider_0006
NCBI tax ID's        : 29332 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium        : LB
sample treatment     : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration        : 3 Oesen in 25 µl
extra info          : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2015-02-13T12:35:59.296+01:00
path to MS file   : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 1314\

```

```
genus, species, strain : Domibacillus aminovorans DSM 1314
MicrobeMS ID           : 2015_02_13_Andy_Schneider_0008
NCBI tax ID's         : 29332 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration         : 3 Oesen in 25 µl
extra info            : Cells from solid cultures
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-02-13T12:40:20.968+01:00
path to MS file       : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 1314\

genus, species, strain : Domibacillus aminovorans DSM 1314
MicrobeMS ID           : 2015_02_16_Maren_Stämmeler_0005
NCBI tax ID's         : 29332 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2-3 Oesen in 50 µl
extra info            : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard  : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-02-16T09:19:01.281+01:00
path to MS file       : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 1314\

genus, species, strain : Domibacillus aminovorans DSM 1314
MicrobeMS ID           : 2015_02_16_Maren_Stämmeler_0006
NCBI tax ID's         : 29332 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2-3 Oesen in 50 µl
extra info            : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard  : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-02-16T09:22:14.046+01:00
path to MS file       : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 1314\

genus, species, strain : Domibacillus aminovorans DSM 1314
MicrobeMS ID           : 2015_02_16_Maren_Stämmeler_0007
NCBI tax ID's         : 29332 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2-3 Oesen in 50 µl
extra info            : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard  : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-02-16T09:25:03.187+01:00
path to MS file       : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 1314\

genus, species, strain : Domibacillus aminovorans DSM 1314
MicrobeMS ID           : 2015_02_16_Maren_Stämmeler_0008
NCBI tax ID's         : 29332 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2-3 Oesen in 50 µl
extra info            : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard  : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-02-16T09:27:37.703+01:00
path to MS file       : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 1314\

genus, species, strain : Domibacillus aminovorans DSM 1314
MicrobeMS ID           : 2015_02_19_Andy_Schneider_0005
NCBI tax ID's         : 29332 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration         : 3 Oesen in 100 µl
extra info            : Cells from solid cultures
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-02-19T08:41:24.765+01:00
path to MS file       : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 1314\

genus, species, strain : Domibacillus aminovorans DSM 1314
MicrobeMS ID           : 2015_02_19_Andy_Schneider_0006
NCBI tax ID's         : 29332 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration         : 3 Oesen in 100 µl
extra info            : Cells from solid cultures
```

calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T08:43:46.500+01:00
path to MS file : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 1314\

genus, species, strain : Domibacillus aminovorans DSM 1314
MicrobeMS ID : 2015_02_19_Andy Schneider_0007
NCBI tax ID's : 29332 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verduennt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T08:46:03.328+01:00
path to MS file : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 1314\

genus, species, strain : Domibacillus aminovorans DSM 1314
MicrobeMS ID : 2015_02_19_Andy Schneider_0008
NCBI tax ID's : 29332 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verduennt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T08:48:14.390+01:00
path to MS file : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 1314\

genus, species, strain : Domibacillus aminovorans DSM 4337
MicrobeMS ID : 2015_02_13_Andy Schneider_0009
NCBI tax ID's : 29332 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verduennt/1:1 HCCA:TA2
concentration : 3 Oesen in 25 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T12:44:28.968+01:00
path to MS file : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 4337\

genus, species, strain : Domibacillus aminovorans DSM 4337
MicrobeMS ID : 2015_02_13_Andy Schneider_0011
NCBI tax ID's : 29332 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verduennt/1:1 HCCA:TA2
concentration : 3 Oesen in 25 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T12:49:14.015+01:00
path to MS file : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 4337\

genus, species, strain : Domibacillus aminovorans DSM 4337
MicrobeMS ID : 2015_02_13_Andy Schneider_0010
NCBI tax ID's : 29332 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verduennt/1:1 HCCA:TA2
concentration : 3 Oesen in 25 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T12:47:03.046+01:00
path to MS file : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 4337\

genus, species, strain : Domibacillus aminovorans DSM 4337
MicrobeMS ID : 2015_02_13_Andy Schneider_0012
NCBI tax ID's : 29332 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verduennt/1:1 HCCA:TA2
concentration : 3 Oesen in 25 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-13T12:51:36.250+01:00
path to MS file : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 4337\

genus, species, strain : Domibacillus aminovorans DSM 4337
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0009
NCBI tax ID's : 29332 -
growth time : 24h

growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-16T09:46:59.656+01:00
path to MS file : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 4337\

genus, species, strain : Domibacillus aminovorans DSM 4337
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0010
NCBI tax ID's : 29332 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-16T09:49:53.656+01:00
path to MS file : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 4337\

genus, species, strain : Domibacillus aminovorans DSM 4337
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0011
NCBI tax ID's : 29332 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-16T09:53:26.390+01:00
path to MS file : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 4337\

genus, species, strain : Domibacillus aminovorans DSM 4337
MicrobeMS ID : 2015_02_16_Maren Stämmeler_0012
NCBI tax ID's : 29332 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 50 µel
extra info : Stämme der DSMZ-Sammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-16T09:57:20.765+01:00
path to MS file : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 4337\

genus, species, strain : Domibacillus aminovorans DSM 4337
MicrobeMS ID : 2015_02_19_Andy Schneider_0009
NCBI tax ID's : 29332 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T08:52:55.140+01:00
path to MS file : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 4337\

genus, species, strain : Domibacillus aminovorans DSM 4337
MicrobeMS ID : 2015_02_19_Andy Schneider_0010
NCBI tax ID's : 29332 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T08:55:40.140+01:00
path to MS file : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 4337\

genus, species, strain : Domibacillus aminovorans DSM 4337
MicrobeMS ID : 2015_02_19_Andy Schneider_0011
NCBI tax ID's : 29332 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T08:58:12.796+01:00

path to MS file : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 4337\
genus, species, strain : Domibacillus aminovorans DSM 4337
MicrobeMS ID : 2015_02_19_Andy_Schneider_0012
NCBI tax ID's : 29332 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verdünnnt/1:1 HCCA:TA2
concentration : 3 Oesen in 100 µl
extra info : Cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-19T09:00:27.031+01:00
path to MS file : \Domibacillus\Domibacillus aminovorans\Domibacillus aminovorans DSM 4337\

Edwardsiella

Edwardsiella tarda

genus, species, strain : Edwardsiella tarda DSM 30052
MicrobeMS ID : 2008_04_11_Maren_Stämmeler_0004
NCBI tax ID's : 636 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T10:31:50.125+00:00
path to MS file : \Edwardsiella\Edwardsiella tarda\Edwardsiella tarda DSM 30052\

genus, species, strain : Edwardsiella tarda DSM 30052
MicrobeMS ID : 2008_18_04_Maren_Stämmeler_0004
NCBI tax ID's : 636 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-18T14:27:36.468+00:00
path to MS file : \Edwardsiella\Edwardsiella tarda\Edwardsiella tarda DSM 30052\

Enterobacter

Enterobacter aerogenes

genus, species, strain : Enterobacter aerogenes DSM 30053
MicrobeMS ID : 2008_04_11_Maren_Stämmeler_0005
NCBI tax ID's : 548 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T10:39:20.468+00:00
path to MS file : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes DSM 30053\

genus, species, strain : Enterobacter aerogenes DSM 30053
MicrobeMS ID : 2008_18_04_Maren_Stämmeler_0005
NCBI tax ID's : 548 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-18T14:59:41.812+00:00
path to MS file : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes DSM 30053\

genus, species, strain : Enterobacter aerogenes DSM 30053
MicrobeMS ID : 2011_10_14_HerfortStefanie_0011
NCBI tax ID's : 548 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)

```
concentration      : 3-5 Ösen in 0,1 ml
extra info        :
calibration standard :
measurement method  : ToM_200ns.par
customer           : RKI ZBS2/ZBS6
measurement date/time : 2011-11-14T15:41:17.281+01:00
path to MS file    : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E111\

genus, species, strain : Enterobacter aerogenes E111
MicrobeMS ID          : 2012_01_10_HerfortStefanie_0011
NCBI tax ID's         : 548 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2012-01-10T13:44:29.109+01:00
path to MS file      : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E111\

genus, species, strain : Enterobacter aerogenes E111
MicrobeMS ID          : 2012_01_26_HerfortStefanie_0001
NCBI tax ID's         : 548 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2012-01-26T10:54:41.078+01:00
path to MS file      : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E111\

genus, species, strain : Enterobacter aerogenes E115
MicrobeMS ID          : 2011_10_14_HerfortStefanie_0012
NCBI tax ID's         : 548 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2011-11-14T15:51:08.250+01:00
path to MS file      : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E115\

genus, species, strain : Enterobacter aerogenes E115
MicrobeMS ID          : 2012_01_10_HerfortStefanie_0012
NCBI tax ID's         : 548 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2012-01-10T13:47:28.984+01:00
path to MS file      : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E115\

genus, species, strain : Enterobacter aerogenes E115
MicrobeMS ID          : 2012_01_26_HerfortStefanie_0002
NCBI tax ID's         : 548 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2012-01-26T10:58:02.343+01:00
path to MS file      : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E115\

genus, species, strain : Enterobacter aerogenes E161
MicrobeMS ID          : 2011_10_14_HerfortStefanie_0015
NCBI tax ID's         : 548 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2011-11-15T09:23:58.203+01:00
path to MS file      : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E161\

genus, species, strain : Enterobacter aerogenes E161
MicrobeMS ID          : 2012_01_10_HerfortStefanie_0015
```


NCBI tax ID's : 548 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-10T14:16:58.296+01:00
path to MS file : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E161\

genus, species, strain : Enterobacter aerogenes E161
MicrobeMS ID : 2012_01_26_HerfortStefanie_0005
NCBI tax ID's : 548 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-26T11:13:17.718+01:00
path to MS file : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E161\

genus, species, strain : Enterobacter aerogenes E19
MicrobeMS ID : 2012_01_09_HerfortStefanie_0005
NCBI tax ID's : 548 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-09T15:40:45.453+01:00
path to MS file : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E19\

genus, species, strain : Enterobacter aerogenes E19
MicrobeMS ID : 2011_11_10_HerfortStefanie_0005
NCBI tax ID's : 548 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-10T11:05:07.859+01:00
path to MS file : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E19\

genus, species, strain : Enterobacter aerogenes E19
MicrobeMS ID : 2011_11_17_HerfortStefanie_0005
NCBI tax ID's : 548 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-17T11:55:21.984+01:00
path to MS file : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E19\

genus, species, strain : Enterobacter aerogenes E56
MicrobeMS ID : 2011_11_10_HerfortStefanie_0009
NCBI tax ID's : 548 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-10T11:44:00.875+01:00
path to MS file : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E56\

genus, species, strain : Enterobacter aerogenes E56
MicrobeMS ID : 2012_01_09_HerfortStefanie_0009
NCBI tax ID's : 548 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par

```
customer      : RKI ZBS2/ZBS6
measurement date/time : 2012-01-09T16:07:03.546+01:00
path to MS file  : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E56\

genus, species, strain : Enterobacter aerogenes E56
MicrobeMS ID      : 2011_11_17_HerfortStefanie_0009
NCBI tax ID's     : 548 -
growth time       : 48h
growth temperature : 36 Grad Celsius
growth conditions  : aerob
growth medium      : Caso-Agar
sample treatment   : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration      : 3-5 Ösen in 0,1 ml
extra info        :
calibration standard :
measurement method  : ToM_200ns.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2011-11-17T12:24:20.546+01:00
path to MS file    : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E56\

genus, species, strain : Enterobacter aerogenes E69
MicrobeMS ID      : 2011_11_10_HerfortStefanie_0010
NCBI tax ID's     : 548 -
growth time       : 48h
growth temperature : 36 Grad Celsius
growth conditions  : aerob
growth medium      : Caso-Agar
sample treatment   : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration      : 3-5 Ösen in 0,1 ml
extra info        :
calibration standard :
measurement method  : ToM_200ns.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2011-11-10T11:49:58.281+01:00
path to MS file    : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E69\

genus, species, strain : Enterobacter aerogenes R69
MicrobeMS ID      : 2012_01_09_HerfortStefanie_0010
NCBI tax ID's     : 548 -
growth time       : 48h
growth temperature : 36 Grad Celsius
growth conditions  : aerob
growth medium      : Caso-Agar
sample treatment   : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration      : 3-5 Ösen in 0,1 ml
extra info        :
calibration standard :
measurement method  : ToM_200ns.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2012-01-09T16:10:43.125+01:00
path to MS file    : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E69\

genus, species, strain : Enterobacter aerogenes R69
MicrobeMS ID      : 2011_11_17_HerfortStefanie_0010
NCBI tax ID's     : 548 -
growth time       : 48h
growth temperature : 36 Grad Celsius
growth conditions  : aerob
growth medium      : Caso-Agar
sample treatment   : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration      : 3-5 Ösen in 0,1 ml
extra info        :
calibration standard :
measurement method  : ToM_200ns.par
customer          : RKI ZBS2/ZBS6
measurement date/time : 2011-11-17T12:28:40.890+01:00
path to MS file    : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes E69\

genus, species, strain : Enterobacter aerogenes NM 20
MicrobeMS ID      : 2008_09_05_Maren Stämmeler_0005
NCBI tax ID's     : 548 -
growth time       : 48h
growth temperature : 28 Gad Celsius
growth conditions  : aerob
growth medium      : Caso
sample treatment   : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration      : 3-5 Oesen in 100 muel
extra info        : Stämme von Enterobacteriaceae aus Wernigerode über Dr. Nattermann / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer          : RKI ZBS6
measurement date/time : 2008-05-09T11:57:13.859+00:00
path to MS file    : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes NM 20\

genus, species, strain : Enterobacter aerogenes NM 20
MicrobeMS ID      : 2008_09_06_Maren Stämmeler_0005
NCBI tax ID's     : 548 -
growth time       : 48h
growth temperature : 28 Gad Celsius
growth conditions  : aerob
growth medium      : Caso
sample treatment   : 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren, nach 17 Tagen aufgetaut (Präp vom 23.05.) /1:1 HCCATA2 (A)
concentration      : 3-5 Oesen in 20µl davon 2µl plus 8µl TFA 100§, ges.: 10µl
extra info        : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer          : RKI ZBS6
measurement date/time : 2008-06-09T11:07:38.359+00:00
path to MS file    : \Enterobacter\Enterobacter aerogenes\Enterobacter aerogenes NM 20\

Enterobacter cloacae

genus, species, strain : Enterobacter cloacae B29
MicrobeMS ID      : 2011_10_14_HerfortStefanie_0023
NCBI tax ID's     : 550 -
```

growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-15T10:33:27.437+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae B29\

genus, species, strain : Enterobacter cloacae B29
MicrobEMS ID : 2012_01_10_HerfortStefanie_0023
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-10T15:18:00.859+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae B29\

genus, species, strain : Enterobacter cloacae B29
MicrobEMS ID : 2012_01_26_HerfortStefanie_0013
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-26T12:05:04.156+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae B29\

genus, species, strain : Enterobacter cloacae B824
MicrobEMS ID : 2011_10_14_HerfortStefanie_0025
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-15T10:46:54.812+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae B824\

genus, species, strain : Enterobacter cloacae B824
MicrobEMS ID : 2012_01_10_HerfortStefanie_0025
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-10T15:29:56.703+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae B824\

genus, species, strain : Enterobacter cloacae B824
MicrobEMS ID : 2012_01_26_HerfortStefanie_0015
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-26T12:13:09.046+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae B824\

genus, species, strain : Enterobacter cloacae B861
MicrobEMS ID : 2011_10_14_HerfortStefanie_0024
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6

measurement date/time : 2011-11-15T10:38:45.406+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae B861\

genus, species, strain : Enterobacter cloacae B861
MicrobeMS ID : 2012_01_10_HerfortStefanie_0024
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-10T15:21:37.109+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae B861\

genus, species, strain : Enterobacter cloacae B861
MicrobeMS ID : 2012_01_26_HerfortStefanie_0014
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-26T12:07:49.531+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae B861\

genus, species, strain : Enterobacter cloacae B9
MicrobeMS ID : 2011_10_14_HerfortStefanie_0022
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-15T10:28:14.078+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae B9\

genus, species, strain : Enterobacter cloacae B9
MicrobeMS ID : 2012_01_10_HerfortStefanie_0022
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-10T15:09:31.250+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae B9\

genus, species, strain : Enterobacter cloacae B9
MicrobeMS ID : 2012_01_26_HerfortStefanie_0012
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-26T11:59:39.203+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae B9\

genus, species, strain : Enterobacter cloacae DSM 30054
MicrobeMS ID : 2008_04_11_Maren Stämmeler_0007
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T10:49:30.734+00:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae DSM 30054\

genus, species, strain : Enterobacter cloacae DSM 30054
MicrobeMS ID : 2008_18_04_Maren Stämmeler_0007
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso

sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-18T14:51:58.406+00:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae DSM 30054\

genus, species, strain : Enterobacter cloacae DSM 30054
MicrobeMS ID : 2008_09_05_Maren Stämmeler_0003
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Enterobacteriaceae aus Wernigerode über Dr. Nattermann / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-09T10:32:46.328+00:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae DSM 30054 2\

genus, species, strain : Enterobacter cloacae DSM 30054
MicrobeMS ID : 2008_09_06_Maren Stämmeler_0003
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren, nach 17 Tagen aufgetaut (Präp vom 23.05.) /1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 20µl davon 2µl plus 8µl TFA 100%, ges.: 10µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-06-09T11:00:03.390+00:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae DSM 30054 2\

genus, species, strain : Enterobacter cloacae E118
MicrobeMS ID : 2011_10_14_HerfortStefanie_0013
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-14T15:59:50.781+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae E118\

genus, species, strain : Enterobacter cloacae E118
MicrobeMS ID : 2012_01_10_HerfortStefanie_0013
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-10T13:59:14.765+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae E118\

genus, species, strain : Enterobacter cloacae E118
MicrobeMS ID : 2012_01_26_HerfortStefanie_0003
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-26T11:04:27.046+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae E118\

genus, species, strain : Enterobacter cloacae E15
MicrobeMS ID : 2011_11_10_HerfortStefanie_0004
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-10T10:50:08.671+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae E15\

genus, species, strain : Enterobacter cloacae E15

MicrobeMS ID : 2012_01_09_HerfortStefanie_0004
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-09T15:32:11.093+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae E15\

genus, species, strain : Enterobacter cloacae E15
MicrobeMS ID : 2011_11_17_HerfortStefanie_0004
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-17T11:22:59.375+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae E15\

genus, species, strain : Enterobacter cloacae E151
MicrobeMS ID : 2011_10_14_HerfortStefanie_0014
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-15T09:12:37.640+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae E151\

genus, species, strain : Enterobacter cloacae E151
MicrobeMS ID : 2012_01_10_HerfortStefanie_0014
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-10T14:10:47.312+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae E151\

genus, species, strain : Enterobacter cloacae E151
MicrobeMS ID : 2012_01_26_HerfortStefanie_0004
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-26T11:07:46.234+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae E151\

genus, species, strain : Enterobacter cloacae E34
MicrobeMS ID : 2012_01_09_HerfortStefanie_0006
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-09T15:47:20.406+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae E34\

genus, species, strain : Enterobacter cloacae E34
MicrobeMS ID : 2011_11_10_HerfortStefanie_0006
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :

measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-10T11:15:35.734+01:00
path to MS file : \\Enterobacter\Enterobacter cloacae\E34\

genus, species, strain : Enterobacter cloacae E34
MicrobeMS ID : 2011_11_17_HerfortStefanie_0006
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-17T11:59:48.609+01:00
path to MS file : \\Enterobacter\Enterobacter cloacae\E34\

genus, species, strain : Enterobacter cloacae E36
MicrobeMS ID : 2012_01_09_HerfortStefanie_0007
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-09T15:51:48.750+01:00
path to MS file : \\Enterobacter\Enterobacter cloacae\E36\

genus, species, strain : Enterobacter cloacae E36
MicrobeMS ID : 2011_11_10_HerfortStefanie_0007
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-10T11:26:21.718+01:00
path to MS file : \\Enterobacter\Enterobacter cloacae\E36\

genus, species, strain : Enterobacter cloacae E36
MicrobeMS ID : 2011_11_17_HerfortStefanie_0007
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-17T12:10:39.921+01:00
path to MS file : \\Enterobacter\Enterobacter cloacae\E36\

genus, species, strain : Enterobacter cloacae E46
MicrobeMS ID : 2011_11_10_HerfortStefanie_0008
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-10T11:32:28.453+01:00
path to MS file : \\Enterobacter\Enterobacter cloacae\E46\

genus, species, strain : Enterobacter cloacae E46
MicrobeMS ID : 2012_01_09_HerfortStefanie_0008
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-09T16:01:18.609+01:00
path to MS file : \\Enterobacter\Enterobacter cloacae\E46\

genus, species, strain : Enterobacter cloacae E46
MicrobeMS ID : 2011_11_17_HerfortStefanie_0008
NCBI tax ID's : 550 -
growth time : 48h
growth temperature : 36 Grad Celsius

growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-17T12:17:02.218+01:00
path to MS file : \Enterobacter\Enterobacter cloacae\Enterobacter cloacae E46\

Enterobacter gergoviae

genus, species, strain : Enterobacter gergoviae ATCC 33426
MicrobeMS ID : 2008_04_11_Maren Stämmeler_0008
NCBI tax ID's : 61647 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T10:55:05.093+00:00
path to MS file : \Enterobacter\Enterobacter gergoviae\Enterobacter gergoviae ATCC 33426\

genus, species, strain : Enterobacter gergoviae ATCC 33426
MicrobeMS ID : 2008_18_04_Maren Stämmeler_0008
NCBI tax ID's : 61647 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-18T15:03:52.968+00:00
path to MS file : \Enterobacter\Enterobacter gergoviae\Enterobacter gergoviae ATCC 33426\

Enterobacter sakazakii

genus, species, strain : Enterobacter sakazakii 04/01242
MicrobeMS ID : 2008_09_05_Maren Stämmeler_0004
NCBI tax ID's : 28141 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Enterobacteriaceae aus Wernigerode über Dr. Nattermann / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-09T10:35:26.640+00:00
path to MS file : \Enterobacter\Enterobacter sakazakii\Enterobacter sakazakii 04 01242\

genus, species, strain : Enterobacter sakazakii 04/01242
MicrobeMS ID : 2008_09_06_Maren Stämmeler_0004
NCBI tax ID's : 28141 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren, nach 17 Tagen aufgetaut (Präp vom 23.05.) /1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 20µl davon 2µl plus 8µl TFA 100%, ges.: 10µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-06-09T11:03:16.437+00:00
path to MS file : \Enterobacter\Enterobacter sakazakii\Enterobacter sakazakii 04 01242\

Enterococcus

Enterococcus casseliflavus

genus, species, strain : Enterococcus casseliflavus 16
MicrobeMS ID : 2011_09_29_HerfortStefanie_0012
NCBI tax ID's : 37734 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-29T12:48:44.343+02:00
path to MS file : \Enterococcus\Enterococcus casseliflavus\Enterococcus casseliflavus 16\

genus, species, strain : Enterococcus casseliflavus 16

MicrobeMS ID : 2011_09_16_EhrmannAnja_0012
NCBI tax ID's : 37734 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-16T10:49:17.515+02:00
path to MS file : \Enterococcus\Enterococcus casseliflavus\Enterococcus casseliflavus 16\

genus, species, strain : Enterococcus casseliflavus 16
MicrobeMS ID : 2011_09_23_EhrmannAnja_0012
NCBI tax ID's : 37734 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-23T10:41:10.625+02:00
path to MS file : \Enterococcus\Enterococcus casseliflavus\Enterococcus casseliflavus 16\

Enterococcus durans

genus, species, strain : Enterococcus durans 6
MicrobeMS ID : 2011_09_29_HerfortStefanie_0004
NCBI tax ID's : 53345 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-29T11:58:51.500+02:00
path to MS file : \Enterococcus\Enterococcus durans\Enterococcus durans 6\

genus, species, strain : Enterococcus durans 6
MicrobeMS ID : 2011_09_16_EhrmannAnja_0004
NCBI tax ID's : 53345 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-16T09:51:34.937+02:00
path to MS file : \Enterococcus\Enterococcus durans\Enterococcus durans 6\

genus, species, strain : Enterococcus durans 5
MicrobeMS ID : 2011_09_23_EhrmannAnja_0004
NCBI tax ID's : 53345 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-23T09:54:24.406+02:00
path to MS file : \Enterococcus\Enterococcus durans\Enterococcus durans 6\

genus, species, strain : Enterococcus durans 8
MicrobeMS ID : 2011_09_29_HerfortStefanie_0005
NCBI tax ID's : 53345 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-29T12:06:27.031+02:00
path to MS file : \Enterococcus\Enterococcus durans\Enterococcus durans 8\

genus, species, strain : Enterococcus durans 8
MicrobeMS ID : 2011_09_16_EhrmannAnja_0005
NCBI tax ID's : 53345 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)

concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-16T10:01:58.453+02:00
path to MS file : \Enterococcus\Enterococcus durans\Enterococcus durans 8\

genus, species, strain : Enterococcus durans 8
MicrobeMS ID : 2011_09_23_EhrmannAnja_0005
NCBI tax ID's : 53345 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-23T10:00:26.796+02:00
path to MS file : \Enterococcus\Enterococcus durans\Enterococcus durans 8\

Enterococcus faecalis

genus, species, strain : Enterococcus faecalis 10
MicrobeMS ID : 2011_09_29_HerfortStefanie_0007
NCBI tax ID's : 1351 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-29T12:16:53.812+02:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 10\

genus, species, strain : Enterococcus faecalis 10
MicrobeMS ID : 2011_09_16_EhrmannAnja_0007
NCBI tax ID's : 1351 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-16T10:13:47.953+02:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 10\

genus, species, strain : Enterococcus faecalis 10
MicrobeMS ID : 2011_09_23_EhrmannAnja_0007
NCBI tax ID's : 1351 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-23T10:13:24.500+02:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 10\

genus, species, strain : Enterococcus faecalis 11
MicrobeMS ID : 2011_09_29_HerfortStefanie_0008
NCBI tax ID's : 1351 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-29T12:23:12.578+02:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 11\

genus, species, strain : Enterococcus faecalis 11
MicrobeMS ID : 2011_09_16_EhrmannAnja_0008
NCBI tax ID's : 1351 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-16T10:18:42.062+02:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 11\

```
genus, species, strain : Enterococcus faecalis 11
MicrobeMS ID          : 2011_09_23_EhrmannAnja_0008
NCBI tax ID's         : 1351 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-09-23T10:18:05.015+02:00
path to MS file       : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 11\

genus, species, strain : Enterococcus faecalis 13
MicrobeMS ID          : 2011_09_29_HerfortStefanie_0010
NCBI tax ID's         : 1351 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-09-29T12:35:49.031+02:00
path to MS file       : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 13\

genus, species, strain : Enterococcus faecalis 13
MicrobeMS ID          : 2011_09_16_EhrmannAnja_0010
NCBI tax ID's         : 1351 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-09-16T10:37:17.187+02:00
path to MS file       : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 13\

genus, species, strain : Enterococcus faecalis 13
MicrobeMS ID          : 2011_09_23_EhrmannAnja_0010
NCBI tax ID's         : 1351 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-09-23T10:28:15.234+02:00
path to MS file       : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 13\

genus, species, strain : Enterococcus faecalis 18
MicrobeMS ID          : 2011_09_29_HerfortStefanie_0014
NCBI tax ID's         : 1351 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-09-29T13:01:06.875+02:00
path to MS file       : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 18\

genus, species, strain : Enterococcus faecalis 18
MicrobeMS ID          : 2011_09_16_EhrmannAnja_0014
NCBI tax ID's         : 1351 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-09-16T11:02:30.875+02:00
path to MS file       : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 18\

genus, species, strain : Enterococcus faecalis 18
MicrobeMS ID          : 2011_09_23_EhrmannAnja_0014
NCBI tax ID's         : 1351 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
```

```
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-23T10:53:17.796+02:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 18\

genus, species, strain : Enterococcus faecalis 4(2.Cryo)
MicrobeMS ID : 2011_10_14_HerfortStefanie_0017
NCBI tax ID's : 1351 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-15T09:42:45.218+01:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 4(2.Cryo)\

genus, species, strain : Enterococcus faecalis 4(2.Cryo)
MicrobeMS ID : 2012_01_10_HerfortStefanie_0017
NCBI tax ID's : 1351 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-10T14:38:11.015+01:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 4(2.Cryo)\

genus, species, strain : Enterococcus faecalis 4(2.Cryo)
MicrobeMS ID : 2012_01_26_HerfortStefanie_0007
NCBI tax ID's : 1351 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-26T11:25:23.390+01:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 4(2.Cryo)\

genus, species, strain : Enterococcus faecalis 9
MicrobeMS ID : 2011_09_29_HerfortStefanie_0006
NCBI tax ID's : 1351 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-29T12:10:41.765+02:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 9\

genus, species, strain : Enterococcus faecalis 9
MicrobeMS ID : 2011_09_16_EhrmannAnja_0006
NCBI tax ID's : 1351 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-16T10:07:36.390+02:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 9\

genus, species, strain : Enterococcus faecalis 9
MicrobeMS ID : 2011_09_23_EhrmannAnja_0006
NCBI tax ID's : 1351 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-23T10:07:30.406+02:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis 9\

genus, species, strain : Enterococcus faecalis DSM 20371
MicrobeMS ID : 2008_20_02_Maren Stämmli_0009
NCBI tax ID's : 1351 -
```

growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-20T14:12:58.765+00:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis DSM 20371\

genus, species, strain : Enterococcus faecalis DSM 20371
MicrobeMS ID : 2008_02_04_Maren Stämmeler_0009
NCBI tax ID's : 1351 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-02T13:45:56.078+00:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis DSM 20371\

genus, species, strain : Enterococcus faecalis DSM 20371
MicrobeMS ID : 2008_04_04_Maren Stämmeler_0009
NCBI tax ID's : 1351 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-04T11:19:47.140+00:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis DSM 20371\

genus, species, strain : Enterococcus faecalis DSM 20371
MicrobeMS ID : 2008_04_09_Maren Stämmeler_0009
NCBI tax ID's : 1351 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-09T13:53:43.250+00:00
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis DSM 20371\

genus, species, strain : Enterococcus faecalis DSM 20371
MicrobeMS ID : 2008_25_04_Maren Stämmeler_0009
NCBI tax ID's : 1351 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-25T10:16:06.000
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis DSM 20371\

genus, species, strain : Enterococcus faecalis DSM 20371
MicrobeMS ID : 2008_16_05_Maren Stämmeler_0009
NCBI tax ID's : 1351 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-16T10:13:40.000
path to MS file : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis DSM 20371\

genus, species, strain : Enterococcus faecalis n.n
MicrobeMS ID : 2011_10_14_HerfortStefanie_0018
NCBI tax ID's : 1351 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6

```
measurement date/time : 2011-11-15T09:52:39.125+01:00
path to MS file       : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis x\

genus, species, strain : Enterococcus faecalis n.n
MicrobeMS ID          : 2012_01_10_HerfortStefanie_0018
NCBI tax ID's         : 1351 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2012-01-10T14:42:12.750+01:00
path to MS file       : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis x\

genus, species, strain : Enterococcus faecalis n.n
MicrobeMS ID          : 2012_01_26_HerfortStefanie_0008
NCBI tax ID's         : 1351 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2012-01-26T11:30:37.890+01:00
path to MS file       : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis x\

genus, species, strain : Enterococcus faecalis n.n
MicrobeMS ID          : 2011_10_14_HerfortStefanie_0019
NCBI tax ID's         : 1351 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2011-11-15T10:02:16.750+01:00
path to MS file       : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis xx\

genus, species, strain : Enterococcus faecalis n.n
MicrobeMS ID          : 2012_01_10_HerfortStefanie_0019
NCBI tax ID's         : 1351 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2012-01-10T14:54:17.968+01:00
path to MS file       : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis xx\

genus, species, strain : Enterococcus faecalis n.n
MicrobeMS ID          : 2012_01_26_HerfortStefanie_0009
NCBI tax ID's         : 1351 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2012-01-26T11:42:08.265+01:00
path to MS file       : \Enterococcus\Enterococcus faecalis\Enterococcus faecalis xx\
```

Enterococcus faecium

```
genus, species, strain : Enterococcus faecium UW222(ST124)
MicrobeMS ID          : 2010_11_10_Maren Stämmeler_0007
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 4-5 Oesen in 50 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2010-10-11T11:25:22.718+02:00
path to MS file       : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 222 (ST124)\

genus, species, strain : Enterococcus faecium UW222(ST124)
MicrobeMS ID          : 2010_14_10_Maren Stämmeler_0007
NCBI tax ID's         : 1352 -
growth time           : 24h
```

growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-14T10:25:34.375+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 222 (ST124)\

genus, species, strain : Enterococcus faecium UW222(ST124)
MicrobeMS ID : 2010_01_11_Maren Stämmeler_0007
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-01T10:58:49.078+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 222 (ST124)\

genus, species, strain : Enterococcus faecium UW2243(ST514)
MicrobeMS ID : 2010_11_10_Maren Stämmeler_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-11T10:41:11.000+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 2243 (ST514)\

genus, species, strain : Enterococcus faecium UW2243(ST514)
MicrobeMS ID : 2010_14_10_Maren Stämmeler_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-14T10:04:10.640+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 2243 (ST514)\

genus, species, strain : Enterococcus faecium UW2243(ST514)
MicrobeMS ID : 2010_01_11_Maren Stämmeler_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-01T10:46:10.703+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 2243 (ST514)\

genus, species, strain : Enterococcus faecium UW2258(ST26)
MicrobeMS ID : 2010_11_10_Maren Stämmeler_0005
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-11T10:46:27.609+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 2258 (ST26)\

genus, species, strain : Enterococcus faecium UW2258(ST26)
MicrobeMS ID : 2010_14_10_Maren Stämmeler_0005
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-14T10:08:55.703+02:00

```
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 2258 (ST26)\
genus, species, strain : Enterococcus faecium UW2258(ST26)
MicrobeMS ID         : 2010_01_11_Maren Stämmeler_0005
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        :
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-11-01T10:50:58.234+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 2258 (ST26)\

genus, species, strain : Enterococcus faecium UW2262(ST12)
MicrobeMS ID         : 2010_11_10_Maren Stämmeler_0009
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 4-5 Oesen in 50 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-10-11T11:33:16.765+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 2262 (ST12)\

genus, species, strain : Enterococcus faecium UW2262(ST12)
MicrobeMS ID         : 2010_14_10_Maren Stämmeler_0009
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 4-5 Oesen in 50 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-10-14T10:37:53.046+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 2262 (ST12)\

genus, species, strain : Enterococcus faecium UW2262(ST12)
MicrobeMS ID         : 2010_01_11_Maren Stämmeler_0009
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        :
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-11-01T11:07:46.765+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 2262 (ST12)\

genus, species, strain : Enterococcus faecium UW2266(ST241)
MicrobeMS ID         : 2010_11_10_Maren Stämmeler_0010
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 4-5 Oesen in 50 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-10-11T11:37:22.781+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 2266 (ST241)\

genus, species, strain : Enterococcus faecium UW2266(ST241)
MicrobeMS ID         : 2010_14_10_Maren Stämmeler_0010
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 4-5 Oesen in 50 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-10-14T10:42:38.734+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 2266 (ST241)\

genus, species, strain : Enterococcus faecium UW2266(ST241)
MicrobeMS ID         : 2010_01_11_Maren Stämmeler_0010
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
```



```
concentration :  
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method : ToM_200ns.par  
customer : RKI ZBS6  
measurement date/time : 2010-11-01T11:12:03.718+01:00  
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 2266 (ST241)\  
  
genus, species, strain : Enterococcus faecium UW2268(ST8)  
MicrobeMS ID : 2010_14_10_Maren Stämmeler_0021  
NCBI tax ID's : 1352 -  
growth time : 24h  
growth temperature : 37 Grad Celsius  
growth conditions : aerob  
growth medium : Caso  
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration : 4-5 Oesen in 50 muel  
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method : ToM_200ns.par  
customer : RKI ZBS6  
measurement date/time : 2010-10-14T14:45:10.578+02:00  
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 2268 (ST8)\  
  
genus, species, strain : Enterococcus faecium UW2268(ST8)  
MicrobeMS ID : 2010_01_11_Maren Stämmeler_0011  
NCBI tax ID's : 1352 -  
growth time : 24h  
growth temperature : 37 Grad Celsius  
growth conditions : aerob  
growth medium : Caso  
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration :  
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method : ToM_200ns.par  
customer : RKI ZBS6  
measurement date/time : 2010-11-01T11:18:33.609+01:00  
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 2268 (ST8)\  
  
genus, species, strain : Enterococcus faecium UW2268(ST8)  
MicrobeMS ID : 2010_04_11_Maren Stämmeler_0011  
NCBI tax ID's : 1352 -  
growth time : 24h  
growth temperature : 37 Grad Celsius  
growth conditions : aerob  
growth medium : Caso  
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration : 4-5 Oesen in 50 muel  
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method : ToM_200ns.par  
customer : RKI ZBS6  
measurement date/time : 2010-11-04T11:55:48.828+01:00  
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 2268 (ST8)\  
  
genus, species, strain : Enterococcus faecium UW408(ST507)  
MicrobeMS ID : 2010_11_10_Maren Stämmeler_0008  
NCBI tax ID's : 1352 -  
growth time : 24h  
growth temperature : 37 Grad Celsius  
growth conditions : aerob  
growth medium : Caso  
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration : 4-5 Oesen in 50 muel  
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method : ToM_200ns.par  
customer : RKI ZBS6  
measurement date/time : 2010-10-11T11:28:54.218+02:00  
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 408 (ST507)\  
  
genus, species, strain : Enterococcus faecium UW408(ST507)  
MicrobeMS ID : 2010_14_10_Maren Stämmeler_0008  
NCBI tax ID's : 1352 -  
growth time : 24h  
growth temperature : 37 Grad Celsius  
growth conditions : aerob  
growth medium : Caso  
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration : 4-5 Oesen in 50 muel  
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method : ToM_200ns.par  
customer : RKI ZBS6  
measurement date/time : 2010-10-14T10:28:46.906+02:00  
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 408 (ST507)\  
  
genus, species, strain : Enterococcus faecium UW408(ST507)  
MicrobeMS ID : 2010_01_11_Maren Stämmeler_0008  
NCBI tax ID's : 1352 -  
growth time : 24h  
growth temperature : 37 Grad Celsius  
growth conditions : aerob  
growth medium : Caso  
sample treatment : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration :  
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method : ToM_200ns.par  
customer : RKI ZBS6  
measurement date/time : 2010-11-01T11:04:11.125+01:00  
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 408 (ST507)\  
  
genus, species, strain : Enterococcus faecium UW53(ST513)  
MicrobeMS ID : 2010_11_10_Maren Stämmeler_0006
```

NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-11T10:48:51.437+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 53 (ST513)\

genus, species, strain : Enterococcus faecium UW53(ST513)
MicrobeMS ID : 2010_14_10_Maren Stämmeler_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-14T10:11:30.140+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 53 (ST513)\

genus, species, strain : Enterococcus faecium UW53(ST513)
MicrobeMS ID : 2010_01_11_Maren Stämmeler_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-01T10:54:28.046+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal CC25 UW 53 (ST513)\

genus, species, strain : Enterococcus faecium UW8643
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0014
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T11:33:16.921+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8643\

genus, species, strain : Enterococcus faecium UW8643
MicrobeMS ID : 2011_07_01_Prabha Kaira_0034
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-01T12:29:26.718+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8643\

genus, species, strain : Enterococcus faecium UW8643
MicrobeMS ID : 2011_07_12_Stefanie Herfort_0009
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-12T13:54:02.015+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8643\

genus, species, strain : Enterococcus faecium UW8643
MicrobeMS ID : 2011_07_05_Prabha Kaira_34
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2011-07-05T15:47:50.093+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8643\

genus, species, strain : Enterococcus faecium UW8648
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0015
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T11:38:08.312+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8648\

genus, species, strain : Enterococcus faecium UW8648
MicrobeMS ID : 2011_06_27_Prabha Kaira_0035
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-27T16:40:21.109+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8648\

genus, species, strain : Enterococcus faecium UW8648
MicrobeMS ID : 2011_07_12_Stefanie Herfort_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-12T13:58:45.859+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8648\

genus, species, strain : Enterococcus faecium UW8651
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0016
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T11:41:04.234+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8651\

genus, species, strain : Enterococcus faecium UW8651
MicrobeMS ID : 2011_07_12_Stefanie Herfort_0011
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-12T14:07:59.796+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8651\

genus, species, strain : Enterococcus faecium UW8651
MicrobeMS ID : 2011_06_27_Prabha Kaira_0036
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-27T16:43:16.515+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8651\

genus, species, strain : Enterococcus faecium UW8656
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0017
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob

growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T11:45:08.234+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8656\

genus, species, strain : Enterococcus faecium UW8656
MicrobeMS ID : 2011_07_12_Stefanie Herfort_0012
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-12T14:12:44.953+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8656\

genus, species, strain : Enterococcus faecium UW8656
MicrobeMS ID : 2011_06_27_Prabha Kaira_0037
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-27T16:49:44.765+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8656\

genus, species, strain : Enterococcus faecium UW8656
MicrobeMS ID : 2011_07_05_Prabha Kaira_37
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-05T16:06:01.484+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8656\

genus, species, strain : Enterococcus faecium UW8658
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0018
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T11:47:46.312+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8658\

genus, species, strain : Enterococcus faecium UW8658
MicrobeMS ID : 2011_07_05_Prabha Kaira_38
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-05T16:11:21.312+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8658\

genus, species, strain : Enterococcus faecium UW8658
MicrobeMS ID : 2011_07_12_Stefanie Herfort_0013
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-12T14:23:28.015+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8658\

genus, species, strain : Enterococcus faecium UW8658
MicrobeMS ID : 2011_06_27_Prabha Kaira_0038
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-27T16:54:32.406+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal cattle untyped UW 8658\

genus, species, strain : Enterococcus faecium UW2247
MicrobeMS ID : 2011_28_01_Maren Stämmeler_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-28T10:35:11.984+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2247\

genus, species, strain : Enterococcus faecium UW2247
MicrobeMS ID : 2012_21_01_Maren Stämmeler_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-21T10:41:02.609+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2247\

genus, species, strain : Enterococcus faecium UW2247
MicrobeMS ID : 2011_03_11_Maren Stämmeler_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 5-6 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T10:18:27.390+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2247\

genus, species, strain : Enterococcus faecium UW2248
MicrobeMS ID : 2011_28_01_Maren Stämmeler_0021
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-28T13:53:59.359+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2248\

genus, species, strain : Enterococcus faecium UW2248
MicrobeMS ID : 2012_21_01_Maren Stämmeler_0021
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-21T14:38:42.531+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2248\

genus, species, strain : Enterococcus faecium UW2248
MicrobeMS ID : 2011_03_11_Maren Stämmeler_0011
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T10:23:48.781+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2248\

genus, species, strain : Enterococcus faecium UW2256
MicrobeMS ID : 2011_28_01_Maren Stämmeler_0022
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-28T13:57:23.687+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2256\

genus, species, strain : Enterococcus faecium UW2256
MicrobeMS ID : 2012_21_01_Maren Stämmeler_0022
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-21T14:41:11.609+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2256\

genus, species, strain : Enterococcus faecium UW2256
MicrobeMS ID : 2011_03_11_Maren Stämmeler_0012
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T10:29:24.171+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2256\

genus, species, strain : Enterococcus faecium UW2260
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0011
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T11:24:11.203+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2260\

genus, species, strain : Enterococcus faecium UW2263
MicrobeMS ID : 2011_28_01_Maren Stämmeler_0024
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-28T14:02:52.468+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2263\

genus, species, strain : Enterococcus faecium UW2263
MicrobeMS ID : 2012_21_01_Maren Stämmeler_0024
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-21T14:49:47.734+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2263\

genus, species, strain : Enterococcus faecium UW2263
MicrobeMS ID : 2011_03_11_Maren Stämmeler_0014
NCBI tax ID's : 1352 -
growth time : 24h

growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T10:41:17.125+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2263\

genus, species, strain : Enterococcus faecium UW2265
MicrobeMS ID : 2011_28_01_Maren Stämmeler_0025
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2011-01-28T14:17:08.609+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2265\

genus, species, strain : Enterococcus faecium UW2265
MicrobeMS ID : 2012_21_01_Maren Stämmeler_0025
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2011-01-21T14:55:55.984+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2265\

genus, species, strain : Enterococcus faecium UW2265
MicrobeMS ID : 2011_03_11_Maren Stämmeler_0015
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T10:49:01.828+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 2265\

genus, species, strain : Enterococcus faecium UW415
MicrobeMS ID : 2011_07_05_Prabha Kaira_30
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2011-07-05T15:20:39.421+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 415\

genus, species, strain : Enterococcus faecium UW415
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T11:20:34.187+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 415\

genus, species, strain : Enterococcus faecium UW447
MicrobeMS ID : 2011_28_01_Maren Stämmeler_0023
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2011-01-28T14:00:09.296+01:00

```
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 447\  
genus, species, strain : Enterococcus faecium UW447  
MicrobeMS ID        : 2012_21_01_Maren Stämmeler_0023  
NCBI tax ID's       : 1352 -  
growth time         : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration        : 3 Oesen in 25 muel  
extra info          : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2011-01-21T14:45:51.406+01:00  
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 447\  
  
genus, species, strain : Enterococcus faecium UW447  
MicrobeMS ID        : 2011_03_11_Maren Stämmeler_0013  
NCBI tax ID's       : 1352 -  
growth time         : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)  
concentration        : 3 Oesen in 25 muel  
extra info          : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2011-03-11T10:36:01.734+01:00  
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal poultry CC25 UW 447\  
  
genus, species, strain : Enterococcus faecium UW2627  
MicrobeMS ID        : 2011_28_01_Maren Stämmeler_0026  
NCBI tax ID's       : 1352 -  
growth time         : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration        : 3 Oesen in 25 muel  
extra info          : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2011-01-28T14:20:18.812+01:00  
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 2627\  
  
genus, species, strain : Enterococcus faecium UW2627  
MicrobeMS ID        : 2012_21_01_Maren Stämmeler_0026  
NCBI tax ID's       : 1352 -  
growth time         : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration        : 3 Oesen in 25 muel  
extra info          : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2011-01-21T15:02:05.187+01:00  
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 2627\  
  
genus, species, strain : Enterococcus faecium UW2627  
MicrobeMS ID        : 2011_03_11_Maren Stämmeler_0016  
NCBI tax ID's       : 1352 -  
growth time         : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)  
concentration        : 3 Oesen in 25 muel  
extra info          : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2011-03-11T10:52:09.593+01:00  
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 2627\  
  
genus, species, strain : Enterococcus faecium UW2629  
MicrobeMS ID        : 2011_28_01_Maren Stämmeler_0027  
NCBI tax ID's       : 1352 -  
growth time         : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration        : 3 Oesen in 25 muel  
extra info          : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2011-01-28T14:27:11.390+01:00  
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 2629\  
  
genus, species, strain : Enterococcus faecium UW2629  
MicrobeMS ID        : 2012_21_01_Maren Stämmeler_0027  
NCBI tax ID's       : 1352 -  
growth time         : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
```


concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-21T15:05:30.062+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 2629\

genus, species, strain : Enterococcus faecium UW2629
MicrobeMS ID : 2011_03_11_Maren Stämmeler_0017
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T10:55:05.390+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 2629\

genus, species, strain : Enterococcus faecium UW2665
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0012
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T11:26:47.781+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 2665\

genus, species, strain : Enterococcus faecium UW2665
MicrobeMS ID : 2011_07_12_Stefanie Herfort_0007
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-12T13:41:05.187+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 2665\

genus, species, strain : Enterococcus faecium UW2665
MicrobeMS ID : 2011_06_27_Prabha Kaira_0032
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-27T16:13:51.062+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 2665\

genus, species, strain : Enterococcus faecium UW2665
MicrobeMS ID : 2011_07_05_Prabha Kaira_32
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-05T15:33:43.140+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 2665\

genus, species, strain : Enterococcus faecium UW2668
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0013
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T11:30:45.875+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 2668\

genus, species, strain : Enterococcus faecium UW2668
MicrobeMS ID : 2011_07_12_Stefanie Herfort_0008

NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-12T13:45:32.671+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 2668\

genus, species, strain : Enterococcus faecium UW2668
MicrobeMS ID : 2011_07_05_Prabha Kaira_33
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-05T15:42:38.578+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 2668\

genus, species, strain : Enterococcus faecium UW373
MicrobeMS ID : 2011_28_01_Maren Stämmeler_0028
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Ösen in 25 µl
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-28T14:30:14.578+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 373\

genus, species, strain : Enterococcus faecium UW373
MicrobeMS ID : 2012_21_01_Maren Stämmeler_0028
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Ösen in 25 µl
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-21T15:09:43.375+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 373\

genus, species, strain : Enterococcus faecium UW373
MicrobeMS ID : 2011_03_11_Maren Stämmeler_0018
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Ösen in 25 µl
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T11:07:37.359+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 373\

genus, species, strain : Enterococcus faecium UW381
MicrobeMS ID : 2011_28_01_Maren Stämmeler_0029
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Ösen in 25 µl
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-28T14:34:52.718+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 381\

genus, species, strain : Enterococcus faecium UW381
MicrobeMS ID : 2012_21_01_Maren Stämmeler_0029
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Ösen in 25 µl
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2011-01-21T15:15:45.000+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 381\

genus, species, strain : Enterococcus faecium UW381
MicrobeMS ID : 2011_03_11_Maren Stämmeler_0019
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T11:15:05.375+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium animal swine CC5 UW 381\

genus, species, strain : Enterococcus faecium UW1716
MicrobeMS ID : 2011_26_01_Maren Stämmeler_0029
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-26T14:51:17.703+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 1716 (ST129)\

genus, species, strain : Enterococcus faecium UW1716
MicrobeMS ID : 2011_20_01_Maren Stämmeler_0029
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-20T15:34:19.359+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 1716 (ST129)\

genus, species, strain : Enterococcus faecium UW1716
MicrobeMS ID : 2011_03_04_Maren Stämmeler_0009
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-04T10:43:20.703+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 1716 (ST129)\

genus, species, strain : Enterococcus faecium UW1983(ST117)
MicrobeMS ID : 2010_08_10_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 6-8 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-08T10:07:46.406+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 1983 (ST117)\

genus, species, strain : Enterococcus faecium UW1983(ST117)
MicrobeMS ID : 2010_13_10_Maren Stämmeler_0021
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-13T14:40:42.921+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 1983 (ST117)\

genus, species, strain : Enterococcus faecium UW1983(ST117)
MicrobeMS ID : 2010_04_11_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob

growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-04T10:48:54.765+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 1983 (ST117)\

genus, species, strain : Enterococcus faecium UW2055
MicrobeMS ID : 2011_26_01_Maren Stämmeler_0030
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-26T14:54:15.156+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2055 (ST16)\

genus, species, strain : Enterococcus faecium UW2055
MicrobeMS ID : 2011_20_01_Maren Stämmeler_0030
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-20T15:36:58.953+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2055 (ST16)\

genus, species, strain : Enterococcus faecium UW2055
MicrobeMS ID : 2011_03_04_Maren Stämmeler_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-04T10:48:58.890+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2055 (ST16)\

genus, species, strain : Enterococcus faecium UW2216
MicrobeMS ID : 2011_28_01_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-28T10:01:31.109+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2216 (ST117)\

genus, species, strain : Enterococcus faecium UW2216
MicrobeMS ID : 2012_21_01_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-21T10:05:32.218+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2216 (ST117)\

genus, species, strain : Enterococcus faecium UW2216
MicrobeMS ID : 2011_03_11_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 5-6 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T09:28:31.265+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2216 (ST117)\

```
genus, species, strain : Enterococcus faecium UW2457
MicrobeMS ID           : 2012_21_01_Maren Stämmeler_0002
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-01-21T10:10:08.937+01:00
path to MS file       : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2457 (ST80)\

genus, species, strain : Enterococcus faecium UW2457
MicrobeMS ID           : 2011_28_01_Maren Stämmeler_0002
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-01-28T10:05:36.687+01:00
path to MS file       : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2457 (ST80)\

genus, species, strain : Enterococcus faecium UW2457
MicrobeMS ID           : 2011_03_11_Maren Stämmeler_0002
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration         : 5-6 Oesen in 100 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-03-11T09:31:17.125+01:00
path to MS file       : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2457 (ST80)\

genus, species, strain : Enterococcus faecium UW2687
MicrobeMS ID           : 2011_26_01_Maren Stämmeler_0004
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-01-26T09:57:44.796+01:00
path to MS file       : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2687 (ST17)\

genus, species, strain : Enterococcus faecium UW2687
MicrobeMS ID           : 2012_21_01_Maren Stämmeler_0030
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-01-21T15:19:32.546+01:00
path to MS file       : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2687 (ST17)\

genus, species, strain : Enterococcus faecium UW2687
MicrobeMS ID           : 2011_03_03_Maren Stämmeler_0004
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-03-03T09:34:57.593+01:00
path to MS file       : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2687 (ST17)\

genus, species, strain : Enterococcus faecium UW2770
MicrobeMS ID           : 2012_21_01_Maren Stämmeler_0003
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
```

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-21T10:14:14.515+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2770 (ST81)\

genus, species, strain : Enterococcus faecium UW2770
MicrobEMS ID : 2011_28_01_Maren Stämmeler_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-28T10:08:00.421+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2770 (ST81)\

genus, species, strain : Enterococcus faecium UW2770
MicrobEMS ID : 2011_03_11_Maren Stämmeler_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 5-6 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T09:43:40.765+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2770 (ST81)\

genus, species, strain : Enterococcus faecium UW2824(ST132)
MicrobEMS ID : 2010_13_10_Maren Stämmeler_0022
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-13T14:43:24.625+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2824 (ST132)\

genus, species, strain : Enterococcus faecium UW2824(ST132)
MicrobEMS ID : 2010_29_10_Maren Stämmeler_0002
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-29T10:05:23.750+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2824 (ST132)\

genus, species, strain : Enterococcus faecium UW2824(ST132)
MicrobEMS ID : 2010_04_11_Maren Stämmeler_0002
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-04T10:52:01.546+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2824 (ST132)\

genus, species, strain : Enterococcus faecium UW2832(vanA)
MicrobEMS ID : 2010_07_10_Maren Stämmeler_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 6-8 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-07T10:39:19.015+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2832 (vanA)\

genus, species, strain : Enterococcus faecium UW2832(vanA)
MicrobEMS ID : 2010_13_10_Maren Stämmeler_0004
NCBI tax ID's : 1352 -
growth time : 24h

growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2010-10-13T10:20:53.812+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2832 (vanA)\

genus, species, strain : Enterococcus faecium UW2832(vanA)
MicrobeMS ID : 2010_03_11_Maren Stämmeler_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2010-11-03T11:21:45.921+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 2832 (vanA)\

genus, species, strain : Enterococcus faecium UW3056
MicrobeMS ID : 2012_21_01_Maren Stämmeler_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2011-01-21T10:17:37.875+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 3056 (ST65)\

genus, species, strain : Enterococcus faecium UW3056
MicrobeMS ID : 2011_28_01_Maren Stämmeler_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2011-01-28T10:11:01.421+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 3056 (ST65)\

genus, species, strain : Enterococcus faecium UW3056
MicrobeMS ID : 2011_03_11_Maren Stämmeler_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 5-6 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T09:46:51.000+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 3056 (ST65)\

genus, species, strain : Enterococcus faecium UW3311
MicrobeMS ID : 2011_20_01_Maren Stämmeler_0005
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2011-01-20T10:07:12.609+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 3311 (ST17)\

genus, species, strain : Enterococcus faecium UW3311
MicrobeMS ID : 2011_26_01_Maren Stämmeler_0005
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2011-01-26T10:02:15.078+01:00

```
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 3311 (ST17)\
genus, species, strain : Enterococcus faecium UW3311
MicrobeMS ID         : 2011_03_03_Maren Stämmeler_0005
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration        : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-03-03T09:41:20.578+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 3311 (ST17)\

genus, species, strain : Enterococcus faecium UW3535
MicrobeMS ID         : 2011_20_01_Maren Stämmeler_0007
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-01-20T10:16:11.968+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 3535 (ST18)\

genus, species, strain : Enterococcus faecium UW3535
MicrobeMS ID         : 2011_26_01_Maren Stämmeler_0007
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-01-26T10:09:18.187+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 3535 (ST18)\

genus, species, strain : Enterococcus faecium UW3535
MicrobeMS ID         : 2011_03_03_Maren Stämmeler_0007
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration        : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-03-03T09:48:18.640+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 3535 (ST18)\

genus, species, strain : Enterococcus faecium UW4194
MicrobeMS ID         : 2011_20_01_Maren Stämmeler_0006
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-01-20T10:11:02.234+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 4194 (ST17)\

genus, species, strain : Enterococcus faecium UW4194
MicrobeMS ID         : 2011_26_01_Maren Stämmeler_0006
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-01-26T10:05:01.015+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 4194 (ST17)\

genus, species, strain : Enterococcus faecium UW4194
MicrobeMS ID         : 2011_03_03_Maren Stämmeler_0006
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
```


concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-03T09:43:54.421+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 4194 (ST17)\

genus, species, strain : Enterococcus faecium UW4669
MicrobeMS ID : 2011_26_01_Maren Stämmeler_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-26T10:21:08.515+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 4669 (ST18)\

genus, species, strain : Enterococcus faecium UW4669
MicrobeMS ID : 2011_20_01_Maren Stämmeler_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-20T10:25:46.171+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 4669 (ST18)\

genus, species, strain : Enterococcus faecium UW4669
MicrobeMS ID : 2011_03_03_Maren Stämmeler_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-03T09:59:48.984+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 4669 (ST18)\

genus, species, strain : Enterococcus faecium UW5662
MicrobeMS ID : 2011_20_01_Maren Stämmeler_0002
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-20T09:55:21.953+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 5662 (ST17)\

genus, species, strain : Enterococcus faecium UW5662
MicrobeMS ID : 2011_26_01_Maren Stämmeler_0002
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-26T09:51:55.093+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 5662 (ST17)\

genus, species, strain : Enterococcus faecium UW5662
MicrobeMS ID : 2011_03_03_Maren Stämmeler_0002
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-03T09:08:01.046+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 5662 (ST17)\

genus, species, strain : Enterococcus faecium UW5909(vanA)
MicrobeMS ID : 2010_07_10_Maren Stämmeler_0007

NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 6-8 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-07T10:55:18.078+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 5909 (vanA)\

genus, species, strain : Enterococcus faecium UW5909(vanA)
MicrobeMS ID : 2010_13_10_Maren Stämmeler_0007
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-13T10:45:15.421+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 5909 (vanA)\

genus, species, strain : Enterococcus faecium UW5909(vanA)
MicrobeMS ID : 2010_28_10_Maren Stämmeler_0007
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-28T10:30:41.734+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 5909 (vanA)\

genus, species, strain : Enterococcus faecium UW5919(vanA)
MicrobeMS ID : 2010_13_10_Maren Stämmeler_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-13T10:37:25.765+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 5919 (vanA)\

genus, species, strain : Enterococcus faecium UW5919(vanA)
MicrobeMS ID : 2010_28_10_Maren Stämmeler_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-28T11:00:48.421+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 5919 (vanA)\

genus, species, strain : Enterococcus faecium UW5919(vanA)
MicrobeMS ID : 2010_03_11_Maren Stämmeler_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-03T11:32:47.187+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 5919 (vanA)\

genus, species, strain : Enterococcus faecium UW6203(vanA)
MicrobeMS ID : 2010_07_10_Maren Stämmeler_0002
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 6-8 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2010-10-07T10:27:59.140+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6203 (vanA)\

genus, species, strain : Enterococcus faecium UW6203(vanA)
MicrobeMS ID : 2010_13_10_Maren Stämmeler_0002
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-13T10:13:04.828+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6203 (vanA)\

genus, species, strain : Enterococcus faecium UW6203(vanA)
MicrobeMS ID : 2010_03_11_Maren Stämmeler_0002
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-03T11:11:45.750+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6203 (vanA)\

genus, species, strain : Enterococcus faecium UW6343
MicrobeMS ID : 2012_21_01_Maren Stämmeler_0005
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-21T10:22:00.875+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6343 (ST203)\

genus, species, strain : Enterococcus faecium UW6343
MicrobeMS ID : 2011_28_01_Maren Stämmeler_0005
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-28T10:17:33.109+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6343 (ST203)\

genus, species, strain : Enterococcus faecium UW6343
MicrobeMS ID : 2011_03_11_Maren Stämmeler_0005
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 5-6 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T09:52:21.031+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6343 (ST203)\

genus, species, strain : Enterococcus faecium UW6352
MicrobeMS ID : 2011_26_01_Maren Stämmeler_0021
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-26T14:11:17.828+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6352 (ST18)\

genus, species, strain : Enterococcus faecium UW6352
MicrobeMS ID : 2011_20_01_Maren Stämmeler_0021
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob

growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-20T14:53:24.265+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6352 (ST18)\

genus, species, strain : Enterococcus faecium UW6352
MicrobeMS ID : 2011_03_04_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-04T09:23:20.468+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6352 (ST18)\

genus, species, strain : Enterococcus faecium UW6397
MicrobeMS ID : 2011_26_01_Maren Stämmeler_0022
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-26T14:14:46.375+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6397 (ST18)\

genus, species, strain : Enterococcus faecium UW6397
MicrobeMS ID : 2011_20_01_Maren Stämmeler_0022
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-20T14:56:14.062+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6397 (ST18)\

genus, species, strain : Enterococcus faecium UW6397
MicrobeMS ID : 2011_03_04_Maren Stämmeler_0002
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-04T09:27:08.812+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6397 (ST18)\

genus, species, strain : Enterococcus faecium UW6449(vanB)
MicrobeMS ID : 2010_07_10_Maren Stämmeler_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 6-8 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-07T10:33:45.203+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6449 (vanB)\

genus, species, strain : Enterococcus faecium UW6449(vanB)
MicrobeMS ID : 2010_13_10_Maren Stämmeler_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-13T10:16:32.890+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6449 (vanB)\

```
genus, species, strain : Enterococcus faecium UW6449(vanB)
MicrobeMS ID           : 2010_28_10_Maren Stämmeler_0003
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment     : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 4-5 Oesen in 50 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-10-28T10:06:11.859+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6449 (vanB)\

genus, species, strain : Enterococcus faecium UW6538(ST78)
MicrobeMS ID           : 2010_08_10_Maren Stämmeler_0003
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment     : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 6-8 Oesen in 100 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-10-08T10:16:20.687+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6538 (ST78)\

genus, species, strain : Enterococcus faecium UW6538(ST78)
MicrobeMS ID           : 2010_13_10_Maren Stämmeler_0023
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment     : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 4-5 Oesen in 50 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-10-13T14:48:44.281+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6538 (ST78)\

genus, species, strain : Enterococcus faecium UW6538(ST78)
MicrobeMS ID           : 2010_29_10_Maren Stämmeler_0003
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment     : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 4-5 Oesen in 50 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-10-29T10:10:23.031+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6538 (ST78)\

genus, species, strain : Enterococcus faecium UW6656
MicrobeMS ID           : 2011_07_04_Prabha Kaira_0005
NCBI tax ID's         : 1352 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment     : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-07-04T13:37:51.437+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6656 (ST18)\

genus, species, strain : Enterococcus faecium UW6656
MicrobeMS ID           : 2011_07_22_Maren Stämmeler_0005
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment     : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-07-22T10:58:57.875+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6656 (ST18)\

genus, species, strain : Enterococcus faecium UW6656
MicrobeMS ID           : 2011_07_07_Stefanie Herfort_0005
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment     : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
```

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-07T13:05:42.640+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6656 (ST18)\

genus, species, strain : Enterococcus faecium UW6656
MicrobeMS ID : 2011_06_28_Prabha Kaira_0005
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-28T17:07:29.468+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6656 (ST18)\

genus, species, strain : Enterococcus faecium UW6666
MicrobeMS ID : 2011_07_22_Maren Stämmeler_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-22T11:02:02.218+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6666 (ST18)\

genus, species, strain : Enterococcus faecium UW6666
MicrobeMS ID : 2011_07_07_Stefanie Herfort_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-07T13:10:14.375+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6666 (ST18)\

genus, species, strain : Enterococcus faecium UW6666
MicrobeMS ID : 2011_06_28_Prabha Kaira_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-28T17:18:46.171+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6666 (ST18)\

genus, species, strain : Enterococcus faecium UW6695
MicrobeMS ID : 2011_07_07_Stefanie Herfort_0009
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-07T13:38:27.828+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6695 (ST192)\

genus, species, strain : Enterococcus faecium UW6695
MicrobeMS ID : 2011_07_22_Maren Stämmeler_0009
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-22T11:19:01.843+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6695 (ST192)\

genus, species, strain : Enterococcus faecium UW6695
MicrobeMS ID : 2011_06_28_Prabha Kaira_0009
NCBI tax ID's : 1352 -
growth time : 24h

growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-28T17:41:48.656+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6695 (ST192)\

genus, species, strain : Enterococcus faecium UW6699(vanB)
MicrobeMS ID : 2010_07_10_Maren Stämmeler_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 6-8 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-07T11:04:43.296+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6699 (vanB)\

genus, species, strain : Enterococcus faecium UW6699(vanB)
MicrobeMS ID : 2010_13_10_Maren Stämmeler_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-13T10:59:07.531+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6699 (vanB)\

genus, species, strain : Enterococcus faecium UW6699(vanB)
MicrobeMS ID : 2010_28_10_Maren Stämmeler_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-28T10:46:22.953+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6699 (vanB)\

genus, species, strain : Enterococcus faecium UW6713(van-)
MicrobeMS ID : 2010_07_10_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 6-8 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-07T10:22:17.218+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6713 (van-)\

genus, species, strain : Enterococcus faecium UW6713(van-)
MicrobeMS ID : 2010_13_10_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-13T10:07:16.328+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6713 (van-)\

genus, species, strain : Enterococcus faecium UW6713(van-)
MicrobeMS ID : 2010_03_11_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-03T11:07:22.703+01:00

```
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6713 (van-)\
genus, species, strain : Enterococcus faecium UW6715(vanB)
MicrobeMS ID         : 2010_07_10_Maren Stämmeler_0009
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 6-8 Oesen in 100 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-10-07T11:02:10.015+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6715 (vanB)\

genus, species, strain : Enterococcus faecium UW6715(vanB)
MicrobeMS ID         : 2010_13_10_Maren Stämmeler_0009
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 4-5 Oesen in 50 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-10-13T10:53:07.312+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6715 (vanB)\

genus, species, strain : Enterococcus faecium UW6715(vanB)
MicrobeMS ID         : 2010_03_11_Maren Stämmeler_0009
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        :
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-11-03T11:49:06.734+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6715 (vanB)\

genus, species, strain : Enterococcus faecium UW6742
MicrobeMS ID         : 2011_26_01_Maren Stämmeler_0008
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-01-26T10:12:58.421+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6742 (ST18)\

genus, species, strain : Enterococcus faecium UW6742
MicrobeMS ID         : 2011_20_01_Maren Stämmeler_0008
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-01-20T10:19:16.421+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6742 (ST18)\

genus, species, strain : Enterococcus faecium UW6742
MicrobeMS ID         : 2011_07_04_Prabha Kaira_0007
NCBI tax ID's        : 1352 -
growth time          : 48h
growth temperature   : 36 Grad Celsius
growth conditions    : aerob
growth medium        : Caso-Agar
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 3-5 Ösen in 0,1 ml
extra info           : Werner/Wernigerode
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-07-04T13:50:51.546+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6742 (ST18)\

genus, species, strain : Enterococcus faecium UW6742
MicrobeMS ID         : 2011_03_03_Maren Stämmeler_0008
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
```



```
concentration      : 3 Oesen in 25 muel
extra info        : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer          : RKI ZBS6
measurement date/time : 2011-03-03T09:52:35.109+01:00
path to MS file   : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6742 (ST18)\

genus, species, strain : Enterococcus faecium UW6742
MicrobeMS ID          : 2011_07_22_Maren Stämmeler_0007
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-07-22T11:08:57.562+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6742 (ST18)\

genus, species, strain : Enterococcus faecium UW6742
MicrobeMS ID          : 2011_07_07_Stefanie Herfort_0007
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-07-07T13:19:06.781+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6742 (ST18)\

genus, species, strain : Enterococcus faecium UW6742
MicrobeMS ID          : 2011_06_28_Prabha Kaira_0007
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-06-28T17:28:15.828+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6742 (ST18)\

genus, species, strain : Enterococcus faecium UW6753
MicrobeMS ID          : 2011_26_01_Maren Stämmeler_0009
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-01-26T10:18:16.625+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6753 (ST18)\

genus, species, strain : Enterococcus faecium UW6753
MicrobeMS ID          : 2011_20_01_Maren Stämmeler_0009
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-01-20T10:23:20.390+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6753 (ST18)\

genus, species, strain : Enterococcus faecium UW6753
MicrobeMS ID          : 2011_07_07_Stefanie Herfort_0008
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-07-07T13:27:27.015+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6753 (ST18)\

genus, species, strain : Enterococcus faecium UW6753
MicrobeMS ID          : 2011_03_03_Maren Stämmeler_0009
```

NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-03T09:56:34.000+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6753 (ST18)\

genus, species, strain : Enterococcus faecium UW6753
MicrobeMS ID : 2011_07_22_Maren Stämmeler_0008
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-22T11:13:50.750+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6753 (ST18)\

genus, species, strain : Enterococcus faecium UW6753
MicrobeMS ID : 2011_06_28_Prabha Kaira_0008
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-28T17:33:55.390+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6753 (ST18)\

genus, species, strain : Enterococcus faecium UW6777
MicrobeMS ID : 2011_06_28_Prabha Kaira_0014
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-28T18:07:48.578+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6777 (ST202)\

genus, species, strain : Enterococcus faecium UW6777
MicrobeMS ID : 2011_07_22_Maren Stämmeler_0014
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-22T11:41:00.843+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6777 (ST202)\

genus, species, strain : Enterococcus faecium UW6777
MicrobeMS ID : 2011_07_11_Stefanie Herfort_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-11T13:17:27.484+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6777 (ST202)\

genus, species, strain : Enterococcus faecium UW6847
MicrobeMS ID : 2011_07_22_Maren Stämmeler_0016
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2011-07-22T11:48:56.296+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6847 (ST78)\

genus, species, strain : Enterococcus faecium UW6847
MicrobeMS ID : 2011_07_11_Stefanie Herfort_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-11T13:31:52.375+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6847 (ST78)\

genus, species, strain : Enterococcus faecium UW6881
MicrobeMS ID : 2011_26_01_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-26T09:47:51.765+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6881 (ST17)\

genus, species, strain : Enterococcus faecium UW6881
MicrobeMS ID : 2011_20_01_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-20T09:52:48.843+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6881 (ST17)\

genus, species, strain : Enterococcus faecium UW6881
MicrobeMS ID : 2011_03_03_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-03T09:04:00.281+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6881 (ST17)\

genus, species, strain : Enterococcus faecium UW6896
MicrobeMS ID : 2011_26_01_Maren Stämmeler_0025
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-26T14:26:39.484+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6896 (ST192)\

genus, species, strain : Enterococcus faecium UW6896
MicrobeMS ID : 2011_20_01_Maren Stämmeler_0025
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-20T15:11:37.546+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6896 (ST192)\

genus, species, strain : Enterococcus faecium UW6896
MicrobeMS ID : 2011_03_04_Maren Stämmeler_0005
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob

growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-04T10:22:18.875+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6896 (ST192)\

genus, species, strain : Enterococcus faecium UW6900
MicrobeMS ID : 2011_07_04_Prabha Kaira_0004
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info : Werner/Wernigerode
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-04T13:25:06.218+02:00
path to MS file : \Enterococcus\Enterococcus faecium hospital CC17 UW 6900 (ST17)\

genus, species, strain : Enterococcus faecium UW6900
MicrobeMS ID : 2011_07_22_Maren Stämmeler_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-22T10:55:00.421+02:00
path to MS file : \Enterococcus\Enterococcus faecium hospital CC17 UW 6900 (ST17)\

genus, species, strain : Enterococcus faecium UW6900
MicrobeMS ID : 2011_07_07_Stefanie Herfort_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-07T12:48:22.828+02:00
path to MS file : \Enterococcus\Enterococcus faecium hospital CC17 UW 6900 (ST17)\

genus, species, strain : Enterococcus faecium UW6900
MicrobeMS ID : 2011_06_28_Prabha Kaira_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-28T16:59:19.343+02:00
path to MS file : \Enterococcus\Enterococcus faecium hospital CC17 UW 6900 (ST17)\

genus, species, strain : Enterococcus faecium UW6918
MicrobeMS ID : 2011_20_01_Maren Stämmeler_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-20T09:59:16.921+01:00
path to MS file : \Enterococcus\Enterococcus faecium hospital CC17 UW 6918 (ST17)\

genus, species, strain : Enterococcus faecium UW6918
MicrobeMS ID : 2011_26_01_Maren Stämmeler_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-26T09:54:24.937+01:00
path to MS file : \Enterococcus\Enterococcus faecium hospital CC17 UW 6918 (ST17)\

genus, species, strain : Enterococcus faecium UW6918
MicrobeMS ID : 2011_03_03_Maren Stämmeler_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-03T09:32:02.234+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6918 (ST17)\

genus, species, strain : Enterococcus faecium UW6919
MicrobeMS ID : 2011_26_01_Maren Stämmeler_0023
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-26T14:19:45.578+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6919 (ST192)\

genus, species, strain : Enterococcus faecium UW6919
MicrobeMS ID : 2011_20_01_Maren Stämmeler_0023
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-20T15:01:27.906+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6919 (ST192)\

genus, species, strain : Enterococcus faecium UW6919
MicrobeMS ID : 2011_03_04_Maren Stämmeler_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-04T09:30:52.640+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6919 (ST192)\

genus, species, strain : Enterococcus faecium UW6923
MicrobeMS ID : 2011_06_23_Prabha Kaira_00013
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Werner/Wernigerode
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-23T14:39:13.781+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6923 (ST202)\

genus, species, strain : Enterococcus faecium UW6923
MicrobeMS ID : 2011_06_28_Prabha Kaira_0013
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-28T18:04:20.000+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6923 (ST202)\

genus, species, strain : Enterococcus faecium UW6923
MicrobeMS ID : 2011_07_22_Maren Stämmeler_0013
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-22T11:38:15.703+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6923 (ST202)\

genus, species, strain : Enterococcus faecium UW6923
MicrobeMS ID : 2011_07_11_Stefanie Herfort_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-11T13:13:32.968+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6923 (ST202)\

genus, species, strain : Enterococcus faecium UW6929
MicrobeMS ID : 2011_26_01_Maren Stämmeler_0024
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-26T14:22:48.531+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6929 (ST192)\

genus, species, strain : Enterococcus faecium UW6929
MicrobeMS ID : 2011_20_01_Maren Stämmeler_0024
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-20T15:05:49.500+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6929 (ST192)\

genus, species, strain : Enterococcus faecium UW6929
MicrobeMS ID : 2011_03_04_Maren Stämmeler_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-04T09:33:52.781+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6929 (ST192)\

genus, species, strain : Enterococcus faecium UW6930
MicrobeMS ID : 2011_26_01_Maren Stämmeler_0028
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-26T14:44:46.812+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6930 (ST192)\

genus, species, strain : Enterococcus faecium UW6930
MicrobeMS ID : 2011_20_01_Maren Stämmeler_0028
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-20T15:27:10.375+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6930 (ST192)\

genus, species, strain : Enterococcus faecium UW6930
MicrobeMS ID : 2011_03_04_Maren Stämmeler_0008
NCBI tax ID's : 1352 -
growth time : 24h

growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-04T10:38:06.718+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6930 (ST192)\

genus, species, strain : Enterococcus faecium UW6933
MicrobeMS ID : 2011_26_01_Maren Stämmeler_0026
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-26T14:29:14.328+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6933 (ST192)\

genus, species, strain : Enterococcus faecium UW6933
MicrobeMS ID : 2011_20_01_Maren Stämmeler_0026
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-20T15:18:25.093+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6933 (ST192)\

genus, species, strain : Enterococcus faecium UW6933
MicrobeMS ID : 2011_03_04_Maren Stämmeler_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-04T10:26:43.281+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6933 (ST192)\

genus, species, strain : Enterococcus faecium UW6949
MicrobeMS ID : 2011_07_22_Maren Stämmeler_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-22T10:52:37.796+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6949 (ST17)\

genus, species, strain : Enterococcus faecium UW6949
MicrobeMS ID : 2011_06_28_Prabha Kaira_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-28T16:54:15.281+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6949 (ST17)\

genus, species, strain : Enterococcus faecium UW6950
MicrobeMS ID : 2011_07_04_Prabha Kaira_0002
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-04T13:03:44.062+02:00

```
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6950 (ST17)\
genus, species, strain : Enterococcus faecium UW6950
MicrobeMS ID         : 2011_07_22_Maren Stämmeler_0002
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions     : aerob
growth medium        : Caso
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration        : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-07-22T10:46:40.375+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6950 (ST17)\

genus, species, strain : Enterococcus faecium UW6950
MicrobeMS ID         : 2011_07_07_Stefanie Herfort_0002
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 36 Grad Celsius
growth conditions     : aerob
growth medium        : Caso-Agar
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-07-07T12:34:46.812+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6950 (ST17)\

genus, species, strain : Enterococcus faecium UW6950
MicrobeMS ID         : 2011_06_28_Prabha Kaira_0002
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 36 Grad Celsius
growth conditions     : aerob
growth medium        : Caso-Agar
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration        : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-06-28T16:39:10.953+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6950 (ST17)\

genus, species, strain : Enterococcus faecium UW6951(van-)
MicrobeMS ID         : 2010_07_10_Maren Stämmeler_0008
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions     : aerob
growth medium        : Caso
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 6-8 Oesen in 100 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-10-07T10:57:57.359+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6951 (van-)\

genus, species, strain : Enterococcus faecium UW6951(van-)
MicrobeMS ID         : 2010_13_10_Maren Stämmeler_0008
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions     : aerob
growth medium        : Caso
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 4-5 Oesen in 50 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-10-13T10:48:11.000+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6951 (van-)\

genus, species, strain : Enterococcus faecium UW6951(van-)
MicrobeMS ID         : 2010_03_11_Maren Stämmeler_0008
NCBI tax ID's        : 1352 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions     : aerob
growth medium        : Caso
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        :
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-11-03T11:43:35.875+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6951 (van-)\

genus, species, strain : Enterococcus faecium UW6984
MicrobeMS ID         : 2011_06_23_Prabha Kaira_00015
NCBI tax ID's        : 1352 -
growth time          : 48h
growth temperature   : 36 Grad Celsius
growth conditions     : aerob
growth medium        : Caso-Agar
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
```



```
concentration      : 3-5 Ösen in 0,1 ml
extra info        : Werner/Wernigerode
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer          : RKI ZBS6
measurement date/time : 2011-06-23T14:52:43.546+02:00
path to MS file   : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6984 (ST78)\

genus, species, strain : Enterococcus faecium UW6984
MicrobeMS ID          : 2011_07_22_Maren Stämmeler_0015
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-07-22T11:44:59.703+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6984 (ST78)\

genus, species, strain : Enterococcus faecium UW6984
MicrobeMS ID          : 2011_07_11_Stefanie Herfort_0005
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-07-11T13:26:50.453+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6984 (ST78)\

genus, species, strain : Enterococcus faecium UW6986
MicrobeMS ID          : 2011_26_01_Maren Stämmeler_0027
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-01-26T14:39:46.218+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6986 (ST192)\

genus, species, strain : Enterococcus faecium UW6986
MicrobeMS ID          : 2011_20_01_Maren Stämmeler_0027
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-01-20T15:21:30.281+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6986 (ST192)\

genus, species, strain : Enterococcus faecium UW6986
MicrobeMS ID          : 2011_03_04_Maren Stämmeler_0007
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration         : 3 Oesen in 25 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-03-04T10:34:28.875+01:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6986 (ST192)\

genus, species, strain : Enterococcus faecium UW6990(van-)
MicrobeMS ID          : 2010_13_10_Maren Stämmeler_0005
NCBI tax ID's         : 1352 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 4-5 Oesen in 50 muel
extra info           : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2010-10-13T10:32:42.765+02:00
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6990 (van-)\

genus, species, strain : Enterococcus faecium UW6990(van-)
MicrobeMS ID          : 2010_03_11_Maren Stämmeler_0005
```

NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-03T11:28:26.109+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6990 (van-)\

genus, species, strain : Enterococcus faecium UW6990(van-)
MicrobeMS ID : 2010_04_11_Maren Stämmeler_0013
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-04T12:04:09.656+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6990 (van-)\

genus, species, strain : Enterococcus faecium UW6991
MicrobeMS ID : 2011_06_23_Prabha Kaira_0001
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info : Werner/Wernigerode
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-23T12:41:32.140+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6991 (ST17)\

genus, species, strain : Enterococcus faecium UW6991
MicrobeMS ID : 2011_07_04_Prabha Kaira_0001
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info : Werner/Wernigerode
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-04T12:57:47.750+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6991 (ST17)\

genus, species, strain : Enterococcus faecium UW6991
MicrobeMS ID : 2011_07_22_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-22T10:43:40.671+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6991 (ST17)\

genus, species, strain : Enterococcus faecium UW6991
MicrobeMS ID : 2011_06_28_Prabha Kaira_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-28T16:29:19.078+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 6991 (ST17)\

genus, species, strain : Enterococcus faecium UW725
MicrobeMS ID : 2011_07_07_Stefanie Herfort_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2011-07-07T13:42:33.468+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 7725 (ST192)\

genus, species, strain : Enterococcus faecium UW7725
MicrobeMS ID : 2011_07_22_Maren Stämmeler_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 µl
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-22T11:22:57.671+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 7725 (ST192)\

genus, species, strain : Enterococcus faecium UW7725
MicrobeMS ID : 2011_06_28_Prabha Kaira_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-28T17:45:57.281+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 7725 (ST192)\

genus, species, strain : Enterococcus faecium UW7813
MicrobeMS ID : 2011_07_22_Maren Stämmeler_0011
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 µl
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-22T11:28:03.703+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 7813 (ST192)\

genus, species, strain : Enterococcus faecium UW7813
MicrobeMS ID : 2011_07_11_Stefanie Herfort_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-11T12:58:47.750+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 7813 (ST192)\

genus, species, strain : Enterococcus faecium UW8021
MicrobeMS ID : 2011_06_23_Prabha Kaira_00012
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Werner/Wernigerode
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-23T14:30:46.937+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 8021 (ST192)\

genus, species, strain : Enterococcus faecium UW8021
MicrobeMS ID : 2011_07_22_Maren Stämmeler_0012
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 µl
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-22T11:34:41.296+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 8021 (ST192)\

genus, species, strain : Enterococcus faecium UW8021
MicrobeMS ID : 2011_07_11_Stefanie Herfort_0002
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob

growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-11T13:03:13.140+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium hospital CC17 UW 8021 (ST192)\

genus, species, strain : Enterococcus faecium 100.6
MicrobeMS ID : 2011_07_05_Prabha Kaira_24
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-05T14:30:35.031+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 100.6\

genus, species, strain : Enterococcus faecium 100.6
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T10:59:28.828+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 100.6\

genus, species, strain : Enterococcus faecium 100.6
MicrobeMS ID : 2011_07_01_Prabha Kaira_0024
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-01T11:15:38.578+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 100.6\

genus, species, strain : Enterococcus faecium 100.6
MicrobeMS ID : 2011_07_11_Stefanie Herfort_0014
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-11T15:06:20.343+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 100.6\

genus, species, strain : Enterococcus faecium 111.10
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0005
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T11:04:26.531+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 111.10\

genus, species, strain : Enterococcus faecium AK-EM28(ST22)
MicrobeMS ID : 2010_13_10_Maren Stämmeler_0024
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-13T14:51:45.281+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM 28 (ST22)\

genus, species, strain : Enterococcus faecium AK-EM28(ST22)
MicrobeMS ID : 2010_29_10_Maren Stämmeler_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-29T10:14:00.593+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM 28 (ST22)\

genus, species, strain : Enterococcus faecium AK-EM28(ST22)
MicrobeMS ID : 2010_04_11_Maren Stämmeler_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-04T10:58:31.937+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM 28 (ST22)\

genus, species, strain : Enterococcus faecium AK-EM29(ST-NEU1)
MicrobeMS ID : 2010_08_10_Maren Stämmeler_0005
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 6-8 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-08T10:26:15.093+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM 29 (ST-NEU1)\

genus, species, strain : Enterococcus faecium AK-EM29(ST-NEU1)
MicrobeMS ID : 2010_29_10_Maren Stämmeler_0005
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-29T10:20:58.562+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM 29 (ST-NEU1)\

genus, species, strain : Enterococcus faecium AK-EM29(ST-NEU1)
MicrobeMS ID : 2010_04_11_Maren Stämmeler_0005
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-04T11:07:35.468+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM 29 (ST-NEU1)\

genus, species, strain : Enterococcus faecium AK-EM30(ST-NEU2)
MicrobeMS ID : 2010_08_10_Maren Stämmeler_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 6-8 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-08T10:28:56.468+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM 30 (ST-NEU2)\

genus, species, strain : Enterococcus faecium AK-EM30(ST-NEU2)
MicrobeMS ID : 2010_13_10_Maren Stämmeler_0026
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-13T15:00:22.234+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM 30 (ST-NEU2)\

genus, species, strain : Enterococcus faecium AK-EM30(ST-NEU2)
MicrobeMS ID : 2010_29_10_Maren Stämmeler_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-29T10:24:08.687+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM 30 (ST-NEU2)\

genus, species, strain : Enterococcus faecium AK-EM31
MicrobeMS ID : 2012_21_01_Maren Stämmeler_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-21T10:25:18.062+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM 31\

genus, species, strain : Enterococcus faecium AK-EM31
MicrobeMS ID : 2011_28_01_Maren Stämmeler_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-28T10:20:24.875+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM 31\

genus, species, strain : Enterococcus faecium AK-EM31
MicrobeMS ID : 2011_03_11_Maren Stämmeler_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 5-6 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T09:55:30.859+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM 31\

genus, species, strain : Enterococcus faecium AK-EM32
MicrobeMS ID : 2012_21_01_Maren Stämmeler_0007
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-21T10:30:15.625+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM 32\

genus, species, strain : Enterococcus faecium AK-EM32
MicrobeMS ID : 2011_28_01_Maren Stämmeler_0007
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-28T10:26:11.078+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM 32\

genus, species, strain : Enterococcus faecium AK-EM32
MicrobeMS ID : 2011_03_11_Maren Stämmeler_0007
NCBI tax ID's : 1352 -
growth time : 24h

growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 5-6 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T10:00:43.953+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM 32\

genus, species, strain : Enterococcus faecium AK-EM07
MicrobeMS ID : 2011_07_04_Prabha Kaira_0017
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-04T15:24:25.859+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM07\

genus, species, strain : Enterococcus faecium AK-EM07
MicrobeMS ID : 2011_06_28_Prabha Kaira_0017
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-28T18:31:53.812+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM07\

genus, species, strain : Enterococcus faecium AK-EM07
MicrobeMS ID : 2011_07_22_Maren Stämmeler_0017
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-22T13:00:06.515+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM07\

genus, species, strain : Enterococcus faecium AK-EM07
MicrobeMS ID : 2011_07_11_Stefanie Herfort_0007
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-11T13:40:47.343+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM07\

genus, species, strain : Enterococcus faecium AK-EM17
MicrobeMS ID : 2011_07_11_Stefanie Herfort_0008
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-11T13:45:00.281+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM17\

genus, species, strain : Enterococcus faecium AK-EM17
MicrobeMS ID : 2011_06_28_Prabha Kaira_0018
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-28T18:38:30.687+02:00

```
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM17\  
genus, species, strain : Enterococcus faecium AK-EM17  
MicrobeMS ID        : 2011_07_22_Maren Stämmler_0018  
NCBI tax ID's       : 1352 -  
growth time         : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)  
concentration       : 3 Oesen in 25 µel  
extra info          : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2011-07-22T13:02:47.093+02:00  
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM17\  
  
genus, species, strain : Enterococcus faecium AK-EM26  
MicrobeMS ID        : 2011_06_23_Prabha Kaira_00019  
NCBI tax ID's       : 1352 -  
growth time         : 48h  
growth temperature  : 36 Grad Celsius  
growth conditions   : aerob  
growth medium       : Caso-Agar  
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)  
concentration       : 3 Oesen in 25 µel  
extra info          : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2011-06-23T15:22:26.062+02:00  
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM26\  
  
genus, species, strain : Enterococcus faecium AK-EM26  
MicrobeMS ID        : 2011_07_04_Prabha Kaira_00019  
NCBI tax ID's       : 1352 -  
growth time         : 48h  
growth temperature  : 36 Grad Celsius  
growth conditions   : aerob  
growth medium       : Caso-Agar  
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)  
concentration       : 3 Oesen in 25 µel  
extra info          : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2011-07-04T15:36:28.156+02:00  
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM26\  
  
genus, species, strain : Enterococcus faecium AK-EM26  
MicrobeMS ID        : 2011_06_28_Prabha Kaira_00019  
NCBI tax ID's       : 1352 -  
growth time         : 24h  
growth temperature  : 36 Grad Celsius  
growth conditions   : aerob  
growth medium       : Caso-Agar  
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)  
concentration       : 3 Oesen in 25 µel  
extra info          : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2011-06-28T18:47:23.015+02:00  
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM26\  
  
genus, species, strain : Enterococcus faecium AK-EM26  
MicrobeMS ID        : 2011_07_22_Maren Stämmler_0019  
NCBI tax ID's       : 1352 -  
growth time         : 24h  
growth temperature  : 37 Grad Celsius  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)  
concentration       : 3 Oesen in 25 µel  
extra info          : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2011-07-22T13:20:43.921+02:00  
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM26\  
  
genus, species, strain : Enterococcus faecium AK-EM26  
MicrobeMS ID        : 2011_07_11_Stefanie Herfort_0009  
NCBI tax ID's       : 1352 -  
growth time         : 24h  
growth temperature  : 36 Grad Celsius  
growth conditions   : aerob  
growth medium       : Caso-Agar  
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)  
concentration       : 3 Oesen in 25 µel  
extra info          : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method  : ToM_200ns.par  
customer            : RKI ZBS6  
measurement date/time : 2011-07-11T14:21:04.359+02:00  
path to MS file      : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM26\  
  
genus, species, strain : Enterococcus faecium AK-EM43  
MicrobeMS ID        : 2011_06_23_Prabha Kaira_00020  
NCBI tax ID's       : 1352 -  
growth time         : 48h  
growth temperature  : 36 Grad Celsius  
growth conditions   : aerob  
growth medium       : Caso-Agar  
sample treatment    : in 80µ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
```


concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-23T15:28:05.703+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM43\

genus, species, strain : Enterococcus faecium AK-EM43
MicrobeMS ID : 2011_07_11_Stefanie Herfort_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-11T14:25:09.000+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM43\

genus, species, strain : Enterococcus faecium AK-EM43
MicrobeMS ID : 2011_06_28_Prabha Kaira_0020
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-28T18:52:51.484+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM43\

genus, species, strain : Enterococcus faecium AK-EM43
MicrobeMS ID : 2011_07_22_Maren Stämmeler_0020
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-22T13:23:53.265+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 AK-EM43\

genus, species, strain : Enterococcus faecium K209.5(ST5)
MicrobeMS ID : 2010_08_10_Maren Stämmeler_0007
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 6-8 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-08T10:36:54.359+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 K 209.5 (ST5)\

genus, species, strain : Enterococcus faecium K209.5(ST5)
MicrobeMS ID : 2010_29_10_Maren Stämmeler_0007
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-29T10:29:00.781+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 K 209.5 (ST5)\

genus, species, strain : Enterococcus faecium K209.5(ST5)
MicrobeMS ID : 2010_04_11_Maren Stämmeler_0007
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-04T11:37:49.953+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 K 209.5 (ST5)\

genus, species, strain : Enterococcus faecium K212.25(ST97)
MicrobeMS ID : 2010_13_10_Maren Stämmeler_0028

NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-13T15:07:56.703+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 K 212.25 (ST97)\

genus, species, strain : Enterococcus faecium K212.25(ST97)
MicrobeMS ID : 2010_29_10_Maren Stämmeler_0008
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-29T10:31:28.156+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 K 212.25 (ST97)\

genus, species, strain : Enterococcus faecium K212.25(ST97)
MicrobeMS ID : 2010_04_11_Maren Stämmeler_0008
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-04T11:40:46.843+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 K 212.25 (ST97)\

genus, species, strain : Enterococcus faecium K221.6(ST49)
MicrobeMS ID : 2010_08_10_Maren Stämmeler_0009
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 6-8 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-08T10:42:32.031+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 K 221.6 (ST49)\

genus, species, strain : Enterococcus faecium K221.6(ST49)
MicrobeMS ID : 2010_13_10_Maren Stämmeler_0029
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-13T15:12:04.734+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 K 221.6 (ST49)\

genus, species, strain : Enterococcus faecium K221.6(ST49)
MicrobeMS ID : 2010_29_10_Maren Stämmeler_0009
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-29T10:42:30.109+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 K 221.6 (ST49)\

genus, species, strain : Enterococcus faecium K226.7
MicrobeMS ID : 2011_28_01_Maren Stämmeler_0008
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2011-01-28T10:28:53.390+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 K 226.7\

genus, species, strain : Enterococcus faecium K226.7
MicrobeMS ID : 2012_21_01_Maren Stämmeler_0008
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-21T10:33:19.250+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 K 226.7\

genus, species, strain : Enterococcus faecium K226.7
MicrobeMS ID : 2011_03_11_Maren Stämmeler_0008
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 5-6 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T10:05:42.343+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 K 226.7\

genus, species, strain : Enterococcus faecium K227.1
MicrobeMS ID : 2011_28_01_Maren Stämmeler_0009
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-28T10:32:29.593+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 K 227.1\

genus, species, strain : Enterococcus faecium K227.1
MicrobeMS ID : 2012_21_01_Maren Stämmeler_0009
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-21T10:38:15.265+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 K 227.1\

genus, species, strain : Enterococcus faecium K227.1
MicrobeMS ID : 2011_03_11_Maren Stämmeler_0009
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 5-6 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-03-11T10:14:11.390+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 K 227.1\

genus, species, strain : Enterococcus faecium UBA5.3
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T10:46:32.718+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UBA 5.3\

genus, species, strain : Enterococcus faecium UBA6.1
MicrobeMS ID : 2011_07_05_Prabha Kaira_22
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob

growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-05T14:13:32.156+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UBA 6.1\

genus, species, strain : Enterococcus faecium UBA6.1
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0002
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T10:51:09.125+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UBA 6.1\

genus, species, strain : Enterococcus faecium UBA6.1
MicrobeMS ID : 2011_07_01_Prabha Kaira_0022
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-01T10:27:14.062+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UBA 6.1\

genus, species, strain : Enterococcus faecium UBA6.1
MicrobeMS ID : 2011_06_27_Prabha Kaira_0022
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-27T14:43:46.500+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UBA 6.1\

genus, species, strain : Enterococcus faecium UBA6.1
MicrobeMS ID : 2011_07_11_Stefanie Herfort_0012
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-11T14:42:47.171+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UBA 6.1\

genus, species, strain : Enterococcus faecium UBA8.6
MicrobeMS ID : 2011_07_05_Prabha Kaira_23
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-05T14:24:11.593+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UBA 8.6\

genus, species, strain : Enterococcus faecium UBA8.6
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T10:55:25.281+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UBA 8.6\

genus, species, strain : Enterococcus faecium UBA8.6
MicrobeMS ID : 2011_07_01_Prabha Kaira_0023
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Werner/Wernigerode
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-01T11:12:19.968+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UBA 8.6\

genus, species, strain : Enterococcus faecium UBA8.6
MicrobeMS ID : 2011_06_27_Prabha Kaira_0023
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Werner/Wernigerode
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-27T14:53:54.250+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UBA 8.6\

genus, species, strain : Enterococcus faecium UBA8.6
MicrobeMS ID : 2011_07_11_Stefanie Herfort_0013
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-11T15:01:25.218+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UBA 8.6\

genus, species, strain : Enterococcus faecium UW1009
MicrobeMS ID : 2011_07_12_Stefanie Herfort_0002
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-12T12:33:32.125+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1009 (ST10)\

genus, species, strain : Enterococcus faecium UW1009
MicrobeMS ID : 2011_07_05_Prabha Kaira_27
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-05T15:03:19.718+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1009 (ST10)\

genus, species, strain : Enterococcus faecium UW1009
MicrobeMS ID : 2011_07_29_Maren Stämmli_0007
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T11:11:28.093+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1009 (ST10)\

genus, species, strain : Enterococcus faecium UW1328
MicrobeMS ID : 2011_07_05_Prabha Kaira_28
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-05T15:07:44.718+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1328 (ST139)\

genus, species, strain : Enterococcus faecium UW1328
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0008
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T11:13:49.078+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1328 (ST139)\

genus, species, strain : Enterococcus faecium UW1328
MicrobeMS ID : 2011_07_12_Stefanie Herfort_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-12T12:44:53.468+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1328 (ST139)\

genus, species, strain : Enterococcus faecium UW1359(ST4)
MicrobeMS ID : 2010_11_10_Maren Stämmeler_0002
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-11T10:35:11.359+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1359 (ST4)\

genus, species, strain : Enterococcus faecium UW1359(ST4)
MicrobeMS ID : 2010_14_10_Maren Stämmeler_0002
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-14T09:58:43.984+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1359 (ST4)\

genus, species, strain : Enterococcus faecium UW1359(ST4)
MicrobeMS ID : 2010_01_11_Maren Stämmeler_0002
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-01T10:39:44.953+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1359 (ST4)\

genus, species, strain : Enterococcus faecium UW1365
MicrobeMS ID : 2011_07_05_Prabha Kaira_29
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-05T15:16:54.234+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1365 (ST185)\

genus, species, strain : Enterococcus faecium UW1365
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0009
NCBI tax ID's : 1352 -
growth time : 24h

growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T11:18:11.453+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1365 (ST185)\

genus, species, strain : Enterococcus faecium UW1365
MicrobeMS ID : 2011_07_12_Stefanie Herfort_0004
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-12T12:50:01.968+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1365 (ST185)\

genus, species, strain : Enterococcus faecium UW1365
MicrobeMS ID : 2011_07_01_Prabha Kaira_0029
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-01T12:00:35.859+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1365 (ST185)\

genus, species, strain : Enterococcus faecium UW1435(ST185)
MicrobeMS ID : 2010_11_10_Maren Stämmeler_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-11T10:38:19.500+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1435 (ST185)\

genus, species, strain : Enterococcus faecium UW1435(ST185)
MicrobeMS ID : 2010_14_10_Maren Stämmeler_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-14T10:01:16.578+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1435 (ST185)\

genus, species, strain : Enterococcus faecium UW1435(ST185)
MicrobeMS ID : 2010_01_11_Maren Stämmeler_0003
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-01T10:42:59.203+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1435 (ST185)\

genus, species, strain : Enterococcus faecium UW1439(ST509)
MicrobeMS ID : 2010_11_10_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-11T10:31:12.140+02:00

path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1439 (ST509)\

genus, species, strain : Enterococcus faecium UW1439(ST509)
MicrobeMS ID : 2010_14_10_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-14T09:54:09.234+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1439 (ST509)\

genus, species, strain : Enterococcus faecium UW1439(ST509)
MicrobeMS ID : 2010_01_11_Maren Stämmeler_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-01T10:33:38.156+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 1439 (ST509)\

genus, species, strain : Enterococcus faecium UW793
MicrobeMS ID : 2011_07_12_Stefanie Herfort_0001
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-12T12:27:18.140+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 793 (ST252)\

genus, species, strain : Enterococcus faecium UW793
MicrobeMS ID : 2011_07_29_Maren Stämmeler_0006
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/48h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3 Oesen in 25 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-29T11:07:52.812+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 793 (ST252)\

genus, species, strain : Enterococcus faecium UW793
MicrobeMS ID : 2011_07_01_Prabha Kaira_0026
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-07-01T11:31:30.328+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 793 (ST252)\

genus, species, strain : Enterococcus faecium UW793
MicrobeMS ID : 2011_06_27_Prabha Kaira_0026
NCBI tax ID's : 1352 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Werner/Wernigerode
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-27T15:19:05.125+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 793 (ST252)\

genus, species, strain : Enterococcus faecium UW981(ST1)
MicrobeMS ID : 2010_08_10_Maren Stämmeler_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)

concentration : 6-8 Oesen in 100 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-08T10:48:11.281+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 981 (ST1)\

genus, species, strain : Enterococcus faecium UW981(ST1)
MicrobeMS ID : 2010_04_11_Maren Stämmeler_0010
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 25 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-04T11:50:39.390+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 981 (ST1)\

genus, species, strain : Enterococcus faecium UW981(ST1)
MicrobeMS ID : 2010_05_11_Maren Stämmeler_0013
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 5 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-05T11:55:10.453+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium human CC5-CC22 UW 981 (ST1)\

genus, species, strain : Enterococcus faecium UW262(ST509)
MicrobeMS ID : 2010_11_10_Maren Stämmeler_0016
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-11T12:12:49.171+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 262 (ST509)\

genus, species, strain : Enterococcus faecium UW262(ST509)
MicrobeMS ID : 2010_14_10_Maren Stämmeler_0026
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-14T15:02:39.703+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 262 (ST509)\

genus, species, strain : Enterococcus faecium UW262(ST509)
MicrobeMS ID : 2010_01_11_Maren Stämmeler_0016
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-01T11:36:50.703+01:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 262 (ST509)\

genus, species, strain : Enterococcus faecium UW2625(ST66)
MicrobeMS ID : 2010_11_10_Maren Stämmeler_0012
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-11T11:55:10.734+02:00
path to MS file : \\Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 2625 (ST66)\

genus, species, strain : Enterococcus faecium UW2625(ST66)
MicrobeMS ID : 2010_14_10_Maren Stämmeler_0022

NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-14T14:47:41.812+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 2625 (ST66)\

genus, species, strain : Enterococcus faecium UW2625(ST66)
MicrobeMS ID : 2010_01_11_Maren Stämmeler_0012
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-01T11:21:08.750+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 2625 (ST66)\

genus, species, strain : Enterococcus faecium UW2660(ST87)
MicrobeMS ID : 2010_11_10_Maren Stämmeler_0013
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-11T11:59:40.265+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 2660 (ST87)\

genus, species, strain : Enterococcus faecium UW2660(ST87)
MicrobeMS ID : 2010_14_10_Maren Stämmeler_0023
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-14T14:51:04.671+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 2660 (ST87)\

genus, species, strain : Enterococcus faecium UW2660(ST87)
MicrobeMS ID : 2010_01_11_Maren Stämmeler_0013
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-01T11:24:14.640+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 2660 (ST87)\

genus, species, strain : Enterococcus faecium UW370(ST508)
MicrobeMS ID : 2010_11_10_Maren Stämmeler_0017
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-11T12:16:44.656+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 370 (ST508)\

genus, species, strain : Enterococcus faecium UW370(ST508)
MicrobeMS ID : 2010_14_10_Maren Stämmeler_0027
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2010-10-14T15:08:27.906+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 370 (ST508)\

genus, species, strain : Enterococcus faecium UW370(ST508)
MicrobeMS ID : 2010_01_11_Maren Stämmeler_0017
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-01T11:41:32.671+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 370 (ST508)\

genus, species, strain : Enterococcus faecium UW4(ST88)
MicrobeMS ID : 2010_11_10_Maren Stämmeler_0014
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-11T12:02:18.359+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 4 (ST88)\

genus, species, strain : Enterococcus faecium UW4(ST88)
MicrobeMS ID : 2010_14_10_Maren Stämmeler_0024
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-14T14:54:04.718+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 4 (ST88)\

genus, species, strain : Enterococcus faecium UW4(ST88)
MicrobeMS ID : 2010_01_11_Maren Stämmeler_0014
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-01T11:29:38.843+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 4 (ST88)\

genus, species, strain : Enterococcus faecium UW7(ST507)
MicrobeMS ID : 2010_11_10_Maren Stämmeler_0015
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Oesen in 50 muel
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-10-11T12:09:09.937+02:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 7 (ST507)\

genus, species, strain : Enterococcus faecium UW7(ST507)
MicrobeMS ID : 2010_01_11_Maren Stämmeler_0015
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration :
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-01T11:33:14.203+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 7 (ST507)\

genus, species, strain : Enterococcus faecium UW7(ST507)
MicrobeMS ID : 2010_04_11_Maren Stämmeler_0012
NCBI tax ID's : 1352 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob

growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 4-5 Ösen in 50 µl
extra info : Stämme von Dr. Werner RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-11-04T11:58:28.000+01:00
path to MS file : \Enterococcus\Enterococcus faecium\Enterococcus faecium swine CC5-CC26 UW 7 (ST507)\

Enterococcus gallinarum

genus, species, strain : Enterococcus gallinarum 14
MicrobeMS ID : 2011_09_29_HerfortStefanie_0011
NCBI tax ID's : 1353 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-29T12:43:08.593+02:00
path to MS file : \Enterococcus\Enterococcus gallinarum\Enterococcus gallinarum 14\

genus, species, strain : Enterococcus gallinarum 14
MicrobeMS ID : 2011_09_16_EhrmannAnja_0011
NCBI tax ID's : 1353 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-16T10:43:56.796+02:00
path to MS file : \Enterococcus\Enterococcus gallinarum\Enterococcus gallinarum 14\

genus, species, strain : Enterococcus gallinarum 14
MicrobeMS ID : 2011_09_23_EhrmannAnja_0011
NCBI tax ID's : 1353 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-23T10:35:28.531+02:00
path to MS file : \Enterococcus\Enterococcus gallinarum\Enterococcus gallinarum 14\

Enterococcus hirae

genus, species, strain : Enterococcus hirae 17
MicrobeMS ID : 2011_09_29_HerfortStefanie_0013
NCBI tax ID's : 1354 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-29T12:56:48.765+02:00
path to MS file : \Enterococcus\Enterococcus hirae\Enterococcus hirae 17\

genus, species, strain : Enterococcus hirae 17
MicrobeMS ID : 2011_09_16_EhrmannAnja_0013
NCBI tax ID's : 1354 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-16T10:56:07.265+02:00
path to MS file : \Enterococcus\Enterococcus hirae\Enterococcus hirae 17\

genus, species, strain : Enterococcus hirae 17
MicrobeMS ID : 2011_09_23_EhrmannAnja_0013
NCBI tax ID's : 1354 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :

```
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-09-23T10:48:08.031+02:00
path to MS file      : \Enterococcus\Enterococcus hirae\Enterococcus hirae 17\

genus, species, strain : Enterococcus hirae 2
MicrobEMS ID          : 2011_09_29_HerfortStefanie_0001
NCBI tax ID's         : 1354 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info            :
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-09-29T11:42:41.625+02:00
path to MS file      : \Enterococcus\Enterococcus hirae\Enterococcus hirae 2\

genus, species, strain : Enterococcus hirae 2
MicrobEMS ID          : 2011_09_16_EhrmannAnja_0001
NCBI tax ID's         : 1354 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info            :
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-09-16T09:32:04.937+02:00
path to MS file      : \Enterococcus\Enterococcus hirae\Enterococcus hirae 2\

genus, species, strain : Enterococcus hirae 2
MicrobEMS ID          : 2011_09_23_EhrmannAnja_0001
NCBI tax ID's         : 1354 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info            :
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-09-23T09:37:30.156+02:00
path to MS file      : \Enterococcus\Enterococcus hirae\Enterococcus hirae 2\

genus, species, strain : Enterococcus hirae 2(2.Cryo)
MicrobEMS ID          : 2011_10_14_HerfortStefanie_0016
NCBI tax ID's         : 1354 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info            :
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2011-11-15T09:33:13.375+01:00
path to MS file      : \Enterococcus\Enterococcus hirae\Enterococcus hirae 2(2.Cryo)\

genus, species, strain : Enterococcus hirae 2(2.Cryo)
MicrobEMS ID          : 2012_01_10_HerfortStefanie_0016
NCBI tax ID's         : 1354 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info            :
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2012-01-10T14:23:36.406+01:00
path to MS file      : \Enterococcus\Enterococcus hirae\Enterococcus hirae 2(2.Cryo)\

genus, species, strain : Enterococcus hirae 2(2.Cryo)
MicrobEMS ID          : 2012_01_26_HerfortStefanie_0006
NCBI tax ID's         : 1354 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info            :
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2012-01-26T11:16:31.796+01:00
path to MS file      : \Enterococcus\Enterococcus hirae\Enterococcus hirae 2(2.Cryo)\

genus, species, strain : Enterococcus hirae 3
MicrobEMS ID          : 2011_09_29_HerfortStefanie_0002
NCBI tax ID's         : 1354 -
growth time           : 48h
```

growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-29T11:48:41.953+02:00
path to MS file : \Enterococcus\Enterococcus hirae\Enterococcus hirae 3\

genus, species, strain : Enterococcus hirae 3
MicrobeMS ID : 2011_09_16_EhrmannAnja_0002
NCBI tax ID's : 1354 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-16T09:37:22.750+02:00
path to MS file : \Enterococcus\Enterococcus hirae\Enterococcus hirae 3\

genus, species, strain : Enterococcus hirae 3
MicrobeMS ID : 2011_09_23_EhrmannAnja_0002
NCBI tax ID's : 1354 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-23T09:42:13.812+02:00
path to MS file : \Enterococcus\Enterococcus hirae\Enterococcus hirae 3\

Escherichia

Escherichia coli

genus, species, strain : Escherichia coli Nm I
MicrobeMS ID : 2008_09_05_Maren Stämmeler_0006
NCBI tax ID's : 562 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Enterobacteriaceae aus Wernigerode über Dr. Nattermann / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-09T10:48:59.328+00:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli Nm I\

genus, species, strain : Escherichia coli Nm I
MicrobeMS ID : 2008_09_06_Maren Stämmeler_0006
NCBI tax ID's : 562 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ bei -20°C eingefrohren, nach 17 Tagen aufgetaut (Präp vom 23.05.) /1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 20µl davon 2µl plus 8µl TFA 100§, ges.: 10µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-06-09T11:11:05.406+00:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli Nm I\

genus, species, strain : Escherichia coli 08/01585
MicrobeMS ID : 2008_09_05_Maren Stämmeler_0007
NCBI tax ID's : 562 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Enterobacteriaceae aus Wernigerode über Dr. Nattermann / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-09T10:53:54.515+00:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli 08 01585\

genus, species, strain : Escherichia coli 08/01585
MicrobeMS ID : 2008_09_06_Maren Stämmeler_0007
NCBI tax ID's : 562 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob

growth medium : Caso
sample treatment : 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren, nach 17 Tagen aufgetaut (Präp vom 23.05.) /1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 20µl davon 2µl plus 8µl TFA 100§, ges.: 10µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-06-09T11:17:03.781+00:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli 08 01585\

genus, species, strain : Escherichia coli A-002-43 Le
MicrobeMS ID : 2017_05_01_Schneider_Andy_0013
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO Agar
sample treatment : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-06-01T15:21:36.578+02:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli A-002-43 Le (Ringversuch A938-4a)\

genus, species, strain : Escherichia coli A-002-43 Le
MicrobeMS ID : 2017_05_01_Schneider_Andy_0014
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO Agar
sample treatment : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-06-01T15:23:04.796+02:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli A-002-43 Le (Ringversuch A938-4a)\

genus, species, strain : Escherichia coli A-002-43 Le
MicrobeMS ID : 2017_05_01_Schneider_Andy_0015
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO Agar
sample treatment : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-06-01T15:24:38.515+02:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli A-002-43 Le (Ringversuch A938-4a)\

genus, species, strain : Escherichia coli A-002-43 Le
MicrobeMS ID : 2017_05_01_Schneider_Andy_0016
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO Agar
sample treatment : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-06-01T15:26:25.937+02:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli A-002-43 Le (Ringversuch A938-4a)\

genus, species, strain : Escherichia coli A-002-43 Le
MicrobeMS ID : 2017_05_30_Schneider_Andy_0007
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO Agar
sample treatment : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-05-30T14:58:17.187+02:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli A-002-43 Le (Ringversuch A938-4a)\

genus, species, strain : Escherichia coli A-002-43 Le
MicrobeMS ID : 2017_05_30_Schneider_Andy_0008
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO Agar
sample treatment : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-05-30T14:59:55.593+02:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli A-002-43 Le (Ringversuch A938-4a)\

```
genus, species, strain : Escherichia coli Ringvers. A-269_07 B
MicrobeMS ID           : 2012_04_02_Maren Stämmeler_0014
NCBI tax ID's         : 562 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Columbiablut
sample treatment      : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 3 Oesen in 100 muel
extra info           : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method    : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2012-04-02T15:06:02.625+02:00
path to MS file       : \Escherichia\Escherichia coli\Escherichia coli A-269 07 B\

genus, species, strain : Escherichia coli Ringvers. A-269_07 B
MicrobeMS ID           : 2012_04_04_Maren Stämmeler_0014
NCBI tax ID's         : 562 -
growth time           : 24h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium         : Columbiablut
sample treatment      : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 3 Oesen in 100 muel
extra info           : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method    : D:\Methods\flexControlMethods\Bakterien_testmaren.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T14:23:57.234+01:00
path to MS file       : \Escherichia\Escherichia coli\Escherichia coli A-269 07 B\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID           : 2016_06_27_Schneider_Andy_0001
NCBI tax ID's         : 562 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-06-27T10:41:59.750+02:00
path to MS file       : \Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID           : 2016_06_27_Schneider_Andy_0002
NCBI tax ID's         : 562 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-06-27T10:43:48.515+02:00
path to MS file       : \Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID           : 2016_06_27_Schneider_Andy_0003
NCBI tax ID's         : 562 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-06-27T10:46:13.984+02:00
path to MS file       : \Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID           : 2016_06_27_Schneider_Andy_0004
NCBI tax ID's         : 562 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-06-27T10:48:17.437+02:00
path to MS file       : \Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID           : 2016_06_10_Schneider_Andy_0001
NCBI tax ID's         : 562 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
```


calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-10T09:44:15.531+02:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID : 2016_06_10_Schneider_Andy_0002
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-10T09:46:01.843+02:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID : 2016_06_10_Schneider_Andy_0003
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-10T09:47:55.859+02:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID : 2016_06_10_Schneider_Andy_0004
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-10T09:51:40.515+02:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID : 2016_06_10_Schneider_Andy_0005
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-10T09:55:48.968+02:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID : 2016_06_10_Schneider_Andy_0006
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-10T09:58:46.093+02:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli K 12 DSM 3871
MicrobeMS ID : 2008_04_11_Maren Stämmeler_0009
NCBI tax ID's : 562 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T11:09:10.015+00:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli K 12 DSM 3871
MicrobeMS ID : 2008_18_04_Maren Stämmeler_0009
NCBI tax ID's : 562 -
growth time : 48h

growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2008-04-18T15:12:54.656+00:00
path to MS file : \\Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID : 2016_07_04_Schneider_Andy_0009
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-04T12:59:55.265+02:00
path to MS file : \\Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID : 2016_07_04_Schneider_Andy_0010
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-04T13:03:06.984+02:00
path to MS file : \\Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID : 2016_07_04_Schneider_Andy_0011
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-04T13:09:46.921+02:00
path to MS file : \\Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID : 2016_07_04_Schneider_Andy_0012
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ms_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-07-04T13:12:54.703+02:00
path to MS file : \\Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID : 2016_06_27_Schneider_Andy_0012
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren2015_06.par
customer : RKI ZBS6
measurement date/time : 2016-06-27T13:33:06.203+01:00
path to MS file : \\Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID : 2016_06_27_Schneider_Andy_0013
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren2015_06.par
customer : RKI ZBS6
measurement date/time : 2016-06-27T13:34:24.843+01:00

```
path to MS file      : \Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\
genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID        : 2016_06_27_Schneider_Andy_0010
NCBI tax ID's       : 562 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : CASO
sample treatment    : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info          : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : D:\Methods\flexControlMethods\Bakterien_testmaren2015_06.par
customer            : RKI ZBS6
measurement date/time : 2016-06-27T13:30:25.703+01:00
path to MS file     : \Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli DSM_3871
MicrobeMS ID        : 2016_06_27_Schneider_Andy_0011
NCBI tax ID's       : 562 -
growth time         : 24h
growth temperature  : 37°C
growth conditions   : aerob
growth medium       : CASO
sample treatment    : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration       : 3 Oesen in 100 µl
extra info          : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : D:\Methods\flexControlMethods\Bakterien_testmaren2015_06.par
customer            : RKI ZBS6
measurement date/time : 2016-06-27T13:31:42.968+01:00
path to MS file     : \Escherichia\Escherichia coli\Escherichia coli DSM 3871 (K12)\

genus, species, strain : Escherichia coli NCTC 104118
MicrobeMS ID        : 2008_09_05_Maren Stämmeler_0008
NCBI tax ID's       : 562 -
growth time         : 48h
growth temperature  : 28 Grad Celsius
growth conditions   : aerob
growth medium       : Caso
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration       : 3-5 Oesen in 100 µl
extra info          : Stämme von Enterobacteriaceae aus Wernigerode über Dr. Nattermann / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2008-05-09T10:59:27.343+00:00
path to MS file     : \Escherichia\Escherichia coli\Escherichia coli NCTC 104118\

genus, species, strain : Escherichia coli NCTC 104118
MicrobeMS ID        : 2008_09_06_Maren Stämmeler_0008
NCBI tax ID's       : 562 -
growth time         : 48h
growth temperature  : 28 Grad Celsius
growth conditions   : aerob
growth medium       : Caso
sample treatment    : 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren, nach 17 Tagen aufgetaut (Präp vom 23.05.) /1:1 HCCATA2 (A)
concentration       : 3-5 Oesen in 20µl davon 2µl plus 8µl TFA 100§, ges.: 10µl
extra info          : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2008-06-09T11:33:38.750+00:00
path to MS file     : \Escherichia\Escherichia coli\Escherichia coli NCTC 104118\

genus, species, strain : Escherichia coli RKI A139
MicrobeMS ID        : 2008_20_02_Maren Stämmeler_0003
NCBI tax ID's       : 562 -
growth time         : 24h
growth temperature  : 37 Grad Celsius
growth conditions   : aerob
growth medium       : Caso
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration       : 3-5 Oesen in 100 µl
extra info          : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2008-02-20T13:40:19.093+00:00
path to MS file     : \Escherichia\Escherichia coli\Escherichia coli RKI A139-1\

genus, species, strain : Escherichia coli RKI A139
MicrobeMS ID        : 2008_02_04_Maren Stämmeler_0003
NCBI tax ID's       : 562 -
growth time         : 24h
growth temperature  : 37 Grad Celsius
growth conditions   : aerob
growth medium       : Caso
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration       : 3-5 Oesen in 100 µl
extra info          : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2008-04-02T13:13:11.859+00:00
path to MS file     : \Escherichia\Escherichia coli\Escherichia coli RKI A139-1\

genus, species, strain : Escherichia coli RKI A139
MicrobeMS ID        : 2008_04_04_Maren Stämmeler_0003
NCBI tax ID's       : 562 -
growth time         : 24h
growth temperature  : 37 Grad Celsius
growth conditions   : aerob
growth medium       : Caso
sample treatment    : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
```

concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-04T10:53:10.906+00:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli RKI A139-1\

genus, species, strain : Escherichia coli RKI A139
MicrobeMS ID : 2008_04_09_Maren Stämmeler_0003
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-09T11:32:09.218+00:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli RKI A139-1\

genus, species, strain : Escherichia coli RKI A139
MicrobeMS ID : 2008_04_11_Maren Stämmeler_0010
NCBI tax ID's : 562 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T11:12:24.687+00:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli RKI A139-1\

genus, species, strain : Escherichia coli RKI A139
MicrobeMS ID : 2008_18_04_Maren Stämmeler_0010
NCBI tax ID's : 562 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-18T15:16:12.500+00:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli RKI A139-1\

genus, species, strain : Escherichia coli RKI A139
MicrobeMS ID : 2008_25_04_Maren Stämmeler_0003
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-25T09:48:05.531+00:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli RKI A139-1\

genus, species, strain : Escherichia coli RKI A139
MicrobeMS ID : 2008_16_05_Maren Stämmeler_0003
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ bei -20°C über Nacht eingefroren; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-16T09:48:00.781+00:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli RKI A139-1\

genus, species, strain : Escherichia coli RKI A139
MicrobeMS ID : 2012_08_17_Andy Schneider_0005
NCBI tax ID's : 562 -
growth time : 24h
growth temperature : 37 Grad Cels
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Mald: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2
measurement date/time : 2012-08-17T10:42:04.218+02:00
path to MS file : \Escherichia\Escherichia coli\Escherichia coli RKI A139-2\

genus, species, strain : Escherichia coli RKI A139
MicrobeMS ID : 2012_08_17_Andy Schneider_0011

NCBI tax ID's : 562 -
 growth time : 24h
 growth temperature : 37 Grad Cels
 growth conditions : aerob
 growth medium : Caso
 sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
 concentration : ca. 3 Oesen in 100 muel
 extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
 calibration standard : E.coli K12 (DSM 3871) kalibriert
 measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren.par
 customer : RKI ZBS2
 measurement date/time : 2012-08-17T14:13:19.078+01:00
 path to MS file : \Escherichia\Escherichia coli\Escherichia coli RKI A139-2\

genus, species, strain : Escherichia coli RKI A139
 MicrobeMS ID : 2012_08_17_Andy_Schneider_0002
 NCBI tax ID's : 562 -
 growth time : 24h
 growth temperature : 37 Grad Cels
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
 concentration : ca. 3-5 Oesen in 100 muel
 extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
 calibration standard : E.coli K12 (DSM 3871) kalibriert
 measurement method : ToM_200ns.par
 customer : RKI ZBS2
 measurement date/time : 2012-08-17T10:26:54.875+02:00
 path to MS file : \Escherichia\Escherichia coli\Escherichia coli RKI A139-2\

genus, species, strain : Escherichia coli RKI A139
 MicrobeMS ID : 2012_08_17_Andy_Schneider_0008
 NCBI tax ID's : 562 -
 growth time : 24h
 growth temperature : 37 Grad Cels
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
 concentration : ca. 3 Oesen in 100 muel
 extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
 calibration standard : E.coli K12 (DSM 3871) kalibriert
 measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren.par
 customer : RKI ZBS2
 measurement date/time : 2012-08-17T13:57:30.906+01:00
 path to MS file : \Escherichia\Escherichia coli\Escherichia coli RKI A139-2\

Francisella

Francisella guangzhouensis

genus, species, strain : Francisella guangzhouensis DSM_102975
 MicrobeMS ID : 2016_12_15_Schneider_Andy_0013
 NCBI tax ID's : 594679 -
 growth time : 2 day
 growth temperature : 37°C
 growth conditions : aerob+CO2
 growth medium : HCA
 sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
 concentration : 3 Oesen in 100 µl
 extra info : cells from solid cultures
 calibration standard : E. coli Standard K12 (DSM 3871)
 measurement method : ToM_200ns_20130611.par
 customer : RKI ZBS6
 measurement date/time : 2016-12-15T10:22:47.750+01:00
 path to MS file : \Francisella\Francisella guangzhouensis\Francisella guangzhouensis DSM 102975\

genus, species, strain : Francisella guangzhouensis DSM_102975
 MicrobeMS ID : 2016_12_15_Schneider_Andy_0014
 NCBI tax ID's : 594679 -
 growth time : 2 day
 growth temperature : 37°C
 growth conditions : aerob+CO2
 growth medium : HCA
 sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
 concentration : 3 Oesen in 100 µl
 extra info : cells from solid cultures
 calibration standard : E. coli Standard K12 (DSM 3871)
 measurement method : ToM_200ns_20130611.par
 customer : RKI ZBS6
 measurement date/time : 2016-12-15T10:24:18.281+01:00
 path to MS file : \Francisella\Francisella guangzhouensis\Francisella guangzhouensis DSM 102975\

genus, species, strain : Francisella guangzhouensis DSM_102975
 MicrobeMS ID : 2016_12_15_Schneider_Andy_0015
 NCBI tax ID's : 594679 -
 growth time : 2 day
 growth temperature : 37°C
 growth conditions : aerob+CO2
 growth medium : HCA
 sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
 concentration : 3 Oesen in 100 µl
 extra info : cells from solid cultures
 calibration standard : E. coli Standard K12 (DSM 3871)
 measurement method : ToM_200ns_20130611.par
 customer : RKI ZBS6
 measurement date/time : 2016-12-15T10:26:03.390+01:00
 path to MS file : \Francisella\Francisella guangzhouensis\Francisella guangzhouensis DSM 102975\

genus, species, strain : Francisella guangzhouensis DSM_102975
 MicrobeMS ID : 2016_12_15_Schneider_Andy_0016
 NCBI tax ID's : 594679 -
 growth time : 2 day

growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : HCA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:27:37.218+01:00
path to MS file : \Francisella\Francisella guangzhouensis\Francisella guangzhouensis DSM 102975\

genus, species, strain : Francisella guangzhouensis DSM_102975
MicrobeMS ID : 2016_12_12_Schneider_Andy_0005
NCBI tax ID's : 594679 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : HCA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-12T09:45:02.718+01:00
path to MS file : \Francisella\Francisella guangzhouensis\Francisella guangzhouensis DSM 102975\

genus, species, strain : Francisella guangzhouensis DSM_102975
MicrobeMS ID : 2016_12_12_Schneider_Andy_0006
NCBI tax ID's : 594679 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : HCA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-12T09:47:29.640+01:00
path to MS file : \Francisella\Francisella guangzhouensis\Francisella guangzhouensis DSM 102975\

genus, species, strain : Francisella guangzhouensis DSM_102975
MicrobeMS ID : 2016_12_12_Schneider_Andy_0007
NCBI tax ID's : 594679 -
growth time : 2 day
growth temperature : 28°C
growth conditions : aerob+CO2
growth medium : HCA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-12T09:51:05.437+01:00
path to MS file : \Francisella\Francisella guangzhouensis\Francisella guangzhouensis DSM 102975\

genus, species, strain : Francisella guangzhouensis DSM_102975
MicrobeMS ID : 2016_12_12_Schneider_Andy_0008
NCBI tax ID's : 594679 -
growth time : 2 day
growth temperature : 28°C
growth conditions : aerob+CO2
growth medium : HCA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-12T09:53:33.781+01:00
path to MS file : \Francisella\Francisella guangzhouensis\Francisella guangzhouensis DSM 102975\

genus, species, strain : Francisella guangzhouensis DSM_102975
MicrobeMS ID : 2016_12_15_Schneider_Andy_0009
NCBI tax ID's : 594679 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : HCA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:14:01.640+01:00
path to MS file : \Francisella\Francisella guangzhouensis\Francisella guangzhouensis DSM 102975\

genus, species, strain : Francisella guangzhouensis DSM_102975
MicrobeMS ID : 2016_12_15_Schneider_Andy_0010
NCBI tax ID's : 594679 -
growth time : 2 day
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : HCA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-12-15T10:15:43.171+01:00

growth conditions : aerob
growth medium : HCA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Inaktiviert 19.11.2015
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-19T10:34:45.921+01:00
path to MS file : \Francisella\Francisella hispaniensis\Francisella hispaniensis DSM 22475\

genus, species, strain : Francisella hispaniensis DSM 22475
MicrobeMS ID : 19_11_2015_Julia Mitschke_0002
NCBI tax ID's : 622488 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Inaktiviert 19.11.2015
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-19T10:38:56.000+01:00
path to MS file : \Francisella\Francisella hispaniensis\Francisella hispaniensis DSM 22475\

genus, species, strain : Francisella hispaniensis DSM 22475
MicrobeMS ID : 19_11_2015_Julia Mitschke_0003
NCBI tax ID's : 622488 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Inaktiviert 19.11.2015
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-19T10:42:36.781+01:00
path to MS file : \Francisella\Francisella hispaniensis\Francisella hispaniensis DSM 22475\

genus, species, strain : Francisella hispaniensis DSM 22475
MicrobeMS ID : 19_11_2015_Julia Mitschke_0004
NCBI tax ID's : 622488 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Inaktiviert 19.11.2015
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-19T10:46:19.484+01:00
path to MS file : \Francisella\Francisella hispaniensis\Francisella hispaniensis DSM 22475\

genus, species, strain : Francisella hispaniensis DSM 22475
MicrobeMS ID : 2015_11_25_Andy Schneider_0017
NCBI tax ID's : 622488 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T13:36:17.000+01:00
path to MS file : \Francisella\Francisella hispaniensis\Francisella hispaniensis DSM 22475\

genus, species, strain : Francisella hispaniensis DSM 22475
MicrobeMS ID : 2015_11_25_Andy Schneider_0018
NCBI tax ID's : 622488 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T13:38:04.718+01:00
path to MS file : \Francisella\Francisella hispaniensis\Francisella hispaniensis DSM 22475\

genus, species, strain : Francisella hispaniensis DSM 22475
MicrobeMS ID : 2015_11_25_Andy Schneider_0019
NCBI tax ID's : 622488 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T13:40:23.203+01:00
path to MS file : \Francisella\Francisella hispaniensis\Francisella hispaniensis DSM 22475\

genus, species, strain : Francisella hispaniensis DSM 22475
MicrobeMS ID : 2015_11_25_Andy Schneider_0020
NCBI tax ID's : 622488 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T13:43:30.375+01:00
path to MS file : \Francisella\Francisella hispaniensis\Francisella hispaniensis DSM 22475\

Francisella noatunensis

genus, species, strain : Francisella noatunensis ssp. orientalis DSM 21254
MicrobeMS ID : 2015_11_25_Andy Schneider_0021
NCBI tax ID's : 657445 -
growth time : 48h
growth temperature : 22°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info : Aufschluss 1
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T13:49:27.593+01:00
path to MS file : \Francisella\Francisella noatunensis\Francisella noatunensis ssp. orientalis DSM 21254\

genus, species, strain : Francisella noatunensis ssp. orientalis DSM 21254
MicrobeMS ID : 2015_11_25_Andy Schneider_0022
NCBI tax ID's : 657445 -
growth time : 48h
growth temperature : 22°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info : Aufschluss 1
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T13:51:10.562+01:00
path to MS file : \Francisella\Francisella noatunensis\Francisella noatunensis ssp. orientalis DSM 21254\

genus, species, strain : Francisella noatunensis ssp. orientalis DSM 21254
MicrobeMS ID : 2015_11_25_Andy Schneider_0023
NCBI tax ID's : 657445 -
growth time : 48h
growth temperature : 22°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info : Aufschluss 1
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T13:53:50.515+01:00
path to MS file : \Francisella\Francisella noatunensis\Francisella noatunensis ssp. orientalis DSM 21254\

genus, species, strain : Francisella noatunensis ssp. orientalis DSM 21254
MicrobeMS ID : 2015_11_25_Andy Schneider_0024
NCBI tax ID's : 657445 -
growth time : 48h
growth temperature : 22°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info : Aufschluss 1
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T13:55:15.796+01:00
path to MS file : \Francisella\Francisella noatunensis\Francisella noatunensis ssp. orientalis DSM 21254\

genus, species, strain : Francisella noatunensis ssp. orientalis DSM 21254
MicrobeMS ID : 2015_11_25_Andy Schneider_0025
NCBI tax ID's : 657445 -
growth time : 48h
growth temperature : 22°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info : Aufschluss 2
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T13:59:20.015+01:00
path to MS file : \Francisella\Francisella noatunensis\Francisella noatunensis ssp. orientalis DSM 21254\

genus, species, strain : Francisella noatunensis ssp. orientalis DSM 21254
MicrobeMS ID : 2015_11_25_Andy Schneider_0026
NCBI tax ID's : 657445 -
growth time : 48h
growth temperature : 22°C
growth conditions : aerob

```
growth medium : HCA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info : Aufschluss 2
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T14:01:33.187+01:00
path to MS file : \Francisella\Francisella noatunensis\Francisella noatunensis ssp. orientalis DSM 21254\

genus, species, strain : Francisella noatunensis ssp. orientalis DSM 21254
MicrobeMS ID : 2015_11_25_Andy_Schneider_0027
NCBI tax ID's : 657445 -
growth time : 48h
growth temperature : 22°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info : Aufschluss 2
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T14:03:19.562+01:00
path to MS file : \Francisella\Francisella noatunensis\Francisella noatunensis ssp. orientalis DSM 21254\

genus, species, strain : Francisella noatunensis ssp. orientalis DSM 21254
MicrobeMS ID : 2015_11_25_Andy_Schneider_0028
NCBI tax ID's : 657445 -
growth time : 48h
growth temperature : 22°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info : Aufschluss 2
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T14:05:28.046+01:00
path to MS file : \Francisella\Francisella noatunensis\Francisella noatunensis ssp. orientalis DSM 21254\

genus, species, strain : Francisella noatunensis ssp. orientalis DSM 21254
MicrobeMS ID : 2015_12_01_Andy_Schneider_0005
NCBI tax ID's : 657445 -
growth time : 48h
growth temperature : 22°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-01T13:45:25.843+01:00
path to MS file : \Francisella\Francisella noatunensis\Francisella noatunensis ssp. orientalis DSM 21254\

genus, species, strain : Francisella noatunensis ssp. orientalis DSM 21254
MicrobeMS ID : 2015_12_01_Andy_Schneider_0006
NCBI tax ID's : 657445 -
growth time : 48h
growth temperature : 22°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-01T13:47:22.281+01:00
path to MS file : \Francisella\Francisella noatunensis\Francisella noatunensis ssp. orientalis DSM 21254\

genus, species, strain : Francisella noatunensis ssp. orientalis DSM 21254
MicrobeMS ID : 2015_12_01_Andy_Schneider_0007
NCBI tax ID's : 657445 -
growth time : 48h
growth temperature : 22°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-01T13:48:54.890+01:00
path to MS file : \Francisella\Francisella noatunensis\Francisella noatunensis ssp. orientalis DSM 21254\

genus, species, strain : Francisella noatunensis ssp. orientalis DSM 21254
MicrobeMS ID : 2015_12_01_Andy_Schneider_0008
NCBI tax ID's : 657445 -
growth time : 48h
growth temperature : 22°C
growth conditions : aerob
growth medium : HCA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-01T13:50:38.343+01:00
path to MS file : \Francisella\Francisella noatunensis\Francisella noatunensis ssp. orientalis DSM 21254\
```

Francisella tularensis**Francisella tularensis ssp. holarctica**

genus, species, strain : Francisella tularensis ssp. holarctica Ft32
MicrobeMS ID : 2013_04_23_Andy_Schneider_0009
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-23T14:12:27.328+02:00
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica Ft32
MicrobeMS ID : 2013_04_23_Andy_Schneider_0010
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-23T14:17:07.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica Ft32
MicrobeMS ID : 2013_04_23_Andy_Schneider_0011
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-23T14:27:14.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica Ft32
MicrobeMS ID : 2013_04_23_Andy_Schneider_0012
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-23T14:31:39.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica Ft32
MicrobeMS ID : 2013_04_23_Andy_Schneider_0013
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-23T14:39:50.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica Ft32
MicrobeMS ID : 2013_04_23_Andy_Schneider_0014
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80s TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-23T14:44:25.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica Ft32
MicrobeMS ID : 2013_04_23_Andy_Schneider_0015
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius

growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-23T14:59:28.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica Ft32
MicrobeMS ID : 2013_04_23_Andy Schneider_0016
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-23T15:04:16.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica Ft32
MicrobeMS ID : 2013_04_23_Andy Schneider_0017
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-23T15:19:10.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica Ft32
MicrobeMS ID : 2013_04_23_Andy Schneider_0018
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-23T15:23:32.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica Ft32
MicrobeMS ID : 2013_04_23_Andy Schneider_0019
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-23T15:32:41.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica Ft32
MicrobeMS ID : 2013_04_23_Andy Schneider_0020
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-23T15:36:58.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica A466-1
MicrobeMS ID : 2014_03_05_Schneider Andy_0001
NCBI tax ID's : 263 -
growth time : 3 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : HCA + CO2
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2014-03-05T14:07:16.437+01:00
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica A466-1
MicrobeMS ID : 2014_03_05_Schneider Andy_0002
NCBI tax ID's : 263 -
growth time : 3 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : HCA + CO2
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2014-03-05T14:11:11.984+01:00
path to MS file : \Francisella\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica A466-1
MicrobeMS ID : 2014_03_05_Schneider Andy_0003
NCBI tax ID's : 263 -
growth time : 3 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : HCA + CO2
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2014-03-05T14:17:03.546+01:00
path to MS file : \Francisella\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica A466-1
MicrobeMS ID : 2014_03_05_Schneider Andy_0004
NCBI tax ID's : 263 -
growth time : 3 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : HCA + CO2
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2014-03-05T14:20:55.500+01:00
path to MS file : \Francisella\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica A466-1
MicrobeMS ID : 2014_03_05_Schneider Andy_0005
NCBI tax ID's : 263 -
growth time : 3 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : HCA + CO2
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2014-03-05T14:25:18.906+01:00
path to MS file : \Francisella\Francisella tularensis ssp. holarctica\

genus, species, strain : Francisella tularensis ssp. holarctica A466-1
MicrobeMS ID : 2014_03_05_Schneider Andy_0006
NCBI tax ID's : 263 -
growth time : 3 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : HCA + CO2
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2014-03-05T14:29:48.296+01:00
path to MS file : \Francisella\Francisella tularensis ssp. holarctica\

Francisella tularensis ssp. mediasiatica

genus, species, strain : Francisella tularensis ssp. mediasiatica Ft31
MicrobeMS ID : 2013_04_26_Andy Schneider_0013
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T11:00:11.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. mediasiatica\

genus, species, strain : Francisella tularensis ssp. mediasiatica Ft31
MicrobeMS ID : 2013_04_26_Andy Schneider_0014
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2

growth medium : HCA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T11:04:57.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. mediasiatica\

genus, species, strain : Francisella tularensis ssp. mediasiatica Ft31
MicrobEMS ID : 2013_04_26_Andy_Schneider_0015
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T11:11:09.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. mediasiatica\

genus, species, strain : Francisella tularensis ssp. mediasiatica Ft31
MicrobEMS ID : 2013_04_26_Andy_Schneider_0016
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T11:15:41.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. mediasiatica\

genus, species, strain : Francisella tularensis ssp. mediasiatica Ft31
MicrobEMS ID : 2013_04_26_Andy_Schneider_0017
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T11:23:18.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. mediasiatica\

genus, species, strain : Francisella tularensis ssp. mediasiatica Ft31
MicrobEMS ID : 2013_04_26_Andy_Schneider_0018
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 grad celsius
growth conditions : aerob + CO2
growth medium : HCA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit und Zentrifugation mit Filtrierung, 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Ösen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-04-26T11:28:21.000
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. mediasiatica\

Francisella tularensis ssp. novicida

genus, species, strain : Francisella tularensis ssp. novicida Ft26
MicrobEMS ID : 2017_05_01_Schneider_Andy_0021
NCBI tax ID's : 263 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : HCA
sample treatment : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-06-01T15:48:08.875+02:00
path to MS file : \Francisella\Francisella tularensis\Francisella tularensis ssp. novicida\

genus, species, strain : Francisella tularensis ssp. novicida Ft26
MicrobEMS ID : 2017_05_01_Schneider_Andy_0022
NCBI tax ID's : 263 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : HCA
sample treatment : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2

measurement date/time : 2017-06-01T15:49:37.062+02:00
path to MS file : \Francisella\Francisella tularensis ssp. novicida\

genus, species, strain : Francisella tularensis ssp. novicida Ft26
MicrobeMS ID : 2017_05_01_Schneider_Andy_0023
NCBI tax ID's : 263 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : HCA
sample treatment : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100ul
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-06-01T15:51:02.453+02:00
path to MS file : \Francisella\Francisella tularensis ssp. novicida\

genus, species, strain : Francisella tularensis ssp. novicida Ft26
MicrobeMS ID : 2017_05_01_Schneider_Andy_0024
NCBI tax ID's : 263 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob+CO2
growth medium : HCA
sample treatment : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100ul
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-06-01T15:53:15.531+02:00
path to MS file : \Francisella\Francisella tularensis ssp. novicida\

genus, species, strain : Francisella tularensis ssp. novicida Ft26
MicrobeMS ID : 2017_05_30_Schneider_Andy_0011
NCBI tax ID's : 263 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : HCA+CO2
sample treatment : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100ul
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-05-30T15:08:26.125+02:00
path to MS file : \Francisella\Francisella tularensis ssp. novicida\

genus, species, strain : Francisella tularensis ssp. novicida Ft26
MicrobeMS ID : 2017_05_30_Schneider_Andy_0012
NCBI tax ID's : 263 -
growth time : 72h
growth temperature : 37°C
growth conditions : aerob
growth medium : HCA+CO2
sample treatment : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100ul
extra info : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2017-05-30T15:10:53.234+02:00
path to MS file : \Francisella\Francisella tularensis ssp. novicida\

genus, species, strain : Francisella tularensis ssp. novicida Ringvers. A-269_05 A
MicrobeMS ID : 2012_04_02_Maren Stämmeler_0009
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : 5 § CO2
growth medium : HCA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-02T14:20:14.843+02:00
path to MS file : \Francisella\Francisella tularensis ssp. novicida\

genus, species, strain : Francisella tularensis ssp. novicida Ringvers. A-269_05 A
MicrobeMS ID : 2012_04_04_Maren Stämmeler_0009
NCBI tax ID's : 263 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : 5 § CO2
growth medium : HCA
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Mald: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T14:04:09.859+01:00
path to MS file : \Francisella\Francisella tularensis ssp. novicida\

Hafnia

Hafnia alvei

genus, species, strain : Hafnia alvei DSM 30163
MicrobeMS ID : 2008_18_04_Maren Stämmeler_0011
NCBI tax ID's : 569 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-18T15:21:50.328+00:00
path to MS file : \Hafnia\Hafnia alvei\Hafnia alvei DSM 30163\

Inquilineus

Inquilineus limosus

genus, species, strain : Inquilineus limosus DSM 16000/ LMG 20952
MicrobeMS ID : 2007_03_01_Alejandro Minan_0001
NCBI tax ID's : 171674 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 18:37:17
path to MS file : \Inquilineus\Inquilineus limosus\Inquilineus limosus DSM 16000 LMG 20952\

genus, species, strain : Inquilineus limosus DSM 16000/ LMG 20952
MicrobeMS ID : 2007_03_01_Alejandro Minan_0002
NCBI tax ID's : 171674 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 18:40:56
path to MS file : \Inquilineus\Inquilineus limosus\Inquilineus limosus DSM 16000 LMG 20952\

genus, species, strain : Inquilineus limosus DSM 16000/ LMG 20952
MicrobeMS ID : 2007_24_01_Alejandro Minan_0001
NCBI tax ID's : 171674 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 11:05:28
path to MS file : \Inquilineus\Inquilineus limosus\Inquilineus limosus DSM 16000 LMG 20952\

genus, species, strain : Inquilineus limosus DSM 16000/ LMG 20952
MicrobeMS ID : 2007_24_01_Alejandro Minan_0002
NCBI tax ID's : 171674 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 11:08:38
path to MS file : \Inquilineus\Inquilineus limosus\Inquilineus limosus DSM 16000 LMG 20952\

genus, species, strain : Inquilineus limosus DSM 16000/ LMG 20952
MicrobeMS ID : 2007_24_01_Alejandro Minan_0003
NCBI tax ID's : 171674 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2007-01-24 11:14:30
path to MS file : \Inquilinus\Inquilinus limosus\Inquilinus limosus DSM 16000 LMG 20952\

Klebsiella

Klebsiella oxytoca

genus, species, strain : Klebsiella oxytoca ATCC 13182
MicrobeMS ID : 2013_10_07_Maren Stämmeler_0016
NCBI tax ID's : 571 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Stamm von ZBS 6_Stammsammlung/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-10-07T15:13:09.953+02:00
path to MS file : \Klebsiella\Klebsiella oxytoca\Klebsiella oxytoca ATCC 13182\

genus, species, strain : Klebsiella oxytoca ATCC 13182
MicrobeMS ID : 2013_11_01_Maren Stämmeler_0016
NCBI tax ID's : 571 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Stamm von ZBS 6_Stammsammlung/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-11-01T11:38:47.953+01:00
path to MS file : \Klebsiella\Klebsiella oxytoca\Klebsiella oxytoca ATCC 13182\

genus, species, strain : Klebsiella oxytoca ATCC 13182
MicrobeMS ID : 2013_11_11_Maren Stämmeler_0016
NCBI tax ID's : 571 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Stamm von ZBS 6_Stammsammlung/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-11-11T11:32:52.953+01:00
path to MS file : \Klebsiella\Klebsiella oxytoca\Klebsiella oxytoca ATCC 13182\

genus, species, strain : Klebsiella oxytoca ATCC 13182
MicrobeMS ID : 2008_04_11_Maren Stämmeler_0025
NCBI tax ID's : 571 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T15:03:50.203+00:00
path to MS file : \Klebsiella\Klebsiella oxytoca\Klebsiella oxytoca ATCC 13182\

genus, species, strain : Klebsiella oxytoca ATCC 13182
MicrobeMS ID : 2008_21_04_Maren Stämmeler_0001
NCBI tax ID's : 571 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ bei -20°C eingefrohren und 3 Tage später aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-21T09:54:37.609+00:00
path to MS file : \Klebsiella\Klebsiella oxytoca\Klebsiella oxytoca ATCC 13182\

genus, species, strain : Klebsiella oxytoca CCUG 15788
MicrobeMS ID : 2013_10_07_Maren Stämmeler_0014
NCBI tax ID's : 571 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Stamm von ZBS 2/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-10-07T15:03:05.578+02:00

growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Stamm von ZBS 6_Stammsammlung/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-11-01T11:44:56.890+01:00
path to MS file : \Klebsiella\Klebsiella pneumoniae\Klebsiella pneumoniae ssp ozeanae ATCC 25926\

genus, species, strain : Klebsiella pneumoniae spp. ozaenae ATCC 25926
MicrobeMS ID : 2013_11_11_Maren Stämmeler_0017
NCBI tax ID's : 573 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 muel
extra info : Stamm von ZBS 6_Stammsammlung/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2013-11-11T11:35:56.375+01:00
path to MS file : \Klebsiella\Klebsiella pneumoniae\Klebsiella pneumoniae ssp ozeanae ATCC 25926\

genus, species, strain : Klebsiella pneumoniae spp. ozaenae ATCC 25926
MicrobeMS ID : 2008_04_11_Maren Stämmeler_0012
NCBI tax ID's : 573 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T11:24:30.406+00:00
path to MS file : \Klebsiella\Klebsiella pneumoniae\Klebsiella pneumoniae ssp ozeanae ATCC 25926\

genus, species, strain : Klebsiella pneumoniae spp. ozaenae ATCC 25926
MicrobeMS ID : 2008_18_04_Maren Stämmeler_0012
NCBI tax ID's : 573 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-18T15:26:08.500+00:00
path to MS file : \Klebsiella\Klebsiella pneumoniae\Klebsiella pneumoniae ssp ozeanae ATCC 25926\

genus, species, strain : Klebsiella pneumoniae spp. ozaenae DSM 681
MicrobeMS ID : 2008_04_11_Maren Stämmeler_0026
NCBI tax ID's : 573 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T15:07:04.062+00:00
path to MS file : \Klebsiella\Klebsiella pneumoniae\Klebsiella pneumoniae ssp ozeanae DSM 68\

genus, species, strain : Klebsiella pneumoniae spp. ozaenae DSM 681
MicrobeMS ID : 2008_21_04_Maren Stämmeler_0002
NCBI tax ID's : 573 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ bei -20°C eingefrohren und 3 Tage später aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-21T10:00:15.796+00:00
path to MS file : \Klebsiella\Klebsiella pneumoniae\Klebsiella pneumoniae ssp ozeanae DSM 68\

Kocuria

Kocuria palustris

genus, species, strain : Kocuria palustris RRLuftkeim06_02
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0013
NCBI tax ID's : 71999 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso

sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T11:22:23.000+02:00
path to MS file : \Kocuria\Kocuria palustris\Kocuria palustris RRLK06_02\

genus, species, strain : Kocuria palustris RRLuftkeim06_02
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0014
NCBI tax ID's : 71999 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T11:25:24.296+02:00
path to MS file : \Kocuria\Kocuria palustris\Kocuria palustris RRLK06_02\

genus, species, strain : Kocuria palustris RRLuftkeim06_02
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0015
NCBI tax ID's : 71999 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T11:28:17.140+02:00
path to MS file : \Kocuria\Kocuria palustris\Kocuria palustris RRLK06_02\

genus, species, strain : Kocuria palustris RRLuftkeim06_02
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0016
NCBI tax ID's : 71999 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T11:30:37.343+02:00
path to MS file : \Kocuria\Kocuria palustris\Kocuria palustris RRLK06_02\

genus, species, strain : Kocuria palustris RRLuftkeim06_02
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0009
NCBI tax ID's : 71999 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T10:28:59.500+02:00
path to MS file : \Kocuria\Kocuria palustris\Kocuria palustris RRLK06_02\

genus, species, strain : Kocuria palustris RRLuftkeim06_02
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0010
NCBI tax ID's : 71999 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T10:31:37.375+02:00
path to MS file : \Kocuria\Kocuria palustris\Kocuria palustris RRLK06_02\

genus, species, strain : Kocuria palustris RRLuftkeim06_02
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0011
NCBI tax ID's : 71999 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS

calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T10:34:29.593+02:00
path to MS file : \Kocuria\Kocuria palustris\Kocuria palustris RRLK06_02\

genus, species, strain : Kocuria palustris RRLuftkeim06_02
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0012
NCBI tax ID's : 71999 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T10:37:04.906+02:00
path to MS file : \Kocuria\Kocuria palustris\Kocuria palustris RRLK06_02\

genus, species, strain : Kocuria palustris RRLuftkeim06_02
MicrobeMS ID : 2015_05_21_Maren Stämmeler_0009
NCBI tax ID's : 71999 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-21T10:23:42.515+02:00
path to MS file : \Kocuria\Kocuria palustris\Kocuria palustris RRLK06_02\

genus, species, strain : Kocuria palustris RRLuftkeim06_02
MicrobeMS ID : 2015_05_21_Maren Stämmeler_0010
NCBI tax ID's : 71999 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-21T10:26:24.015+02:00
path to MS file : \Kocuria\Kocuria palustris\Kocuria palustris RRLK06_02\

genus, species, strain : Kocuria palustris RRLuftkeim06_02
MicrobeMS ID : 2015_05_21_Maren Stämmeler_0011
NCBI tax ID's : 71999 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-21T10:33:50.765+02:00
path to MS file : \Kocuria\Kocuria palustris\Kocuria palustris RRLK06_02\

genus, species, strain : Kocuria palustris RRLuftkeim06_02
MicrobeMS ID : 2015_05_21_Maren Stämmeler_0012
NCBI tax ID's : 71999 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-21T10:37:19.781+02:00
path to MS file : \Kocuria\Kocuria palustris\Kocuria palustris RRLK06_02\

genus, species, strain : Kocuria palustris Isolat Platte 06 Probe 2
MicrobeMS ID : 2014_04_15_Maren Stämmeler_0020
NCBI tax ID's : 71999 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für MalDI:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-15T15:02:44.421+02:00

path to MS file : \Kocuria\Kocuria palustris\Kocuria palustris RRLK06_02\
genus, species, strain : Kocuria palustris Isolat Platte 06 Probe 2
MicrobMS ID : 2014_04_17_Maren Stämmler_0020
NCBI tax ID's : 71999 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-17T12:39:13.109+02:00
path to MS file : \Kocuria\Kocuria palustris\Kocuria palustris RRLK06_02\
MS

Lysinibacillus

Lysinibacillus fusiformis

genus, species, strain : Lysinibacillus fusiformis B207
MicrobMS ID : 2015_04_14_Schneider Andy_0023
NCBI tax ID's : 28031 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T13:04:06.000
path to MS file : \Lysinibacillus\Lysinibacillus fusiformis\Lysinibacillus fusiformis B207\
MS

genus, species, strain : Lysinibacillus fusiformis B207
MicrobMS ID : 2015_04_14_Schneider Andy_0024
NCBI tax ID's : 28031 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T13:06:21.000
path to MS file : \Lysinibacillus\Lysinibacillus fusiformis\Lysinibacillus fusiformis B207\
MS

genus, species, strain : Lysinibacillus fusiformis B207
MicrobMS ID : 2015_04_14_Schneider Andy_0025
NCBI tax ID's : 28031 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T13:08:48.000
path to MS file : \Lysinibacillus\Lysinibacillus fusiformis\Lysinibacillus fusiformis B207\
MS

genus, species, strain : Lysinibacillus fusiformis B207
MicrobMS ID : 2015_04_14_Schneider Andy_0026
NCBI tax ID's : 28031 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T13:11:17.000
path to MS file : \Lysinibacillus\Lysinibacillus fusiformis\Lysinibacillus fusiformis B207\
MS

genus, species, strain : Lysinibacillus fusiformis B 207
MicrobMS ID : 2006_17_08_Famulla Staemmler_0012
NCBI tax ID's : 28031 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-17T16:36:16.000
path to MS file : \Lysinibacillus\Lysinibacillus fusiformis\Lysinibacillus fusiformis B207\
MS

Lysinibacillus sphaericus

genus, species, strain : Lysinibacillus sphaericus ATCC 4525
MicrobeMS ID : 2007_03_05_Maren Staemmler_0009
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 03.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 02.05.2007; Praeparation fuer Maldi: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03T08:54:52.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus ATCC 4525\

genus, species, strain : Lysinibacillus sphaericus B223
MicrobeMS ID : 2015_04_14_Schneider Andy_0043
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T14:08:26.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B223\

genus, species, strain : Lysinibacillus sphaericus B223
MicrobeMS ID : 2015_04_14_Schneider Andy_0044
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T14:10:29.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B223\

genus, species, strain : Lysinibacillus sphaericus B223
MicrobeMS ID : 2015_04_14_Schneider Andy_0045
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T14:12:27.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B223\

genus, species, strain : Lysinibacillus sphaericus B223
MicrobeMS ID : 2015_04_14_Schneider Andy_0046
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T14:13:57.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B223\

genus, species, strain : Lysinibacillus sphaericus B 223
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0019
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-18T09:54:50.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B223\

genus, species, strain : Lysinibacillus sphaericus B227
MicrobeMS ID : 2015_04_20_Schneider Andy_0005
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB

sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T12:42:16.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B227\

genus, species, strain : Lysinibacillus sphaericus B227
MicrobeMS ID : 2015_04_20_Schneider Andy_0006
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T12:46:23.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B227\

genus, species, strain : Lysinibacillus sphaericus B227
MicrobeMS ID : 2015_04_20_Schneider Andy_0007
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T12:49:42.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B227\

genus, species, strain : Lysinibacillus sphaericus B227
MicrobeMS ID : 2015_04_20_Schneider Andy_0008
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T12:52:00.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B227\

genus, species, strain : Lysinibacillus sphaericus B 227
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0022
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-18T10:37:10.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B227\

genus, species, strain : Lysinibacillus sphaericus B230
MicrobeMS ID : 2015_04_20_Schneider Andy_0013
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T13:13:45.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B230\

genus, species, strain : Lysinibacillus sphaericus B230
MicrobeMS ID : 2015_04_20_Schneider Andy_0014
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T13:15:35.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B230\

genus, species, strain : Lysinibacillus sphaericus B230

MicrobeMS ID : 2015_04_20_Schneider Andy_0015
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T13:18:55.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B230\

genus, species, strain : Lysinibacillus sphaericus B230
MicrobeMS ID : 2015_04_20_Schneider Andy_0016
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-20T13:20:35.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B230\

genus, species, strain : Lysinibacillus sphaericus B 230
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0024
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-18T10:43:51.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B230\

genus, species, strain : Lysinibacillus sphaericus B65
MicrobeMS ID : 2015_02_06_Andy Schneider_0001
NCBI tax ID's : 1421 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-06T11:07:40.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B65\

genus, species, strain : Lysinibacillus sphaericus B65
MicrobeMS ID : 2015_02_06_Andy Schneider_0003
NCBI tax ID's : 1421 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-06T11:12:27.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B65\

genus, species, strain : Lysinibacillus sphaericus B65
MicrobeMS ID : 2015_02_06_Andy Schneider_0002
NCBI tax ID's : 1421 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-06T11:10:06.000
path to MS file : \Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B65\

genus, species, strain : Lysinibacillus sphaericus B65
MicrobeMS ID : 2015_02_06_Andy Schneider_0004
NCBI tax ID's : 1421 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-06T11:14:19.000
path to MS file : \\Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B65\

genus, species, strain : Lysinibacillus sphaericus B 65
MicrobeMS ID : 2006_14_08_Famulla Staemmler_0015
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verdunnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Anknunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-14T11:35:26.000
path to MS file : \\Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus B65\

genus, species, strain : Lysinibacillus sphaericus DSM 28
MicrobeMS ID : 2007_11_04_Maren Staemmler_0004
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: Juli 2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 11.04.2007; Praeparation fuer Maldi: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-11T14:36:30.000
path to MS file : \\Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus DSM 28\

genus, species, strain : Lysinibacillus sphaericus DSM 28
MicrobeMS ID : 2007_23_04_Maren Staemmler_0007
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: Juli 2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 11.04.2007; Praeparation fuer Maldi: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-23T10:30:42.000
path to MS file : \\Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus DSM 28\

genus, species, strain : Lysinibacillus sphaericus DSM 28
MicrobeMS ID : 2007_03_05_Maren Staemmler_0018
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: Juli 2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 11.04.2007; Praeparation fuer Maldi: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-03T10:03:07.000
path to MS file : \\Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus DSM 28\

genus, species, strain : Lysinibacillus sphaericus DSM 396
MicrobeMS ID : 2007_13_04_Maren Staemmler_0002
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 18.04.2007; Praeparation fuer Maldi: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-13T10:04:37.000
path to MS file : \\Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus DSM 396\

genus, species, strain : Lysinibacillus sphaericus DSM 396
MicrobeMS ID : 2007_18_04_Maren Staemmler_0002
NCBI tax ID's : 1421 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (P. Lochau/R. Heirich) Uebergabe: 08.11.2005; Proben eingefrohren bei -20 Grad Celsius;
aufgetaut am 18.04.2007; Praeparation fuer Maldi: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-04-18T15:26:02.000
path to MS file : \\Lysinibacillus\Lysinibacillus sphaericus\Lysinibacillus sphaericus DSM 396\

Micrococcus**Micrococcus kristinae**

genus, species, strain : Micrococcus kristinae IMET 11367;DSM 20032
MicrobeMS ID : 2011_08_25_EhrmannAnja_0011
NCBI tax ID's : 37923 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-25T17:42:45.140+02:00
path to MS file : \Micrococcus\Micrococcus kristinae\Micrococcus kristinae IMET 11367_DSM 20032\

genus, species, strain : Micrococcus kristinae IMET 11367;DSM 20032
MicrobeMS ID : 2011_09_01_EhrmannAnja_0011
NCBI tax ID's : 37923 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-01T12:43:23.187+02:00
path to MS file : \Micrococcus\Micrococcus kristinae\Micrococcus kristinae IMET 11367_DSM 20032\

genus, species, strain : Micrococcus kristinae IMET 11367;DSM 20032
MicrobeMS ID : 2011_09_08_EhrmannAnja_0011
NCBI tax ID's : 37923 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-08T12:03:19.671+02:00
path to MS file : \Micrococcus\Micrococcus kristinae\Micrococcus kristinae IMET 11367_DSM 20032\

Micrococcus luteus

genus, species, strain : Micrococcus luteus Isolat Platte 07 Probe 3
MicrobeMS ID : 2014_04_15_Maren Stämmeler_0026
NCBI tax ID's : 1270 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-15T15:27:32.281+02:00
path to MS file : \Micrococcus\Micrococcus luteus\Micrococcus luteus RRLK07_03\

genus, species, strain : Micrococcus luteus RRLuftkeim07_03
MicrobeMS ID : 2015_04_17_Maren Stämmeler_0009
NCBI tax ID's : 1270 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T12:50:56.546+02:00
path to MS file : \Micrococcus\Micrococcus luteus\Micrococcus luteus RRLK07_03\

genus, species, strain : Micrococcus luteus RRLuftkeim07_03
MicrobeMS ID : 2015_04_17_Maren Stämmeler_0010
NCBI tax ID's : 1270 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T12:59:27.812+02:00

path to MS file : \\Micrococcus\Micrococcus luteus\Micrococcus luteus RRLK07_03\
genus, species, strain : Micrococcus luteus RRLuftkeim07_03
MicrobeMS ID : 2015_04_17_Maren Stämmeler_0011
NCBI tax ID's : 1270 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T13:01:50.796+02:00
path to MS file : \\Micrococcus\Micrococcus luteus\Micrococcus luteus RRLK07_03\
genus, species, strain : Micrococcus luteus RRLuftkeim07_03
MicrobeMS ID : 2015_04_17_Maren Stämmeler_0012
NCBI tax ID's : 1270 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T13:04:29.546+02:00
path to MS file : \\Micrococcus\Micrococcus luteus\Micrococcus luteus RRLK07_03\
genus, species, strain : Micrococcus luteus RRLuftkeim07_03
MicrobeMS ID : 2015_04_24_Maren Stämmeler_0005
NCBI tax ID's : 1270 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T09:12:29.078+02:00
path to MS file : \\Micrococcus\Micrococcus luteus\Micrococcus luteus RRLK07_03\
genus, species, strain : Micrococcus luteus RRLuftkeim07_03
MicrobeMS ID : 2015_04_24_Maren Stämmeler_0006
NCBI tax ID's : 1270 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T09:15:06.656+02:00
path to MS file : \\Micrococcus\Micrococcus luteus\Micrococcus luteus RRLK07_03\
genus, species, strain : Micrococcus luteus RRLuftkeim07_03
MicrobeMS ID : 2015_04_24_Maren Stämmeler_0007
NCBI tax ID's : 1270 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T09:17:39.437+02:00
path to MS file : \\Micrococcus\Micrococcus luteus\Micrococcus luteus RRLK07_03\
genus, species, strain : Micrococcus luteus RRLuftkeim07_03
MicrobeMS ID : 2015_04_24_Maren Stämmeler_0008
NCBI tax ID's : 1270 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T09:20:41.406+02:00
path to MS file : \\Micrococcus\Micrococcus luteus\Micrococcus luteus RRLK07_03\
genus, species, strain : Micrococcus luteus RRLuftkeim07_03
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0005

NCBI tax ID's : 1270 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T13:09:50.703+02:00
path to MS file : \\Micrococcus\Micrococcus luteus\Micrococcus luteus RRLK07_03\

genus, species, strain : Micrococcus luteus RRLuftkeim07_03
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0006
NCBI tax ID's : 1270 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T13:12:12.484+02:00
path to MS file : \\Micrococcus\Micrococcus luteus\Micrococcus luteus RRLK07_03\

genus, species, strain : Micrococcus luteus RRLuftkeim07_03
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0007
NCBI tax ID's : 1270 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T13:14:48.718+02:00
path to MS file : \\Micrococcus\Micrococcus luteus\Micrococcus luteus RRLK07_03\

genus, species, strain : Micrococcus luteus RRLuftkeim07_03
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0008
NCBI tax ID's : 1270 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T13:17:09.093+02:00
path to MS file : \\Micrococcus\Micrococcus luteus\Micrococcus luteus RRLK07_03\

genus, species, strain : Micrococcus luteus Isolat Platte 07 Probe 3
MicrobeMS ID : 2014_04_17_Maren Stämmeler_0026
NCBI tax ID's : 1270 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-17T13:12:07.687+02:00
path to MS file : \\Micrococcus\Micrococcus luteus\Micrococcus luteus RRLK07_03\

Ochrobactrum

Ochrobactrum anthropi

genus, species, strain : Ochrobactrum anthropi Ringvers. A-269_08 A
MicrobeMS ID : 2012_04_02_Maren Stämmeler_0015
NCBI tax ID's : 529 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-02T15:11:29.546+02:00
path to MS file : \\Ochrobactrum\Ochrobactrum anthropi\Ochrobactrum anthropi A-269_08 A\

```
genus, species, strain : Ochrobactrum anthropi Ringvers. A-269_08 A
MicrobeMS ID           : 2012_04_04_Maren Stämmeler_0015
NCBI tax ID's         : 529 -
growth time           : 48h
growth temperature    : 37 Grad Celsius
growth conditions     : aerob
growth medium        : Columbiablut
sample treatment     : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : ca. 3 Oesen in 100 µl
extra info           : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method   : D:\Methods\flexControlMethods\Bakterien_testmaren.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T14:30:08.843+01:00
path to MS file      : \Ochrobactrum\Ochrobactrum anthropi\Ochrobactrum anthropi A-269_08 A\

genus, species, strain : Ochrobactrum anthropi DSM 20150
MicrobeMS ID           : 31_05_2016_Julia Mitschke_0029
NCBI tax ID's         : 529 -
growth time           : 3d
growth temperature    : 37°C
growth conditions     : aerob
growth medium        : Col. Blut
sample treatment     : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-31T15:28:25.250+02:00
path to MS file      : \Ochrobactrum\Ochrobactrum anthropi\Ochrobactrum anthropi DSM 20150\

genus, species, strain : Ochrobactrum anthropi DSM 20150
MicrobeMS ID           : 31_05_2016_Julia Mitschke_0030
NCBI tax ID's         : 529 -
growth time           : 3d
growth temperature    : 37°C
growth conditions     : aerob
growth medium        : Col. Blut
sample treatment     : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-31T15:31:06.328+02:00
path to MS file      : \Ochrobactrum\Ochrobactrum anthropi\Ochrobactrum anthropi DSM 20150\

genus, species, strain : Ochrobactrum anthropi DSM 20150
MicrobeMS ID           : 31_05_2016_Julia Mitschke_0031
NCBI tax ID's         : 529 -
growth time           : 3d
growth temperature    : 37°C
growth conditions     : aerob
growth medium        : Col. Blut
sample treatment     : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-31T15:33:25.375+02:00
path to MS file      : \Ochrobactrum\Ochrobactrum anthropi\Ochrobactrum anthropi DSM 20150\

genus, species, strain : Ochrobactrum anthropi DSM 20150
MicrobeMS ID           : 31_05_2016_Julia Mitschke_0032
NCBI tax ID's         : 529 -
growth time           : 3d
growth temperature    : 37°C
growth conditions     : aerob
growth medium        : Col. Blut
sample treatment     : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-31T15:35:19.796+02:00
path to MS file      : \Ochrobactrum\Ochrobactrum anthropi\Ochrobactrum anthropi DSM 20150\

genus, species, strain : Ochrobactrum anthropi DSM 20150
MicrobeMS ID           : 31_05_2016_Julia Mitschke_0025
NCBI tax ID's         : 529 -
growth time           : 3d
growth temperature    : 37°C
growth conditions     : aerob
growth medium        : Col. Blut
sample treatment     : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-31T15:15:23.531+02:00
path to MS file      : \Ochrobactrum\Ochrobactrum anthropi\Ochrobactrum anthropi DSM 20150\

genus, species, strain : Ochrobactrum anthropi DSM 20150
MicrobeMS ID           : 31_05_2016_Julia Mitschke_0026
NCBI tax ID's         : 529 -
growth time           : 3d
growth temperature    : 37°C
growth conditions     : aerob
growth medium        : Col. Blut
sample treatment     : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
```

```
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T15:18:15.328+02:00
path to MS file : \Ochrobactrum\Ochrobactrum anthropi\Ochrobactrum anthropi DSM 20150\

genus, species, strain : Ochrobactrum anthropi DSM 20150
MicrobeMS ID : 31_05_2016_Julia Mitschke_0027
NCBI tax ID's : 529 -
growth time : 3d
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T15:20:40.750+02:00
path to MS file : \Ochrobactrum\Ochrobactrum anthropi\Ochrobactrum anthropi DSM 20150\

genus, species, strain : Ochrobactrum anthropi DSM 20150
MicrobeMS ID : 31_05_2016_Julia Mitschke_0028
NCBI tax ID's : 529 -
growth time : 3d
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T15:23:24.250+02:00
path to MS file : \Ochrobactrum\Ochrobactrum anthropi\Ochrobactrum anthropi DSM 20150\

genus, species, strain : Ochrobactrum anthropi DSM 20150
MicrobeMS ID : 03_06_2016_Julia Mitschke_0005
NCBI tax ID's : 529 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-03T13:51:04.187+02:00
path to MS file : \Ochrobactrum\Ochrobactrum anthropi\Ochrobactrum anthropi DSM 20150\

genus, species, strain : Ochrobactrum anthropi DSM 20150
MicrobeMS ID : 03_06_2016_Julia Mitschke_0006
NCBI tax ID's : 529 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-03T13:54:16.593+02:00
path to MS file : \Ochrobactrum\Ochrobactrum anthropi\Ochrobactrum anthropi DSM 20150\

genus, species, strain : Ochrobactrum anthropi DSM 20150
MicrobeMS ID : 03_06_2016_Julia Mitschke_0007
NCBI tax ID's : 529 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-03T13:56:45.078+02:00
path to MS file : \Ochrobactrum\Ochrobactrum anthropi\Ochrobactrum anthropi DSM 20150\

genus, species, strain : Ochrobactrum anthropi DSM 20150
MicrobeMS ID : 03_06_2016_Julia Mitschke_0008
NCBI tax ID's : 529 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Col. Blut
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-06-03T13:59:37.390+02:00
path to MS file : \Ochrobactrum\Ochrobactrum anthropi\Ochrobactrum anthropi DSM 20150\
```

Oligella

Oligella urethralis

```
genus, species, strain : Oligella urethralis A691-2
MicrobeMS ID          : 2015_11_27_Andy Schneider_0001
NCBI tax ID's         : 90245 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-11-27T09:39:22.531+01:00
path to MS file       : \Oligella\Oligella urethralis\Oligella urethralis A691-2\

genus, species, strain : Oligella urethralis A691-2
MicrobeMS ID          : 2015_11_27_Andy Schneider_0002
NCBI tax ID's         : 90245 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-11-27T09:41:23.703+01:00
path to MS file       : \Oligella\Oligella urethralis\Oligella urethralis A691-2\

genus, species, strain : Oligella urethralis A691-2
MicrobeMS ID          : 2015_12_01_Andy Schneider_0001
NCBI tax ID's         : 90245 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-12-01T13:36:12.140+01:00
path to MS file       : \Oligella\Oligella urethralis\Oligella urethralis A691-2\

genus, species, strain : Oligella urethralis A691-2
MicrobeMS ID          : 2015_12_01_Andy Schneider_0002
NCBI tax ID's         : 90245 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-12-01T13:38:00.812+01:00
path to MS file       : \Oligella\Oligella urethralis\Oligella urethralis A691-2\

genus, species, strain : Oligella urethralis A691-2
MicrobeMS ID          : 2015_12_01_Andy Schneider_0003
NCBI tax ID's         : 90245 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-12-01T13:40:17.953+01:00
path to MS file       : \Oligella\Oligella urethralis\Oligella urethralis A691-2\

genus, species, strain : Oligella urethralis A691-2
MicrobeMS ID          : 2015_12_01_Andy Schneider_0004
NCBI tax ID's         : 90245 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-12-01T13:42:18.203+01:00
path to MS file       : \Oligella\Oligella urethralis\Oligella urethralis A691-2\
```


Paenibacillus**Paenibacillus alvei**

genus, species, strain : Paenibacillus alvei B210
MicrobeMS ID : 2015_04_14_Schneider Andy_0027
NCBI tax ID's : 44250 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T13:22:50.000
path to MS file : \Paenibacillus\Paenibacillus alvei\Paenibacillus alvei B210\

genus, species, strain : Paenibacillus alvei B210
MicrobeMS ID : 2015_04_14_Schneider Andy_0028
NCBI tax ID's : 44250 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T13:24:21.000
path to MS file : \Paenibacillus\Paenibacillus alvei\Paenibacillus alvei B210\

genus, species, strain : Paenibacillus alvei B210
MicrobeMS ID : 2015_04_14_Schneider Andy_0029
NCBI tax ID's : 44250 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T13:26:11.000
path to MS file : \Paenibacillus\Paenibacillus alvei\Paenibacillus alvei B210\

genus, species, strain : Paenibacillus alvei B210
MicrobeMS ID : 2015_04_14_Schneider Andy_0030
NCBI tax ID's : 44250 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-04-14T13:27:40.000
path to MS file : \Paenibacillus\Paenibacillus alvei\Paenibacillus alvei B210\

genus, species, strain : Paenibacillus alvei B 210
MicrobeMS ID : 2006_17_08_Famulla Staemmler_0014
NCBI tax ID's : 44250 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-17T16:45:36.000
path to MS file : \Paenibacillus\Paenibacillus alvei\Paenibacillus alvei B210\

Paenibacillus polymyxa

genus, species, strain : Paenibacillus polymyxa A418-1
MicrobeMS ID : 2013_09_12_Schneider Andy_0001
NCBI tax ID's : 1406 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2013-09-12T14:20:04.250+02:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa A418-1\

genus, species, strain : Paenibacillus polymyxa A418-1

MicrobeMS ID : 2013_09_12_Schneider Andy_0002
NCBI tax ID's : 1406 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2013-09-12T14:25:25.656+02:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa A418-1\

genus, species, strain : Paenibacillus polymyxa A418-1
MicrobeMS ID : 2013_09_12_Schneider Andy_0003
NCBI tax ID's : 1406 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2013-09-12T14:36:38.640+02:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa A418-1\

genus, species, strain : Paenibacillus polymyxa A418-1
MicrobeMS ID : 2013_09_12_Schneider Andy_0004
NCBI tax ID's : 1406 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2013-09-12T14:43:29.156+02:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa A418-1\

genus, species, strain : Paenibacillus polymyxa A418-1
MicrobeMS ID : 2013_09_12_Schneider Andy_0005
NCBI tax ID's : 1406 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2013-09-12T14:56:48.593+02:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa A418-1\

genus, species, strain : Paenibacillus polymyxa A418-1
MicrobeMS ID : 2013_09_12_Schneider Andy_0006
NCBI tax ID's : 1406 -
growth time : 1 Day
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : TSA
sample treatment : TFA inactivation
concentration :
extra info : cells from solid cultures
calibration standard : ProteinStandard 2 (Bruker) + E.coli K12(DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2013-09-12T15:02:07.953+02:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa A418-1\

genus, species, strain : Paenibacillus polymyxa DSM365
MicrobeMS ID : 2017_11_24_Jaehne_Jennifer_0013
NCBI tax ID's : 1406 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-24T12:49:21.000+01:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa DSM 365\

genus, species, strain : Paenibacillus polymyxa DSM365
MicrobeMS ID : 2017_11_24_Jaehne_Jennifer_0014
NCBI tax ID's : 1406 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80\$ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-24T12:55:19.656+01:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa DSM 365\

genus, species, strain : Paenibacillus polymyxa DSM365
MicrobeMS ID : 2017_11_24_Jaehne_Jennifer_0015
NCBI tax ID's : 1406 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-24T12:59:25.156+01:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa DSM 365\

genus, species, strain : Paenibacillus polymyxa DSM365
MicrobeMS ID : 2017_11_24_Jaehne_Jennifer_0016
NCBI tax ID's : 1406 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-11-24T13:02:40.296+01:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa DSM 365\

genus, species, strain : Paenibacillus polymyxa DSM365
MicrobeMS ID : 2017_12_14_Jaehne_Jennifer_0001
NCBI tax ID's : 1406 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-14T10:14:26.531+01:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa DSM 365\

genus, species, strain : Paenibacillus polymyxa DSM365
MicrobeMS ID : 2017_12_14_Jaehne_Jennifer_0002
NCBI tax ID's : 1406 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-14T10:18:03.093+01:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa DSM 365\

genus, species, strain : Paenibacillus polymyxa DSM365
MicrobeMS ID : 2017_12_14_Jaehne_Jennifer_0003
NCBI tax ID's : 1406 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-14T10:21:06.109+01:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa DSM 365\

genus, species, strain : Paenibacillus polymyxa DSM365
MicrobeMS ID : 2017_12_14_Jaehne_Jennifer_0004
NCBI tax ID's : 1406 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2017-12-14T10:24:18.703+01:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa DSM 365\

genus, species, strain : Paenibacillus polymyxa DSM365
MicrobeMS ID : 2018_05_09_Schneider_Andy_0001
NCBI tax ID's : 1406 -
growth time : 24h
growth temperature : 37°C

```
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-09T13:34:07.625+02:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa DSM 365\

genus, species, strain : Paenibacillus polymyxa DSM365
MicrobeMS ID : 2018_05_09_Schneider_Andy_0002
NCBI tax ID's : 1406 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-09T13:36:27.203+02:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa DSM 365\

genus, species, strain : Paenibacillus polymyxa DSM365
MicrobeMS ID : 2018_05_09_Schneider_Andy_0003
NCBI tax ID's : 1406 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-09T13:38:19.578+02:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa DSM 365\

genus, species, strain : Paenibacillus polymyxa DSM365
MicrobeMS ID : 2018_05_09_Schneider_Andy_0004
NCBI tax ID's : 1406 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100µl
extra info : Stämme von der DSMZ
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2018-05-09T13:40:09.031+02:00
path to MS file : \Paenibacillus\Paenibacillus polymyxa\Paenibacillus polymyxa DSM 365\
```

Pandoraea

Pandoraea apista

```
genus, species, strain : Pandoraea apista DSM 16535/ LMG 16407
MicrobeMS ID : 2007_03_01_Alejandro Minan_0005
NCBI tax ID's : 93218 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 19:03:26
path to MS file : \Pandoraea\Pandoraea apista\Pandoraea apista DSM 16535 LMG 16407\

genus, species, strain : Pandoraea apista DSM 16535/ LMG 16407
MicrobeMS ID : 2007_03_01_Alejandro Minan_0006
NCBI tax ID's : 93218 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 19:10:32
path to MS file : \Pandoraea\Pandoraea apista\Pandoraea apista DSM 16535 LMG 16407\

genus, species, strain : Pandoraea apista DSM 16535/ LMG 16407
MicrobeMS ID : 2007_24_01_Alejandro Minan_0007
NCBI tax ID's : 93218 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
```

sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 11:32:24
path to MS file : \Pandoraea\Pandoraea apista\Pandoraea apista DSM 16535 LMG 16407\

genus, species, strain : Pandoraea apista DSM 16535/ LMG 16407
MicrobeMS ID : 2007_24_01_Alejandro Minan_0009
NCBI tax ID's : 93218 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 20:07:58
path to MS file : \Pandoraea\Pandoraea apista\Pandoraea apista DSM 16535 LMG 16407\

Pandoraea pnomenusa

genus, species, strain : Pandoraea pnomenusa DSM 16536/ LMG 18087
MicrobeMS ID : 2007_03_01_Alejandro Minan_0009
NCBI tax ID's : 93220 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 19:29:17
path to MS file : \Pandoraea\Pandoraea pnomenusa\Pandoraea pnomenusa DSM 16536 LMG 18087\

genus, species, strain : Pandoraea pnomenusa DSM 16536/ LMG 18087
MicrobeMS ID : 2007_03_01_Alejandro Minan_0010
NCBI tax ID's : 93220 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 19:33:18
path to MS file : \Pandoraea\Pandoraea pnomenusa\Pandoraea pnomenusa DSM 16536 LMG 18087\

genus, species, strain : Pandoraea pnomenusa DSM 16536/ LMG 18087
MicrobeMS ID : 2007_24_01_Alejandro Minan_0013
NCBI tax ID's : 93220 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 20:31:06
path to MS file : \Pandoraea\Pandoraea pnomenusa\Pandoraea pnomenusa DSM 16536 LMG 18087\

genus, species, strain : Pandoraea pnomenusa DSM 16536/ LMG 18087
MicrobeMS ID : 2007_24_01_Alejandro Minan_0014
NCBI tax ID's : 93220 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 20:34:25
path to MS file : \Pandoraea\Pandoraea pnomenusa\Pandoraea pnomenusa DSM 16536 LMG 18087\

genus, species, strain : Pandoraea pnomenusa DSM 16536/ LMG 18087
MicrobeMS ID : 2007_24_01_Alejandro Minan_0015
NCBI tax ID's : 93220 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 20:39:25

path to MS file : \Pandoraea\Pandoraea pnomenusa\Pandoraea pnomenusa DSM 16536 LMG 18087\

Pandoraea pulmonicola

genus, species, strain : Pandoraea pulmonicola DSM 16583/ LMG 18106
MicrobeMS ID : 2007_03_01_Alejandro Minan_0007
NCBI tax ID's : 93221 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 19:20:34
path to MS file : \Pandoraea\Pandoraea pulmonicola\Pandoraea pulmonicola DSM 16583 LMG 18106\

genus, species, strain : Pandoraea pulmonicola DSM 16583/ LMG 18106
MicrobeMS ID : 2007_03_01_Alejandro Minan_0008
NCBI tax ID's : 93221 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 19:23:58
path to MS file : \Pandoraea\Pandoraea pulmonicola\Pandoraea pulmonicola DSM 16583 LMG 18106\

genus, species, strain : Pandoraea pulmonicola DSM 16583/ LMG 18106
MicrobeMS ID : 2007_24_01_Alejandro Minan_0010
NCBI tax ID's : 93221 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 20:11:02
path to MS file : \Pandoraea\Pandoraea pulmonicola\Pandoraea pulmonicola DSM 16583 LMG 18106\

genus, species, strain : Pandoraea pulmonicola DSM 16583/ LMG 18106
MicrobeMS ID : 2007_24_01_Alejandro Minan_0011
NCBI tax ID's : 93221 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 20:20:08
path to MS file : \Pandoraea\Pandoraea pulmonicola\Pandoraea pulmonicola DSM 16583 LMG 18106\

genus, species, strain : Pandoraea pulmonicola DSM 16583/ LMG 18106
MicrobeMS ID : 2007_24_01_Alejandro Minan_0012
NCBI tax ID's : 93221 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 20:23:23
path to MS file : \Pandoraea\Pandoraea pulmonicola\Pandoraea pulmonicola DSM 16583 LMG 18106\

Pantoea

Pantoea agglomerans

genus, species, strain : Pantoea agglomerans ATCC 27988
MicrobeMS ID : 2008_04_11_Maren Stämmeler_0006
NCBI tax ID's : 549 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6

measurement date/time : 2008-04-11T10:43:04.250+00:00
path to MS file : \Pantoea\Pantoea agglomerans\Pantoea agglomerans ATCC 27988\

genus, species, strain : Pantoea agglomerans ATCC 27988
MicrobeMS ID : 2008_18_04_Maren Stämmeler_0006
NCBI tax ID's : 549 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-18T14:48:07.375+00:00
path to MS file : \Pantoea\Pantoea agglomerans\Pantoea agglomerans ATCC 27988\

Paracoccus

Paracoccus yeei

genus, species, strain : Paracoccus yeei Isolat Platte 05 Probe 1
MicrobeMS ID : 2014_04_15_Maren Stämmeler_0015
NCBI tax ID's : 147645 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-15T14:45:57.921+02:00
path to MS file : \Paracoccus\Paracoccus yeei\Paracoccus yeei RRLK05_01\

genus, species, strain : Paracoccus yeei RRLuftkeim05_01
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0005
NCBI tax ID's : 147645 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T10:47:07.781+02:00
path to MS file : \Paracoccus\Paracoccus yeei\Paracoccus yeei RRLK05_01\

genus, species, strain : Paracoccus yeei RRLuftkeim05_01
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0006
NCBI tax ID's : 147645 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T10:49:41.140+02:00
path to MS file : \Paracoccus\Paracoccus yeei\Paracoccus yeei RRLK05_01\

genus, species, strain : Paracoccus yeei RRLuftkeim05_01
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0007
NCBI tax ID's : 147645 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T10:57:14.781+02:00
path to MS file : \Paracoccus\Paracoccus yeei\Paracoccus yeei RRLK05_01\

genus, species, strain : Paracoccus yeei RRLuftkeim05_01
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0008
NCBI tax ID's : 147645 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS

calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T11:01:35.500+02:00
path to MS file : \Paracoccus\Paracoccus yeei\Paracoccus yeei RRLK05_01\

genus, species, strain : Paracoccus yeei RRLuftkeim05_01
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0001
NCBI tax ID's : 147645 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T09:13:10.625+02:00
path to MS file : \Paracoccus\Paracoccus yeei\Paracoccus yeei RRLK05_01\

genus, species, strain : Paracoccus yeei RRLuftkeim05_01
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0002
NCBI tax ID's : 147645 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T09:17:20.296+02:00
path to MS file : \Paracoccus\Paracoccus yeei\Paracoccus yeei RRLK05_01\

genus, species, strain : Paracoccus yeei RRLuftkeim05_01
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0003
NCBI tax ID's : 147645 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T09:20:17.015+02:00
path to MS file : \Paracoccus\Paracoccus yeei\Paracoccus yeei RRLK05_01\

genus, species, strain : Paracoccus yeei RRLuftkeim05_01
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0004
NCBI tax ID's : 147645 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T09:23:04.625+02:00
path to MS file : \Paracoccus\Paracoccus yeei\Paracoccus yeei RRLK05_01\

genus, species, strain : Paracoccus yeei RRLuftkeim05_01
MicrobeMS ID : 2015_05_21_Maren Stämmeler_0001
NCBI tax ID's : 147645 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-21T09:24:25.015+02:00
path to MS file : \Paracoccus\Paracoccus yeei\Paracoccus yeei RRLK05_01\

genus, species, strain : Paracoccus yeei RRLuftkeim05_01
MicrobeMS ID : 2015_05_21_Maren Stämmeler_0002
NCBI tax ID's : 147645 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-21T09:27:38.031+02:00


```
path to MS file      : \Paracoccus\Paracoccus yeei\Paracoccus yeei RRLK05_01\  
  
genus, species, strain : Paracoccus yeei RRLuftkeim05_01  
MicrobeMS ID         : 2015_05_21_Maren Stämmeler_0003  
NCBI tax ID's        : 147645 -  
growth time          : 24h  
growth temperature   : 37°C  
growth conditions    : aerob  
growth medium        : Caso  
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 2 Oesen in 25 muel  
extra info           : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung  
und Präparation für Maldi: MS  
calibration standard : E.coli K12 (DSM 3871) linear kalibriert  
measurement method   : ToM_200ns_20130611.par  
customer             : RKI ZBS2/ZBS6  
measurement date/time : 2015-05-21T09:30:31.890+02:00  
path to MS file      : \Paracoccus\Paracoccus yeei\Paracoccus yeei RRLK05_01\  
  
genus, species, strain : Paracoccus yeei RRLuftkeim05_01  
MicrobeMS ID         : 2015_05_21_Maren Stämmeler_0004  
NCBI tax ID's        : 147645 -  
growth time          : 24h  
growth temperature   : 37°C  
growth conditions    : aerob  
growth medium        : Caso  
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 2 Oesen in 25 muel  
extra info           : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung  
und Präparation für Maldi: MS  
calibration standard : E.coli K12 (DSM 3871) linear kalibriert  
measurement method   : ToM_200ns_20130611.par  
customer             : RKI ZBS2/ZBS6  
measurement date/time : 2015-05-21T09:35:02.125+02:00  
path to MS file      : \Paracoccus\Paracoccus yeei\Paracoccus yeei RRLK05_01\  
  
genus, species, strain : Paracoccus yeei Isolat Platte 05 Probe 1  
MicrobeMS ID         : 2014_04_17_Maren Stämmeler_0015  
NCBI tax ID's        : 147645 -  
growth time          : 24h  
growth temperature   : 37°C  
growth conditions    : aerob  
growth medium        : Caso  
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)  
concentration        : ca. 2-3 Oesen in 25 muel  
extra info           : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:  
MS  
calibration standard : E.coli K12 (DSM 3871) linear kalibriert  
measurement method   : ToM_200ns_20130611.par  
customer             : RKI ZBS2/ZBS6  
measurement date/time : 2014-04-17T11:21:54.578+02:00  
path to MS file      : \Paracoccus\Paracoccus yeei\Paracoccus yeei RRLK05_01\  

```

Proteus

Proteus inconstans

```
genus, species, strain : Proteus inconstans ATCC 25827  
MicrobeMS ID         : 2008_04_11_Maren Stämmeler_0029  
NCBI tax ID's        : 588 -  
growth time          : 48h  
growth temperature   : 28 Gad Celsius  
growth conditions    : aerob  
growth medium        : Caso  
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration        : 3-5 Oesen in 100 muel  
extra info           : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method   : ToM_200ns.par  
customer             : RKI ZBS6  
measurement date/time : 2008-04-11T15:23:23.312+00:00  
path to MS file      : \Proteus\Proteus inconstans\Proteus inconstans ATCC 25827\  
  
genus, species, strain : Proteus inconstans ATCC 25827  
MicrobeMS ID         : 2008_21_04_Maren Stämmeler_0005  
NCBI tax ID's        : 588 -  
growth time          : 48h  
growth temperature   : 28 Gad Celsius  
growth conditions    : aerob  
growth medium        : Caso  
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ bei -20°C eingefrohren und 3 Tage später aufgetaut/ 1:1 HCCATA2 (A)  
concentration        : 3-5 Oesen in 100 muel  
extra info           : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS  
calibration standard : ProteinStandard 1 (Bruker)  
measurement method   : ToM_200ns.par  
customer             : RKI ZBS6  
measurement date/time : 2008-04-21T10:34:23.781+00:00  
path to MS file      : \Proteus\Proteus inconstans\Proteus inconstans ATCC 25827\  

```

Proteus mirabilis

```
genus, species, strain : Proteus mirabilis DSM 788  
MicrobeMS ID         : 2008_04_11_Maren Stämmeler_0027  
NCBI tax ID's        : 584 -  
growth time          : 48h  
growth temperature   : 28 Gad Celsius  
growth conditions    : aerob  
growth medium        : Caso  
sample treatment     : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)  
concentration        : 3-5 Oesen in 100 muel  

```

extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T15:12:04.406+00:00
path to MS file : \Proteus\Proteus mirabilis\Proteus mirabilis DSM 788\

genus, species, strain : Proteus mirabilis DSM 788
MicrobeMS ID : 2008_21_04_Maren Stämmeler_0003
NCBI tax ID's : 584 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren und 3 Tage später aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-21T10:23:44.265+00:00
path to MS file : \Proteus\Proteus mirabilis\Proteus mirabilis DSM 788\

genus, species, strain : Proteus mirabilis MN 12
MicrobeMS ID : 2008_09_05_Maren Stämmeler_0001
NCBI tax ID's : 584 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Enterobacteriaceae aus Wernigerode über Dr. Nattermann / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-09T11:43:45.937+00:00
path to MS file : \Proteus\Proteus mirabilis\Proteus mirabilis MN 12\

genus, species, strain : Proteus mirabilis MN 12
MicrobeMS ID : 2008_09_06_Maren Stämmeler_0001
NCBI tax ID's : 584 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren, nach 17 Tagen aufgetaut (Präp vom 23.05.) /1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 20µl davon 2µl plus 8µl TFA 100%, ges.: 10µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-06-09T10:50:49.921+00:00
path to MS file : \Proteus\Proteus mirabilis\Proteus mirabilis MN 12\

Proteus morganii

genus, species, strain : Proteus morganii DSM 30117
MicrobeMS ID : 2008_04_11_Maren Stämmeler_0028
NCBI tax ID's : 582 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T15:17:33.859+00:00
path to MS file : \Proteus\Proteus morganii\Proteus morganii DSM 30117\

genus, species, strain : Proteus morganii DSM 30117
MicrobeMS ID : 2008_21_04_Maren Stämmeler_0004
NCBI tax ID's : 582 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren und 3 Tage später aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-21T10:28:33.828+00:00
path to MS file : \Proteus\Proteus morganii\Proteus morganii DSM 30117\

genus, species, strain : Proteus morganii Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0009
NCBI tax ID's : 582 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µl
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T13:24:02.984+02:00
path to MS file : \Proteus\Proteus morganii\Proteus morganii Wasserprobe\

genus, species, strain : Proteus morganii Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0010
NCBI tax ID's : 582 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T13:26:54.093+02:00
path to MS file : \Proteus\Proteus morganii\Proteus morganii Wasserprobe\

genus, species, strain : Proteus morganii Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0011
NCBI tax ID's : 582 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T13:35:13.640+02:00
path to MS file : \Proteus\Proteus morganii\Proteus morganii Wasserprobe\

genus, species, strain : Proteus morganii Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0012
NCBI tax ID's : 582 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T13:39:05.859+02:00
path to MS file : \Proteus\Proteus morganii\Proteus morganii Wasserprobe\

genus, species, strain : Proteus morganii Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0009
NCBI tax ID's : 582 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T11:21:05.875+02:00
path to MS file : \Proteus\Proteus morganii\Proteus morganii Wasserprobe\

genus, species, strain : Proteus morganii Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0010
NCBI tax ID's : 582 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T11:23:22.140+02:00
path to MS file : \Proteus\Proteus morganii\Proteus morganii Wasserprobe\

genus, species, strain : Proteus morganii Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0011
NCBI tax ID's : 582 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T11:25:59.500+02:00
path to MS file : \Proteus\Proteus morganii\Proteus morganii Wasserprobe\

genus, species, strain : Proteus morganii Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0012
NCBI tax ID's : 582 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80s TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max

calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T11:28:23.062+02:00
path to MS file : \Proteus\Proteus morgani\Proteus morgani Wasserprobe\

genus, species, strain : Proteus morgani Wasserisolat
MicrobMS ID : 2014_09_19_Maren Stämmeler_0009
NCBI tax ID's : 582 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T12:09:47.281+02:00
path to MS file : \Proteus\Proteus morgani\Proteus morgani Wasserprobe\

genus, species, strain : Proteus morgani Wasserisolat
MicrobMS ID : 2014_09_19_Maren Stämmeler_0010
NCBI tax ID's : 582 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T12:12:37.687+02:00
path to MS file : \Proteus\Proteus morgani\Proteus morgani Wasserprobe\

genus, species, strain : Proteus morgani Wasserisolat
MicrobMS ID : 2014_09_19_Maren Stämmeler_0011
NCBI tax ID's : 582 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T12:15:47.968+02:00
path to MS file : \Proteus\Proteus morgani\Proteus morgani Wasserprobe\

genus, species, strain : Proteus morgani Wasserisolat
MicrobMS ID : 2014_09_19_Maren Stämmeler_0012
NCBI tax ID's : 582 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T12:18:47.250+02:00
path to MS file : \Proteus\Proteus morgani\Proteus morgani Wasserprobe\

genus, species, strain : Proteus morgani Wasserprobe
MicrobMS ID : 2014_09_12_Max Weydmann_0009
NCBI tax ID's : 582 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T11:48:43.437+02:00
path to MS file : \Proteus\Proteus morgani\Proteus morgani Wasserprobe\

genus, species, strain : Proteus morgani Wasserprobe
MicrobMS ID : 2014_09_12_Max Weydmann_0010
NCBI tax ID's : 582 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T11:51:52.296+02:00
path to MS file : \Proteus\Proteus morgani\Proteus morgani Wasserprobe\

genus, species, strain : Proteus morgani Wasserprobe
MicrobMS ID : 2014_09_12_Max Weydmann_0011
NCBI tax ID's : 582 -
growth time : 22h

growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µl
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T11:55:14.937+02:00
path to MS file : \Proteus\Proteus morganii\Proteus morganii Wasserprobe\

genus, species, strain : Proteus morganii Wasserprobe
MicrobeMS ID : 2014_09_12_Max Weydman_0012
NCBI tax ID's : 582 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µl
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T11:58:32.109+02:00
path to MS file : \Proteus\Proteus morganii\Proteus morganii Wasserprobe\

Proteus vulgaris

genus, species, strain : Proteus vulgaris 718/91
MicrobeMS ID : 2008_09_05_Maren Stämmeler_0002
NCBI tax ID's : 585 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Enterobacteriaceae aus Wernigerode über Dr. Nattermann / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-09T11:46:33.078+00:00
path to MS file : \Proteus\Proteus vulgaris\Proteus vulgaris 718 91\

genus, species, strain : Proteus vulgaris 718/91
MicrobeMS ID : 2008_09_06_Maren Stämmeler_0002
NCBI tax ID's : 585 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefroren, nach 17 Tagen aufgetaut (Präp vom 23.05.) /1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 20µl davon 2µl plus 8µl TFA 100%, ges.: 10µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-06-09T10:53:43.812+00:00
path to MS file : \Proteus\Proteus vulgaris\Proteus vulgaris 718 91\

genus, species, strain : Proteus vulgaris ATCC 33420
MicrobeMS ID : 2008_04_11_Maren Stämmeler_0030
NCBI tax ID's : 585 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T15:26:42.468+00:00
path to MS file : \Proteus\Proteus vulgaris\Proteus vulgaris ATCC 33420\

genus, species, strain : Proteus vulgaris ATCC 33420
MicrobeMS ID : 2008_21_04_Maren Stämmeler_0006
NCBI tax ID's : 585 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefroren und 3 Tage später aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-21T10:38:50.250+00:00
path to MS file : \Proteus\Proteus vulgaris\Proteus vulgaris ATCC 33420\

Pseudomonas

Pseudomonas aeruginosa

genus, species, strain : Pseudomonas aeruginosa Ringvers. A-269_02 B
MicrobeMS ID : 2012_04_02_Maren Stämmeler_0004
NCBI tax ID's : 287 -

growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-02T13:54:05.890+02:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa A-269_02 B\

genus, species, strain : Pseudomonas aeruginosa Ringvers. A-269_02 B
MicrobeMS ID : 2012_04_04_Maren Stämmeler_0004
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T13:46:19.031+01:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa A-269_02 B\

genus, species, strain : Pseudomonas aeruginosa ATCC 27853
MicrobeMS ID : 2008_20_02_Maren Stämmeler_0004
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-20T13:44:13.187+00:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa ATCC 27853\

genus, species, strain : Pseudomonas aeruginosa ATCC 27853
MicrobeMS ID : 2008_02_04_Maren Stämmeler_0004
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-02T13:15:37.515+00:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa ATCC 27853\

genus, species, strain : Pseudomonas aeruginosa ATCC 27853
MicrobeMS ID : 2008_04_04_Maren Stämmeler_0004
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-04T10:56:13.609+00:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa ATCC 27853\

genus, species, strain : Pseudomonas aeruginosa ATCC 27853
MicrobeMS ID : 2008_04_09_Maren Stämmeler_0004
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-09T11:35:26.265+00:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa ATCC 27853\

genus, species, strain : Pseudomonas aeruginosa ATCC 27853
MicrobeMS ID : 2008_25_04_Maren Stämmeler_0004
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6

measurement date/time : 2008-04-25T09:50:47.562+00:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa ATCC 27853\

genus, species, strain : Pseudomonas aeruginosa ATCC 27853
MicrobeMS ID : 2008_16_05_Maren Stämmeler_0004
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C über Nacht eingefrohren; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-16T09:51:01.859+00:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa ATCC 27853\

genus, species, strain : Pseudomonas aeruginosa ATCC 27853
MicrobeMS ID : 2008_16_05_Maren Stämmeler_0017
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C über Nacht eingefrohren; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3* Überführen von Bakterienmateriel an einer 20µl Pipettenspitze in 2µl H2O; Zugabe von 8µl TFA 100\$
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-16T10:59:26.375+00:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa ATCC 27853\

genus, species, strain : Pseudomonas aeruginosa ATCC 27853
MicrobeMS ID : 2008_12_06_Maren Stämmeler_0004
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 20µl davon 2µl plus 8µl TFA 100\$, ges.: 10µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-06-12T09:29:58.546+00:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa ATCC 27853\

genus, species, strain : Pseudomonas aeruginosa HST 50426
MicrobeMS ID : 2007_22_01_Alejandro Minan_0019
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22 19:54:48
path to MS file : \Pseudomonas\Pseudomonas aeruginosa HST 50426\

genus, species, strain : Pseudomonas aeruginosa HST 50426
MicrobeMS ID : 2007_22_01_Alejandro Minan_0020
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22 19:58:07
path to MS file : \Pseudomonas\Pseudomonas aeruginosa HST 50426\

genus, species, strain : Pseudomonas aeruginosa PAFL1
MicrobeMS ID : 2011_09_29_HerfortStefanie_0015
NCBI tax ID's : 287 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-09-29T13:08:43.640+02:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa PAFL1\

genus, species, strain : Pseudomonas aeruginosa PAFL1
MicrobeMS ID : 2011_09_29_HerfortStefanie_0015.2
NCBI tax ID's : 287 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar

```
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-09-29T13:15:05.484+02:00
path to MS file      : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa PAFL1\

genus, species, strain : Pseudomonas aeruginosa PAFL1
MicrobeMS ID          : 2011_09_16_EhrmannAnja_0015
NCBI tax ID's         : 287 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-09-16T11:24:00.812+02:00
path to MS file      : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa PAFL1\

genus, species, strain : Pseudomonas aeruginosa PAFL1
MicrobeMS ID          : 2011_09_23_EhrmannAnja_0015
NCBI tax ID's         : 287 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-09-23T10:59:22.187+02:00
path to MS file      : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa PAFL1\

genus, species, strain : Pseudomonas aeruginosa PAFL2
MicrobeMS ID          : 2011_11_10_HerfortStefanie_0001
NCBI tax ID's         : 287 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2011-11-10T10:28:32.671+01:00
path to MS file      : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa PAFL2\

genus, species, strain : Pseudomonas aeruginosa PAFL2
MicrobeMS ID          : 2012_01_09_HerfortStefanie_0001
NCBI tax ID's         : 287 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2012-01-09T13:05:12.546+01:00
path to MS file      : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa PAFL2\

genus, species, strain : Pseudomonas aeruginosa PAFL2
MicrobeMS ID          : 2011_11_17_HerfortStefanie_0001
NCBI tax ID's         : 287 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2011-11-17T11:04:35.703+01:00
path to MS file      : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa PAFL2\

genus, species, strain : Pseudomonas aeruginosa PAFL3
MicrobeMS ID          : 2011_11_10_HerfortStefanie_0002
NCBI tax ID's         : 287 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2011-11-10T10:34:45.109+01:00
path to MS file      : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa PAFL3\

genus, species, strain : Pseudomonas aeruginosa PAFL3
```


MicrobeMS ID : 2012_01_09_HerfortStefanie_0002
NCBI tax ID's : 287 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-09T13:09:34.234+01:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa PAFL3\

genus, species, strain : Pseudomonas aeruginosa PAFL3
MicrobeMS ID : 2011_11_17_HerfortStefanie_0002
NCBI tax ID's : 287 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-17T11:09:10.718+01:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa PAFL3\

genus, species, strain : Pseudomonas aeruginosa PAFL4
MicrobeMS ID : 2011_11_10_HerfortStefanie_0003
NCBI tax ID's : 287 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-10T10:43:55.203+01:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa PAFL4\

genus, species, strain : Pseudomonas aeruginosa PAFL4
MicrobeMS ID : 2012_01_09_HerfortStefanie_0003
NCBI tax ID's : 287 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-01-09T13:16:05.093+01:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa PAFL4\

genus, species, strain : Pseudomonas aeruginosa PAFL4
MicrobeMS ID : 2011_11_17_HerfortStefanie_0003
NCBI tax ID's : 287 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2011-11-17T11:16:41.171+01:00
path to MS file : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa PAFL4\

genus, species, strain : Pseudomonas aeruginosa Y 8169
MicrobeMS ID : 2006_21_11_Alejandro Minan_0008
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-21 14:28:33
path to MS file : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa Y 8169\

genus, species, strain : Pseudomonas aeruginosa Y 8169
MicrobeMS ID : 2009_10_07_Maren Stämmli_0010
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Ösen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-10T11:02:56.562+00:00
path to MS file : \\Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa Y 8169\

genus, species, strain : Pseudomonas aeruginosa Y 8169
MicrobeMS ID : 2009_06_08_Maren Stämmeler_0010
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-08-06T08:49:23.109+00:00
path to MS file : \\Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa Y 8169\

genus, species, strain : Pseudomonas aeruginosa Y 8249
MicrobeMS ID : 2006_22_11_Alejandro Minan_0005
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-22 16:02:36
path to MS file : \\Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa Y 8249\

genus, species, strain : Pseudomonas aeruginosa Y 8249
MicrobeMS ID : 2009_14_05_Maren Stämmeler_0001
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-05-14T20:12:39.953+00:00
path to MS file : \\Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa Y 8249\

genus, species, strain : Pseudomonas aeruginosa Y 8264
MicrobeMS ID : 2006_29_11_Alejandro Minan_0007
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-29 18:29:44
path to MS file : \\Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa Y 8264\

genus, species, strain : Pseudomonas aeruginosa Y 8264
MicrobeMS ID : 2007_10_01_Alejandro Minan_0007
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-10 14:11:40
path to MS file : \\Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa Y 8264\

genus, species, strain : Pseudomonas aeruginosa Y 8264
MicrobeMS ID : 2007_10_01_Alejandro Minan_0008
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-10 14:31:57
path to MS file : \\Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa Y 8264\

genus, species, strain : Pseudomonas aeruginosa Y 8296
MicrobeMS ID : 2006_22_11_Alejandro Minan_0014
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 37°C

growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-22 17:59:44
path to MS file : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa Y 8296\

genus, species, strain : Pseudomonas aeruginosa Y 8296
MicrobeMS ID : 2007_10_01_Alejandro Minan_0011
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-10 14:39:59
path to MS file : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa Y 8296\

genus, species, strain : Pseudomonas aeruginosa Y 8296
MicrobeMS ID : 2007_10_01_Alejandro Minan_0012
NCBI tax ID's : 287 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-10 14:43:02
path to MS file : \Pseudomonas\Pseudomonas aeruginosa\Pseudomonas aeruginosa Y 8296\

Pseudomonas chlororaphis

genus, species, strain : Pseudomonas chlororaphis ATCC 17809
MicrobeMS ID : 2008_20_02_Maren Stämmeler_0005
NCBI tax ID's : 587753 -
growth time : 24h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-20T13:52:18.843+00:00
path to MS file : \Pseudomonas\Pseudomonas chlororaphis\Pseudomonas chlororaphis ATCC 17809\

genus, species, strain : Pseudomonas chlororaphis ATCC 17809
MicrobeMS ID : 2008_02_04_Maren Stämmeler_0005
NCBI tax ID's : 587753 -
growth time : 24h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-02T13:20:02.078+00:00
path to MS file : \Pseudomonas\Pseudomonas chlororaphis\Pseudomonas chlororaphis ATCC 17809\

genus, species, strain : Pseudomonas chlororaphis ATCC 17809
MicrobeMS ID : 2008_04_04_Maren Stämmeler_0005
NCBI tax ID's : 587753 -
growth time : 24h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-04T11:00:30.687+00:00
path to MS file : \Pseudomonas\Pseudomonas chlororaphis\Pseudomonas chlororaphis ATCC 17809\

genus, species, strain : Pseudomonas chlororaphis ATCC 17809
MicrobeMS ID : 2008_04_09_Maren Stämmeler_0005
NCBI tax ID's : 587753 -
growth time : 24h
growth temperature : 30 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T14:16:16.937+02:00
path to MS file : \Pseudomonas\Pseudomonas putida\Pseudomonas putida Wasserprobe\

genus, species, strain : Pseudomonas putida Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0022
NCBI tax ID's : 303 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T14:20:06.375+02:00
path to MS file : \Pseudomonas\Pseudomonas putida\Pseudomonas putida Wasserprobe\

genus, species, strain : Pseudomonas putida Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0023
NCBI tax ID's : 303 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T14:25:34.062+02:00
path to MS file : \Pseudomonas\Pseudomonas putida\Pseudomonas putida Wasserprobe\

genus, species, strain : Pseudomonas putida Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0024
NCBI tax ID's : 303 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T14:27:58.359+02:00
path to MS file : \Pseudomonas\Pseudomonas putida\Pseudomonas putida Wasserprobe\

genus, species, strain : Pseudomonas putida Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0021
NCBI tax ID's : 303 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T12:06:02.656+02:00
path to MS file : \Pseudomonas\Pseudomonas putida\Pseudomonas putida Wasserprobe\

genus, species, strain : Pseudomonas putida Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0022
NCBI tax ID's : 303 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T12:08:14.875+02:00
path to MS file : \Pseudomonas\Pseudomonas putida\Pseudomonas putida Wasserprobe\

genus, species, strain : Pseudomonas putida Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0023
NCBI tax ID's : 303 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6

measurement date/time : 2014-09-18T12:11:42.812+02:00
path to MS file : \Pseudomonas\Pseudomonas putida\Wasserprobe\

genus, species, strain : Pseudomonas putida Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0024
NCBI tax ID's : 303 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T12:13:54.421+02:00
path to MS file : \Pseudomonas\Pseudomonas putida\Wasserprobe\

genus, species, strain : Pseudomonas putida Wasserisolat
MicrobeMS ID : 2014_09_19_Maren Stämmeler_0021
NCBI tax ID's : 303 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T14:54:53.953+02:00
path to MS file : \Pseudomonas\Pseudomonas putida\Wasserprobe\

genus, species, strain : Pseudomonas putida Wasserisolat
MicrobeMS ID : 2014_09_19_Maren Stämmeler_0022
NCBI tax ID's : 303 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T14:57:34.375+02:00
path to MS file : \Pseudomonas\Pseudomonas putida\Wasserprobe\

genus, species, strain : Pseudomonas putida Wasserisolat
MicrobeMS ID : 2014_09_19_Maren Stämmeler_0023
NCBI tax ID's : 303 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T15:07:18.187+02:00
path to MS file : \Pseudomonas\Pseudomonas putida\Wasserprobe\

genus, species, strain : Pseudomonas putida Wasserisolat
MicrobeMS ID : 2014_09_19_Maren Stämmeler_0024
NCBI tax ID's : 303 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T15:11:59.625+02:00
path to MS file : \Pseudomonas\Pseudomonas putida\Wasserprobe\

genus, species, strain : Pseudomonas putida Wasserprobe
MicrobeMS ID : 2014_09_12_Max Weydmann_0021
NCBI tax ID's : 303 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T12:53:11.984+02:00
path to MS file : \Pseudomonas\Pseudomonas putida\Wasserprobe\

genus, species, strain : Pseudomonas putida Wasserprobe
MicrobeMS ID : 2014_09_12_Max Weydmann_0022
NCBI tax ID's : 303 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso

```
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2-3 Oesen in 25 µl
extra info           : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T12:55:37.296+02:00
path to MS file      : \Pseudomonas\Pseudomonas putida\Pseudomonas putida Wasserprobe\

genus, species, strain : Pseudomonas putida Wasserprobe
MicrobeMS ID          : 2014_09_12_Max Weydmann_0023
NCBI tax ID's        : 303 -
growth time           : 22h
growth temperature    : 30
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2-3 Oesen in 25 µl
extra info           : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T12:58:11.531+02:00
path to MS file      : \Pseudomonas\Pseudomonas putida\Pseudomonas putida Wasserprobe\

genus, species, strain : Pseudomonas putida Wasserprobe
MicrobeMS ID          : 2014_09_12_Max Weydmann_0024
NCBI tax ID's        : 303 -
growth time           : 22h
growth temperature    : 30
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2-3 Oesen in 25 µl
extra info           : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T13:01:01.578+02:00
path to MS file      : \Pseudomonas\Pseudomonas putida\Pseudomonas putida Wasserprobe\
```

Ralstonia

Ralstonia insidiosa

```
genus, species, strain : Ralstonia insidiosa DSM 17714
MicrobeMS ID          : 20_05_2016_Julia Mitschke_0009
NCBI tax ID's        : 190721 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-20T12:36:40.718+02:00
path to MS file      : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\

genus, species, strain : Ralstonia insidiosa DSM 17714
MicrobeMS ID          : 20_05_2016_Julia Mitschke_0010
NCBI tax ID's        : 190721 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-20T12:40:48.062+02:00
path to MS file      : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\

genus, species, strain : Ralstonia insidiosa DSM 17714
MicrobeMS ID          : 20_05_2016_Julia Mitschke_0011
NCBI tax ID's        : 190721 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-20T12:46:04.828+02:00
path to MS file      : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\

genus, species, strain : Ralstonia insidiosa DSM 17714
MicrobeMS ID          : 20_05_2016_Julia Mitschke_0012
NCBI tax ID's        : 190721 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
```

```
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-20T12:48:22.171+02:00
path to MS file : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\

genus, species, strain : Ralstonia insidiosa DSM17714
MicrobeMS ID : 2016_05_24_Schneider_Andy_0005
NCBI tax ID's : 190721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-24T13:32:32.296+02:00
path to MS file : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\

genus, species, strain : Ralstonia insidiosa DSM17714
MicrobeMS ID : 2016_05_24_Schneider_Andy_0006
NCBI tax ID's : 190721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-24T13:36:08.093+02:00
path to MS file : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\

genus, species, strain : Ralstonia insidiosa DSM17714
MicrobeMS ID : 2016_05_24_Schneider_Andy_0007
NCBI tax ID's : 190721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-24T13:39:46.218+02:00
path to MS file : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\

genus, species, strain : Ralstonia insidiosa DSM17714
MicrobeMS ID : 2016_05_24_Schneider_Andy_0008
NCBI tax ID's : 190721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-24T13:41:16.968+02:00
path to MS file : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\

genus, species, strain : Ralstonia insidiosa DSM 17714
MicrobeMS ID : 31_05_2016_Julia Mitschke_0009
NCBI tax ID's : 190721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T14:27:24.937+02:00
path to MS file : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\

genus, species, strain : Ralstonia insidiosa DSM 17714
MicrobeMS ID : 31_05_2016_Julia Mitschke_0010
NCBI tax ID's : 190721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T14:29:36.968+02:00
path to MS file : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\

genus, species, strain : Ralstonia insidiosa DSM 17714
MicrobeMS ID : 31_05_2016_Julia Mitschke_0011
NCBI tax ID's : 190721 -
```



```
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T14:31:51.703+02:00
path to MS file : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\

genus, species, strain : Ralstonia insidiosa DSM 17714
MicrobeMS ID : 31_05_2016_Julia Mitschke_0012
NCBI tax ID's : 190721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T14:34:04.671+02:00
path to MS file : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\

genus, species, strain : Ralstonia insidiosa DSM17714
MicrobeMS ID : 2016_05_13_Schneider_Andy_0001
NCBI tax ID's : 190721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO/TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-13T09:06:39.343+02:00
path to MS file : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\

genus, species, strain : Ralstonia insidiosa DSM17714
MicrobeMS ID : 2016_05_13_Schneider_Andy_0002
NCBI tax ID's : 190721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO/TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-13T09:09:05.625+02:00
path to MS file : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\

genus, species, strain : Ralstonia insidiosa DSM17714
MicrobeMS ID : 2016_05_13_Schneider_Andy_0003
NCBI tax ID's : 190721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO/TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-13T09:15:30.359+02:00
path to MS file : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\

genus, species, strain : Ralstonia insidiosa DSM17714
MicrobeMS ID : 2016_05_13_Schneider_Andy_0004
NCBI tax ID's : 190721 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO/TSA
sample treatment : in 80§ TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-13T09:17:59.171+02:00
path to MS file : \Ralstonia\Ralstonia insidiosa\Ralstonia insidiosa DSM 17714\
```

Ralstonia mannitolilytica

```
genus, species, strain : Ralstonia mannitolilytica DSM 17512
MicrobeMS ID : 20_05_2016_Julia Mitschke_0005
NCBI tax ID's : 105219 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
```

```
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-20T11:02:41.250+02:00
path to MS file      : \Ralstonia\Ralstonia mannitolilytica\Ralstonia mannitolilytica DSM 17512\

genus, species, strain : Ralstonia mannitolilytica DSM 17512
MicrobeMS ID          : 20_05_2016_Julia Mitschke_0006
NCBI tax ID's         : 105219 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-20T11:06:23.453+02:00
path to MS file      : \Ralstonia\Ralstonia mannitolilytica\Ralstonia mannitolilytica DSM 17512\

genus, species, strain : Ralstonia mannitolilytica DSM 17512
MicrobeMS ID          : 20_05_2016_Julia Mitschke_0007
NCBI tax ID's         : 105219 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-20T11:10:06.703+02:00
path to MS file      : \Ralstonia\Ralstonia mannitolilytica\Ralstonia mannitolilytica DSM 17512\

genus, species, strain : Ralstonia mannitolilytica DSM 17512
MicrobeMS ID          : 20_05_2016_Julia Mitschke_0008
NCBI tax ID's         : 105219 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-20T11:13:17.015+02:00
path to MS file      : \Ralstonia\Ralstonia mannitolilytica\Ralstonia mannitolilytica DSM 17512\

genus, species, strain : Ralstonia mannitolilytica DSM17512
MicrobeMS ID          : 2016_05_24_Schneider_Andy_0001
NCBI tax ID's         : 105219 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-24T13:23:21.062+02:00
path to MS file      : \Ralstonia\Ralstonia mannitolilytica\Ralstonia mannitolilytica DSM 17512\

genus, species, strain : Ralstonia mannitolilytica DSM17512
MicrobeMS ID          : 2016_05_24_Schneider_Andy_0002
NCBI tax ID's         : 105219 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-24T13:25:00.250+02:00
path to MS file      : \Ralstonia\Ralstonia mannitolilytica\Ralstonia mannitolilytica DSM 17512\

genus, species, strain : Ralstonia mannitolilytica DSM17512
MicrobeMS ID          : 2016_05_24_Schneider_Andy_0003
NCBI tax ID's         : 105219 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : TSA
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2016-05-24T13:27:35.609+02:00
path to MS file      : \Ralstonia\Ralstonia mannitolilytica\Ralstonia mannitolilytica DSM 17512\

genus, species, strain : Ralstonia mannitolilytica DSM17512
MicrobeMS ID          : 2016_05_24_Schneider_Andy_0004
NCBI tax ID's         : 105219 -
growth time           : 24h
```

growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
 concentration : 3 Oesen in 100 µl
 extra info : cells from solid cultures
 calibration standard : E. coli Standard K12 (DSM 3871)
 measurement method : ToM_200ns_20130611.par
 customer : RKI ZBS6
 measurement date/time : 2016-05-24T13:29:02.281+02:00
 path to MS file : \Ralstonia\Ralstonia mannitolilytica\Ralstonia mannitolilytica DSM 17512\

genus, species, strain : Ralstonia mannitolilytica DSM 17512
 MicrobeMS ID : 31_05_2016_Julia Mitschke_0005
 NCBI tax ID's : 105219 -
 growth time : 24h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
 concentration : 3 Oesen in 100 µl
 extra info :
 calibration standard : E. coli Standard K12 (DSM 3871)
 measurement method : ToM_200ns_20130611.par
 customer : RKI ZBS6
 measurement date/time : 2016-05-31T14:15:22.453+02:00
 path to MS file : \Ralstonia\Ralstonia mannitolilytica\Ralstonia mannitolilytica DSM 17512\

genus, species, strain : Ralstonia mannitolilytica DSM 17512
 MicrobeMS ID : 31_05_2016_Julia Mitschke_0006
 NCBI tax ID's : 105219 -
 growth time : 24h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
 concentration : 3 Oesen in 100 µl
 extra info :
 calibration standard : E. coli Standard K12 (DSM 3871)
 measurement method : ToM_200ns_20130611.par
 customer : RKI ZBS6
 measurement date/time : 2016-05-31T14:17:39.578+02:00
 path to MS file : \Ralstonia\Ralstonia mannitolilytica\Ralstonia mannitolilytica DSM 17512\

genus, species, strain : Ralstonia mannitolilytica DSM 17512
 MicrobeMS ID : 31_05_2016_Julia Mitschke_0007
 NCBI tax ID's : 105219 -
 growth time : 24h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
 concentration : 3 Oesen in 100 µl
 extra info :
 calibration standard : E. coli Standard K12 (DSM 3871)
 measurement method : ToM_200ns_20130611.par
 customer : RKI ZBS6
 measurement date/time : 2016-05-31T14:19:44.218+02:00
 path to MS file : \Ralstonia\Ralstonia mannitolilytica\Ralstonia mannitolilytica DSM 17512\

genus, species, strain : Ralstonia mannitolilytica DSM 17512
 MicrobeMS ID : 31_05_2016_Julia Mitschke_0008
 NCBI tax ID's : 105219 -
 growth time : 24h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
 concentration : 3 Oesen in 100 µl
 extra info :
 calibration standard : E. coli Standard K12 (DSM 3871)
 measurement method : ToM_200ns_20130611.par
 customer : RKI ZBS6
 measurement date/time : 2016-05-31T14:21:52.296+02:00
 path to MS file : \Ralstonia\Ralstonia mannitolilytica\Ralstonia mannitolilytica DSM 17512\

Ralstonia pickettii

genus, species, strain : Ralstonia pickettii ATCC 27511/ DSM 6297
 MicrobeMS ID : 2007_03_01_Alejandro Minan_0003
 NCBI tax ID's : 329 -
 growth time : 24h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
 concentration : 3 Loops in 100 µl
 extra info : Growing and Preparation A. MinanStrains from CINDEFI
 calibration standard : ProteinStandard 1 (Bruker)
 measurement method : ToM_200ns.par
 customer : RKI ZBS6
 measurement date/time : 2007-01-03 18:47:43
 path to MS file : \Ralstonia\Ralstonia pickettii\Ralstonia pickettii ATCC 27511 DSM 6297\

genus, species, strain : Ralstonia pickettii ATCC 27511/ DSM 6297
 MicrobeMS ID : 2007_03_01_Alejandro Minan_0004
 NCBI tax ID's : 329 -
 growth time : 24h
 growth temperature : 37°C
 growth conditions : aerob
 growth medium : TSA
 sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
 concentration : 3 Loops in 100 µl
 extra info : Growing and Preparation A. MinanStrains from CINDEFI
 calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-03 18:52:26
path to MS file : \\Ralstonia\\Ralstonia pickettii\\Ralstonia pickettii ATCC 27511 DSM 6297\

genus, species, strain : Ralstonia pickettii DSM 6297
MicrobeMS ID : 2007_22_01_Maren Stämmeler_0001
NCBI tax ID's : 329 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22 10:20:46
path to MS file : \\Ralstonia\\Ralstonia pickettii\\Ralstonia pickettii ATCC 27511 DSM 6297\

genus, species, strain : Ralstonia pickettii ATCC 27511/ DSM 6297
MicrobeMS ID : 2007_24_01_Alejandro Minan_0004
NCBI tax ID's : 329 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 11:17:37
path to MS file : \\Ralstonia\\Ralstonia pickettii\\Ralstonia pickettii ATCC 27511 DSM 6297\

genus, species, strain : Ralstonia pickettii ATCC 27511/ DSM 6297
MicrobeMS ID : 2007_24_01_Alejandro Minan_0005
NCBI tax ID's : 329 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 11:22:45
path to MS file : \\Ralstonia\\Ralstonia pickettii\\Ralstonia pickettii ATCC 27511 DSM 6297\

genus, species, strain : Ralstonia pickettii ATCC 27511/ DSM 6297
MicrobeMS ID : 2007_24_01_Alejandro Minan_0006
NCBI tax ID's : 329 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-24 11:25:58
path to MS file : \\Ralstonia\\Ralstonia pickettii\\Ralstonia pickettii ATCC 27511 DSM 6297\

genus, species, strain : Ralstonia pickettii ATCC 49129
MicrobeMS ID : 2007_04_05_Maren Stämmeler_0006
NCBI tax ID's : 329 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-04 13:39:20
path to MS file : \\Ralstonia\\Ralstonia pickettii\\Ralstonia pickettii ATCC 49129\

genus, species, strain : Ralstonia pickettii ATCC 49129
MicrobeMS ID : 2007_09_05_Maren Stämmeler_0006
NCBI tax ID's : 329 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Maldi: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-09 13:59:44
path to MS file : \\Ralstonia\\Ralstonia pickettii\\Ralstonia pickettii ATCC 49129\

genus, species, strain : Ralstonia pickettii ATCC 49129
MicrobeMS ID : 2007_16_05_Maren Stämmeler_0006
NCBI tax ID's : 329 -
growth time : 24h
growth temperature : 37 Grad Celsius

```
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3-4 Oesen in 100 muel
extra info : Anzucht und Praeparation und Praeparation für Mald: MS/ Stämme von Dr. Daniela Jacob Übergabe: 24.04.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-05-16 09:59:47
path to MS file : \Ralstonia\Ralstonia pickettii\Ralstonia pickettii ATCC 49129\

genus, species, strain : Ralstonia pickettii HST 2644
MicrobeMS ID : 2007_22_01_Alejandro Minan_0015
NCBI tax ID's : 329 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Praeparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22 19:01:03
path to MS file : \Ralstonia\Ralstonia pickettii\Ralstonia pickettii HST 2644\

genus, species, strain : Ralstonia pickettii HST 2644
MicrobeMS ID : 2007_22_01_Alejandro Minan_0016
NCBI tax ID's : 329 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Praeparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22 19:04:24
path to MS file : \Ralstonia\Ralstonia pickettii\Ralstonia pickettii HST 2644\

genus, species, strain : Ralstonia pickettii Rp 127
MicrobeMS ID : 2006_16_11_Alejandro Minan_0011
NCBI tax ID's : 329 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Praeparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-16 15:03:23
path to MS file : \Ralstonia\Ralstonia pickettii\Ralstonia pickettii Rp 127\

genus, species, strain : Ralstonia pickettii Rp 127
MicrobeMS ID : 2007_05_01_Alejandro Minan_0013
NCBI tax ID's : 329 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Praeparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-05 18:18:18
path to MS file : \Ralstonia\Ralstonia pickettii\Ralstonia pickettii Rp 127\
```

Salmonella

Salmonella enterica

```
genus, species, strain : Salmonella enterica serovar minnesota SF 1111
MicrobeMS ID : 2008_04_11_Maren Stämmli_0031
NCBI tax ID's : 28901 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T15:31:08.453+00:00
path to MS file : \Salmonella\Salmonella enterica\Salmonella enterica serovar minnesota SF 1111\

genus, species, strain : Salmonella enterica serovar minnesota SF 1111
MicrobeMS ID : 2008_21_04_Maren Stämmli_0007
NCBI tax ID's : 28901 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
```

sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren und 3 Tage später aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-21T10:45:39.453+00:00
path to MS file : \Salmonella\Salmonella enterica\Salmonella enterica serovar minnesota SF 1111\

Salmonella enteritidis

genus, species, strain : Salmonella enteritidis LT21/Ib 08/01796
MicrobeMS ID : 2008_09_05_Maren Stämmeler_0014
NCBI tax ID's : 28901 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Enterobacteriaceae aus Wernigerode über Dr. Nattermann / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-09T11:33:23.250+00:00
path to MS file : \Salmonella\Salmonella enteritidis\Salmonella enteritidis LT21 Ib 08 01796\

genus, species, strain : Salmonella enteritidis LT21/Ib 08/01796
MicrobeMS ID : 2008_09_06_Maren Stämmeler_0014
NCBI tax ID's : 28901 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren, nach 17 Tagen aufgetaut (Präp vom 23.05.) /1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 20µl davon 2µl plus 8µl TFA 100§, ges.: 10µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-06-09T12:04:10.921+00:00
path to MS file : \Salmonella\Salmonella enteritidis\Salmonella enteritidis LT21 Ib 08 01796\

Salmonella hadar

genus, species, strain : Salmonella hadar 08/01744
MicrobeMS ID : 2008_09_05_Maren Stämmeler_0013
NCBI tax ID's : 28901 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Enterobacteriaceae aus Wernigerode über Dr. Nattermann / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-09T11:30:43.312+00:00
path to MS file : \Salmonella\Salmonella hadar\Salmonella hadar 08 01744\

genus, species, strain : Salmonella hadar 08/01744
MicrobeMS ID : 2008_09_06_Maren Stämmeler_0013
NCBI tax ID's : 28901 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren, nach 17 Tagen aufgetaut (Präp vom 23.05.) /1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 20µl davon 2µl plus 8µl TFA 100§, ges.: 10µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-06-09T12:00:27.656+00:00
path to MS file : \Salmonella\Salmonella hadar\Salmonella hadar 08 01744\

Salmonella typhimurium

genus, species, strain : Salmonella typhimurium SH 9178
MicrobeMS ID : 2008_04_11_Maren Stämmeler_0032
NCBI tax ID's : 28901 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-11T15:35:33.093+00:00
path to MS file : \Salmonella\Salmonella typhimurium\Salmonella typhimurium SH 9178\

genus, species, strain : Salmonella typhimurium SH 9178
MicrobeMS ID : 2008_21_04_Maren Stämmeler_0008
NCBI tax ID's : 28901 -
growth time : 48h
growth temperature : 28 Gad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren und 3 Tage später aufgetaut/ 1:1 HCCATA2 (A)

```
concentration      : 3-5 Oesen in 100 muel
extra info        : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer          : RKI ZBS6
measurement date/time : 2008-04-21T10:50:03.500+00:00
path to MS file    : \Salmonella\Salmonella typhimurium\Salmonella typhimurium SH 9178\

genus, species, strain : Salmonella typhimurium DT 104 08/01627
MicrobeMS ID         : 2008_09_05_Maren Stämmmler_0015
NCBI tax ID's        : 28901 -
growth time          : 48h
growth temperature   : 28 Gad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration        : 3-5 Oesen in 100 muel
extra info          : Stämme von Enterobacteriaceae aus Wernigerode über Dr. Nattermann / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2008-05-09T11:37:38.000+00:00
path to MS file      : \Salmonella\Salmonella typhimurium\Salmonella typhimurium T104 08 01627\

genus, species, strain : Salmonella typhimurium DT 104 08/01627
MicrobeMS ID         : 2008_09_06_Maren Stämmmler_0015
NCBI tax ID's        : 28901 -
growth time          : 48h
growth temperature   : 28 Gad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren, nach 17 Tagen aufgetaut (Präp vom 23.05.) /1:1 HCCATA2 (A)
concentration        : 3-5 Oesen in 20µl davon 2µl plus 8µl TFA 100$, ges.: 10µl
extra info          : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2008-06-09T12:06:42.312+00:00
path to MS file      : \Salmonella\Salmonella typhimurium\Salmonella typhimurium T104 08 01627\
```

Serratia

Serratia grimesii

```
genus, species, strain : Serratia grimesii (alt: liquefaciens) DSM 30063
MicrobeMS ID         : 2008_04_11_Maren Stämmmler_0033
NCBI tax ID's        : 82995 -
growth time          : 48h
growth temperature   : 28 Gad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration        : 3-5 Oesen in 100 muel
extra info          : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2008-04-11T15:41:56.953+00:00
path to MS file      : \Serratia\Serratia grimesii\Serratia grimesii DSM 30063\

genus, species, strain : Serratia grimesii (alt: liquefaciens) DSM 30063
MicrobeMS ID         : 2008_21_04_Maren Stämmmler_0009
NCBI tax ID's        : 82995 -
growth time          : 48h
growth temperature   : 28 Gad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren und 3 Tage später aufgetaut/ 1:1 HCCATA2 (A)
concentration        : 3-5 Oesen in 100 muel
extra info          : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2008-04-21T10:57:36.171+00:00
path to MS file      : \Serratia\Serratia grimesii\Serratia grimesii DSM 30063\
```

Serratia marcescens

```
genus, species, strain : Serratia marcescens DSM 30121
MicrobeMS ID         : 2008_04_11_Maren Stämmmler_0034
NCBI tax ID's        : 615 -
growth time          : 48h
growth temperature   : 28 Gad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration        : 3-5 Oesen in 100 muel
extra info          : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2008-04-11T15:44:45.000
path to MS file      : \Serratia\Serratia marcescens\Serratia marcescens DSM 30121\

genus, species, strain : Serratia marcescens DSM 30121
MicrobeMS ID         : 2008_21_04_Maren Stämmmler_0010
NCBI tax ID's        : 615 -
growth time          : 48h
growth temperature   : 28 Gad Celsius
growth conditions    : aerob
growth medium        : Caso
```

sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefroren und 3 Tage später aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus unserer Stammsammlung für Enterobacteriaceae / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-21T11:03:01.000
path to MS file : \Serratia\Serratia marcescens\Serratia marcescens DSM 30121\

genus, species, strain : Serratia marcescens Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0013
NCBI tax ID's : 615 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µl
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T13:42:10.750+02:00
path to MS file : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\

genus, species, strain : Serratia marcescens Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0014
NCBI tax ID's : 615 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µl
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T13:44:42.640+02:00
path to MS file : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\

genus, species, strain : Serratia marcescens Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0015
NCBI tax ID's : 615 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µl
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T13:51:18.125+02:00
path to MS file : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\

genus, species, strain : Serratia marcescens Wasserprobe
MicrobeMS ID : 2014_09_17_Max Weydmann_0016
NCBI tax ID's : 615 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µl
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-17T13:54:16.500+02:00
path to MS file : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\

genus, species, strain : Serratia marcescens Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0013
NCBI tax ID's : 615 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µl
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T11:33:03.515+02:00
path to MS file : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\

genus, species, strain : Serratia marcescens Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0014
NCBI tax ID's : 615 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 µl
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T11:35:46.296+02:00
path to MS file : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\

genus, species, strain : Serratia marcescens Wasserprobe

MicrobeMS ID : 2014_09_18_Max Weydmann_0015
NCBI tax ID's : 615 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T11:40:27.375+02:00
path to MS file : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\

genus, species, strain : Serratia marcescens Wasserprobe
MicrobeMS ID : 2014_09_18_Max Weydmann_0016
NCBI tax ID's : 615 -
growth time : 23h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-09-18T11:42:40.734+02:00
path to MS file : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\

genus, species, strain : Serratia marcescens Wasserisolat
MicrobeMS ID : 2014_09_19_Maren Stämmeler_0013
NCBI tax ID's : 615 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T13:30:32.890+02:00
path to MS file : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\

genus, species, strain : Serratia marcescens Wasserisolat
MicrobeMS ID : 2014_09_19_Maren Stämmeler_0014
NCBI tax ID's : 615 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T13:33:40.390+02:00
path to MS file : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\

genus, species, strain : Serratia marcescens Wasserisolat
MicrobeMS ID : 2014_09_19_Maren Stämmeler_0015
NCBI tax ID's : 615 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T14:02:08.390+02:00
path to MS file : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\

genus, species, strain : Serratia marcescens Wasserisolat
MicrobeMS ID : 2014_09_19_Maren Stämmeler_0016
NCBI tax ID's : 615 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Stamm aus Stammsammlung ZBS 6/ Kultivierung und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-09-19T14:05:55.078+02:00
path to MS file : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\

genus, species, strain : Serratia marcescens Wasserprobe
MicrobeMS ID : 2014_09_12_Max Weydmann_0013
NCBI tax ID's : 615 -
growth time : 22h
growth temperature : 30
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert

```
measurement method : ToM_200ns_20130611.par
customer            : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T12:17:46.000+02:00
path to MS file     : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\

genus, species, strain : Serratia marcescens Wasserprobe
MicrobeMS ID         : 2014_09_12_Max Weydmann_0014
NCBI tax ID's        : 615 -
growth time          : 22h
growth temperature    : 30
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2-3 Oesen in 25 muel
extra info           : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer            : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T12:20:39.234+02:00
path to MS file     : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\

genus, species, strain : Serratia marcescens Wasserprobe
MicrobeMS ID         : 2014_09_12_Max Weydmann_0015
NCBI tax ID's        : 615 -
growth time          : 22h
growth temperature    : 30
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2-3 Oesen in 25 muel
extra info           : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer            : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T12:26:57.515+02:00
path to MS file     : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\

genus, species, strain : Serratia marcescens Wasserprobe
MicrobeMS ID         : 2014_09_12_Max Weydmann_0016
NCBI tax ID's        : 615 -
growth time          : 22h
growth temperature    : 30
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2-3 Oesen in 25 muel
extra info           : Probe aus Stammsammlung ZBS6 / Kultivierung und Präparation für MALDI: Max
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer            : RKI ZBS2/ZBS6
measurement date/time : 2014-09-12T12:29:55.625+02:00
path to MS file     : \Serratia\Serratia marcescens\Serratia marcescens Wasserprobe\
```

Shigella

Shigella boydii

```
genus, species, strain : Shigella boydii II 06/06820

MicrobeMS ID         : 2008_09_05_Maren Stämmeler_0011
NCBI tax ID's        : 621 -
growth time          : 48h
growth temperature    : 28 Gad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration         : 3-5 Oesen in 100 muel
extra info           : Stämme von Enterobacteriaceae aus Wernigerode über Dr. Nattermann / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2008-05-09T11:21:56.265+00:00
path to MS file     : \Shigella\Shigella boydii\Shigella boydii II 06 06820\

genus, species, strain : Shigella boydii II 06/06820
MicrobeMS ID         : 2008_09_06_Maren Stämmeler_0011
NCBI tax ID's        : 621 -
growth time          : 48h
growth temperature    : 28 Gad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ bei -20°C eingefrohren, nach 17 Tagen aufgetaut (Präp vom 23.05.) /1:1 HCCATA2 (A)
concentration         : 3-5 Oesen in 20µl davon 2µl plus 8µl TFA 100%, ges.: 10µl
extra info           : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2008-06-09T11:47:31.875+00:00
path to MS file     : \Shigella\Shigella boydii\Shigella boydii II 06 06820\
```

Shigella flexneri

```
genus, species, strain : Shigella flexneri 3A 07/02503
MicrobeMS ID         : 2008_09_05_Maren Stämmeler_0012
NCBI tax ID's        : 623 -
growth time          : 48h
growth temperature    : 28 Gad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration         : 3-5 Oesen in 100 muel
```

```
extra info      : Stämme von Enterobacteriaceae aus Wernigerode über Dr. Nattermann / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer           : RKI ZBS6
measurement date/time : 2008-05-09T11:25:46.406+00:00
path to MS file    : \Shigella\Shigella flexneri\Shigella flexneri 3A 07 02503\

genus, species, strain : Shigella flexneri 3A 07/02503
MicrobeMS ID          : 2008_09_06_Maren Stämmeler_0012
NCBI tax ID's         : 623 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C eingefrohren, nach 17 Tagen aufgetaut (Präp vom 23.05.) /1:1 HCCATA2 (A)
concentration         : 3-5 Oesen in 20µl davon 2µl plus plus 8µl TFA 100§, ges.: 10µl
extra info           : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2008-06-09T11:57:24.093+00:00
path to MS file      : \Shigella\Shigella flexneri\Shigella flexneri 3A 07 02503\
```

Sinomonas

Sinomonas atrocyanea

```
genus, species, strain : Sinomonas atrocyanea IMET 10432; DSM 20127
MicrobeMS ID          : 2011_08_25_EhrmannAnja_0009
NCBI tax ID's         : 37927 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : unknown
concentration         : 3-5 Ösen in 0,1 ml
extra info           : unknown
calibration standard : unknown
measurement method    : ToM_200ns.par
customer             : Alejandro Minan
measurement date/time : 2011-08-25T17:18:43.000
path to MS file      : \Sinomonas\Sinomonas atrocyanea\Sinomonas atrocyanea IMET 10432 DSM 20127\

genus, species, strain : Sinomonas atrocyanea IMET 10432; DSM 20127
MicrobeMS ID          : 2011_09_08_EhrmannAnja_0009
NCBI tax ID's         : 37927 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : unknown
concentration         : 3-5 Ösen in 0,1 ml
extra info           : unknown
calibration standard : unknown
measurement method    : ToM_200ns.par
customer             : Alejandro Minan
measurement date/time : 2011-09-08T11:49:55.000
path to MS file      : \Sinomonas\Sinomonas atrocyanea\Sinomonas atrocyanea IMET 10432 DSM 20127\
```

Sporosarcina

Sporosarcina pasteurii

```
genus, species, strain : Sporosarcina pasteurii B84
MicrobeMS ID          : 2015_02_09_Andy Schneider_0021
NCBI tax ID's         : 1474 -
growth time           : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µel
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-02-09T14:16:57.000
path to MS file      : \Sporosarcina\Sporosarcina pasteurii\Sporosarcina pasteurii B84\

genus, species, strain : Sporosarcina pasteurii B84
MicrobeMS ID          : 2015_02_09_Andy Schneider_0023
NCBI tax ID's         : 1474 -
growth time           : 1 Day
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µel
extra info           : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-02-09T14:21:18.000
path to MS file      : \Sporosarcina\Sporosarcina pasteurii\Sporosarcina pasteurii B84\

genus, species, strain : Sporosarcina pasteurii B84
MicrobeMS ID          : 2015_02_09_Andy Schneider_0022
NCBI tax ID's         : 1474 -
```

```
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T14:18:48.000
path to MS file : \Sporosarcina\Sporosarcina pasteurii\Sporosarcina pasteurii B84\

genus, species, strain : Sporosarcina pasteurii B84
MicrobeMS ID : 2015_02_09_Andy Schneider_0024
NCBI tax ID's : 1474 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-02-09T14:24:03.000
path to MS file : \Sporosarcina\Sporosarcina pasteurii\Sporosarcina pasteurii B84\

genus, species, strain : Sporosarcina pasteurii B 84
MicrobeMS ID : 2006_14_08_Famulla Staemmler_0028
NCBI tax ID's : 1474 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:29.03.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-14T13:44:38.000
path to MS file : \Sporosarcina\Sporosarcina pasteurii\Sporosarcina pasteurii B84\
```

Staphylococcus

Staphylococcus aureus

```
genus, species, strain : Staphylococcus aureus 96-01678(MRSA17)
MicrobeMS ID : 2009_28_09_Maren Staemmler_0007
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-28T10:08:05.765+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 96-01678(MRSA17;WH01)
MicrobeMS ID : 2009_16_11_Maren Staemmler_0007
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T10:46:47.468+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 09-00981(MRSA18)
MicrobeMS ID : 2009_28_09_Maren Staemmler_0008
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-28T10:10:29.500+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 09-00981(MRSA18;WH01)
MicrobeMS ID : 2009_16_11_Maren Staemmler_0008
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
```

growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T10:49:32.515+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 09-01243(MRSA19)
MicrobeMS ID : 2009_28_09_Maren Stämmeler_0009
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-28T10:18:21.890+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 19_WH0209-01243
MicrobeMS ID : 2010_17_05_Maren Stämmeler_0003
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-17T10:39:03.859+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 09-01243(MRSA19;WH03)
MicrobeMS ID : 2010_28_05_Maren Stämmeler_0003
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-28T09:34:40.109+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 09-01243(MRSA19;WH01)
MicrobeMS ID : 2009_16_11_Maren Stämmeler_0009
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T10:53:53.765+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 03-00397(MRSA20)
MicrobeMS ID : 2009_28_09_Maren Stämmeler_0010
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-28T10:22:00.625+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 03-00397(MRSA20;WH01)
MicrobeMS ID : 2009_16_11_Maren Stämmeler_0010
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T10:56:39.171+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 08-00602(MRSA21)
MicrobeMS ID : 2009_02_10_Maren Stämmeler_0001
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-02T10:46:58.281+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 08-00602(MRSA21;WH02)
MicrobeMS ID : 2010_27_01_Maren Stämmeler_0002
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-01-27T10:24:59.781+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 08-00602(MRSA21;WH01)
MicrobeMS ID : 2009_16_11_Maren Stämmeler_0011
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T11:01:47.765+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 04-03100(MRSA22)
MicrobeMS ID : 2009_02_10_Maren Stämmeler_0002
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-02T10:49:20.593+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 04-03100(MRSA22;WH01)
MicrobeMS ID : 2009_16_11_Maren Stämmeler_0012
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T11:04:26.187+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 07-03338(MRSA23)
MicrobeMS ID : 2009_02_10_Maren Stämmeler_0003
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-02T10:54:56.140+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 07-03338(MRSA23;WH01)
MicrobeMS ID : 2009_16_11_Maren Stämmeler_0013
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel

extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T11:11:49.265+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 03-00220(MRSA24)
MicrobeMS ID : 2009_02_10_Maren Stämmeler_0004
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-02T10:57:15.234+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 03-00220(MRSA24;WH02)
MicrobeMS ID : 2010_17_05_Maren Stämmeler_0004
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-17T10:44:23.593+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 03-00220(MRSA24;WH03)
MicrobeMS ID : 2010_28_05_Maren Stämmeler_0004
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-28T09:37:36.718+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 03-00220(MRSA24;WH01)
MicrobeMS ID : 2009_16_11_Maren Stämmeler_0014
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T11:14:53.750+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 06-00896(MRSA25)
MicrobeMS ID : 2009_02_10_Maren Stämmeler_0005
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-02T11:02:00.296+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 06-00896(MRSA25;WH01)
MicrobeMS ID : 2009_16_11_Maren Stämmeler_0015
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T11:19:03.921+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 07-03347(MRSA26)
MicrobeMS ID : 2009_02_10_Maren Stämmeler_0006
NCBI tax ID's : 1280 -

growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-02T11:04:43.484+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 07-03347(MRSA26;WH01)
MicrobeMS ID : 2009_16_11_Maren Stämmmler_0016
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T11:21:56.640+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC22\

genus, species, strain : Staphylococcus aureus 09-00186(MRSA55;WH01)
MicrobeMS ID : 2009_27_11_Maren Stämmmler_0005
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-27T10:17:39.218+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 09-00186(MRSA55;WH02)
MicrobeMS ID : 2010_27_01_Maren Stämmmler_0006
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-01-27T10:49:46.390+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 09-00186(MRSA55)
MicrobeMS ID : 2009_02_11_Maren Stämmmler_0005
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-02T10:51:04.921+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 09-00416(MRSA56;WH03)
MicrobeMS ID : 2010_17_05_Maren Stämmmler_0011
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-17T11:26:08.125+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 09-00416(MRSA56;WH01)
MicrobeMS ID : 2009_27_11_Maren Stämmmler_0006
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6

measurement date/time : 2009-11-27T10:20:06.875+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 09-00416(MRSA56)
MicrobeMS ID : 2009_02_11_Maren Stämmeler_0006
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-02T10:53:24.421+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 09-00416(MRSA56;WH02)
MicrobeMS ID : 2010_27_01_Maren Stämmeler_0007
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-01-27T10:59:55.109+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 09-00416(MRSA56;WH04)
MicrobeMS ID : 2010_28_05_Maren Stämmeler_0011
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-28T10:04:07.921+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 09-01140(MRSA57;WH01)
MicrobeMS ID : 2009_27_11_Maren Stämmeler_0007
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-27T10:43:44.218+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 09-01140(MRSA57)
MicrobeMS ID : 2009_02_11_Maren Stämmeler_0007
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-02T10:57:06.171+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 09-02135(MRSA58;WH01)
MicrobeMS ID : 2009_27_11_Maren Stämmeler_0008
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-27T10:46:23.765+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 09-02135(MRSA58;WH02)
MicrobeMS ID : 2010_17_05_Maren Stämmeler_0012
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso

sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-17T11:28:29.609+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 09-02135(MRSA58)
MicrobeMS ID : 2009_02_11_Maren Stämmeler_0008
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-02T10:59:37.328+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 09-02135(MRSA58;WH03)
MicrobeMS ID : 2010_28_05_Maren Stämmeler_0012
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-28T10:07:01.593+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 08-01104(MRSA59;WH01)
MicrobeMS ID : 2009_27_11_Maren Stämmeler_0009
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-27T10:50:30.093+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 08-01104(MRSA59;WH02)
MicrobeMS ID : 2009_02_11_Maren Stämmeler_0009
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-02T11:04:53.875+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 08-01104(MRSA59;WH02)
MicrobeMS ID : 2010_27_01_Maren Stämmeler_0008
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-01-27T11:06:50.921+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC30\

genus, species, strain : Staphylococcus aureus 07-01949(MRSA27)
MicrobeMS ID : 2009_02_10_Maren Stämmeler_0007
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-02T11:10:41.531+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 07-01949(MRSA27;WH01)

MicrobeMS ID : 2009_16_11_Maren Stämmeler_0017
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T11:43:04.609+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 07-01238(MRSA28)
MicrobeMS ID : 2009_02_10_Maren Stämmeler_0008
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-02T11:13:20.734+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 07-01238(MRSA28;WH02)
MicrobeMS ID : 2010_17_05_Maren Stämmeler_0005
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-17T10:52:03.171+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 07-01238(MRSA28;WH03)
MicrobeMS ID : 2010_28_05_Maren Stämmeler_0005
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-28T09:42:23.406+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 07-01238(MRSA28;WH01)
MicrobeMS ID : 2009_16_11_Maren Stämmeler_0018
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T11:46:41.515+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 07-01531(MRSA29)
MicrobeMS ID : 2009_02_10_Maren Stämmeler_0009
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-02T11:16:57.265+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 07-01531(MRSA29;WH01)
MicrobeMS ID : 2009_16_11_Maren Stämmeler_0019
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T11:51:47.390+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 09-02446(MRSA30)
MicrobeMS ID : 2009_02_10_Maren Stämmeler_0010
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-02T11:19:20.390+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 09-02446(MRSA30;WH01)
MicrobeMS ID : 2009_16_11_Maren Stämmeler_0020
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T11:54:33.203+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 09-02476(MRSA31;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0001
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T09:35:34.484+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 09-02476(MRSA31;WH02)
MicrobeMS ID : 2010_17_05_Maren Stämmeler_0006
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-17T10:54:26.109+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 09-02476(MRSA31;WH03)
MicrobeMS ID : 2009_05_10_Maren Stämmeler_0001
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-05T10:09:10.843+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 09-02476(MRSA31;WH03)
MicrobeMS ID : 2010_28_05_Maren Stämmeler_0006
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-28T09:44:55.390+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 09-02431(MRSA32;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0002
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius

```
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T09:40:27.890+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 09-02431(MRSA32)
MicrobeMS ID : 2009_05_10_Maren Stämmeler_0002
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-05T10:05:03.437+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 09-02434(MRSA33;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0003
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T09:45:29.968+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 09-02434(MRSA33)
MicrobeMS ID : 2009_05_10_Maren Stämmeler_0003
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-05T10:13:50.640+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 09-02444(MRSA34;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0004
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T09:48:02.437+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 09-02444(MRSA34)
MicrobeMS ID : 2009_05_10_Maren Stämmeler_0004
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-05T10:16:13.890+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 08-00401(MRSA35;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0005
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T09:51:54.187+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\
```

genus, species, strain : Staphylococcus aureus 08-00401(MRSA35)
MicrobeMS ID : 2009_05_10_Maren Stämmeler_0005
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-05T10:28:59.062+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC398\

genus, species, strain : Staphylococcus aureus 08-02172(MRSA49;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0019
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T11:14:00.343+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus 08-02172(MRSA49;WH02)
MicrobeMS ID : 2010_17_05_Maren Stämmeler_0009
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-17T11:17:52.343+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus 08-02172(MRSA49)
MicrobeMS ID : 2009_23_10_Maren Stämmeler_0009
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-23T10:43:13.531+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus 08-02172(MRSA49;WH03)
MicrobeMS ID : 2010_28_05_Maren Stämmeler_0009
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-28T09:57:23.421+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus 08-02337(MRSA50;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0020
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T11:16:18.890+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus 08-02337(MRSA50)
MicrobeMS ID : 2009_23_10_Maren Stämmeler_0010
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel

extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-23T10:46:03.484+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus 08-02874(MRSA51;WH01)
MicrobeMS ID : 2009_27_11_Maren Stämmeler_0001
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-27T10:03:09.062+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus 08-02874(MRSA51)
MicrobeMS ID : 2009_02_11_Maren Stämmeler_0001
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-02T09:24:15.750+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus 08-02989(MRSA52;WH01)
MicrobeMS ID : 2009_27_11_Maren Stämmeler_0002
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-27T10:07:03.140+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus 08-02989(MRSA52)
MicrobeMS ID : 2009_02_11_Maren Stämmeler_0002
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-02T09:27:21.812+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus 08-02727(MRSA53;WH01)
MicrobeMS ID : 2009_27_11_Maren Stämmeler_0003
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-27T10:09:27.359+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus 08-02727(MRSA53)
MicrobeMS ID : 2009_02_11_Maren Stämmeler_0003
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-02T10:35:24.062+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus 09-00558(MRSA54;WH02)
MicrobeMS ID : 2010_17_05_Maren Stämmeler_0010
NCBI tax ID's : 1280 -

growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-17T11:20:28.078+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus 09-00558(MRSA54;WH01)
MicrobeMS ID : 2009_27_11_Maren Stämmmler_0004
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-27T10:11:56.125+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus 09-00558(MRSA54;WH03)
MicrobeMS ID : 2010_28_05_Maren Stämmmler_0010
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-28T10:00:06.187+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus 09-00558(MRSA54)
MicrobeMS ID : 2009_02_11_Maren Stämmmler_0004
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-02T10:39:03.921+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC45\

genus, species, strain : Staphylococcus aureus N315(MRSA01;WH01)
MicrobeMS ID : 2009_09_11_Maren Stämmmler_0001
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-09T09:46:35.125+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus N315(MRSA01)
MicrobeMS ID : 2009_25_09_Maren Stämmmler_0002
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-25T11:07:50.343+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 06-01243(MRSA10;WH01)
MicrobeMS ID : 2009_09_11_Maren Stämmmler_0010
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6

measurement date/time : 2009-11-09T10:53:36.109+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 06-01243(MRSA10)
MicrobeMS ID : 2009_25_09_Maren Stämmeler_0011
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-25T11:57:22.062+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 02-03179(MRSA11)
MicrobeMS ID : 2009_28_09_Maren Stämmeler_0001
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-28T09:24:52.328+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 02-03179(MRSA11;WH01)
MicrobeMS ID : 2009_16_11_Maren Stämmeler_0001
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T09:36:25.453+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 04-02981(MRSA12)
MicrobeMS ID : 2009_28_09_Maren Stämmeler_0002
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-28T09:31:16.281+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 04-02981(MRSA12;WH01)
MicrobeMS ID : 2009_16_11_Maren Stämmeler_0002
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T09:41:15.703+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 08-00392(MRSA13)
MicrobeMS ID : 2009_28_09_Maren Stämmeler_0003
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-28T09:52:42.109+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 08-00392(MRSA13;WH02)
MicrobeMS ID : 2010_17_05_Maren Stämmeler_0002
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso

sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-17T10:35:04.500+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 08-00392(MRSA13;WH03)
MicrobeMS ID : 2010_28_05_Maren Stämmeler_0002
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-28T09:30:49.109+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 08-00392(MRSA13;WH01)
MicrobeMS ID : 2009_16_11_Maren Stämmeler_0003
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T09:47:59.078+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 09-00825(MRSA14)
MicrobeMS ID : 2009_28_09_Maren Stämmeler_0004
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-28T09:55:24.125+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 09-00825(MRSA14;WH02)
MicrobeMS ID : 2010_27_01_Maren Stämmeler_0001
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-01-27T10:11:59.875+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 09-00825(MRSA14;WH02a)
MicrobeMS ID : 2010_27_01_Maren Stämmeler_0001a
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-01-27T10:18:17.484+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 08-00463(MRSA15)
MicrobeMS ID : 2009_28_09_Maren Stämmeler_0005
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-28T09:59:11.828+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 08-00463(MRSA15;WH01)

MicrobeMS ID : 2009_16_11_Maren Stämmeler_0005
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T10:27:51.281+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 07-00265(MRSA16)
MicrobeMS ID : 2009_28_09_Maren Stämmeler_0006
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-28T10:03:00.765+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 07-00265(MRSA16;WH01)
MicrobeMS ID : 2009_16_11_Maren Stämmeler_0006
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-16T10:30:57.828+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus Mu50(MRSA02;WH02)
MicrobeMS ID : 2009_09_11_Maren Stämmeler_0002
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-09T09:49:26.093+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus Mu50(MRSA02;WH01)
MicrobeMS ID : 2009_23_10_Maren Stämmeler_0011
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-23T10:51:33.046+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus Mu50(MRSA02)
MicrobeMS ID : 2009_25_09_Maren Stämmeler_0003
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-25T11:18:02.796+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 07-00170(MRSA03;WH01)
MicrobeMS ID : 2009_09_11_Maren Stämmeler_0003
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-09T09:55:15.859+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 07-00170(MRSA03)
MicrobeMS ID : 2009_25_09_Maren Stämmeler_0004
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-25T11:22:21.203+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 07-02020(MRSA04;WH01)
MicrobeMS ID : 2009_09_11_Maren Stämmeler_0004
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-09T09:58:07.109+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 07-02020(MRSA04)
MicrobeMS ID : 2009_25_09_Maren Stämmeler_0005
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-25T11:27:04.343+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 06-00603(MRSA05;WH01)
MicrobeMS ID : 2009_09_11_Maren Stämmeler_0005
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-09T10:03:30.578+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 06-00603(MRSA05)
MicrobeMS ID : 2009_25_09_Maren Stämmeler_0006
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-25T11:29:37.312+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 02-02424(MRSA06;WH02)
MicrobeMS ID : 2010_17_05_Maren Stämmeler_0001
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-17T10:30:39.015+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 02-02424(MRSA06;WH03)
MicrobeMS ID : 2010_28_05_Maren Stämmeler_0001
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius

growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-28T09:27:56.000+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 02-02424(MRSA06;WH01)
MicrobeMS ID : 2009_09_11_Maren Stämmeler_0006
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-09T10:07:14.015+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 02-02424(MRSA06)
MicrobeMS ID : 2009_25_09_Maren Stämmeler_0007
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-25T11:33:45.187+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 07-00010(MRSA07;WH01)
MicrobeMS ID : 2009_09_11_Maren Stämmeler_0007
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-09T10:41:19.937+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 07-00010(MRSA07)
MicrobeMS ID : 2009_25_09_Maren Stämmeler_0008
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-25T11:41:46.250+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 06-00953-1(MRSA08;WH01)
MicrobeMS ID : 2009_09_11_Maren Stämmeler_0008
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-09T10:44:07.937+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 06-00953-1(MRSA08)
MicrobeMS ID : 2009_25_09_Maren Stämmeler_0009
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-09-25T11:46:49.875+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC5\

```
genus, species, strain : Staphylococcus aureus 04-02232(MRSA09;WH02)
MicrobeMS ID           : 2009_09_11_Maren Stämmeler_0009
NCBI tax ID's         : 1280 -
growth time           : 24h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-5 Oesen in 100 muel
extra info           : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2009-11-09T10:48:46.375+01:00
path to MS file      : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 04-02232(MRSA09;WH01)
MicrobeMS ID           : 2009_23_10_Maren Stämmeler_0012
NCBI tax ID's         : 1280 -
growth time           : 24h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-5 Oesen in 100 muel
extra info           : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2009-10-23T10:54:01.625+00:00
path to MS file      : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 04-02232(MRSA09)
MicrobeMS ID           : 2009_25_09_Maren Stämmeler_0010
NCBI tax ID's         : 1280 -
growth time           : 24h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-5 Oesen in 100 muel
extra info           : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2009-09-25T11:52:12.703+00:00
path to MS file      : \Staphylococcus\Staphylococcus aureus\CC5\

genus, species, strain : Staphylococcus aureus 08-00004(MRSA36;WH01)
MicrobeMS ID           : 2009_23_11_Maren Stämmeler_0006
NCBI tax ID's         : 1280 -
growth time           : 24h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-5 Oesen in 100 muel
extra info           : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2009-11-23T09:54:26.859+01:00
path to MS file      : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 08-00004(MRSA36)
MicrobeMS ID           : 2009_05_10_Maren Stämmeler_0006
NCBI tax ID's         : 1280 -
growth time           : 24h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-5 Oesen in 100 muel
extra info           : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2009-10-05T10:31:22.656+00:00
path to MS file      : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 08-00250(MRSA37;WH01)
MicrobeMS ID           : 2009_23_11_Maren Stämmeler_0007
NCBI tax ID's         : 1280 -
growth time           : 24h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-5 Oesen in 100 muel
extra info           : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2009-11-23T09:58:46.250+01:00
path to MS file      : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 08-00250(MRSA37)
MicrobeMS ID           : 2009_05_10_Maren Stämmeler_0007
NCBI tax ID's         : 1280 -
growth time           : 24h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : 3-5 Oesen in 100 muel
```

extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-05T10:35:44.968+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 08-00993(MRSA38;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0008
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T10:01:16.937+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 08-00993(MRSA38)
MicrobeMS ID : 2009_05_10_Maren Stämmeler_0008
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-05T10:38:23.171+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 08-00993(MRSA38;WH02)
MicrobeMS ID : 2010_17_05_Maren Stämmeler_0007
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-17T11:04:17.953+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 08-00993(MRSA38;WH03)
MicrobeMS ID : 2010_28_05_Maren Stämmeler_0007
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-28T09:49:21.109+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 08-01718(MRSA39;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0009
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T10:05:52.234+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 08-01718(MRSA39)
MicrobeMS ID : 2009_05_10_Maren Stämmeler_0009
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-05T10:42:29.625+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-00001(MRSA40;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0010
NCBI tax ID's : 1280 -

growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T10:08:18.015+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-00001(MRSA40)
MicrobeMS ID : 2009_05_10_Maren Stämmeler_0010
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-05T10:45:07.453+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-01189(MRSA41;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0011
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T10:34:22.109+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-01189(MRSA41)
MicrobeMS ID : 2009_23_10_Maren Stämmeler_0001
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-23T09:59:36.812+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-02378(MRSA42;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0012
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T10:36:45.375+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-02378(MRSA42)
MicrobeMS ID : 2009_23_10_Maren Stämmeler_0002
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-23T10:02:14.593+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-02378(MRSA42;WH02)
MicrobeMS ID : 2010_17_05_Maren Stämmeler_0008
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6

measurement date/time : 2010-05-17T11:12:19.109+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-02378(MRSA42;WH03)
MicrobeMS ID : 2010_28_05_Maren Stämmeler_0008
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-05-28T09:52:07.421+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-00615(MRSA43;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0013
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T10:41:16.046+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-00615(MRSA43)
MicrobeMS ID : 2009_23_10_Maren Stämmeler_0003
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-23T10:05:56.421+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-00615(MRSA43;WH02)
MicrobeMS ID : 2010_27_01_Maren Stämmeler_0003
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-01-27T10:35:35.250+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-02069(MRSA44;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0014
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T10:43:56.609+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-02069(MRSA44)
MicrobeMS ID : 2009_23_10_Maren Stämmeler_0004
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-23T10:08:16.671+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-02069(MRSA44;WH02)
MicrobeMS ID : 2010_27_01_Maren Stämmeler_0004
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso

sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-01-27T10:38:18.375+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-01345(MRSA45;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0015
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T10:48:02.750+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-01345(MRSA45)
MicrobeMS ID : 2009_23_10_Maren Stämmeler_0005
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-23T10:20:11.640+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-00212(MRSA46;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0016
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T10:50:38.859+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-00212(MRSA46)
MicrobeMS ID : 2009_23_10_Maren Stämmeler_0006
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-23T10:22:50.218+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-01791-1(MRSA47;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0017
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T10:58:12.031+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-01791-1(MRSA47)
MicrobeMS ID : 2009_23_10_Maren Stämmeler_0007
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-23T10:26:49.156+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 09-01791-1(MRSA47;WH02)

MicrobeMS ID : 2010_27_01_Maren Stämmeler_0005
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2010-01-27T10:43:21.187+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 07-02652(MRSA48;WH01)
MicrobeMS ID : 2009_23_11_Maren Stämmeler_0018
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-23T11:00:49.671+01:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 07-02652(MRSA48)
MicrobeMS ID : 2009_23_10_Maren Stämmeler_0008
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von Dr. Witte RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-10-23T10:29:10.812+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\CC8\

genus, species, strain : Staphylococcus aureus 11-00783
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0020
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T16:00:24.953+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-00783\

genus, species, strain : Staphylococcus aureus 11-00783
MicrobeMS ID : 2012_04_04_HerfortStefanie_0019
NCBI tax ID's : 1280 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T11:15:19.406+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-00783\

genus, species, strain : Staphylococcus aureus 11-00783
MicrobeMS ID : 2012_04_05_HerfortStefanie_0009
NCBI tax ID's : 1280 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-05T12:36:38.859+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-00783\

genus, species, strain : Staphylococcus aureus 11-00783
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0021
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T16:34:14.515+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-00783\

genus, species, strain : Staphylococcus aureus 11-00902
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0019
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T15:56:16.859+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-00902\

genus, species, strain : Staphylococcus aureus 11-00902
MicrobeMS ID : 2012_04_04_HerfortStefanie_0018
NCBI tax ID's : 1280 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T11:07:54.234+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-00902\

genus, species, strain : Staphylococcus aureus 11-00902
MicrobeMS ID : 2012_04_05_HerfortStefanie_0008
NCBI tax ID's : 1280 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-05T12:27:53.093+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-00902\

genus, species, strain : Staphylococcus aureus 11-00902
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0020
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T15:42:23.187+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-00902\

genus, species, strain : Staphylococcus aureus 11-00961
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0021
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T16:07:57.484+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-00961\

genus, species, strain : Staphylococcus aureus 11-00961
MicrobeMS ID : 2012_04_04_HerfortStefanie_0020
NCBI tax ID's : 1280 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T11:29:00.203+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-00961\

genus, species, strain : Staphylococcus aureus 11-00961
MicrobeMS ID : 2012_04_05_HerfortStefanie_0010
NCBI tax ID's : 1280 -
growth time : 48h
growth temperature : 36 Grad Celsius

growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-05T12:50:04.984+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-00961\

genus, species, strain : Staphylococcus aureus 11-00961
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0022
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T16:39:05.312+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-00961\

genus, species, strain : Staphylococcus aureus 11-01100
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0018
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T15:49:34.078+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-01100\

genus, species, strain : Staphylococcus aureus 11-01100
MicrobeMS ID : 2012_04_04_HerfortStefanie_0017
NCBI tax ID's : 1280 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T11:01:56.687+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-01100\

genus, species, strain : Staphylococcus aureus 11-01100
MicrobeMS ID : 2012_04_05_HerfortStefanie_0007
NCBI tax ID's : 1280 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-05T12:23:34.484+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-01100\

genus, species, strain : Staphylococcus aureus 11-01100
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0019
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T15:34:30.156+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus 11-01100\

genus, species, strain : Staphylococcus aureus ATCC29313
MicrobeMS ID : 2011_05_26_Stefanie Herfort_0012
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-26T12:44:24.046+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus ATCC 29213\

```
genus, species, strain : Staphylococcus aureus ATCC29313
MicrobeMS ID           : 2011_05_19_Stefanie Herfort_0022
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 36 Grad Celsius
growth conditions      : aerob
growth medium          : Caso
sample treatment       : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration           : 3-5 Ösen in 0,1 ml
extra info             : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard   : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2011-05-19T16:14:47.031+02:00
path to MS file        : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus ATCC 29213\

genus, species, strain : Staphylococcus aureus ATCC29213
MicrobeMS ID           : 2012_04_04_HerfortStefanie_0021
NCBI tax ID's          : 1280 -
growth time            : 48h
growth temperature     : 36 Grad Celsius
growth conditions      : aerob
growth medium          : Caso-Agar
sample treatment       : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration           : 3-5 Ösen in 0,1 ml
extra info             :
calibration standard   :
measurement method     : ToM_200ns.par
customer               : RKI ZBS2/ZBS6
measurement date/time  : 2012-04-04T11:37:57.390+02:00
path to MS file        : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus ATCC 29213\

genus, species, strain : Staphylococcus aureus ATCC29313
MicrobeMS ID           : 2011_06_09_Stefanie Herfort_0012
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 36 Grad Celsius
growth conditions      : aerob
growth medium          : Caso
sample treatment       : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration           : 3-5 Ösen in 0,1 ml
extra info             : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard   : PeptidStandard (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2011-06-09T15:10:13.234+02:00
path to MS file        : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus ATCC 29213\

genus, species, strain : Staphylococcus aureus ATCC29213
MicrobeMS ID           : 2012_04_05_HerfortStefanie_0011
NCBI tax ID's          : 1280 -
growth time            : 48h
growth temperature     : 36 Grad Celsius
growth conditions      : aerob
growth medium          : Caso-Agar
sample treatment       : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration           : 3-5 Ösen in 0,1 ml
extra info             :
calibration standard   :
measurement method     : ToM_200ns.par
customer               : RKI ZBS2/ZBS6
measurement date/time  : 2012-04-05T12:56:18.281+02:00
path to MS file        : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus ATCC 29213\

genus, species, strain : Staphylococcus aureus ATCC29213
MicrobeMS ID           : 2011_08_04_Maren Stämmeler_0023
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37 Grad Celsius
growth conditions      : aerob
growth medium          : Caso
sample treatment       : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration           : ca. 3 Oesen in 100 µl
extra info             : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard   : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2011-08-04T16:25:55.765+02:00
path to MS file        : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus ATCC 29213\

genus, species, strain : Staphylococcus aureus DMS 20231
MicrobeMS ID           : 2017_05_01_Schneider_Andy_0025
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : CASO Agar
sample treatment       : 80$ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verdüent in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration           : 3 Oesen in 100µl
extra info             : Stämme von ZBS2
calibration standard   : E.coli Standard (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS2
measurement date/time  : 2017-06-01T15:58:44.703+02:00
path to MS file        : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DMS 20231 (Ringversuch A938-5b)\

genus, species, strain : Staphylococcus aureus DMS 20231
MicrobeMS ID           : 2017_05_01_Schneider_Andy_0026
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : CASO Agar
sample treatment       : 80$ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verdüent in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration           : 3 Oesen in 100µl
```

```
extra info          : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer            : RKI ZBS2
measurement date/time : 2017-06-01T16:01:32.921+02:00
path to MS file     : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DMS 20231 (Ringversuch A938-5b)\

genus, species, strain : Staphylococcus aureus DMS 20231
MicrobeMS ID          : 2017_05_01_Schneider_Andy_0027
NCBI tax ID's         : 1280 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO Agar
sample treatment     : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2
measurement date/time : 2017-06-01T16:03:19.375+02:00
path to MS file     : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DMS 20231 (Ringversuch A938-5b)\

genus, species, strain : Staphylococcus aureus DMS 20231
MicrobeMS ID          : 2017_05_01_Schneider_Andy_0028
NCBI tax ID's         : 1280 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO Agar
sample treatment     : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2
measurement date/time : 2017-06-01T16:07:18.468+02:00
path to MS file     : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DMS 20231 (Ringversuch A938-5b)\

genus, species, strain : Staphylococcus aureus DMS 20231
MicrobeMS ID          : 2017_05_30_Schneider_Andy_0013
NCBI tax ID's         : 1280 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO Agar
sample treatment     : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2
measurement date/time : 2017-05-30T15:12:38.109+02:00
path to MS file     : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DMS 20231 (Ringversuch A938-5b)\

genus, species, strain : Staphylococcus aureus DMS 20231
MicrobeMS ID          : 2017_05_30_Schneider_Andy_0014
NCBI tax ID's         : 1280 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : CASO Agar
sample treatment     : 80§ TFA, 30 Minuten, Filtriert, Zentrifugiert, 1:10 Verduennt in H2O, Probe 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100µl
extra info           : Stämme von ZBS2
calibration standard : E.coli Standard (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS2
measurement date/time : 2017-05-30T15:14:59.234+02:00
path to MS file     : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DMS 20231 (Ringversuch A938-5b)\

genus, species, strain : Staphylococcus aureus DSM20231
MicrobeMS ID          : 2012_08_17_Andy_Schneider_0004
NCBI tax ID's         : 1280 -
growth time           : 24h
growth temperature    : 37 Grad Cels
growth conditions     : aerob
growth medium         : Caso
sample treatment     : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2012-08-17T10:39:17.000
path to MS file     : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 20231\

genus, species, strain : Staphylococcus aureus DSM20231
MicrobeMS ID          : 2012_08_17_Andy_Schneider_0010
NCBI tax ID's         : 1280 -
growth time           : 24h
growth temperature    : 37 Grad Cels
growth conditions     : aerob
growth medium         : Caso
sample treatment     : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : D:\Methods\flexControlMethods\Bakterien_testmaren.par
customer             : RKI ZBS6
measurement date/time : 2012-08-17T14:02:51.000
path to MS file     : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 20231\

genus, species, strain : Staphylococcus aureus DSM20231
MicrobeMS ID          : 2008_20_02_Maren_Stämmli_0006
NCBI tax ID's         : 1280 -
```

growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A) Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht
und Präparation: MS
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-20T13:57:03.984+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 20231\

genus, species, strain : Staphylococcus aureus DSM20231
MicrobeMS ID : 2008_02_04_Maren Stämmeler_0006
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A) Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht
und Präparation: MS
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-02T13:22:49.671+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 20231\

genus, species, strain : Staphylococcus aureus DSM20231
MicrobeMS ID : 2008_04_04_Maren Stämmeler_0006
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A) Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht
und Präparation: MS
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-04T11:03:06.859+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 20231\

genus, species, strain : Staphylococcus aureus DSM20231
MicrobeMS ID : 2008_04_09_Maren Stämmeler_0006
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A) Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht
und Präparation: MS
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-09T11:43:00.109+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 20231\

genus, species, strain : Staphylococcus aureus DSM20231
MicrobeMS ID : 2008_25_04_Maren Stämmeler_0006
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A) Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht
und Präparation: MS
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-25T10:00:40.250+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 20231\

genus, species, strain : Staphylococcus aureus DSM20231
MicrobeMS ID : 2008_16_05_Maren Stämmeler_0006
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A) Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht
und Präparation: MS
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-16T10:04:43.203+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 20231\

genus, species, strain : Staphylococcus aureus DSM20231
MicrobeMS ID : 2012_08_17_Andy Schneider_0001
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Cels
growth conditions : aerob
growth medium : TSA


```
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2012-08-17T10:19:35.000
path to MS file      : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 20231\

genus, species, strain : Staphylococcus aureus DSM20231
MicrobeMS ID           : 2012_08_17_Andy_Schneider_0007
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37 Grad Cels
growth conditions      : aerob
growth medium          : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : D:\Methods\flexControlMethods\Bakterien_testmaren.par
customer              : RKI ZBS6
measurement date/time : 2012-08-17T13:53:05.000
path to MS file      : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 20231\

genus, species, strain : Staphylococcus aureus ssp aureus DSM 4910
MicrobeMS ID           : 20_05_2016_Julia_Mitschke_0001
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-05-20T10:48:55.578+02:00
path to MS file      : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 4910\

genus, species, strain : Staphylococcus aureus ssp aureus DSM 4910
MicrobeMS ID           : 20_05_2016_Julia_Mitschke_0002
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-05-20T10:51:52.593+02:00
path to MS file      : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 4910\

genus, species, strain : Staphylococcus aureus ssp aureus DSM 4910
MicrobeMS ID           : 20_05_2016_Julia_Mitschke_0003
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-05-20T10:54:13.031+02:00
path to MS file      : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 4910\

genus, species, strain : Staphylococcus aureus ssp aureus DSM 4910
MicrobeMS ID           : 20_05_2016_Julia_Mitschke_0004
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : TSA
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-05-20T10:56:30.375+02:00
path to MS file      : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 4910\

genus, species, strain : Staphylococcus aureus DSM4910
MicrobeMS ID           : 2016_05_24_Schneider_Andy_0021
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37°C
growth conditions      : aerob
growth medium          : TSA
sample treatment      : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2016-05-24T14:29:37.531+02:00
path to MS file      : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 4910\

genus, species, strain : Staphylococcus aureus DSM4910
```

MicrobeMS ID : 2016_05_24_Schneider_Andy_0022
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-24T14:32:41.312+02:00
path to MS file : \\Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 4910\

genus, species, strain : Staphylococcus aureus DSM4910
MicrobeMS ID : 2016_05_24_Schneider_Andy_0023
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-24T15:05:38.828+02:00
path to MS file : \\Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 4910\

genus, species, strain : Staphylococcus aureus DSM4910
MicrobeMS ID : 2016_05_24_Schneider_Andy_0024
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 30 Minuten ,1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : cells from solid cultures
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-24T15:07:19.953+02:00
path to MS file : \\Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 4910\

genus, species, strain : Staphylococcus aureus ssp aureus DSM 4910
MicrobeMS ID : 31_05_2016_Julia Mitschke_0001
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T14:01:29.078+02:00
path to MS file : \\Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 4910\

genus, species, strain : Staphylococcus aureus ssp aureus DSM 4910
MicrobeMS ID : 31_05_2016_Julia Mitschke_0002
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T14:03:51.187+02:00
path to MS file : \\Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 4910\

genus, species, strain : Staphylococcus aureus ssp aureus DSM 4910
MicrobeMS ID : 31_05_2016_Julia Mitschke_0003
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T14:06:42.765+02:00
path to MS file : \\Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 4910\

genus, species, strain : Staphylococcus aureus ssp aureus DSM 4910
MicrobeMS ID : 31_05_2016_Julia Mitschke_0004
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-31T14:09:02.640+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 4910\

genus, species, strain : Staphylococcus aureus ssp aureus DSM 4910
MicrobeMS ID : 20_05_2016_Julia Mitschke_0025
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-20T13:33:10.406+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 4910\

genus, species, strain : Staphylococcus aureus ssp aureus DSM 4910
MicrobeMS ID : 20_05_2016_Julia Mitschke_0026
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2016-05-20T13:38:48.187+02:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus DSM 4910\

genus, species, strain : Staphylococcus aureus RKI/WGPS29
MicrobeMS ID : 2008_20_02_Maren Stämmeler_0010
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-20T14:16:51.781+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 29\

genus, species, strain : Staphylococcus aureus RKI/WGPS29
MicrobeMS ID : 2008_02_04_Maren Stämmeler_0010
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-02T13:40:34.656+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 29\

genus, species, strain : Staphylococcus aureus RKI/WGPS29
MicrobeMS ID : 2008_04_04_Maren Stämmeler_0010
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-04T11:24:26.015+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 29\

genus, species, strain : Staphylococcus aureus RKI/WGPS29
MicrobeMS ID : 2008_04_09_Maren Stämmeler_0010
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-09T13:57:19.453+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 29\

genus, species, strain : Staphylococcus aureus RKI/WGPS29
MicrobeMS ID : 2008_25_04_Maren Stämmeler_0010
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius

growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-25T10:19:24.156+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 29\

genus, species, strain : Staphylococcus aureus RKI/WGPS29
MicrobeMS ID : 2008_16_05_Maren Stämmeler_0010
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ bei -20°C über Nacht eingefrohren; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-16T10:33:19.546+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 29\

genus, species, strain : Staphylococcus aureus RKI/WGPS42D
MicrobeMS ID : 2008_20_02_Maren Stämmeler_0013
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-20T14:30:36.765+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 42D\

genus, species, strain : Staphylococcus aureus RKI/WGPS42D
MicrobeMS ID : 2008_02_04_Maren Stämmeler_0013
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-02T13:58:06.531+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 42D\

genus, species, strain : Staphylococcus aureus RKI/WGPS42D
MicrobeMS ID : 2008_04_04_Maren Stämmeler_0013
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-04T11:37:20.843+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 42D\

genus, species, strain : Staphylococcus aureus RKI/WGPS42D
MicrobeMS ID : 2008_04_09_Maren Stämmeler_0013
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-09T14:12:53.015+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 42D\

genus, species, strain : Staphylococcus aureus RKI/WGPS42D
MicrobeMS ID : 2008_25_04_Maren Stämmeler_0013
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-25T10:41:04.750+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 42D\

```
genus, species, strain : Staphylococcus aureus RKI/WGPS42D
MicrobeMS ID           : 2008_16_05_Maren Stämmeler_0013
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37 Grad Celsius
growth conditions      : aerob
growth medium          : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C über Nacht eingefrohren; aufgetaut/ 1:1 HCCATA2 (A)
concentration          : 3-5 Oesen in 100 muel
extra info             : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2008-05-16T10:44:19.515+00:00
path to MS file       : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 42D\

genus, species, strain : Staphylococcus aureus RKI/WGPS94
MicrobeMS ID           : 2008_20_02_Maren Stämmeler_0011
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37 Grad Celsius
growth conditions      : aerob
growth medium          : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration          : 3-5 Oesen in 100 muel
extra info             : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2008-02-20T14:22:04.843+00:00
path to MS file       : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 94\

genus, species, strain : Staphylococcus aureus RKI/WGPS94
MicrobeMS ID           : 2008_02_04_Maren Stämmeler_0011
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37 Grad Celsius
growth conditions      : aerob
growth medium          : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration          : 3-5 Oesen in 100 muel
extra info             : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2008-04-02T13:50:27.281+00:00
path to MS file       : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 94\

genus, species, strain : Staphylococcus aureus RKI/WGPS94
MicrobeMS ID           : 2008_04_04_Maren Stämmeler_0011
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37 Grad Celsius
growth conditions      : aerob
growth medium          : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration          : 3-5 Oesen in 100 muel
extra info             : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2008-04-04T11:28:06.343+00:00
path to MS file       : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 94\

genus, species, strain : Staphylococcus aureus RKI/WGPS94
MicrobeMS ID           : 2008_04_09_Maren Stämmeler_0011
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37 Grad Celsius
growth conditions      : aerob
growth medium          : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration          : 3-5 Oesen in 100 muel
extra info             : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2008-04-09T14:02:55.968+00:00
path to MS file       : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 94\

genus, species, strain : Staphylococcus aureus RKI/WGPS94
MicrobeMS ID           : 2008_25_04_Maren Stämmeler_0011
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37 Grad Celsius
growth conditions      : aerob
growth medium          : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration          : 3-5 Oesen in 100 muel
extra info             : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2008-04-25T10:32:08.546+00:00
path to MS file       : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 94\

genus, species, strain : Staphylococcus aureus RKI/WGPS94
MicrobeMS ID           : 2008_16_05_Maren Stämmeler_0011
NCBI tax ID's          : 1280 -
growth time            : 24h
growth temperature     : 37 Grad Celsius
growth conditions      : aerob
growth medium          : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C über Nacht eingefrohren; aufgetaut/ 1:1 HCCATA2 (A)
concentration          : 3-5 Oesen in 100 muel
```

extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-16T10:36:43.890+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 94\

genus, species, strain : Staphylococcus aureus RKI/WGPS96
MicrobeMS ID : 2008_20_02_Maren Stämmeler_0012
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-20T14:25:09.031+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 96\

genus, species, strain : Staphylococcus aureus RKI/WGPS96
MicrobeMS ID : 2008_02_04_Maren Stämmeler_0012
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-02T13:52:58.765+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 96\

genus, species, strain : Staphylococcus aureus RKI/WGPS96
MicrobeMS ID : 2008_04_04_Maren Stämmeler_0012
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-04T11:33:47.531+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 96\

genus, species, strain : Staphylococcus aureus RKI/WGPS96
MicrobeMS ID : 2008_04_09_Maren Stämmeler_0012
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-09T14:06:24.171+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 96\

genus, species, strain : Staphylococcus aureus RKI/WGPS96
MicrobeMS ID : 2008_04_25_Maren Stämmeler_0012
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-25T10:35:04.703+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 96\

genus, species, strain : Staphylococcus aureus RKI/WGPS96
MicrobeMS ID : 2008_16_05_Maren Stämmeler_0012
NCBI tax ID's : 1280 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ bei -20°C über Nacht eingefroren; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-16T10:41:34.562+00:00
path to MS file : \Staphylococcus\Staphylococcus aureus\Staphylococcus aureus RKI WG PS 96\

Staphylococcus delphini

genus, species, strain : Staphylococcus delphini Referenzstamm
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0002
NCBI tax ID's : 53344 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T13:49:20.328+02:00
path to MS file : \Staphylococcus\Staphylococcus delphini\Staphylococcus delphini x\

genus, species, strain : Staphylococcus delphini Referenzstamm
MicrobeMS ID : 2011_05_26_Stefanie Herfort_0002
NCBI tax ID's : 53344 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-26T11:04:09.203+02:00
path to MS file : \Staphylococcus\Staphylococcus delphini\Staphylococcus delphini x\

genus, species, strain : Staphylococcus delphini Referenzstamm
MicrobeMS ID : 2012_04_04_HerfortStefanie_0022
NCBI tax ID's : 53344 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T13:39:02.968+02:00
path to MS file : \Staphylococcus\Staphylococcus delphini\Staphylococcus delphini x\

genus, species, strain : Staphylococcus delphini Referenzstamm
MicrobeMS ID : 2012_03_20_HerfortStefanie_0005
NCBI tax ID's : 53344 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-03-20T13:55:19.234+01:00
path to MS file : \Staphylococcus\Staphylococcus delphini\Staphylococcus delphini x\

genus, species, strain : Staphylococcus delphini Referenzstamm
MicrobeMS ID : 2011_06_09_Stefanie Herfort_0002
NCBI tax ID's : 53344 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-09T12:43:37.718+02:00
path to MS file : \Staphylococcus\Staphylococcus delphini\Staphylococcus delphini x\

genus, species, strain : Staphylococcus delphini Referenzstamm
MicrobeMS ID : 2011_08_04_Maren Stämmler_0003
NCBI tax ID's : 53344 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µl
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T11:39:38.640+02:00
path to MS file : \Staphylococcus\Staphylococcus delphini\Staphylococcus delphini x\

Staphylococcus epidermidis

genus, species, strain : Staphylococcus epidermidis 11-00903
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0006
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso

sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T14:27:31.125+02:00
path to MS file : \Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis 11-00903\

genus, species, strain : Staphylococcus epidermidis 11-00903
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0007
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Ösen in 100 µl
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T12:02:54.453+02:00
path to MS file : \Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis 11-00903\

genus, species, strain : Staphylococcus epidermidis CCM 2124
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0005
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T14:19:22.328+02:00
path to MS file : \Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis CCM 2124\

genus, species, strain : Staphylococcus epidermidis CCM 2124
MicrobeMS ID : 2011_05_26_Stefanie Herfort_0004
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-26T11:21:26.015+02:00
path to MS file : \Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis CCM 2124\

genus, species, strain : Staphylococcus epidermidis CCM 2124
MicrobeMS ID : 2012_04_04_HerfortStefanie_0023
NCBI tax ID's : 1282 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T13:48:58.468+02:00
path to MS file : \Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis CCM 2124\

genus, species, strain : Staphylococcus epidermidis CCM 2124
MicrobeMS ID : 2012_03_20_HerfortStefanie_0006
NCBI tax ID's : 1282 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-03-20T13:59:16.265+01:00
path to MS file : \Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis CCM 2124\

genus, species, strain : Staphylococcus epidermidis CCM 2124
MicrobeMS ID : 2011_06_09_Stefanie Herfort_0004
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-09T13:17:03.031+02:00
path to MS file : \Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis CCM 2124\

genus, species, strain : Staphylococcus epidermidis CCM 2124

MicrobeMS ID : 2011_08_04_Maren Stämmeler_0006
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µl
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T11:53:05.421+02:00
path to MS file : \\Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis CCM 2124\

genus, species, strain : Staphylococcus epidermidis DSM 1798
MicrobeMS ID : 2008_20_02_Maren Stämmeler_0007
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-20T14:02:44.140+00:00
path to MS file : \\Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis DSM 1798\

genus, species, strain : Staphylococcus epidermidis DSM 1798
MicrobeMS ID : 2008_02_04_Maren Stämmeler_0007
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-02T13:27:10.218+00:00
path to MS file : \\Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis DSM 1798\

genus, species, strain : Staphylococcus epidermidis DSM 1798
MicrobeMS ID : 2008_04_04_Maren Stämmeler_0007
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-04T11:07:47.984+00:00
path to MS file : \\Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis DSM 1798\

genus, species, strain : Staphylococcus epidermidis DSM 1798
MicrobeMS ID : 2008_04_09_Maren Stämmeler_0007
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-09T13:41:02.703+00:00
path to MS file : \\Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis DSM 1798\

genus, species, strain : Staphylococcus epidermidis DSM 1798
MicrobeMS ID : 2008_25_04_Maren Stämmeler_0007
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-25T10:06:46.828+00:00
path to MS file : \\Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis DSM 1798\

genus, species, strain : Staphylococcus epidermidis DSM 1798
MicrobeMS ID : 2008_16_05_Maren Stämmeler_0007
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C über Nacht eingefroren; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-16T10:07:41.500+00:00
path to MS file : \\Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis DSM 1798\

genus, species, strain : Staphylococcus epidermidis Isolat Platte 07 Probe 2
MicrobeMS ID : 2014_04_15_Maren Stämmeler_0025
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-15T15:25:19.265+02:00
path to MS file : \\Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis RRLK07_02\

genus, species, strain : Staphylococcus epidermidis Isolat Platte 07 Probe 2
MicrobeMS ID : 2014_04_17_Maren Stämmeler_0025
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-17T13:08:57.093+02:00
path to MS file : \\Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis RRLK07_02\

genus, species, strain : Staphylococcus epidermidis RRLuftkeim07_02
MicrobeMS ID : 2015_04_17_Maren Stämmeler_0005
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T11:09:06.343+02:00
path to MS file : \\Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis RRLK07_02\

genus, species, strain : Staphylococcus epidermidis RRLuftkeim07_02
MicrobeMS ID : 2015_04_17_Maren Stämmeler_0006
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T11:14:48.734+02:00
path to MS file : \\Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis RRLK07_02\

genus, species, strain : Staphylococcus epidermidis RRLuftkeim07_02
MicrobeMS ID : 2015_04_17_Maren Stämmeler_0007
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T11:24:58.578+02:00
path to MS file : \\Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis RRLK07_02\

genus, species, strain : Staphylococcus epidermidis RRLuftkeim07_02
MicrobeMS ID : 2015_04_17_Maren Stämmeler_0008
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T11:27:20.156+02:00
path to MS file : \\Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis RRLK07_02\

genus, species, strain : Staphylococcus epidermidis RRLuftkeim07_02
MicrobeMS ID : 2015_04_24_Maren Stämmeler_0001
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T08:52:17.203+02:00
path to MS file : \Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis RRLK07_02\

genus, species, strain : Staphylococcus epidermidis RRLuftkeim07_02
MicrobeMS ID : 2015_04_24_Maren Stämmeler_0002
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T08:55:22.359+02:00
path to MS file : \Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis RRLK07_02\

genus, species, strain : Staphylococcus epidermidis RRLuftkeim07_02
MicrobeMS ID : 2015_04_24_Maren Stämmeler_0003
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T09:02:01.937+02:00
path to MS file : \Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis RRLK07_02\

genus, species, strain : Staphylococcus epidermidis RRLuftkeim07_02
MicrobeMS ID : 2015_04_24_Maren Stämmeler_0004
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-24T09:05:29.500+02:00
path to MS file : \Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis RRLK07_02\

genus, species, strain : Staphylococcus epidermidis RRLuftkeim07_02
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0001
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T11:12:29.421+02:00
path to MS file : \Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis RRLK07_02\

genus, species, strain : Staphylococcus epidermidis RRLuftkeim07_02
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0002
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Malldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T11:15:47.671+02:00
path to MS file : \Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis RRLK07_02\

genus, species, strain : Staphylococcus epidermidis RRLuftkeim07_02
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0003
NCBI tax ID's : 1282 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T11:18:47.750+02:00
path to MS file : \Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis RRLK07_02\

genus, species, strain : Staphylococcus epidermidis RRLuftkeim07_02
MicrobeMS ID : 2015_05_22_Maren Stämmeler_0004
NCBI tax ID's : 1282 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-22T11:21:48.078+02:00
path to MS file : \Staphylococcus\Staphylococcus epidermidis\Staphylococcus epidermidis RRLK07_02\

Staphylococcus haemolyticus

genus, species, strain : Staphylococcus haemolyticus 09-00512
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0008
NCBI tax ID's : 1283 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T14:40:06.812+02:00
path to MS file : \Staphylococcus\Staphylococcus haemolyticus\Staphylococcus haemolyticus 09-00512\

genus, species, strain : Staphylococcus haemolyticus 09-00512
MicrobeMS ID : 2011_05_26_Stefanie Herfort_0005
NCBI tax ID's : 1283 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-26T11:35:32.734+02:00
path to MS file : \Staphylococcus\Staphylococcus haemolyticus\Staphylococcus haemolyticus 09-00512\

genus, species, strain : Staphylococcus haemolyticus 09-00512
MicrobeMS ID : 2012_04_04_HerfortStefanie_0024
NCBI tax ID's : 1283 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T13:53:54.343+02:00
path to MS file : \Staphylococcus\Staphylococcus haemolyticus\Staphylococcus haemolyticus 09-00512\

genus, species, strain : Staphylococcus haemolyticus 09-00512
MicrobeMS ID : 2012_03_20_HerfortStefanie_0007
NCBI tax ID's : 1283 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-03-20T14:06:31.859+01:00
path to MS file : \Staphylococcus\Staphylococcus haemolyticus\Staphylococcus haemolyticus 09-00512\

genus, species, strain : Staphylococcus haemolyticus 09-00512
MicrobeMS ID : 2011_06_09_Stefanie Herfort_0005
NCBI tax ID's : 1283 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)

```
concentration      : 3-5 Ösen in 0,1 ml
extra info        : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer          : RKI ZBS6
measurement date/time : 2011-06-09T13:38:02.468+02:00
path to MS file    : \Staphylococcus\Staphylococcus haemolyticus\Staphylococcus haemolyticus 09-00512\

genus, species, strain : Staphylococcus haemolyticus 09-00512
MicrobEMS ID         : 2012_04_05_HerfortStefanie_0012
NCBI tax ID's        : 1283 -
growth time          : 48h
growth temperature   : 36 Grad Celsius
growth conditions    : aerob
growth medium        : Caso-Agar
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration        : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2012-04-05T13:01:13.328+02:00
path to MS file      : \Staphylococcus\Staphylococcus haemolyticus\Staphylococcus haemolyticus 09-00512\

genus, species, strain : Staphylococcus haemolyticus 09-00512
MicrobEMS ID         : 2011_08_04_Maren Stämmeler_0009
NCBI tax ID's        : 1283 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration        : ca. 3 Oesen in 100 muel
extra info           : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-08-04T13:54:15.171+02:00
path to MS file      : \Staphylococcus\Staphylococcus haemolyticus\Staphylococcus haemolyticus 09-00512\

genus, species, strain : Staphylococcus haemolyticus CCM 1798
MicrobEMS ID         : 2011_05_19_Stefanie Herfort_0007
NCBI tax ID's        : 1283 -
growth time          : 24h
growth temperature   : 36 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : 3-5 Ösen in 0,1 ml
extra info           : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-05-19T14:35:36.656+02:00
path to MS file      : \Staphylococcus\Staphylococcus haemolyticus\Staphylococcus haemolyticus CCM 1798\

genus, species, strain : Staphylococcus haemolyticus CCM 1798
MicrobEMS ID         : 2011_08_04_Maren Stämmeler_0008
NCBI tax ID's        : 1283 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration        : ca. 3 Oesen in 100 muel
extra info           : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-08-04T12:06:44.828+02:00
path to MS file      : \Staphylococcus\Staphylococcus haemolyticus\Staphylococcus haemolyticus CCM 1798\
```

Staphylococcus hominis

```
genus, species, strain : Staphylococcus hominis Ringvers. A-269_03 B
MicrobEMS ID         : 2012_04_02_Maren Stämmeler_0006
NCBI tax ID's        : 1290 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium        : Columbiablut
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration        : ca. 3 Oesen in 100 muel
extra info           : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method   : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2012-04-02T14:06:04.125+02:00
path to MS file      : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis A269-3b\

genus, species, strain : Staphylococcus hominis DSM 20330
MicrobEMS ID         : 2011_08_25_EhrmannAnja_0002
NCBI tax ID's        : 1290 -
growth time          : 48h
growth temperature   : 36 Grad Celsius
growth conditions    : aerob
growth medium        : Caso-Agar
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration        : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2011-08-25T15:34:48.859+02:00
path to MS file      : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis DSM 20330\
```

```
genus, species, strain : Staphylococcus hominis DSM 20330
MicrobeMS ID          : 2011_09_01_EhrmannAnja_0002
NCBI tax ID's         : 1290 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-09-01T11:12:18.328+02:00
path to MS file       : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis DSM 20330\

genus, species, strain : Staphylococcus hominis DSM 20330
MicrobeMS ID          : 2011_09_08_EhrmannAnja_0002
NCBI tax ID's         : 1290 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-09-08T10:38:30.593+02:00
path to MS file       : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis DSM 20330\

genus, species, strain : Staphylococcus hominis DSM20328
MicrobeMS ID          : 2011_08_25_EhrmannAnja_0001
NCBI tax ID's         : 1290 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-08-25T15:28:08.906+02:00
path to MS file       : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis DSM20328\

genus, species, strain : Staphylococcus hominis DSM20328
MicrobeMS ID          : 2011_09_01_EhrmannAnja_0001
NCBI tax ID's         : 1290 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-09-01T11:03:06.718+02:00
path to MS file       : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis DSM20328\

genus, species, strain : Staphylococcus hominis DSM20328
MicrobeMS ID          : 2011_09_08_EhrmannAnja_0001
NCBI tax ID's         : 1290 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2011-09-08T10:26:20.140+02:00
path to MS file       : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis DSM20328\

genus, species, strain : Staphylococcus hominis Isolat Platte 01 Probe 3
MicrobeMS ID          : 2014_04_15_Maren Stämmeler_0003
NCBI tax ID's         : 1290 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration         : ca. 2-3 Oesen in 25 muel
extra info           : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2014-04-15T14:00:49.734+02:00
path to MS file       : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK01_03\

genus, species, strain : Staphylococcus hominis Isolat Platte 01 Probe 3
MicrobeMS ID          : 2014_04_17_Maren Stämmeler_0003
NCBI tax ID's         : 1290 -
growth time           : 24h
growth temperature    : 37°C
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
```

concentration : ca. 2-3 Oesen in 25 muel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-17T10:15:36.078+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK01_03\

genus, species, strain : Staphylococcus hominis RRLuftkeim01_03
MicrobeMS ID : 2015_04_15_Maren Stämmeler_0001
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-15T10:25:26.984+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK01_03\

genus, species, strain : Staphylococcus hominis RRLuftkeim01_03
MicrobeMS ID : 2015_04_15_Maren Stämmeler_0002
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-15T10:29:42.312+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK01_03\

genus, species, strain : Staphylococcus hominis RRLuftkeim01_03
MicrobeMS ID : 2015_04_15_Maren Stämmeler_0003
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-15T10:32:47.484+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK01_03\

genus, species, strain : Staphylococcus hominis RRLuftkeim01_03
MicrobeMS ID : 2015_04_15_Maren Stämmeler_0004
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-15T10:36:02.750+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK01_03\

genus, species, strain : Staphylococcus hominis RRLuftkeim01_03
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0001
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-22T10:26:03.484+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK01_03\

genus, species, strain : Staphylococcus hominis RRLuftkeim01_03
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0002
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-22T10:28:26.765+02:00
path to MS file : \\Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK01_03\

genus, species, strain : Staphylococcus hominis RRLuftkeim01_03
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0003
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-22T10:34:16.734+02:00
path to MS file : \\Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK01_03\

genus, species, strain : Staphylococcus hominis RRLuftkeim01_03
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0004
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-22T10:36:54.609+02:00
path to MS file : \\Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK01_03\

genus, species, strain : Staphylococcus hominis RRLuftkeim01_03
MicrobeMS ID : 2015_05_18_Maren Stämmeler_0001
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T10:36:45.515+02:00
path to MS file : \\Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK01_03\

genus, species, strain : Staphylococcus hominis RRLuftkeim01_03
MicrobeMS ID : 2015_05_18_Maren Stämmeler_0002
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T10:39:38.296+02:00
path to MS file : \\Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK01_03\

genus, species, strain : Staphylococcus hominis RRLuftkeim01_03
MicrobeMS ID : 2015_05_18_Maren Stämmeler_0003
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T10:42:30.687+02:00
path to MS file : \\Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK01_03\

genus, species, strain : Staphylococcus hominis RRLuftkeim01_03
MicrobeMS ID : 2015_05_18_Maren Stämmeler_0004
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T10:45:24.718+02:00
path to MS file : \\Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK01_03\

genus, species, strain : Staphylococcus hominis Isolat Platte 06 Probe 4
MicrobeMS ID : 2014_04_15_Maren Stämmeler_0022
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-15T15:12:03.203+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK06_04\
genus, species, strain : Staphylococcus hominis Isolat Platte 06 Probe 4
MicrobeMS ID : 2014_04_17_Maren Stämmeler_0022
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-17T12:53:06.375+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK06_04\
genus, species, strain : Staphylococcus hominis RRLuftkeim06_04
MicrobeMS ID : 2015_04_17_Maren Stämmeler_0001
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T10:46:37.703+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK06_04\
genus, species, strain : Staphylococcus hominis RRLuftkeim06_04
MicrobeMS ID : 2015_04_17_Maren Stämmeler_0002
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T10:55:02.890+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK06_04\
genus, species, strain : Staphylococcus hominis RRLuftkeim06_04
MicrobeMS ID : 2015_04_17_Maren Stämmeler_0003
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T10:58:38.750+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK06_04\
genus, species, strain : Staphylococcus hominis RRLuftkeim06_04
MicrobeMS ID : 2015_04_17_Maren Stämmeler_0004
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-17T11:00:58.500+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK06_04\
genus, species, strain : Staphylococcus hominis RRLuftkeim06_04
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0013
NCBI tax ID's : 1290 -

growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T10:51:39.765+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK06_04\

genus, species, strain : Staphylococcus hominis RRLuftkeim06_04
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0014
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T10:54:26.765+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK06_04\

genus, species, strain : Staphylococcus hominis RRLuftkeim06_04
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0015
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T10:57:17.687+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK06_04\

genus, species, strain : Staphylococcus hominis RRLuftkeim06_04
MicrobeMS ID : 2015_04_23_Maren Stämmeler_0016
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-23T11:00:12.750+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK06_04\

genus, species, strain : Staphylococcus hominis RRLuftkeim06_04
MicrobeMS ID : 2015_05_21_Maren Stämmeler_0013
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-21T10:40:39.328+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK06_04\

genus, species, strain : Staphylococcus hominis RRLuftkeim06_04
MicrobeMS ID : 2015_05_21_Maren Stämmeler_0014
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 muel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-21T10:43:53.296+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK06_04\

genus, species, strain : Staphylococcus hominis RRLuftkeim06_04
MicrobeMS ID : 2015_05_21_Maren Stämmeler_0015
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso

sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-21T10:48:48.875+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK06_04\

genus, species, strain : Staphylococcus hominis RRLuftkeim06_04
MicrobeMS ID : 2015_05_21_Maren Stämmeler_0016
NCBI tax ID's : 1290 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µl
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-21T10:51:51.312+02:00
path to MS file : \Staphylococcus\Staphylococcus hominis\Staphylococcus hominis RRLK06_04\

Staphylococcus intermedius

genus, species, strain : Staphylococcus intermedius CCM 5739
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0001
NCBI tax ID's : 1285 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T13:44:10.125+02:00
path to MS file : \Staphylococcus\Staphylococcus intermedius\Staphylococcus intermedius CCM 5739\

genus, species, strain : Staphylococcus intermedius CCM 5739
MicrobeMS ID : 2011_05_26_Stefanie Herfort_0001
NCBI tax ID's : 1285 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-26T10:58:35.859+02:00
path to MS file : \Staphylococcus\Staphylococcus intermedius\Staphylococcus intermedius CCM 5739\

genus, species, strain : Staphylococcus intermedius CCM5739
MicrobeMS ID : 2012_04_04_HerfortStefanie_0016
NCBI tax ID's : 1285 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T10:54:31.484+02:00
path to MS file : \Staphylococcus\Staphylococcus intermedius\Staphylococcus intermedius CCM 5739\

genus, species, strain : Staphylococcus intermedius CCM 5739
MicrobeMS ID : 2012_04_05_HerfortStefanie_0006
NCBI tax ID's : 1285 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-05T12:13:03.109+02:00
path to MS file : \Staphylococcus\Staphylococcus intermedius\Staphylococcus intermedius CCM 5739\

genus, species, strain : Staphylococcus intermedius CCM 5739
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0002
NCBI tax ID's : 1285 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µl
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

```

customer          : RKI ZBS6
measurement date/time : 2011-08-04T11:34:43.937+02:00
path to MS file    : \Staphylococcus\Staphylococcus intermedius\Staphylococcus intermedius CCM 5739\

genus, species, strain : Staphylococcus intermedius DSM20373
MicrobeMS ID       : 2011_08_25_EhrmannAnja_0003
NCBI tax ID's      : 1285 -
growth time        : 48h
growth temperature  : 36 Grad Celsius
growth conditions   : aerob
growth medium       : Caso-Agar
sample treatment   : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration       : 3-5 Ösen in 0,1 ml
extra info         :
calibration standard :
measurement method  : ToM_200ns.par
customer           : RKI ZBS6
measurement date/time : 2011-08-25T15:45:55.546+02:00
path to MS file    : \Staphylococcus\Staphylococcus intermedius\Staphylococcus intermedius DSM20373\

genus, species, strain : Staphylococcus intermedius DSM20373
MicrobeMS ID       : 2011_09_01_EhrmannAnja_0003
NCBI tax ID's      : 1285 -
growth time        : 48h
growth temperature  : 36 Grad Celsius
growth conditions   : aerob
growth medium       : Caso-Agar
sample treatment   : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration       : 3-5 Ösen in 0,1 ml
extra info         :
calibration standard :
measurement method  : ToM_200ns.par
customer           : RKI ZBS6
measurement date/time : 2011-09-01T11:27:47.484+02:00
path to MS file    : \Staphylococcus\Staphylococcus intermedius\Staphylococcus intermedius DSM20373\

genus, species, strain : Staphylococcus intermedius DSM20373
MicrobeMS ID       : 2011_09_08_EhrmannAnja_0003
NCBI tax ID's      : 1285 -
growth time        : 48h
growth temperature  : 36 Grad Celsius
growth conditions   : aerob
growth medium       : Caso-Agar
sample treatment   : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration       : 3-5 Ösen in 0,1 ml
extra info         :
calibration standard :
measurement method  : ToM_200ns.par
customer           : RKI ZBS6
measurement date/time : 2011-09-08T11:06:48.546+02:00
path to MS file    : \Staphylococcus\Staphylococcus intermedius\Staphylococcus intermedius DSM20373\

```

Staphylococcus lugdunensis

```

genus, species, strain : Staphylococcus lugdunensis 09-00266
MicrobeMS ID       : 2011_05_19_Stefanie Herfort_0014
NCBI tax ID's      : 28035 -
growth time        : 24h
growth temperature  : 36 Grad Celsius
growth conditions   : aerob
growth medium       : Caso
sample treatment   : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : 3-5 Ösen in 0,1 ml
extra info         : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer           : RKI ZBS6
measurement date/time : 2011-05-19T15:22:06.703+02:00
path to MS file    : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00266\

genus, species, strain : Staphylococcus lugdunensis 09-00266
MicrobeMS ID       : 2011_05_26_Stefanie Herfort_0008
NCBI tax ID's      : 28035 -
growth time        : 24h
growth temperature  : 36 Grad Celsius
growth conditions   : aerob
growth medium       : Caso
sample treatment   : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : 3-5 Ösen in 0,1 ml
extra info         : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer           : RKI ZBS6
measurement date/time : 2011-05-26T12:10:37.484+02:00
path to MS file    : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00266\

genus, species, strain : Staphylococcus lugdunensis 09-00266
MicrobeMS ID       : 2011_06_09_Stefanie Herfort_0008
NCBI tax ID's      : 28035 -
growth time        : 24h
growth temperature  : 36 Grad Celsius
growth conditions   : aerob
growth medium       : Caso
sample treatment   : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration       : 3-5 Ösen in 0,1 ml
extra info         : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method  : ToM_200ns.par
customer           : RKI ZBS6
measurement date/time : 2011-06-09T14:25:24.906+02:00
path to MS file    : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00266\

genus, species, strain : Staphylococcus lugdunensis 09-00266
MicrobeMS ID       : 2012_04_04_HerfortStefanie_0027
NCBI tax ID's      : 28035 -

```

growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T14:11:33.953+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00266\

genus, species, strain : Staphylococcus lugdunensis 09-00266
MicrobeMS ID : 2012_03_20_HerfortStefanie_0010
NCBI tax ID's : 28035 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-03-20T14:26:19.421+01:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00266\

genus, species, strain : Staphylococcus lugdunensis 09-00266
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0015
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T15:07:18.656+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00266\

genus, species, strain : Staphylococcus lugdunensis 09-00272
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0016
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T15:36:50.109+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00272\

genus, species, strain : Staphylococcus lugdunensis 09-00272
MicrobeMS ID : 2011_05_26_Stefanie Herfort_0010
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-26T12:26:16.328+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00272\

genus, species, strain : Staphylococcus lugdunensis 09-00272
MicrobeMS ID : 2011_06_09_Stefanie Herfort_0010
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-09T14:45:27.265+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00272\

genus, species, strain : Staphylococcus lugdunensis 09-00272
MicrobeMS ID : 2012_03_20_HerfortStefanie_0012
NCBI tax ID's : 28035 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6

measurement date/time : 2012-03-20T14:38:10.078+01:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00272\

genus, species, strain : Staphylococcus lugdunensis 09-00272
MicrobeMS ID : 2012_04_05_HerfortStefanie_0002
NCBI tax ID's : 28035 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-05T11:46:25.390+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00272\

genus, species, strain : Staphylococcus lugdunensis 09-00272
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0017
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T15:21:11.906+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00272\

genus, species, strain : Staphylococcus lugdunensis 09-00276
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0011
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T15:03:37.343+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00276\

genus, species, strain : Staphylococcus lugdunensis 09-00276
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0012
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T14:17:57.609+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00276\

genus, species, strain : Staphylococcus lugdunensis 09-00283
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0012
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T15:07:53.687+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00283\

genus, species, strain : Staphylococcus lugdunensis 09-00283
MicrobeMS ID : 2011_05_26_Stefanie Herfort_0007
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-26T12:04:24.296+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00283\

genus, species, strain : Staphylococcus lugdunensis 09-00283
MicrobeMS ID : 2012_04_04_HerfortStefanie_0026
NCBI tax ID's : 28035 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar

sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T14:05:07.953+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00283\

genus, species, strain : Staphylococcus lugdunensis 09-00283
MicrobeMS ID : 2012_03_20_HerfortStefanie_0009
NCBI tax ID's : 28035 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-03-20T14:21:09.906+01:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00283\

genus, species, strain : Staphylococcus lugdunensis 09-00283
MicrobeMS ID : 2011_06_09_Stefanie Herfort_0007
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-09T14:15:55.250+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00283\

genus, species, strain : Staphylococcus lugdunensis 09-00283
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0013
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T14:50:00.718+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00283\

genus, species, strain : Staphylococcus lugdunensis 09-00285
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0013
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T15:18:19.343+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00285\

genus, species, strain : Staphylococcus lugdunensis 09-00285
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0014
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T14:54:43.765+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00285\

genus, species, strain : Staphylococcus lugdunensis 09-00513
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0017
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T15:42:57.109+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00513\

genus, species, strain : Staphylococcus lugdunensis 09-00513

MicrobeMS ID : 2011_05_26_Stefanie Herfort_0011
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-26T12:39:31.156+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00513\

genus, species, strain : Staphylococcus lugdunensis 09-00513
MicrobeMS ID : 2011_06_09_Stefanie Herfort_0011
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-09T15:04:22.500+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00513\

genus, species, strain : Staphylococcus lugdunensis 09-00513
MicrobeMS ID : 2012_04_05_HerfortStefanie_0014
NCBI tax ID's : 28035 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-05T13:13:10.125+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00513\

genus, species, strain : Staphylococcus lugdunensis 09-00513
MicrobeMS ID : 2012_04_05_HerfortStefanie_0004
NCBI tax ID's : 28035 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-05T11:59:20.781+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00513\

genus, species, strain : Staphylococcus lugdunensis 09-00513
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0018
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µl
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T15:24:02.046+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00513\

genus, species, strain : Staphylococcus lugdunensis 09-00515
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0010
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T14:52:07.015+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00515\

genus, species, strain : Staphylococcus lugdunensis 09-00515
MicrobeMS ID : 2012_04_04_HerfortStefanie_0025
NCBI tax ID's : 28035 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :

measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T14:01:33.765+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00515\

genus, species, strain : Staphylococcus lugdunensis 09-00515
MicrobeMS ID : 2012_03_20_HerfortStefanie_0008
NCBI tax ID's : 28035 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-03-20T14:10:13.796+01:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00515\

genus, species, strain : Staphylococcus lugdunensis 09-00515
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0011
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T14:11:25.875+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis 09-00515\

genus, species, strain : Staphylococcus lugdunensis ATCC 43809
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0009
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T14:48:26.078+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis ATCC 43809\

genus, species, strain : Staphylococcus lugdunensis ATCC 43809
MicrobeMS ID : 2011_05_26_Stefanie Herfort_0006
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-26T11:49:05.562+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis ATCC 43809\

genus, species, strain : Staphylococcus lugdunensis ATCC 43809
MicrobeMS ID : 2012_03_20_HerfortStefanie_0013
NCBI tax ID's : 28035 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-03-20T14:43:42.468+01:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis ATCC 43809\

genus, species, strain : Staphylococcus lugdunensis ATCC 43809
MicrobeMS ID : 2011_06_09_Stefanie Herfort_0006
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-09T13:51:24.437+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis ATCC 43809\

genus, species, strain : Staphylococcus lugdunensis ATCC 43809
MicrobeMS ID : 2012_04_05_HerfortStefanie_0003
NCBI tax ID's : 28035 -
growth time : 48h
growth temperature : 36 Grad Celsius

growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-05T11:54:57.234+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis ATCC 43809\

genus, species, strain : Staphylococcus lugdunensis ATCC 43809
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0010
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T13:57:38.921+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Staphylococcus lugdunensis ATCC 43809\

genus, species, strain : Staphylococcus lugdunensis 09-00274
MicrobeMS ID : 2012_03_20_HerfortStefanie_0011
NCBI tax ID's : 28035 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-03-20T14:33:37.546+01:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Stapylococcus lugdunensis 09-00274\

genus, species, strain : Staphylococcus lugdunensis 09-00274
MicrobeMS ID : 2011_06_09_Stefanie Herfort_0009
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von F.Layer / Anzucht und Präparation: SH
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-09T14:40:15.812+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Stapylococcus lugdunensis 09-00274\

genus, species, strain : Staphylococcus lugdunensis 09-00274
MicrobeMS ID : 2012_04_05_HerfortStefanie_0013
NCBI tax ID's : 28035 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-05T13:08:33.937+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Stapylococcus lugdunensis 09-00274\

genus, species, strain : Staphylococcus lugdunensis 09-00274
MicrobeMS ID : 2012_04_05_HerfortStefanie_0001
NCBI tax ID's : 28035 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-05T09:51:36.921+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Stapylococcus lugdunensis 09-00274\

genus, species, strain : Staphylococcus lugdunensis 09-00274
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0016
NCBI tax ID's : 28035 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T15:12:25.140+02:00
path to MS file : \Staphylococcus\Staphylococcus lugdunensis\Stapylococcus lugdunensis 09-00274\

Staphylococcus pseudintermedius

genus, species, strain : Staphylococcus pseudintermedius 11-01 27-2
MicrobeMS ID : 2011_05_19_Stefanie Herfort_0004
NCBI tax ID's : 283734 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-05-19T14:07:20.000
path to MS file : \Staphylococcus\Staphylococcus pseudintermedius\Staphylococcus pseudintermedius 11-01 27-2\

genus, species, strain : Staphylococcus pseudintermedius 11-01 27-2
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0005
NCBI tax ID's : 283734 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T11:49:34.000
path to MS file : \Staphylococcus\Staphylococcus pseudintermedius\Staphylococcus pseudintermedius 11-01 27-2\

genus, species, strain : Staphylococcus pseudintermedius DSM 21284
MicrobeMS ID : 2012_04_04_HerfortStefanie_0015
NCBI tax ID's : 283734 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2012-04-04T10:48:50.000
path to MS file : \Staphylococcus\Staphylococcus pseudintermedius\Staphylococcus pseudintermedius DSM 21284\

genus, species, strain : Staphylococcus pseudintermedius DSM 21284
MicrobeMS ID : 2011_06_09_Stefanie Herfort_0003
NCBI tax ID's : 283734 -
growth time : 24h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-06-09T13:01:06.000
path to MS file : \Staphylococcus\Staphylococcus pseudintermedius\Staphylococcus pseudintermedius DSM 21284\

genus, species, strain : Staphylococcus pseudintermedius DSM 21284
MicrobeMS ID : 2012_04_05_HerfortStefanie_0005
NCBI tax ID's : 283734 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2012-04-05T12:08:11.000
path to MS file : \Staphylococcus\Staphylococcus pseudintermedius\Staphylococcus pseudintermedius DSM 21284\

genus, species, strain : Staphylococcus pseudintermedius DSM 21284
MicrobeMS ID : 2011_08_04_Maren Stämmeler_0004
NCBI tax ID's : 283734 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/24h bei -20°C im Kühlschrank/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Stämme von Dr. F. Layer RKI/WG/Anzucht und Präparation
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-08-04T11:43:19.000
path to MS file : \Staphylococcus\Staphylococcus pseudintermedius\Staphylococcus pseudintermedius DSM 21284\

Staphylococcus warneri

genus, species, strain : Staphylococcus warneri DSM20316
MicrobeMS ID : 2011_08_25_EhrmannAnja_0004
NCBI tax ID's : 1292 -
growth time : 48h
growth temperature : 36 Grad Celsius

```

growth conditions      : aerob
growth medium         : Caso-Agar
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration        : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2011-08-25T16:04:03.156+02:00
path to MS file      : \Staphylococcus\Staphylococcus warneri\Staphylococcus warneri DSM20316\

genus, species, strain : Staphylococcus warneri DSM20316
MicrobeMS ID          : 2011_09_01_EhrmannAnja_0004
NCBI tax ID's        : 1292 -
growth time          : 48h
growth temperature   : 36 Grad Celsius
growth conditions    : aerob
growth medium       : Caso-Agar
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration        : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2011-09-01T11:34:46.250+02:00
path to MS file      : \Staphylococcus\Staphylococcus warneri\Staphylococcus warneri DSM20316\

genus, species, strain : Staphylococcus warneri DSM20316
MicrobeMS ID          : 2011_09_08_EhrmannAnja_0004
NCBI tax ID's        : 1292 -
growth time          : 48h
growth temperature   : 36 Grad Celsius
growth conditions    : aerob
growth medium       : Caso-Agar
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration        : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2011-09-08T11:13:00.093+02:00
path to MS file      : \Staphylococcus\Staphylococcus warneri\Staphylococcus warneri DSM20316\

```

Stenotrophomonas

Stenotrophomonas maltophilia

```

genus, species, strain : Stenotrophomonas maltophilia ATCC 13637
MicrobeMS ID          : 2009_03_09_Maren Stämmeler_0011
NCBI tax ID's        : 40324 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium       : TSA
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration        : 3-5 Oesen in 100 muel
extra info           : Stämme in unserer Stammsammlung /Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2009-09-03T08:53:39.875+00:00
path to MS file      : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia ATCC 13637\

genus, species, strain : Stenotrophomonas maltophilia ATCC 13637
MicrobeMS ID          : 2009_04_09_Maren Stämmeler_0001
NCBI tax ID's        : 40324 -
growth time          : 48h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium       : TSA
sample treatment     : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration        : 3-5 Oesen in 100 muel
extra info           : Stämme in unserer Stammsammlung /Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2009-09-04T10:39:09.937+00:00
path to MS file      : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia ATCC 13637\

genus, species, strain : Stenotrophomonas maltophilia Fq 6497
MicrobeMS ID          : 2006_22_11_Alejandro Minan_0002
NCBI tax ID's        : 40324 -
growth time          : 24h
growth temperature   : 37°C
growth conditions    : aerob
growth medium       : TSA
sample treatment     : in 80$ TFA /1:10 diluted /1:1HCCATA2
concentration        : 3 Loops in 100 muel
extra info           : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2006-11-22 14:58:31
path to MS file      : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Fq 6497\

genus, species, strain : Stenotrophomonas maltophilia Fq 6497
MicrobeMS ID          : 2009_10_07_Maren Stämmeler_0012
NCBI tax ID's        : 40324 -
growth time          : 24h
growth temperature   : 37 Grad Celsius
growth conditions    : aerob
growth medium       : TSA

```

sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-10T11:11:53.234+00:00
path to MS file : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Fq 6497\

genus, species, strain : Stenotrophomonas maltophilia Fq 6497
MicrobeMS ID : 2009_06_08_Maren Stämmeler_0012
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-08-06T09:01:13.843+00:00
path to MS file : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Fq 6497\

genus, species, strain : Stenotrophomonas maltophilia Sm 131
MicrobeMS ID : 2009_14_05_Maren Stämmeler_0005
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-05-14T20:27:17.390+00:00
path to MS file : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 131\

genus, species, strain : Stenotrophomonas maltophilia Sm 131
MicrobeMS ID : 2009_15_05_Maren Stämmeler_0011
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-05-15T22:22:09.640+00:00
path to MS file : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 131\

genus, species, strain : Stenotrophomonas maltophilia Sm 132
MicrobeMS ID : 2006_29_11_Alejandro Minan_0008
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µl
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-29 18:33:16
path to MS file : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 132\

genus, species, strain : Stenotrophomonas maltophilia Sm 132
MicrobeMS ID : 2009_14_05_Maren Stämmeler_0006
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-05-14T20:30:21.703+00:00
path to MS file : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 132\

genus, species, strain : Stenotrophomonas maltophilia Sm 20/06
MicrobeMS ID : 2008_18_11_Maren Stämmeler_0001
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); ca. 3 Wochen bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-18T10:05:26.687+00:00
path to MS file : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 20 06\

genus, species, strain : Stenotrophomonas maltophilia Sm 20/06

MicrobeMS ID : 2008_21_11_Maren Stämmeler_0001
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); 2 Tage bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-21T10:17:34.953+00:00
path to MS file : \\Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 20 06\

genus, species, strain : Stenotrophomonas maltophilia Sm 207
MicrobeMS ID : 2006_29_11_Alejandro Minan_0009
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-29 18:38:12
path to MS file : \\Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 207 217\

genus, species, strain : Stenotrophomonas maltophilia Sm 217
MicrobeMS ID : 2009_14_05_Maren Stämmeler_0007
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-05-14T20:34:32.375+00:00
path to MS file : \\Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 207 217\

genus, species, strain : Stenotrophomonas maltophilia Sm 33
MicrobeMS ID : 2006_16_11_Alejandro Minan_0012
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-16 12:14:14
path to MS file : \\Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 33\

genus, species, strain : Stenotrophomonas maltophilia Sm 33
MicrobeMS ID : 2009_02_07_Maren Stämmeler_0009
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-02T09:54:02.250+00:00
path to MS file : \\Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 33\

genus, species, strain : Stenotrophomonas maltophilia Sm 36
MicrobeMS ID : 2006_16_11_Alejandro Minan_0013
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 µel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-16 12:19:16
path to MS file : \\Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 36\

genus, species, strain : Stenotrophomonas maltophilia Sm 36
MicrobeMS ID : 2009_02_07_Maren Stämmeler_0010
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-07-02T09:58:45.703+00:00
path to MS file : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 36\

genus, species, strain : Stenotrophomonas maltophilia Sm 36
MicrobeMS ID : 2009_06_08_Maren Stämmeler_0015
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-08-06T09:12:48.000+00:00
path to MS file : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 36\

genus, species, strain : Stenotrophomonas maltophilia Sm 51
MicrobeMS ID : 2006_22_11_Alejandro Minan_0017
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA /1:10 diluted /1:1HCCATA2
concentration : 3 Loops in 100 muel
extra info : Growing and Preparation A. MinanStrains from CINDEFI
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-11-22 18:24:20
path to MS file : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 51\

genus, species, strain : Stenotrophomonas maltophilia Sm 51
MicrobeMS ID : 2009_14_05_Maren Stämmeler_0004
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme in unserer Stammsammlung aus Argentinien 2006/Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-05-14T20:22:47.625+00:00
path to MS file : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 51\

genus, species, strain : Stenotrophomonas maltophilia Sm 66/06
MicrobeMS ID : 2008_18_11_Maren Stämmeler_0002
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); ca. 3 Wochen bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-18T10:08:17.203+00:00
path to MS file : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 66 06\

genus, species, strain : Stenotrophomonas maltophilia Sm 66/06
MicrobeMS ID : 2008_21_11_Maren Stämmeler_0002
NCBI tax ID's : 40324 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : TSA
sample treatment : in 80% TFA/30 min EWZ/ 1:10 verdünnt/ 1:1 HCCATA2 (A); 2 Tage bei -20°C im Tiefkühlschrank
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-11-21T10:20:05.421+00:00
path to MS file : \Stenotrophomonas\Stenotrophomonas maltophilia\Stenotrophomonas maltophilia Sm 66 06\

Stenotrophomonas rhizophila

genus, species, strain : Stenotrophomonas rhizophila Isolat Platte 03 Probe 1
MicrobeMS ID : 2014_04_15_Maren Stämmeler_0009
NCBI tax ID's : 216778 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2-3 Oesen in 25 muel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-15T14:23:35.484+02:00
path to MS file : \Stenotrophomonas\Stenotrophomonas rhizophila\Stenotrophomonas rhizophila RRLK03_01\

genus, species, strain : Stenotrophomonas rhizophila Isolat Platte 03 Probe 1

MicrobeMS ID : 2014_04_17_Maren Stämmeler_0009
NCBI tax ID's : 216778 -
growth time : 24h
growth temperature : 37°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : Luftkeime auf der Platte von Dr. Goede (rap.ID Particle Systems GmbH)/Isolierung der Keime, Kultivierung und Präparation für Maldi:
MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-04-17T10:57:02.687+02:00
path to MS file : \Stenotrophomonas\Stenotrophomonas rhizophila\Stenotrophomonas rhizophila RRLK03_01\
genus, species, strain : Stenotrophomonas rhizophila RRLuftkeim03_01
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0001
NCBI tax ID's : 216778 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T10:32:22.484+02:00
path to MS file : \Stenotrophomonas\Stenotrophomonas rhizophila\Stenotrophomonas rhizophila RRLK03_01\
genus, species, strain : Stenotrophomonas rhizophila RRLuftkeim03_01
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0002
NCBI tax ID's : 216778 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T10:35:05.718+02:00
path to MS file : \Stenotrophomonas\Stenotrophomonas rhizophila\Stenotrophomonas rhizophila RRLK03_01\
genus, species, strain : Stenotrophomonas rhizophila RRLuftkeim03_01
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0003
NCBI tax ID's : 216778 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T10:37:51.046+02:00
path to MS file : \Stenotrophomonas\Stenotrophomonas rhizophila\Stenotrophomonas rhizophila RRLK03_01\
genus, species, strain : Stenotrophomonas rhizophila RRLuftkeim03_01
MicrobeMS ID : 2015_04_16_Maren Stämmeler_0004
NCBI tax ID's : 216778 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 15.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-16T10:40:11.609+02:00
path to MS file : \Stenotrophomonas\Stenotrophomonas rhizophila\Stenotrophomonas rhizophila RRLK03_01\
genus, species, strain : Stenotrophomonas rhizophila RRLuftkeim03_01
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0013
NCBI tax ID's : 216778 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-22T11:39:55.078+02:00
path to MS file : \Stenotrophomonas\Stenotrophomonas rhizophila\Stenotrophomonas rhizophila RRLK03_01\
genus, species, strain : Stenotrophomonas rhizophila RRLuftkeim03_01
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0014
NCBI tax ID's : 216778 -
growth time : 24h
growth temperature : 30°C

growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-22T11:42:31.515+02:00
path to MS file : \Stenotrophomonas\Stenotrophomonas rhizophila\Stenotrophomonas rhizophila RRLK03_01\

genus, species, strain : Stenotrophomonas rhizophila RRLuftkeim03_01
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0015
NCBI tax ID's : 216778 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-22T11:45:14.796+02:00
path to MS file : \Stenotrophomonas\Stenotrophomonas rhizophila\Stenotrophomonas rhizophila RRLK03_01\

genus, species, strain : Stenotrophomonas rhizophila RRLuftkeim03_01
MicrobeMS ID : 2015_04_22_Maren Stämmeler_0016
NCBI tax ID's : 216778 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 22.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-04-22T11:47:44.140+02:00
path to MS file : \Stenotrophomonas\Stenotrophomonas rhizophila\Stenotrophomonas rhizophila RRLK03_01\

genus, species, strain : Stenotrophomonas rhizophila RRLuftkeim03_01
MicrobeMS ID : 2015_05_18_Maren Stämmeler_0013
NCBI tax ID's : 216778 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T13:34:55.687+02:00
path to MS file : \Stenotrophomonas\Stenotrophomonas rhizophila\Stenotrophomonas rhizophila RRLK03_01\

genus, species, strain : Stenotrophomonas rhizophila RRLuftkeim03_01
MicrobeMS ID : 2015_05_18_Maren Stämmeler_0014
NCBI tax ID's : 216778 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T13:37:36.296+02:00
path to MS file : \Stenotrophomonas\Stenotrophomonas rhizophila\Stenotrophomonas rhizophila RRLK03_01\

genus, species, strain : Stenotrophomonas rhizophila RRLuftkeim03_01
MicrobeMS ID : 2015_05_18_Maren Stämmeler_0015
NCBI tax ID's : 216778 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel
extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für MalDI: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T13:41:05.828+02:00
path to MS file : \Stenotrophomonas\Stenotrophomonas rhizophila\Stenotrophomonas rhizophila RRLK03_01\

genus, species, strain : Stenotrophomonas rhizophila RRLuftkeim03_01
MicrobeMS ID : 2015_05_18_Maren Stämmeler_0016
NCBI tax ID's : 216778 -
growth time : 24h
growth temperature : 30°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt Tag der Inaktivierung: 29.04.2014/ 1:1 HCCA/TA2 (A)
concentration : ca. 2 Oesen in 25 µel

extra info : ausgewählte Stämme aus Luftkeimsammlerstudie (04/2014) des EADS in Zusammenarbeit mit ZBS6; ZBS 6 Kultursammlung / Kultivierung
und Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) linear kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2015-05-18T13:44:04.843+02:00
path to MS file : \Stenotrophomonas\Stenotrophomonas rhizophila\Stenotrophomonas rhizophila RRLK03_01\

Streptococcus

Streptococcus pyogenes

genus, species, strain : Streptococcus pyogenes DSM 20565
MicrobeMS ID : 2008_20_02_Maren Stämmeler_0008
NCBI tax ID's : 1314 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-20T14:06:07.250+00:00
path to MS file : \Streptococcus\Streptococcus pyogenes\Streptococcus pyogenes DSM 20565\

genus, species, strain : Streptococcus pyogenes DSM 20565
MicrobeMS ID : 2008_02_04_Maren Stämmeler_0008
NCBI tax ID's : 1314 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-02T13:30:00.515+00:00
path to MS file : \Streptococcus\Streptococcus pyogenes\Streptococcus pyogenes DSM 20565\

genus, species, strain : Streptococcus pyogenes DSM 20565
MicrobeMS ID : 2008_04_04_Maren Stämmeler_0008
NCBI tax ID's : 1314 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-04T11:14:53.859+00:00
path to MS file : \Streptococcus\Streptococcus pyogenes\Streptococcus pyogenes DSM 20565\

genus, species, strain : Streptococcus pyogenes DSM 20565
MicrobeMS ID : 2008_04_09_Maren Stämmeler_0008
NCBI tax ID's : 1314 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-09T13:44:34.859+00:00
path to MS file : \Streptococcus\Streptococcus pyogenes\Streptococcus pyogenes DSM 20565\

genus, species, strain : Streptococcus pyogenes DSM 20565
MicrobeMS ID : 2008_25_04_Maren Stämmeler_0008
NCBI tax ID's : 1314 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-04-25T10:10:45.546+00:00
path to MS file : \Streptococcus\Streptococcus pyogenes\Streptococcus pyogenes DSM 20565\

genus, species, strain : Streptococcus pyogenes DSM 20565
MicrobeMS ID : 2008_16_05_Maren Stämmeler_0008
NCBI tax ID's : 1314 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/bei -20°C über Nacht eingefrohren; aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme aus Testkeimstammsammlung; Herkunft verschieden / Anzucht und Präparation: MS

calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-05-16T10:10:45.828+00:00
path to MS file : \Streptococcus\Streptococcus pyogenes\Streptococcus pyogenes DSM 20565\

Vibrio

Vibrio alginolyticus

genus, species, strain : Vibrio alginolyticus DSM 2171/A174-3
MicrobeMS ID : 2012_24_01_Maren Stämmeler_0014
NCBI tax ID's : 663 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µel
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-24T10:55:40.375+01:00
path to MS file : \Vibrio\Vibrio alginolyticus\Vibrio alginolyticus DSM 2171\

genus, species, strain : Vibrio alginolyticus DSM 2171/A174-3
MicrobeMS ID : 2012_07_12_HerfortStefanie_0010
NCBI tax ID's : 663 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-07-12T13:29:59.078+02:00
path to MS file : \Vibrio\Vibrio alginolyticus\Vibrio alginolyticus DSM 2171\

genus, species, strain : Vibrio alginolyticus DSM 2171/A174-3
MicrobeMS ID : 2012_07_17_HerfortStefanie_0010
NCBI tax ID's : 663 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-07-17T13:15:18.484+02:00
path to MS file : \Vibrio\Vibrio alginolyticus\Vibrio alginolyticus DSM 2171\

genus, species, strain : Vibrio alginolyticus DSM 2171/A174-3
MicrobeMS ID : 2012_06_27_HerfortStefanie_0010
NCBI tax ID's : 663 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-27T16:22:16.656+02:00
path to MS file : \Vibrio\Vibrio alginolyticus\Vibrio alginolyticus DSM 2171\

Vibrio cholerae

genus, species, strain : Vibrio cholerae 1576BfR
MicrobeMS ID : 2012_09_13_HerfortStefanie_0010
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-09-13T12:25:59.562+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae 1576 BfR\

genus, species, strain : Vibrio cholerae 1576BfR
MicrobeMS ID : 2012_09_24_HerfortStefanie_0010
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml

```
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-09-24T14:17:12.109+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 1576 BfR\

genus, species, strain : Vibrio cholerae 1576BfR
MicrobeMS ID : 2012_08_16_HerfortStefanie_0010
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-08-16T13:24:12.484+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 1576 BfR\

genus, species, strain : Vibrio cholerae 186-1
MicrobeMS ID : 2012_04_25_HerfortStefanie_0001
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TBE/Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-25T13:09:21.265+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-1\

genus, species, strain : Vibrio cholerae 186-1
MicrobeMS ID : 2012_06_06_HerfortStefanie_0001
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-06T13:25:20.437+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-1\

genus, species, strain : Vibrio cholerae 186-1
MicrobeMS ID : 2012_05_02_HerfortStefanie_0001
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-05-03T11:31:12.250+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-1\

genus, species, strain : Vibrio cholerae 186-10
MicrobeMS ID : 2012_04_25_HerfortStefanie_0006
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TBE/Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-25T13:49:19.390+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-10\

genus, species, strain : Vibrio cholerae 186-10
MicrobeMS ID : 2012_06_06_HerfortStefanie_0006
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-06T14:00:49.015+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-10\

genus, species, strain : Vibrio cholerae 186-10
MicrobeMS ID : 2012_05_02_HerfortStefanie_0006
NCBI tax ID's : 666 -
```

growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-05-03T12:09:38.109+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-10\

genus, species, strain : Vibrio cholerae 186-2
MicrobeMS ID : 2012_06_07_HerfortStefanie_0001
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-07T11:32:48.828+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-2\

genus, species, strain : Vibrio cholerae 186-2
MicrobeMS ID : 2012_06_18_HerfortStefanie_0001
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-18T12:22:35.140+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-2\

genus, species, strain : Vibrio cholerae 186-3
MicrobeMS ID : 2012_06_07_HerfortStefanie_0002
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-07T11:38:52.453+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-3\

genus, species, strain : Vibrio cholerae 186-3
MicrobeMS ID : 2012_06_21_HerfortStefanie_0002
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-21T16:08:20.421+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-3\

genus, species, strain : Vibrio cholerae 186-3
MicrobeMS ID : 2012_06_18_HerfortStefanie_0002
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-18T12:36:47.546+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-3\

genus, species, strain : Vibrio cholerae 186-4
MicrobeMS ID : 2012_06_07_HerfortStefanie_0003
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6

measurement date/time : 2012-06-07T11:50:49.484+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-4\

genus, species, strain : Vibrio cholerae 186-4
MicrobeMS ID : 2012_06_21_HerfortStefanie_0003
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-21T16:17:25.968+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-4\

genus, species, strain : Vibrio cholerae 186-4
MicrobeMS ID : 2012_06_18_HerfortStefanie_0003
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-18T12:48:48.218+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-4\

genus, species, strain : Vibrio cholerae 186-5
MicrobeMS ID : 2012_04_25_HerfortStefanie_0002
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TBE/Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-25T13:21:30.046+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-5\

genus, species, strain : Vibrio cholerae 186-5
MicrobeMS ID : 2012_06_06_HerfortStefanie_0002
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-06T13:32:12.109+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-5\

genus, species, strain : Vibrio cholerae 186-5
MicrobeMS ID : 2012_05_02_HerfortStefanie_0002
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-05-03T11:37:10.593+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-5\

genus, species, strain : Vibrio cholerae 186-6
MicrobeMS ID : 2012_06_07_HerfortStefanie_0004
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-07T11:56:06.828+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-6\

genus, species, strain : Vibrio cholerae 186-6
MicrobeMS ID : 2012_06_21_HerfortStefanie_0004
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar

sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-21T16:33:55.406+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae 186-6\

genus, species, strain : Vibrio cholerae 186-6
MicrobeMS ID : 2012_06_18_HerfortStefanie_0004
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-18T12:54:56.078+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae 186-6\

genus, species, strain : Vibrio cholerae 186-7
MicrobeMS ID : 2012_04_25_HerfortStefanie_0003
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TBE/Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-25T13:30:36.500+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae 186-7\

genus, species, strain : Vibrio cholerae 186-7
MicrobeMS ID : 2012_06_06_HerfortStefanie_0003
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-06T13:43:58.421+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae 186-7\

genus, species, strain : Vibrio cholerae 186-7
MicrobeMS ID : 2012_05_02_HerfortStefanie_0003
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-05-03T11:45:30.093+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae 186-7\

genus, species, strain : Vibrio cholerae 186-8
MicrobeMS ID : 2012_04_25_HerfortStefanie_0004
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TBE/Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-25T13:35:26.578+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae 186-8\

genus, species, strain : Vibrio cholerae 186-8
MicrobeMS ID : 2012_06_06_HerfortStefanie_0004
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-06T13:48:54.515+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae 186-8\

genus, species, strain : Vibrio cholerae 186-8

MicrobeMS ID : 2012_05_02_HerfortStefanie_0004
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-05-03T11:51:48.921+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-8\

genus, species, strain : Vibrio cholerae 186-9
MicrobeMS ID : 2012_04_25_HerfortStefanie_0005
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TBE/Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-25T13:44:54.250+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-9\

genus, species, strain : Vibrio cholerae 186-9
MicrobeMS ID : 2012_06_06_HerfortStefanie_0005
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-06T13:54:58.046+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-9\

genus, species, strain : Vibrio cholerae 186-9
MicrobeMS ID : 2012_05_02_HerfortStefanie_0005
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-05-03T12:05:13.000+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 186-9\

genus, species, strain : Vibrio cholerae 189-1
MicrobeMS ID : 2012_04_25_HerfortStefanie_0008
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TBE/Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-25T14:00:52.562+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 189-1\

genus, species, strain : Vibrio cholerae 189-1
MicrobeMS ID : 2012_06_06_HerfortStefanie_0008
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-06T14:14:14.843+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 189-1\

genus, species, strain : Vibrio cholerae 189-1
MicrobeMS ID : 2012_05_02_HerfortStefanie_0008
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :

measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-05-03T12:21:11.359+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 189-1\

genus, species, strain : Vibrio cholerae 198-1
MicrobeMS ID : 2012_06_07_HerfortStefanie_0009
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-07T12:33:28.687+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 198-1\

genus, species, strain : Vibrio cholerae 198-1
MicrobeMS ID : 2012_06_21_HerfortStefanie_0009
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-21T17:17:44.250+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 198-1\

genus, species, strain : Vibrio cholerae 198-1
MicrobeMS ID : 2012_06_18_HerfortStefanie_0009
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-18T13:31:56.218+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae 198-1\

genus, species, strain : Vibrio cholerae Ringvers. A-269_05 B
MicrobeMS ID : 2012_04_02_Maren Stämmeler_0010
NCBI tax ID's : 666 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-02T14:23:04.140+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A-269_05 B\

genus, species, strain : Vibrio cholerae Ringvers. A-269_05 B
MicrobeMS ID : 2012_04_04_Maren Stämmeler_0010
NCBI tax ID's : 666 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren.par
customer : RKI ZBS6
measurement date/time : 2012-04-04T14:06:01.093+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A-269_05 B\

genus, species, strain : Vibrio cholerae 171-1
MicrobeMS ID : 2012_06_27_HerfortStefanie_0004
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-27T15:39:19.343+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A171-1\

genus, species, strain : Vibrio cholerae 171-1
MicrobeMS ID : 2012_07_17_HerfortStefanie_0004
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius

growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-07-17T12:43:50.562+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A171-1\

genus, species, strain : Vibrio cholerae 05-08874 A171-1
MicrobeMS ID : 2012_24_01_Maren Stämmeler_0008
NCBI tax ID's : 666 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-24T10:24:33.562+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A171-1\

genus, species, strain : Vibrio cholerae 171-2
MicrobeMS ID : 2012_06_27_HerfortStefanie_0005
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-27T15:46:27.734+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A171-2\

genus, species, strain : Vibrio cholerae 171-2
MicrobeMS ID : 2012_07_17_HerfortStefanie_0005
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-07-17T12:49:39.656+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A171-2\

genus, species, strain : Vibrio cholerae 05-08876 A171-2
MicrobeMS ID : 2012_24_01_Maren Stämmeler_0009
NCBI tax ID's : 666 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-24T10:31:06.796+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A171-2\

genus, species, strain : Vibrio cholerae 220
MicrobeMS ID : 2014_10_31_HerfortStefanie_0001
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-10-31T10:26:57.343+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A220\

genus, species, strain : Vibrio cholerae 220
MicrobeMS ID : 2014_12_15_Andy Schneider_0001
NCBI tax ID's : 666 -
growth time : 2 Days
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-12-15T10:05:47.703+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A220\

```
genus, species, strain : Vibrio cholerae 220
MicrobeMS ID          : 2014_12_15_Andy_Schneider_0003
NCBI tax ID's         : 666 -
growth time           : 2 Days
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2014-12-15T10:10:42.921+01:00
path to MS file       : \\Vibrio\Vibrio cholerae\Vibrio cholerae A220\

genus, species, strain : Vibrio cholerae 220
MicrobeMS ID          : 2014_12_15_Andy_Schneider_0002
NCBI tax ID's         : 666 -
growth time           : 2 Days
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2014-12-15T10:07:42.406+01:00
path to MS file       : \\Vibrio\Vibrio cholerae\Vibrio cholerae A220\

genus, species, strain : Vibrio cholerae 220
MicrobeMS ID          : 2014_12_15_Andy_Schneider_0004
NCBI tax ID's         : 666 -
growth time           : 2 Days
growth temperature    : 37Grad Celsius
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2014-12-15T10:14:30.937+01:00
path to MS file       : \\Vibrio\Vibrio cholerae\Vibrio cholerae A220\

genus, species, strain : Vibrio cholerae 220
MicrobeMS ID          : 2014_11_25_Schneider_Andy_0001
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2014-11-25T09:12:36.187+01:00
path to MS file       : \\Vibrio\Vibrio cholerae\Vibrio cholerae A220\

genus, species, strain : Vibrio cholerae 220
MicrobeMS ID          : 2014_11_25_Schneider_Andy_0002
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2014-11-25T09:15:58.015+01:00
path to MS file       : \\Vibrio\Vibrio cholerae\Vibrio cholerae A220\

genus, species, strain : Vibrio cholerae 220
MicrobeMS ID          : 2014_11_25_Schneider_Andy_0003
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard :
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS2/ZBS6
measurement date/time : 2014-11-25T09:21:17.687+01:00
path to MS file       : \\Vibrio\Vibrio cholerae\Vibrio cholerae A220\

genus, species, strain : Vibrio cholerae 220
MicrobeMS ID          : 2014_11_25_Schneider_Andy_0004
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
```

```
extra info :
calibration standard :
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-11-25T09:24:24.203+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A220\

genus, species, strain : Vibrio cholerae 220-1
MicrobeMS ID : 2012_06_07_HerfortStefanie_0010
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-07T12:37:32.187+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A220\

genus, species, strain : Vibrio cholerae 220-1
MicrobeMS ID : 2012_06_21_HerfortStefanie_0010
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-21T17:26:50.375+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A220\

genus, species, strain : Vibrio cholerae 220-1
MicrobeMS ID : 2012_06_18_HerfortStefanie_0010
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-18T13:37:53.296+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A220\

genus, species, strain : Vibrio cholerae 222
MicrobeMS ID : 2014_10_31_HerfortStefanie_0002
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-10-31T10:44:43.437+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A222\

genus, species, strain : Vibrio cholerae 222
MicrobeMS ID : 2014_12_15_Andy_Schneider_0005
NCBI tax ID's : 666 -
growth time : 2 Days
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-12-15T10:21:43.031+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A222\

genus, species, strain : Vibrio cholerae 222
MicrobeMS ID : 2014_12_15_Andy_Schneider_0007
NCBI tax ID's : 666 -
growth time : 2 Days
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-12-15T10:28:06.812+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A222\

genus, species, strain : Vibrio cholerae 222
MicrobeMS ID : 2014_12_15_Andy_Schneider_0006
NCBI tax ID's : 666 -
```

growth time : 2 Days
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-12-15T10:25:47.218+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A222\

genus, species, strain : Vibrio cholerae 222
MicrobeMS ID : 2014_12_15_Andy Schneider_0008
NCBI tax ID's : 666 -
growth time : 2 Days
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-12-15T10:31:28.093+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A222\

genus, species, strain : Vibrio cholerae 222
MicrobeMS ID : 2014_11_25_Schneider Andy_0005
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-11-25T09:31:28.093+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A222\

genus, species, strain : Vibrio cholerae 222
MicrobeMS ID : 2014_11_25_Schneider Andy_0006
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-11-25T09:33:51.828+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A222\

genus, species, strain : Vibrio cholerae 222
MicrobeMS ID : 2014_11_25_Schneider Andy_0007
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-11-25T09:38:43.390+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A222\

genus, species, strain : Vibrio cholerae 222
MicrobeMS ID : 2014_11_25_Schneider Andy_0008
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2014-11-25T09:40:58.578+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A222\

genus, species, strain : Vibrio cholerae 222-1
MicrobeMS ID : 2012_06_21_HerfortStefanie_0011
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6

measurement date/time : 2012-06-21T17:32:44.968+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A222\

genus, species, strain : Vibrio cholerae 225
MicrobeMS ID : 2014_10_31_HerfortStefanie_0003
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-10-31T10:55:41.765+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A225 O1 Toxin positiv\

genus, species, strain : Vibrio cholerae 225
MicrobeMS ID : 2014_11_25_Schneider Andy_0009
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-25T09:53:51.015+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A225 O1 Toxin positiv\

genus, species, strain : Vibrio cholerae 225
MicrobeMS ID : 2014_11_25_Schneider Andy_0010
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-25T09:56:47.734+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A225 O1 Toxin positiv\

genus, species, strain : Vibrio cholerae 225
MicrobeMS ID : 2014_11_25_Schneider Andy_0011
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-25T10:00:11.031+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A225 O1 Toxin positiv\

genus, species, strain : Vibrio cholerae 225
MicrobeMS ID : 2014_11_25_Schneider Andy_0012
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-25T10:03:32.531+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A225 O1 Toxin positiv\

genus, species, strain : Vibrio cholerae 225-1
MicrobeMS ID : 2012_04_25_HerfortStefanie_0009
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TBE/Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-25T14:07:56.421+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A225 O1 Toxin positiv\

genus, species, strain : Vibrio cholerae 225-1
MicrobeMS ID : 2012_06_06_HerfortStefanie_0009
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar

sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-06T14:20:19.390+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A225 01 Toxin positiv\

genus, species, strain : Vibrio cholerae 225-1
MicrobeMS ID : 2012_05_02_HerfortStefanie_0009
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-05-03T12:27:43.546+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A225 01 Toxin positiv\

genus, species, strain : Vibrio cholerae 226-1
MicrobeMS ID : 2014_10_31_HerfortStefanie_0004
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-10-31T11:44:25.171+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A226-1\

genus, species, strain : Vibrio cholerae 226-1
MicrobeMS ID : 2014_11_25_Schneider Andy_0013
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-25T10:12:53.343+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A226-1\

genus, species, strain : Vibrio cholerae 226-1
MicrobeMS ID : 2014_11_25_Schneider Andy_0014
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-25T10:19:16.890+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A226-1\

genus, species, strain : Vibrio cholerae 226-1
MicrobeMS ID : 2014_11_25_Schneider Andy_0015
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-25T10:24:02.359+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A226-1\

genus, species, strain : Vibrio cholerae 226-1
MicrobeMS ID : 2014_11_25_Schneider Andy_0016
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-25T10:30:11.359+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A226-1\

genus, species, strain : Vibrio cholerae 226-1

MicrobeMS ID : 2012_04_25_HerfortStefanie_0010
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : TBE/Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-25T14:13:32.875+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A226-1\

genus, species, strain : Vibrio cholerae 226-1
MicrobeMS ID : 2012_06_06_HerfortStefanie_0010
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-06T14:25:40.343+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A226-1\

genus, species, strain : Vibrio cholerae 226-1
MicrobeMS ID : 2012_05_02_HerfortStefanie_0010
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-05-03T12:31:37.984+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A226-1\

genus, species, strain : Vibrio cholerae 226-2
MicrobeMS ID : 2014_10_31_HerfortStefanie_0005
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-10-31T11:57:46.531+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A226-2\

genus, species, strain : Vibrio cholerae 226-2
MicrobeMS ID : 2014_11_25_Schneider Andy_0017
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-25T10:37:16.843+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A226-2\

genus, species, strain : Vibrio cholerae 226-2
MicrobeMS ID : 2014_11_25_Schneider Andy_0018
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-25T10:41:43.968+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A226-2\

genus, species, strain : Vibrio cholerae 226-2
MicrobeMS ID : 2014_11_25_Schneider Andy_0019
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-25T10:46:45.750+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A226-2\

genus, species, strain : Vibrio cholerae 226-2
MicrobeMS ID : 2014_11_25_Schneider Andy_0020
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-25T11:06:33.531+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A226-2\

genus, species, strain : Vibrio cholerae 227
MicrobeMS ID : 2014_11_05_Schneider Andy_0001
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-06T13:13:13.109+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A227\

genus, species, strain : Vibrio cholerae 227
MicrobeMS ID : 2015_05_12_Schneider Andy_0007
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-12T09:59:58.656+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A227\

genus, species, strain : Vibrio cholerae 227
MicrobeMS ID : 2015_05_12_Schneider Andy_0008
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-12T10:18:03.828+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A227\

genus, species, strain : Vibrio cholerae 227
MicrobeMS ID : 2015_05_12_Schneider Andy_0009
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-12T10:20:17.015+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A227\

genus, species, strain : Vibrio cholerae 227
MicrobeMS ID : 2015_05_12_Schneider Andy_0010
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-12T10:24:00.218+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A227\

genus, species, strain : Vibrio cholerae 227-1
MicrobeMS ID : 2012_06_07_HerfortStefanie_0013
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius

```
growth conditions      : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  :
measurement method    : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2012-06-07T13:01:43.484+02:00
path to MS file       : \Vibrio\Vibrio cholerae\Vibrio cholerae A227\

genus, species, strain : Vibrio cholerae 240
MicrobeMS ID          : 2015_05_12_Schneider Andy_0011
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-05-12T13:03:24.234+02:00
path to MS file       : \Vibrio\Vibrio cholerae\Vibrio cholerae A240\

genus, species, strain : Vibrio cholerae 240
MicrobeMS ID          : 2015_05_12_Schneider Andy_0012
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-05-12T13:06:20.500+02:00
path to MS file       : \Vibrio\Vibrio cholerae\Vibrio cholerae A240\

genus, species, strain : Vibrio cholerae 240
MicrobeMS ID          : 2015_05_12_Schneider Andy_0013
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-05-12T13:08:42.546+02:00
path to MS file       : \Vibrio\Vibrio cholerae\Vibrio cholerae A240\

genus, species, strain : Vibrio cholerae 240
MicrobeMS ID          : 2015_05_12_Schneider Andy_0014
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-05-12T13:11:37.812+02:00
path to MS file       : \Vibrio\Vibrio cholerae\Vibrio cholerae A240\

genus, species, strain : Vibrio cholerae 240-1
MicrobeMS ID          : 2012_06_21_HerfortStefanie_0012
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 36 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  :
measurement method    : ToM_200ns.par
customer             : RKI ZBS2/ZBS6
measurement date/time : 2012-06-21T17:41:51.265+02:00
path to MS file       : \Vibrio\Vibrio cholerae\Vibrio cholerae A240\

genus, species, strain : Vibrio cholerae 312
MicrobeMS ID          : 2014_11_05_Schneider Andy_0003
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2014-11-06T13:47:21.000+01:00
path to MS file       : \Vibrio\Vibrio cholerae\Vibrio cholerae A312\
```

```
genus, species, strain : Vibrio cholerae 312
MicrobeMS ID           : 2015_05_12_Schneider Andy_0015
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-05-12T13:18:26.359+02:00
path to MS file      : \\Vibrio\Vibrio cholerae\Vibrio cholerae A312\

genus, species, strain : Vibrio cholerae 312
MicrobeMS ID           : 2015_05_12_Schneider Andy_0016
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-05-12T13:22:48.875+02:00
path to MS file      : \\Vibrio\Vibrio cholerae\Vibrio cholerae A312\

genus, species, strain : Vibrio cholerae 312
MicrobeMS ID           : 2015_05_12_Schneider Andy_0017
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-05-12T13:43:25.125+02:00
path to MS file      : \\Vibrio\Vibrio cholerae\Vibrio cholerae A312\

genus, species, strain : Vibrio cholerae 312
MicrobeMS ID           : 2015_05_12_Schneider Andy_0018
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-05-12T13:45:50.406+02:00
path to MS file      : \\Vibrio\Vibrio cholerae\Vibrio cholerae A312\

genus, species, strain : Vibrio cholerae 313
MicrobeMS ID           : 2014_11_05_Schneider Andy_0004
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2014-11-06T14:10:41.187+01:00
path to MS file      : \\Vibrio\Vibrio cholerae\Vibrio cholerae A313\

genus, species, strain : Vibrio cholerae 313
MicrobeMS ID           : 2015_05_12_Schneider Andy_0019
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-05-12T13:50:13.781+02:00
path to MS file      : \\Vibrio\Vibrio cholerae\Vibrio cholerae A313\

genus, species, strain : Vibrio cholerae 313
MicrobeMS ID           : 2015_05_12_Schneider Andy_0020
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : LB
sample treatment      : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
```

```
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-12T13:52:19.453+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A313\

genus, species, strain : Vibrio cholerae 313
MicrobeMS ID : 2015_05_12_Schneider Andy_0021
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-12T13:54:35.406+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A313\

genus, species, strain : Vibrio cholerae 313
MicrobeMS ID : 2015_05_12_Schneider Andy_0022
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-12T13:56:25.203+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A313\

genus, species, strain : Vibrio cholerae 314
MicrobeMS ID : 2014_11_05_Schneider Andy_0005
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-06T14:24:47.812+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A314\

genus, species, strain : Vibrio cholerae 314
MicrobeMS ID : 2015_05_12_Schneider Andy_0023
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-12T14:01:27.265+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A314\

genus, species, strain : Vibrio cholerae 314
MicrobeMS ID : 2015_05_12_Schneider Andy_0024
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-12T14:03:53.640+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A314\

genus, species, strain : Vibrio cholerae 314
MicrobeMS ID : 2015_05_12_Schneider Andy_0025
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-12T14:08:21.640+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A314\

genus, species, strain : Vibrio cholerae 314
MicrobeMS ID : 2015_05_12_Schneider Andy_0026
NCBI tax ID's : 666 -
```

growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-12T14:10:16.015+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A314\

genus, species, strain : Vibrio cholerae 316
MicrobeMS ID : 2015_05_12_Schneider Andy_0027
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-12T14:17:04.671+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A316\

genus, species, strain : Vibrio cholerae 316
MicrobeMS ID : 2015_05_12_Schneider Andy_0028
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-12T14:21:19.312+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A316\

genus, species, strain : Vibrio cholerae 316
MicrobeMS ID : 2015_05_12_Schneider Andy_0029
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-12T14:25:13.234+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A316\

genus, species, strain : Vibrio cholerae 316
MicrobeMS ID : 2015_05_12_Schneider Andy_0030
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-12T14:28:00.421+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A316\

genus, species, strain : Vibrio cholerae 325
MicrobeMS ID : 2015_05_13_Schneider Andy_0005
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T09:35:23.921+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A325\

genus, species, strain : Vibrio cholerae 325
MicrobeMS ID : 2015_05_13_Schneider Andy_0006
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2015-05-13T09:43:25.609+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A325\

genus, species, strain : Vibrio cholerae 325
MicrobeMS ID : 2015_05_13_Schneider Andy_0007
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T09:45:40.296+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A325\

genus, species, strain : Vibrio cholerae 325
MicrobeMS ID : 2015_05_13_Schneider Andy_0008
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T09:47:49.015+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A325\

genus, species, strain : Vibrio cholerae 327
MicrobeMS ID : 2015_05_13_Schneider Andy_0009
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T09:51:43.859+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A327\

genus, species, strain : Vibrio cholerae 327
MicrobeMS ID : 2015_05_13_Schneider Andy_0010
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T09:55:16.562+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A327\

genus, species, strain : Vibrio cholerae 327
MicrobeMS ID : 2015_05_13_Schneider Andy_0011
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T09:57:59.093+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A327\

genus, species, strain : Vibrio cholerae 327
MicrobeMS ID : 2015_05_13_Schneider Andy_0012
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:01:11.812+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A327\

genus, species, strain : Vibrio cholerae 339
MicrobeMS ID : 2015_05_13_Schneider Andy_0013
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB

sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:05:58.921+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A339\

genus, species, strain : Vibrio cholerae 339
MicrobeMS ID : 2015_05_13_Schneider Andy_0014
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:08:30.078+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A339\

genus, species, strain : Vibrio cholerae 339
MicrobeMS ID : 2015_05_13_Schneider Andy_0015
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:10:49.765+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A339\

genus, species, strain : Vibrio cholerae 339
MicrobeMS ID : 2015_05_13_Schneider Andy_0016
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:13:03.468+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A339\

genus, species, strain : Vibrio cholerae 351
MicrobeMS ID : 2014_11_12_Schneider Andy_0001
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-12T14:56:41.390+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A351\

genus, species, strain : Vibrio cholerae 351
MicrobeMS ID : 2015_05_13_Schneider Andy_0017
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:16:50.437+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A351\

genus, species, strain : Vibrio cholerae 351
MicrobeMS ID : 2015_05_13_Schneider Andy_0018
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:18:46.765+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A351\

genus, species, strain : Vibrio cholerae 351

MicrobeMS ID : 2015_05_13_Schneider Andy_0019
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:21:54.062+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A351\

genus, species, strain : Vibrio cholerae 351
MicrobeMS ID : 2015_05_13_Schneider Andy_0020
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:24:22.578+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A351\

genus, species, strain : Vibrio cholerae 361
MicrobeMS ID : 2015_05_13_Schneider Andy_0021
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:30:17.515+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A361\

genus, species, strain : Vibrio cholerae 361
MicrobeMS ID : 2015_05_13_Schneider Andy_0022
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:32:37.500+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A361\

genus, species, strain : Vibrio cholerae 361
MicrobeMS ID : 2015_05_13_Schneider Andy_0023
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:35:18.375+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A361\

genus, species, strain : Vibrio cholerae 361
MicrobeMS ID : 2015_05_13_Schneider Andy_0024
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:37:52.062+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A361\

genus, species, strain : Vibrio cholerae 367
MicrobeMS ID : 2014_11_12_Schneider Andy_0003
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-12T13:49:00.234+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A367 01 Toxin positiv\

genus, species, strain : Vibrio cholerae 367
MicrobeMS ID : 2015_05_13_Schneider Andy_0025
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:43:40.781+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A367 01 Toxin positiv\

genus, species, strain : Vibrio cholerae 367
MicrobeMS ID : 2015_05_13_Schneider Andy_0026
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:45:35.484+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A367 01 Toxin positiv\

genus, species, strain : Vibrio cholerae 367
MicrobeMS ID : 2015_05_13_Schneider Andy_0027
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:48:03.453+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A367 01 Toxin positiv\

genus, species, strain : Vibrio cholerae 367
MicrobeMS ID : 2015_05_13_Schneider Andy_0028
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:52:18.500+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A367 01 Toxin positiv\

genus, species, strain : Vibrio cholerae 371
MicrobeMS ID : 2014_11_12_Schneider Andy_0004
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-12T14:17:20.546+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A371 01 Toxin negativ\

genus, species, strain : Vibrio cholerae 371
MicrobeMS ID : 2015_05_13_Schneider Andy_0029
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T10:56:47.953+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A371 01 Toxin negativ\

genus, species, strain : Vibrio cholerae 371
MicrobeMS ID : 2015_05_13_Schneider Andy_0030
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C

growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T11:06:44.609+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A371 O1 Toxin negativ\

genus, species, strain : Vibrio cholerae 371
MicrobeMS ID : 2015_05_13_Schneider Andy_0031
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T11:10:15.484+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A371 O1 Toxin negativ\

genus, species, strain : Vibrio cholerae 371
MicrobeMS ID : 2015_05_13_Schneider Andy_0032
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T11:12:04.390+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A371 O1 Toxin negativ\

genus, species, strain : Vibrio cholerae 378
MicrobeMS ID : 2014_11_12_Schneider Andy_0005
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-12T14:33:26.578+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A378\

genus, species, strain : Vibrio cholerae 378
MicrobeMS ID : 2015_05_13_Schneider Andy_0033
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T11:17:27.968+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A378\

genus, species, strain : Vibrio cholerae 378
MicrobeMS ID : 2015_05_13_Schneider Andy_0034
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T11:20:29.343+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A378\

genus, species, strain : Vibrio cholerae 378
MicrobeMS ID : 2015_05_13_Schneider Andy_0035
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-05-13T11:23:27.796+02:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A378\

```
genus, species, strain : Vibrio cholerae 378
MicrobeMS ID           : 2015_05_13_Schneider Andy_0036
NCBI tax ID's          : 666 -
growth time            : 48h
growth temperature     : 28°C
growth conditions      : aerob
growth medium          : LB
sample treatment       : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration           : 3-5 Ösen in 0,1 ml
extra info             :
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2015-05-13T11:26:07.296+02:00
path to MS file        : \\Vibrio\Vibrio cholerae\Vibrio cholerae A378\

genus, species, strain : Vibrio cholerae 390
MicrobeMS ID           : 2014_11_20_Schneider Andy_0001
NCBI tax ID's          : 666 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions      : aerob
growth medium          : Caso-Agar
sample treatment       : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration           : 3-5 Ösen in 0,1 ml
extra info             :
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2014-11-20T13:00:48.859+01:00
path to MS file        : \\Vibrio\Vibrio cholerae\Vibrio cholerae A390\

genus, species, strain : Vibrio cholerae 390
MicrobeMS ID           : 2014_11_20_Schneider Andy_0002
NCBI tax ID's          : 666 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions      : aerob
growth medium          : Caso-Agar
sample treatment       : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration           : 3-5 Ösen in 0,1 ml
extra info             :
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2014-11-20T13:07:36.218+01:00
path to MS file        : \\Vibrio\Vibrio cholerae\Vibrio cholerae A390\

genus, species, strain : Vibrio cholerae 390
MicrobeMS ID           : 2014_11_20_Schneider Andy_0003
NCBI tax ID's          : 666 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions      : aerob
growth medium          : Caso-Agar
sample treatment       : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration           : 3-5 Ösen in 0,1 ml
extra info             :
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2014-11-20T13:11:28.500+01:00
path to MS file        : \\Vibrio\Vibrio cholerae\Vibrio cholerae A390\

genus, species, strain : Vibrio cholerae 390
MicrobeMS ID           : 2014_11_20_Schneider Andy_0004
NCBI tax ID's          : 666 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions      : aerob
growth medium          : Caso-Agar
sample treatment       : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration           : 3-5 Ösen in 0,1 ml
extra info             :
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2014-11-20T13:15:00.062+01:00
path to MS file        : \\Vibrio\Vibrio cholerae\Vibrio cholerae A390\

genus, species, strain : Vibrio cholerae 396
MicrobeMS ID           : 2014_11_20_Schneider Andy_0005
NCBI tax ID's          : 666 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions      : aerob
growth medium          : Caso-Agar
sample treatment       : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration           : 3-5 Ösen in 0,1 ml
extra info             :
calibration standard   : E. coli Standard K12 (DSM 3871)
measurement method     : ToM_200ns_20130611.par
customer               : RKI ZBS6
measurement date/time  : 2014-11-20T13:24:12.609+01:00
path to MS file        : \\Vibrio\Vibrio cholerae\Vibrio cholerae A396\

genus, species, strain : Vibrio cholerae 396
MicrobeMS ID           : 2014_11_20_Schneider Andy_0006
NCBI tax ID's          : 666 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions      : aerob
growth medium          : Caso-Agar
sample treatment       : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration           : 3-5 Ösen in 0,1 ml
```

```
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-20T13:27:02.484+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A396\

genus, species, strain : Vibrio cholerae 396
MicrobeMS ID : 2014_11_20_Schneider Andy_0007
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-20T13:31:02.093+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A396\

genus, species, strain : Vibrio cholerae 396
MicrobeMS ID : 2014_11_20_Schneider Andy_0008
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-20T13:33:27.390+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A396\

genus, species, strain : Vibrio cholerae 413
MicrobeMS ID : 2014_11_20_Schneider Andy_0009
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-20T13:41:05.203+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A413\

genus, species, strain : Vibrio cholerae 413
MicrobeMS ID : 2014_11_20_Schneider Andy_0010
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-20T13:44:48.312+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A413\

genus, species, strain : Vibrio cholerae 413
MicrobeMS ID : 2014_11_20_Schneider Andy_0011
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-20T13:47:32.296+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A413\

genus, species, strain : Vibrio cholerae 413
MicrobeMS ID : 2014_11_20_Schneider Andy_0012
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-20T13:49:35.687+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A413\

genus, species, strain : Vibrio cholerae 417
MicrobeMS ID : 2014_11_20_Schneider Andy_0013
NCBI tax ID's : 666 -
```

growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-20T14:04:35.781+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A417\

genus, species, strain : Vibrio cholerae 417
MicrobeMS ID : 2014_11_20_Schneider Andy_0014
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-20T14:06:33.625+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A417\

genus, species, strain : Vibrio cholerae 417
MicrobeMS ID : 2014_11_20_Schneider Andy_0015
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-20T14:09:01.953+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A417\

genus, species, strain : Vibrio cholerae 417
MicrobeMS ID : 2014_11_20_Schneider Andy_0016
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-20T14:11:24.828+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A417\

genus, species, strain : Vibrio cholerae 419
MicrobeMS ID : 2014_11_20_Schneider Andy_0017
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-20T14:19:14.125+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A419\

genus, species, strain : Vibrio cholerae 419
MicrobeMS ID : 2014_11_20_Schneider Andy_0018
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-20T14:24:17.015+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A419\

genus, species, strain : Vibrio cholerae 419
MicrobeMS ID : 2014_11_20_Schneider Andy_0019
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6

measurement date/time : 2014-11-20T14:27:35.437+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A419\

genus, species, strain : Vibrio cholerae 419
MicrobeMS ID : 2014_11_20_Schneider Andy_0020
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-20T14:32:25.250+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A419\

genus, species, strain : Vibrio cholerae 432
MicrobeMS ID : 2014_11_21_Schneider Andy_0001
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T09:37:15.703+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A432\

genus, species, strain : Vibrio cholerae 432
MicrobeMS ID : 2014_11_21_Schneider Andy_0002
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T09:41:54.515+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A432\

genus, species, strain : Vibrio cholerae 432
MicrobeMS ID : 2014_11_21_Schneider Andy_0003
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T09:44:21.718+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A432\

genus, species, strain : Vibrio cholerae 432
MicrobeMS ID : 2014_11_21_Schneider Andy_0004
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T09:50:00.656+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A432\

genus, species, strain : Vibrio cholerae 433
MicrobeMS ID : 2014_11_21_Schneider Andy_0005
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T10:03:36.375+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A433\

genus, species, strain : Vibrio cholerae 433
MicrobeMS ID : 2014_11_21_Schneider Andy_0006
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar

sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T10:06:47.609+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A433\

genus, species, strain : Vibrio cholerae 433
MicrobeMS ID : 2014_11_21_Schneider Andy_0007
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T10:09:49.453+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A433\

genus, species, strain : Vibrio cholerae 433
MicrobeMS ID : 2014_11_21_Schneider Andy_0008
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T10:12:38.468+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A433\

genus, species, strain : Vibrio cholerae 469
MicrobeMS ID : 2014_11_21_HerfortStefanie_0017
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T13:09:17.953+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A469\

genus, species, strain : Vibrio cholerae 469
MicrobeMS ID : 2014_11_21_HerfortStefanie_0018
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T13:11:52.656+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A469\

genus, species, strain : Vibrio cholerae 469
MicrobeMS ID : 2014_11_21_HerfortStefanie_0019
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T13:14:43.187+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A469\

genus, species, strain : Vibrio cholerae 469
MicrobeMS ID : 2014_11_21_HerfortStefanie_0020
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T13:18:39.171+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A469\

genus, species, strain : Vibrio cholerae 482-1

MicrobeMS ID : 2014_11_21_HerfortStefanie_0021
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T13:31:17.359+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A482-1\

genus, species, strain : Vibrio cholerae 482-1
MicrobeMS ID : 2014_11_21_HerfortStefanie_0022
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T13:34:07.625+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A482-1\

genus, species, strain : Vibrio cholerae 482-1
MicrobeMS ID : 2014_11_21_HerfortStefanie_0023
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T13:37:04.750+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A482-1\

genus, species, strain : Vibrio cholerae 482-1
MicrobeMS ID : 2014_11_21_HerfortStefanie_0024
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T13:40:11.734+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A482-1\

genus, species, strain : Vibrio cholerae 482-2
MicrobeMS ID : 2014_11_21_HerfortStefanie_0025
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T13:44:11.234+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A482-2\

genus, species, strain : Vibrio cholerae 482-2
MicrobeMS ID : 2014_11_21_HerfortStefanie_0026
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T13:48:53.218+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A482-2\

genus, species, strain : Vibrio cholerae 482-2
MicrobeMS ID : 2014_11_21_HerfortStefanie_0027
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)

measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T13:52:02.828+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A482-2\

genus, species, strain : Vibrio cholerae 482-2
MicrobeMS ID : 2014_11_21_HerfortStefanie_0028
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T13:54:55.593+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A482-2\

genus, species, strain : Vibrio cholerae 486
MicrobeMS ID : 2014_11_21_HerfortStefanie_0029
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T14:06:12.375+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A486\

genus, species, strain : Vibrio cholerae 486
MicrobeMS ID : 2014_11_21_HerfortStefanie_0031
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T14:15:19.203+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A486\

genus, species, strain : Vibrio cholerae 486
MicrobeMS ID : 2014_11_21_HerfortStefanie_0030
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T14:09:32.343+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A486\

genus, species, strain : Vibrio cholerae 486
MicrobeMS ID : 2014_11_21_HerfortStefanie_0032
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-21T14:24:27.093+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A486\

genus, species, strain : Vibrio cholerae 494-1
MicrobeMS ID : 2014_11_24_Schneider Andy_0001
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-24T09:42:51.109+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae A494-1\

genus, species, strain : Vibrio cholerae 494-1
MicrobeMS ID : 2014_11_24_Schneider Andy_0002
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius

```
growth conditions      : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2014-11-24T09:45:15.234+01:00
path to MS file       : \Vibrio\Vibrio cholerae\Vibrio cholerae A494-1\

genus, species, strain : Vibrio cholerae 494-1
MicrobeMS ID          : 2014_11_24_Schneider Andy_0003
NCBI tax ID's        : 666 -
growth time          : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2014-11-24T09:47:53.781+01:00
path to MS file       : \Vibrio\Vibrio cholerae\Vibrio cholerae A494-1\

genus, species, strain : Vibrio cholerae 494-1
MicrobeMS ID          : 2014_11_24_Schneider Andy_0004
NCBI tax ID's        : 666 -
growth time          : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2014-11-24T09:51:37.078+01:00
path to MS file       : \Vibrio\Vibrio cholerae\Vibrio cholerae A494-1\

genus, species, strain : Vibrio cholerae 494-2
MicrobeMS ID          : 2014_11_24_Schneider Andy_0005
NCBI tax ID's        : 666 -
growth time          : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2014-11-24T10:00:20.718+01:00
path to MS file       : \Vibrio\Vibrio cholerae\Vibrio cholerae A494-2\

genus, species, strain : Vibrio cholerae 494-2
MicrobeMS ID          : 2014_11_24_Schneider Andy_0006
NCBI tax ID's        : 666 -
growth time          : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2014-11-24T10:03:57.656+01:00
path to MS file       : \Vibrio\Vibrio cholerae\Vibrio cholerae A494-2\

genus, species, strain : Vibrio cholerae 494-2
MicrobeMS ID          : 2014_11_24_Schneider Andy_0007
NCBI tax ID's        : 666 -
growth time          : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2014-11-24T10:06:51.875+01:00
path to MS file       : \Vibrio\Vibrio cholerae\Vibrio cholerae A494-2\

genus, species, strain : Vibrio cholerae 494-2
MicrobeMS ID          : 2014_11_24_Schneider Andy_0008
NCBI tax ID's        : 666 -
growth time          : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2014-11-24T10:12:00.859+01:00
path to MS file       : \Vibrio\Vibrio cholerae\Vibrio cholerae A494-2\
```

```
genus, species, strain : Vibrio cholerae 496
MicrobeMS ID          : 2014_11_24_Schneider Andy_0009
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2014-11-24T10:29:15.796+01:00
path to MS file       : \\Vibrio\Vibrio cholerae\Vibrio cholerae A496\

genus, species, strain : Vibrio cholerae 496
MicrobeMS ID          : 2014_11_24_Schneider Andy_0010
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2014-11-24T10:37:18.109+01:00
path to MS file       : \\Vibrio\Vibrio cholerae\Vibrio cholerae A496\

genus, species, strain : Vibrio cholerae 496
MicrobeMS ID          : 2014_11_24_Schneider Andy_0011
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2014-11-24T10:39:38.453+01:00
path to MS file       : \\Vibrio\Vibrio cholerae\Vibrio cholerae A496\

genus, species, strain : Vibrio cholerae 496
MicrobeMS ID          : 2014_11_24_Schneider Andy_0012
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2014-11-24T10:43:23.859+01:00
path to MS file       : \\Vibrio\Vibrio cholerae\Vibrio cholerae A496\

genus, species, strain : Vibrio cholerae 499
MicrobeMS ID          : 2014_11_24_Schneider Andy_0013
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2014-11-24T10:50:36.734+01:00
path to MS file       : \\Vibrio\Vibrio cholerae\Vibrio cholerae A499 01 Toxin negativ\

genus, species, strain : Vibrio cholerae 499
MicrobeMS ID          : 2014_11_24_Schneider Andy_0014
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2014-11-24T10:55:05.812+01:00
path to MS file       : \\Vibrio\Vibrio cholerae\Vibrio cholerae A499 01 Toxin negativ\

genus, species, strain : Vibrio cholerae 499
MicrobeMS ID          : 2014_11_24_Schneider Andy_0015
NCBI tax ID's         : 666 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso-Agar
sample treatment      : in 80$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration         : 3-5 Ösen in 0,1 ml
```

```
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-24T10:59:11.218+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A499 01 Toxin negativ\

genus, species, strain : Vibrio cholerae 499
MicrobeMS ID : 2014_11_24_Schneider Andy_0016
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Osen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-24T11:01:44.781+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A499 01 Toxin negativ\

genus, species, strain : Vibrio cholerae 500
MicrobeMS ID : 2014_11_24_Schneider Andy_0017
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Osen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-24T11:13:09.703+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A500\

genus, species, strain : Vibrio cholerae 500
MicrobeMS ID : 2014_11_24_Schneider Andy_0018
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Osen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-24T11:19:09.890+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A500\

genus, species, strain : Vibrio cholerae 500
MicrobeMS ID : 2014_11_24_Schneider Andy_0019
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Osen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-24T12:18:04.640+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A500\

genus, species, strain : Vibrio cholerae 500
MicrobeMS ID : 2014_11_24_Schneider Andy_0020
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Osen in 0,1 ml
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-11-24T12:20:50.031+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae A500\

genus, species, strain : Vibrio cholerae El Tor HK 51
MicrobeMS ID : 2012_24_01_Maren Stämmli_0003
NCBI tax ID's : 666 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µel
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-24T09:54:56.734+01:00
path to MS file : \Vibrio\Vibrio cholerae\Vibrio cholerae ElTor HK51\

genus, species, strain : Vibrio cholerae HK51
MicrobeMS ID : 2012_07_12_HerfortStefanie_0003
NCBI tax ID's : 666 -
```

growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-07-12T12:46:54.140+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae ElTor HK51\

genus, species, strain : Vibrio cholerae HK51
MicrobeMS ID : 2012_06_27_HerfortStefanie_0003
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-27T15:34:33.281+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae ElTor HK51\

genus, species, strain : Vibrio cholerae HK51
MicrobeMS ID : 2012_07_17_HerfortStefanie_0003
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-07-17T12:39:14.453+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae ElTor HK51\

genus, species, strain : Vibrio cholerae Inaba 1573
MicrobeMS ID : 2012_24_01_Maren Stämmeler_0005
NCBI tax ID's : 666 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-24T10:13:04.468+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae Inaba 1573\

genus, species, strain : Vibrio cholerae 1573
MicrobeMS ID : 2012_09_13_HerfortStefanie_0004
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-09-13T11:37:09.625+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae Inaba 1573\

genus, species, strain : Vibrio cholerae 1573
MicrobeMS ID : 2012_08_16_HerfortStefanie_0004
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-08-16T12:45:12.031+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae Inaba 1573\

genus, species, strain : Vibrio cholerae 1573
MicrobeMS ID : 2012_09_24_HerfortStefanie_0004
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6

measurement date/time : 2012-09-24T13:45:01.921+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae Inaba 1573\

genus, species, strain : Vibrio cholerae NIH 35 A 3
MicrobeMS ID : 2012_24_01_Maren Stämmeler_0002
NCBI tax ID's : 666 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µel
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-24T09:50:44.687+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae NIH35A3\

genus, species, strain : Vibrio cholerae NIH35A3
MicrobeMS ID : 2012_09_24_HerfortStefanie_0002
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-09-24T13:35:04.937+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae NIH35A3\

genus, species, strain : Vibrio cholerae NIH 41
MicrobeMS ID : 2012_24_01_Maren Stämmeler_0001
NCBI tax ID's : 666 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µel
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-24T09:47:25.843+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae NIH41\

genus, species, strain : Vibrio cholerae NIH41
MicrobeMS ID : 2012_09_13_HerfortStefanie_0001
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-09-13T10:59:22.734+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae NIH41\

genus, species, strain : Vibrio cholerae NIH41
MicrobeMS ID : 2012_09_24_HerfortStefanie_0001
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-09-24T13:30:17.437+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae NIH41\

genus, species, strain : Vibrio cholerae NIH41
MicrobeMS ID : 2012_08_16_HerfortStefanie_0001
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-08-16T12:28:50.281+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae NIH41\

genus, species, strain : Vibrio cholerae Ogawa 1360
MicrobeMS ID : 2012_24_01_Maren Stämmeler_0004
NCBI tax ID's : 666 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut

sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µl
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-24T09:57:18.046+01:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae Ogawa 1360\

genus, species, strain : Vibrio cholerae 1360
MicrobeMS ID : 2012_09_13_HerfortStefanie_0003
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-09-13T11:16:07.625+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae Ogawa 1360\

genus, species, strain : Vibrio cholerae 1360
MicrobeMS ID : 2012_08_16_HerfortStefanie_0003
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-08-16T12:40:34.156+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae Ogawa 1360\

genus, species, strain : Vibrio cholerae 1360
MicrobeMS ID : 2012_09_24_HerfortStefanie_0003
NCBI tax ID's : 666 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-09-24T13:41:37.703+02:00
path to MS file : \\Vibrio\Vibrio cholerae\Vibrio cholerae Ogawa 1360\

Vibrio diazotrophicus

genus, species, strain : Vibrio diazotrophicus DSM 2604/A174-2
MicrobeMS ID : 2012_24_01_Maren Stämmeler_0013
NCBI tax ID's : 685 -
growth time : 24h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µl
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-24T10:49:16.015+01:00
path to MS file : \\Vibrio\Vibrio diazotrophicus\Vibrio diazotrophicus DSM 2604\

genus, species, strain : Vibrio diazotrophicus DSM 2604/A174-2
MicrobeMS ID : 2012_07_12_HerfortStefanie_0009
NCBI tax ID's : 685 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-07-12T13:26:24.406+02:00
path to MS file : \\Vibrio\Vibrio diazotrophicus\Vibrio diazotrophicus DSM 2604\

genus, species, strain : Vibrio diazotrophicus DSM 2604/A174-2
MicrobeMS ID : 2012_07_17_HerfortStefanie_0009
NCBI tax ID's : 685 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Oesen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-07-17T13:11:16.828+02:00

path to MS file : \\Vibrio\Vibrio diazotrophicus\Vibrio diazotrophicus DSM 2604\
genus, species, strain : Vibrio diazotrophicus DSM 2604/A174-2
MicrobeMS ID : 2012_06_27_HerfortStefanie_0009
NCBI tax ID's : 685 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-27T16:15:59.234+02:00
path to MS file : \\Vibrio\Vibrio diazotrophicus\Vibrio diazotrophicus DSM 2604\

Vibrio harveyi

genus, species, strain : Vibrio harveyi 174-4
MicrobeMS ID : 2012_09_13_HerfortStefanie_0005
NCBI tax ID's : 669 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-09-13T11:43:59.484+02:00
path to MS file : \\Vibrio\Vibrio harveyi\Vibrio harveyi 174-4\

genus, species, strain : Vibrio harveyi 174-4
MicrobeMS ID : 2012_08_16_HerfortStefanie_0005
NCBI tax ID's : 669 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-08-16T12:51:20.906+02:00
path to MS file : \\Vibrio\Vibrio harveyi\Vibrio harveyi 174-4\

genus, species, strain : Vibrio harveyi 174-4
MicrobeMS ID : 2012_09_24_HerfortStefanie_0005
NCBI tax ID's : 669 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-09-24T13:52:07.421+02:00
path to MS file : \\Vibrio\Vibrio harveyi\Vibrio harveyi 174-4\

Vibrio mimicus

genus, species, strain : Vibrio mimicus 197-1
MicrobeMS ID : 2012_06_07_HerfortStefanie_0007
NCBI tax ID's : 674 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-07T12:23:26.828+02:00
path to MS file : \\Vibrio\Vibrio mimicus\Vibrio mimicus 197-1\

genus, species, strain : Vibrio mimicus 197-1
MicrobeMS ID : 2012_06_21_HerfortStefanie_0007
NCBI tax ID's : 674 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-21T17:00:20.531+02:00
path to MS file : \\Vibrio\Vibrio mimicus\Vibrio mimicus 197-1\

genus, species, strain : Vibrio mimicus 197-1
MicrobeMS ID : 2012_06_18_HerfortStefanie_0007

NCBI tax ID's : 674 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-18T13:19:30.406+02:00
path to MS file : \\Vibrio\Vibrio mimicus\Vibrio mimicus 197-1\

genus, species, strain : Vibrio mimicus 197-2a
MicrobeMS ID : 2012_06_07_HerfortStefanie_0008
NCBI tax ID's : 674 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-07T12:27:25.796+02:00
path to MS file : \\Vibrio\Vibrio mimicus\Vibrio mimicus 197-2a\

genus, species, strain : Vibrio mimicus 197-2a
MicrobeMS ID : 2012_06_21_HerfortStefanie_0008
NCBI tax ID's : 674 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-21T17:09:27.296+02:00
path to MS file : \\Vibrio\Vibrio mimicus\Vibrio mimicus 197-2a\

genus, species, strain : Vibrio mimicus 197-2a
MicrobeMS ID : 2012_06_18_HerfortStefanie_0008
NCBI tax ID's : 674 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-18T13:23:24.109+02:00
path to MS file : \\Vibrio\Vibrio mimicus\Vibrio mimicus 197-2a\

genus, species, strain : Vibrio mimicus DSM 19130/A 177-1
MicrobeMS ID : 2012_24_01_Maren Stämmeler_0016
NCBI tax ID's : 674 -
growth time : 24h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µl
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-24T11:14:36.328+01:00
path to MS file : \\Vibrio\Vibrio mimicus\Vibrio mimicus DSM 19130\

genus, species, strain : Vibrio mimicus DSM 19130/A 177-1
MicrobeMS ID : 2012_07_17_HerfortStefanie_0011
NCBI tax ID's : 674 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-07-17T13:23:01.765+02:00
path to MS file : \\Vibrio\Vibrio mimicus\Vibrio mimicus DSM 19130\

genus, species, strain : Vibrio mimicus DSM 19130/A 177-1
MicrobeMS ID : 2012_06_27_HerfortStefanie_0011
NCBI tax ID's : 674 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par

customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-27T16:27:36.640+02:00
path to MS file : \\Vibrio\Vibrio mimicus\Vibrio mimicus DSM 19130\

Vibrio parahaemolyticus

genus, species, strain : Vibrio parahaemolyticus 186-14a
MicrobeMS ID : 2012_06_07_HerfortStefanie_0005
NCBI tax ID's : 670 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-07T12:07:31.015+02:00
path to MS file : \\Vibrio\Vibrio parahaemolyticus\Vibrio parahaemolyticus 186-14a\

genus, species, strain : Vibrio parahaemolyticus 186-14a
MicrobeMS ID : 2012_06_21_HerfortStefanie_0005
NCBI tax ID's : 670 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-21T16:42:06.593+02:00
path to MS file : \\Vibrio\Vibrio parahaemolyticus\Vibrio parahaemolyticus 186-14a\

genus, species, strain : Vibrio parahaemolyticus 186-14a
MicrobeMS ID : 2012_06_18_HerfortStefanie_0005
NCBI tax ID's : 670 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-18T13:01:04.093+02:00
path to MS file : \\Vibrio\Vibrio parahaemolyticus\Vibrio parahaemolyticus 186-14a\

genus, species, strain : Vibrio parahaemolyticus 186-14b
MicrobeMS ID : 2012_06_07_HerfortStefanie_0006
NCBI tax ID's : 670 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-07T12:11:40.796+02:00
path to MS file : \\Vibrio\Vibrio parahaemolyticus\Vibrio parahaemolyticus 186-14b\

genus, species, strain : Vibrio parahaemolyticus 186-14b
MicrobeMS ID : 2012_06_21_HerfortStefanie_0006
NCBI tax ID's : 670 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-21T16:52:48.546+02:00
path to MS file : \\Vibrio\Vibrio parahaemolyticus\Vibrio parahaemolyticus 186-14b\

genus, species, strain : Vibrio parahaemolyticus 186-14b
MicrobeMS ID : 2012_06_18_HerfortStefanie_0006
NCBI tax ID's : 670 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-18T13:12:55.859+02:00
path to MS file : \\Vibrio\Vibrio parahaemolyticus\Vibrio parahaemolyticus 186-14b\

genus, species, strain : Vibrio parahaemolyticus 169-2
MicrobeMS ID : 2012_06_27_HerfortStefanie_0001
NCBI tax ID's : 670 -

growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-27T15:22:41.921+02:00
path to MS file : \\Vibrio\Vibrio parahaemolyticus\Vibrio parahaemolyticus A169-2\

genus, species, strain : Vibrio parahaemolyticus 169-2
MicrobeMS ID : 2012_07_17_HerfortStefanie_0001
NCBI tax ID's : 670 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-07-17T12:25:14.406+02:00
path to MS file : \\Vibrio\Vibrio parahaemolyticus\Vibrio parahaemolyticus A169-2\

genus, species, strain : Vibrio parahaemolyticus 04-03410 WG A 169/2
MicrobeMS ID : 2012_24_01_Maren Stämmeler_0006
NCBI tax ID's : 670 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-24T10:15:45.562+01:00
path to MS file : \\Vibrio\Vibrio parahaemolyticus\Vibrio parahaemolyticus A169-2\

genus, species, strain : Vibrio parahaemolyticus DSM 10027/A177-2
MicrobeMS ID : 2012_24_01_Maren Stämmeler_0017
NCBI tax ID's : 670 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-24T11:18:03.625+01:00
path to MS file : \\Vibrio\Vibrio parahaemolyticus\Vibrio parahaemolyticus DSM 10027\

genus, species, strain : Vibrio parahaemolyticus DSM 10027/A177-2
MicrobeMS ID : 2012_09_13_HerfortStefanie_0006
NCBI tax ID's : 670 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-09-13T11:50:29.312+02:00
path to MS file : \\Vibrio\Vibrio parahaemolyticus\Vibrio parahaemolyticus DSM 10027\

genus, species, strain : Vibrio parahaemolyticus DSM 10027/A177-2
MicrobeMS ID : 2012_08_16_HerfortStefanie_0006
NCBI tax ID's : 670 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-08-16T12:59:45.937+02:00
path to MS file : \\Vibrio\Vibrio parahaemolyticus\Vibrio parahaemolyticus DSM 10027\

genus, species, strain : Vibrio parahaemolyticus DSM 10027/A177-2
MicrobeMS ID : 2012_09_24_HerfortStefanie_0006
NCBI tax ID's : 670 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6

measurement date/time : 2012-09-24T13:57:47.968+02:00
path to MS file : \\Vibrio\Vibrio parahaemolyticus\Vibrio parahaemolyticus DSM 10027\

Vibrio vulnificus

genus, species, strain : Vibrio vulnificus 171-4
MicrobeMS ID : 2012_07_12_HerfortStefanie_0007
NCBI tax ID's : 672 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-07-12T13:15:28.953+02:00
path to MS file : \\Vibrio\Vibrio vulnificus\Vibrio vulnificus A171-4\

genus, species, strain : Vibrio vulnificus 171-4
MicrobeMS ID : 2012_06_27_HerfortStefanie_0007
NCBI tax ID's : 672 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-27T16:04:45.406+02:00
path to MS file : \\Vibrio\Vibrio vulnificus\Vibrio vulnificus A171-4\

genus, species, strain : Vibrio vulnificus 171-4
MicrobeMS ID : 2012_07_17_HerfortStefanie_0007
NCBI tax ID's : 672 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-07-17T13:01:26.296+02:00
path to MS file : \\Vibrio\Vibrio vulnificus\Vibrio vulnificus A171-4\

genus, species, strain : Vibrio vulnificus 05-06969 A171-4
MicrobeMS ID : 2012_24_01_Maren Stämmeler_0011
NCBI tax ID's : 672 -
growth time : 24h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Ösen in 100 µl
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-24T10:41:11.500+01:00
path to MS file : \\Vibrio\Vibrio vulnificus\Vibrio vulnificus A171-4\

genus, species, strain : Vibrio vulnificus 186-11
MicrobeMS ID : 2012_09_13_HerfortStefanie_0007
NCBI tax ID's : 672 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-09-13T12:12:20.171+02:00
path to MS file : \\Vibrio\Vibrio vulnificus\Vibrio vulnificus A186-11\

genus, species, strain : Vibrio vulnificus 186-11
MicrobeMS ID : 2012_09_24_HerfortStefanie_0007
NCBI tax ID's : 672 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-09-24T14:04:41.125+02:00
path to MS file : \\Vibrio\Vibrio vulnificus\Vibrio vulnificus A186-11\

genus, species, strain : Vibrio vulnificus 186-12
MicrobeMS ID : 2012_09_24_HerfortStefanie_0008
NCBI tax ID's : 672 -
growth time : 48h

growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-09-24T14:07:46.062+02:00
path to MS file : \Vibrio\Vibrio vulnificus\Vibrio vulnificus A186-12\

genus, species, strain : Vibrio vulnificus DSM 10143/A177-3
MicrobeMS ID : 2012_24_01_Maren Stämmeler_0018
NCBI tax ID's : 672 -
growth time : 24h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und Präp.: ZBSII; Aufgetragen für Maldimessung: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2011-01-24T11:20:31.593+01:00
path to MS file : \Vibrio\Vibrio vulnificus\Vibrio vulnificus DSM 10143\

genus, species, strain : Vibrio vulnificus DSM 10143/A177-3
MicrobeMS ID : 2012_07_17_HerfortStefanie_0012
NCBI tax ID's : 672 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-07-17T13:27:02.718+02:00
path to MS file : \Vibrio\Vibrio vulnificus\Vibrio vulnificus DSM 10143\

genus, species, strain : Vibrio vulnificus DSM 10143/A177-3
MicrobeMS ID : 2012_06_27_HerfortStefanie_0012
NCBI tax ID's : 672 -
growth time : 48h
growth temperature : 36 Grad Celsius
growth conditions : aerob
growth medium : Caso-Agar
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 2:2 HCCA/TA2 (A)
concentration : 3-5 Ösen in 0,1 ml
extra info :
calibration standard :
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-06-27T16:35:44.062+02:00
path to MS file : \Vibrio\Vibrio vulnificus\Vibrio vulnificus DSM 10143\

Virgibacillus

Virgibacillus pantothenicus

genus, species, strain : Virgibacillus pantothenicus B39
MicrobeMS ID : 2014_12_10_Andy Schneider_0021
NCBI tax ID's : 1473 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-10T13:28:36.000
path to MS file : \Virgibacillus\Virgibacillus pantothenicus\Virgibacillus pantothenicus B39\

genus, species, strain : Virgibacillus pantothenicus B39
MicrobeMS ID : 2014_12_10_Andy Schneider_0023
NCBI tax ID's : 1473 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verduennung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Mald
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-10T13:32:30.000
path to MS file : \Virgibacillus\Virgibacillus pantothenicus\Virgibacillus pantothenicus B39\

genus, species, strain : Virgibacillus pantothenicus B39
MicrobeMS ID : 2014_12_10_Andy Schneider_0022
NCBI tax ID's : 1473 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob

```

growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-10T13:30:37.000
path to MS file : \Virgibacillus\Virgibacillus pantothenicus\Virgibacillus pantothenicus B39\

genus, species, strain : Virgibacillus pantothenicus B39
MicrobEMS ID : 2014_12_10_Andy_Schneider_0024
NCBI tax ID's : 1473 -
growth time : 1 Day
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2014-12-10T13:34:33.000
path to MS file : \Virgibacillus\Virgibacillus pantothenicus\Virgibacillus pantothenicus B39\

genus, species, strain : Virgibacillus pantothenicus B39
MicrobEMS ID : 2006_14_08_Famulla_Staemmler_0003
NCBI tax ID's : 1473 -
growth time : 24h
growth temperature : 37Grad Celsius
growth conditions : aerob
growth medium : LB
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Verdünnung der Proben von Wolfgang Beyer Universitaet Hohenheim / Ankunft:09.08.2006/ Praeparation fuer Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-08-14T10:33:37.000
path to MS file : \Virgibacillus\Virgibacillus pantothenicus\Virgibacillus pantothenicus B39\

```

Xenophilus

Xenophilus sp.

```

genus, species, strain : Xenophilus sp. A395-1
MicrobEMS ID : 2013_07_25_Andy_Schneider_0001
NCBI tax ID's : -
growth time : 48
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/ 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2013-07-25T10:01:07.812+02:00
path to MS file : \Xenophilus\Xenophilus sp\Xenophilus sp. A395\

genus, species, strain : Xenophilus sp. A395-1
MicrobEMS ID : 2013_07_25_Andy_Schneider_0002
NCBI tax ID's : -
growth time : 48
growth temperature : 37 grad celsius
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/ 1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : 2-3 Oesen in 20 µl
extra info : Stamm + Anzucht ZBS II/ TFA-Aufschluß und Präparation für Maldi: AS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS2
measurement date/time : 2013-07-25T10:05:04.000+02:00
path to MS file : \Xenophilus\Xenophilus sp\Xenophilus sp. A395\

```

Yersinia

Yersinia aldovae

```

genus, species, strain : Yersinia aldovae DSM 18303
MicrobEMS ID : 2007_02_03_Maren_Staemmler_0006
NCBI tax ID's : 29483 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi (02.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-02 12:35:46

```

```

path to MS file      : \Yersinia\Yersinia aldovae\Yersinia aldovae DSM 18303\
genus, species, strain : Yersinia aldovae DSM 18303
MicrobeMS ID        : 2007_09_03_Maren Stämmeler_0006
NCBI tax ID's       : 29483 -
growth time         : 48h
growth temperature   : 28 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment    : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration        : 3 Oesen in 100 muel
extra info          : Anzucht und Praeparation + Praeparation für Maldi (09.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2007-03-09 12:56:27
path to MS file      : \Yersinia\Yersinia aldovae\Yersinia aldovae DSM 18303\

genus, species, strain : Yersinia aldovae DSM 18303
MicrobeMS ID        : 2007_16_03_Maren Stämmeler_0006
NCBI tax ID's       : 29483 -
growth time         : 48h
growth temperature   : 28 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment    : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration        : 3 Oesen in 100 muel
extra info          : Anzucht und Praeparation + Praeparation für Maldi (16.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2007-03-16 13:29:40
path to MS file      : \Yersinia\Yersinia aldovae\Yersinia aldovae DSM 18303\

```

Yersinia aleksiciae

```

genus, species, strain : Yersinia aleksiciae DSM 14987
MicrobeMS ID        : 2007_02_03_Maren Stämmeler_0004
NCBI tax ID's       : 263819 -
growth time         : 48h
growth temperature   : 28 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment    : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration        : 3 Oesen in 100 muel
extra info          : Anzucht und Praeparation + Praeparation für Maldi (02.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2007-03-02 12:24:47
path to MS file      : \Yersinia\Yersinia aleksiciae\Yersinia aleksiciae DSM 14987\

genus, species, strain : Yersinia aleksiciae DSM 14987
MicrobeMS ID        : 2007_09_03_Maren Stämmeler_0004
NCBI tax ID's       : 263819 -
growth time         : 48h
growth temperature   : 28 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment    : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration        : 3 Oesen in 100 muel
extra info          : Anzucht und Praeparation + Praeparation für Maldi (09.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2007-03-09 11:09:33
path to MS file      : \Yersinia\Yersinia aleksiciae\Yersinia aleksiciae DSM 14987\

genus, species, strain : Yersinia aleksiciae DSM 14987
MicrobeMS ID        : 2007_16_03_Maren Stämmeler_0004
NCBI tax ID's       : 263819 -
growth time         : 48h
growth temperature   : 28 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment    : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration        : 3 Oesen in 100 muel
extra info          : Anzucht und Praeparation + Praeparation für Maldi (16.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2007-03-16 12:59:12
path to MS file      : \Yersinia\Yersinia aleksiciae\Yersinia aleksiciae DSM 14987\

```

Yersinia bercovieri

```

genus, species, strain : Yersinia bercovieri DSM 18528
MicrobeMS ID        : 2007_02_03_Maren Stämmeler_0011
NCBI tax ID's       : 634 -
growth time         : 48h
growth temperature   : 28 Grad Celsius
growth conditions    : aerob
growth medium        : Caso
sample treatment    : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration        : 3 Oesen in 100 muel
extra info          : Anzucht und Praeparation + Praeparation für Maldi (02.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer            : RKI ZBS6
measurement date/time : 2007-03-02 13:05:16
path to MS file      : \Yersinia\Yersinia bercovieri\Yersinia bercovieri DSM 18528\

genus, species, strain : Yersinia bercovieri DSM 18528
MicrobeMS ID        : 2007_09_03_Maren Stämmeler_0011

```

NCBI tax ID's : 634 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (09.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-09 13:24:00
path to MS file : \Yersinia\Yersinia bercovieri\Yersinia bercovieri DSM 18528\

genus, species, strain : Yersinia bercovieri DSM 18528
MicrobeMS ID : 2007_16_03_Maren Stämmeler_0011
NCBI tax ID's : 634 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (16.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-16 13:56:26
path to MS file : \Yersinia\Yersinia bercovieri\Yersinia bercovieri DSM 18528\

Yersinia enterocolitica

genus, species, strain : Yersinia enterocolitica Ringvers. A-269_06 B
MicrobeMS ID : 2012_04_04_Maren Stämmeler_0012
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T14:12:08.812+01:00
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica A269-6b\

genus, species, strain : Yersinia enterocolitica Ringvers. A-269_06 B
MicrobeMS ID : 2012_04_02_Maren Stämmeler_0012
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 muel
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-02T14:34:19.031+02:00
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica A269-6b\

genus, species, strain : Yersinia enterocolitica O:8 ATCC 9610
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0017
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeparation von Frau Lochau; Uebergabe 07.09.2005; Praeparation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 14:01:40
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica ATCC 9610\

genus, species, strain : Yersinia enterocolitica O:8 ATCC 9610
MicrobeMS ID : 2005_06_10_Maren Stämmeler_0012
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeparation von Frau Lochau; Uebergabe 04.10.2005; Praeparation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 11:06:28
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica ATCC 9610\

genus, species, strain : Yersinia enterocolitica O:8 ATCC 9610
MicrobeMS ID : 2005_29_11_Maren Stämmeler_0012
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel

extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 15:06:00
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica ATCC 9610\

genus, species, strain : Yersinia enterocolitica spp. enterocolitica DSM 11503
MicrobeMS ID : 2007_02_03_Maren Stämmeler_0003
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (02.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-02 12:20:42
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica DSM 11503\

genus, species, strain : Yersinia enterocolitica spp. enterocolitica DSM 11503
MicrobeMS ID : 2007_09_03_Maren Stämmeler_0003
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (09.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-09 11:05:44
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica DSM 11503\

genus, species, strain : Yersinia enterocolitica spp. enterocolitica DSM 11503
MicrobeMS ID : 2007_16_03_Maren Stämmeler_0003
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (16.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-16 12:56:08
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica DSM 11503\

genus, species, strain : Yersinia enterocolitica spp. enterocolitica DSM 4780
MicrobeMS ID : 2007_02_03_Maren Stämmeler_0001
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (02.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-02 11:01:04
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica DSM 4780\

genus, species, strain : Yersinia enterocolitica spp. enterocolitica DSM 4780
MicrobeMS ID : 2007_09_03_Maren Stämmeler_0001
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (09.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-09 10:56:02
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica DSM 4780\

genus, species, strain : Yersinia enterocolitica spp. enterocolitica DSM 4780
MicrobeMS ID : 2007_16_03_Maren Stämmeler_0001
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (16.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-16 12:31:07
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica DSM 4780\

genus, species, strain : Yersinia enterocolitica DSM 4780
MicrobeMS ID : 2009_16_02_Maren Stämmeler_0001
NCBI tax ID's : 630 -

growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt;drei Tage bei -20°C; wieder aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Herkunft: DSM Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-02-16T21:21:11.734+00:00
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica DSM 4780\

genus, species, strain : Yersinia enterocolitica DSM 4780
MicrobeMS ID : 2009_27_03_Maren Stämmeler_0002
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Herkunft: DSM Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-03-27T21:50:47.515+00:00
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica DSM 4780\

genus, species, strain : Yersinia enterocolitica DSM 4780
MicrobeMS ID : 2009_03_04_Maren Stämmeler_0002
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Herkunft: DSM Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-04-03T21:17:41.484+00:00
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica DSM 4780\

genus, species, strain : Yersinia enterocolitica spp. enterocolitica DSM 9676
MicrobeMS ID : 2007_02_03_Maren Stämmeler_0002
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (02.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-02 11:05:13
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica DSM 9676\

genus, species, strain : Yersinia enterocolitica spp. enterocolitica DSM 9676
MicrobeMS ID : 2007_09_03_Maren Stämmeler_0002
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (09.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-09 10:59:40
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica DSM 9676\

genus, species, strain : Yersinia enterocolitica spp. enterocolitica DSM 9676
MicrobeMS ID : 2007_16_03_Maren Stämmeler_0002
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (16.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-16 12:33:49
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica DSM 9676\

genus, species, strain : Yersinia enterocolitica O:10 32
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0024
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeparation von Frau Lochau; Uebergabe 07.09.2005; Praeparation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6

measurement date/time : 2004-09-09 14:38:27
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 010 32\

genus, species, strain : Yersinia enterocolitica O:10 32
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0013
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 10:42:49
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 010 32\

genus, species, strain : Yersinia enterocolitica O:10 32
MicrobeMS ID : 2005_28_11_Maren Stämmeler_0013
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-28 11:10:50
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 010 32\

genus, species, strain : Yersinia enterocolitica O:15 31098
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0019
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 07.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 14:09:17
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 015 31089\

genus, species, strain : Yersinia enterocolitica O:15 31098
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0009
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 10:28:08
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 015 31089\

genus, species, strain : Yersinia enterocolitica O:15 31098
MicrobeMS ID : 2005_28_11_Maren Stämmeler_0009
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-28 10:38:05
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 015 31089\

genus, species, strain : Yersinia enterocolitica O:3 116
MicrobeMS ID : 2005_08_12_Maren Stämmeler_0007
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-08 14:44:36
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 116\

genus, species, strain : Yersinia enterocolitica O:3 116
MicrobeMS ID : 2005_14_12_Maren Stämmeler_0016
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso

sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-14 11:20:44
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 116\

genus, species, strain : Yersinia enterocolitica O:3 116
MicrobeMS ID : 2005_22_12_Maren Stämmler_0017
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-22 10:47:03
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 116\

genus, species, strain : Yersinia enterocolitica O:3; 13169
MicrobeMS ID : 2005_05_09_Maren Stämmler_0001
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 02.09.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-05 11:43:57
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 13169\

genus, species, strain : Yersinia enterocolitica O:3 13169
MicrobeMS ID : 2005_06_10_Maren Stämmler_0001
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 04.10.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 10:19:32
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 13169\

genus, species, strain : Yersinia enterocolitica O:3 13169
MicrobeMS ID : 2005_29_11_Maren Stämmler_0001
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 14:00:16
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 13169\

genus, species, strain : Yersinia enterocolitica O:3 211
MicrobeMS ID : 2005_08_12_Maren Stämmler_0002
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-08 14:20:26
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 211\

genus, species, strain : Yersinia enterocolitica O:3 211
MicrobeMS ID : 2005_14_12_Maren Stämmler_0012
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-14 11:09:09
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 211\

genus, species, strain : Yersinia enterocolitica O:3 211

MicrobeMS ID : 2005_22_12_Maren Stämmeler_0012
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-22 09:01:47
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 211\

genus, species, strain : Yersinia enterocolitica O:3; 21820
MicrobeMS ID : 2005_05_09_Maren Stämmeler_0003
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-05 11:50:00
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 21820\

genus, species, strain : Yersinia enterocolitica O:3 21820
MicrobeMS ID : 2005_06_10_Maren Stämmeler_0004
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 10:41:04
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 21820\

genus, species, strain : Yersinia enterocolitica O:3 21820
MicrobeMS ID : 2005_29_11_Maren Stämmeler_0004
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 14:08:47
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 21820\

genus, species, strain : Yersinia enterocolitica O:3; 25202
MicrobeMS ID : 2005_05_09_Maren Stämmeler_0004
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-05 11:53:05
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 25202\

genus, species, strain : Yersinia enterocolitica O:3 25202
MicrobeMS ID : 2005_06_10_Maren Stämmeler_0005
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 10:44:44
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 25202\

genus, species, strain : Yersinia enterocolitica O:3 25202
MicrobeMS ID : 2005_29_11_Maren Stämmeler_0005
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 14:11:38
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 25202\

genus, species, strain : Yersinia enterocolitica O:3 26817
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0002
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 07.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 11:06:00
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 26817\

genus, species, strain : Yersinia enterocolitica O:3 26817
MicrobeMS ID : 2005_06_10_Maren Stämmeler_0006
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 10:47:16
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 26817\

genus, species, strain : Yersinia enterocolitica O:3 26817
MicrobeMS ID : 2005_29_11_Maren Stämmeler_0006
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 14:13:50
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 26817\

genus, species, strain : Yersinia enterocolitica O:3 26972
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0006
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 07.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 11:20:58
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 26972\

genus, species, strain : Yersinia enterocolitica O:3 26972
MicrobeMS ID : 2005_06_10_Maren Stämmeler_0010
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 11:00:20
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 26972\

genus, species, strain : Yersinia enterocolitica O:3 26972
MicrobeMS ID : 2005_29_11_Maren Stämmeler_0010
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 14:28:08
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 26972\

genus, species, strain : Yersinia enterocolitica O:3; 29211
MicrobeMS ID : 2005_05_09_Maren Stämmeler_0002
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius

growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-05 11:46:10
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 29211\

genus, species, strain : Yersinia enterocolitica O:3 29211
MicrobeMS ID : 2005_06_10_Maren Stämmeler_0003
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 10:31:09
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 29211\

genus, species, strain : Yersinia enterocolitica O:3 29211
MicrobeMS ID : 2005_29_11_Maren Stämmeler_0003
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 14:06:09
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 29211\

genus, species, strain : Yersinia enterocolitica O:3; 29213
MicrobeMS ID : 2005_05_09_Maren Stämmeler_0005
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-05 11:56:59
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 29213\

genus, species, strain : Yersinia enterocolitica O:3 29213
MicrobeMS ID : 2005_06_10_Maren Stämmeler_0011
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 11:03:58
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 29213\

genus, species, strain : Yersinia enterocolitica O:3 29213
MicrobeMS ID : 2005_29_11_Maren Stämmeler_0011
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 14:30:02
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 29213\

genus, species, strain : Yersinia enterocolitica O:3 29460 II
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0003
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 07.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 11:09:10
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 29460 II\

genus, species, strain : Yersinia enterocolitica O:3 29460 II
MicrobeMS ID : 2005_06_10_Maren Stämmeler_0007
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 10:50:44
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 29460 II\

genus, species, strain : Yersinia enterocolitica O:3 29460 II
MicrobeMS ID : 2005_29_11_Maren Stämmeler_0007
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 14:18:37
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 29460 II\

genus, species, strain : Yersinia enterocolitica O:3 29918
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0004
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 07.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 11:13:14
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 29918\

genus, species, strain : Yersinia enterocolitica O:3 29918
MicrobeMS ID : 2005_06_10_Maren Stämmeler_0008
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 10:53:27
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 29918\

genus, species, strain : Yersinia enterocolitica O:3 29918
MicrobeMS ID : 2005_29_11_Maren Stämmeler_0008
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 14:23:06
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 29918\

genus, species, strain : Yersinia enterocolitica O:3 31100
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0005
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 07.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 11:17:59
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 31100\

genus, species, strain : Yersinia enterocolitica O:3 31100
MicrobeMS ID : 2005_06_10_Maren Stämmeler_0009
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel

extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 04.10.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 10:56:56
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 31100\

genus, species, strain : Yersinia enterocolitica O:3 31100
MicrobeMS ID : 2005_29_11_Maren Stämmeler_0009
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 14:25:09
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 31100\

genus, species, strain : Yersinia enterocolitica O:3 63/1
MicrobeMS ID : 2005_08_12_Maren Stämmeler_0008
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-08 14:47:32
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 63 1\

genus, species, strain : Yersinia enterocolitica O:3 63/1
MicrobeMS ID : 2005_14_12_Maren Stämmeler_0017
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-14 11:24:23
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 63 1\

genus, species, strain : Yersinia enterocolitica O:3 63/1
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0018
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-22 10:48:49
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 63 1\

genus, species, strain : Yersinia enterocolitica O:3 63/2
MicrobeMS ID : 2005_08_12_Maren Stämmeler_0009
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-08 14:50:27
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 63 2\

genus, species, strain : Yersinia enterocolitica O:3 63/2
MicrobeMS ID : 2005_14_12_Maren Stämmeler_0018
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-14 11:26:26
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 63 2\

genus, species, strain : Yersinia enterocolitica O:3 63/2
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0019
NCBI tax ID's : 630 -

growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-22 10:53:17
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 63 2\

genus, species, strain : Yersinia enterocolitica O:3 68
MicrobeMS ID : 2005_07_12_Maren Stämmeler_0005
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-07 11:37:49
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 68\

genus, species, strain : Yersinia enterocolitica O:3 68
MicrobeMS ID : 2005_14_12_Maren Stämmeler_0005
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-14 10:51:50
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 68\

genus, species, strain : Yersinia enterocolitica O:3 68
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0005
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-21 16:33:31
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 68\

genus, species, strain : Yersinia enterocolitica O:3 76
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0013
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-22 09:04:57
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 76\

genus, species, strain : Yersinia enterocolitica O:3 79
MicrobeMS ID : 2005_08_12_Maren Stämmeler_0001
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-08 14:17:54
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 03 79\

genus, species, strain : Yersinia enterocolitica O:3 79
MicrobeMS ID : 2005_14_12_Maren Stämmeler_0011
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6

measurement date/time : 2005-12-14 11:06:04
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 79\

genus, species, strain : Yersinia enterocolitica O:3 79
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0011
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-22 08:59:16
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 79\

genus, species, strain : Yersinia enterocolitica O:3 82/1
MicrobeMS ID : 2005_08_12_Maren Stämmeler_0004
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-08 14:26:24
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 82 1\

genus, species, strain : Yersinia enterocolitica O:3 82/1
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0014
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-22 09:06:38
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 82 1\

genus, species, strain : Yersinia enterocolitica O:3 82/1
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0021
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-22 10:59:35
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 82 1\

genus, species, strain : Yersinia enterocolitica O:3 82/2
MicrobeMS ID : 2005_08_12_Maren Stämmeler_0010
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-08 14:52:16
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 82 2\

genus, species, strain : Yersinia enterocolitica O:3 82/2
MicrobeMS ID : 2005_14_12_Maren Stämmeler_0019
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-14 11:29:39
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 82 2\

genus, species, strain : Yersinia enterocolitica O:3 82/2
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0020
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso

sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-22 10:55:52
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 82 2\

genus, species, strain : Yersinia enterocolitica O:3 85
MicrobeMS ID : 2005_07_12_Maren Stämmeler_0010
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-07 11:51:36
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 85\

genus, species, strain : Yersinia enterocolitica O:3 85
MicrobeMS ID : 2005_14_12_Maren Stämmeler_0010
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-14 11:03:12
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 85\

genus, species, strain : Yersinia enterocolitica O:3 85
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0010
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-21 16:43:40
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 85\

genus, species, strain : Yersinia enterocolitica O:3 93
MicrobeMS ID : 2005_08_12_Maren Stämmeler_0005
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-08 14:29:23
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 93\

genus, species, strain : Yersinia enterocolitica O:3 93
MicrobeMS ID : 2005_14_12_Maren Stämmeler_0014
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-14 11:15:51
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 93\

genus, species, strain : Yersinia enterocolitica O:3 93
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0015
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-22 09:12:02
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 93\

genus, species, strain : Yersinia enterocolitica O:3 K 201

MicrobeMS ID : 2005_07_12_Maren Stämmeler_0007
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-07 11:42:33
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 201\

genus, species, strain : Yersinia enterocolitica O:3 K 201
MicrobeMS ID : 2005_14_12_Maren Stämmeler_0007
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-14 10:56:14
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 201\

genus, species, strain : Yersinia enterocolitica O:3 K 201
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0007
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-21 16:38:06
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 201\

genus, species, strain : Yersinia enterocolitica O:3 K 61
MicrobeMS ID : 2005_07_12_Maren Stämmeler_0006
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-07 11:40:00
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 61\

genus, species, strain : Yersinia enterocolitica O:3 K 61
MicrobeMS ID : 2005_14_12_Maren Stämmeler_0006
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-14 10:53:17
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 61\

genus, species, strain : Yersinia enterocolitica O:3 K 61
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0006
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-21 16:35:16
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 61\

genus, species, strain : Yersinia enterocolitica O:3 K 71
MicrobeMS ID : 2005_07_12_Maren Stämmeler_0008
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-07 11:44:47
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 71\

genus, species, strain : Yersinia enterocolitica O:3 K 71
MicrobeMS ID : 2005_14_12_Maren Stämmeler_0008
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-14 10:57:48
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 71\

genus, species, strain : Yersinia enterocolitica O:3 K 71
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0008
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-21 16:39:54
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 71\

genus, species, strain : Yersinia enterocolitica O:3 K 79
MicrobeMS ID : 2005_07_12_Maren Stämmeler_0009
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-07 11:49:16
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 79\

genus, species, strain : Yersinia enterocolitica O:3 K 79
MicrobeMS ID : 2005_14_12_Maren Stämmeler_0009
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-14 11:01:20
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 79\

genus, species, strain : Yersinia enterocolitica O:3 K 79
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0009
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-21 16:41:57
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 79\

genus, species, strain : Yersinia enterocolitica O:3 K 81
MicrobeMS ID : 2005_07_12_Maren Stämmeler_0001
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-07 11:26:58
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 81\

genus, species, strain : Yersinia enterocolitica O:3 K 81
MicrobeMS ID : 2005_14_12_Maren Stämmeler_0001
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius

growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-14 10:36:38
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 81\

genus, species, strain : Yersinia enterocolitica O:3 K 81
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0001
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-21 16:19:52
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 81\

genus, species, strain : Yersinia enterocolitica O:3 K 92
MicrobeMS ID : 2005_07_12_Maren Stämmeler_0004
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-07 11:34:48
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 92\

genus, species, strain : Yersinia enterocolitica O:3 K 92
MicrobeMS ID : 2005_14_12_Maren Stämmeler_0004
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-14 10:48:48
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 92\

genus, species, strain : Yersinia enterocolitica O:3 K 92
MicrobeMS ID : 2005_22_12_Maren Stämmeler_0004
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-21 16:29:13
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K 92\

genus, species, strain : Yersinia enterocolitica O:3 K Y9
MicrobeMS ID : 2005_07_12_Maren Stämmeler_0003
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 02.12.2005; Uebergabe 07.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-07 11:32:23
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K Y9\

genus, species, strain : Yersinia enterocolitica O:3 K Y9
MicrobeMS ID : 2005_14_12_Maren Stämmeler_0003
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 09.12.2005; Uebergabe 14.12.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-12-14 10:47:00
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K Y9\

```
genus, species, strain : Yersinia enterocolitica O:3 K Y9
MicrobeMS ID           : 2005_22_12_Maren Stämmeler_0003
NCBI tax ID's          : 630 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions       : aerob
growth medium          : Caso
sample treatment       : in 80$ TFA/1:10 verd./1:lHCCATA2
concentration           : 3 Oesen in 100 muel
extra info             : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau 16.12.2005; Uebergabe 21.12.2005; Praeperation auf TG MS
calibration standard   : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2005-12-21 16:26:41
path to MS file        : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 K Y9\

genus, species, strain : Yersinia enterocolitica O:3 RK/111
MicrobeMS ID           : 2005_09_09_Maren Stämmeler_0001
NCBI tax ID's          : 630 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions       : aerob
growth medium          : Caso
sample treatment       : in 80$ TFA/1:10 verd./1:lHCCATA2
concentration           : 3 Oesen im 100 muel
extra info             : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 07.09.2005; Praeperation auf TG MS
calibration standard   : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2004-09-09 14:51:17
path to MS file        : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 RK111\

genus, species, strain : Yersinia enterocolitica O:3 RK/111
MicrobeMS ID           : 2005_06_10_Maren Stämmeler_0002
NCBI tax ID's          : 630 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions       : aerob
growth medium          : Caso
sample treatment       : in 80$ TFA/1:10 verd./1:lHCCATA2
concentration           : 3 Oesen im 100 muel
extra info             : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 04.10.2005; Praeperation auf TG MS
calibration standard   : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2004-10-06 10:26:44
path to MS file        : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 RK111\

genus, species, strain : Yersinia enterocolitica O:3 RK/111
MicrobeMS ID           : 2005_29_11_Maren Stämmeler_0002
NCBI tax ID's          : 630 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions       : aerob
growth medium          : Caso
sample treatment       : in 80$ TFA/1:10 verd./1:lHCCATA2
concentration           : 3 Oesen im 100 muel
extra info             : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeperation auf TG MS
calibration standard   : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2005-11-29 14:02:23
path to MS file        : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O3 RK111\

genus, species, strain : Yersinia enterocolitica O:30 3
MicrobeMS ID           : 2005_09_09_Maren Stämmeler_0022
NCBI tax ID's          : 630 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions       : aerob
growth medium          : Caso
sample treatment       : in 80$ TFA/1:10 verd./1:lHCCATA2
concentration           : 3 Oesen im 100 muel
extra info             : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 07.09.2005; Praeperation auf TG MS
calibration standard   : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2004-09-09 14:20:35
path to MS file        : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O30 3\

genus, species, strain : Yersinia enterocolitica O:30 3
MicrobeMS ID           : 2005_07_10_Maren Stämmeler_0011
NCBI tax ID's          : 630 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions       : aerob
growth medium          : Caso
sample treatment       : in 80$ TFA/1:10 verd./1:lHCCATA2
concentration           : 3 Oesen im 100 muel
extra info             : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 04.10.2005; Praeperation auf TG MS
calibration standard   : ProteinStandard 1 (Bruker)
measurement method     : ToM_200ns.par
customer               : RKI ZBS6
measurement date/time  : 2004-10-07 10:35:28
path to MS file        : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O30 3\

genus, species, strain : Yersinia enterocolitica O:30 3
MicrobeMS ID           : 2005_28_11_Maren Stämmeler_0011
NCBI tax ID's          : 630 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions       : aerob
growth medium          : Caso
sample treatment       : in 80$ TFA/1:10 verd./1:lHCCATA2
concentration           : 3 Oesen im 100 muel
```


extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-28 11:03:29
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 030 3\

genus, species, strain : Yersinia enterocolitica O:41,43 31075
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0018
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 07.09.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 14:05:56
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 041,43 31075\

genus, species, strain : Yersinia enterocolitica O:41,43 31075
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0008
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 04.10.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 10:25:03
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 041,43 31075\

genus, species, strain : Yersinia enterocolitica O:41,43 31075
MicrobeMS ID : 2005_28_11_Maren Stämmeler_0008
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-28 10:34:35
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 041,43 31075\

genus, species, strain : Yersinia enterocolitica O:5 14/91
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0011
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 07.09.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 13:25:59
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 05 14 91\

genus, species, strain : Yersinia enterocolitica O:5 14/91
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0001
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 04.10.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 09:51:39
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 05 14 91\

genus, species, strain : Yersinia enterocolitica O:5 14/91
MicrobeMS ID : 2005_28_11_Maren Stämmeler_0001
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-28 10:15:24
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 05 14 91\

genus, species, strain : Yersinia enterocolitica O:5 29961
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0012
NCBI tax ID's : 630 -

growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 07.09.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 13:28:52
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 05 29961\

genus, species, strain : Yersinia enterocolitica O:5 29961
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0003
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 04.10.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 09:58:23
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 05 29961\

genus, species, strain : Yersinia enterocolitica O:5 29961
MicrobeMS ID : 2005_28_11_Maren Stämmeler_0003
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-28 10:22:09
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 05 29961\

genus, species, strain : Yersinia enterocolitica O:5 29987
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0013
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 07.09.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 13:33:36
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 05 29987\

genus, species, strain : Yersinia enterocolitica O:5 29987
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0004
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 04.10.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 10:00:49
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 05 29987\

genus, species, strain : Yersinia enterocolitica O:5 29987
MicrobeMS ID : 2005_28_11_Maren Stämmeler_0004
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-28 10:24:20
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 05 29987\

genus, species, strain : Yersinia enterocolitica O:5 29988
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0014
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 07.09.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6

measurement date/time : 2004-09-09 13:36:27
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O5 29988\

genus, species, strain : Yersinia enterocolitica O:5 29988
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0005
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 10:03:19
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O5 29988\

genus, species, strain : Yersinia enterocolitica O:5 29988
MicrobeMS ID : 2005_28_11_Maren Stämmeler_0005
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-28 10:27:43
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O5 29988\

genus, species, strain : Yersinia enterocolitica O:5,27 966/89
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0015
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 07.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 13:40:18
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O5,27 966_89\

genus, species, strain : Yersinia enterocolitica O:5,27 966/89
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0006
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 10:16:50
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O5,27 966_89\

genus, species, strain : Yersinia enterocolitica O:5,27 966/89
MicrobeMS ID : 2005_28_11_Maren Stämmeler_0006
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-28 10:29:54
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O5,27 966_89\

genus, species, strain : Yersinia enterocolitica O:5,27; Biotyp2
MicrobeMS ID : 2005_07_03_Maren Stämmeler_0001
NCBI tax ID's : 630 -
growth time : 24h
growth temperature : 37
growth conditions :
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel Wl
extra info : Anzucht und Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : C:\WINNT\Profiles\Administrator\Desktop\Test\Maier\ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-03-07 09:35:00
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O5,27 BT2\

genus, species, strain : Yersinia enterocolitica O:5,27; Biotyp2
MicrobeMS ID : 2005_07_04_Maren Stämmeler_0001
NCBI tax ID's : 630 -
growth time : 24h
growth temperature : 37
growth conditions :
growth medium : Caso

sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel W1
extra info : Anzucht und Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : C:\WINNT\Profiles\Administrator\Desktop\Test\Maier\ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-04-07 13:58:39
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 05,27 BT2\

genus, species, strain : Yersinia enterocolitica O:5,27; Biotyp2
MicrobeMS ID : 2005_20_04_Maren Stämmler_0001
NCBI tax ID's : 630 -
growth time : 24h
growth temperature : 37
growth conditions :
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel W2
extra info : Anzucht und Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : C:\WINNT\Profiles\Administrator\Desktop\Test\Maier\ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-04-21 09:35:29
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 05,27 BT2\

genus, species, strain : Yersinia enterocolitica O:5,27 IP 885
MicrobeMS ID : 2005_09_09_Maren Stämmler_0016
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 07.09.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 13:44:06
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 05,27 IP 885\

genus, species, strain : Yersinia enterocolitica O:5,27 IP 885
MicrobeMS ID : 2005_07_10_Maren Stämmler_0007
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 04.10.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 10:23:33
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 05,27 IP 885\

genus, species, strain : Yersinia enterocolitica O:5,27 IP 885
MicrobeMS ID : 2005_28_11_Maren Stämmler_0007
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-28 10:32:49
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 05,27 IP 885\

genus, species, strain : Yersinia enterocolitica O:50,51 1
MicrobeMS ID : 2005_09_09_Maren Stämmler_0021
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 07.09.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 14:16:46
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 050,51 1\

genus, species, strain : Yersinia enterocolitica O:50,51 1
MicrobeMS ID : 2005_07_10_Maren Stämmler_0002
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 04.10.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 09:54:17
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 050,51 1\

genus, species, strain : Yersinia enterocolitica O:50,51 1

MicrobeMS ID : 2005_28_11_Maren Stämmeler_0002
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:LHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-28 10:18:18
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 050,51 1\

genus, species, strain : Yersinia enterocolitica O:6,30 29835
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0026
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:LHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 07.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 14:44:41
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 06,30 29835\

genus, species, strain : Yersinia enterocolitica O:6,30 29835
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0015
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:LHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 10:50:43
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 06,30 29835\

genus, species, strain : Yersinia enterocolitica O:6,30 29835
MicrobeMS ID : 2005_28_11_Maren Stämmeler_0015
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:LHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-28 11:17:05
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 06,30 29835\

genus, species, strain : Yersinia enterocolitica O:7,8 30344
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0020
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:LHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 07.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 14:12:22
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 07,8 30344\

genus, species, strain : Yersinia enterocolitica O:7,8 30344
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0010
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:LHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 10:32:58
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 07,8 30344\

genus, species, strain : Yersinia enterocolitica O:7,8 30344
MicrobeMS ID : 2005_28_11_Maren Stämmeler_0010
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:LHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-28 10:40:03
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 07,8 30344\

genus, species, strain : Yersinia enterocolitica O:9 28144
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0010
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 07.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 13:22:23
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 28144\

genus, species, strain : Yersinia enterocolitica O:9 28144
MicrobeMS ID : 2005_06_10_Maren Stämmeler_0021
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 12:03:21
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 28144\

genus, species, strain : Yersinia enterocolitica O:9 28144
MicrobeMS ID : 2005_29_11_Maren Stämmeler_0021
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 15:39:16
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 28144\

genus, species, strain : Yersinia enterocolitica O:9; 31077
MicrobeMS ID : 2005_05_09_Maren Stämmeler_0007
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-05 13:22:19
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 31077\

genus, species, strain : Yersinia enterocolitica O:9 31077
MicrobeMS ID : 2005_06_10_Maren Stämmeler_0014
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 11:13:13
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 31077\

genus, species, strain : Yersinia enterocolitica O:9 31077
MicrobeMS ID : 2005_29_11_Maren Stämmeler_0014
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:lHCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 15:14:23
path to MS file : \\Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 31077\

genus, species, strain : Yersinia enterocolitica O:9 31079
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0007
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius

```
growth conditions      : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen im 100 muel
extra info            : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 07.09.2005; Praeoperation auf TG MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2004-09-09 11:49:59
path to MS file       : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 31079\

genus, species, strain : Yersinia enterocolitica O:9 31079
MicrobeMS ID           : 2005_06_10_Maren Stämmeler_0015
NCBI tax ID's          : 630 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions      : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen im 100 muel
extra info            : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2004-10-06 11:37:15
path to MS file       : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 31079\

genus, species, strain : Yersinia enterocolitica O:9 31079
MicrobeMS ID           : 2005_29_11_Maren Stämmeler_0015
NCBI tax ID's          : 630 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions      : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen im 100 muel
extra info            : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeoperation auf TG MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2005-11-29 15:20:18
path to MS file       : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 31079\

genus, species, strain : Yersinia enterocolitica O:9; 31080
MicrobeMS ID           : 2005_05_09_Maren Stämmeler_0008
NCBI tax ID's          : 630 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions      : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen im 100 muel
extra info            : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2004-09-05 13:26:24
path to MS file       : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 31080\

genus, species, strain : Yersinia enterocolitica O:9 31080
MicrobeMS ID           : 2005_06_10_Maren Stämmeler_0016
NCBI tax ID's          : 630 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions      : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen im 100 muel
extra info            : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2004-10-06 11:41:05
path to MS file       : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 31080\

genus, species, strain : Yersinia enterocolitica O:9 31080
MicrobeMS ID           : 2005_29_11_Maren Stämmeler_0016
NCBI tax ID's          : 630 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions      : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen im 100 muel
extra info            : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeoperation auf TG MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2005-11-29 15:24:04
path to MS file       : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 31080\

genus, species, strain : Yersinia enterocolitica O:9; 31084
MicrobeMS ID           : 2005_05_09_Maren Stämmeler_0009
NCBI tax ID's          : 630 -
growth time            : 48h
growth temperature     : 28 Grad Celsius
growth conditions      : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen im 100 muel
extra info            : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard  : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2004-09-05 13:29:07
path to MS file       : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 31084\
```

```
genus, species, strain : Yersinia enterocolitica O:9 31084
MicrobeMS ID          : 2005_06_10_Maren Stämmeler_0017
NCBI tax ID's         : 630 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/1:10 verd./1:lHCCATA2
concentration         : 3 Oesen im 100 muel
extra info            : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2004-10-06 11:45:36
path to MS file       : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O9 31084\

genus, species, strain : Yersinia enterocolitica O:9 31084
MicrobeMS ID          : 2005_29_11_Maren Stämmeler_0017
NCBI tax ID's         : 630 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/1:10 verd./1:lHCCATA2
concentration         : 3 Oesen im 100 muel
extra info            : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2005-11-29 15:25:55
path to MS file       : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O9 31084\

genus, species, strain : Yersinia enterocolitica O:9; 383
MicrobeMS ID          : 2005_25_08_Maren Stämmeler_0006
NCBI tax ID's         : 630 -
growth time           : 24h
growth temperature    : 30 Grad Celsius
growth conditions     :
growth medium         : Caso
sample treatment      : in 80$ TFA/1:10 verd./1:lHCCATA2
concentration         : 3 Oesen im 100 muel
extra info            : Anzucht, Praeoperation und Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2005-08-25 12:08:40
path to MS file       : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O9 383\

genus, species, strain : Yersinia enterocolitica O:9; 383
MicrobeMS ID          : 2005_05_09_Maren Stämmeler_0006
NCBI tax ID's         : 630 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/1:10 verd./1:lHCCATA2
concentration         : 3 Oesen im 100 muel
extra info            : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2004-09-05 12:00:36
path to MS file       : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O9 383\

genus, species, strain : Yersinia enterocolitica O:9 383
MicrobeMS ID          : 2005_06_10_Maren Stämmeler_0013
NCBI tax ID's         : 630 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/1:10 verd./1:lHCCATA2
concentration         : 3 Oesen im 100 muel
extra info            : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2004-10-06 11:10:01
path to MS file       : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O9 383\

genus, species, strain : Yersinia enterocolitica O:9 383
MicrobeMS ID          : 2005_29_11_Maren Stämmeler_0013
NCBI tax ID's         : 630 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/1:10 verd./1:lHCCATA2
concentration         : 3 Oesen im 100 muel
extra info            : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method    : ToM_200ns.par
customer              : RKI ZBS6
measurement date/time : 2005-11-29 15:07:59
path to MS file       : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica O9 383\

genus, species, strain : Yersinia enterocolitica O:9; 7192
MicrobeMS ID          : 2005_05_09_Maren Stämmeler_0010
NCBI tax ID's         : 630 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80$ TFA/1:10 verd./1:lHCCATA2
concentration         : 3 Oesen im 100 muel
```


extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 02.09.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-05 13:37:23
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 7192\

genus, species, strain : Yersinia enterocolitica O:9 7191
MicrobeMS ID : 2005_06_10_Maren Stämmeler_0020
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 04.10.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 11:57:53
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 7192\

genus, species, strain : Yersinia enterocolitica O:9 7191
MicrobeMS ID : 2005_29_11_Maren Stämmeler_0020
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 15:37:08
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 7192\

genus, species, strain : Yersinia enterocolitica O:9 H 705/86
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0008
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 07.09.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 11:55:22
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 H 705 86\

genus, species, strain : Yersinia enterocolitica O:9 H 705/86
MicrobeMS ID : 2005_06_10_Maren Stämmeler_0018
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 04.10.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 11:48:25
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 H 705 86\

genus, species, strain : Yersinia enterocolitica O:9 H 705/86
MicrobeMS ID : 2005_29_11_Maren Stämmeler_0018
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 15:30:41
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 H 705 86\

genus, species, strain : Yersinia enterocolitica O:9 H 739/87
MicrobeMS ID : 2005_09_09_Maren Stämmeler_0009
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 07.09.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-09 11:58:25
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 H 739 87\

genus, species, strain : Yersinia enterocolitica O:9 H 739/87
MicrobeMS ID : 2005_06_10_Maren Stämmeler_0019
NCBI tax ID's : 630 -

growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 04.10.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-06 11:52:27
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 H 739 87\

genus, species, strain : Yersinia enterocolitica O:9 H 739/87
MicrobeMS ID : 2005_29_11_Maren Stämmeler_0019
NCBI tax ID's : 630 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 25.11.2005; Uebergabe 25.11.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-29 15:33:18
path to MS file : \Yersinia\Yersinia enterocolitica\Yersinia enterocolitica 09 H 739 87\

Yersinia entomophaga

genus, species, strain : Yersinia entomophaga DSM 22339
MicrobeMS ID : 2015_11_20_Andy Schneider_0001
NCBI tax ID's : 935293 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-20T09:56:24.453+01:00
path to MS file : \Yersinia\Yersinia entomophaga\Yersinia entomophaga DSM 22339\

genus, species, strain : Yersinia entomophaga DSM 22339
MicrobeMS ID : 2015_11_20_Andy Schneider_0002
NCBI tax ID's : 935293 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-20T09:58:55.890+01:00
path to MS file : \Yersinia\Yersinia entomophaga\Yersinia entomophaga DSM 22339\

genus, species, strain : Yersinia entomophaga DSM 22339
MicrobeMS ID : 2015_11_20_Andy Schneider_0003
NCBI tax ID's : 935293 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-20T10:00:59.953+01:00
path to MS file : \Yersinia\Yersinia entomophaga\Yersinia entomophaga DSM 22339\

genus, species, strain : Yersinia entomophaga DSM 22339
MicrobeMS ID : 2015_11_20_Andy Schneider_0004
NCBI tax ID's : 935293 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-20T10:03:22.031+01:00
path to MS file : \Yersinia\Yersinia entomophaga\Yersinia entomophaga DSM 22339\

genus, species, strain : Yersinia entomophaga DSM 22339
MicrobeMS ID : 03_12_2015_Julia Mitschke_0017
NCBI tax ID's : 935293 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :

```
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-03T16:02:09.531+01:00
path to MS file      : \Yersinia\Yersinia entomophaga\Yersinia entomophaga DSM 22339\

genus, species, strain : Yersinia entomophaga DSM 22339
MicrobeMS ID          : 03_12_2015_Julia Mitschke_0018
NCBI tax ID's         : 935293 -
growth time           : 24h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-03T16:04:49.031+01:00
path to MS file      : \Yersinia\Yersinia entomophaga\Yersinia entomophaga DSM 22339\

genus, species, strain : Yersinia entomophaga DSM 22339
MicrobeMS ID          : 03_12_2015_Julia Mitschke_0019
NCBI tax ID's         : 935293 -
growth time           : 24h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-03T16:07:34.890+01:00
path to MS file      : \Yersinia\Yersinia entomophaga\Yersinia entomophaga DSM 22339\

genus, species, strain : Yersinia entomophaga DSM 22339
MicrobeMS ID          : 03_12_2015_Julia Mitschke_0020
NCBI tax ID's         : 935293 -
growth time           : 24h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-03T16:10:26.500+01:00
path to MS file      : \Yersinia\Yersinia entomophaga\Yersinia entomophaga DSM 22339\

genus, species, strain : Yersinia entomophaga DSM 22339
MicrobeMS ID          : 2015_12_01_Andy Schneider_0009
NCBI tax ID's         : 935293 -
growth time           : 24h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-01T13:53:41.640+01:00
path to MS file      : \Yersinia\Yersinia entomophaga\Yersinia entomophaga DSM 22339\

genus, species, strain : Yersinia entomophaga DSM 22339
MicrobeMS ID          : 2015_12_01_Andy Schneider_0010
NCBI tax ID's         : 935293 -
growth time           : 24h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-01T14:54:22.390+01:00
path to MS file      : \Yersinia\Yersinia entomophaga\Yersinia entomophaga DSM 22339\

genus, species, strain : Yersinia entomophaga DSM 22339
MicrobeMS ID          : 2015_12_01_Andy Schneider_0011
NCBI tax ID's         : 935293 -
growth time           : 24h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-01T14:57:11.968+01:00
path to MS file      : \Yersinia\Yersinia entomophaga\Yersinia entomophaga DSM 22339\

genus, species, strain : Yersinia entomophaga DSM 22339
MicrobeMS ID          : 2015_12_01_Andy Schneider_0012
NCBI tax ID's         : 935293 -
growth time           : 24h
```

growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-01T14:58:55.906+01:00
path to MS file : \Yersinia\Yersinia entomophaga\Yersinia entomophaga DSM 22339\

Yersinia frederiksenii

genus, species, strain : Yersinia frederiksenii 27
MicrobeMS ID : 2007_26_01_Maren Stämmeler_0001
NCBI tax ID's : 29484 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 25.01.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-26 09:36:25
path to MS file : \Yersinia\Yersinia frederiksenii\Yersinia frederiksenii 27\

genus, species, strain : Yersinia frederiksenii 29
MicrobeMS ID : 2007_26_01_Maren Stämmeler_0002
NCBI tax ID's : 29484 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 25.01.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-26 09:41:37
path to MS file : \Yersinia\Yersinia frederiksenii\Yersinia frederiksenii 29\

genus, species, strain : Yersinia frederiksenii 30
MicrobeMS ID : 2007_26_01_Maren Stämmeler_0003
NCBI tax ID's : 29484 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 25.01.2007; Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-26 09:51:00
path to MS file : \Yersinia\Yersinia frederiksenii\Yersinia frederiksenii 30\

genus, species, strain : Yersinia frederiksenii DSM 18490
MicrobeMS ID : 2007_02_03_Maren Stämmeler_0007
NCBI tax ID's : 29484 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-02 12:42:30
path to MS file : \Yersinia\Yersinia frederiksenii\Yersinia frederiksenii DSM 18490\

genus, species, strain : Yersinia frederiksenii DSM 18490
MicrobeMS ID : 2007_09_03_Maren Stämmeler_0007
NCBI tax ID's : 29484 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-09 13:02:29
path to MS file : \Yersinia\Yersinia frederiksenii\Yersinia frederiksenii DSM 18490\

genus, species, strain : Yersinia frederiksenii DSM 18490
MicrobeMS ID : 2007_16_03_Maren Stämmeler_0007
NCBI tax ID's : 29484 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Mald: MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-16 13:36:20
path to MS file : \\Yersinia\Yersinia frederiksenii\Yersinia frederiksenii DSM 18490\

genus, species, strain : Yersinia frederiksenii O:44,45 21
MicrobeMS ID : 2007_22_01_Maren Stämmeler_0004
NCBI tax ID's : 29484 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 12.01.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22 10:44:18
path to MS file : \\Yersinia\Yersinia frederiksenii\Yersinia frederiksenii O44,45 21\

genus, species, strain : Yersinia frederiksenii O:44,45 7211
MicrobeMS ID : 2007_22_01_Maren Stämmeler_0003
NCBI tax ID's : 29484 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 12.01.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22 10:41:39
path to MS file : \\Yersinia\Yersinia frederiksenii\Yersinia frederiksenii O44,45 7211\

Yersinia intermedia

genus, species, strain : Yersinia intermedia 28
MicrobeMS ID : 2007_26_01_Maren Stämmeler_0004
NCBI tax ID's : 631 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 25.01.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-26 09:54:37
path to MS file : \\Yersinia\Yersinia intermedia\Yersinia intermedia 28\

genus, species, strain : Yersinia intermedia 67
MicrobeMS ID : 2007_26_01_Maren Stämmeler_0005
NCBI tax ID's : 631 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 25.01.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-26 10:01:16
path to MS file : \\Yersinia\Yersinia intermedia\Yersinia intermedia 67\

genus, species, strain : Yersinia intermedia 71
MicrobeMS ID : 2007_26_01_Maren Stämmeler_0006
NCBI tax ID's : 631 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 25.01.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-26 10:07:29
path to MS file : \\Yersinia\Yersinia intermedia\Yersinia intermedia 71\

genus, species, strain : Yersinia intermedia DSM 18517
MicrobeMS ID : 2007_02_03_Maren Stämmeler_0009
NCBI tax ID's : 631 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (02.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-02 12:54:31
path to MS file : \\Yersinia\Yersinia intermedia\Yersinia intermedia DSM 18517\

genus, species, strain : Yersinia intermedia DSM 18517
MicrobeMS ID : 2007_09_03_Maren Stämmeler_0009

NCBI tax ID's : 631 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (09.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-09 13:12:22
path to MS file : \Yersinia\Yersinia intermedia\Yersinia intermedia DSM 18517\

genus, species, strain : Yersinia intermedia DSM 18517
MicrobeMS ID : 2007_16_03_Maren Stämmeler_0009
NCBI tax ID's : 631 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (16.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-16 13:46:45
path to MS file : \Yersinia\Yersinia intermedia\Yersinia intermedia DSM 18517\

genus, species, strain : Yersinia intermedia O:37 od. O:13,7* 16
MicrobeMS ID : 2007_22_01_Maren Stämmeler_0006
NCBI tax ID's : 631 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 12.01.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22 10:55:32
path to MS file : \Yersinia\Yersinia intermedia\Yersinia intermedia O37 oder O13,7 16\

genus, species, strain : Yersinia intermedia O:42,54 2885
MicrobeMS ID : 2007_22_01_Maren Stämmeler_0005
NCBI tax ID's : 631 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 12.01.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22 10:52:39
path to MS file : \Yersinia\Yersinia intermedia\Yersinia intermedia O42,54 2885\

Yersinia kristensenii

genus, species, strain : Yersinia kristensenii 259/87
MicrobeMS ID : 2007_22_01_Maren Stämmeler_0010
NCBI tax ID's : 28152 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 12.01.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22 11:12:15
path to MS file : \Yersinia\Yersinia kristensenii\Yersinia kristensenii 259 87\

genus, species, strain : Yersinia kristensenii 571/87
MicrobeMS ID : 2007_26_01_Maren Stämmeler_0007
NCBI tax ID's : 28152 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 25.01.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-26 10:10:41
path to MS file : \Yersinia\Yersinia kristensenii\Yersinia kristensenii 571 87\

genus, species, strain : Yersinia kristensenii 572/87
MicrobeMS ID : 2007_26_01_Maren Stämmeler_0008
NCBI tax ID's : 28152 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel

extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 25.01.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-26 11:09:24
path to MS file : \Yersinia\Yersinia kristensenii\Yersinia kristensenii 572 87\

genus, species, strain : Yersinia kristensenii 573/87
MicrobeMS ID : 2007_26_01_Maren Stämmeler_0009
NCBI tax ID's : 28152 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 25.01.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-26 11:11:58
path to MS file : \Yersinia\Yersinia kristensenii\Yersinia kristensenii 573 87\

genus, species, strain : Yersinia kristensenii DSM 18543
MicrobeMS ID : 2007_02_03_Maren Stämmeler_0012
NCBI tax ID's : 28152 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (02.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-02 13:09:24
path to MS file : \Yersinia\Yersinia kristensenii\Yersinia kristensenii DSM 18543\

genus, species, strain : Yersinia kristensenii DSM 18543
MicrobeMS ID : 2007_09_03_Maren Stämmeler_0012
NCBI tax ID's : 28152 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (09.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-09 13:26:40
path to MS file : \Yersinia\Yersinia kristensenii\Yersinia kristensenii DSM 18543\

genus, species, strain : Yersinia kristensenii DSM 18543
MicrobeMS ID : 2007_16_03_Maren Stämmeler_0012
NCBI tax ID's : 28152 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (16.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-16 14:00:42
path to MS file : \Yersinia\Yersinia kristensenii\Yersinia kristensenii DSM 18543\

genus, species, strain : Yersinia kristensenii O:46 7230
MicrobeMS ID : 2007_22_01_Maren Stämmeler_0009
NCBI tax ID's : 28152 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 12.01.2007; Praeparation für Maldi: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22 11:09:28
path to MS file : \Yersinia\Yersinia kristensenii\Yersinia kristensenii O46 7230\

Yersinia massiliensis

genus, species, strain : Yersinia massiliensis DSM 21859
MicrobeMS ID : 2015_11_25_Andy Schneider_0009
NCBI tax ID's : 419257 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T13:18:31.187+01:00
path to MS file : \Yersinia\Yersinia massiliensis\Yersinia massiliensis DSM 21859\

```
genus, species, strain : Yersinia massiliensis DSM 21859
MicrobeMS ID           : 2015_11_25_Andy_Schneider_0010
NCBI tax ID's         : 419257 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-11-25T13:20:19.078+01:00
path to MS file       : \Yersinia\Yersinia massiliensis\Yersinia massiliensis DSM 21859\

genus, species, strain : Yersinia massiliensis DSM 21859
MicrobeMS ID           : 2015_11_25_Andy_Schneider_0011
NCBI tax ID's         : 419257 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-11-25T13:21:54.453+01:00
path to MS file       : \Yersinia\Yersinia massiliensis\Yersinia massiliensis DSM 21859\

genus, species, strain : Yersinia massiliensis DSM 21859
MicrobeMS ID           : 2015_11_25_Andy_Schneider_0012
NCBI tax ID's         : 419257 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-11-25T13:23:25.500+01:00
path to MS file       : \Yersinia\Yersinia massiliensis\Yersinia massiliensis DSM 21859\

genus, species, strain : Yersinia massiliensis DSM 21859
MicrobeMS ID           : 03_12_2015_Julia_Mitschke_0013
NCBI tax ID's         : 419257 -
growth time           : 24h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-12-03T15:45:57.718+01:00
path to MS file       : \Yersinia\Yersinia massiliensis\Yersinia massiliensis DSM 21859\

genus, species, strain : Yersinia massiliensis DSM 21859
MicrobeMS ID           : 03_12_2015_Julia_Mitschke_0014
NCBI tax ID's         : 419257 -
growth time           : 24h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-12-03T15:48:41.984+01:00
path to MS file       : \Yersinia\Yersinia massiliensis\Yersinia massiliensis DSM 21859\

genus, species, strain : Yersinia massiliensis DSM 21859
MicrobeMS ID           : 03_12_2015_Julia_Mitschke_0015
NCBI tax ID's         : 419257 -
growth time           : 24h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard  : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-12-03T15:51:25.046+01:00
path to MS file       : \Yersinia\Yersinia massiliensis\Yersinia massiliensis DSM 21859\

genus, species, strain : Yersinia massiliensis DSM 21859
MicrobeMS ID           : 03_12_2015_Julia_Mitschke_0016
NCBI tax ID's         : 419257 -
growth time           : 24h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
```



```
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-03T15:53:58.906+01:00
path to MS file      : \Yersinia\Yersinia massiliensis\Yersinia massiliensis DSM 21859\

genus, species, strain : Yersinia massiliensis DSM 21859
MicrobeMS ID          : 2015_12_01_Andy_Schneider_0013
NCBI tax ID's         : 419257 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-01T15:02:17.234+01:00
path to MS file      : \Yersinia\Yersinia massiliensis\Yersinia massiliensis DSM 21859\

genus, species, strain : Yersinia massiliensis DSM 21859
MicrobeMS ID          : 2015_12_01_Andy_Schneider_0014
NCBI tax ID's         : 419257 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-01T15:03:54.906+01:00
path to MS file      : \Yersinia\Yersinia massiliensis\Yersinia massiliensis DSM 21859\

genus, species, strain : Yersinia massiliensis DSM 21859
MicrobeMS ID          : 2015_12_01_Andy_Schneider_0015
NCBI tax ID's         : 419257 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-01T15:06:17.875+01:00
path to MS file      : \Yersinia\Yersinia massiliensis\Yersinia massiliensis DSM 21859\

genus, species, strain : Yersinia massiliensis DSM 21859
MicrobeMS ID          : 2015_12_01_Andy_Schneider_0016
NCBI tax ID's         : 419257 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info            :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer             : RKI ZBS6
measurement date/time : 2015-12-01T15:07:59.734+01:00
path to MS file      : \Yersinia\Yersinia massiliensis\Yersinia massiliensis DSM 21859\
```

Yersinia mollaretii

```
genus, species, strain : Yersinia mollaretii 29211
MicrobeMS ID          : 2007_22_01_Maren_Stämmeler_0007
NCBI tax ID's         : 33060 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/ 1:1 HCCATA2 (A)
concentration         : 3 Oesen in 100 muel
extra info            : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 12.01.2007; Praeparation für Maldi: MS
calibration standard : PeptidStandard (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2007-01-22T10:59:56.000
path to MS file      : \Yersinia\Yersinia mollaretii\Yersinia mollaretii 29211\

genus, species, strain : Yersinia mollaretii 50
MicrobeMS ID          : 2007_26_01_Maren_Stämmeler_0011
NCBI tax ID's         : 33060 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/ 1:1 HCCATA2 (A)
concentration         : 3 Oesen in 100 muel
extra info            : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 12.01.2007; Praeparation für Maldi: MS
calibration standard : PeptidStandard (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2007-01-26T11:21:00.000
path to MS file      : \Yersinia\Yersinia mollaretii\Yersinia mollaretii 50\

genus, species, strain : Yersinia mollaretii 51
```

MicrobeMS ID : 2007_22_01_Maren Stämmeler_0008
NCBI tax ID's : 33060 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 12.01.2007; Praeparation für Maldi: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-22T11:03:43.000
path to MS file : \Yersinia\Yersinia mollaretii\Yersinia mollaretii 51\

genus, species, strain : Yersinia mollaretii 55
MicrobeMS ID : 2007_26_01_Maren Stämmeler_0010
NCBI tax ID's : 33060 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 12.01.2007; Praeparation für Maldi: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-26T11:16:43.000
path to MS file : \Yersinia\Yersinia mollaretii\Yersinia mollaretii 55\

genus, species, strain : Yersinia mollaretii 60
MicrobeMS ID : 2007_26_01_Maren Stämmeler_0012
NCBI tax ID's : 33060 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation Labor Nattermann (Petra Lochau) Uebergabe am 12.01.2007; Praeparation für Maldi: MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-01-26T11:26:07.000
path to MS file : \Yersinia\Yersinia mollaretii\Yersinia mollaretii 60\

genus, species, strain : Yersinia mollaretii DSM 18520
MicrobeMS ID : 2007_02_03_Maren Stämmeler_0010
NCBI tax ID's : 33060 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi (02.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-02 12:57:47
path to MS file : \Yersinia\Yersinia mollaretii\Yersinia mollaretii DSM 18520\

genus, species, strain : Yersinia mollaretii DSM 18520
MicrobeMS ID : 2007_09_03_Maren Stämmeler_0010
NCBI tax ID's : 33060 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi (09.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-09 13:18:17
path to MS file : \Yersinia\Yersinia mollaretii\Yersinia mollaretii DSM 18520\

genus, species, strain : Yersinia mollaretii DSM 18520
MicrobeMS ID : 2007_16_03_Maren Stämmeler_0010
NCBI tax ID's : 33060 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi (09.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-16 13:50:07
path to MS file : \Yersinia\Yersinia mollaretii\Yersinia mollaretii DSM 18520\

Yersinia nurmii

genus, species, strain : Yersinia nurmii DSM 22296
MicrobeMS ID : 2015_11_25_Andy Schneider_0001
NCBI tax ID's : 685706 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)

```
concentration      : 3 Oesen in 50 µl
extra info        :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer           : RKI ZBS6
measurement date/time : 2015-11-25T12:52:33.921+01:00
path to MS file    : \Yersinia\Yersinia nurmii\Yersinia nurmii DSM 22296\

genus, species, strain : Yersinia nurmii DSM 22296
MicrobeMS ID          : 2015_11_25_Andy Schneider_0002
NCBI tax ID's         : 685706 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-11-25T12:54:40.796+01:00
path to MS file      : \Yersinia\Yersinia nurmii\Yersinia nurmii DSM 22296\

genus, species, strain : Yersinia nurmii DSM 22296
MicrobeMS ID          : 2015_11_25_Andy Schneider_0003
NCBI tax ID's         : 685706 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-11-25T12:56:31.203+01:00
path to MS file      : \Yersinia\Yersinia nurmii\Yersinia nurmii DSM 22296\

genus, species, strain : Yersinia nurmii DSM 22296
MicrobeMS ID          : 2015_11_25_Andy Schneider_0004
NCBI tax ID's         : 685706 -
growth time           : 48h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 50 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-11-25T12:58:03.609+01:00
path to MS file      : \Yersinia\Yersinia nurmii\Yersinia nurmii DSM 22296\

genus, species, strain : Yersinia nurmii DSM 22296
MicrobeMS ID          : 03_12_2015_Julia Mitschke_0009
NCBI tax ID's         : 685706 -
growth time           : 24h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-12-03T15:28:10.921+01:00
path to MS file      : \Yersinia\Yersinia nurmii\Yersinia nurmii DSM 22296\

genus, species, strain : Yersinia nurmii DSM 22296
MicrobeMS ID          : 03_12_2015_Julia Mitschke_0010
NCBI tax ID's         : 685706 -
growth time           : 24h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-12-03T15:33:14.671+01:00
path to MS file      : \Yersinia\Yersinia nurmii\Yersinia nurmii DSM 22296\

genus, species, strain : Yersinia nurmii DSM 22296
MicrobeMS ID          : 03_12_2015_Julia Mitschke_0011
NCBI tax ID's         : 685706 -
growth time           : 24h
growth temperature    : 28°C
growth conditions     : aerob
growth medium         : CASO
sample treatment      : in 80$ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration         : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method    : ToM_200ns_20130611.par
customer              : RKI ZBS6
measurement date/time : 2015-12-03T15:37:10.859+01:00
path to MS file      : \Yersinia\Yersinia nurmii\Yersinia nurmii DSM 22296\

genus, species, strain : Yersinia nurmii DSM 22296
MicrobeMS ID          : 03_12_2015_Julia Mitschke_0012
```

NCBI tax ID's : 685706 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-03T15:40:08.093+01:00
path to MS file : \Yersinia\Yersinia nurmii\Yersinia nurmii DSM 22296\

genus, species, strain : Yersinia nurmii DSM 22296
MicrobeMS ID : 2015_12_01_Andy Schneider_0025
NCBI tax ID's : 685706 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-01T15:29:02.937+01:00
path to MS file : \Yersinia\Yersinia nurmii\Yersinia nurmii DSM 22296\

genus, species, strain : Yersinia nurmii DSM 22296
MicrobeMS ID : 2015_12_01_Andy Schneider_0026
NCBI tax ID's : 685706 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-01T15:30:34.625+01:00
path to MS file : \Yersinia\Yersinia nurmii\Yersinia nurmii DSM 22296\

genus, species, strain : Yersinia nurmii DSM 22296
MicrobeMS ID : 2015_12_01_Andy Schneider_0027
NCBI tax ID's : 685706 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-01T15:32:14.125+01:00
path to MS file : \Yersinia\Yersinia nurmii\Yersinia nurmii DSM 22296\

genus, species, strain : Yersinia nurmii DSM 22296
MicrobeMS ID : 2015_12_01_Andy Schneider_0028
NCBI tax ID's : 685706 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-01T15:34:10.453+01:00
path to MS file : \Yersinia\Yersinia nurmii\Yersinia nurmii DSM 22296\

Yersinia pekkanenii

genus, species, strain : Yersinia pekkanenii DSM 22769
MicrobeMS ID : 2015_11_25_Andy Schneider_0013
NCBI tax ID's : 1288385 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T13:27:23.484+01:00
path to MS file : \Yersinia\Yersinia pekkanenii\Yersinia pekkanenii DSM 22769\

genus, species, strain : Yersinia pekkanenii DSM 22769
MicrobeMS ID : 2015_11_25_Andy Schneider_0014
NCBI tax ID's : 1288385 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl

```
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T13:28:55.203+01:00
path to MS file : \Yersinia\Yersinia pekkanenii\Yersinia pekkanenii DSM 22769\

genus, species, strain : Yersinia pekkanenii DSM 22769
MicrobeMS ID : 2015_11_25_Andy_Schneider_0015
NCBI tax ID's : 1288385 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T13:30:36.609+01:00
path to MS file : \Yersinia\Yersinia pekkanenii\Yersinia pekkanenii DSM 22769\

genus, species, strain : Yersinia pekkanenii DSM 22769
MicrobeMS ID : 2015_11_25_Andy_Schneider_0016
NCBI tax ID's : 1288385 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-11-25T13:32:02.343+01:00
path to MS file : \Yersinia\Yersinia pekkanenii\Yersinia pekkanenii DSM 22769\

genus, species, strain : Yersinia pekkanenii DSM 22769
MicrobeMS ID : 03_12_2015_Julia_Mitschke_0005
NCBI tax ID's : 1288385 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-03T15:05:13.156+01:00
path to MS file : \Yersinia\Yersinia pekkanenii\Yersinia pekkanenii DSM 22769\

genus, species, strain : Yersinia pekkanenii DSM 22769
MicrobeMS ID : 03_12_2015_Julia_Mitschke_0006
NCBI tax ID's : 1288385 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-03T15:08:36.343+01:00
path to MS file : \Yersinia\Yersinia pekkanenii\Yersinia pekkanenii DSM 22769\

genus, species, strain : Yersinia pekkanenii DSM 22769
MicrobeMS ID : 03_12_2015_Julia_Mitschke_0007
NCBI tax ID's : 1288385 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-03T15:11:20.531+01:00
path to MS file : \Yersinia\Yersinia pekkanenii\Yersinia pekkanenii DSM 22769\

genus, species, strain : Yersinia pekkanenii DSM 22769
MicrobeMS ID : 03_12_2015_Julia_Mitschke_0008
NCBI tax ID's : 1288385 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 100 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-03T15:15:07.750+01:00
path to MS file : \Yersinia\Yersinia pekkanenii\Yersinia pekkanenii DSM 22769\

genus, species, strain : Yersinia pekkanenii DSM 22769
MicrobeMS ID : 2015_12_01_Andy_Schneider_0017
NCBI tax ID's : 1288385 -
```

growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-01T15:11:47.359+01:00
path to MS file : \Yersinia\Yersinia pekkanenii\Yersinia pekkanenii DSM 22769\

genus, species, strain : Yersinia pekkanenii DSM 22769
MicrobeMS ID : 2015_12_01_Andy Schneider_0018
NCBI tax ID's : 1288385 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-01T15:13:45.328+01:00
path to MS file : \Yersinia\Yersinia pekkanenii\Yersinia pekkanenii DSM 22769\

genus, species, strain : Yersinia pekkanenii DSM 22769
MicrobeMS ID : 2015_12_01_Andy Schneider_0019
NCBI tax ID's : 1288385 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-01T15:15:47.343+01:00
path to MS file : \Yersinia\Yersinia pekkanenii\Yersinia pekkanenii DSM 22769\

genus, species, strain : Yersinia pekkanenii DSM 22769
MicrobeMS ID : 2015_12_01_Andy Schneider_0020
NCBI tax ID's : 1288385 -
growth time : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration : 3 Oesen in 50 µl
extra info :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method : ToM_200ns_20130611.par
customer : RKI ZBS6
measurement date/time : 2015-12-01T15:17:22.968+01:00
path to MS file : \Yersinia\Yersinia pekkanenii\Yersinia pekkanenii DSM 22769\

Yersinia pestis

genus, species, strain : Yersinia pestis NCTC 10029
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0001
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 10:10:37
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10029\

genus, species, strain : Yersinia pestis NCTC 10029
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0002
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 10:12:27
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10029\

genus, species, strain : Yersinia pestis NCTC 10029
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0003
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail

calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 13:29:42
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10029\

genus, species, strain : Yersinia pestis NCTC 10029
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0004
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 10:14:37
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10029\

genus, species, strain : Yersinia pestis NCTC 10029
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0005
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 10:15:14
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10029\

genus, species, strain : Yersinia pestis NCTC 10029
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0006
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 10:17:02
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10029\

genus, species, strain : Yersinia pestis NCTC 10029
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0007
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 13:46:44
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10029\

genus, species, strain : Yersinia pestis NCTC 10029
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0008
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 10:18:12
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10029\

genus, species, strain : Yersinia pestis NCTC 10030
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0009
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 10:23:08
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10030\

genus, species, strain : Yersinia pestis NCTC 10030
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0010
NCBI tax ID's : 632 -
growth time : 24h

growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 10:25:12
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10030\

genus, species, strain : Yersinia pestis NCTC 10030
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0011
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 14:03:12
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10030\

genus, species, strain : Yersinia pestis NCTC 10030
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0012
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 14:06:14
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10030\

genus, species, strain : Yersinia pestis NCTC 10030
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0013
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 10:28:49
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10030\

genus, species, strain : Yersinia pestis NCTC 10030
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0014
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 14:12:58
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10030\

genus, species, strain : Yersinia pestis NCTC 10030
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0015
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 10:32:42
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10030\

genus, species, strain : Yersinia pestis NCTC 10030
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0016
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 10:37:34


```
path to MS file      : \Yersinia\Yersinia pestis\Yersinia pestis 10030\  
genus, species, strain : Yersinia pestis NCTC 10030  
MicrobeMS ID        : 2008_07_11_Michal_Drevinek_0017  
NCBI tax ID's       : 632 -  
growth time         : 24h  
growth temperature  : 28C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80$ TFA/ 1:1 HCCATA2 (A)  
concentration       : 3 Oesen in 100 muel  
extra info          : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail  
calibration standard : ProteinStandard Bruker  
measurement method  : E:\LP_2-20kDa_350d.par  
customer            : Drevinek/Sujchbo  
measurement date/time : 2008-11-07 14:28:37  
path to MS file      : \Yersinia\Yersinia pestis\Yersinia pestis 10030\  
  
genus, species, strain : Yersinia pestis NCTC 10329  
MicrobeMS ID        : 2008_07_11_Michal_Drevinek_0018  
NCBI tax ID's       : 632 -  
growth time         : 24h  
growth temperature  : 28C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80$ TFA/ 1:1 HCCATA2 (A)  
concentration       : 3 Oesen in 100 muel  
extra info          : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail  
calibration standard : ProteinStandard Bruker  
measurement method  : E:\LP_2-20kDa_350d.par  
customer            : Drevinek/Sujchbo  
measurement date/time : 2008-11-07 16:25:52  
path to MS file      : \Yersinia\Yersinia pestis\Yersinia pestis 10329\  
  
genus, species, strain : Yersinia pestis NCTC 10329  
MicrobeMS ID        : 2008_07_11_Michal_Drevinek_0019  
NCBI tax ID's       : 632 -  
growth time         : 24h  
growth temperature  : 28C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80$ TFA/ 1:1 HCCATA2 (A)  
concentration       : 3 Oesen in 100 muel  
extra info          : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail  
calibration standard : ProteinStandard Bruker  
measurement method  : E:\LP_2-20kDa_350d.par  
customer            : Drevinek/Sujchbo  
measurement date/time : 2008-11-07 11:23:17  
path to MS file      : \Yersinia\Yersinia pestis\Yersinia pestis 10329\  
  
genus, species, strain : Yersinia pestis NCTC 10329  
MicrobeMS ID        : 2008_07_11_Michal_Drevinek_0020  
NCBI tax ID's       : 632 -  
growth time         : 24h  
growth temperature  : 28C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80$ TFA/ 1:1 HCCATA2 (A)  
concentration       : 3 Oesen in 100 muel  
extra info          : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail  
calibration standard : ProteinStandard Bruker  
measurement method  : E:\LP_2-20kDa_350d.par  
customer            : Drevinek/Sujchbo  
measurement date/time : 2008-11-07 16:32:08  
path to MS file      : \Yersinia\Yersinia pestis\Yersinia pestis 10329\  
  
genus, species, strain : Yersinia pestis NCTC 10329  
MicrobeMS ID        : 2008_07_11_Michal_Drevinek_0021  
NCBI tax ID's       : 632 -  
growth time         : 24h  
growth temperature  : 28C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80$ TFA/ 1:1 HCCATA2 (A)  
concentration       : 3 Oesen in 100 muel  
extra info          : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail  
calibration standard : ProteinStandard Bruker  
measurement method  : E:\LP_2-20kDa_350d.par  
customer            : Drevinek/Sujchbo  
measurement date/time : 2008-11-07 11:26:53  
path to MS file      : \Yersinia\Yersinia pestis\Yersinia pestis 10329\  
  
genus, species, strain : Yersinia pestis NCTC 10329  
MicrobeMS ID        : 2008_07_11_Michal_Drevinek_0022  
NCBI tax ID's       : 632 -  
growth time         : 24h  
growth temperature  : 28C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80$ TFA/ 1:1 HCCATA2 (A)  
concentration       : 3 Oesen in 100 muel  
extra info          : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail  
calibration standard : ProteinStandard Bruker  
measurement method  : E:\LP_2-20kDa_350d.par  
customer            : Drevinek/Sujchbo  
measurement date/time : 2008-11-07 16:38:54  
path to MS file      : \Yersinia\Yersinia pestis\Yersinia pestis 10329\  
  
genus, species, strain : Yersinia pestis NCTC 10329  
MicrobeMS ID        : 2008_07_11_Michal_Drevinek_0023  
NCBI tax ID's       : 632 -  
growth time         : 24h  
growth temperature  : 28C  
growth conditions   : aerob  
growth medium       : Caso  
sample treatment    : in 80$ TFA/ 1:1 HCCATA2 (A)
```

concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 16:52:59
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10329\

genus, species, strain : Yersinia pestis NCTC 10329
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0024
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 11:37:21
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10329\

genus, species, strain : Yersinia pestis NCTC 10329
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0025
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 17:07:50
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10329\

genus, species, strain : Yersinia pestis NCTC 10329
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0026
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 17:14:18
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10329\

genus, species, strain : Yersinia pestis NCTC 10330
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0027
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 15:25:59
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10330\

genus, species, strain : Yersinia pestis NCTC 10330
MicrobeMS ID : 2008_07_11_Michal_Drevinek_0028
NCBI tax ID's : 632 -
growth time : 24h
growth temperature : 28C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Präparation und Messung: Dr. Drevinek in Prag, Spektren transferiert via mail
calibration standard : ProteinStandard Bruker
measurement method : E:\LP_2-20kDa_350d.par
customer : Drevinek/Sujchbo
measurement date/time : 2008-11-07 15:57:53
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis 10330\

genus, species, strain : Yersinia pestis CCUG EV 76
MicrobeMS ID : 2006_23_10_Maren Stämmeler_0020
NCBI tax ID's : 632 -
growth time : 48 h
growth temperature : 28°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ Zentrifugiert 20 min bei 16000g (ges. Einwirkzeit: 30 min)/Ueberstand 1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Herstellung der Bakteriensuspension, Aufschluß und Aufarbeitung: Labor Nattermann vom 02.08.2006; danach Aufbewahrung bei -20 Grad Celsius;1:10 Verd., Abgabe: 20.10.06, Praep. fuer Maldi und auftragen aufs TG: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ms.par
customer : RKI ZBS6
measurement date/time : 2006-10-23 13:36:28
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis CCUG EV 76\

genus, species, strain : Yersinia pestis NCTC 10029

MicrobeMS ID : 2009_27_11_Maren Stämmeler_0013
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-27T11:10:26.875+01:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis NCTC 10029\

genus, species, strain : Yersinia pestis NCTC 2028
MicrobeMS ID : 2009_27_11_Maren Stämmeler_0011
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-27T10:57:32.796+01:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis NCTC 2028\

genus, species, strain : Yersinia pestis NCTC 570
MicrobeMS ID : 2009_27_11_Maren Stämmeler_0010
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-27T10:53:33.109+01:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis NCTC 570\

genus, species, strain : Yersinia pestis NCTC 5923
MicrobeMS ID : 2009_27_11_Maren Stämmeler_0012
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-27T11:00:55.406+01:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis NCTC 5923\

genus, species, strain : Yersinia pestis O3-01500
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0001
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ 1:1
HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T09:51:28.687+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01500\

genus, species, strain : Yersinia pestis O3-01500
MicrobeMS ID : 2009_24_02_Maren Stämmeler_0002
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ 1:1
HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-02-24T23:30:25.656+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01500\

genus, species, strain : Yersinia pestis O3-01500
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0010
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ca.10
fach aufkonzentriert durch Zentrifugation 10 min. bei 15000rpm und Überstand entsprechend verworfen/1:1 HCCATA2 (A)

concentration : 3 Oesen in 100 muel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T11:55:51.031+00:00
path to MS file : \\Yersinia\Yersinia pestis\Yersinia pestis O3 01500\

genus, species, strain : Yersinia pestis O3-01501
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0002
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ 1:1
HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T09:55:08.796+00:00
path to MS file : \\Yersinia\Yersinia pestis\Yersinia pestis O3 01501\

genus, species, strain : Yersinia pestis O3-01501
MicrobeMS ID : 2009_24_02_Maren Stämmeler_0003
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ 1:1
HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-02-24T23:33:55.703+00:00
path to MS file : \\Yersinia\Yersinia pestis\Yersinia pestis O3 01501\

genus, species, strain : Yersinia pestis O3-01501
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0011
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ca.2
fach aufkonzentriert durch Zentrifugation 10 min. bei 15000rpm und Überstand entsprechend verworfen/1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T11:59:09.187+00:00
path to MS file : \\Yersinia\Yersinia pestis\Yersinia pestis O3 01501\

genus, species, strain : Yersinia pestis O3-01502
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0003
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ 1:1
HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T10:01:15.171+00:00
path to MS file : \\Yersinia\Yersinia pestis\Yersinia pestis O3 01502\

genus, species, strain : Yersinia pestis O3-01502
MicrobeMS ID : 2009_24_02_Maren Stämmeler_0004
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ 1:1
HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-02-24T23:36:17.296+00:00
path to MS file : \\Yersinia\Yersinia pestis\Yersinia pestis O3 01502\

genus, species, strain : Yersinia pestis O3-01502
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0012
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ca.10
fach aufkonzentriert durch Zentrifugation 10 min. bei 15000rpm und Überstand entsprechend verworfen/1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par

customer : RKI ZBS6
measurement date/time : 2008-10-10T13:46:29.390+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01502\

genus, species, strain : Yersinia pestis O3-01503
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0004
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ 1:1
HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T10:08:09.390+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01503\

genus, species, strain : Yersinia pestis O3-01503
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0013
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ca.10
fach aufkonzentriert durch Zentrifugation 10 min. bei 15000rpm und Überstand entsprechend verworfen/1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T13:50:03.843+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01503\

genus, species, strain : Yersinia pestis O3-01504
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0005
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ 1:1
HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T10:24:40.781+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01504\

genus, species, strain : Yersinia pestis O3-01504
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0014
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ca.10
fach aufkonzentriert durch Zentrifugation 10 min. bei 15000rpm und Überstand entsprechend verworfen/1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T13:55:59.875+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01504\

genus, species, strain : Yersinia pestis O3-01505
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0006
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ 1:1
HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T10:29:02.265+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01505\

genus, species, strain : Yersinia pestis O3-01505
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0015
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ca.10
fach aufkonzentriert durch Zentrifugation 10 min. bei 15000rpm und Überstand entsprechend verworfen/1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T14:00:11.984+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01505\

genus, species, strain : Yersinia pestis O3-01506
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0007
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ 1:1
HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T10:36:49.578+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01506\

genus, species, strain : Yersinia pestis O3-01506
MicrobeMS ID : 2009_24_02_Maren Stämmeler_0001
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ 1:1
HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-02-24T23:26:39.828+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01506\

genus, species, strain : Yersinia pestis O3-01506
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0016
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ca.10
fach aufkonzentriert durch Zentrifugation 10 min. bei 15000rpm und Überstand entsprechend verworfen/1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T14:05:24.562+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01506\

genus, species, strain : Yersinia pestis O3-01507
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0008
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ 1:1
HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T10:42:08.250+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01507\

genus, species, strain : Yersinia pestis O3-01507
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0017
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ca.10
fach aufkonzentriert durch Zentrifugation 10 min. bei 15000rpm und Überstand entsprechend verworfen/1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T14:32:09.828+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01507\

genus, species, strain : Yersinia pestis O3-01508
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0009
NCBI tax ID's : 632 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ 1:1
HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T10:48:05.781+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01508\

genus, species, strain : Yersinia pestis O3-01508
MicrobeMS ID : 2008_10_10_Maren Stämmeler_0018
NCBI tax ID's : 632 -
growth time : 48h

growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt eingefrohren bei -80°C für 18 Tage (Sterilkontrolle), danach wieder aufgetaut/ca.2
fach aufkonzentriert durch Zentrifugation 10 min. bei 15000rpm und Überstand entsprechend verworfen/1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Herkunft: Dr. Nattermann; ursprünglich aus Wernigerode / Anzucht und Präparation: Labor Nattermann; Präparation für Maldi MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-10-10T14:36:08.031+00:00
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis O3 01508\

genus, species, strain : Yersinia pestis RV 3
MicrobeMS ID : 2006_23_10_Maren Stämmeler_0021
NCBI tax ID's : 632 -
growth time : 48 h
growth temperature : 28°C
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ Zentrifugiert 20 min bei 16000g (ges. Einwirkzeit: 30 min)/Ueberstand 1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel
extra info : Anzucht, Herstellung der Bakteriensuspension, Aufschluß und Aufarbeitung: Labor Nattermann vom 02.08.2006; danach Aufbewahrung
bei -20 Grad Celsius/1:10 Verd., Abgabe: 20.10.06, Praep. fuer Maldi und auftragen aufs TG: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2006-10-23 13:40:10
path to MS file : \Yersinia\Yersinia pestis\Yersinia pestis RV 3\

Yersinia pseudotuberculosis

genus, species, strain : Yersinia pseudotuberculosis 04PA01423
MicrobeMS ID : 2008_18_01_Maren Stämmeler_0002
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T11:30:23.953+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 04PA01423\

genus, species, strain : Yersinia pseudotuberculosis 04PA01423
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0002
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T10:37:06.546+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 04PA01423\

genus, species, strain : Yersinia pseudotuberculosis 04PA01423
MicrobeMS ID : 2008_18_02_Maren Stämmeler_0002
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-18T10:22:39.250+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 04PA01423\

genus, species, strain : Yersinia pseudotuberculosis 04WDK36747
MicrobeMS ID : 2008_18_01_Maren Stämmeler_0003
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T11:36:28.828+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 04WDK36747\

genus, species, strain : Yersinia pseudotuberculosis 04WDK36747
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0003
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel

extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T10:45:08.968+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 04WDK36747\
genus, species, strain : Yersinia pseudotuberculosis 04WDK36747
MicrobeMS ID : 2008_18_02_Maren Stämmeler_0003
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-18T10:32:56.453+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 04WDK36747\
genus, species, strain : Yersinia pseudotuberculosis 04WI40834
MicrobeMS ID : 2008_18_01_Maren Stämmeler_0004
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T11:40:50.015+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 04WI40834\
genus, species, strain : Yersinia pseudotuberculosis 04WI40834
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0004
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T10:56:47.531+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 04WI40834\
genus, species, strain : Yersinia pseudotuberculosis 04WI40834
MicrobeMS ID : 2008_18_02_Maren Stämmeler_0004
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-18T10:35:49.859+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 04WI40834\
genus, species, strain : Yersinia pseudotuberculosis 05WDK14320
MicrobeMS ID : 2008_19_01_Maren Stämmeler_0001
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T15:42:48.203+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 05WDK14320\
genus, species, strain : Yersinia pseudotuberculosis 05WDK14320
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0011
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T12:02:36.156+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 05WDK14320\
genus, species, strain : Yersinia pseudotuberculosis 05WDK14320
MicrobeMS ID : 2008_18_02_Maren Stämmeler_0011
NCBI tax ID's : 633 -

growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-18T11:35:51.234+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 05WDK14320\

genus, species, strain : Yersinia pseudotuberculosis 06PW40285
MicrobeMS ID : 2008_19_01_Maren Stämmeler_0003
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T15:54:26.812+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 06PW40285\

genus, species, strain : Yersinia pseudotuberculosis 06PW40285
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0013
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T13:31:42.015+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 06PW40285\

genus, species, strain : Yersinia pseudotuberculosis 06PW40285
MicrobeMS ID : 2008_18_02_Maren Stämmeler_0013
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-18T11:49:11.796+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 06PW40285\

genus, species, strain : Yersinia pseudotuberculosis 06WI22829
MicrobeMS ID : 2008_19_01_Maren Stämmeler_0002
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T15:47:19.656+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 06WI22829\

genus, species, strain : Yersinia pseudotuberculosis 06WI22829
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0012
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T12:07:50.281+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 06WI22829\

genus, species, strain : Yersinia pseudotuberculosis 06WI22829
MicrobeMS ID : 2008_18_02_Maren Stämmeler_0012
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6

measurement date/time : 2008-02-18T11:39:21.968+00:00
path to MS file : \\Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 06WI22829\

genus, species, strain : Yersinia pseudotuberculosis 07PW12234
MicrobeMS ID : 2008_19_01_Maren Stämmeler_0004
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T15:58:22.640+00:00
path to MS file : \\Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 07PW12234\

genus, species, strain : Yersinia pseudotuberculosis 07PW12234
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0014
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T13:35:51.093+00:00
path to MS file : \\Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 07PW12234\

genus, species, strain : Yersinia pseudotuberculosis 07PW12234
MicrobeMS ID : 2008_18_02_Maren Stämmeler_0014
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-18T11:52:15.734+00:00
path to MS file : \\Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 07PW12234\

genus, species, strain : Yersinia pseudotuberculosis 07WI00989
MicrobeMS ID : 2008_18_01_Maren Stämmeler_0005
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T11:53:22.765+00:00
path to MS file : \\Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 07WI00989\

genus, species, strain : Yersinia pseudotuberculosis 07WI00989
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0005
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T11:06:58.000+00:00
path to MS file : \\Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 07WI00989\

genus, species, strain : Yersinia pseudotuberculosis 07WI00989
MicrobeMS ID : 2008_18_02_Maren Stämmeler_0005
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-18T11:01:27.968+00:00
path to MS file : \\Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 07WI00989\

genus, species, strain : Yersinia pseudotuberculosis 25743
MicrobeMS ID : 2005_05_09_Maren Stämmeler_0019
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso

```
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen im 100 muel
extra info           : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2004-09-05 14:25:21
path to MS file      : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 25743\

genus, species, strain : Yersinia pseudotuberculosis 25743
MicrobeMS ID          : 2005_07_10_Maren Stämmler_0024
NCBI tax ID's         : 633 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen im 100 muel
extra info           : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2004-10-07 13:42:25
path to MS file      : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 25743\

genus, species, strain : Yersinia pseudotuberculosis 25743
MicrobeMS ID          : 2005_23_11_Maren Stämmler_0009
NCBI tax ID's         : 633 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen im 100 muel
extra info           : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2005-11-23 13:16:18
path to MS file      : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 25743\

genus, species, strain : Yersinia pseudotuberculosis 25858
MicrobeMS ID          : 2005_05_09_Maren Stämmler_0012
NCBI tax ID's         : 633 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen im 100 muel
extra info           : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2004-09-05 13:46:12
path to MS file      : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 25858\

genus, species, strain : Yersinia pseudotuberculosis 25858
MicrobeMS ID          : 2005_07_10_Maren Stämmler_0017
NCBI tax ID's         : 633 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen im 100 muel
extra info           : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2004-10-07 10:57:12
path to MS file      : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 25858\

genus, species, strain : Yersinia pseudotuberculosis 25858
MicrobeMS ID          : 2005_23_11_Maren Stämmler_0002
NCBI tax ID's         : 633 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen im 100 muel
extra info           : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2005-11-23 11:41:26
path to MS file      : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 25858\

genus, species, strain : Yersinia pseudotuberculosis 27705
MicrobeMS ID          : 2005_05_09_Maren Stämmler_0020
NCBI tax ID's         : 633 -
growth time           : 48h
growth temperature    : 28 Grad Celsius
growth conditions     : aerob
growth medium         : Caso
sample treatment      : in 80% TFA/1:10 verd./1:HCCATA2
concentration         : 3 Oesen im 100 muel
extra info           : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method   : ToM_200ns.par
customer             : RKI ZBS6
measurement date/time : 2004-09-05 14:30:28
path to MS file      : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 27705\

genus, species, strain : Yersinia pseudotuberculosis 27705
```

MicrobeMS ID : 2005_07_10_Maren Stämmeler_0025
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 13:45:39
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 27705\

genus, species, strain : Yersinia pseudotuberculosis 27705
MicrobeMS ID : 2005_23_11_Maren Stämmeler_0010
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-23 13:19:27
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 27705\

genus, species, strain : Yersinia pseudotuberculosis 27707
MicrobeMS ID : 2005_05_09_Maren Stämmeler_0017
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-05 14:18:50
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 27707\

genus, species, strain : Yersinia pseudotuberculosis 27707
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0022
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 13:35:52
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 27707\

genus, species, strain : Yersinia pseudotuberculosis 27707
MicrobeMS ID : 2005_23_11_Maren Stämmeler_0007
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-23 13:10:02
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 27707\

genus, species, strain : Yersinia pseudotuberculosis 28819
MicrobeMS ID : 2005_05_09_Maren Stämmeler_0018
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-05 14:21:23
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 28819\

genus, species, strain : Yersinia pseudotuberculosis 28819
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0023
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 13:38:26
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 28819\

genus, species, strain : Yersinia pseudotuberculosis 28819
MicrobeMS ID : 2005_23_11_Maren Stämmeler_0008
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-23 13:13:18
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 28819\

genus, species, strain : Yersinia pseudotuberculosis 28928
MicrobeMS ID : 2005_05_09_Maren Stämmeler_0013
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-05 13:49:43
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 28928\

genus, species, strain : Yersinia pseudotuberculosis 28928
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0018
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 13:19:21
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 28928\

genus, species, strain : Yersinia pseudotuberculosis 28928
MicrobeMS ID : 2005_23_11_Maren Stämmeler_0003
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-23 11:45:18
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 28928\

genus, species, strain : Yersinia pseudotuberculosis 29490
MicrobeMS ID : 2005_05_09_Maren Stämmeler_0016
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-05 14:14:50
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 29490\

genus, species, strain : Yersinia pseudotuberculosis 29490
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0021
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80\$ TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 13:32:55
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 29490\

genus, species, strain : Yersinia pseudotuberculosis 29490
MicrobeMS ID : 2005_23_11_Maren Stämmeler_0006
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius

growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-23 11:55:14
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 29490\

genus, species, strain : Yersinia pseudotuberculosis 29827
MicrobeMS ID : 2005_05_09_Maren Stämmeler_0011
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-05 13:41:42
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 29827\

genus, species, strain : Yersinia pseudotuberculosis 29827
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0016
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 10:54:12
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 29827\

genus, species, strain : Yersinia pseudotuberculosis 29827
MicrobeMS ID : 2005_23_11_Maren Stämmeler_0001
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-23 11:37:04
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 29827\

genus, species, strain : Yersinia pseudotuberculosis J9
MicrobeMS ID : 2008_18_01_Maren Stämmeler_0001
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T11:24:53.593+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 9\

genus, species, strain : Yersinia pseudotuberculosis J9
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0001
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T10:32:58.968+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 9\

genus, species, strain : Yersinia pseudotuberculosis J9
MicrobeMS ID : 2008_18_02_Maren Stämmeler_0001
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-18T10:19:37.734+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis 9\

genus, species, strain : Yersinia pseudotuberculosis Ringvers. A-269_04 B
MicrobeMS ID : 2012_04_02_Maren Stämmeler_0008
NCBI tax ID's : 633 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µl
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : ToM_200ns.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-02T14:13:47.218+02:00
path to MS file : \\Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis A269-4b\

genus, species, strain : Yersinia pseudotuberculosis Ringvers. A-269_04 B
MicrobeMS ID : 2012_04_04_Maren Stämmeler_0008
NCBI tax ID's : 633 -
growth time : 24h
growth temperature : 37 Grad Celsius
growth conditions : aerob
growth medium : Columbiablut
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3 Oesen in 100 µl
extra info : Anzucht und TFA-Aufschluß durch ZBS II; Präparation für Maldi: MS
calibration standard : E.coli K12 (DSM 3871) kalibriert
measurement method : D:\Methods\flexControlMethods\Bakterien_testmaren.par
customer : RKI ZBS2/ZBS6
measurement date/time : 2012-04-04T13:57:24.671+01:00
path to MS file : \\Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis A269-4b\

genus, species, strain : Yersinia pseudotuberculosis CNCTC 22/90
MicrobeMS ID : 2009_27_11_Maren Stämmeler_0015
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCA/TA2 (A)
concentration : ca. 3-5 Oesen in 100 µl
extra info : Anzucht und Präparation von Kooperationspartner in Tschechien; Dr. Drevinek: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-11-27T11:21:17.296+01:00
path to MS file : \\Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis CNCTC 22 90\

genus, species, strain : Yersinia pseudotuberculosis DSM 8992
MicrobeMS ID : 2005_07_03_Maren Stämmeler_0003
NCBI tax ID's : 633 -
growth time : 24h
growth temperature : 37
growth conditions :
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl W1
extra info : Anzucht und Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : C:\WINNT\Profiles\Administrator\Desktop\Test\Maier\ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-03-07 09:49:32
path to MS file : \\Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis DSM 8992\

genus, species, strain : Yersinia pseudotuberculosis DSM 8992
MicrobeMS ID : 2005_07_04_Maren Stämmeler_0003
NCBI tax ID's : 633 -
growth time : 24h
growth temperature : 37
growth conditions :
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 µl W1
extra info : Anzucht und Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : C:\WINNT\Profiles\Administrator\Desktop\Test\Maier\ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-04-07 14:19:00
path to MS file : \\Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis DSM 8992\

genus, species, strain : Yersinia pseudotuberculosis DSM 8992
MicrobeMS ID : 2005_20_04_Maren Stämmeler_0003
NCBI tax ID's : 633 -
growth time : 24h
growth temperature : 37
growth conditions :
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 µl W2
extra info : Anzucht und Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : C:\WINNT\Profiles\Administrator\Desktop\Test\Maier\ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-04-21 09:40:39
path to MS file : \\Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis DSM 8992\

genus, species, strain : Yersinia pseudotuberculosis DSM 8992
MicrobeMS ID : 2009_16_02_Maren Stämmeler_0002
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt;drei Tage bei -20°C; wieder aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl

extra info : Herkunft: DSM Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-02-16T21:23:52.312+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis DSM 8992\

genus, species, strain : Yersinia pseudotuberculosis DSM 8992
MicrobeMS ID : 2009_27_03_Maren Stämmeler_0001
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Herkunft: DSM Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-03-27T21:47:25.765+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis DSM 8992\

genus, species, strain : Yersinia pseudotuberculosis DSM 8992
MicrobeMS ID : 2009_03_04_Maren Stämmeler_0001
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Herkunft: DSM Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2009-04-03T21:15:15.500+00:00
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis DSM 8992\

genus, species, strain : Yersinia pseudotuberculosis I
MicrobeMS ID : 2005_05_09_Maren Stämmeler_0014
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 02.09.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-05 13:53:14
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis I\

genus, species, strain : Yersinia pseudotuberculosis I
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0019
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Lochau; Uebergabe 04.10.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 13:21:55
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis I\

genus, species, strain : Yersinia pseudotuberculosis I
MicrobeMS ID : 2005_23_11_Maren Stämmeler_0004
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-23 11:47:50
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis I\

genus, species, strain : Yersinia pseudotuberculosis Typ3 P- INV+
MicrobeMS ID : 2005_07_03_Maren Stämmeler_0002
NCBI tax ID's : 633 -
growth time : 24h
growth temperature : 37
growth conditions :
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:HCCATA2
concentration : 3 Oesen im 100 muel W1
extra info : Anzucht und Praeperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : C:\WINNT\Profiles\Administrator\Desktop\Test\Maier\ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-03-07 09:44:30
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis Typ 3 p-inv+\

genus, species, strain : Yersinia pseudotuberculosis Typ3 P- INV+
MicrobeMS ID : 2005_07_04_Maren Stämmeler_0002
NCBI tax ID's : 633 -

growth time : 24h
growth temperature : 37
growth conditions :
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel W1
extra info : Anzucht und Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : C:\WINNT\Profiles\Administrator\Desktop\Test\Maier\ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-04-07 14:12:56
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis Typ 3 p-inv\

genus, species, strain : Yersinia pseudotuberculosis Typ3 P- INV+
MicrobeMS ID : 2005_20_04_Maren Stämmeler_0002
NCBI tax ID's : 633 -
growth time : 24h
growth temperature : 37
growth conditions :
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen in 100 muel W2
extra info : Anzucht und Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : C:\WINNT\Profiles\Administrator\Desktop\Test\Maier\ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-04-21 09:38:47
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis Typ 3 p-inv\

genus, species, strain : Yersinia pseudotuberculosis VI
MicrobeMS ID : 2005_05_09_Maren Stämmeler_0015
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 02.09.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-09-05 13:57:02
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis VI\

genus, species, strain : Yersinia pseudotuberculosis VI
MicrobeMS ID : 2005_07_10_Maren Stämmeler_0020
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Lochau; Uebergabe 04.10.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2004-10-07 13:27:04
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis VI\

genus, species, strain : Yersinia pseudotuberculosis VI
MicrobeMS ID : 2005_23_11_Maren Stämmeler_0005
NCBI tax ID's : 633 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/1:10 verd./1:1HCCATA2
concentration : 3 Oesen im 100 muel
extra info : Anzucht bei Dr. Nattermann; Praeoperation von Frau Heinrich 18.11.2005; Uebergabe 18.11.2005; Praeoperation auf TG MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2005-11-23 11:51:50
path to MS file : \Yersinia\Yersinia pseudotuberculosis\Yersinia pseudotuberculosis VI\

Yersinia rohdei

genus, species, strain : Yersinia rohdei DSM 18270
MicrobeMS ID : 2007_02_03_Maren Stämmeler_0005
NCBI tax ID's : 29485 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (09.03.2007): MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-02T12:31:26.000
path to MS file : \Yersinia\Yersinia rohdei\Yersinia rohdei DSM 18270\

genus, species, strain : Yersinia rohdei DSM 18270
MicrobeMS ID : 2007_09_03_Maren Stämmeler_0005
NCBI tax ID's : 29485 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (09.03.2007): MS

calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-09T12:53:34.000
path to MS file : \Yersinia\Yersinia rohdei\Yersinia rohdei DSM 18270\

genus, species, strain : Yersinia rohdei DSM 18270
MicrobeMS ID : 2007_16_03_Maren Stämmeler_0005
NCBI tax ID's : 29485 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 muel
extra info : Anzucht und Praeparation + Praeparation für Maldi (09.03.2007): MS
calibration standard : PeptidStandard (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-16T13:25:46.000
path to MS file : \Yersinia\Yersinia rohdei\Yersinia rohdei DSM 18270\

Yersinia ruckeri

genus, species, strain : Yersinia ruckeri 04FGD15769
MicrobeMS ID : 2008_18_01_Maren Stämmeler_0007
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T12:05:05.296+00:00
path to MS file : \Yersinia\Yersinia ruckeri\Yersinia ruckeri 04FGD15769\

genus, species, strain : Yersinia ruckeri 04FGD15769
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0007
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T11:28:17.015+00:00
path to MS file : \Yersinia\Yersinia ruckeri\Yersinia ruckeri 04FGD15769\

genus, species, strain : Yersinia ruckeri 04FGD15769
MicrobeMS ID : 2008_18_02_Maren Stämmeler_0007
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-18T11:12:08.593+00:00
path to MS file : \Yersinia\Yersinia ruckeri\Yersinia ruckeri 04FGD15769\

genus, species, strain : Yersinia ruckeri 04FGD26364
MicrobeMS ID : 2008_18_01_Maren Stämmeler_0008
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T12:08:49.328+00:00
path to MS file : \Yersinia\Yersinia ruckeri\Yersinia ruckeri 04FGD26364\

genus, species, strain : Yersinia ruckeri 04FGD26364
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0008
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T11:32:16.562+00:00
path to MS file : \Yersinia\Yersinia ruckeri\Yersinia ruckeri 04FGD26364\

genus, species, strain : Yersinia ruckeri 04FGD26364

MicrobeMS ID : 2008_18_02_Maren Stämmeler_0008
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-18T11:14:37.906+00:00
path to MS file : \\Yersinia\Yersinia ruckeri\Yersinia ruckeri 04FGD26364\

genus, species, strain : Yersinia ruckeri 04FGD31174
MicrobeMS ID : 2008_18_01_Maren Stämmeler_0009
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T12:17:23.562+00:00
path to MS file : \\Yersinia\Yersinia ruckeri\Yersinia ruckeri 04FGD31174\

genus, species, strain : Yersinia ruckeri 04FGD31174
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0009
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T11:46:27.625+00:00
path to MS file : \\Yersinia\Yersinia ruckeri\Yersinia ruckeri 04FGD31174\

genus, species, strain : Yersinia ruckeri 04FGD31174
MicrobeMS ID : 2008_18_02_Maren Stämmeler_0009
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-18T11:24:15.000+00:00
path to MS file : \\Yersinia\Yersinia ruckeri\Yersinia ruckeri 04FGD31174\

genus, species, strain : Yersinia ruckeri 04FGD38762
MicrobeMS ID : 2008_18_01_Maren Stämmeler_0010
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T12:22:27.187+00:00
path to MS file : \\Yersinia\Yersinia ruckeri\Yersinia ruckeri 04FGD38762\

genus, species, strain : Yersinia ruckeri 04FGD38762
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0010
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T11:52:00.109+00:00
path to MS file : \\Yersinia\Yersinia ruckeri\Yersinia ruckeri 04FGD38762\

genus, species, strain : Yersinia ruckeri 04FGD38762
MicrobeMS ID : 2008_18_02_Maren Stämmeler_0010
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)

measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-18T11:26:54.750+00:00
path to MS file : \\Yersinia\Yersinia ruckeri\Yersinia ruckeri 04FGD38762\

genus, species, strain : Yersinia ruckeri 06FGD29560
MicrobeMS ID : 2008_19_01_Maren Stämmeler_0005
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T16:06:29.406+00:00
path to MS file : \\Yersinia\Yersinia ruckeri\Yersinia ruckeri 06FGD29560\

genus, species, strain : Yersinia ruckeri 06FGD29560
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0015
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T13:57:38.609+00:00
path to MS file : \\Yersinia\Yersinia ruckeri\Yersinia ruckeri 06FGD29560\

genus, species, strain : Yersinia ruckeri 06FGD29560
MicrobeMS ID : 2008_18_02_Maren Stämmeler_0015
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-18T11:58:20.296+00:00
path to MS file : \\Yersinia\Yersinia ruckeri\Yersinia ruckeri 06FGD29560\

genus, species, strain : Yersinia ruckeri 07FGD30558
MicrobeMS ID : 2008_19_01_Maren Stämmeler_0006
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T16:10:25.781+00:00
path to MS file : \\Yersinia\Yersinia ruckeri\Yersinia ruckeri 07FGD30558\

genus, species, strain : Yersinia ruckeri 07FGD30558
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0016
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T14:01:57.203+00:00
path to MS file : \\Yersinia\Yersinia ruckeri\Yersinia ruckeri 07FGD30558\

genus, species, strain : Yersinia ruckeri 07FGD30558
MicrobeMS ID : 2008_18_02_Maren Stämmeler_0016
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80§ TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 muel
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-18T12:00:46.562+00:00
path to MS file : \\Yersinia\Yersinia ruckeri\Yersinia ruckeri 07FGD30558\

genus, species, strain : Yersinia ruckeri DSM 18506
MicrobeMS ID : 2007_02_03_Maren Stämmeler_0008
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius

```
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi (02.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-02 12:46:40
path to MS file : \Yersinia\Yersinia ruckeri\Yersinia ruckeri DSM 18506\

genus, species, strain : Yersinia ruckeri DSM 18506
MicrobeMS ID : 2007_09_03_Maren Stämmeler_0008
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi (09.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-09 13:07:45
path to MS file : \Yersinia\Yersinia ruckeri\Yersinia ruckeri DSM 18506\

genus, species, strain : Yersinia ruckeri DSM 18506
MicrobeMS ID : 2007_16_03_Maren Stämmeler_0008
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µl
extra info : Anzucht und Praeparation + Praeparation für Maldi (16.03.2007): MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-03-16 13:40:00
path to MS file : \Yersinia\Yersinia ruckeri\Yersinia ruckeri DSM 18506\

genus, species, strain : Yersinia ruckeri J6
MicrobeMS ID : 2008_18_01_Maren Stämmeler_0006
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-18T11:57:19.062+00:00
path to MS file : \Yersinia\Yersinia ruckeri\Yersinia ruckeri J6\

genus, species, strain : Yersinia ruckeri J6
MicrobeMS ID : 2008_25_01_Maren Stämmeler_0006
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-01-25T11:11:02.015+00:00
path to MS file : \Yersinia\Yersinia ruckeri\Yersinia ruckeri J6\

genus, species, strain : Yersinia ruckeri J6
MicrobeMS ID : 2008_18_02_Maren Stämmeler_0006
NCBI tax ID's : 29486 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 30 min. Einwirkzeit/1:10 verdünnt/9 Tage bei -20°C im Gefrierschrank aufbewahrt-aufgetaut/ 1:1 HCCATA2 (A)
concentration : 3-5 Oesen in 100 µl
extra info : Stämme von CVUA Stuttgart-Dr. Rau/ Anzucht und Präparation: MS
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2008-02-18T11:05:33.843+00:00
path to MS file : \Yersinia\Yersinia ruckeri\Yersinia ruckeri J6\
```

Yersinia similis

```
genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0001
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
```

```
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T14:11:50.242+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0002
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T14:12:04.682+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0003
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T14:12:22.196+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0004
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T14:12:41.830+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0005
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T14:12:57.311+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0006
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T14:13:14.386+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0007
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T14:13:30.559+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0008
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
```

```
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T14:13:45.557+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0009
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T16:44:51.330+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0010
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T16:45:10.645+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0011
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T16:45:29.390+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0012
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T16:45:43.466+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0013
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T16:46:01.085+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0014
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T16:46:23.333+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\
```

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0015
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T16:46:44.834+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0016
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T16:47:01.829+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0017
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T17:05:57.943+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0018
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T17:06:19.376+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0019
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T17:06:47.209+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0020
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T17:07:07.379+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0021
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures

calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T17:07:28.362+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0022
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, Matrix HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T17:07:53.112+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0023
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T17:08:11.852+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis DSM 18211
MicrobeMS ID : 2013_02_19_Jörg Rau_0024
NCBI tax ID's : 367190 -
growth time : 24h
growth temperature : 37 °C
growth conditions : aerob
growth medium : SBA
sample treatment : Guinebretiere et al., 2013, HCCA
concentration : unknown
extra info : cells from solid cultures
calibration standard : unknown
measurement method : D:\Methods\flexControlMethods\MBT_FC.par
customer : CVUA Stuttgart
measurement date/time : 2013-02-19T17:08:27.675+01:00
path to MS file : \Yersinia\Yersinia similis\Yersinia similis DSM 18211 CVUAS\

genus, species, strain : Yersinia similis IMB 4354
MicrobeMS ID : 2007_02_07_Maren Stämmeler_0006
NCBI tax ID's : 367190 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von PD Dr. Fuchs, ZIEL Abt. Mikrobiologie München; Ankunft am 25.06.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-07-02 13:47:39
path to MS file : \Yersinia\Yersinia similis\Yersinia similis IMB 4354\

genus, species, strain : Yersinia similis IMB 4354
MicrobeMS ID : 2007_06_07_Maren Stämmeler_0006
NCBI tax ID's : 367190 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von PD Dr. Fuchs, ZIEL Abt. Mikrobiologie München; Ankunft am 25.06.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-07-06 10:20:11
path to MS file : \Yersinia\Yersinia similis\Yersinia similis IMB 4354\

genus, species, strain : Yersinia similis IMB 4354
MicrobeMS ID : 2007_13_07_Maren Stämmeler_0006
NCBI tax ID's : 367190 -
growth time : 48h
growth temperature : 28 Grad Celsius
growth conditions : aerob
growth medium : Caso
sample treatment : in 80% TFA/ 1:1 HCCATA2 (A)
concentration : 3 Oesen in 100 µel
extra info : Anzucht und Praeparation + Praeparation für Maldi MS; Stämme von PD Dr. Fuchs, ZIEL Abt. Mikrobiologie München; Ankunft am 25.06.2007
calibration standard : ProteinStandard 1 (Bruker)
measurement method : ToM_200ns.par
customer : RKI ZBS6
measurement date/time : 2007-07-13 09:42:46
path to MS file : \Yersinia\Yersinia similis\Yersinia similis IMB 4354\

Yersinia wautersii

genus, species, strain : Yersinia wautersii DSM 27350

```
MicrobeMS ID      : 2015_11_25_Andy_Schneider_0005
NCBI tax ID's    : 1341643 -
growth time      : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium    : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 50 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2015-11-25T13:01:30.093+01:00
path to MS file   : \Yersinia\Yersinia_wautersii\Yersinia_wautersii_DSM_27350\

genus, species, strain : Yersinia_wautersii_DSM_27350
MicrobeMS ID      : 2015_11_25_Andy_Schneider_0006
NCBI tax ID's    : 1341643 -
growth time      : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium    : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 50 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2015-11-25T13:03:28.328+01:00
path to MS file   : \Yersinia\Yersinia_wautersii\Yersinia_wautersii_DSM_27350\

genus, species, strain : Yersinia_wautersii_DSM_27350
MicrobeMS ID      : 2015_11_25_Andy_Schneider_0007
NCBI tax ID's    : 1341643 -
growth time      : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium    : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 50 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2015-11-25T13:05:20.218+01:00
path to MS file   : \Yersinia\Yersinia_wautersii\Yersinia_wautersii_DSM_27350\

genus, species, strain : Yersinia_wautersii_DSM_27350
MicrobeMS ID      : 2015_11_25_Andy_Schneider_0008
NCBI tax ID's    : 1341643 -
growth time      : 48h
growth temperature : 28°C
growth conditions : aerob
growth medium    : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 50 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2015-11-25T13:06:54.734+01:00
path to MS file   : \Yersinia\Yersinia_wautersii\Yersinia_wautersii_DSM_27350\

genus, species, strain : Yersinia_wautersii_DSM_27350
MicrobeMS ID      : 03_12_2015_Julia_Mitschke_0001
NCBI tax ID's    : 1341643 -
growth time      : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium    : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2015-12-03T14:44:38.937+01:00
path to MS file   : \Yersinia\Yersinia_wautersii\Yersinia_wautersii_DSM_27350\

genus, species, strain : Yersinia_wautersii_DSM_27350
MicrobeMS ID      : 03_12_2015_Julia_Mitschke_0002
NCBI tax ID's    : 1341643 -
growth time      : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium    : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method  : ToM_200ns_20130611.par
customer          : RKI ZBS6
measurement date/time : 2015-12-03T14:48:20.531+01:00
path to MS file   : \Yersinia\Yersinia_wautersii\Yersinia_wautersii_DSM_27350\

genus, species, strain : Yersinia_wautersii_DSM_27350
MicrobeMS ID      : 03_12_2015_Julia_Mitschke_0003
NCBI tax ID's    : 1341643 -
growth time      : 24h
growth temperature : 28°C
growth conditions : aerob
growth medium    : CASO
sample treatment : in 80% TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration    : 3 Oesen in 100 µl
extra info      :
calibration standard : E. coli Standard K12 (DSM 3871)
```

```
measurement method : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2015-12-03T14:51:52.421+01:00
path to MS file     : \Yersinia\Yersinia wautersii\Yersinia wautersii DSM 27350\

genus, species, strain : Yersinia wautersii DSM 27350
MicrobeMS ID         : 03_12_2015_Julia Mitschke_0004
NCBI tax ID's        : 1341643 -
growth time          : 24h
growth temperature   : 28°C
growth conditions    : aerob
growth medium        : CASO
sample treatment     : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 100 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2015-12-03T14:57:03.531+01:00
path to MS file     : \Yersinia\Yersinia wautersii\Yersinia wautersii DSM 27350\

genus, species, strain : Yersinia wautersii DSM 27350
MicrobeMS ID         : 2015_12_01_Andy Schneider_0021
NCBI tax ID's        : 1341643 -
growth time          : 48h
growth temperature   : 28°C
growth conditions    : aerob
growth medium        : CASO
sample treatment     : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 50 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2015-12-01T15:20:35.656+01:00
path to MS file     : \Yersinia\Yersinia wautersii\Yersinia wautersii DSM 27350\

genus, species, strain : Yersinia wautersii DSM 27350
MicrobeMS ID         : 2015_12_01_Andy Schneider_0022
NCBI tax ID's        : 1341643 -
growth time          : 48h
growth temperature   : 28°C
growth conditions    : aerob
growth medium        : CASO
sample treatment     : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 50 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2015-12-01T15:22:05.656+01:00
path to MS file     : \Yersinia\Yersinia wautersii\Yersinia wautersii DSM 27350\

genus, species, strain : Yersinia wautersii DSM 27350
MicrobeMS ID         : 2015_12_01_Andy Schneider_0023
NCBI tax ID's        : 1341643 -
growth time          : 48h
growth temperature   : 28°C
growth conditions    : aerob
growth medium        : CASO
sample treatment     : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 50 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2015-12-01T15:23:39.250+01:00
path to MS file     : \Yersinia\Yersinia wautersii\Yersinia wautersii DSM 27350\

genus, species, strain : Yersinia wautersii DSM 27350
MicrobeMS ID         : 2015_12_01_Andy Schneider_0024
NCBI tax ID's        : 1341643 -
growth time          : 48h
growth temperature   : 28°C
growth conditions    : aerob
growth medium        : CASO
sample treatment     : in 80§ TFA, 1:10 verdünnt , gespottet 1:1 mit Matrix (12g/l HCCA in TA2)
concentration        : 3 Oesen in 50 µl
extra info           :
calibration standard : E. coli Standard K12 (DSM 3871)
measurement method   : ToM_200ns_20130611.par
customer            : RKI ZBS6
measurement date/time : 2015-12-01T15:25:17.171+01:00
path to MS file     : \Yersinia\Yersinia wautersii\Yersinia wautersii DSM 27350\
```