

This article was downloaded by: [University of Cambridge]  
On: 26 November 2014, At: 03:33  
Publisher: Taylor & Francis  
Informa Ltd Registered in England and Wales Registered Number:  
1072954 Registered office: Mortimer House, 37-41 Mortimer  
Street, London W1T 3JH, UK



## Annals and Magazine of Natural History: Series 6

Publication details, including instructions for authors and subscription information:  
<http://www.tandfonline.com/loi/tnah12>

### L.—Description of a new scincoid lizard from North-western Australia

G.A. Boulenger

Published online: 12 Oct 2009.

To cite this article: G.A. Boulenger (1891) L.—Description of a new scincoid lizard from North-western Australia , Annals and Magazine of Natural History: Series 6, 8:47, 405-405, DOI: [10.1080/00222939109460458](https://doi.org/10.1080/00222939109460458)

To link to this article: <http://dx.doi.org/10.1080/00222939109460458>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of all the information (the "Content") contained in the publications on our platform. However, Taylor & Francis, our agents, and our licensors make no representations or warranties whatsoever as to the accuracy, completeness, or suitability for any purpose of the Content. Any opinions and views expressed in this publication are the opinions and views of the authors, and are not the views of or endorsed by Taylor & Francis. The accuracy of the Content should not be relied upon and should be independently verified with primary sources of information. Taylor and Francis shall not be liable for any losses, actions, claims, proceedings, demands, costs, expenses, damages, and other liabilities whatsoever or howsoever

caused arising directly or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden.

Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

straight carina, which continues across the metasternum until it has passed the hind coxæ; at the mesosternal suture there is a line of somewhat coarse punctures, in the metasternum on each side close within the carina is a row of five or six small foveæ; the suture again between the metasternum and first segment of the abdomen is punctate, the segment itself being finely punctulate on the surface; all the tibiæ are dilated, anterior pair obscurely dentate on the outer edge, posterior and intermediate obtusely angulate before the bases.

*Hab.* Mexico.

---

L.—*Description of a new Scincoid Lizard from North-western Australia.* By G. A. BOULENGER.

*Lygosoma Walkeri.*

Section *Rhodona*. Body much elongate; limbs very weak, didactyle; distance between end of snout and fore limb contained twice and a half to three times in the distance between axilla and groin. Snout obtusely conical. Eye very small. Lower eyelid with an undivided transparent disk. Nostril pierced in the anterior part of a large nasal, which forms a suture with its fellow behind the rostral; frontonasal twice as broad as long, forming a broad suture with the frontal; præfrontals small and widely separated; frontal broader than the supraocular region, in contact with the first and second supraoculars; three supraoculars, second largest; five supraciliaries; frontoparietals small, fused to a single shield, which is much shorter than the interparietal; parietals forming a suture behind the interparietal; three pairs of nuchals; fourth upper labial entering the orbit. Ear-opening distinct, but very small. Twenty smooth scales round the middle of the body, dorsals largest. A pair of enlarged præanals. Fore limb as long as the mouth; hind limb as long as the distance between the ear and the fore limb; second toe more than twice as long as first. Tail thick. Greyish above, each scale with a black dot, which is largest on the fourth scale from the mid-dorsal line; lips with black dots; lower parts whitish, tail with black dots.

	millim.
Total length.....	113
Head.....	9
Width of head.....	6
Body.....	51
Fore limb.....	5
Hind limb.....	9
Tail (reproduced).....	53

Specimens from Roebuck Bay and Condillac Island, North-west Australia, were presented to the British Museum by Mr. J. J. Walker.