

## CLG Microarray Test Results

**Cell Line ID:** S4 (SNCA E1-2) p11    **Lab #:** CLG-45173    **Date received:** 12/09/21    **Date Reported:** 12/29/21

**Contact Person:** Hanqin Li    **PI:** Dirk Hockemeyer    **Institute:** University of California Berkeley

**Test Code:** aCGH 100    **Email:** hanqinli@berkeley.edu    **PO #:** NA

**Mailing Address:** 188 Li Ka Shing Center, 1951 Oxford Street, Berkeley, CA 94720

---

<b>Sample Type:</b> Human PSC Frozen Cells	<b>dsDNA Concentration:</b> 426 ng/μl	<b>Total dsDNA:</b> 5.7 μg
<b>Sex:</b> Female	<b>260/280</b> (1.7-1.9): 1.84	<b>260/230</b> (≥1.0): 2.07
<b>Array Type:</b> Agilent 60K Standard aCGH		
<b>Array ID Number:</b> 252192453870_2_4	<b>Human Assembly:</b> hg38	<b>Reference DNA:</b> Agilent Euro Female

---

### Quality Control

A sufficient amount of high quality genomic DNA, as determined by UV spec. (Nanodrop), fluorometer (Qubit) and Agarose Gel analysis, was extracted from cell S4 (SNCA E1-2) p11 and passed our internal quality standards for aCGH labeling.

aCGH Probes (PASS/FAIL): Pass

Experimental Deviations: None

### Results:

Microarray analysis did not detect any amplifications or deletions.