

This article was downloaded by: [North Carolina State University]  
On: 09 April 2015, At: 17:55  
Publisher: Taylor & Francis  
Informa Ltd Registered in England and Wales Registered Number:  
1072954 Registered office: Mortimer House, 37-41 Mortimer Street,  
London W1T 3JH, UK



## Annals and Magazine of Natural History: Series 8

Publication details, including instructions  
for authors and subscription information:  
<http://www.tandfonline.com/loi/tnah14>

### XLIV.—Description of a new longicorn beetle from South Africa

W.L. Distant

Published online: 15 Sep 2009.

To cite this article: W.L. Distant (1908) XLIV.—Description of a new longicorn beetle from South Africa , Annals and Magazine of Natural History: Series 8, 1:3, 279-279, DOI: [10.1080/00222930808692400](https://doi.org/10.1080/00222930808692400)

To link to this article: <http://dx.doi.org/10.1080/00222930808692400>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of all the information (the "Content") contained in the publications on our platform. However, Taylor & Francis, our agents, and our licensors make no representations or warranties whatsoever as to the accuracy, completeness, or suitability for any purpose of the Content. Any opinions and views expressed in this publication are the opinions and views of the authors, and are not the views of or endorsed by Taylor & Francis. The accuracy of the Content should not be relied upon and should be independently verified with primary sources of information. Taylor and Francis shall not be liable for any losses, actions, claims, proceedings, demands, costs, expenses, damages, and other liabilities whatsoever or howsoever caused arising directly


or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden. Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

XLIV.—*Description of a new Longicorn Beetle from South Africa.* By W. L. DISTANT.

*Megacælus gustavi*, sp. n.

Black, with a more or less olivaceous tint; elytra crossed by a transverse yellowish-white fascia at middle; head somewhat thickly brownishly pilose, finely punctate at base, with a central medial linear impression not quite reaching base; antennæ robust, first joint thickest and clavate towards apex, second very short, third longest, a little longer than



*Megacælus gustavi*, sp. n.

fourth or fifth which are subequal, remaining joints excluding apical gradually narrowing and almost subequal, apical joint shortest; pronotum finely punctate, centrally anteriorly subcordately depressed, on each side of the anterior margin of the depression a transverse flattened tuberculous ridge, at base a central transverse ridge; scutellum slightly centrally concave, broadly ridged on each side; elytra somewhat thickly punctate, the punctures more visible on the transverse pale fascia, each elytron with two longitudinal discal linear ridges, their apices angularly rounded and in the ♀ not reaching the abdominal apex; body beneath more or less brownly pilose; legs finely shortly pilose, the margins of the femora and tibiæ more distinctly so.

Long. ♀ 30 mm.; max. lat. hum. angl. 10 mm.

*Hab.* Cape Colony; East London (*G. Distant*).

Allied to *M. didelphis*, Chev., but not only differing in colour and markings, the narrow transverse pale fascia being placed at middle of elytra, but also in the antennæ, which are almost twice as broad.