

BEETLES FROM NORTHERN BRITISH COLUMBIA.

BY J. H. KEEN, METLAKATLA, B. C.

About ten years ago (see CAN. ENT., Vol. XXVII, Nos. 7 and 8) I published a list of beetles taken by me on the Queen Charlotte Islands. The beetles enumerated below were, except where otherwise designated, taken on the mainland of British Columbia, on the coast between the mouths of the Naas and Skeena Rivers. Some of them were determined for me through the kindness of Dr. James Fletcher, the Dominion Entomologist, whose valuable help and advice I have now for many years enjoyed; the remainder by Professor H. F. Wickham, of Iowa University, to whose skill and courtesy I am deeply indebted.

CARABIDÆ.

- | | |
|---------------------------------|--------------------------------|
| Elaphrus pallipes, <i>Horn.</i> | Bembidium cautum, <i>Lec.</i> |
| Bembidium breve, <i>Mann.</i> | " iridescens, <i>Lec.</i> |
| " quadrioveolatum, <i>Mann.</i> | Harpalus innocuus, <i>Lec.</i> |

AMPHIZOIDÆ.

Amphizoa insolens, *Lec.*

DYTISCIDÆ.

- | | |
|--------------------------------------|-----------------------------------|
| Hydroporus vilis, <i>Lec.</i> | Rhantus divisus, <i>Aube.</i> |
| Ilybius quadrimaculatus, <i>Lec.</i> | Colymbetes strigatus, <i>Lec.</i> |
| Agabus anthracinus, <i>Mann?</i> | |

GYRINIDÆ.

Gyrinus minutus, *Fab.*

HYDROPHILIDÆ.

- | | |
|-------------------------------------|-------------------------------------|
| Ochthebius Holmbergi, <i>Makl.</i> | Creniphilus subcupreus, <i>Say.</i> |
| Philhydrus conjunctus, <i>Fall.</i> | |

STAPHYLINIDÆ.

- | | |
|--|----------------------------------|
| Thinopinus pictus, <i>Lec.</i> | Orobatus rufipes, <i>Casey.</i> |
| Tachinus debilis, <i>Horn.</i> | Eunomia Keeniana, <i>Casey.</i> |
| Homalium segmentarium, <i>Fauvel,</i> | |
| n. sp.* | Trigonurus Crotchii, <i>Lec.</i> |
| Massetia tetramera, <i>Fauvel,</i> n. sp.* | |

PSELAPHIDÆ.

Actium testaceum, *Casey.*

*From Queen Charlotte Islands, B. C.

CRYPTOPHAGIDÆ.

Atomaria, *near fallax*, Casey. Atomaria, *near oblongula*, Casey.

LATHRIDIIDÆ.

Melanophthalma gibbosa, *Hbst.* Lathridius lardarius, *DeGeer.**

DERODONTIDÆ.

Derodontus trisignatus, *Mann.*

PARNIDÆ.

Elmis concolor, *Lec.*

DASCYLLIDÆ.

Cyphon concinnus, *Lec.* Cyphon variabilis, *Thunb.*

ELATERIDÆ.

Elater apicatus, *Say.* Athous scissus, *Lec.*
 Agriotes fucosus, *Lec.* Corymbites sagitticollis, *Esch.?*

LAMPYRIDÆ.

Ellychnia Californica, *Mots.*

CLERIDÆ.

Laricobius, *near Erichsonii*, *Rosenh.*

PTINIDÆ.

Ptinus, *sp.*

CICIDÆ.

Xestocis biarmata, *Mann.*

SCARABAEIDÆ.

Aphodius congregatus, *Mann.*

CERAMBYCIDÆ.

Criocephalus asperatus, *Lec.* Ulochætes leoninus, *Lec.*

CHRYSOMELIDÆ.

Donacia emarginata, *Kirby.* Chrysomela multipunctata, *Say.*
 Syneta hamata, *Horn.* Galerucella nymphææ, *Linn.*
 " albida, *Lec.*

PYTHIDÆ.

Boros unicolor, *Say.*

CEDEMERIDÆ.

Ditylus cæruleus, *Rand.*

CEPHALOIDÆ.

Cephaloon tenuicorne, *Lec.*

*From Queen Charlotte Islands, B. C.