



Annals and Magazine of Natural History: Series 6

Publication details, including instructions for authors and subscription information:
<http://www.tandfonline.com/loi/tnah12>

XXVII.—Description of a new snake from Usambara, German East Africa

G.A. Boulenger F.R.S.

Published online: 06 Oct 2009.

To cite this article: G.A. Boulenger F.R.S. (1897) XXVII.—Description of a new snake from Usambara, German East Africa , Annals and Magazine of Natural History: Series 6, 19:111, 281-281, DOI: [10.1080/00222939708680538](http://dx.doi.org/10.1080/00222939708680538)

To link to this article: <http://dx.doi.org/10.1080/00222939708680538>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of all the information (the "Content") contained in the publications on our platform. However, Taylor & Francis, our agents, and our licensors make no representations or warranties whatsoever as to the accuracy, completeness, or suitability for any purpose of the Content. Any opinions and views expressed in this publication are the opinions and views of the authors, and are not the views of or endorsed by Taylor & Francis. The accuracy of the Content should not be relied upon and should be independently verified with primary sources of information. Taylor and Francis shall not be

liable for any losses, actions, claims, proceedings, demands, costs, expenses, damages, and other liabilities whatsoever or howsoever caused arising directly or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden. Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

BATRACHIA.

1. *Rappia tristis*, Bocage.—Zambi.
Known from a single specimen from Angola.
2. *Rappia marmorata*, Rapp.—Zambi.
3. *Bufo regularis*, Reuss.—Zambi.

I seize this opportunity to point out that the three species recently described by Mocquard (C. R. Congr. Intern. Zool. Leyde, pp. 232-234) from the Upper Ubangi in the French Congo are not new.

Mabuia Viancini, Mocq., = *M. Buettneri*, Matschie; *Rana oubanghiensis*, Mocq., = *R. galamensis*, D. & B.; and, as recognized by the author himself, *Nata yakomæ*, Mocq., = *N. Goldii*, Blgr.

XXVII.—*Description of a new Snake from Usambara, German East Africa.* By G. A. BOULENGER, F.R.S.

Leptodira Werneri.

Body feebly compressed. Rostral once and two thirds as broad as deep, scarcely visible from above; internasals much shorter than the præfrontals; frontal once and a half as long as broad, longer than its distance from the end of the snout, shorter than the parietals; loreal deeper than long; one præocular, not reaching the frontal; two or three postoculars; temporals 1+2; eight upper labials, third, fourth, and fifth entering the eye; four lower labials in contact with the anterior chin-shields, which are a little longer than the posterior. Scales in 19 rows. Ventrals 225; anal entire; subcaudals 101. Pale grey-brown above, uniform on the head and on the anterior part of the body, the rest of the body and the tail with darker spots more or less confluent into closely-set cross-bands; upper lip yellowish white; ventrals yellowish white, mostly edged with dark brown on the sides; subcaudals brown.

Total length 370 millim.; tail 85.

A single specimen, presented to the British Museum by Dr. F. Werner.