How to Feed Your Robot Building and Maintaining Open Machine Learning Datasets

Evan Tachovsky, Rockefeller Foundation @evantachovsky 2019-05-08

Supervised ML, grossly simplified

1. Train an algorithm
with labeled data

2. Use the algorithm to
classify new pictures of
dogs and cats

New picture Algorithm classifies

Picture Show a label

"This is a dog"

"This is a cat"

"This is a dog"

"This is a cat"

...lots of other examples...




Q0


...

"This is a dog"












Massive Bias Problems



60%

images in
ImageNet and
Open Images
comes from
six countries

Source: No Classification without Representation: Assessing Geodiversity Issues in Open Data Sets for the Developing World by Shreya Shankar et al.

Current Project

Interview ~20 data set
builders, maintainers,
and funders to
understand how we can
build just and effective
datasets for development
and humanitarian use

- Semi-structured conversations
- Spread across industry, academic, research institutions
- No attribution unless the info was published
- Most interviewees were working on text or image datasets

Alex Ratner	Alistair Johnson	Andrew McCallum	Brandeis Marshall	Celina Lee					
Courosh	Desmond	Donghui Li	George	Jayme Garcia					
Mehanian	Patton		Azzari	Arnal Barbedo					
Leo Anthony	Mutale	<i>Mutembesa</i>	Nick Adams	Rashida					
Celi	Nkonde	Daniel		Richardson					
Rediet Abebe	Sebastian Ruder	<i>Sue Márquez</i>	Tariq Khokhar	Tony Hey					

Thank you to everyone who took the time to talk! Any errors are on me.

Five lessons

1. Motivations shape dataset 2. Transactional labels are always worse than you think 3. Find your place on the labeling spectrum 4. Don't ignore shelf life 5. Think infrastructure, not research

1. Motivations shape datasets

Commercial

- I want to build a new product
- This dataset will give us a moat
- This dataset will make our algorithm more robust

Methodological

- We need a benchmark for the field
- If we have this dataset, we can figure out this method
- I'm curious about


Applied

- How do I understand these data?
- How to I automate this annoying task?

2. Transactional labels are worse than you think

0	3	0	0	0	0	0	4	0	6	0	5	4	0,	1	9	9	~	9	4	9	9	8	e	2	0	• •	3	3	3
0	4	0	0	0				i		0	5	3	. 6	7	9	9	7	7	5	9	9	9	7		 0	I,	3	1	
0	5	0	0	0	0	0	9	5	3	0	5	1		4	9	9	۶.	8	6	0	0	1	0	4	0	1	2	5	4
۰.	6	0	0	0	0	1	5	2	*	0	4	e	8	3	0	0	c	9	9	• •	0	4	c	4	0	0	9	7	د
1	7	0	0	0	0	2	4	3	5	0	4		8	3	0	o	£	6	3	0	1	1	-	-	0	0	6	8	0
т	8	0	0	0	0	1	7	2	-6	0	4	4	6	0	0	1		3	2	0	1	5	-	-	0	1	6	з	0
1	9	0	0	0	0	1	2	2	6	0	5	2	. 8	3	0	1	e	ı	4			5			0	3	7	0	2
2	9	0	0	0	1	2		4	4	0	7	5	0	5	1	2	8	1	4	0	1	8	2			2			
3	0	o	0	0	1	3	6	2	1	1	1	-	ı	5	•	3	e	6	2	0	1	9	4	0	1	3	1 .	3	5
3	1	0	0	0	1	5	3	4	4	1	3	5	4	5	•	3	0	J	3	. 0	2	1	6	3	1	5	4	d	5
3	2	o	0	0	3	s	4	6	6	з	5	7	6	9	1	5	1	2	6	0	4	3	8	5		5			
3	3	0	0	0	U	0	6	9	9	5	7	0	8	0	3	ı.	Įi.	5	4	0	,	ı	4		1	2	4	7	9
3	4	. 0	0	0	7	4	6	9	9	5	*	v c	~ 0	2 0	3	4	^	8	0	2	9	4	3	6		5	8	0	4
3	5	0	0	0	8	7	9	0	2			2		0	2	7	7	0	-	3	2	7	5	3 1	2	6	4	2	1

3. Find your place on the labeling spectrum



3. Find your place on the labeling spectrum

Strategies for the messy middle

- Incentives, not just financial
- New tools to make tasks easier
- Change the classification problem

4. Don't ignore shelf life

Use Buy: 2020-02-28

"users": ["id": 0, "name": "Jane Smith", "work": "ABC", "dob": "1978", "address": "83 Warner Street", "city": "Boston", "optedin": true }, "id": 1, "name": "Frank Jonses, "work": "XYZ", "dob": "13/05/1987", "address": "9 Coleman Avenue", "city": "Toronto", "optedin": false "images": ["img0.png", "img1.png", "img2.png" "coordinates": { "x": 35.12, "y": -21.49 "price": "\$100,000"

5. Think infrastructure, not research

- Ubiquitous, not bespoke
- For a community, not a team
- A separate budget, not a budget line
- Measure and reward contributions

Background Reading:

https://www.are.na/evan-tachovsky/in-training

Thank you! Get in touch

Evan Tachovsky, Rockefeller Foundation @evantachovsky 2019-05-08