

The 2016 updated list of QPS status recommended biological agents in support of EFSA risk assessments

The list of QPS status recommended biological agents (EFSA BIOHAZ Panel, 2016) is being maintained in accordance with the self-task mandate of the BIOHAZ Panel (2017-2019). Possible additions to this list are included around every 6 months, with the first Panel Statement adopted in June 2017 and the last Panel Statement planned for adoption in December 2019. These additions are published as updates to the Scientific Opinion (EFSA BIOHAZ Panel, 2016) and, as of January 2018, also as supporting information linked to every Panel Statement available on the Knowledge Junction at https://doi.org.10.5281/zenodo.1146566.

Table 1: The 2016 updated list of QPS status recommended biological agents for safety risk assessments carried out by EFSA Scientific Panels and Units

Bacteria Gram-positive non-spore forming bacteria					
Species Qualifications ^(a)					
Bifidobacterium	Bifidobacterium bifidum	Bifidobacterium	Qualifications		
adolescentis Bifidobacterium animalis	Bifidobacterium breve	longum			
Carnobacterium divergens ^(f)					
Corynebacterium ammoniagenes ^(r)	Corynebacterium glutamicum(b)		QPS applies for production purposes only. (n),(o)		
Lactobacillus acidophilus Lactobacillus amylolyticus Lactobacillus amylovorus Lactobacillus animalis ^(k) Lactobacillus alimentarius Lactobacillus aviaries Lactobacillus brevis Lactobacillus buchneri Lactobacillus casel ^(c) Lactobacillus cellobiosus Lactobacillus collinoides Lactobacillus coryniformis Lactobacillus crispatus Lactobacillus curvatus	Lactobacillus delbrueckii Lactobacillus dextrinicus ^(s) Lactobacillus diolivorans ⁽ⁱ⁾ Lactobacillus farciminis Lactobacillus gallinarum Lactobacillus gasseri Lactobacillus helveticus Lactobacillus hilgardii Lactobacillus johnsonii Lactobacillus kefiranofaciens Lactobacillus kefiri Lactobacillus mucosae	Lactobacillus panis Lactobacillus paracasei Lactobacillus paraplantarum Lactobacillus pentosus Lactobacillus pontis Lactobacillus reuteri Lactobacillus rhamnosus Lactobacillus sakei Lactobacillus sanfranciscensis			
Lactococcus lactis Leuconostoc citreum Leuconostoc lactis	Leuconostoc mesenteroides	Leuconostoc pseudomesenteroides			
Microbacterium imperiale ^(f)			QPS only applies when the species is used for enzyme production.		
Oenococcus oeni					
Pasteuria nishizawae(h)					
Pediococcus acidilactici	Pediococcus parvulus ⁽ⁱ⁾	Pediococcus pentosaceus			
Propionibacterium acidipropionici	Propionibacterium freudenreichii				
Streptococcus thermophilus					



Gram-positive spore-form	ming bacteria		
Bacillus			
Species		,	Qualifications ^(a)
Bacillus amyloliquefaciens Bacillus atrophaeus Bacillus clausii Bacillus coagulans	Bacillus fusiformis Bacillus lentus Bacillus licheniformis Bacillus megaterium	Bacillus mojavensis Bacillus pumilus Bacillus smithil ⁽ⁱ⁾ Bacillus subtilis	Absence of toxigenic activity.
Bacillus flexus ⁽ⁱ⁾ Geobacillus		Bacillus vallismortis	Absence of toxigenic
stearothermophilus			activity.
Gram-negative bacteria			
Species			Qualifications ^(a)
Gluconobacter oxydans			QPS only applies when the species is used for vitamin production.
Komagataeibacter sucrofermentans ^{(p),(q)} Xanthomonas campestris ^(g)			QPS applies for production purposes only. ⁽ⁿ⁾ QPS only applies when the species is used for the
•			production of xanthan gum.
Yeasts ^(e)			
Species			Qualifications
Candida cylindracea ^{f)}			QPS only applies when the species is used for enzyme production.
Debaryomyces hansenii			
Hanseniaspora uvarum			
Kluyveromyces lactis	Kluyveromyces marxianus		
Komagataella pastoris	Komagataella phaffi ⁽¹⁾		QPS only applies when the species is used for enzyme production.
Lindnera jadinii			QPS only applies when the species is used for enzyme production.
Ogataea angusta			QPS only applies when the species is used for enzyme production.
Saccharomyces bayanus	Saccharomyces cerevisiae ^(d)	Saccharomyces pastorianus	Absence of resistance to antimycotics used for medica treatment of yeast infections in cases where viable cells are added to the food or fee chain. In the case of <i>Saccharomycocerevisiae</i> this qualification applies for yeast strains able to grow above 37°C.
Schizosaccharomyces pombe			
Wickerhamomyces anomalus			QPS only applies when the species is used for enzyme production. Absence of resistance to antimycotics used for medicat treatment of yeast infections in cases where viable cells are added to the food or fee chain.



Xanthophyllomyces dendrorhous		
Yarrowia lipolytica ^(m)		QPS applies for production purposes only. (n)
Viruses		
Plant viruses		
Family		
Alphaflexiviridae	Potyviridae	
Insect viruses		
Family		
Baculoviridae		
Algae		
Euglena gracilis ^(r)		QPS applies for production purposes only. ⁽ⁿ⁾

QPS: Qualified Presumption of Safety.

A specific representative of a QPS proposed taxonomic unit, does not need to undergo a further safety assessment other than to satisfy the specified qualifications, if applicable. On the other hand, representatives of taxonomic units that fail to satisfy a qualification would be considered unfit for the QPS list and would remain subject to a full safety assessment, in the frame of a notification by the responsible EFSA Scientific Panel.

- (a): Generic qualification for all QPS bacterial taxonomic units: the strains should not harbour any acquired antimicrobial resistance genes to clinically relevant antimicrobials.
- (b): Brevibacterium lactofermentum is a synonym of Corynebacterium glutamicum.
- (c): The previously described species 'Lactobacillus zeae' has been included in the species Lactobacillus casei.
- (d): Saccharomyces cerevisiae, subtype boulardii is contraindicated for persons with fragile health, as well as for patients with a central venous catheter in place.
- (e): Yeast synonyms commonly used in the feed/food industry:
 - Debaryomyces hansenii- anamorph Candida famata;
 - Hanseniaspora uvarum- anamorph Kloeckera apiculata;
 - Kluyveromyces lactis- anamorph Candida spherica;
 - Kluyveromyces marxianus- anamorph Candida kefyr,
 - Komagataella pastoris- synonym Pichia pastoris,
 - Lindnera jadinii- synonyms Pichia jadinii, Hansenula jadinii, Torulopsis utilis, anamorph Candida utilis,
 - Ogataea angusta- synonym Pichia angusta;
 - Saccharomyces cerevisiae- synonym Saccharomyces boulardii;
 - Saccharomyces pastorianus- synonym Saccharomyces carlsbergensis;
 - Wickerhamomyces anomalus- synonyms Hansenula anomala, Pichia anomala, Saccharomyces anomalus, anamorph Candida pelliculosa;
 - Xanthophyllomyces dendrorhous- anamorph Phaffia rhodozyma.
- (f): Microorganisms recommended in the Panel Statement published in December 2014 (EFSA BIOHAZ Panel, 2014).
- (g): Microorganisms recommended in the Panel Statement published in June 2015 (EFSA BIOHAZ Panel, 2015a).
- (h): Microorganisms recommended in the Panel Statement published in December 2015 (EFSA BIOHAZ Panel, 2015b).
- (i): Microorganisms recommended in the Panel Statement published in July 2016 (EFSA BIOHAZ Panel, 2016).
- (j): Microorganisms recommended in the Panel Statement published in March 2017 (EFSA BIOHAZ Panel et al., 2017a).
- (k): Microorganisms recommended in the Panel Statement published in July 2017 (EFSA BIOHAZ Panel, 2017b).
- (I): Microorganisms recommended in the Panel Statement published in January 2018 (EFSA BIOHAZ Panel, 2018a).
- (m): Microorganisms recommended in the Panel Statement published in July 2018 (EFSA BIOHAZ Panel, 2018b).
- (n): The qualification 'for production purpose only' implies the absence of viable cells of the production organism in the final product and can also be applied for food and feed products based on microbial biomass.
- (o): Qualification that QPS only applies when the species is used for amino acid production was extended for *Corynebacterium glutamicum* to other production purposes in the Panel Statements published in January and July 2019 (EFSA BIOHAZ Panel, 2019a, b).
- (p): Basonym Acetobacter xylinus subsp. sucrofermentans.
- (q): Microorganisms recommended in the Panel Statement published in January 2019 (EFSA BIOHAZ Panel, 2019a).
- (r): Microorganism recommended in the Panel Statement published in July 2019 (EFSA BIOHAZ Panel, 2019b).
- (s): Lactobacillus dextrinicus (Coster and White 1964) Haakensen et al. 2009, comb. nov., previously Pediococcus dextrinicus (Coster and White 1964) Back 1978. Name change indicated in the Panel Statement published in July 2019 (EFSA BIOHAZ Panel, 2019b).

References

EFSA BIOHAZ Panel (EFSA Panel on Biological Hazards), 2014. Statement on the update of the list of QPS-recommended biological agents intentionally added to food or feed as notified to EFSA 1: Suitability of taxonomic units notified to EFSA until October 2014. EFSA Journal 2014;12(12):3938, 41 pp. https://doi.org/10.2903/j.efsa.2014.3938

EFSA BIOHAZ Panel (EFSA Panel on Biological Hazards), 2015a. Statement on the update of the list of QPS-recommended biological agents intentionally added to food or feed as notified to EFSA. 2:



- Suitability of taxonomic units notified to EFSA until March 2015. EFSA Journal 2015;13(6):4138, 29 pp. https://doi.org/10.2903/j.efsa.2015.4138
- EFSA BIOHAZ Panel (EFSA Panel on Biological Hazards), 2015b. Statement on the update of the list of QPS-recommended biological agents intentionally added to food or feed as notified to EFSA. 3: Suitability of taxonomic units notified to EFSA until September 2015. EFSA Journal 2015;13(12):4331, 25 pp. https://doi.org/10.2903/j.efsa.2015.4331
- EFSA BIOHAZ Panel (EFSA Panel on Biological Hazards), 2016. Statement on the update of the list of QPS-recommended biological agents intentionally added to food or feed as notified to EFSA 4: suitability of taxonomic units notified to EFSA until March 2016. EFSA Journal 2016;14(7):4522, 37 pp. https://doi.org/10.2903/j.efsa.2016.4522
- EFSA BIOHAZ Panel (EFSA Panel on Biological Hazards), Ricci A, Allende A, Bolton D, Chemaly M, Davies R, Girones R, Herman L, Koutsoumanis K, Roland L, Nørrung B, Robertson L, Ru G, Sanaa M, Simmons M, Skandamis P, Snary E, Speybroeck N, Ter Kuile B, Threlfall J, Wahlström H, Cocconcelli PS, Klein G, Prieto Maradona M, Querol A, Peixe L, Suarez JE, Sundh I, Vlak JM, Aguilera-Gómez M, Barizzone F, Brozzi R, Correia S, Heng L, Istace F, Lythgo C and Fernández Escámez PS, 2017a. Scientific Opinion on the update of the list of QPS-recommended biological agents intentionally added to food or feed as notified to EFSA. EFSA Journal 2017;15(3):4664, 177 pp. https://doi.org/10.2903/i.efsa.2017.4664
- EFSA BIOHAZ Panel (EFSA Panel on Biological Hazards), Ricci A, Allende A, Bolton D, Chemaly M, Davies R, Girones R, Koutsoumanis K, Lindqvist R, Nørrung B, Robertson L, Ru G, Fernandez Escamez PS, Sanaa M, Simmons M, Skandamis P, Snary E, Speybroeck N, Ter Kuile B, Threlfall J, Wahlström H, Cocconcelli PS, Peixe L, Maradona MP, Querol A, Suarez JE, Sundh I, Vlak J, Correia S and Herman L, 2017b. Statement on the update of the list of QPS-recommended biological agents intentionally added to food or feed as notified to EFSA 6: suitability of taxonomic units notified to EFSA until March 2017. EFSA Journal 2017;15(7):4884, 32 pp. https://doi.org/10.2903/j.efsa.2017.4884
- EFSA BIOHAZ Panel (EFSA Panel on Biological Hazards), Ricci A, Allende A, Bolton D, Chemaly M, Davies R, Fernández Escámez PS, Girones R, Koutsoumanis K, Lindqvist R, Nørrung B, Robertson L, Ru G, Sanaa M, Simmons M, Skandamis P, Snary E, Speybroeck N, Ter Kuile B, Threlfall J, Wahlström H, Cocconcelli PS, Peixe L, Maradona MP, Querol A, Suarez JE, Sundh I, Vlak J, Barizzone F, Correia S and Herman L, 2018a. Statement on the update of the list of QPS-recommended biological agents intentionally added to food or feed as notified to EFSA 7: Suitability of taxonomic units notified to EFSA until September 2017. EFSA Journal 2018;16(1):5131, 43 pp. https://doi.org/10.2903/j.efsa.2018.5131
- EFSA BIOHAZ Panel (EFSA Panel on Biological Hazards), Ricci A, Allende A, Bolton D, Chemaly M, Davies R, Fernández Escámez PS, Girones R, Koutsoumanis K, Lindqvist R, Nørrung B, Robertson L, Ru G, Sanaa M, Simmons M, Skandamis P, Snary E, Speybroeck N, Ter Kuile B, Threlfall J, Wahlström H, Cocconcelli PS, Peixe L, Maradona MP, Querol A, Suarez JE, Sundh I, Vlak J, Barizzone F, Correia S and Herman L, 2018b. Statement on the update of the list of QPS recommended biological agents intentionally added to food or feed as notified to EFSA 8: Suitability of taxonomic units notified to EFSA until March 2018. EFSA Journal 2018;16(7):5315, https://doi.org/10.2903/j.efsa.2018.5315
- EFSA BIOHAZ Panel (EFSA Panel on Biological Hazards), Koutsoumanis K, Allende A, Álvarez Ordóñez A, Bolton D, Bover-Cid S, Chemaly M, Davies R, Hilbert F, Lindqvist R, Nauta M, Peixe L, Ru G, Simmons M, Skandamis P, Suffredini E, Cocconcelli PS, Fernández Escámez PS, Maradona MP, Querol A, Suarez JE, Sundh I, Vlak J, Barizzone F, Correia S and Herman L, 2019a. Statement on the update of the list of QPS-recommended biological agents intentionally added to food or feed as notified to EFSA 9: suitability of taxonomic units notified to EFSA until September 2019. EFSA Journal 2019;17(1):5555, 46 pp. https://doi.org/10.2903/j.efsa.2019.5555
- EFSA BIOHAZ Panel (EFSA Panel on Biological Hazards), Koutsoumanis K, Allende A, Alvarez-Ordóñez A, Bolton D, Bover-Cid S, Chemaly M, Davies R, Hilbert F, Lindqvist R, Nauta M, Peixe L, Ru G, Simmons M, Skandamis P, Suffredini E, Cocconcelli PS, Fernández Escámez PS, Maradona MP, Querol A, Suarez JE, Sundh I, Vlak JM, Barizzone F, Correia S and Herman L, 2019b. Statement on the update of the list of QPS-recommended biological agents intentionally added to food or feed as notified to EFSA 10: Suitability of taxonomic units notified to EFSA until March 2019. EFSA Journal 2019;17(7):5753, 79 pp. https://doi.org/10.2903/j.efsa.2019.5753