

Karl Kraus contra ...


or

text contra action

Katharina Prager, Vanessa Hanneschläger, Ingo Börner
University of Graz, TEI conference and members' meeting 2019
September 18th, 2019

overview

- the project:
“Intertextuality in the Legal Papers of Karl Kraus. A Scholarly Digital Edition” (FWF project no. P 31138-G30)
- the historical situation:
 Karl Kraus and Oskar Samek in court
- the material:
 8000 pages of legal documents in the Vienna City Library
- the base to build on:
 Karl Kraus Online
- the problem:
 text/collection vs. action, or: document vs. event



the historical situation

- Karl Kraus (1874 - 1936), Austrian satirist, writer and publisher
- Oskar Samek (1889 - 1959), his (main) lawyer since 1921/22 (other lawyers who worked for Kraus: Botho Laserstein, Willy Katz, Johann Turnovsky, Max Hirschberg, Felix Gallia)
- ca. 200 (court) cases in Austria, Germany, Czechoslovakia (Kraus both as claimant and as defendant)
- delicts in the areas of media law, copyright law, breach of contract, blackmail, threat, and defamation suits, ...



Karl Kraus in court.

the material


- 4000 sheets of paper, collection today held at the Vienna City Library
- taken to exile by Oskar Samek where he started to prepare an edition of “Karl Kraus in court abroad” (unfinished)
- correspondences, newspaper articles, statements of claims, writs, verdicts, statements of costs, applications, requests, notes, ...
- material returned to Vienna in 1959, re-arranged by Katharina Prager in 2012ff, scanned and prepared for *Karl Kraus Online* (2017)



The material in its boxes in the Vienna City Library.

the base to build on

- an “anti-biographical” research platform (Prager 2017)
- three “roles” of the subject Karl Kraus:
The reader, the wrongly cited, **the legal subject**
- the data model:
“In order to enable this user-specific construction of the subject, it has to be broken down into its smallest units. For this purpose, four categories were defined as essential building blocks of life narratives: **events**, objects, individuals and institutions.”
(Hanneschläger/Prager 2015)



<https://www.kraus.wienbibliothek.at/>



Anzeige von Karl Kraus an Staats- x +

Not secure | kraus.wienbibliothek.at/content/anzeige-von-karl-kraus-staatsanwaltschaft-gegen-die-stunde-wege...

Apps Outlook redmine DARIAH Wiki ACDH-ÖAW Zeiterfassung ceawCloud DH resources minerva django-localhost

KARL KRAUS ONLINE

Ludwig Boltzmann Institut
Geschichte und Theorie der Biographie

Wienbibliothek
der ÖAW

[Grundlagen und Benutzung](#)

DER VORLESER
DIE RECHTSPERSON
DER FALSCH ZITIERTEN

[Alle Personen](#)

[Alle Institutionen](#)

["Zitat gefällig?"](#) | [Impressum](#)
[Danke](#) | [Kontakt](#) | [Links und Aktuelles](#)

ANZEIGE VON KARL KRAUS AN STAATSANWALTSCHAFT GEGEN DIE STUNDE WEGEN INSERATENERPRESSUNG IM BANKHAUS KUX, BLOCH & CO

Wien
26.07.1926 - 13.08.1926

[41.] Josef Jelinek (vgl. Akt 40) brachte Friedrich Austerlitz und Karl Kraus noch weitere Erpressungen durch die Inseratenabteilung des Kronos-Verlages zur Kenntnis. So hatte Administrationsdirektor Forda auch das Bankhaus Kux, Bloch & Co. unter Druck gesetzt. Als dieses aber kein Inserat schaltete, wurde es in der Stunde wiederholt heftig angegriffen. Wiederum erstattete Kraus in Zusammenarbeit mit Friedrich Austerlitz und Oskar Samek Anzeige bei der Staatsanwaltschaft. Im Juli 1926 musste Békassy unter dem Druck der sich häufenden Vorwürfe und aufgrund einer ihm drohenden Anklage wegen Erpressung Wien (mehr oder weniger heimlich) verlassen.

Verbundene Personen:
[Oskar Samek](#)
[Friedrich Austerlitz](#)
[Josef Jelinek](#)

Verbundene Institutionen:
[Bankhaus Kux, Bloch & Co.](#)

Verbundene Objekte:
[Brief Josef Jelinek an Friedrich Austerlitz](#)
[Anzeige von Samek an die Staatsanwaltschaft beim Straflandessgericht I in Wien](#)
[Beil.: Originalmappe Oskar Samek - Akt 41](#)
[Beil.: Aktenvermerk Oskar Samek - Akt 41](#)

**Verbundene Personen:**

Oskar Samek

Friedrich Austerlitz

Josef Jellinek

**Verbundene Institutionen:**

Bankhaus Kux, Bloch & Co.

**Verbundene Objekte:**

Brief Josef Jellinek an Friedrich Austerlitz

Anzeige von Samek an die Staatsanwaltschaft beim Straflandesgericht I in Wien

Beil.: Originalmappe Oskar Samek - Akt 41

Beil.: Aktenvermerk Oskar Samek - Akt 41

**Verbundene Personen:**

Oskar Samek

Friedrich Austerlitz

Josef Jellinek

**Verbundene Institutionen:**

Bankhaus Kux, Bloch & Co.

**Verbundene Objekte:**

Brief Josef Jellinek an Friedrich Austerlitz

Anzeige von Samek an die Staatsanwaltschaft beim Straflandesgericht I in
Wien

Beil.: Originalmappe Oskar Samek - Akt 41

Beil.: Aktenvermerk Oskar Samek - Akt 41


classification of documents

- external SKOS taxonomy *legalkraus-doctypes*
- URI of skos:Concept is used in @target of <catRef>


```
<profileDesc>
  <textClass>
    <catRef
      target="https://vocabs.acdh.oeaw.ac.at/legalkraus-doctypes/v1.0/D.J.PKG"/>
    </textClass>
</profileDesc>
```

The screenshot shows the Vocabs web interface. The top navigation bar includes 'About', 'Editor', 'SPARQL', 'API', and 'Help'. The interface language is set to 'Deutsch'. The main heading is 'legalkraus Dokumenttypen'. A search bar is present with the text 'Content language: Deutsch'. Below the heading, there are tabs for 'A-Z', 'Hierarchy', 'Groups', and 'New'. The 'Hierarchy' tab is active, showing a tree structure of document types. The selected path is 'Dokument > Juristisches Dokument > Anzeige > Klage > Privatanklage'. The details for 'Privatanklage' are displayed, including the preferred term 'Privatanklage', a broader concept 'Klage', the URI 'https://vocabs.acdh.oeaw.ac.at/legalkraus-doctypes/v1.0/D.J.PKG', and download options for RDF/XML, Turtle, and JSON-LD.

event vs. document



collection: the missing link?



`<teiCorpus>` (or nesting `<TEI>`) as a container for documents and metadata (e.g. on events)?

can we use <event>?



Home Guidelines Activities Tools Membership Support About News

P5 Guidelines — English Search

P5: Guidelines for Electronic Text Encoding and Interchange

Version 3.6.0. Last updated on 16th July 2019, revision daa3cc0b9

<event>

Home
C Elements

<event> contains data relating to any kind of significant event associated with a person, place, or organization. [[13.3.1 Basic Principles](#)]

Module	namesdates — Names, Dates, People, and Places
Attributes	<p>att_global (@xml:id, @n, @xml:lang, @xml:base, @xml:space) (att_global_rendition (@rend, @style, @rendition)) (att_global_linking (@corresp, @synch, @sameAs, @copyOf, @next, @prev, @exclude, @select)) (att_global_analytic (@ana)) (att_global_facs (@facs)) (att_global_change (@change)) (att_global_responsibility (@cert, @resp)) (att_global_source (@source)) att_datable (@calendar, @period) (att_datable_w3c (@when, @notBefore, @notAfter, @from, @to)) (att_datable_iso (@when-iso, @notBefore-iso, @notAfter-iso, @from-iso, @to-iso)) (att_datable_custom (@when-custom, @notBefore-custom, @notAfter-custom, @from-custom, @to-custom, @datingPoint, @datingMethod)) att_editLike (@evidence, @instant) att_typed (@type, @subtype) att_naming (@role, @nymRef) (att_canonical (@key, @ref)) att_sortable (@sortKey)</p> <p>@where ¶ Indicates the location of an event by pointing to a place element</p> <p>Status Optional</p> <p>Datatype teidata_pointer</p>
Member of	model_eventLike
Contained by	namesdates: event listEvent org person personGrp persona place

13.3.2.2 Personal Events

```
<event type="birth" resp="#XYZ" cert="high">
  <p>Born in <name type="place">Brixton</name> on 8 January
    1947.</p>
</event>
<event type="birth" resp="#ABC" cert="low">
  <p>Born in <name type="place">Berkhamsted</name> on 9
    January
    1947.</p>
</event>
```

13.3.4.3 States, Traits, and Events

```
<event type="meeting" when="2007-05-29">
  <desc>All day meeting to resolve content models</desc>
  <event type="preamble" notAfter="13:00:00">
    <desc>first part</desc>
  </event>
  <event type="conclusions"
    notBefore="13:00:00">
    <desc>second part</desc>
  </event>
</event>
```

<https://tei-c.org/release/doc/tei-p5-doc/en/html/examples-event.html>

where and how to encode the lawsuit-`<event>`?

... in the `<teiHeader>` of the collection,

but:

- in `<profileDesc>` in a *list* like `<listPerson>` in `<particDesc>`?
- in a random `<note>` ??
- in a `<text>`-element in `<teiCorpus>`, containing additional metadata (e.g. the short description of the case like in *Kraus Online*)?
- in `<sourceDesc>`, thus stating, that the event is the/a “source” of the collection?



<listEvent> in <sourceDesc>?

<sourceDesc>

<sourceDesc> (source description) describes the source from which an electronic text was derived or generated, typically a bibliographic description in the case of a digitized text, or a phrase such as "born digital" for a text which has no previous existence. [\[2.2.7 The Source Description\]](#)

Module	header — The TEI Header
Attributes	att.global (@xml:id, @n, @xml:lang, @xml:base, @xml:space) (att.global.rendition (@rend, @style, @rendition)) (att.global.linking (@corresp, @synch, @sameAs, @copyOf, @next, @prev, @exclude, @select)) (att.global.analytic (@ana)) (att.global.facs (@facs)) (att.global.change (@change)) (att.global.responsibility (@cert, @resp)) (att.global.source (@source)) att.declarable (@default)
Contained by	header: biblFull fileDesc
May contain	core: bibl biblStruct list listBibl p figures: table header: biblFull linking: ab msdescription: msDesc namesdates: listEvent listNym listObject listOrg listPerson listPlace listRelation spoken: recordingStmt scriptStmt textcrit: listApp listWit

"<sourceDesc> (source description) describes the source from which an electronic text was derived or generated, typically a bibliographic description in the case of a digitized text, or a phrase such as "born digital" for a text which has no previous existence."

Content model allows <listEvent> in <sourceDesc>

May contain

core: [bibl](#) [biblStruct](#) [list](#) [listBibl](#) [p](#)
figures: [table](#)
header: [biblFull](#)
linking: [ab](#)
msdescription: [msDesc](#)
namesdates: [listEvent](#) [listNym](#) [listObject](#) [listOrg](#) [listPerson](#) [listPlace](#) [listRelation](#)
spoken: [recordingStmt](#) [scriptStmt](#)
textcrit: [listApp](#) [listWit](#)

**Verbundene Personen:**

Oskar Samek

Friedrich Austerlitz

Josef Jellinek

**Verbundene Institutionen:**

Bankhaus Kux, Bloch & Co.


**Verbundene Objekte:**


Brief Josef Jellinek an Friedrich Austerlitz

Anzeige von Samek an die Staatsanwaltschaft beim Straflandesgericht I in Wien

Beil.: Originalmappe Oskar Samek - Akt 41

Beil.: Aktenvermerk Oskar Samek - Akt 41





how and where to encode the relations?

- TEI-XML represents relations primarily by nesting elements vs. relational data model of *Kraus Online*
- use `<relation>` and its special set of attributes `@active`, `@passive`, ... to express the linking between documents, events and entities?
- use an external taxonomy / maybe even ontology to classify relations?
- or: use “real” RDF in `<xenData>`?

`<relation>`

```
<relation type="CRM"  
  name="P89_falls_within"  
  active="http://id.clarosnet.org/places/metamorphoses/place/italy-orvieto"  
  passive="http://id.clarosnet.org/places/metamorphoses/country/IT" />
```

relations of person and events

```
<listEvent>
  <event xml:id="event1" from-iso="1922-11-29" to-iso="1923-03-14">
    <desc>Karl Kraus ca. Reichspost</desc>
  </event>
</listEvent>
<listRelation>
  <relation active="#person1" passive="#event1" name="is_plaintiff"/>
  <relation active="#person2" passive="#event1" name="is_defendant"/>
  <relation active="#person3" passive="#event1" name="is_witness"/>
</listRelation>
```

references

thank you!

Vanessa Hanneschläger <vanessa.hanneschlaeger@oeaw.ac.at>
 Ingo Börner <ingo.boerner@oeaw.ac.at> @ingoboerner

<https://acdh.oeaw.ac.at/>

- Vanessa Hanneschläger. “Retro-editing”: The edition of an edition of the Karl Kraus legal papers. Poster at DATeCH2019 Brussels [8-10 May 2019]. Zenodo 2019. <http://doi.org/10.5281/zenodo.2682662>
- Vanessa Hanneschläger, Peter Andorfer. I Want it All, I Want it Now. Literature researcher meets programmer. In Steven Krauwer, Darja Fišer (Eds.). Twin Talks at DHN2019: Understanding Collaboration in DH. Proceedings. Copenhagen 2019. URL: <https://cst.dk/DHN2019Pro/TwinTalksWorkshopProceedings.pdf>
- Vanessa Hanneschläger, Katharina Prager. Ernst Jandl and Karl Kraus - Two Lives in Bits and Pieces. In Serge ter-Braake et al. (Eds.). Biographical Data in a Digital World 2015. CEUR workshop proceedings Vol. 1399. Amsterdam 2015. <http://ceur-ws.org/Vol-1399/>
- Katharina Prager. „Einer, der’s gut mit mir meint, vermißte meine Biographie“. Anti/Biographische Affekte um Karl Kraus. In BIOS 1+2 (2015), 266-280. [doi:10.3224/bios.v28i1-2.15](https://doi.org/10.3224/bios.v28i1-2.15)
- Georg Vogeler. The ‘assertive edition’ : On the consequences of digital methods in scholarly editing for historians. In International Journal of Digital Humanities 1,2 (2019), 309-322. [doi:10.1007/s42803-019-00025-5](https://doi.org/10.1007/s42803-019-00025-5)

Appendix



example of skos:Concept

The screenshot shows the 'Vocabs' website interface. The main content area is titled 'legalkraus Dokumenttypen'. On the left, there is a tree view of document types under 'Juristisches Dokument', with 'Privatanklage' expanded. On the right, a detailed view for 'Privatanklage' is shown, including its preferred term, broader concept (Klage), URI, and download options.

```
<!-- Privatanklage -->
```

```
<skos:Concept
```

```
  rdf:about="https://vocabs.acdh.oeaw.ac.at/legalkraus-doctypes/v1.0/D.J.PKG">
```

```
    <skos:prefLabel xml:lang="de">Privatanklage</skos:prefLabel>
```

```
    <skos:broader
```

```
  rdf:resource="https://vocabs.acdh.oeaw.ac.at/legalkraus-doctypes/v1.0/D.J.KLG"/>
```

```
  <!-- = Klage -->
```

```
    <skos:inScheme
```

```
  rdf:resource="https://vocabs.acdh.oeaw.ac.at/legalkraus-doctypes/v1.0/">
```

```
</skos:Concept>
```

legalkraus Dokumenttypen

Content language

Deutsch ▾



Search

A-Z

Hierarchy

Groups

New

- └─ Dokument
 - └─ Juristisches Dokument
 - └─ Akt
 - └─ Aktenvermerk
 - └─ Anklage
 - └─ Ansuchen
 - └─ Anzeige
 - └─ Klage
 - └─ **Privatanklage**
 - └─ Sachverhaltsdarstellung
 - └─ Strafantrag
 - └─ Strafanzeige
 - └─ Auftrag
 - └─ Begründung
 - └─ Bericht
 - └─ Berufung
 - └─ Beweis
 - └─ Entscheidung
 - └─ Erhebung
 - └─ Erklärung
 - └─ Mitteilung
 - └─ Protokoll
 - └─ Richtigstellung
 - └─ Termin
 - └─ Vereinbarung

Dokument > Juristisches Dokument > Anzeige > Klage > Privatanklage

PREFERRED TERM

Privatanklage

BROADER CONCEPT

[Klage](#)

URI

<https://vocabs.acdh.oeaw.ac.at/legalkraus-doctypes/v1.0/D.J.PKG>

Download this concept:

[RDF/XML](#)
[TURTLE](#)
[JSON-LD](#)