BIOICE sample list - Benthic Invertebrates of Icelandic Waters

Cruise Sample ID	Station no.	Samaline Gear method	Depth 1 (m)	Depth 2 (m)	Bottom temp. (C°)	Salinity (‰)	Sulphur smell	Latitude at start of tow deg.	min	sec.	Longitude at start of tow deg.	min	sec.	Latitude at end of tow deg.	min	sec.	Longitude at end of tow deg.	min	sec.	Decimal dearees start of tow Latitude	Longitude	Samaline year	Samaline month	Samaline day	Samaline Local time 1	Samaline Local time 2	Volume sieved (liters)	Volume sieved (liters)	Volume picked (l)	Substrate description	Remark on sample
2000 HM-1-91	1	RP sledge	26	26	6			65	21	21	-13	47	63	65	21	19	-13	47	20	65,3558	-13,8008	1991	7	19	17:55	18:05	NA	NA	NA	Fine organic silt	A lot of algae (Laminaria,Desmarestia)
2001 HM-1-91	1	detr. sledge (Sneli)	26	27	6			65	21	19	-13	47	61	65	21	18	-13	47	17	65,3553	-13,8003	1991	7	19	18:24	18:34	NA	NA	NA	Fine organic silt	Myas arenosa + Arctica islandica+algae(Laminaria,Desmarestia)
2002 HM-1-91	2	detr. sledge (Sneli)	65	68	5,17			65	20	95	-13	36	60	65	20	91	-13	35	95	65,3597	-13,6167	1991	7	19	19:25	19:35	NA	NA	NA		A lot of Neptunea, Pagurus pubescens og pycnogonida
2003 HM-1-91	2	RP sledge	64	68	5,17			65	20	98	-13	36	57	65	20	89	-13	35	92	65,3606	-13,6158	1991	7	19	19:56	20:06	NA	NA	NA	Soft sediment	A lot of amphipoda
2004 HM-1-91	3	RP sledge	177	173	2,8			65	20	81	-13	19	63	65	20	79	-13	18	30	65,3558	-13,3342	1991	7	19	21:28	21:48	NA	NA	NA	Soft sediment	Echinoderms and small crustaceans
2005 HM-1-91	3	detr. sledge (Sneli)	171	171	2,8			65	20	88	-13	18	64	65	20	90	-13	19	65	65,3578	-13,3178	1991	7	19	22:26	22:41	NA	NA	NA	Sandy silt + 3 stones	Sledge 3/4 full - material sieved through 5 and 1 mm sieves
2006 HM-1-91	4	detr. sledge (Sneli)	222	228	2,8			65	20	86	-12	57	46	65	20	90	-12	56	98	65,3572	-12,9628	1991	7	20	00:15	00:25	NA	NA	NA	Fine silt	Sledge 1/2 full. Tow rough (no stones, however) therefore haul short
2007 HM-1-91	5	detr. sledge (Sneli)	322	324	0,17			65	24	99	-11	43	41	65	24	97	-11	42	61	65,4275	-11,7281	1991	7	20	03:35	03:49	NA	NA	NA	Gravel and small stones	Sample small. Few sponges and ophiuroids.
2008 HM-1-91	6	RP sledge	320	321	0,17			65	25	0	-11	43	18	65	25	0	-11	43	18	65,4167	-11,7325	1991	7	20	05:08	05:21	NA	NA	NA	Hard bottom	Small sample, sledge up side down
2009 HM-1-91	7	detr. sledge (Sneli)	611	626	-0,36			65	29	92	-11	23	16	65	30	29	-11	23	43	65,5089	-11,3878	1991	7	20	07:20	07:58	NA	NA	NA	Silty sand, few stones	Sledge 3/4 full. Many small sponges (rapiscules) and crinoides.
2010 HM-1-91	7	RP sledge	619	639	-0,36			65	30	22	-11	23	45	65	30	72	-11	23	70	65,5061	-11,3958	1991	7	20	09:46	10:06	NA	NA	NA		Scleroczrangon, sponges, echinoderms, molluscs.
2011 HM-1-91	8	RP sledge	768	755	-0,42			65	35	1	-11	16	77	65	34	60	-11	17	45	65,5836	-11,2881	1991	7	20	12:13	12:31	NA	NA	NA		Bathylysianax vesiifer (x4), Umbellula (x1), Pontaster tenuispinus, Hymenaster pellucidus (x3), Pourtalesia jeffreysi (7) (x2), holothurioids (Molpadiidae x1), Bythocaris payeri
2012 HM-1-91	8	detr. sledge (Sneli)	769	779	-0,42			65	35	8	-11	16	62	65	35	54	-11	15	81	65,5856	-11,2839	1991	7	20	13:12	13:45	NA	NA	NA		Umbellula (x3 - 164 cm, 177 cm and 190 cm long)
2013 HM-1-91	9	detr. sledge (Sneli)	996	990	-0,41			65	42	39	-10	57	78	65	42	8	-10	58	38	65,7108	-10,9717	1991	7	20	16:05	16:55	0,5	NA	NA		Small sample. Sledge probably not reached bottom. Priapulides (x5 are with Jone-Arne Sneli)
2014 HM-1-91	10	RP sledge	978	970	-0,41			65	41	43	-10	59	98	65	41	2	-11	1	30	65,6953	-11,0106	1991	7	20	20:16	20:23	30,0	NA	NA	Brown sandy silt mixed with foramin	Ca. 10 l decantated, ca. 20 l sieved through 5 and 1 mm sieves.
2015 HM-1-91	11	RP sledge	1195	1191	-0,79			65	59	7	-10	43	91	65	58	58	-10	44	18	65,9853	-10,7419	1991	7	21	00:40	02:20	NA	NA	NA		Small sample. Bythocaris.
2016 HM-1-91	11	detr. sledge (Sneli)	1211	1207	-0,79			66	0	67	-10	42	90	66	0	20	-10	43	1	66,0186	-10,725	1991	7	21	05:10	05:30	0,5	NA	NA		Small sample
2017 HM-1-91	12	detr. sledge (Sneli)	1395	1399	-0,82			66	29	92	-11	33	40	66	30	34	-11	33	29	66,5089	-11,2278	1991	7	21	10:50	12:25	NA	NA	NA		Small sample. Sample washed out?
2018 HM-1-91	12	RP sledge	1390	1415	-0,82			66	33	97	-11	33	49	66	34	36	-11	33	60	66,5769	-11,2303	1991	7	21	13:54	15:31	100,0	NA	NA		10 liters decantated. 90 liters sieved through 1 mm sieve.
2019 HM-1-91	13	RP sledge	1253	1268	-0,86			66	33	17	-12	31	56	66	33	49	-12	31	28	66,5547	-12,1989	1991	7	21	21:45	22:06	15,0	NA	NA	Soft bottom	
2020 HM-1-91	14	detr. sledge (Sneli)	1314	1326	-0,86			66	37	40	-12	8	75	66	37	30	-12	8	26	66,6278	-12,1542	1991	7	22	01:17	01:45	2,0	NA	NA		Gear half full. Umbellula (x1- 184 cm long)
2021 HM-1-91	15	detr. sledge (Sneli)	1018	962	-0,85			66	38	29	-12	35	31	66	38	57	-12	34	70	66,6414	-12,5919	1991	7	22	06:50	07:10	NA	NA	NA	Silty sand with stones	Gear half full. Umbellula (x1- 184 cm long)
2022 HM-1-91	16	Triangle dredge	325	315	1,3			66	36	69	-12	43	32	66	36	51	-12	43	72	66,6192	-12,7256	1991	7	22	10:17	10:23	NA	NA	NA	Relatively hard substrate mixed wit	Many sponges (kept by Anne Kristjaanell) and bryozoans.
2023 HM-1-91	17	detr. sledge (Sneli)	294	306	1,41			66	33	23	-13	15	26	66	32	94	-13	15	67	66,5564	-13,2572	1991	7	22	12:08	12:21	NA	NA	NA	Silty gravel and stones	b
2024 HM-1-91	18	RP sledge	317	320	1,41			66	32	22	-13	17	0	66	31	73	-13	17	70	66,5394	-13,2833	1991	7	22	13:21	13:43	0,5	NA	NA		Sample includes plankton
2025 HM-1-91	19	RP sledge	781	783	-0,54			67	0	77	-13	12	8	67	1	7	-13	12	79	67,0214	-13,5356	1991	7	22	18:25	18:45	40,0	NA	NA		Scleroczrangon ferox, Lebbeus 7 polaris, Colossendeis proboscidea, Munnopsurus gigantenus. Sponges.
2026 HM-1-91	19	detr. sledge (Sneli)	783	782	-0,5			67	1	3	-13	32	57	67	0	70	-13	31	80	67,0175	-13,5492	1991	7	22	20:46	21:06	NA	NA	NA	Silty gravel	Sledge 3/4 full
2027 HM-1-91	20	RP sledge	1648	1643	-0,76			67	11	82	-13	20	58	67	11	38	-13	20	57	67,2061	-13,3494	1991	7	23	00:00	02:15	10,0	NA	NA		Temperature at 1458 m depth was -0.76 - bottom temp. ca. -0.82
2028 HM-1-91	21	detr. sledge (Sneli)	903	907	-0,56			67	2	35	-13	25	5	67	2	61	-13	25	45	67,0451	-13,4181	1991	7	23	07:16	07:36	NA	NA	NA	Silty gravel with few stones	Sampler 3/4 full.
2029 HM-1-91	21	RP sledge	931	929	-0,56			67	3	29	-13	25	26	67	2	94	-13	24	47	67,0581	-13,4219	1991	7	23	10:40	11:00	1,0	NA	NA		
2030 HM-1-91	22	RP sledge	831	829	-0,55			67	0	29	-13	25	85	67	0	49	-13	26	70	67,0081	-13,4403	1991	7	23	12:55	13:15	50,0	NA	NA		10 liters decantated, 40 l sieved through 5 mm sieves.
2031 HM-1-91	22	detr. sledge (Sneli)	833	833	-0,55			67	0	25	-13	25	44	66	59	99	-13	24	70	67,0069	-13,4289	1991	7	23	15:08	15:28	NA	NA	NA	Sledge almost full. 1/5 of sample sieved	Sledge almost full. 1/5 of sample sieved
2032 HM-1-91	23	detr. sledge (Sneli)	564	560	-0,54			66	54	75	-13	28	26	66	54	79	-13	29	67	66,9208	-13,4739	1991	7	23	18:10	18:30	NA	NA	NA		rocky substrat
2033 HM-1-91	23	RP sledge	552	561	-0,54			66	54	81	-13	30	65	66	54	70	-13	29	47	66,9225	-13,5181	1991	7	23	19:52	20:12	50,0	NA	NA		10 liters decantated, 40 l sieved through 5 mm sieve.
2034 HM-1-91	24	RP sledge	453	450	-0,39			66	53	26	-13	31	32	66	53	47	-13	32	27	66,8906	-13,5256	1991	7	23	22:12	22:32	15,0	NA	NA		
2035 HM-1-91	24	detr. sledge (Sneli)	451	448	-0,39			66	53	40	-13	32	3	66	53	16	-13	31	19	66,8944	-13,5342	1991	7	23	23:47	00:07	NA	NA	NA	Silty gravel	Sledge full of sediment.
2036 HM-1-91	25	Triangle dredge	146	150	2,65			66	41	15	-13	44	95	66	41	5	-13	45	17	66,6875	-13,7507	1991	7	24	02:31	02:36	NA	NA	NA	Gravel and stones.	
2037 HM-1-91	26	Triangle dredge	146	146	2,67			66	38	5	-13	48	28	66	37	88	-13	48	53	66,6347	-13,8078	1991	7	24	03:40	03:50	NA	NA	NA	Gravel and stones	
2038 HM-1-91	27	Triangle dredge	135	135	2,68			66	33	47	-13	52	35	66	33	29	-13	52	12	66,5631	-13,8764	1991	7	24	05:20	05:30	NA	NA	NA		Hole in the net. Few animals.
2039 HM-1-91	28	detr. sledge (Sneli)	326	318	1,3			66	21	82	-13	26	43	66	21	55	-13	27	69	66,3728	-13,4453	1991	7	24	07:55	08:15	NA	NA	NA	Fine silt	Sledge half full.
2040 HM-1-91	28	RP sledge	310	304	1,3			66	21	53	-13	28	68	66	21	82	-13	27	27	66,3647	-13,4856	1991	7	24	09:26	09:46	10,0	NA	NA		10 liters decantated, 20 l sieved through 5 and 1 mm sieves.
2041 HM-1-91	29	RP sledge	129	131	2,8			65	48	61	-14	34	1	65	49	0	-14	33	62	65,8169	-14,5669	1991	7	24	17:14	17:34	13,0	NA	NA		Rich sample of crustacea. Ctenodiscus crispatus (x2), Pandalus borealis, Sabinea septemcarinata
2042 HM-1-91	30	detr. sledge (Sneli)	105	97	3,1			65	49	56	-14	32	4	65	49	85	-14	32	25	65,8322	-14,5594	1991	7	24	18:03	00:00	NA	NA	NA		Sledge came up on safety wire.
2043 HM-1-91	31	Triangle dredge	63	28	2,9			65	46	80	-14	13	18	65	46	90	-14	13	69	65,7889	-14,2217	1991	7	24	20:16	00:00	NA	NA	NA		
2044 HM-1-91	32	detr. sledge (Sneli)	109	114	2,9			65	43	54	-14	13	80	65	43	74	-14	13	74	65,7317	-14,2389	1991	7	24	21:53	22:03	NA	NA	NA	Fine silt.	Sledge 3/4 full. Sample dominated by polychaeta and amphipods
2045 HM-1-91	33	detr. sledge (Sneli)	229	231	2,6			65	46	45	-13	37	80	65	46	43	-13	36	51	65,7792	-13,6722	1991	7	24	23:06	23:26	NA	NA	NA	Very fine silt.	Sledge 3/4 full. Sample dominated by polychaeta and echinoderms
2046 HM-1-91	33	RP sledge	236	214	2,6			65	46	41	-13	52	82	65	46	42	-13	51	42	65,7781	-13,8894	1991	7	25	00:10	00:30	NA	NA	NA	Silt (soft).	Very good sample of animals.
2047 HM-1-91	34	RP sledge	272	273	1,96			65	42	9	-12	52	60	65	42	18	-12	53	89	65,7025	-12,8833	1991	7	25	03:57	04:17	10,0	NA	NA		Good sample
2048 HM-1-91	34	detr. sledge (Sneli)	275	274	1,96			65	42	15	-12	54	19	65	42	8	-12	53	38	65,7042	-12,9108	1991	7	25	05:14	05:34	NA	NA	NA	Silt (soft).	Sledge almost full. 1/4 of material sieved
2049 HM-1-91	35	RP sledge	247	247	1,2			65	39	11	-12	20	90	65	39	20	-12	22	5	65,6531	-12,5583	1991	7	25	07:45	08:05	20,0	NA	NA		10 liters decantad. 10 l through 5 and 1 mm sieves.
2050 HM-1-91	35	detr. sledge (Sneli)	249	250	1,2			65	38	89	-12	24	36	65	38	57	-12	25	17	65,6581	-12,41	1991	7	25	08:57	09:17	NA	NA	NA	Very soft bottom	Sledge 3/4 full
2051 HM-1-91	36	detr. sledge (Sneli)	128	126	2,6			65	30	95	-12	53	5	65	30	54	-12	53	89	65,5264	-12,8847	1991	7	25	11:02	11:22	NA	NA	NA	Gravel and stones	Sledge full.
2052 HM-1-91	37	Triangle dredge	78	52				65	22	32	-13	31	9	65	22	30	-13	30	60	65,3756	-13,5192	1991	7	25	13:33	14:15	NA	NA	NA	Very hard bottom	Sample consist of 3 hauls, small sample in all. Hydroids, sponges, pycnogonids, bryozoans etc.
2053 HM-1-91	38	RP sledge	82	83	4,1			65	18	1	-14	27		65	17	98	-13	44	96	65,3003	-13,7408	1991	7	25	15:20	15:20	NA	NA	NA		
2054 HM-1-91	38	detr. sledge (Sneli)	83	83	4,1			65	17	91	-13	45	12	65	17	94	-13	44	68	65,3086	-13,7533	1991	7	25	15:35	15:45	NA	NA	NA		
2055 HM-1-92	30	Shipek grab	417		0,58	34,83		66	43	56	-18	57	20							66,7322	-18,9556	1992	7	8	13:33	00:00	NA	NA	NA		
2056 HM-1-92	52	detr. sledge (Sneli)	120	108	5,25	34,26	no	66	17	4	-18	48	85	66	17	13	-18	49	64	66,2844	-18,8216	1992	7	10	13:16	13:30	60,0	NA	NA	Few stones, hard bottom.	Gear came up on the safety wire. However, sample good - rich in sponges.
2057 HM-1-92	1	detr. sledge (Sneli)	243	244				66	27	30	-16	52	86	66	27	63	-16	52	4	66,4583	-16,8906	1992	7	2	01:14	01:48	NA	NA	NA		
2058 HM-1-92	1	RP sledge	244	242				66	27	64	-16	52	4	66	26	26	-16	53	67	66,4679	-16,8878	1992	7	2	02:24	02:44	NA	NA	NA		
2059 HM-1-92	1	Agassiz trawl	243	243				66	27	29	-16	54	7	66	27	55	-16	53	61	66,4581	-16,9019	1992	7	2	03:19	03:34	NA	NA	NA		
2060 HM-1-92	2	detr. sledge (Sneli)	48	46			no	66	0	61	-17	31	78	66	0	55	-17	31	13	66,0169	-17,5383	1992	7	2	12:53	13:03	10,0	NA	NA	Soft	Arctica shells (small) + Asterias rubens (many)
2061 HM-1-92	2	RP sledge	49	50			no	66	0	63	-17	32	11	66	0	65	-17	32	87	66,0175	-17,5375	1992	7	2	13:35	13:45	NA	NA	NA	Soft	Organic material in sediment
2062 HM-1-92	3	RP sledge	104	103	5,4	34,69		66	2	33	-17	32	21	66	2	40	-17	31	78	66,0425	-17,5392	1992	7	2	14:28	14:37	NA	NA	NA		
2063 HM-1-92	3	Shipek grab	104		5,4	34,69		66	2	47	-17	31	11							66,0464	-17,5197	1992	7	2	14:53	00:00	NA	NA	NA	Mud	
2064 HM-1-92	3	detr. sledge (Sneli)	102	102	5,4	34,69	no	66	2	28	-17	32	42	66	2	30	-17	32	91	66,0411	-17,545	1992	7	2	15:15	15:25	NA	NA	NA	Mud	Polychaeta tubes (many)
2065 HM-1-92	4	detr. sledge (Sneli)	198	198	3,8	34,85		66	8	91	-17	35	85	66	9	9	-17	35	58	66,1586	-17,6069	1992	7	2	16:49	16:59	NA	NA	NA	Mud	
2066 HM-1-92	4	Shipek grab	199		3,8	34,85		66	9	29	-17	35	30							66,1581	-17,5917	1992	7	2	17:20	00:00	NA	NA	NA	Mud	
2067 HM-1-92	4	RP sledge	196	202	3,8	34,85		66	8	60	-17	36	42	66	8	34	-17	36	88	66,15	-17,6117	1992	7	2	17:51	18:01	NA	NA	NA		
2068 HM-1-92	5	Triangle dredge	73	69	6	34,6	no	66	11	0	-17	45	80	66	11	10	-17	45	90	66,1833	-17,7722	1992	7	2	20:54	20:58	0,0	NA	NA	Hard bottom	Safety on dredge broke. Very small sample
2069 HM-1-92	6	detr. sledge (Sneli)	485	486	0,52	34,8	no	66	34	15	-17	43	48	66	33	88	-17	44	10	66,5708	-17,73	1992	7	3	01:10	01:25	150,0	NA	NA	Mud	Most of the sediment went through the 1 mm sieve. Sponge spicules. Sediment sample taken for geologist.
2070 HM-1-92	6	RP sledge	489	485	0,52	34,8	no	66	34	36	-17	43	93	66	34	52	-17	43	23	66,5711	-17,7425	1992	7	3	02:58	03:18	8,0	NA	NA	Mud	Dense sample of Polychaeta and Arca sp.
2071 HM-1-92	7	Triangle dredge	104	99	2,71	34,86		66	39	65	-17	56	17	66	39	64	-17	55	97	66,6681	-17,9381	1992	7	3	05:12	05:16	NA	NA	NA		Triangle dredge completely broken. No sample.
2072 HM-1-92	7	Shipek grab	102		2,71		no	66	39	64	-17	55	66							66,6678	-17,9315	1992	7	3	05:46	00:00	NA	NA	NA		Milg harður botn, klóppr. Þrífnymuskrapa brotnaði á sama stað.
2073 HM-1-92	7	Camera	100		2,71			66	39	61	-17	55	93							66,6669	-17,9425	1992	7	3	06:00	00:00	NA	NA	NA		
2074 HM-1-92	7	detr. sledge (Sneli)	201	171	2,71	34,86	no	66	40	40	-17	55	12	66	40	49	-17	54	65	66,6778	-17,92	1992	7	3	07:13	07:23	NA	NA	NA	Silty sand	Sledge full of sand. Sediment sample taken for geologist.
2075 HM-1-92	8	detr. sledge (Sneli)	563	572	-0,42	34,7	no	67	11	65	-17	32	4	67	11	69	-17	30	99	67,2014	-17,5344	1992	7	3	11:05	11:20	150,0	NA	NA	Silty sand	Depth sample
2076 HM-1-92	8	Shipek grab	622		-0,42	34,7	no	67	12	60	-17	33	81							67,2167	-17,5725	1992	7	3	13:50	00:00	NA	NA	NA	Mud	Enteropneusta ? (x1)
2077 HM-1-92	9	RP sledge	1048	1045	-0,52	34,85	no	67	40	51	-17	10	38	67	40	58	-17	9	33	67,6808	-17,1772	1992	7	3	17:55	18:15	NA	NA	NA	Silty sand	Rich sample of Ophiuroidea and Asteroidea
2078 HM-1-92	9	Smógen box core	1043		-0,52	34,85	no	67	40	60	-17	6	10							67,6833	-17,1083	1992	7	3	20:20	00:00	NA	NA	NA	Mud	Sediment sample taken for geologist.
2079 HM-1-92	9	detr. sledge (Sneli)	1046	1045	-0,52	34,85	no	67	39	79	-17	3	5	67	39	80	-17	10	76	67,6719	-17,2008	1992	7	3	23:29	23:49	5,0	NA	NA	Mud	Priapulus. Rich sample of tube building polychaeta.
2080 HM-1-92	10	Agassiz trawl	897	900	-0,55	34,84		67	22	79	-17	20	77	67	22	82	-17	19	98	67,3886	-17,5547	1992	7	4	06:32	05:52	NA	NA	NA		Umbellulidae, maga 240cm; B. weslifer; P. tenuispinus; H. pellucidus; O. glacialis; P. jeffreysi-M. borealis-S. borealis-C. aiyanata etc.
2081 HM-1-92	10	RP sledge	893	898	-0,55	34,84	no	67	22	30	-17	23	5	67	22	13	-17	24	18	67,375	-17,3847	1992	7	4	07:56	08:16	10,0	NA	NA	Mud	Sediment rich in foraminifera.
2082 HM-1-92	10	detr. sledge (Sneli)	894	893	-0,55	34,84	no	67	22	3	-17	24	33	67	22	6	-17	23	56	67,3675	-17,4092	1992	7	4	09:28	09:48	50,0	NA	NA	Mud	Very fine sediment, most of it went through 1 mm sieve. Sabellid tubes; Chondrocladia gigantea (x1 on the wire,photogr.); Bonellia (x2,phot
2083 HM-1-92	10	Shipek grab	889		-0,55	34,84		67	21	0	-17	21	0							67,3719	-17,35	1992	7	4	10:52	00:00	NA	NA	NA	Mud	
2084 HM-1-92	11	Shipek grab	743		-0,45	34,86	no	67	15	61	-17	24	9							67,2669	-17,4253	1992	7	4	12:09	00:00	NA	NA	NA	Fine mud, dark coloured sediment	
2085 HM-1-92	11	Agassiz trawl	754	761	-0,45	34,86	no	67	15	67	-17	26	41	67	15	73	-17	27	76	67,2686	-17,4447	1992	7	4	13:25	13:55	10,0	NA	NA	Soft sediment, few pebbles	Diverse sponges, sabellidae-tubes, Umbellula, Pennatulacea, Anthozoa, Prosobranchia, Echinodermata, octopus, fish (Lycodes sp. x1; Cottunculus microps, x2)
2086 HM-1-92	11	detr. sledge (Sneli)	755	764	-0,45	34,86	no	67	15	92	-17	26	38	67	15	87	-17	26	0	67,2756	-17,4272	1992	7	4	16:55	17:15	20,0	NA	NA	Mud, gray to dark coloured	Chondrocladia gigantea, Spiruculida, Sponges, Polychaeta-tubes, Holothuroidea
2087 HM-1-92	11	RP sledge	735	738	-0,41	34,86		67	15	41	-17	26	78	67	15	52	-17	25	83	67,2614	-17,455	1992	7	4	19:20	19:30	NA	NA	NA		Umbellula, x1
2088 HM-1-92	12	RP sledge	617	636	-0,44	34,87	no	67	14	32	-17	51	41	67	14	50	-17	50	42	67,2422	-17,8614	1992	7	4	21:20	21:40	6,0	NA	NA	Sand and silt mixed with foraminife	Octopus (x1); sponges; Natantia; sediment mixed with foraminifera
2089 HM-1-92	12	detr. sledge (Sneli)	517	526	-0,44	34,86	no	67	13	8	-17	50	34	67	13	17	-17	49	21	67,2189	-17,8428	1992	7	5	00:33	00:51	NA	NA	NA	Mudy gravel + few stones	Sponge spicules. Many sponges.
2090 HM-1-92	13	RP sledge	539	532	-0,44	34,86	no	67	13	34	-17	48	94	67	13	22	-17	49	86	67,2261	-17,8261	1992	7	5	01:50	02:10	2,0	NA	NA		Sponge spicules
2091 HM-1-92	14	RP sledge	405	408	-0,31	34,86	no	67	11	38	-17	46	44	67	11	71	-17	45	69	67,1919	-17,7789	1992	7	5	03:07	03:27	15,0	NA	NA		Many sponges
2092 HM-1-92	14	Shipek grab	408		-0,31	34,86	no	67	12	12	-17	44	90							67,2033	-17,7583	1992	7	5	04:02	00:00	NA	NA	NA	Mudy sand.	
2093 HM-1-92	14	detr. sledge (Sneli)	407	409	-0,31	34,86		67	11	85	-17	45	30	67	11	64	-17	45	50	67,2069	-17,7583	1992	7	5	04:52	05:12	NA	NA	NA	Mudy sand	
2094 HM-1-92	15	detr. sledge (Sneli)	303	304	1,67	34,85		67	2	3	-17	34	18	67	1	77	-17	34	4	67,0342	-17,5717	1992	7	5	06:38	06:48	40,0	NA	NA		
2095 HM-1-92	15	Shipek grab	305		1,67	34,85	no	67	1	43	-17	34	23							67,0286	-17,5731	1992	7	5

2142	HM-1-92	32	RP sledge	207	202	4,71	34,95	66	42	82	-19	34	78	66	43	28	-19	34	86	66,7228	-19,5883	1992	7	8	19:45	20:05	NA	NA	NA		Diverse sample. Many Erythrops.
2143	HM-1-92	33	RP sledge	399	397	0,12	34,84	66	51	31	-20	9	41	66	51	43	-20	8	56	66,8586	-20,1614	1992	7	8	21:57	22:10	1,0	NA	NA	Fine mud.	Short tow. Tow repeated with RP-sledge (nr. 2146).
2144	HM-1-92	33	Stjórnborði (Sneli)	396		0,12	34,84	66	51	48	-20	9	11							66,8633	-20,1358	1992	7	8	22:35	00:00	NA	NA	NA	Mud.	
2145	HM-1-92	33	dætr. sledge (Sneli)	398	399	0,12	34,84	66	51	29	-20	9	37	66	51	18	-20	10	65	66,8581	-20,1603	1992	7	8	23:18	23:38	120,0	NA	NA	Mud.	
2146	HM-1-92	34	RP sledge	398	398	0,12	34,84	66	51	11	-20	9	83	66	51	31	-20	8	31	66,8531	-20,1731	1992	7	9	00:12	00:32	0,5	NA	NA	Soft	In fact the same station as BOICE nr. 2143. This sample only to supplement nr. 2143 (samples are very similar).
2147	HM-1-92	35	dætr. sledge (Sneli)	300	297	3	34,86	66	44	71	-20	6	17	66	44	52	-20	6	70	66,7531	-20,1047	1992	7	9	01:44	02:04	NA	NA	NA	Muddy sand (black)	Most of sediment through 1 mm sieve
2148	HM-1-92	35	Stjórnborði (Sneli)	291		3	34,86	66	44	38	-20	6	74							66,7439	-20,1302	1992	7	9	02:23	00:00	NA	NA	NA	Mud	
2149	HM-1-92	35	RP sledge	293	297	3	34,86	66	44	93	-20	5	16	66	45	46	-20	3	96	66,7592	-20,0878	1992	7	9	03:00	03:20	NA	NA	NA		
2150	HM-1-92	36	RP sledge	149	149	5,06	34,95	66	41	95	-20	2	49	66	41	86	-20	3	14	66,7097	-20,0469	1992	7	9	04:05	04:25	NA	NA	NA	D.K.	
2151	HM-1-92	36	Stjórnborði (Sneli)	151		5,06	34,95	no	66	42	0	-20	2	88						66,7	-20,0578	1992	7	9	05:03	00:00	NA	NA	NA	Muddy sand.	
2152	HM-1-92	36	dætr. sledge (Sneli)	148	148	5,06	34,95	66	41	88	-20	2	98	66	41	77	-20	3	24	66,7078	-20,0606	1992	7	9	05:21	05:36	20,0	NA	NA	Fine sand	Porifera spicules.
2153	HM-1-92	36	Camera	143		5,06	34,95	66	41	72	-20	3	10							66,7033	-20,0528	1992	7	9	06:00	00:00	NA	NA	NA		
2154	HM-1-92	37	dætr. sledge (Sneli)	100	98	2,18	34,85	66	34	2	-20	1	83	66	34	1	-20	0	75	66,5672	-20,0397	1992	7	9	07:08	07:18	40,0	NA	NA	Gravely sand	Diverse sample
2155	HM-1-92	37	Stjórnborði (Sneli)	95		2,18	34,85	no	66	33	90	-20	0	20						66,575	-20,0056	1992	7	9	07:32	00:00	NA	NA	NA	Gravely sand	
2156	HM-1-92	37	RP sledge	97	99	2,18	34,85	66	34	95	-20	0	71	66	33	96	-20	1	18	66,5764	-20,0107	1992	7	9	07:51	08:04	2,0	NA	NA		Diverse sample
2157	HM-1-92	37	Camera	99		2,18	34,85	66	33	95	-20	1	41							66,5764	-20,0281	1992	7	9	08:17	00:00	NA	NA	NA		
2158	HM-1-92	38	Stjórnborði (Sneli)	69		5,7		66	24	97	-20	10	50							66,4269	-20,1806	1992	7	9	09:45	00:00	NA	NA	NA		
2159	HM-1-92	38	Camera	69		5,7		66	24	86	-20	10	46							66,4239	-20,1794	1992	7	9	10:00	00:00	NA	NA	NA		
2160	HM-1-92	39	Stjórnborði (Sneli)	127		5,3	34,78	66	17	45	-20	7	11							66,2958	-20,1197	1992	7	9	11:01	00:00	NA	NA	NA	Gravely sand	
2161	HM-1-92	39	dætr. sledge (Sneli)	130	129	5,3	34,78	no	66	17	25	-20	6	33	66	17	27	-20	5	67	66,2303	-20,1092	1992	7	9	11:15	11:25	120,0	NA	NA	Gravel and stones	Diverse sample
2162	HM-1-92	40	dætr. sledge (Sneli)	294	296	4,51	34,93	no	66	27	0	-19	35	49	66	27	10	-19	35	0	66,45	-19,5969	1992	7	9	13:20	13:35	130,0	NA	NA	Mud	Few animals.
2163	HM-1-92	40	Stjórnborði (Sneli)	296		4,51	34,93	66	27	16	-19	35	80							66,4544	-19,5722	1992	7	9	14:10	00:00	NA	NA	NA		
2164	HM-1-92	40	RP sledge	294	296	4,51	34,93	66	26	75	-19	35	88	66	26	57	-19	37	31	66,4542	-19,6078	1992	7	9	14:40	15:00	1,0	NA	NA		
2165	HM-1-92	41	Stjórnborði (Sneli)	163		5,07	34,93	yes	66	19	50	-19	36	0						66,3306	-19,6	1992	7	9	16:00	00:00	NA	NA	NA	Muddy sand.	
2166	HM-1-92	41	Stjórnborði (Sneli)	169	194	5,07	34,93	66	19	51	-19	35	75	66	19	79	-19	35	69	66,3308	-19,6042	1992	7	9	16:26	16:36	40,0	NA	NA	Gravely sand	Diverse sample
2167	HM-1-92	41	RP sledge	183	168	5,07	34,93	66	19	72	-19	35	43	66	19	25	-19	35	39	66,3367	-19,5953	1992	7	9	17:01	17:21	5,0	NA	NA		Normal sieving procedure with material from the codend. The rest (material in the net?) sieved through 3 and 1 mm sieve.
2168	HM-1-92	42	dætr. sledge (Sneli)	86	88	5,37	34,9	66	18	35	-19	12	30	66	18	56	-19	12	10	66,3097	-19,2083	1992	7	9	18:30	18:40	NA	NA	NA		All sample taken. Rich in sponges.
2169	HM-1-92	42	Stjórnborði (Sneli)	89		5,37	34,9	no	66	18	73	-19	12	6						66,3203	-19,2017	1992	7	9	18:55	00:00	NA	NA	NA	Fine sandgravins	
2170	HM-1-92	42	RP sledge	88	88	5,37	34,9	66	18	51	-19	12	0	66	18	38	-19	12	19	66,3142	-19,2	1992	7	9	19:10	19:20	NA	NA	NA		
2171	HM-1-92	42	Camera	86		5,37	34,9	66	18	27	-19	12	26							66,3075	-19,2072	1992	7	9	19:28	00:00	NA	NA	NA		Relatively flat area.
2172	HM-1-92	43	RP sledge	437	430	0,55	34,83	66	25	73	-18	49	77	66	26	28	-18	48	79	66,4369	-18,8214	1992	7	9	21:32	21:52	7,0	NA	NA	Mud.	D.K.
2173	HM-1-92	43	Stjórnborði (Sneli)	418		0,55	34,83	66	26	90	-18	48	73							66,4583	-18,8203	1992	7	9	22:20	00:00	NA	NA	NA		
2174	HM-1-92	43	dætr. sledge (Sneli)	425	436	0,55	34,83	66	26	37	-18	48	69	66	25	86	-18	48	78	66,4436	-18,8192	1992	7	9	23:15	23:35	50,0	NA	NA	Fine mud.	Almost all sediment went through the sieves. Polychaete tubes and Actinaria were stuck to the framework of the sledge.
2175	HM-1-92	44	dætr. sledge (Sneli)	203	206	4,63	34,94	66	30	28	-18	32	26	66	30	57	-18	32	27	66,5078	-18,5406	1992	7	10	00:51	01:02	50,0	NA	NA	Mud.	Gear came up on safety wire. However, the door at the front prevented the sediment to be washed out completely.
2176	HM-1-92	44	Stjórnborði (Sneli)	213		4,63	34,94	66	30	96	-18	32	30							66,5267	-18,5417	1992	7	10	01:25	00:00	NA	NA	NA		
2177	HM-1-92	44	RP sledge	201	199	4,63	34,94	66	30	50	-18	31	92	66	29	98	-18	31	87	66,5139	-18,5422	1992	7	10	01:55	02:15	10,0	NA	NA	Mud.	3 v
2178	HM-1-92	45	RP sledge	100	99	5,5	34,82	66	21	93	-18	18	25	66	21	67	-18	17	77	66,3758	-18,3069	1992	7	10	03:25	03:35	2,0	NA	NA		D.K.
2179	HM-1-92	45	Stjórnborði (Sneli)	99		5,5	34,82	no	66	21	44	-18	17	35						66,3622	-18,2931	1992	7	10	03:50	00:00	NA	NA	NA	Sand.	
2180	HM-1-92	45	dætr. sledge (Sneli)	99	97	5,5	34,82	no	66	21	63	-18	17	53	66	21	93	-18	17	63	66,3675	-18,2981	1992	7	10	04:10	04:20	5,0	NA	NA	Shelly sand.	Empty shells of Arctica islandica.
2181	HM-1-92	45	Camera	93		5,5	34,82	66	21	98	-18	17	34							66,3772	-18,2928	1992	7	10	05:05	00:00	NA	NA	NA		Flat area.
2182	HM-1-92	46	Stjórnborði (Sneli)	54		6		no	66	25	74	-18	50	14						66,4372	-18,9872	1992	7	10	06:07	00:00	NA	NA	NA		
2183	HM-1-92	46	Camera	53		6		66	25	74	-18	59	14							66,4372	-18,9872	1992	7	10	06:20	00:00	NA	NA	NA		Flat area. Strong current?
2184	HM-1-92	47	Stjórnborði (Sneli)	68		5,43	34,49	no	66	17	30	-18	0	0						66,2861	-18	1992	7	10	07:34	00:00	NA	NA	NA	Few grains of sand and mud.	
2185	HM-1-92	47	dætr. sledge (Sneli)	68	68	5,43	34,49	no	66	17	9	-18	0	1	66	17	31	-17	59	68	66,2858	-18,0001	1992	7	10	07:55	08:05	1,0	NA	NA	Stony gravel.	
2186	HM-1-92	47	Camera	68		5,43	34,49		66	17	35	-17	59	22						66,2931	-17,9894	1992	7	10	08:15	00:00	NA	NA	NA		
2187	HM-1-92	48	dætr. sledge (Sneli)	23	29				66	9	58	-18	1	4	66	9	83	-18	3	4	66,1661	-18,0511	1992	7	10	09:21	09:31	NA	NA	NA	Shell sand.	Small sample. Some Arctica islandica (various sizes).
2188	HM-1-92	48	Stjórnborði (Sneli)	34				no	66	10	4	-18	3	9						66,1678	-18,0525	1992	7	10	09:36	00:00	NA	NA	NA	Fine sand (black).	Lítið sýni.
2189	HM-1-92	48	RP sledge	19	24				66	9	33	-18	1	22	66	9	60	-18	2	87	66,1592	-18,0561	1992	7	10	09:52	10:02	NA	NA	NA	Sand.	Rich Myssidacea sample.
2190	HM-1-92	49	RP sledge	38	46				66	10	24	-18	3	0	66	10	55	-18	3	27	66,1733	-18,05	1992	7	10	10:21	10:32	NA	NA	NA		Just Myssidacea. This station on the same location as station nr. 48 (i.e. two RP sledge tows).
2191	HM-1-92	50	Stjórnborði (Sneli)	34					66	11	57	-18	15	97							66,1992	-18,2769	1992	7	10	11:02	00:00	NA	NA	NA	Hard bottom.	Mjög lítið set. Rauðbrúnugur með í sýni.
2192	HM-1-92	50	Camera	36					66	11	62	-18	16	24							66,2006	-18,2713	1992	7	10	11:25	00:00	NA	NA	NA		
2193	HM-1-92	51	RP sledge	18	22	7,5		66	5	50	-18	37	3	66	5	67	-18	36	65	66,0972	-18,6175	1992	7	10	15:31	15:41	2,0	NA	NA		D.K.
2194	HM-1-92	52	Stjórnborði (Sneli)	125		5,25	34,26	no	66	17	18	-18	48	85							66,2883	-18,8236	1992	7	10	13:53	00:00	NA	NA	NA	Coarse sand and stones.	
2195	HM-1-92	52	Camera	137		5,25	34,26		66	17	21	-18	48	85							66,2892	-18,8236	1992	7	10	14:00	00:00	NA	NA	NA		15 exposures taken.
2196	HM-1-92	964	Stjórnborði (Sneli)	38		8,42	34,7	64	18	30	-22	23	90							64,3083	-22,4083	1992	9	2	12:40	00:00	NA	NA	NA	Fine sand.	
2197	B-13-92	964	dætr. sledge (Sneli)	38	50	8,42	34,7	64	18	7	-22	24	10	64	18	15	-22	24	3	64,3	-22,4083	1992	9	2	12:40	13:00	NA	NA	NA	Very fine sand.2/3 passed through	Fáeinar tómar skeljar af Arctica. Tölusverður fjöldi Asterias og nokkrir bútar af Ammodytes (síli). Few empty Arctica shells, many Asteriasand some "cut off" Ammodytes
2198	B-13-92	964	RP sledge	64	64	8,42	34,7	64	18	80	-22	24	30	64	19	30	-22	23	20	64,3222	-22,3917	1992	9	2	13:22	14:02	NA	NA	NA		
2199	B-13-92	965	Stjórnborði (Sneli)	63		8,01	34,96	64	21	50	-22	47	80							64,3619	-22,8056	1992	9	2	15:33	00:00	NA	NA	NA	Fine sand	
2200	B-13-92	965	dætr. sledge (Sneli)	66	70	8,01	34,96	64	21	80	-22	48	50	64	22	10	-22	49	90	64,3722	-22,8139	1992	9	2	16:02	16:22	NA	NA	NA		Mikið af Arctica (kúlusel) Many Arcticas
2201	B-13-92	965	RP sledge	69	75	8,01	34,96	64	22	0	-22	48	90	64	22	40	-22	48	60	64,3667	-22,825	1992	9	2	17:04	17:24	NA	NA	NA		D.K.
2202	B-13-92	966	Stjórnborði (Sneli)	17		8,68	34,61	64	18	90	-22	39	90							64,325	-22,675	1992	9	2	18:12	00:00	NA	NA	NA	Empty	
2203	B-13-92	966	Triangle dredge	21	23	8,68	34,61	64	17	47	-22	39	28	64	17	42	-22	39	14	64,2964	-22,6528	1992	9	2	19:27	19:30	1,0	NA	NA	Hard substrate.	Alcyonium digitatum; Cucumaria sp. (fox large, 1 kept); tubes of Hydroides norwegica. A number of smaller animals: cirripeds; hydroids; bivalves; polychaets etc.
2204	B-13-92	966	Triangle dredge	31	33	8,68	34,61	64	17	29	-22	38	80	64	17	23	-22	38	48	64,2914	-22,6556	1992	9	2	19:38	19:42	10,0	NA	NA	Broken shells (≥ cirrepedia) and bo	Many serpulids, loose and on boulders. 17x Cucumaria (1 kept); hydroids; bryozoens; few sponges.
2205	B-13-92	967	Stjórnborði (Sneli)	86		8,32	34,88	no	64	2	88	-22	59	55						64,0578	-22,9986	1992	9	2	21:40	00:00	2,0	NA	NA	Fine sand	
2206	B-13-92	967	dætr. sledge (Sneli)	83	83	8,32	34,88	64	3	20	-22	59	11	64	3	50	-22	59	70	64,0556	-22,9864	1992	9	2	22:04	22:15	4,0	NA	NA	Fine shell sand >few large stones <	Svampaskóf og serpulidar á steinum. Encrusting sponges and serpulids on stones.
2207	B-13-92	967	RP sledge	81	83	8,32	34,88	64	3	66	-22	59	60	64	4	20	-22	59	38	64,0683	-23	1992	9	2	22:41	23:01	4,0	NA	NA		Mikið- af Pandalus montagui A number of Pandalus montagui
2208	B-13-92	968	Stjórnborði (Sneli)	136		7,29	35,07	no	63	58	90	-23	33	40						63,9917	-23,5611	1992	9	3	00:50	00:00	NA	NA	NA	Black mud.	
2209	B-13-92	968	dætr. sledge (Sneli)	137		7,29	35,07		63	59	1	-23	34	13	63	59	40	-23	34	30	63,9816	-23,5703	1992	9	3	01:15	01:35	NA	NA	NA	Fine mud.	Mikið- af svampýnda. A lot of scaphopoda.
2210	B-13-92	968	RP sledge	136		7,29	35,07	63	59	20	-23	34	10							63,9889	-23,5694	1992	9	3	02:03	02:23	NA	NA	NA		Lítið sýni. Small sample.
2211	B-13-92	969	Stjórnborði (Sneli)	284		7,04	35,1	no	64	9	40	-23	58	0						64,1611	-23,9667	1992	9	3	04:04	00:00	NA	NA	NA	Sandy mud	
2212	B-13-92	969	dætr. sledge (Sneli)	256	256	7,04	35,1	64	9	3	-23	58	46	64	9	25	-23	57	80	64,1508	-23,9794	1992	9	3	04:51	05:11	NA	NA	NA	Fine sand.	
2213	B-13-92	969	RP sledge	260	264	7,04	35,1	yes	64	9	30	-23	58	28	64	9	48	-23	57	67	64,1583	-23,9744	1992	9	3	05:41	06:01	NA	NA	NA		Lykt af brennisteini. Smell of sulphur.
2214	B-13-92	970	Stjórnborði (Sneli)	222		6,85	35,1	no	64	15	30	-24	26	70						64,2583	-24,4528	1992	9	3	07:42	00:00	4,0	NA	NA	Fine mud	
2215	B-13-92	970	RP sledge	213	219	6,85	35,1		64	15	68	-24	26	5	64	16	14	-24	25	97	64,2689	-24,4347	1992	9	3	08:15	08:35	4,0	NA	NA		Hurð á sleða var lokuð þegar upp kom - mynna sýni en ella. Done on sledge was closed when sledge came up
2216	B-13-92	970	dætr. sledge (Sneli)	214	219	6,85	35,1	no	64	15	67	-24	26	19	64	16	10	-24	26	18	64,2686	-24,4386	1992	9	3	09:07	09:27	30,0	NA	NA		
2217	B-13-92	971	Stjórnborði (Sneli)	259		6,36	35,09	no	64	11	60	-25	17	10						64,2	-25,2861	1992	9	3	11:57	00:00	NA	NA	NA	Fine mud	
2218	B-13-92	971	dætr. sledge (Sneli)	265	270	6,36	35,09	64	12	46	-25	16	95	64	12	76	-25	16	90	64,2128	-25,2931	1992	9	3	12:26	12:46	NA	NA	NA	Mud	Mest af sæti í gegn um 1mm sigti. sponsta:holothuria:echinosda (stór). Most of sediment through 1mm sieve. sponsta:holothuria:echinosda(very big).
2219	B-13-92	971	RP sledge	265		6,36	35,09	64	12	57	-25	16	78	64	13	0	-25	16	58	64,2158	-25,2883	1992	9	3	13:16	13:36	NA	NA	NA		
2220	B-13-92	972	Stjórnborði (Sneli)	241		6,5	35,1	63	55	0	-25	16	70							63,9167	-25,2861	1992	9	3	15:38	00:00	NA	NA	NA	Fine muddy sand	
2221	B-13-92	972	RP sledge	240	250	6,5	35,1	63	55	1	-25	16	39							63,9169	-25,2775	1992	9	3	16:19	16:39	NA	NA	NA		Aðalsæt sýni af botndýrum Rich sample of benthos
2222	B-13-92	972	dætr. sledge (Sneli)	242	253	6,5	35,1	63	54	97	-25	16	24	63	55	29	-25	16	5	63,9269	-25,2733	1992	9	3	17:04	17:24	NA	NA	NA	Fine muddy sand (partly black colou	Mjög lítið lífi. Sample poor in benthos
2223	B-13-92	973	Stjórnborði (Sneli)	426		5,88	35,06	no	63	45	5	-24	56	90						63,7503	-24,9583	1992	9	3	19:03	00:00	NA	NA	NA	Mud	D.K.
2224	B-13-92	973	dætr. sledge (Sneli)	425	433	5,88	35,06	no	63	45	23	-24	56	7	63	45	61	-24	56	34	63,7564	-24,9353	1992	9	3	19:44	20:04	10,0	NA	NA		Bívalvia; Scaphopoda; Polychaeta rör (tubes)
2225	B-13-92	973	RP sledge	426	431	5,88	35,06	63	45	48	-24	56	23	63	44	90	-24	56	11	63,7497	-24,9167	1992	9	3	21:49	22:09	1,0	NA	NA		Á large holothuroid; shrimps; echinoids. The sledge came up with the net turned forward and the sample was very small. All animals were picked by hand.
2226	B-13-92	973	Stjórnborði (Sneli)	429	433	5,88	35,06	63	44	88	-24	56	23	63	45	38	-24	56	46	63,7578	-24,9397	1992	9	3	22:55	23:15	NA	NA	NA		Svamparíalar í setí. Holothuroid x7 - tvær jöfnungar varðveittir - Sponge spicules; Holothuroid x7 - two individuals preserved Forminifera
2227	B-13-92	974	Stjórnborði (Sneli)	291		6,96	35,11	no	63	48	60	-24	21	85						63,8167	-24,3736	1992	9	4	01:15	00:00	NA	NA	NA	Muddy sand (black)	
2228	B-13-92	974	dætr. sledge (Sneli)	300	300	7	35,11	63	48	80	-24	21	74	63	49	47	-24	20	97	63,8222	-24,3706	1992	9	4	02:48	03:08	NA	NA	NA		Gear almost empty. Only 2x fairly large echinoids. The reason why is not clear, possibly towspeed to low.
2229	B-13-92	974	RP sledge	296	300	6,96	35,11	63	48	60	-24	21	85	63	49	20	-24	21	40	63,8167	-24,3736	1992	9	4	01:52	02:12	NA	NA	NA		Nephrops x1
2230	B-13-92	974	dætr. sledge (Sneli)	296	296	6,96	35,11	63	49	42	-24	20	77	63	48	96	-24	21	32	63,8283	-24,3547	1992	9	4	03:18	03:58	2,0	NA	NA	Mud	Mjög lítið sýni - auksið við sýni miðað við sýni 2228 Small sample - more length of wire compared with sample 2228
2231	B-13-92	975	Stjórnborði (Sneli)	212		6,98	35,11	63	43	10	-24	20	50							63,7194	-24,4119	1992	9	4	04:50	00:00	NA	NA	NA	Mud	
2232	B-13-92	975	dætr. sledge (Sneli)	208	210	6,98	35,11	63	42	83	-24	24	59	63	42	55	-24	24	91	63,7231	-24,4164	1992	9	4	05:20	05:40	50,0	NA	NA	Mud	
2233	B-13-92	975	RP sledge	209	209	6,98	35,11	63	42	72	-24	24	78	63	43	12	-24	24	27	63,72	-24,4217	1992	9	4	06:07	06:27	3,0	NA	NA		Amphipoda; Myssidacea
2234	B-13-92	976	Triangle dredge	189		6,85	no	63	39	6	-24	25	58	63	38	55	-24	25	86	63,6517	-24,4328	1992	9	4	07:39	07:49	NA	NA	NA	Muddy sand + stones (big and small)	Skraga full af 3/4 - Triangle 3/4 full Porifera + ásætur (af 5 steinum) - Porifera
2235	B-13-92	977	RP sledge	261		6,92	35,11	no	63	26	90	-24	39	90						63,4583	-24,675	1992	9	4	09:30	00:00	0,0	NA	NA	Fine sand	
2236	B-13-92	977	dætr. sledge (Sneli)	293	298	6,92	35,11	no	63	27	2	-24	40	79	63	26	86	-24	41	50	63,4506	-24,6886	1992	9	4	09:55	10:15	20,0	NA	NA	Fine sand	
2237	B-13-92	977	RP sledge	296	296	6,92	35,11	63	27	10	-24	40	75							63,4528	-24,6875	1992	9	4	10:53	11:13	NA	NA	NA		Svamparíalar í setí. Sponge spicules - Amphipoda; Polychaeta; Myssidacea; Ophiuroidea
2238	B-13-92	978	Triangle dredge	309		6,65	35,1	no	63	21	0	-25	21	0						63,35	-25,35	1992	9	4	13:54	00:00	NA	NA	NA	Fine sand (black)	
2239	B-13-92	978	Triangle dredge	307	310	6,65	35,1		63	20	89	-25	21	61	63	20	98	-25	21	95	63,3608	-25,3669	1992	9	4	14:46	14:51	10,0	NA	NA		Skýtirna tóg - tók kríthylaga í - vir
2240	B-13-92	978	dætr. sledge (Sneli)	307	308	6,65	35,1	63	21	6	-25	21	46	63	21	2	-25	22	60	63,3517	-25,3628	1992	9	4	15:30	15:55	NA	NA	NA	Gravelly mud	Sle-í fullur af setí Sledge full
2241	B-13-92	978	RP sledge	305	305	6,65	35,1	63	21	7	-25	21	78	63	21	3	-25	22	97	63,3519	-25,3717	1992	9	4	16:32	00:00	NA	NA	NA		
2242	B-13-92	979	Triangle dredge	347		6,88	35,11	no	63	18	86	-25	10	79						63,3239	-25,5219	1992	9	4	17:45	00:00	NA	NA	NA	No sediment sample - hard bottom	
2243	B-13-92	979	Triangle dredge	357	362	6,88	35,11	63	18	74	-25	31	42	63	18	78	-25	32	36	63,3206	-25,5283	1992	9	4	18:40	18:58	NA	NA	NA	Boulders and pebbles	Þrihyrna full. Triangle full - diverse sample: Echinodermata; brachiopoda; bivalvia etc.
2244	B-13-92	980	Triangle dredge	426		6,86

2286	B-13-92	997	Triangle dredge	408	412				63	12	41	-23	15	86	63	12	53	-23	15	45	63,2114	-23,2739	1992	9	9	03:40	03:50	20.0	NA	NA	Large stones + pebbles	Chlamys; Porifera; Astarte sp.; Prosobranchia; Paguridae; Ophiuroidea (many)
2287	B-13-92	998	Shipek grab	1440		3,43	34,96	no	62	22	85	-22	40	26							62,3903	-22,6739	1992	9	9	09:30	00:00	0.0	NA	NA	Fine sand + clay	
2288	B-13-92	998	detr. sledge (Sneli)	1390	1410	3,43	34,96	no	62	23	23	-22	40	64	62	23	50	-22	39	73	62,3897	-22,6844	1992	9	9	11:10	11:30	40.0	NA	NA	Gravel + boulders	Incrusting sponges; Ophiuroidea; Cirrepedia (2-3 living); many dead shells; Natantia; Actiniaria; red colonial Octocoral (Arthothelia?). Many small lumpy sponges on stones beside the incr.: Telilla sp; Melanaxi? etc.
2289	B-13-92	998	BP sledge	1390	1420	3,43	34,96		62	23	18	-22	40	96	62	23	45	-22	40	44	62,3883	-22,6933	1992	9	9	13:19	13:39	19.0	NA	NA		Gear came up on the safety wire. Damaged and repaired. No sample.
2290	B-13-92	999	Shipek grab	1205		3,91	34,95	no	62	27	90	-22	40	6							62,475	-22,6683	1992	9	9	16:13	00:00	0.0	NA	NA	Fine sand	
2291	B-13-92	999	detr. sledge (Sneli)	1205	1207	3,91	34,95	no	62	27	82	-22	40	35	62	27	93	-22	39	73	62,4729	-22,6764	1992	9	9	17:18	17:38	20.0	NA	NA	Muddy gravel+pebbles+stones	Large sponges (Theresa leviis, T. valdivia, Telilla sp.); diverse sample of Gastropoda: Ophiuroidea
2292	B-13-92	999	Agassiz trawl	1204	1204	3,91	34,95	no	62	27	91	-22	40	29	62	28	0	-22	39	84	62,4753	-22,6728	1992	9	9	18:56	19:06	NA	NA	NA		Mostly Geodia (Porifera) and associated fauna: Arthraxonas on stones; Echinoidea (x1); Ophiuroidea; Cirripedia. Porifera: Geodia sp.; Thenea spp.; Stelletta sp.; Melanaxuchiera sp.; div. small encrusting sponges on st
2293	B-13-92	999	BP sledge	1203	1204	3,91	34,95		62	27	86	-22	40	24	62	28	1	-22	39	19	62,4739	-22,6731	1992	9	9	20:20	20:40	5.0	NA	NA		Small sample- rubber mat entangled. Geodia sp. fragments + a number of smaller sponges.
2294	B-13-92	1000	Shipek grab	1009		4,54	34,98		62	52	96	-22	28	70							62,8933	-22,6528	1992	9	10	02:05	00:00	NA	NA	NA		
2295	B-13-92	1000	detr. sledge (Sneli)	980	1004	4,54	34,98		62	53	70	-22	39	40	62	54	3	-22	40	13	62,9028	-22,6611	1992	9	10	02:53	03:13	NA	NA	NA		No sample - gear empty. Probably washed out as sledge was damaged aft.
2296	B-13-92	1000	Agassiz trawl	981	994	4,54	34,98		62	53	72	-22	39	43	62	54	0	-22	40	13	62,9033	-22,6619	1992	9	10	04:18	04:33	NA	NA	NA		Astersid (x1); Medusa ?(x1)
2297	B-13-92	1000	BP sledge	981	993	4,54	34,98		62	53	74	-22	39	13	62	54	2	-22	40	8	62,9039	-22,6592	1992	9	10	05:45	06:05	2.0	NA	NA		Small sample volume - rubber mat entangled: Astenoidea (x1)
2298	B-13-92	1001	Shipek grab	800		5,53	35,03	no	63	0	0	-22	40	0							63	-22,6667	1992	9	10	08:00	00:00	1.0	NA	NA	Muddy sand	
2299	B-13-92	1001	BP sledge	775	804	5,53	35,03		63	0	10	-22	39	61							63,0028	-22,6669	1992	9	10	09:05	09:25	10.0	NA	NA	Sand	Holothuroidea; Echinoidea; Teleostei; Polychaeta; Amphipoda; Mysidacea; Decapoda (Munida); Ophiuroidea; Asteroidea; Octopus; Isopoda
2300	B-13-92	1001	detr. sledge (Sneli)	810	820	5,53	35,03	no	62	59	82	-22	39	38	63	0	0	-22	39	62	63,0006	-22,6606	1992	9	10	10:33	10:53	60.0	NA	NA	Clay+pebbles+stones	Divers sample. Asteroidea; Echinoidea; Gastropoda; Brachiopoda; Polychaeta; Porifera; Corals
2301	B-13-92	1002	Shipek grab	600		6,75	35,1	no	63	3	50	-22	39	60							63,0639	-22,6667	1992	9	10	12:20	00:00	NA	NA	NA	Sand	
2302	B-13-92	1002	detr. sledge (Sneli)	601	612	6,75	35,1		63	3	41	-22	39	92	63	3	72	-22	40	77	63,0619	-22,6756	1992	9	10	12:55	13:15	50.0	NA	NA	Muddy sand and gravel	Many Astarte sp.; Yoldiella (many?; Polynoidae (Polychaeta); Ophiuroidea; Prosobranchia (several species. Colus?); Amphipoda (many); Astropecten ??
2303	B-13-92	1002	BP sledge	600	612	6,75	35,1		63	3	88	-22	41	22	63	4	10	-22	42	48	63,0744	-22,6894	1992	9	10	14:21	14:41	10.0	NA	NA	Muddy sand	Sponge spicules. Very divers sample. Fish: Nemertina ? (separate vial); Amphipoda; Natantia (many); Galathaidae; Polychaeta; "leather" Echinoidea (small); Asteroidea (3-4 species); Ophiuroidea; Mysidacea (very many
2304	B-13-92	1003	Shipek grab	393		7,17	35,12		63	6	74	-22	41	24							63,1206	-22,69	1992	9	10	15:55	00:00	NA	NA	NA		
2305	B-13-92	1003	detr. sledge (Sneli)	406	410	7,17	35,12		63	6	44	-22	41	33	63	6	80	-22	41	64	63,1122	-22,6925	1992	9	10	16:26	16:46	25.0	NA	NA	Gravely sand+stones+boulders	Astarte sp.; Chlamys ?(3-4 species); Arca sp.; Natantia; Polydaccophora; Porifera; Pagurus sp.; Ophiuroidea; Prosobranchia (several species)
2306	B-13-92	1004	Shipek grab	266		7,12	35,13	no	63	14	86	-22	48	7							63,2572	-22,8019	1992	9	10	19:07	00:00	0.0	NA	NA	Sand	
2307	B-13-92	1004	detr. sledge (Sneli)	266	268	7,12	35,13	no	63	14	93	-22	47	44	63	15	29	-22	47	16	63,2592	-22,7956	1992	9	10	19:28	19:48	60.0	NA	NA	Muddy sand	
2308	B-13-92	1004	BP sledge	263	266	7,12	35,13		63	15	2	-22	47	37	63	15	44	-22	47	5	63,2506	-22,7936	1992	9	10	20:21	20:41	20.0	NA	NA	Muddy sand	Porifera; Decapoda; Asteroidea; Coral
2309	B-13-92	1005	Shipek grab	185		7,3	35,13 yes		63	33	78	-22	43	40							63,5717	-22,7278	1992	9	10	23:23	00:00	NA	NA	NA	Fine sand + clay	
2310	B-13-92	1005	detr. sledge (Sneli)	172	207	7,3	35,13 yes		63	34	9	-22	42	73	63	34	49	-22	42	11	63,5502	-22,7203	1992	9	10	00:28	00:48	90.0	NA	NA	Clay	Few living animals. Astarte (elliptica ?), Maldanid (Polychaeta)
2311	B-13-92	1005	BP sledge	206	208	7,3	35,13		63	34	68	-22	41	96	63	35	4	-22	41	39	63,5856	-22,71	1992	9	11	01:18	01:38	NA	NA	NA		Fish (x2); Mysidacea; Natantia; Amphipoda
2312	B-13-92	1006	Shipek grab	159		7,57	35,06 no		63	42	4	-23	3	50							63,7011	-23,0639	1992	9	11	03:28	00:00	NA	NA	NA	Muddy sand	Mollusks; Ophiuroidea; Polychaeta
2313	B-13-92	1006	Triangle dredge	96	134	7,57	35,06		63	42	34	-23	3	47	63	42	42	-23	3	46	63,7094	-23,0631	1992	9	11	03:40	03:45	10.0	NA	NA	Mostly dead shells (Arctica a.o.)	Very divers fauna. Large "cup" sponges; large number of Hydrozoia; Polychaeta; Bivalvia; Pagurida; Prosobranchia; Octopus
2314	B-13-92	1006	detr. sledge (Sneli)	139	156	7,57	35,06		63	42	16	-23	3	50	63	42	34	-23	3	43	63,7044	-23,0639	1992	9	11	04:26	04:34	120.0	NA	NA	Muddy sand	Only 1/2 of sample saved. Rich fauna. Most of sample feed in bulk.
2315	NH-1-93	1	detr. sledge (Sneli)	991	980		no	64	6	0	-9	3	0		64	6	0	-9	4	0	64,1	-9,05	1993	5	2	04:55	05:25	50.0	50	NA	Sandy silt.	Very poor sample.
2316	NH-1-93	1	Agassiz trawl	988	978		no	64	6	0	-8	59	0		64	6	0	-9	2	0	64,1	-8,9833	1993	5	2	09:00	09:25	20.0	0	20		Good sample.
2317	NH-1-93	1	BP sledge	996	1020			64	7	0	-9	3	0		64	7	0	-9	2	0	64,1167	-9,05	1993	5	2	13:16	13:46	7.0	7	0		Good sample; crinoids, ophiuroids and pycnogonids. By mistake no 0.5mm fraction taken.
2318	NH-1-93	2	detr. sledge (Sneli)	772	775	no		64	2	0	-9	37	0		64	1	0	-9	36	0	64,0333	-9,6167	1993	5	2	17:32	18:32	100.0	100	0	Sandy silt.	Very fine mud and little material retained on the sieves.
2319	NH-1-93	2	BP sledge	776	760	no		64	1	0	-9	37	0		64	2	0	-9	44	0	64,0167	-9,6167	1993	5	2	19:26	19:56	0.5	1	0	Sand.	
2320	NH-1-93	2	Agassiz trawl	758	757			64	2	0	-9	44	0		64	2	0	-9	43	0	64,0333	-9,7333	1993	5	2	21:23	21:53	10.0	0	10		
2321	NH-1-93	3	detr. sledge (Sneli)	639	628	no		63	56	0	-10	0	0		63	56	0	-10	3	0	63,9333	-10	1993	5	3	00:21	00:53	80.0	80	0	Sandy silt.	
2322	NH-1-93	3	Agassiz trawl	627	629		no	63	55	0	-10	4	0		63	55	0	-10	3	0	63,9167	-10,0667	1993	5	3	02:04	02:14	150.0	0	80	Silt with stones/boulders.	Sample dominated by big Gorgonocephalus. Also crinoids, Umbellula, Colosendeis +smaller pycnogonids and sponges. Steelwork of the trawl all bent.
2323	NH-1-93	3	BP sledge	623	622			63	55	0	-10	5	0		63	55	0	-10	4	0	63,9167	-10,0833	1993	5	3	05:38	06:08	30.0	30	0		
2324	NH-1-93	4	detr. sledge (Sneli)	554	555	no		63	45	0	-10	11	0		63	45	0	-10	12	0	63,75	-10,1833	1993	5	3	08:24	08:54	100.0	80	0	Silt + 4 stones (ca. 5kg each)	Very fine mud, most of sediment (95%) went through the 0.5 mm sieve.
2325	NH-1-93	4	BP sledge	555	564	no		63	45	0	-10	11	0		64	6	0	-10	9	0	63,75	-10,1833	1993	5	3	00:00	00:00	10.0	10	0		Gorgonocephalus.
2326	NH-1-93	4	Agassiz trawl	563	562		no	63	44	0	-10	9	0		63	44	0	-10	10	0	63,7333	-10,15	1993	5	3	11:47	12:05	150.0	0	NA	Stones/boulders.	Sample dominated by Gorgonocephalus (partly preserved) also crinoids, ophiuroids, asterioids, pycnogonids(with Colosendeis). Steelwork of trawl bent.
2327	NH-1-93	5	detr. sledge (Sneli)	430	429	no		63	21	0	-10	51	0		63	20	0	-10	53	0	63,35	-10,85	1993	5	3	15:39	15:59	180.0	90	0	Gravely sand with stones/boulders.	Good sample of smaller fauna including molluscs.
2328	NH-1-93	5	BP sledge	430	429			63	20	0	-10	52	0		63	20	0	-10	52	0	63,3333	-10,85	1993	5	3	17:02	17:22	40.0	20	0	Sand.	
2329	NH-1-93	6	detr. sledge (Sneli)	453	453	no		63	5	0	-11	21	0		63	6	0	-11	22	0	63,0833	-11,35	1993	5	3	20:10	20:30	120.0	120	NA	Sandy silt with stones/boulders.	Very fine mud, most of the sediment went through the 0.5mm sieve. 3 stones - 1/2 to 1kg.
2330	NH-1-93	6	BP sledge	453	452	no		63	5	0	-11	20	0		63	5	0	-11	19	0	63,0833	-11,3333	1993	5	3	21:39	21:54	15.0	15	NA	Sand.	
2331	NH-1-93	7	detr. sledge (Sneli)	563	560	no		62	55	0	-12	11	0		62	54	0	-12	14	0	62,9167	-12,2167	1993	5	4	12:15	12:35	180.0	120	NA	Sandy gravel with stones/boulders.	
2332	NH-1-93	7	BP sledge	550	564			62	55	0	-12	14	0		62	55	0	-12	16	0	62,9167	-12,2333	1993	5	4	14:03	14:21	6.0	6	NA	Sand.	d
2333	NH-1-93	8	detr. sledge (Sneli)	800	792	no		62	43	0	-12	49	0		62	43	0	-12	40	0	62,7167	-12,8167	1993	5	4	18:14	18:34	80.0	80	NA	Silty sand.	Rather poor sample. Sticky mud with few small stones.
2334	NH-1-93	8	BP sledge	803	804	no		62	43	0	-12	43	0		62	42	0	-12	44	0	62,7167	-12,7167	1993	5	4	20:19	20:41	10.0	10	NA		
2335	NH-1-93	9	detr. sledge (Sneli)	1105	1100	no		62	28	0	-12	54	0		62	28	0	-12	53	0	62,4667	-12,9	1993	5	5	00:50	01:20	100.0	100	NA	Silty gravel with stones/boulders.	Very poor sample.
2336	NH-1-93	9	Agassiz trawl	1090	1096			62	27	0	-12	53	0		62	27	0	-12	55	0	62,45	-12,8833	1993	5	5	02:57	03:27	NA	NA	NA		Small sample, apparently trawl had reached bottom but possibly the material had been washed out when ascending.
2337	NH-1-93	9	BP sledge	1099	1105	no		62	27	0	-12	55	0		62	27	0	-12	56	0	62,45	-12,9167	1993	5	5	05:01	05:31	5.0	5	NA	Silty sand.	Gear stuck, retrieved undamaged - sample ok. Sponge spicules.
2338	NH-1-93	10	detr. sledge (Sneli)	1290	1288	no		62	11	0	-13	19	0		62	10	0	-13	19	0	62,1833	-13,3167	1993	5	5	11:01	11:31	90.0	90	NA	Sandy silt mixed with gravel and st	Mass of foraminifers (particularly calcified), apart from some molluscs the fauna was poor.
2339	NH-1-93	10	Agassiz trawl	1302	1304			62	8	0	-13	21	0		62	8	0	-13	40	0	62,1333	-13,35	1993	5	5	13:22	13:52	5.0	NA	5	Stones/boulders.	Arthraxonas grandiflorus ?, few bryozoans and encrusting sponges.
2340	NH-1-93	10	BP sledge	1302	1305			62	8	0	-13	20	0		62	8	0	-13	21	0	62,1333	-13,3333	1993	5	5	15:43	16:13	10.0	10	NA	Silty sand.	
2341	NH-1-93	11	detr. sledge (Sneli)	1015	1018			62	51	0	-13	32	0		62	52	0	-13	32	0	62,85	-13,5333	1993	5	6	22:14	22:34	100.0	50	NA	Sandy gravel and stones/boulders.	1/2 of the sample were big boulders (up to 25kg).
2342	NH-1-93	12	detr. sledge (Sneli)	846	841	no		62	51	0	-13	51	0		62	51	0	-13	53	0	62,85	-13,2667	1993	5	6	02:00	02:30	200.0	200	NA	Gravel and stones/boulders.	Rich sample. Many sponges, vyhalestelts, soft corals, ophiuroids, few small Gorgonocephalus, Dentalium and many bryozoans.
2343	NH-1-93	13	detr. sledge (Sneli)	698	705			63	4	0	-13	7	0		63	4	0	-13	6	0	63,0667	-13,1167	1993	5	6	00:00	00:00	150.0	40	NA	Sandy gravel and stones/boulders.	Lots of large stones (up to 15 kg).
2344	NH-1-93	14	detr. sledge (Sneli)	610	616			63	12	0	-13	58	0		63	12	0	-12	57	0	63,2	-12,9667	1993	5	6	00:27	00:57	200.0	50	NA	Sandy gravel and stones/boulders.	Boulders up to 25 kg.
2345	NH-1-93	15	detr. sledge (Sneli)	497	495	no		63	23	0	-12	37	0		63	22	0	-12	36	0	63,3833	-12,6167	1993	5	6	13:14	13:34	200.0	130	NA	Gravely sand.	Divers sample dominated by big agglutinated foraminifers. Also holothurians, bryozoans, small sponges, ophiuroids, Dentalium, amphipods and few gastropods.
2346	NH-1-93	15	BP sledge	501	497			63	23	0	-12	38	0		63	22	0	-12	37	0	63,3833	-12,6333	1993	5	6	14:31	14:51	10.0	7	NA	Sand.	REGISTERED FROM COLLECTION
2347	NH-1-93	15	Agassiz trawl	502	505			63	23	0	-12	38	0		63	22	0	-12	38	0	63,3833	-12,633	1993	5	6	15:52	16:12	0.0	NA	NA		Apparently trawl had reached bottom but sample been washed out during ascent except one sponge.
2348	NH-1-93	16	detr. sledge (Sneli)	407	403	no		63	36	0	-12	15	0		63	36	0	-12	16	0	63,6	-12,25	1993	5	6	18:48	19:08	50.0	50	NA	Sandy gravel.	No stones.
2349	NH-1-93	16	BP sledge	403	411	no		63	37	0	-12	17	0		63	37	0	-12	18	0	63,6167	-12,2833	1993	5	6	20:10	20:30	10.0	10	NA		
2350	NH-1-93	16	Agassiz trawl	411	409			63	37	0	-12	19	0		63	37	0	-12	18	0	63,6167	-12,3167	1993	5	6	21:17	21:41	NA	NA	3	3 stones (ca. 20-40 kg)	Pluck from stones: porifera, bryozoans, serpulids, asterioids, hydroids and cephalopoda eggs.
2351	NH-1-93	17	detr. sledge (Sneli)	355	356	no		63	47	0	-11	51	0		63	47	0	-11	50	0	63,7833	-11,85	1993	5	6	23:50	00:10	200.0	100	NA	Sandy gravel with stones/boulders.	Rich sample: ophiuroids, brachiopods, asterioids and echinoids.
2352	NH-1-93	17	BP sledge	350	356			63	47	0	-11	49	0		63	47	0	-11	50	0	63,7833	-11,8167	1993	5	7	01:08	01:28	2 mal	3	NA		
2353	NH-1-93	17	Agassiz trawl	335	346			63	46	0	-11	48	0		63	46	0	-11	49	0	63,7667	-11,8	1993	5	7	03:10	03:30	1.0	NA	1		Big hole in the net. Sample of soft corals, ophiuroids, brachiopods, Phakellia sp (x1) and spikelf(?)
2354	NH-1-93	18	Triangle dredge	319	320			63	54	0	-11	35	0		63	54	0	-11	35	0	63,9	-11,5833	1993	5	7	05:14	05:24	15.0	NA	15	Gravel and stones/boulders.	Stones with ophiuroids, brachiopods and bryozoans.
2355	NH-1-93	18	detr. sledge (Sneli)	317	315	no		63	54	0	-11	35	0		63	54	0	-11	35	0	63,9	-11,5833	1993	5	7	05:57	06:17	150.0	50	NA	Sandy gravel with stones/boulders.	1 container
2356	NH-1-93	18	BP sledge	327	324	no		63	55	0	-11	37	0		63	54	0	-11	36	0	63,9167	-11,6167	1993	5	7	07:40	08:00	5.0	5	NA	Sand.	D.K.
2357	NH-1-93	19	detr. sledge (Sneli)	309	331	no		64	10	0	-11	25	0		64	11	0	-11	24	0	64,1667	-11,4167	1993	5	7	10:11	03:12	160.0	50	NA	Sandy gravel with stones/boulders.	Stones (x5) 5-40 kg. Note! time and depth at start and end of tow peculiar. Depth was corrected from original 1031 m to 331 m
2358	NH-1-93	19	BP sledge	318	330	no		64	10	0	-11	22	0		64	9	0	-11	22	0	64,1667	-11,3667	1993	5	7	11:30	11:50	4.0	4	NA		
2359	NH-1-93	20	detr. sledge (Sneli)	394	391	no		64	17	0	-10	50	0		64	17	0	-10	51	0	64,2833	-10,8333	1993	5	7	14:02	14:22	200.0	70	NA	Sandy gravel.	Rather poor sample. Polychaets, ophiuroids, Thenea sp.
2360	NH-1-93	20	BP sledge	391	395	no		64	17	0	-10	49	0		64	16	0	-10	49	0	64,2833	-10,8167	1993	5	7	15:22	15:42	10.0	9	NA	Silty sand.	Very rich sample.
2361	NH-1-93	21	detr. sledge (Sneli)	498	494	no		64	27	0	-10	27	0		64	28	0	-10	27	0	64,45	-10,45	1993	5	7	17:55	18:15	70.0	70	NA	Sandy silt.	About 20 l of sieved material from the 3mm sieve (2+ on overboard, consisted mostly of Nothria conchilega
2362	NH-1-93	21	BP sledge	495	496	no		64	29	0	-10	26	0		64	29	0	-10	27	0	64,4833	-10,4333	1993	5	7	20:51	21:11	8.0	8	NA		
2363	NH-1-93	21	Agassiz trawl	493	500			64	29	0	-10	26	0		64	29	0	-10	25	0	64,4833	-10,4333	1993	5	7	22:06	22:26	90.0	NA	90		7x Gorgonocephalus were thrown overboard.
2364	NH-1-93	22	BP sledge	605	606	no		64	35	0	-10	3	0		64	35	0	-10	2	0	64,5833	-10,05	1993	5	8	01:55	02:15	15.0	8	NA	Sandy silt.	Very rich and divers sample.
2365	NH-1-93	22	Agassiz trawl	604	606			64	34	0	-10	1	0		64	34	0	-10	1	0	64,5667	-10,0167	1993	5	8	03:16	03:36	3.0	3			Some Gorgonocephalus, crinoids, Umbellula, Thenea sp., Polymastia sp., Chondrocladia gigantea.
2366	NH-1-93	23	detr. sledge (Sneli)	675	680	no		64	39	0	-9	47	0		64	40	0	-9	47	0	64,65	-9,7833	1993	5	8	05:07	05:27	150.0	80	NA	Gravel and stones/boulders.	
2367	NH-1-93	23	BP sledge	719	780			64	38	0	-9	43	0		64	38	0	-9	42	0	64,6333	-9,7167	1993	5	8	06:43	07:03	15.0	15	NA		Gorgonocaens thrown overboard (x5)
2368	NH-1-93	24	Triangle dredge	790	799			64	39	0	-9	38	0		64	39	0	-9	39	0	64,65	-9,6333	1993	5	8	09:14	09:34	70.0	NA	70	Gravel and stones/boulders.	
2369	NH-1-93	25	detr. sledge (Sneli)	920	1020	no		64	40	0	-9	34	0		64	40	0	-9	34	0	64,6667	-9,5667	1993	5	8	11:11	11:51	280.0	140	NA	Few sponges:Actiniaria,Pagurids,Pycnogonida,Gastropoda,Bivalvia,Ophiuroidea	Some sponges and hydroids.
2370	NH-1-93	26	detr. sledge (Sneli)	1320	1350	no		64	41	0	-8	33	0		64	41	0	-8	34	0	64,6833	-9,55	1993	5	8	14:34	14:49	4.0	4	NA	Gravel and stones/boulders.	Gear twice stuck on retrieval, possibly causing the small sample volume.
2371	NH-1-93	27	detr. sledge (Sneli)	449	443	no		64	45	0	-10	31	0		64	45	0	-10	31	0	64,75	-10,5167	1993	5	8	19:42	20:02	80.0	40	40	Gravely silt.	1 container
2372	NH-1-93	28	detr. sledge (Sneli)	476	461	no		64	52	0	-11	26	0		64	53	0	-11	27	0	64,8667	-11,4333	1993	5	9	00:35	00:55	120.0	80	NA	Silt.	Sponge spicules in sediment.
2373	NH-1-93	29	Triangle dredge	195	193	no		65	1	0	-12	0	0		65	0	0	-11	58	0	65,0167	-12	1993	5	10	00:06	00:26	100.0	NA	50	Sandy gravel with stones/boulders.	0.5 mm sieves not taken. Porifera, hydrozoa, actiniaria, Nemertinea, Ophiuroidea,Asteroidea,Holothuroidea,Brachiopoda,Pagurids,Bryozoa,Ascidiacea,Polychaeta,Amphipoda,Pycnogonida,Echinoidea
2374	NH-1-93	30	Triangle dredge	215	215	no		64	56	0	-11	48	0		64	56	0	-11	47	0	64,9333	-11,8	1993	5	10	01:31	01:41	100.0	50	NA	Sandy gravel.	Porifera,Hydrozoa,Actiniaria,Gastropoda,Asteroidea,Polypilacophora,Ophiuroidea,Brachiopoda,Bryozoa,Echinoidea,Pagurids,Amphipoda
2375	NH-1-93	31	Triangle dredge	305	304	no		64	55	0	-11	38	0		64	55	0	-11	39	0	64,9167	-11,6333	1993	5	10	02:30	02:40	100.0	50	NA	Silty gravel.	Porifera(Thenea),Actiniaria,Polychaeta,Bivalvia,Gastropoda,Ophiuroidea,Asteroidea,Brachiopoda,Bryozoa,Ascidiacea
2376	NH-1-93	32	Triangle dredge	356	355	no		64	51	0	-11	37	0	

2431	B-9-93	569	detr. sledge (Sneli)	1207	1120	4,45	34,99	no	63	4	8	-19	51	33					63,0689	-19,8592	1993	7	3	15:03	15:15	150.0	NA	NA	NA	Sandy silt with stones.	Sledge entangled but came up ok, had taken a bite into a sand stone. Many hydrozoans.
2432	B-9-93	569	Shipek grab	1207		4,45	34,99		63	5	68	-19	49	63					63,1022	-19,8342	1993	7	3	13:17	00:00	NA	NA	NA		Greijan tóm.
2433	B-9-93	570	Shipek grab	1006		5,48	35,03	no	63	14	90	-19	33	20					63,2583	-19,5556	1993	7	3	18:00	00:00	0.2	NA	NA	NA	Silty sand.	fínn sandur og leirsæt vatn.
2434	B-9-93	570	detr. sledge (Sneli)	960	1036	5,48	35,03	no	63	14	0	-19	32	50	63	13	80	-19	32 10	63,2333	-19,5472	1993	7	3	19:28	19:48	100.0	NA	NA	Silty sand.	Rich polychaeta sample. Also ophiuroids, soft corals, hydrozoans and Murilda sp.
2435	B-9-93	570	BP sledge	965	987	5,48	35,03		63	13	80	-19	31	70	63	13	70	-19	31 40	63,2389	-19,5361	1993	7	3	21:10	21:30	15.0	NA	NA	Silty sand.	Very divers sample. Corals, echinoderms, Natantia, Brachiura, Amphipoda, polychaets, gastropods.
2436	B-9-93	571	Shipek grab	52		7,34	35,09		63	22	50	-19	9	90					63,1806	-19,175	1993	7	3	23:40	00:00	1.0	NA	NA	Sand.	skúrfa full af sedimum sandi.
2437	B-9-93	571	detr. sledge (Sneli)	56	53	7,34	35,09	no	63	22	40	-19	9	80	63	22	40	-19	10 10	63,1778	-19,1722	1993	7	3	23:58	00:08	120.0	NA	NA	Sand.	Sediment almost without any life. Few bivalves.
2438	B-9-93	571	BP sledge	53		7,34	35,09		63	22	40	-19	9	50	63	22	30	-19	10 50	63,1778	-19,1639	1993	7	4	00:22	00:32	NA	NA	NA	Sand.	Not full of sand. Only ca. 5 l sieved.
2439	B-9-93	572	Shipek grab	226		6,87	35,1		63	20	10	-19	50	27					63,2361	-19,8408	1993	7	4	02:55	00:00	NA	NA	NA	Sandy silt.	Svná slatti af fínum sandi og leir.
2440	B-9-93	572	detr. sledge (Sneli)	228		6,87	35,1	no	63	20	21	-19	49	55	63	20	38	-19	49 85	63,2392	-19,8319	1993	7	4	03:33	03:48	60.0	NA	NA	Sandy silt.	Some polychaets.
2441	B-9-93	572	BP sledge	228		6,87	35,1		63	20	17	-19	49	60	63	20	37	-19	49 88	63,2381	-19,8333	1993	7	4	04:22	04:37	4.0	NA	NA	Sand.	Nephrops norvegicus, Natantia.
2442	B-9-93	573	Triangle dredge	138	116		35,1	no	63	16	0	-20	23	60	63	16	10	-20	24 20	63,2667	-20,4	1993	7	4	07:13	07:32	20.0	NA	NA	Silty sand with gravel, stones and	Black volcanic gravel. Big boulders with divers fauna. Soft corals, brachiopods, polychaets, bryozoans, porifera, hydrozoans, bivalves etc.
2443	B-9-93	574	Shipek grab	118	120	7,29	35,1	no	63	14	70	-20	31	70					63,2528	-20,5361	1993	7	4	08:12	00:00	3.0	NA	NA	Garnavig sand.	Full skúffa af svörtum sandi.
2444	B-9-93	574	detr. sledge (Sneli)	133	148	7,29	35,1	no	63	14	90	-20	32	60	63	14	60	-20	33 10	63,2583	-20,55	1993	7	4	08:43	08:58	200.0		10	NA	Sand.	
2445	B-9-93	576	Triangle dredge	65				no	63	20	30	-20	28	20	63	20	20	-20	28 0	63,3417	-20,4722	1993	7	4	11:23	11:25	NA	NA	NA	Stones, boulders and rocks.	
2446	B-9-93	577	Triangle dredge	79	86				63	20	10	-20	27	40	63	19	90	-20	27 20	63,3361	-20,4611	1993	7	4	11:53	11:58	NA	NA	NA	Gravel, stones and boulders.	
2447	B-9-93	577	detr. sledge (Sneli)	92				no	63	19	60	-20	27	0					63,3333	-20,45	1993	7	4	12:18	12:28	150.0	NA	NA	Sandy gravel.	Very poor sample.
2448	B-9-93	578	detr. sledge (Sneli)	87				no	63	22	26	-20	30	31	63	22	49	-20	30 50	63,3739	-20,5086	1993	7	4	14:02	14:12	150.0	NA	NA	Silty sand.	Black sand. Aphrodita aculeata, Echinocardium sp., asteroids.
2449	B-9-93	579	Shipek grab	124		7,2	35,05		63	20	70	-20	59	20					63,3528	-20,9889	1993	7	4	16:05	00:00	NA	NA	NA	Sandy silt.	Smávegis af fínum sandi.
2450	B-9-93	579	detr. sledge (Sneli)	124		7,2	35,05	no	63	20	70	-21	0	10	63	21	66	-21	0 60	63,3528	-21,0028	1993	7	4	16:24	16:44	120.0	NA	NA	Silt.	Echinocardium sp., ascidians, 1x Aphrodita sp.
2451	B-9-93	579	BP sledge	125		7,2	35,05	no	63	21	15	-21	0	11					63,3542	-21,0031	1993	7	4	17:13	17:33	4.0	NA	NA		
2452	B-9-93	580	Shipek grab	148		7,19	35,08	no	63	19	70	-21	10	10					63,3361	-21,1694	1993	7	4	18:18	00:00	0.3	NA	NA	Silt.	fínn leir.
2453	B-9-93	580	detr. sledge (Sneli)	152	149	7,19	35,08	no	63	20	20	-21	10	70	63	20	40	-21	11 0	63,3389	-21,1861	1993	7	4	18:43	19:03	180.0	NA	NA	Sandy silt.	Most of sediment went through the 0.5 mm sieve. Poor fauna, few polychaets, bivalve and ophiuroids.
2454	B-9-93	580	BP sledge	152	153	7,19	35,08		63	20	10	-21	10	20	63	19	90	-21	9 80	63,3361	-21,1722	1993	7	4	19:28	19:43	20.0	NA	NA		Ophiuroids, Natantia, Brachiura, Polychaeta, Ophistobranchia, Bivalvia.
2455	B-9-93	581	Shipek grab	129		7,18	35,06	no	63	25	0	-21	21	10					63,4167	-21,1528	1993	7	4	20:52	00:00	0.4	NA	NA	Silt.	Full skúffa af fínum leir (brúnn).
2456	B-9-93	581	detr. sledge (Sneli)	128	127	7,18	35,06	no	63	25	0	-21	20	60	63	24	80	-21	19 90	63,4167	-21,15	1993	7	4	21:20	21:40	120.0	NA	NA	Sandy silt.	Very fine mud, went mostly through 0.5 mm sieve. Poor fauna, few polychaets and echinoderms.
2457	B-9-93	581	BP sledge	127	128	7,18	35,06		63	24	80	-21	20	30	63	25	0	-21	20 60	63,4222	-21,3417	1993	7	4	22:00	22:15	20.0	NA	NA		Lot of organic material cloged the sieves, the whole sample put in decant fraction. Size of the animals very small.
2458	B-9-93	582	Shipek grab	125		7,1	35,08	no	63	30	0	-21	39	90					63,5	-21,675	1993	7	4	23:35	00:00	1.0	NA	NA	Sandy silt.	fingerður leir.
2459	B-9-93	582	detr. sledge (Sneli)	125	125	7,1	35,08	no	63	29	80	-21	39	40	63	29	50	-21	38 50	63,5056	-21,6611	1993	7	4	23:55	00:15	50.0	NA	NA	Silt.	Most of the sediment went through the 0.5 mm sieves.
2460	B-9-93	582	BP sledge	125	125	7,1	35,08	no	63	29	65	-21	39	10	63	29	83	-21	39 71	63,5014	-21,6528	1993	7	5	00:36	00:51	1.0	NA	NA		Whole sample put in decant fraction.
2461	B-9-93	583	Shipek grab	133		7,12	35,08		63	25	10	-21	39	10					63,4194	-21,6528	1993	7	5	01:40	00:00	NA	NA	NA	Sandy silt.	Svná slatti af fínum leir.
2463	B-9-93	583	detr. sledge (Sneli)	133		7,12	35,08	no	63	25	40	-21	39	89					63,4278	-21,6747	1993	7	5	02:49	02:54	40.0	NA	NA	Silty sand with gravel.	On previous tow (sample 2462 (not in data bank)) the sledge (Sneli) came up on the safety wire - animals picked from 3 boulders.
2464	B-9-93	584	Shipek grab	178		7,24	35,11	no	63	15	20	-21	14	10					63,2556	-21,2361	1993	7	5	05:00	00:00	4.0	NA	NA	Sandy silt.	Full skúffa.
2465	B-9-93	584	detr. sledge (Sneli)	180		7,24	35,11	no	63	15	20	-21	13	80	63	15	40	-21	14 10	63,2556	-21,2389	1993	7	5	05:30	05:40	80.0	NA	NA	Sandy silt with gravel.	A lot of Scaphopoda.
2466	B-9-93	584	BP sledge	180		7,24	35,11	no	63	15	40	-21	14	20	63	15	60	-21	14 50	63,2611	-21,2389	1993	7	5	06:30	06:20	3.0	NA	NA		Relatively rich sample of crustaceans.
2467	B-9-93	585	Shipek grab	469		6,74	35,09	no	63	10	20	-21	26	10					63,1722	-21,4361	1993	7	5	07:40	00:00	0.2	NA	NA		Lítið sjónl, vatn leirblað.
2468	B-9-93	585	detr. sledge (Sneli)	448	452	6,74	35,09	no	63	10	0	-21	30	30	63	9	90	-21	31 80	63,1667	-21,525	1993	7	5	08:52	09:12	150.0	NA	NA	Sandy silt with stones/boulders.	Very divers sample; molluscs, echinoderms, polychaets, porifera.
2469	B-9-93	585	BP sledge	450	452	6,74	35,09		63	9	90	-21	31	60	63	9	80	-21	32 0	63,175	-21,5333	1993	7	5	10:27	10:47	20.0	NA	NA		Very rich fauna.
2470	B-9-93	586	Shipek grab	662		6,09	35,06	no	63	7	20	-21	34	20					63,1222	-21,5722	1993	7	5	11:40	00:00	0.3	NA	NA	Silt.	
2471	B-9-93	586	detr. sledge (Sneli)	647	664	6,09	35,06	no	63	6	84	-21	36	43	63	6	78	-21	37 49	63,1233	-21,6119	1993	7	5	12:42	13:02	80.0	NA	NA	Silt.	Many polychaets.
2472	B-9-93	586	BP sledge	666		6,09	35,06		63	6	70	-21	37	60	63	6	67	-21	39 10	63,1194	-21,6333	1993	7	5	14:22	14:42	8.0	NA	NA		Many echinoderms (asteroids and holothuroids) and echinoids.
2473	B-9-93	587	Shipek grab	781		5,54	35,03		63	4	18	-21	32	2					63,0717	-21,5339	1993	7	5	16:15	00:00	NA	NA	NA		Greijan tóm.
2474	B-9-93	587	detr. sledge (Sneli)	791	834	5,54	35,03	no	63	4	7	-21	32	28					63,0686	-21,5311	1993	7	5	17:45	18:03	180.0	NA	NA	Sandy silt.	Divers sample.
2475	B-9-93	587	BP sledge	842	780	5,54	35,03		63	4	20	-21	34	90	63	4	40	-21	35 70	63,0722	-21,5917	1993	7	5	19:42	20:02	10.0	NA	NA	Sandy silt.	Lot of foraminifers in the sediment. Compressed mud that does not easily come apart. Very divers sample.
2476	B-9-93	588	Shipek grab	64		7,8	34,92		63	39	86	-20	49	54					63,6739	-20,8317	1993	7	6	02:05	00:00	NA	NA	NA		
2477	B-9-93	588	detr. sledge (Sneli)	64	65	7,8	34,92	no	63	39	69	-20	49	43	63	39	83	-20	49 91	63,6692	-20,8342	1993	7	6	03:29	03:11	10.0	NA	NA	Shell sand.	
2478	B-9-93	563	Shipek grab	803		5,36	35,02		63	0	0	-21	3	20					-63	-21,0556	1993	7	2	11:48	00:00	NA	NA	NA		
2479	MH-1-93	22	detr. sledge (Sneli)	607	606			no	64	36	0	-10	5	0	64	36	0	-10	5 0	64,6	-10,0833	1993	7	8	00:33	00:53	150.0		150	NA	Sandy silt.	Very poor sample. Sediment with sponge spicules.
2480	HM-1-93	1	BP sledge	62	62	3,56	34,3		65	48	34	-23	55	27	65	48	17	-23	54 81	65,8094	-23,9242	1993	7	11	11:16	11:26	6.0		6	NA	Sandy silt.	
2481	HM-1-93	1	Agassiz trawl	64	65	3,56	34,3		65	47	83	-23	53	67	65	47	72	-23	53 18	65,8064	-23,9019	1993	7	11	11:54	12:09	NA	NA	NA		
2482	HM-1-93	1	Shipek grab	66		3,56	34,3	yes	65	47	64	-23	52	84					65,8011	-23,89	1993	7	11	12:30	00:00	4.0	NA	NA	Sandy silt.	Efsta lag brúnt, svart set undir.
2483	HM-1-93	2	Shipek grab	38		7,41	34,17		65	50	0	-24	11	81					65,8333	-24,2058	1993	7	11	13:57	00:00	NA	NA	NA		
2484	HM-1-93	2	detr. sledge (Sneli)	37	38	7,41	34,17		65	50	10	-24	12	45	65	50	25	-24	12 85	65,8361	-24,2111	1993	7	11	14:13	14:23	2.0	NA	NA	Sandy gravel.	Molluscs and decapods.
2485	HM-1-93	2	Triangle dredge	38	38	7,41	34,17	no	65	50	22	-24	13	43	65	50	51	-24	13 69	65,8394	-24,2286	1993	7	11	14:39	14:44	100.0		50	NA	Gravely sand and stones/boulders.	
2486	HM-1-93	3	Shipek grab	68		6,23	34,9		65	55	11	-24	44	95					65,9197	-24,7597	1993	7	11	16:13	00:00	0.2	NA	NA	Sand.	fínn skeljasandur, vatn tært.
2487	HM-1-93	3	detr. sledge (Sneli)	68	70	6,23	34,9	no	65	55	34	-24	45	38	65	55	49	-24	45 46	65,9261	-24,7606	1993	7	11	16:27	16:37	10.0		10	NA	Gravely sand.	1/2 of the material from 5 mm sieve preserved.
2488	HM-1-93	3	Agassiz trawl	75	75	6,23	34,9		65	55	69	-24	46	17	65	55	90	-24	46 29	65,9358	-24,77	1993	7	11	16:58	17:08	NA	NA	NA	Gravel and stones/boulders.	Solaster sp., Asterias rubens, hydrozoans, Arctica islandica.
2489	HM-1-93	4	Shipek grab	125		5,58	34,93		66	4	1	-24	55	97					66,0669	-24,9436	1993	7	11	18:20	00:00	0.5	NA	NA	Sand.	
2490	HM-1-93	4	detr. sledge (Sneli)	124	124	5,58	34,93		66	4	42	-24	59	48	66	4	50	-24	59 25	66,0783	-24,9967	1993	7	11	18:47	18:57	30.0	NA	NA	Sand and stones.	sample
2491	HM-1-93	4	BP sledge	127	126	5,58	34,93		66	4	90	-24	58	1	66	4	97	-24	57 68	66,0917	-24,9669	1993	7	11	19:39	19:49	12.0	NA	NA		1 mm sieve: from 1/2 of sediment; 0.5 mm sieve: from 1/4 of sediment.
2492	HM-1-93	5	Shipek grab	269		5,7	35,01		66	9	91	-25	56	92					66,1753	-25,9580	1993	7	11	22:39	00:00	2.0	NA	NA	Sand.	
2493	HM-1-93	5	detr. sledge (Sneli)	275	275	5,7	35,01	no	66	10	18	-25	56	19	66	10	32	-25	55 72	66,1717	-25,9386	1993	7	11	23:11	23:26	80.0		80	NA	Gravely sand and stones.	Very divers sample. Material from 1 mm and 0.5 mm sieve results from 1/3 x 80 liters.
2494	HM-1-93	6	Shipek grab	354		5,89	34,45		66	10	88	-26	0	59					66,1911	-26,0164	1993	7	12	00:50	00:00	0.1	NA	NA	Fine shell sand and gravel.	Steinn fastur í skúffuopinu.
2495	HM-1-93	6	Triangle dredge	333	321	5,89	34,45	no	66	10	53	-25	59	30	66	10	45	-25	58 97	66,1814	-25,9917	1993	7	12	01:25	01:35	40.0		40	NA	Sandy gravel and stones/boulders.	Large boulders with epifauna.
2496	HM-1-93	7	Shipek grab	509		0,48	34,86	no	66	13	46	-26	10	3					66,2294	-26,1675	1993	7	12	02:50	00:00	1.mai	NA	NA	Gravely sand.	fingerður sandur, leirblað vatn
2497	HM-1-93	7	detr. sledge (Sneli)	538	545	0,48	34,86		66	13	75	-26	11	16	66	13	81	-26	11 54	66,2375	-26,1878	1993	7	12	03:25	03:35	0.0	NA	NA		Solaster sp., pycnogonids, ophiuroids, amphipods.
2498	HM-1-93	8	Shipek grab	627		-0,47	34,87	no	66	18	9	-26	31	30					66,3025	-26,525	1993	7	12	05:10	00:00	1.mai	NA	NA	Silty gravelly sand.	fínn sandur me- smákölum. Vatn leirlita-
2499	HM-1-93	8	detr. sledge (Sneli)	629	627	-0,47	34,87		66	18	32	-26	30	66	66	18	43	-26	30 34	66,3089	-26,5183	1993	7	12	05:57	06:27	NA	NA	NA		Many sponges. Some isopods.
2500	HM-1-93	9	Shipek grab	542		-0,35	34,87		66	25	14	-25	53	45					66,4206	-25,8958	1993	7	12	08:55	00:00	0.5	NA	NA	Sand and rocks.	
2501	HM-1-93	9	detr. sledge (Sneli)	630		-0,35	34,87	no	66	25	24	-25	50	12	66	25	31	-25	49 82	66,4233	-25,8422	1993	7	12	10:14	10:29	100.0		100	NA	Stones/boulders mixed with sand and	Very divers sample. Sponges, amphipods (Caprella), isopods, Go rgonocephalus, asteroids, ophiuroids.
2502	HM-1-93	10	detr. sledge (Sneli)	444	446	5,45	35,02	no	66	19	38	-25	48	39	66	19	24	-25	49 24	66,3272	-25,8275	1993	7	12	12:31	12:41	20.0		15	5	Gravely sand with stones/boulders.	Very divers sample.
2503	HM-1-93	10	Shipek grab	426		5,45	35,02	no	66	19	11	-25	48	45					66,3197	-25,8125	1993	7	12	14:25	00:00	0.1	NA	NA	Sand.	fínn skeljasandur, vatn tært.
2504	HM-1-93	11	Shipek grab	331		5,67	35,01		66	14	85	-25	38	98					66,2569	-25,8433	1993	7	12	15:15	00:00	NA	NA	NA	Sand.	
2505	HM-1-93	11	detr. sledge (Sneli)	321	318	5,67	35,01	no	66	14	85	-25	49	14	66	14	90	-25	48 79	66,2569	-25,8206	1993	7	12	15:40	15:50	4.0		4	NA	Gravel and stones/boulders.	Sledge came up on the safety wire.
2506	HM-1-93	11	Triangle dredge	291	285	5,67	35,01	no	66	15	11	-25	47	22	66	15	12	-25	46 94	66,2511	-25,7894	1993	7	12	16:25	16:30	50.0	NA	50	Stones/boulders with some gravel	Big boulders with hydrozoans, bryozoans, ophiuroids. Brachiura, sponges and polychaets.
2507	HM-1-93	12	Shipek grab	153		5,58	35,02	no	66	16	11	-25	26	87					66,2667	-25,4575	1993	7	12	17:45	00:00	0.2	NA	NA	Sand.	fínn skeljasandur, vatn tært.
2508	HM-1-93	12	detr. sledge (Sneli)	150	150	5,58	35,02		66	16	52	-25	26	51	66	16	71	-25	26 51	66,2811	-25,4475	1993	7	12	17:55	18:05	4.0	NA	NA	Sand.	
2509	HM-1-93	12	BP sledge	154	160	5,58	35,02		66	17	51	-25	25	60	66	17	75	-25	25 14	66,2975	-25,4333	1993	7	12	00:00	00:00	40.0		10	NA	Sand.	Recorded on label and in original file as sample 2507
2510	HM-1-93	13	Shipek grab	323		5,49	35,01		66	27	21	-25	22	64					66,4558	-25,3844	1993	7	12	00:00	00:00	0.2	NA	NA	Silty sand.	
2511	HM-1-93	13	detr. sledge (Sneli)	333	330	5,49	35,01		66	27	94	-25	21	48	66	28	18	-25	20 94	66,4761	-25,3633	1993	7	12	20:48	21:03	50.0		20	NA	Sand.	
2512	HM-1-93	13	BP sledge	333	335	5,49	35,01		66	29	58	-25	18	4	66	29	73	-25	17 79	66,4994	-25,3011	1993	7	12	22:05	22:15	25.0		25	NA	Sand.	1 mm and 0.5 mm fractions taken from approx. 1/10 of sample.
2513	HM-1-93	14	Shipek grab	417		-0,34	34,87		66	33	17	-24	34	7					66,5547	-25,2353	1993	7	12	23:25	00:00	0.2	NA	NA	Gravely sand.	
2514	HM-1-93	14	detr. sledge (Sneli)	465	476	-0,34	34,87	no	66	34	8	-25	13	68	66	34	33	-25	23 42	66,5689	-25,2356	1993	7	13	00:14	00:24	100.0		30	NA	Black gravely sand with stones.	Black volcanic sand, pebbles and stones. Quite divers sample of amphipods and ophiuroids.
2515	HM-1-93	15	Shipek grab	653		-0,5	34,87	no	66	36	53	-25	20	47					66,6147	-25,5464	1993	7	13	01:40	00:00	0.3	NA	NA	Sandy silt.	fínn sandur, vatn leirblað.
2516	HM-1-93	15	detr. sledge (Sneli)	680	686	-0,5	34,87		66	36	85	-25	22	69	66	37	4	-25	23 49	66,6236	-25,5858	1993	7	13	02:24	02:39	30.0	NA	30	Sand.	Hardly any sediment. Sample mostly of sponges and crinoids.
2517	HM-1-93	16	Shipek grab	744		-0,53	34,87	no	66	37	47	-25	30	51					66,6297	-25,5142	1993	7	13	04:25	00:00	0.1	NA	NA	Sand.	Fáein sandkorn, vatn tært.
2518	HM-1-93	16	detr. sledge (Sneli)	749	746	-0,53	34,87	no	66	37	94	-25	31	59	66	36	79	-25	34 38	66,6261	-25,5664	1993	7	13	05:25	05:40	50.0	NA	NA	Gravely sand.	Bone from a whale (?), Gorgonocephalus, sponges.
2519	HM-1-93	17	Shipek grab	160		5,66	35,01		66	44	94	-24	33	2					66,7594	-24,5506	1993	7	13	09:40	00:00	NA	NA	NA		
2520	HM-1-93	17	Triangle dredge	155	154	5,66	35,01		66	45	16	-24	32	43	66	45	20	-24	32 35	66,7544	-24,5453	1993	7	13	10:02	10:06	NA	NA	NA	Rocks mixed with gravel.	Lempla
2521	HM-1-93	18	Shipek grab	263		5,68	34,98		66	54	15	-24	11	70					66,9042	-24,2361	1993	7	13	11:30	00:00	0.3	NA	NA	Silty sand with gravel.	Vatn tært.
2522	HM-1-93	18	detr. sledge (Sneli)	252	254	5,68	34,98	no	66	54	47	-24	11	60	66	54	52	-24	11 13	66,9131	-24,2	1993	7	13	11:57	12:07	150.0		50	NA	Gravely sand and stones/boulders.	High abundance of ophiuroids.
2523	HM-1-93	19	Shipek grab	230		5,64	35	no	66	57	20	-23	59	77					66,9556	-24,0047	1993	7	13	12:05	00:00	1.0	NA	NA	Silty sand.	fingerður sandur, leirblað vatn
2524	HM-1-93	19	detr. sledge (Sneli)	213	216	5,64	35	no	66	56	90	-23	59	73	66	56	73	-23	59 78	66,9583	-24,0016	1993	7	13	13:27	13:37	150.0		50	NA	Sandy gravel with stones/boulders.	Divers sample: ascidiacaens, ophiuroids (stuck to stones), encrusting bryozoans+porifera, brachiopods, asteroids. Pluck "fraction" taken from boulders.
2525	HM-1-93	20	Shipek grab	225		5,61	35,01	no	66	36	3	-23	59	1					66,6008	-23,9836	1993	7	13	16:15	00:00	2.0	NA	NA	Silty sheilsand.	fingerður skeljasandur, vatn leirblað. Mikið af burstormapípum
2526	HM-1-93	20	detr. sledge (Sneli)	226	225	5,61	35,01	no	66	36	34	-23	58	61	66	36	48	-23	58 39	66,6094	-23,9836	1993	7	13	16:37	16:47	50.0		50	NA	Silty sand.	Mass of tube building polychaets, ophiuroids, Ctenodiscus, amphipods.
2527	HM-1-93	20	BP sledge	225	226	5,61	35,01	no	66	36	93	-23	57	65	66	37	8	-23	57 54	66,6258	-23,9681	1993	7	13	17:23	17:38	10.0		10	NA	Valdella lacida (picked from 2 mm (PAB Manna.)	
2528	HM-1-93	20	Agassiz trawl	222	218	5,61	35,01		66	37	52	-23	55	93	66	37	61	-23	55 41	66,6311	-23,9425	1993	7	13	19:38	19:53	30.0	NA	30		Periphylla periphylla (11 cm bell-height). Very divers sample.
2529	HM-1-93	21	Shipek grab	135		5,62	34,98	no	66	24	93	-22	50	19					66,4258	-23,8386	1993	7	13	21:32	00:00	0.3	NA	NA	Fine sand.	Tært vatn.
2530	HM-1-93	21	detr. sledge (Sneli)	138	152	5,62	34,98	no	66	25

2578	HM-1-93	40	detr. sledge (Snæl)	1002	996	-0,58	34,87	no	67	8	22	-24	36	66	67	7	94	-24	36	84	67,1394	-24,6183	1993	7	15	18:38	18:53	50,0	20	NA	Sandy silt mixed with gravel and bo	Not much life except sponges.
2579	HM-1-93	40	RP sledge	996	994	-0,58	34,87		67	5	75	-24	43	27	67	5	55	-24	43	72	67,1042	-24,7242	1993	7	15	21:00	21:15	NA	NA	NA		D.K.
2580	HM-1-93	41	Skjögi drag	719		-0,5	34,87	no	67	41	13	-22	36	57							67,7203	-22,6158	1993	7	16	04:40	00:00	1,0	NA	NA	Sandy silt.	Brúnn leir.
2581	HM-1-93	41	RP sledge	719	720	-0,5	34,87		67	43	20	-22	34	40	67	43	26	-22	33	89	67,7222	-22,5794	1993	7	16	05:43	05:58	NA	NA	NA		Organic material cloged the 0.5 mm sieve when decanting. 4 mm fraction together with the 2 mm one.
2582	HM-1-93	41	detr. sledge (Snæl)	721	722	-0,5	34,87		67	43	76	-22	28	84	67	43	80	-22	28	40	67,7378	-22,49	1993	7	16	07:51	08:06	NA	NA	NA	Sandy silt mixed with gravel and st	2.
2583	HM-1-93	42	RP sledge	605	607	-0,54	34,87		67	35	90	-22	23	23	67	36	2	-22	22	52	67,6083	-22,3897	1993	7	16	10:51	11:06	NA	NA	NA		Sikmy sediment. Not many animals in the sample.
2584	HM-1-93	43	Skjögi grab	449		-0,46	34,87	no	67	24	82	-22	21	42							67,4228	-22,3617	1993	7	16	13:05	00:00	4,0	NA	NA	Silt	Grábrúnn leir.
2585	HM-1-93	43	RP sledge	450	450	-0,46	34,87		67	24	77	-22	23	86	67	24	81	-22	25	0	67,4214	-22,4072	1993	7	16	13:41	13:56	10,0	10	NA		Divers sample.
2586	HM-1-93	44	detr. sledge (Snæl)	450	450	-0,46	34,87	no	67	25	5	-22	25	7	67	25	5	-22	25	72	67,4181	-22,4347	1993	7	16	14:56	15:06	100,0	60	NA	Silt	Very fine mud, most of the sediment went through the 0.5 mm sieve. Divers sample of polychaets.
2587	HM-1-93	44	Skjögi grab	357		-0,47	34,87	no	67	19	81	-22	33	19							67,3392	-22,5553	1993	7	16	16:25	00:00	4,0	NA	NA	Silt	Grábrúnn leir, mjög fíngerður.
2588	HM-1-93	44	detr. sledge (Snæl)	356	357	-0,47	34,87	no	67	19	86	-22	31	93	67	19	86	-22	31	42	67,3406	-22,5425	1993	7	16	16:55	17:05	100,0	60	NA	Sandy silt	Fine mud, most of sediment went through the 0.5 mm sieve.
2589	HM-1-93	44	RP sledge	355	360	-0,47	34,87	no	67	77	2	-22	31	9	67	19	76	-22	34	0	67,3381	-22,5525	1993	7	16	17:51	18:01	1,0	1	NA	Organic sediment.	
2590	HM-1-93	45	Skjögi grab	318		0,12	34,84	yes	67	10	90	-22	25	42							67,1917	-22,4283	1993	7	16	19:20	00:00	4,0	NA	NA	Silt	Fínn þéttur leir, vottur af brennisteinslykt.
2591	HM-1-93	45	RP sledge	333	331	0,12	34,84	no	67	12	53	-22	25	46	67	12	64	-22	25	63	67,2147	-22,4294	1993	7	16	21:03	21:13	10,0	10	NA	Organic sediment.	Good sample of crustaceans and ophiuroids. Porifera.
2592	HM-1-93	45	detr. sledge (Snæl)	333	331	0,12	34,84		67	12	51	-22	25	46	67	12	64	-22	25	63	67,2147	-22,4294	1993	7	16	21:03	21:13	NA	NA			Pluck and 5 mm fraction in the same bucket.
2593	HM-1-93	46	Skjögi grab	217		5,41	34,99	no	66	59	96	-22	37	97							67,01	-22,6436	1993	7	16	23:07	00:00	1 jan.	NA	NA	Sandy silt with gravel	
2594	HM-1-93	46	detr. sledge (Snæl)	215	213	5,41	34,99	no	66	59	76	-22	36	50	66	59	71	-22	36	50	67,0044	-22,6139	1993	7	16	23:31	23:41	120,0	60	NA	Silty sand and gravel	0.5 mm and 1 mm fractions sieved from 30 l of sediment. 5 mm fraction from 60 l.
2595	HM-1-93	46	RP sledge	203	205	5,41	34,99	no	67	0	10	-24	38	17	67	0	16	-22	33	39	67,0028	-22,5714	1993	7	16	00:24	00:39	10,0	5	NA		5 l sieved on 0 mesh sieves, rest (5 l) on 5 mm "small" sieve.
2596	HM-1-93	47	Skjögi grab	130		5,43	34,99	no	66	51	83	-22	25	4							66,8731	-22,4178	1993	7	17	01:50	00:00	0,5	NA	NA	Silty sand.	Fíngerður skeljasandur, vatn tært.
2597	HM-1-93	47	detr. sledge (Snæl)	132	133	5,43	34,99	no	66	51	99	-22	24	49	66	52	0	-22	24	0	66,8775	-22,4136	1993	7	17	02:06	02:16	100,0	60	NA	Gravely sand with stones/boulders.	Divers sample.
2598	HM-1-93	48	Skjögi grab	87		5,25	34,94	no	66	46	97	-21	34	10							66,7936	-21,5694	1993	7	17	04:25	00:00	0,2	NA	NA	Sandy gravel with silt.	Steinvölur mæ- svörtilum sandi og leir.
2599	HM-1-93	48	Trænging dredge	83	84	5,25	34,94		66	46	93	-21	33	71	66	46	88	-21	33	42	66,7925	-21,5697	1993	7	17	04:45	04:50	NA	NA	NA	Rocks.	Three big rocks + gravel. Porifera and other animals picked from the rocks.
2600	HM-1-93	49	Skjögi grab	344		1,49	34,76		66	38	88	-20	57	5							66,6578	-20,9514	1993	7	17	06:50	00:00	NA	NA	NA		
2601	HM-1-93	49	Agassiz trawl	335	336	1,49	34,76		66	39	14	-20	55	71	66	39	28	-20	55	24	66,6539	-20,9364	1993	7	17	07:33	07:48	NA	NA	NA		Poor sample.
2602	HM-1-94	1	Skjögi grab	429		-0,31	34,89		66	55	30	-17	58	81							66,925	-17,9892	1994	7	10	03:40	00:00	0,1	NA	NA	Sandy silt.	Lítið sýni
2603	HM-1-94	1	detr. sledge (Snæl)	433		-0,31	34,89		66	55	90	-17	55	80							66,9417	-17,9389	1994	7	10	00:00	06:00	100,0	100	NA	Sandy silt	Sponge spicules. Clay with many lumps of "soap-stone". Some large stones. Few large animals, mostly ophiuroids and polychaete tubes.
2604	HM-1-94	1	Agassiz trawl	435	436	-0,31	34,89		66	56	22	-17	56	35	66	56	39	-17	55	83	66,9394	-17,9431	1994	7	10	09:02	09:22	20,0	NA	20		soap stones, asteroids, ophiuroids, holothuroids, sponges, gastropods, cephalopods, fish. Catch was clean, mixed with lumps of "soap stone", few large stones, echinoderms dominating group.
2606	HM-1-94	1	RP sledge	435	431	-0,31	34,89	no	66	56	4	-17	56	23	66	56	33	-17	54	98	66,9344	-17,9397	1994	7	10	10:50	11:10	10,0	10	NA	Muddy sand	A lot of Lycodes, Thyacira, crustaceans and sponge spicules.
2607	HM-1-94	2	Skjögi grab	252		2,95	34,89	no	67	0	0	-17	26	0							67	-17,4333	1994	7	10	15:15	00:00	1,0	NA	NA	Sand	Mostly water
2608	HM-1-94	2	detr. sledge (Snæl)	246	236	2,95	34,89	no	67	0	33	-17	24	63	67	0	51	-17	23	58	67,0092	-17,4175	1994	7	10	17:47	18:01	150,0	75	NA	Muddy gravel with few stones	Few animals, mostly small ophiuroids and molluscs.
2609	HM-1-94	2	Agassiz trawl	245	238	2,95	34,89		67	0	42	-17	24	40	67	0	59	-17	23	26	67,0117	-17,4111	1994	7	10	19:10	19:30	100,0	NA	NA	Clay stone	Clay stone, max diam. 30cm, few animals: sponges (Phakellia) andopsiuroids most common, some hydrozoans. Fish (Raja, Sebastes etc.) thrown overboard.
2610	HM-1-94	2	RP sledge	248	238	2,95	34,89		67	0	25	-17	25	1	67	0	52	-17	23	78	67,0069	-17,4169	1994	7	10	20:35	20:55	6,0	6	NA	Sandy silt	Very rich sample. Opening-closing mechanism of sledge damaged.
2611	HM-1-94	3	Skjögi grab	324		-0,36	34,89		67	7	60	-17	4	20							67,1333	-17,0722	1994	7	10	22:36	00:00	1 maí	NA	NA		Mostly water
2612	HM-1-94	3	detr. sledge (Snæl)	350	372	-0,36	34,89		67	7	60	-17	4	60	67	8	27	-17	0	95	67,1333	-17,0833	1994	7	11	23:23	23:43	65,0	40	NA	Silty sand	Sample rich in animals
2613	HM-1-94	3	RP sledge	362	381	-0,36	34,89		67	8	15	-17	1	50	67	8	43	-17	0	18	67,1375	-17,0306	1994	7	11	01:30	01:50	15,0	15	NA	Silty sand	Lot of echinoderms, sponges, Lycodes and foraminifers
2614	HM-1-94	4	Skjögi grab	497		-0,52	34,9		67	10	60	-16	52	42							67,1833	-16,8783	1994	7	11	03:15	00:00	0,3	NA	NA	Sand mixed with silt and gravel	
2615	HM-1-94	4	detr. sledge (Snæl)	528	538	-0,52	34,9		67	11	22	-16	50	92	67	11	62	-16	49	97	67,1894	-16,8589	1994	7	11	04:09	04:25	90,0	70	NA	Sandy silt	Species rich sample. Lot of echinoderms,pycnogonids,few echiuroids.
2616	HM-1-94	4	RP sledge	535	535	-0,52	34,9		67	11	38	-16	50	40	67	11	75	-16	49	45	67,1919	-16,8444	1994	7	11	07:09	07:24	2,0	2	NA		D.K.
2617	HM-1-94	5	Skjögi grab	586		-0,55	34,9		67	15	40	-16	41	80							67,2611	-16,7056	1994	7	11	08:55	00:00	1,0	NA			Mostly water
2618	HM-1-94	5	detr. sledge (Snæl)	597	602	-0,55	34,9		67	16	34	-16	39	33	67	16	67	-16	38	33	67,2761	-16,6592	1994	7	11	09:55	10:15	100,0	100	NA	Silt	Very fine mud, sponge spicules clogging sieves. Dominating animals: large polychaets, Vinguliaria, Chondrocladia
2619	HM-1-94	5	RP sledge	600	606	-0,55	34,9		67	16	86	-16	37	77	67	16	67	-16	38	78	67,2906	-16,6381	1994	7	11	12:02	12:22	15,0	15	NA	Silt	Fine mud with detritus. Most of material (detritus?) on 2mm sieve. Many Thyasira
2620	HM-1-94	6	Skjögi grab	910		-0,55	34,9		67	33	70	-16	36	10							67,5694	-16,6028	1994	7	11	14:35	00:00	4,0	NA		Silt	Full grab.
2621	HM-1-94	6	RP sledge	896	894	-0,6	34,9		67	34	2	-16	32	43	67	34	11	-16	31	26	67,5672	-16,5447	1994	7	11	15:41	16:01	0,1	0	NA		The dredge did not reach bottom. Planktonic organisms in sample.
2622	HM-1-94	6	RP sledge	894	896	-0,55	34,9		67	33	93	-16	32	26	67	33	85	-16	33	7	67,5758	-16,5406	1994	7	11	17:30	17:50	5,0	5	NA	Silt	Sample very rich in animals of different sizes. Dominating: Ophiuroids, Asteroids, Holothuroids, Echinoids, Octocorals.
2623	HM-1-94	7	Agassiz trawl	902	904	-0,55	34,9		67	31	86	-16	14	25	67	31	91	-16	14	14	67,5739	-16,5736	1994	7	11	19:10	19:50	20,0	NA	20		The catch was dominated by Ophiopleura borealis and Bathybiaster vexillifer. Number of Pontaster tenuispinus and Malpodomia sp.(?), Polymastia (sponge),crinoids,polychaets,crustacea. 2/3 of O. borealis kept.
2624	HM-1-94	7	detr. sledge (Snæl)	904	910	-0,55	34,9		67	33	97	-16	34	41	67	33	80	-16	36	8	67,5769	-16,5781	1994	7	11	21:05	21:55	200,0	100	NA	Silt	Very few animals - strongly contrasting to samples 2622 and 2623
2625	HM-1-94	7	Skjögi grab	759		-0,56	34,9		67	25	60	-16	12	80							67,4333	-16,2222	1994	7	12	00:00	00:00	4,0	NA	NA	Silt	Very fine mud.
2626	HM-1-94	7	detr. sledge (Snæl)	748	747	-0,56	34,9		67	25	59	-16	11	11	67	25	57	-16	9	10	67,4331	-16,1753	1994	7	12	01:55	02:20	30,0	30	NA	Silt	Very small sample and few animals. Probably to short wire.
2627	HM-1-94	7	RP sledge	748	748	-0,56	34,9		67	25	41	-16	9	73	67	25	49	-16	11	13	67,4286	-16,1703	1994	7	12	03:32	03:52	20,0	20	NA	Silt	Fine mud and some detritus. Rich crustacean sample and agglutinating foraminiferans
2628	HM-1-94	8	Skjögi grab	592		-0,55	34,9		67	19	70	-16	9	80							67,3361	-16,1722	1994	7	12	05:45	00:00	1,0	NA	NA	Silt	
2629	HM-1-94	8	detr. sledge (Snæl)	602	604	-0,55	34,9		67	19	71	-16	7	10	67	19	69	-16	5	99	67,3364	-16,1194	1994	7	12	06:50	07:10	2,0	2	NA	Silt	Umbellula hanging all over sledge, some large. Contents washed practically clean. Virgularia-like pennatulaceans + polycyaet mutltubes,few holoth. + crustaceans. Sledge prob. hit Umbellula field,slided over -> empty
2630	HM-1-94	9	Skjögi grab	700		-0,57	34,9		67	23	27	-16	1	85							67,1908	-16,0403	1994	7	12	11:00	00:00	NA	NA	NA	Silt	Very small sample, mostly water
2631	HM-1-94	9	detr. sledge (Snæl)	699	695	-0,57	34,9		67	23	22	-15	58	39	67	23	17	-15	57	11	67,1894	-15,9775	1994	7	12	12:07	12:27	90,0	50	NA	Silt	Very fine mud. Some polychaets, priapulus and sea-pens.
2632	HM-1-94	9	Agassiz trawl	696	695	-0,57	34,9		67	23	2	-15	57	10	67	23	14	-15	57	75	67,1839	-15,9528	1994	7	12	13:55	14:15	NA	NA	NA		Sample rich in Echinoderms, sponges, brachiopods, polychaets, crustaceans. Some Amathillopsis spinigera (amphipoda)clinging to the stem of asponge.
2633	HM-1-94	10	Smögen box core	790		-0,57	34,9		67	29	60	-15	45	70							67,5	-15,7694	1994	7	12	16:00	00:00	10,0	10	NA	Silt	Sediment sample taken from corer. Subsample taken for meiofauna (örundur)
2634	HM-1-94	10	detr. sledge (Snæl)	795	796	-0,57	34,9		67	29	76	-15	47	85	67	29	87	-15	48	88	67,5044	-15,8069	1994	7	12	17:12	17:32	30,0	30	NA	Silt	Few animals in general, but large numbers of Sabellid polychaets, 3x Priapulus, 1x Borealia, various polychaets
2635	HM-1-94	10	Agassiz trawl	795	792	-0,57	34,9		67	29	78	-15	47	61	67	29	66	-15	46	66	67,505	-15,8069	1994	7	12	19:10	19:30	NA	NA	30		Echinoderms dominating: B. vexillifer, Pontaster tenuispinus,Hymenaster sp.,Ophioplura,Gorgonocephalus,Crinoids. Buccin m-like gastropods,Cephalopods,Stylocordyla borealis+few other sponges,sea-anemones,tubebuild pol
2636	HM-1-94	11	Skjögi grab	1000		-0,59	34,91		67	48	40	-15	27	10							67,8111	-15,4528	1994	7	12	23:00	00:00	3,0	NA	NA	Silt	Grab almost full.
2637	HM-1-94	11	Agassiz trawl	1010	1006	-0,59	34,91		67	48	63	-15	26	18	67	48	61	-15	31	17	67,8175	-15,5078	1994	7	13	01:05	01:25	50,0	50	NA	Silt	Fine mud. Almost all going through the 0.5 mm sieve. Polychaets, crustaceans, few bivalves.
2638	HM-1-94	11	RP sledge	1009	1007	-0,59	34,91		67	48	68	-15	30	18	67	48	54	-15	29	16	67,8189	-15,505	1994	7	13	03:18	03:38	15,0	15	NA	Silt	Lot of agglutinating foraminiferans. Decant fraction not as good as usual, because of sieve clogging. Alls sample processed except only 1/2 of fraction 1 and 0.5 mm (clogging).
2639	HM-1-94	12	Skjögi grab	1101		-0,61	34,91		67	55	80	-15	27	10							67,9389	-15,4528	1994	7	13	05:25	00:00	0,0	NA			Grab empty. Sediment sample taken from the detritus sledge (Snæli-sledge)
2640	HM-1-94	12	detr. sledge (Snæl)	1097	1096	-0,61	34,91		67	55	71	-15	21	81	67	55	75	-15	20	73	67,9364	-15,1725	1994	7	13	07:01	07:21	150,0	150	NA	Silt	Very few mud that easily washed through the 0.5 mm sieve. Very few large animals; enormous amount of agglutinating foraminifers (most in 1 mm fract.). 1x Ophiopleura, some polychaets and anthozoans.
2641	HM-1-94	12	Agassiz trawl	1098	1102	-0,61	34,91		67	55	90	-15	21	30	67	55	88	-15	22	48	67,9417	-15,3583	1994	7	13	09:43	10:03	10,0	10	NA		Mostly echinoderms, especially Bathybiaster vexillifera and Ophiopleura borealis. Holothurians, Mycale sp. (sponge), anthozoans, polychaets and shrimps.
2642	HM-1-94	12	RP sledge	1098	1095	-0,61	34,91		67	55	91	-15	21	29	67	55	85	-15	20	16	67,9419	-15,3581	1994	7	13	12:13	12:33	30,0	8	NA	Silt	7.5 liters sieved with whole range of sieves the rest, 22.5 liters sieved through 5 mm sieve. Number of echinoderms and crustaceans.
2643	HM-1-94	13	Skjögi grab	1200		-0,64	34,91		68	6	71	-15	18	30							68,0203	-15,3083	1994	7	13	16:00	00:00	0,0	NA	NA		Empty grab.
2644	HM-1-94	13	RP sledge	1202	1194	-0,64	34,91		68	1	15	-15	14	67	68	1	10	-15	13	25	68,0208	-15,2519	1994	7	13	17:03	17:23	30,0	15	NA		Half of the sample sieved with whole range of sieves. The other half sieved through 5 and 1 mm.
2645	HM-1-94	13	detr. sledge (Snæl)	1203	1201	-0,64	34,91		68	1	14	-15	15	42	68	0	99	-15	17	8	68,0206	-15,2617	1994	7	13	19:29	19:49	NA	NA	NA		No sample. The sledge had been on bottom, but was empty with exception of some few pebbles and a little silt on the door.
2646	HM-1-94	14	Skjögi grab	1303		-0,72	34,91		68	5	0	-15	23	3							68,0833	-15,1842	1994	7	13	21:06	00:00	1,0	NA	NA	Silt	
2647	HM-1-94	14	detr. sledge (Snæl)	1304	1296	-0,72	34,91		68	4	92	-15	19	33	68	4	92	-15	18	0	68,0922	-15,3258	1994	7	13	23:43	00:03	60,0	60	NA	Silt	Fine mud. Only few animals.
2648	HM-1-94	14	RP sledge	1306	1310	-0,72	34,91		68	5	9	-15	18	65	68	5	12	-15	19	58	68,0868	-15,3181	1994	7	14	02:21	02:41	10,0	10	NA	Silt	10 liters of sample sieved with whole range of sieves, rest (20 l) through 5 and 1 mm sieves+ pluck. Fine mud with foraminifera, many ophiuroids. Only 1/2 of 0.5 mm fraction kept.
2649	HM-1-94	14	Agassiz trawl	1305	1300	-0,72	34,91		68	5	18	-15	18	10	68	5	12	-15	17	7	68,0883	-15,3024	1994	7	14	05:20	05:20	2,0	NA	NA	2		Only echinoderms apart from a single Pycnogonid and gastropod. Bathybiaster, Pontaster, Hymenaster and Ophiopluara. 1x Lycodes. Very small sample
2650	HM-1-94	15	Skjögi grab	900		-0,57	34,91		67	36	0	-15	9	38							67,6	-15,1606	1994	7	14	09:07	00:00	3,0	NA	NA	Silt	Grab full, subsample taken for foraminifers.
2651	HM-1-94	15	detr. sledge (Snæl)	901	904	-0,57	34,91		67	35	71	-15	6	29	67	35	44	-15	5	69	67,6076	-15,1219	1994	7	14	10:13	10:33	NA	NA	NA		Sledge had been on bottom. It contained some stones and very few animals.
2652	HM-1-94	15	RP sledge	910	916	-0,57	34,91		67	35	97	-15	7	42	67	36	32	-15	8	35	67,6103	-15,1283	1994	7	14	12:15	12:55	30,0	10	NA	Silt	10 liters sieved through whole range of sieves, 20 liters through 5 and 1 mm sieves. Divers sample of crustaceans. Also mollusks and echinoderms
2653	HM-1-94	16	Skjögi grab	501		-0,55	34,9		67	18	30	-15	4	20							67,9083	-15,0722	1994	7	14	16:10	00:00	0,3	NA	NA	Silty sand	Sandstone, sand packed with silt.
2654	HM-1-94	16	Trænging dredge	542	549	-0,55	34,9		67	18	25	-15	4	23	67	18	17	-14	58	45	67,9069	-15,0081	1994	7	14	17:00	17:22	0,5	NA	1	Sandstones	Polychaets, pycnogonids and crustaceans.
2655	HM-1-94	16	RP sledge	549	545	-0,55	34,9		67	18	0	-14	57	29	67	18	6	-14	58	47	67,3	-14,9581	1994	7	14	18:20	18:40	15,0	8	NA		A lot of sponge spicules in the sample. Divers sample but no group of animals dominating: Octocorals, sponges (Paty material, holothuroids, ophiuroids, polychaets, gastropods, pycnogonids and diversity of crustaceans
2656	HM-1-94	16	detr. sledge (Snæl)	547	548	-0,55	34,9		67	18	4	-14	58	18	67	18	0	-14	57	28	67,3011	-14,9717	1994	7	14	19:42	19:57	200,0	100	NA	Silt	Very poor sample. A lot of sponge spicules in the fine sediment 1x large dead Chandrocladia gigantea thrown away.
2657	HM-1-94	16	Agassiz trawl	546	547	-0,55	34,9		67	17	83	-14	56	10	67	18	1	-14	57	79	67,3064	-14,9361	1994	7	14	21:09	21:24	3,0	NA	5		Mostly echinoderms. Some sponges (Palymastia mamrmillata (?)), 1x Lycodes
2658	HM-1-94	17	Skjögi grab	256		2,69	34,9		67	13	74	-15	26	79							67,2372	-15,4553	1994	7	15	00:01	00:00	4,0	NA	NA	Sandy silt	
2659	HM-1-94	17	detr. sledge (Snæl)	262	276	2,69	34,9	yes	67	14	10	-15	27	74	67	14	50	-15	28	34	67,2389	-15,4705	1994	7	15	00:43	01:03	150,0	75	NA	Gravely silt with few stones	Few animals in sample.
2660	HM-1-94	17	RP sledge	277	265	2,69	34,9		67	14	41	-15	28	42	67	14	3	-15	27	56	67,2447	-15,4783	1994	7	15	02:00	02:20	6,0	6	NA	Sandy silt	Very divers sample.
2661	HM-1-94	18	Skjögi grab	350		-0,03	34,87		67	12	90	-16	8	80							67,225	-16,1556	1994	7	15	04:10	00:00	4,0	NA	NA	Silt	
2662	HM-1-94	18	detr. sledge (Snæl)	350	354	-0,03	34,87		67	13	33	-16	9	6	67	13	61	-16	9	60	67,2258	-16,1578	1994	7	15	04:46	05:06	80,0	60	NA	Sandy silt with gravel	Divers sample. Many echinoderms and polychaets. Many tetractinellid sponges.
2663	HM-1-94	19	Skjögi grab	389		0,07	34,88		67	3	90	-16	18	50							67,075	-16,3139	1994	7	15	06:40	00:00	3,0	NA	NA	Silt	
2664	HM-1-94	19	detr. sledge (Snæl)	382	382	0,07	34,88		67	2	82	-16	15	89	67	3	7	-16	16	62	67,0561	-16,2747	1994	7	15	08:40	08:55	200,0	100	NA	Silt	Few animals. Very soft sediment with lot of sponge spicules.
2665	HM-1-94	19	Agassiz trawl	384	384	0,07	34,88		67	1	10	-16	16	65	67	3	39	-16	17	65	67,0528	-16,2847	1994	7	15	10:10	10:30	10,0	NA	NA		Relatively high sample number of Ophiuroids. Asteroids,Holothuroids,Nemertins,bivalve,octocorals,sponges (Chandrocladia gigantea),hydrozoans,cephalopods.
2666	HM-1-94	19	RP sledge	382	382	0,07	34,88		67	2	87	-16	16	3	67	3	7	-16	16	90	67,0575	-16,2675	1994	7	15	11:40	12:00	100,0	8	NA		Sledge full of sediment, only a small part of it sieved. Few animals in sample.
2667	HM-1-94	20	Skjögi grab	187		2,55	34,87	no	66	59	70	-15	44	90							67,0028	-15,7583	1994	7	15	13:40	00:00	4,0	NA	NA	Sandy silt	
2668	HM-1-94	20	detr. sledge (Snæl)	187	194	2,55	34,87		66	59	56	-15	44	98	66	59	34	-15	46	59	66,9989	-15,7606	1994	7	15	14:10	14:35	100,0	50	NA	Sandy silt with gravel	Polychaets,echinoderms,sea-anemones,ascidians,holothuroids.

2728	B-13-94	740	Agassiz trawl	927	929	5,16	34,95		64	13	80	-27	30	40	64	13	70	-27	31	80	64,2389	-27,5111	1994	9	7		19:53	20:17	20.0	NA		20		Sponges (Geodia, Stelletta,Spiketilli)
2730	HM-1-95	1	Smögen box core	464				no	66	30	29	-18	51	53							66,5081	-18,8647	1995	7	29		00:00	00:00	NA	NA	NA	Silt	Geology sample + for sediment analysis
2731	HM-1-95	1	Gravity corer	464					66	30	29	-18	51	54							66,5081	-18,865	1995	7	29		00:00	00:00	NA	NA			Gravety corer for geologists
2732	HM-1-95	2	Smögen box core	347					66	30	9	-19	4	34							66,5021	-19,0761	1995	7	29		22:43	00:00	NA	NA			Sample for geologists + Jörundur Svavarsson
2733	HM-1-95	2	Gravity corer	347					66	30	9	-19	4	34							66,5025	-19,0761	1995	7	30		00:25	00:00	NA	NA			3m gravety core HM95-05-02GC and 3.4 m gravety core HM95-95-03GCC
2734	HM-1-95	3	Van Veen grab 3	284		-0,01	34,86 no		67	5	10	-20	9	30							67,0861	-20,1583	1995	7	30		04:19	00:00	10.0	NA	NA	Silt	
2735	HM-1-95	3	detr. sledge (Snell)	288	291	-0,01	34,86 no		67	5	23	-20	7	80	67	5	36	-20	6	88	67,0867	-20,1389	1995	7	30		05:00	05:20	150.0	50	NA	Silt	Only a few polychaets
2736	HM-1-95	3	RP sledge	284	288	-0,01	34,86 no		67	5	27	-20	8	28	67	5	44	-20	7	47	67,0908	-20,1411	1995	7	30		06:19	06:39	80.0	6	NA	Sandy silt	Sledge full with fine mud. Few animals, mostly crustaceans
2737	HM-1-95	4	detr. sledge (Snell)	352	354	-0,38	34,88 no		67	19	15	-19	4	41	67	19	23	-19	41	21	67,2208	-19,7114	1995	7	30		09:28	09:48	150.0	90	NA	Silt	Poor sample with few polychaets (Nephtys)
2738	HM-1-95	4	Van Veen grab 3	350		-0,38	34,88 no		67	19	4	-19	44	5							67,1178	-19,7347	1995	7	30		08:45	00:00	50.0	NA	NA	Silt	
2739	HM-1-95	5	Van Veen grab 3	500		-0,6	34,89 no		67	38	10	-20	19	67							67,6361	-20,1353	1995	7	30		12:16	00:00	50.0	NA	NA	Silt	Very fine mud. Thin layer of brown mud, deeper black-gray mud
2740	HM-1-95	5	detr. sledge (Snell)	501	512	-0,6	34,89 no		67	38	38	-20	15	80	67	38	78	-20	14	61	67,6439	-20,2722	1995	7	30		13:25	13:45	70.0	70	NA	Silt	Very fine mud, most of sediment went through the 0.5 mm sieve. Polychaets (Nephtys) + sea pens. A lot of sponge spicules.
2741	HM-1-95	5	RP sledge	514	507	-0,6	34,89		67	38	90	-20	14	28	67	38	59	-20	15	27	67,6583	-20,2411	1995	7	30		14:45	15:05	NA	NA			
2742	HM-1-95	6	Van Veen grab 3	726					67	45	0	-20	30	0							67,75	-20,5	1995	7	30		16:18	00:00	3.0	NA	NA	Sandy silt	
2743	HM-1-95	6	detr. sledge (Snell)	729	732				67	44	95	-20	28	41	67	45	2	-20	27	20	67,7597	-20,4781	1995	7	30		17:55	18:15	NA	NA			Lot of sponges, pycnogonids, ascidians, Henricia
2744	HM-1-95	6	RP sledge	729	732				67	44	96	-20	28	42	67	45	0	-20	27	22	67,76	-20,4783	1995	7	30		19:24	19:44	1.0	1	NA		Very small sample, mostly large foraminiferans + few amphipods
2745	HM-1-95	7	Agassiz trawl	733	732				67	45	2	-20	27	10	67	45	3	-20	25	57	67,7506	-20,4528	1995	7	30		21:00	21:20	NA	NA			Many Thenea (?) ~50, most of them thrown away. Also Umbellula, crinoids, soft corals, shrimps and gastropods
2746	HM-1-95	7	Van Veen grab 3	800		-0,58	34,89 no		67	46	6	-20	30	95							67,7683	-20,8597	1995	7	30		23:25	00:00	5.0	NA	NA	Silt	Sediment samples for geological study
2747	HM-1-95	7	detr. sledge (Snell)	778	779	-0,58	34,89		67	46	39	-20	47	15	67	46	46	-20	45	98	67,7775	-20,7875	1995	7	31		01:01	01:21	75.0	75	NA	Silty gravel	Number of foraminiferans on 0.5 mm sieve. Ascidiacaens, amphipods, sponges, asteroids
2748	HM-1-95	8	Van Veen grab 3	973		-0,57	34,89		68	2	20	-20	41	60							68,0389	-20,7	1995	7	31		07:00	00:00	NA	NA	NA	Silt	
2749	HM-1-95	8	detr. sledge (Snell)	970	941	-0,57	34,89		68	1	13	-20	39	28	68	0	55	-20	39	48	68,0203	-20,6578	1995	7	31		07:39	07:59	80.0	80	NA	Sandy, gravelly silt	Lot of foraminiferans + few echinoderms
2750	HM-1-95	8	RP sledge	971	968	-0,57	34,89		68	1	30	-20	39	49	68	0	87	-20	39	88	68,025	-20,6636	1995	7	31		09:25	09:45	1.0	1	NA		Poor sample, few ophiuroids + 1x polychaet (Nephtys) + porifera
2751	HM-1-95	8	Agassiz trawl	962	956	-0,57	34,89		67	59	45	-20	41	1	67	58	26	-20	42	17	67,9958	-20,6836	1995	7	31		13:15	13:35	200.0	NA	NA	200	Very diverse sample. Only subsample taken - rest thrown. Trawl was packed with mud. High number of Ophiocoles glacialis, Umbellula (x2 ~160 cm),Pourtalesia jeffreysi, Bathybiaster vexillifer. Sedim. sieved (5,1, 5mm)
2752	HM-1-95	9	Van Veen grab 3	1021		-0,61	34,89		67	55	0	-19	21	0							67,9167	-19,35	1995	7	31		18:18	00:00	NA	NA	NA	Sandy silt	Undisturbed sample, brown sandy mud
2753	HM-1-95	9	Agassiz trawl	1016	1020	-0,61	34,89		67	55	5	-19	17	96	67	55	16	-19	16	2	67,9181	-19,31	1995	7	31		19:42	20:02	20.0	NA		20	Lot of Ophiopleura borealis. A large boulder, several pebbles, glacial stuff
2754	HM-1-95	9	RP sledge	1023	1012	-0,61	34,89		67	55	4	-19	18	97	67	55	11	-19	17	69	67,9178	-19,3269	1995	7	31		21:21	21:41	3.0	3	NA		
2755	HM-1-95	9	detr. sledge (Snell)	1024	1022	-0,61	34,89 no		67	55	13	-19	19	0	67	55	23	-19	17	68	67,9203	-19,3167	1995	7	31		22:49	23:09	80.0	80	NA	Sandy silt	Brown mud, silty with pebbles. Lot of foraminiferans, not much else
2756	HM-1-95	10	Triangle dredge	610	562	-0,39	34,88 no		67	55	14	-18	18	80	67	55	2	-18	20	11	67,9206	-18,3222	1995	8	1		03:40	04:15	150.0	100	NA	Gravely silt with boulders	Dredge packed with mud (brown) + several boulders. Sediment sieved on "inlet"-sieves
2757	HM-1-95	10	Van Veen grab 3	622		-0,39	34,88 no		67	55	0	-18	50	0							67,9167	-18,8333	1995	8	1		05:45	00:00	20.0	NA	NA	Gravely silt	Grab 1/3 full with brown mud, slightly disturbed. Pebbles
2758	HM-1-95	11	Triangle dredge	786	877	-0,39	34,88		67	54	78	-18	8	30	67	54	87	-18	8	66	67,9217	-18,1417	1995	8	1		08:45	08:50	40.0	40	NA	Gravel with silt and rock	Sample taken at the top of a "mountain", few sponges, coelenterates + few pycnogonids.
2759	HM-1-95	11	Triangle dredge	786	873	-0,39	34,88		67	54	72	-18	7	88	67	54	80	-18	8	64	67,92	-18,1411	1995	8	1		10:11	10:22	20.0	NA		20	Gravel and silt	Same location as sample nr. 2758, few sponges
2760	HM-1-95	12	Van Veen grab 3	1327		-0,53	34,89 no		67	54	98	-17	45	7							67,9272	-17,7519	1995	8	1		12:00	00:00	30.0	NA	NA	Silt	
2761	HM-1-95	12	detr. sledge (Snell)	1126	1131	-0,53	34,89 no		67	55	41	-17	43	14	67	55	55	-17	42	15	67,9281	-17,7206	1995	8	1		13:55	14:15	30.0	30	NA	Sandy silt	Number of polychets, amphipods + molluscs
2762	HM-1-95	12	RP sledge	1130	1128	-0,53	34,89		67	55	48	-17	42	26	67	55	22	-17	43	46	67,93	-17,7072	1995	8	1		16:20	16:40	20.0	20	NA		Sample with isopods, amphipods and ophiuroids
2763	HM-1-95	12	Agassiz trawl	1129	1128	-0,53	34,89		67	54	90	-17	44	66	67	55	22	-17	43	56	67,925	-17,7517	1995	8	1		18:48	17:08	NA	NA			Ophiopleura, Pontaster, few Lycodes
2764	HM-1-95	13	Van Veen grab 3	1198		-0,52	34,89 no		68	5	0	-17	30	0							68,0833	-17,5	1995	8	1		21:30	00:00	30.0	NA	NA	Sandy silt	Excellent sample, undisturbed. Brown mud.
2765	HM-1-95	13	RP sledge	1220	1229	-0,52	34,89		68	6	30	-17	32	5	68	6	87	-17	32	60	68,1083	-17,5347	1995	8	1		23:16	23:36	5.0	5	NA		High number of ophiuroids (one species) and foraminiferans
2766	HM-1-95	14	Triangle dredge	551	557	-0,31	34,87		68	6	55	-18	19	8	68	6	52	-18	20	30	68,1153	-18,3189	1995	8	2		04:15	04:40	4.0	NA		4	Stones and pebbles. Dredge came up on the safety wire, tried again but dredge was lost after 5 min. low
2767	HM-1-95	16	Triangle dredge	484	680				68	20	36	-18	2	17	68	20	52	-18	2	77	68,1413	-18,0381	1995	8	2		11:45	11:58	6.0	NA		6	Some sponges and coelenterates
2768	HM-1-95	16	Triangle dredge	521	464				68	20	28	-18	1	99	68	20	45	-18	2	12	68,1411	-18,0642	1995	8	2		12:40	12:52	4.0	NA		4	Rock	Rock with various sponges
2769	HM-1-95	17	Triangle dredge	519	484	-0,37	34,86		68	35	18	-16	56	23	68	35	77	-16	56	93	68,5883	-16,9397	1995	8	2		17:12	17:24	60.0	NA		60	Gravely, sandy silt	Mass of sponge spicules in sediment. Sponges and few Umbellula
2770	HM-1-95	17	Van Veen grab 3	492		-0,37	34,86		68	35	75	-16	56	89							68,6042	-16,9581	1995	8	2		18:03	00:00	5.0	NA	NA	Gravely silt	Some bryozoans present preserved. Brown gravely mud, surface disturbed
2771	HM-1-95	18	Van Veen grab 3	1630		-0,86	34,9 no		69	15	0	-14	18	4							69,25	-14,8011	1995	8	3		02:07	00:00	0.0	NA	NA		Grab empty
2772	HM-1-95	18	detr. sledge (Snell)	1633	1633	-0,86	34,9		69	15	41	-14	13	2	69	15	34	-14	14	3	69,2614	-14,2172	1995	8	3		04:40	05:00	10.0	10	NA	Gravely silt	Brown pebbly mud. Mainly foraminiferans, few holothurians, one Bathybiaster and bryozoan fragments
2773	HM-1-95	18	RP sledge	1629	1630	-0,86	34,9		69	14	89	-14	16	52	69	15	6	-14	15	33	69,2581	-14,2811	1995	8	3		07:18	07:38	3.0	3	NA		Some holothurians, a lot of foraminiferans and crustaceans
2774	HM-1-95	18	Agassiz trawl	1630	1629	-0,86	34,9		69	15	18	-14	15	52	69	14	96	-14	14	98	69,265	-14,2644	1995	8	3		09:50	10:10	NA	NA	NA		The trawl did not come bottom, only hydrozoans, pelagic decapods collected (Hymenodora glacialis)
2775	HM-1-95	19	Smögen box core	1552		-0,78	34,9 no		68	36	7	-14	40	10							68,6019	-14,6694	1995	8	3		16:15	00:00	NA	NA		Silt	Depth of core ~20 cm. Fine brown mud right through the core. First 2-5 cm of sediment very watery. Mass of large forms of foraminiferans on surface.
2776	HM-1-95	19	detr. sledge (Snell)	1553	1556	-0,78	34,9 no		68	36	10	-14	39	82	68	36	63	-14	40	12	68,6028	-14,6756	1995	8	3		18:27	18:47	80.0	80	NA	Gravely, sandy silt	Few animals, polychaets and planctonic crustaceans. A number of Scalpellum (Cirripedia). Brown silty mud with pebbles.
2777	HM-1-95	19	RP sledge	1556	1554	-0,78	34,9		68	36	80	-14	40	70	68	36	25	-14	39	46	68,6222	-14,6861	1995	8	3		20:53	21:13	10.0	10	NA		Nice crustacean sample
2778	HM-1-95	20	Smögen box core	1418		-0,74	34,89 no		68	20	0	-15	45	50							68,3333	-15,7639	1995	8	3		01:15	00:00	NA	NA	NA	Silt	Core like sample nr. 2775. Depth of core ~20 cm, brown silt all through. Surface of sediment watery (~2 cm) but below the core is densily packed mud. Some foraminiferans like in sample nr. 2775.
2779	HM-1-95	20	RP sledge	1413	1403	-0,74	34,89		68	20	42	-15	46	69	68	20	83	-15	47	0	68,345	-15,7858	1995	8	4		04:45	05:05	8.0	8	NA		Few sample of crustaceans
2780	HM-1-95	21	Smögen box core	1019		-0,49	34,89 no		67	36	19	-17	51	21							67,6053	-17,8558	1995	8	4		12:40	00:00	NA	NA		Silt	Core 25 cm deep. Brown watery mud on surface (~2 cm) and gray mud in rest of core, densely packed (like sample nr. 2775 and 2778). Photographped by Jörundur Svavarsson
2781	HM-1-95	21	detr. sledge (Snell)	1014	1016	-0,49	34,89		67	35	84	-17	51	76	67	35	62	-17	52	29	67,6067	-17,8711	1995	8	4		14:20	14:40	NA	NA	NA		Almost all sediment washed out, only few pebbles left. Few polychaets and ophiuroids.
2782	HM-1-95	21	Agassiz trawl	1017	1016	-0,49	34,89		67	35	46	-17	52	63	67	35	28	-17	53	52	67,5961	-17,8842	1995	8	4		16:18	16:38	60.0	NA		60		Divers sample, Ophiopleura borealis, Pontaster tenuispinus, Bathybiaster vexillifer, Lycodes spp. (2 species), Molpadia borealis, some large snails. All material collected preserved
2783	HM-1-95	21	RP sledge	1017	1014	-0,49	34,89		67	35	66	-17	52	41	67	35	29	-17	53	34	67,6017	-17,8781	1995	8	4		19:57	20:17	35.0	30	NA		Very large sample with a lot of crustaceans and agglutinated foraminiferans
2784	HM-1-95	22	Smögen box core	610		-0,41	34,88		67	28	64	-18	11	29							67,4944	-18,1914	1995	8	4		22:20	00:00	NA	NA		Sandy silt	Top 4 cm brown mud, below gray. Bioturbated fine mud cohesive with distinct, up to 1 cm black tephra layer at 12-15 cm below surface
2785	HM-1-95	22	detr. sledge (Snell)	777	755	-0,41	34,88		67	27	79	-18	12	6	67	27	22	-18	12	62	67,4719	-18,2069	1995	8	5		00:00	00:20	NA	NA			Sledge came up on the safety wire. Umbellulas hanging on sledge and wire. Few Bathybiaster vexillifer and Molpadia sp., Gastropods.
2786	HM-1-95	23	RP sledge	693	674	-0,41	34,88		67	24	56	-18	14	10	67	24	3	-18	14	89	67,4156	-18,2417	1995	8	5		02:05	02:25	5.0	5	NA		Very divers sample.
2787	HM-1-95	24	RP sledge	561	552	-0,29	34,87		67	21	36	-18	24	0	67	21	6	-18	24	20	67,36	-18,1344	1995	8	5		04:15	04:35	30.0	30	NA		Very diverse sample, 1/3 decantated + sieved the usual way - rest sieved through 5 mm and 1 mm sieves.
2788	HM-1-95	24	Smögen box core	545		-0,29	34,87		67	19	13	-18	22	37							67,3203	-18,3769	1995	8	5		06:00	00:00	3.0	NA	NA	Silt	Brown mud at surface, sample somewhat disturbed - washed. Grey mud in basal part.
2789	HM-1-95	24	detr. sledge (Snell)	540	530	-0,29	34,87		67	18	65	-18	23	12	67	18	47	-18	24	13	67,3181	-18,3867	1995	8	5		07:24	07:44	70.0	50	NA	Sandy silt	Some polychaets tubes, but poor sample compared with the RP-sledge sample on same station.
2790	HM-1-95	24	Agassiz trawl	538	527	-0,29	34,87		67	19	61	-18	22	93	67	19	42	-18	24	30	67,3336	-18,3925	1995	8	5		08:55	09:15	50.0	NA		50		Divers sample, echinoderms, crustaceans, sponges.
2791	HM-1-95	25	Triangle dredge	317	303	-0,37	34,83		67	16	70	-18	35	94	67	16	62	-18	36	26	67,2861	-18,6094	1995	8	5		10:43	10:48	10.0	10		Gravel	Some sponges, few decapods, ophiuroids etc.
2792	HM-1-95	26	Agassiz trawl	480	485	0,01	34,85		67	15	17	-18	52	1	67	16	2	-18	51	50	67,2547	-18,8669	1995	8	5		13:30	14:10	60.0	60			Rich sample of sponges, anthozoans, pycnogonids, gastropods, echinoderms. Lycodes sp., Coltanculus microps, Leptagonus decagonus (?)
2793	HM-1-95	26	Smögen box core	488		0,01	34,85		67	16	81	-18	50	77							67,2892	-18,8547	1995	8	5		14:45	00:00	NA	NA			
2794	HM-1-95	27	Smögen box core	458					67	13	60	-19	3	5							67,2333	-19,0514	1995	8	5		16:15	00:00	NA	NA			Sample taken for geological study
2795	HM-1-95	27	Gravity corer	458					67	13	63	-19	3	0							67,2342	-19,05	1995	8	5		16:45	00:00	NA	NA			Gravety corer for geological study.
2796	HM-1-95	28	Smögen box core	396					66	54	38	-17	54	22							66,905	-17,9061	1995	8	5		20:41	00:00	NA	NA			Sample taken for geological study
2797	HM-1-95	28	Gravity corer	396					66	54	14	-17	54	31							66,9039	-17,9086	1995	8	5		21:30	00:00	NA	NA			Gravety core for geological study
2798	HM-1-95	29	Smögen box core	425					66	34	56	-17	41	22							66,5822	-17,6894	1995	8	5		23:33	00:00	NA	NA			Sample for geological study
2799	HM-1-95	29	Gravity corer	425					66	34	66	-17	41	11							66,5833	-17,6864	1995	8	6		00:15	00:00	NA	NA			Gravety core for geological study
2810	B-13-95	711	detr. sledge (Snell)	1695	1695	3,31	34,97		62	39	60	-19	45	0	62	39	57	-19	45	63	62,6667	-19,75	1995	8	23		16:02	16:22	20.0	20	NA	Silt	
2811	B-13-95	711	RP sledge	1695	1704	3,31	34,97 no		62	39	84	-19	45	36	62	39	86	-19	46	30	62,6733	-19,76	1995	8	23		19:02	19:22	0.3	0	NA	Sandy silt	Net got entangled during the haul
2812	B-13-95	714	Shipek grab	171		7,21	35,15		63	15	0	-17	59	60							63,25	-18	1995	8	24		16:00	00:00	0.1	NA	NA	Sand	
2813	B-13-95	714	detr. sledge (Snell)	173	180	7,21	35,15 no		63	15	0	-17	59	50	63	14	90	-17	58	48	63,25	-17,9972	1995	8	24		17:49	18:09	10.0	10	NA	Gravely sand	Sediment black volcanic sand with great deal of shell gravel and many Ditrupa. Also asterioids and ophiuroids.
2814	B-13-95	714	RP sledge	175	180	7,21	35,15 no		63	15	0	-17	59	40	63	14	82	-17	58	15	63,25	-17,9944	1995	8	24		18:48	19:08	1.0	1	NA	Gravely sand	The small sample was decantated, but rest preserved unsieved
2815	B-13-95	714	Agassiz trawl	167	180	7,21	35,15		63	14	88	-17	59	55	63	14	68	-17	58	16	63,2578	-17,9986	1995	8	24		19:49	20:09	4.0	NA		4		Small sample. Porifera about 1/2 of the sample volume. also Hippasteria sp. and Poraniia pulvillus.
2816	B-13-95	715	Shipek grab	194	178	7,18	35,14		63	15	0	-17	51	0							63,25	-17,85	1995	8	24		21:35	00:00	0.1	NA	NA	Silty sand	Small sample but second try with the grab gave no results.
2817	B-13-95	715	detr. sledge (Snell)	204	207	7,18	35,14 no		63	14	75	-17	50	62	63	14	36	-17	50	40	63,2542	-17,8506	1995	8	24		23:00	23:29	2.0	2	NA	No data	Hardly any sediment (only few cm?). Sediment primarily consisting of Ditrupa.
2818	B-13-95	715	RP sledge	206	207	7,18	35,14		63	14	64	-17	50	70	63	14	10	-17	50	50	63,2511	-17,8528	1995	8	25		00:17	00:37	5.0	5	NA	Silty sand	
2819	B-13-95	716	Shipek grab	126		7,16	35,13		63	27	90	-17	53	50							63,475	-17,8972	1995	8	25		02:47	00:00	0.1	0	NA	Sand	Two grabs taken - small sample in both trials.
2820	B-13-95	716	detr. sledge (Snell)	126	130	7,16	35,13		63	27	90	-17	53	30	63	28	0	-17	52	70	63,475	-17,8917	1995	8	25		03:06	03:26	5.0	5	NA	No data	Small sample - all preserved. Asterias rubens, Astropecten + two echinoids, ophiuroids, gastropods.
2821	B-13-95	716	RP sledge	126	130	7,16	35,13		63	27	90	-17	53	40	63	28	5	-17	52	73	63,475	-17,8944	1995	8	25		03:57	04:17	15.0	15	NA	Sand	Orjpang material in sediment. The sledge came up on the safety wire.
2822	B-13-95	717	Shipek grab	122		7,24	35,13		63	30	6	-17	42	5							63,5017	-17,7014	1995	8	25		05:28	00:00	1.0	NA	NA	Silt	
2823	B-13-95	717	detr. sledge (Snell)	120	125	7,24	35,13 no		63	30	21	-17	41	99	63	29	88	-17	42	7	63,5058	-17,7108	1995	8	25		06:55	06:15	50.0	25		25	Gravel with rocks	Very coarse sediment with a number of stones.
2824	B-13-95	717	RP sledge	120	123	7,24	35,13 no		63	30	12	-17	42	7	63	30	49	-17	42	3	63,5033	-17,7019	1995	8	25		06:55	07:15	10.0	10	NA	Gravely sand	D.K.
2825	B-13-95	718	Shipek grab	47		8,79	34,77 no		63	41	0	-17	40	0							63,6833	-17,6667	1995	8	25		08:55	00:00	1.0	NA	NA	Sandy silt	
2826	B-13-95	718	detr. sledge (Snell)	44	46	8,79	34,77 no		63	41	16	-17	39	70	63	41	40	-17	39	5	63,6878	-17,6694	1995	8	25		09:21	09:41	150.0	70		10	Sandy silt	Grey sandy mud, very rich in Arctica islandica
2827	B-13-95	718	RP sledge	44	47	8,79	34,77 no		63	41	0	-17	39	90	63	41	32	-17	39	27	63,6833	-17,675	1995	8	25		10:15	10:35	15.0	15	NA	Sandy silt	Great numbers of Nephtys, Phyllodoce (groenlandica?), Arctica islandica and Echinocardium (flavescens?). Rich sample.
2828	B-13-95	719	Shipek grab	271		7,21	35,15		63	25	0	-16	51	42							63,4167	-16,4617	1995	8	25		14:13	00:00	0.1	NA		Silt	
2829	B-13-95	719	detr. sledge (Snell)	277	283	7,21	35,15		63	25	0	-16	50	45	63	25	6	-16	49	53	63,4167	-16,8458	1995	8	25		14:42	15:02	100.0	100	NA	Silt	Fine mud. Polychaeta, mollusca, Pennatulacea
2830	B-13-95	719	RP sledge	272	277	7,21	35,15		63	25	6	-16	50	40	63	25	3	-16	51	60	63,4183	-16,8444	1995	8	25		15:40	16:00	8.0	8	NA	Sandy silt	Especially good decant.
2831	B-13-95	720	Shipek grab	111		7,37	35,14		63	25	15	-16	36	63							63,4208	-16,6169	1995	8	25		17:20	00:00	1.0	NA	NA	Silty sand	Ca. 10 small stones in grab.
2832	B-13-95	721	Shipek grab	250		7,19	35,14		63	20	38	-16	48	26							63,3439	-16,8072	1995	8	26		01:17	00:00	0.1	NA	NA	Sand	Grab put down twice, very small sample in both.
2833	B-13-95	721	Triangle dredge	250	253	7,19	35,14		63	20	60	-16	48	20	63	20	80	-16	47	70	63,35	-16,8056	1995	8	26		02:18	02:28	NA	N

2885	B-8-96	468	Shipek grab	459		6,24	35,06	65	7 0	-27	30 0					65,1167	-27,5	1996	8	23	15:27	00:00	0.5	NA		NA	Sand		
2886	B-8-96	468	dstr. sledge (Sneli)	464	472	6,24	35,06	65	7 21	-27	31 30	65	7 26	-27	32 13	65,1225	-27,525	1996	8	23	16:00	16:20	150.0		75	NA	Sand with stones/boulders		
2887	B-8-96	468	RP sledge	464	475	6,24	35,06	65	7 20	-27	31 40	65	7 10	-27	31 60	65,1222	-27,5278	1996	8	23	17:25	17:40	20.0		20	NA			No sample in the cod end but in the net (forward) there was one large Geodia sponge. Other material mostly sponges, some crustaceans and echinoderms
2888	B-8-96	469	Shipek grab	332	332	6,27	35,06	65	19 85	-27	10 53					65,1347	-27,1814	1996	8	23	00:00	00:00	0.1	NA		NA	Silty sand		
2889	B-8-96	469	Triangle dredge	332	332	6,27	35,06	65	20 40	-27	10 0	65	20 50	-27	10 30	65,1444	-27,1667	1996	8	23	21:32	21:42	40.0	NA	40	Gravel and rock		Just sponges in sample
2890	B-8-96	470	Shipek grab	454		6,24	35,05	65	20 13	-27	24 16					65,1369	-27,4044	1996	8	23	23:00	00:00	0.3	NA		NA	Gravely sand		
2891	B-8-96	470	Triangle dredge	477	499	6,24	35,05	65	20 70	-27	25 43	65	20 90	-27	25 77	65,1528	-27,4286	1996	8	23	23:37	23:47	25.0	NA	25	Gravel and rock		
2892	B-8-96	470	dstr. sledge (Sneli)	507	575	6,24	35,05	65	21 9	-27	25 50	65	21 61	-27	26 38	65,1525	-27,4306	1996	8	24	00:47	01:07	120.0		50	NA	Sand		Mysis sponges and Brachiopods + 2x echinoids
2893	B-8-96	470	RP sledge	513	578	6,24	35,05	65	21 22	-27	25 43	65	21 75	-27	26 43	65,1561	-27,4286	1996	8	24	02:22	02:42	40.0		30	NA			Sample in the cod end sieved through 16mm to 0.5mm + decantated (5 liters), the rest (25 liters) elutriated and sieved.
2894	B-8-96	471	Shipek grab	664		5,97	35,02	65	29 4	-27	31 95					65,4844	-27,5431	1996	8	24	04:44	00:00	NA	NA		NA	Silt		
2895	B-8-96	471	dstr. sledge (Sneli)	679	689	5,97	35,02	65	29 30	-27	33 20	65	29 60	-27	34 0	65,4917	-27,5556	1996	8	24	05:33	05:53	100.0		50	50	Silty sand		Sledge came up on the safety wire but contained sample
2896	B-8-96	471	Triangle dredge	679	689	5,97	35,02	65	29 30	-27	33 20	65	29 60	-27	34 0	65,4917	-27,5556	1996	8	24	05:33	05:53	50.0	NA		50	Sand		
2897	B-8-96	471	RP sledge	672	684	5,97	35,02	65	29 44	-27	32 55	65	29 74	-27	33 51	65,4956	-27,5486	1996	8	24	07:09	07:29	50.0		50	NA			
2898	B-8-96	471	Agassiz trawl	672	685	5,97	35,02	65	29 30	-27	32 70	65	29 70	-27	33 80	65,4917	-27,5528	1996	8	24	08:44	09:04	5.0	NA	5			
2899	B-8-96	472	Shipek grab	865		5,18	34,99	65	25 33	-27	52 77					65,4203	-27,8714	1996	8	24	11:15	00:00	NA	NA		NA	Sand		
2900	B-8-96	472	dstr. sledge (Sneli)	855	848	5,18	34,99	65	25 48	-27	52 62	65	25 70	-27	53 70	65,43	-27,8819	1996	8	24	12:16	12:36	100.0		50	20	Gravely sand		
2901	B-8-96	472	RP sledge	854	857	5,18	34,99	65	25 76	-27	53 60	65	25 93	-27	54 65	65,4378	-27,9	1996	8	24	14:10	14:30	20.0		20	NA			Sample in the cod end (5 liters) decantated and sieved through 16mm - 0.5mm rest elutriated and sieved with 5mm and 1mm. Very nice sample with high diversity of animals
2902	B-8-96	473	Shipek grab	1079		4,78	34,98	65	21 36	-28	17 99					65,3544	-28,3108	1996	8	24	17:00	00:00	2.0	NA	NA		Silty sand		
2903	B-8-96	473	dstr. sledge (Sneli)	1066	1057	4,78	34,98	65	22 80	-28	20 63	65	23 20	-28	21 30	65,3889	-28,3508	1996	8	24	18:25	18:45	80.0		40	NA	Sandy silt		
2904	B-8-96	473	RP sledge	1057	1067	4,78	34,98	no	65 23 27	-28	21 27	65	23 80	-28	20 90	65,3908	-28,3575	1996	8	24	20:00	20:20	15.0		15	NA	Silty sand		
2905	B-8-96	473	Agassiz trawl	1042	1064	4,78	34,98	65	23 47	-28	21 38	65	23 90	-28	22 30	65,3964	-28,3606	1996	8	24	21:47	22:07	3.0	NA	3			
2906	B-8-96	474	Shipek grab	1305		3,96	34,94	65	14 75	-28	51 53					65,2542	-28,8647	1996	8	24	01:30	00:00	2.0	NA	NA		Silt		
2907	B-8-96	474	dstr. sledge (Sneli)	1311	1334	3,96	34,94	65	15 95	-28	50 36	65	16 35	-28	50 81	65,2764	-28,8443	1996	8	25	02:48	03:08	80.0		50	NA	Silt with sponge spicules		Yellow-gray silt infiltered with masses of sponge spicules
2908	B-8-96	474	Agassiz trawl	1301	1325	3,96	34,94	65	15 67	-28	50 27	65	16 18	-28	50 64	65,2686	-28,8408	1996	8	25	04:47	05:07	NA	NA					Small sample, mainly sponges with few echinoderms, polychaets etc.
2909	B-8-96	474	RP sledge	1300	1314	3,96	34,94	65	15 61	-28	50 15	65	16 1	-28	50 34	65,2669	-28,8375	1996	8	25	06:49	07:09	10.0		10	NA			Masses of sponge spicules in sample
2910	B-8-96	475	Shipek grab	1492		3,9	34,94	no	10 11	-29	2 84					65,1697	-29,0567	1996	8	25	09:45	00:00	3.0	NA	NA		Sandy silt		
2911	B-8-96	475	dstr. sledge (Sneli)	1467	1454	3,9	34,94	65	10 80	-29	4 29	65	11 10	-29	4 54	65,1889	-29,0747	1996	8	25	11:55	12:12	80.0		60	NA	Gravely silt		Sponge spicules in sample, sediment similar to sample nr. 2907
2912	B-8-96	475	RP sledge	1456	1471	3,9	34,94	65	11 1	-29	4 18	65	10 68	-29	3 99	65,1836	-29,0717	1996	8	25	13:52	14:12	4.0		4	NA			Net twisted. Nothing in the cod end but nice small sample in net
2913	B-8-96	475	Agassiz trawl	1462	1473	3,9	34,94	65	11 25	-29	4 75	65	11 60	-29	4 90	65,1903	-29,0875	1996	8	25	15:58	16:13	NA	NA		NA			Small sample, few sponges, 1x Colus and some Mysids
2914	B-8-96	476	dstr. sledge (Sneli)	2005	2007	3,21	34,88	64	54 36	-29	58 73	64	54 39	-29	58 5	64,91	-29,9869	1996	8	25	23:14	23:34	120.0		60	NA	Gravely sand		Rather little life, some molluscs, polychaets and echinoderms
2916	B-8-96	476	Agassiz trawl	1971	1993	3,21	34,88	64	54 99	-29	56 23	64	55 81	-29	54 24	64,9275	-29,9397	1996	8	26	05:43	06:23	NA	NA		NA			
2917	B-8-96	477	Shipek grab	1522		3,22	34,88	65	14 95	-29	15 72					65,2597	-29,27	1996	8	26	11:06	00:00	NA	NA		NA	Sand		
2918	B-8-96	477	dstr. sledge (Sneli)	1539	1539	3,22	34,93	65	12 57	-29	14 55	65	12 95	-29	15 36	65,2158	-29,2486	1996	8	26	15:50	16:15	80.0		60	NA	Sandy gravely silt with few stones		First haul empty. Sledge put out again weighted with chaines.
2919	B-8-96	478	Shipek grab	1268		0,08	34,86	65	26 27	-29	11 29					65,4408	-29,3314	1996	8	26	19:20	00:00	0.5	NA	NA		Sandy gravel.		
2920	B-8-96	478	dstr. sledge (Sneli)	1290	1308	0,08	34,86	65	25 55	-29	8 70	65	25 90	-29	8 34	65,4319	-29,1528	1996	8	26	21:00	21:20	80.0	NA	80	Rocks and gravel		A lot of sponges.
2921	B-8-96	479	dstr. sledge (Sneli)	970	977	0,45	34,88	65	36 8	-29	6 86	65	35 74	-29	7 19	65,6022	-29,1219	1996	8	27	04:14	04:34	100.0		70	NA	Stones/boulders and sand		Nice sample with many sponges. Also echinoderms, hydrozoans, isopoda, amphipods and pycnogonids
2922	B-8-96	480	Shipek grab	700		1,14	34,89	65	43 98	-29	7 26					65,7439	-29,1219	1996	8	27	07:00	00:00	0.5	NA	NA		Sandy gravel.		
2923	B-8-96	480	dstr. sledge (Sneli)	704	720	1,14	34,89	65	43 63	-29	7 99	65	43 23			65,7342	-29,1442	1996	8	27	08:20	08:40	50.0	NA	50	Rock and gravel		Sponges
2924	B-8-96	481	Shipek grab	409		0,94	34,88	65	42 67	-29	24 62					65,7186	-29,4172	1996	8	27	10:32	00:00	1.0	NA	NA		Sandy gravel		Pebbles with epifauna, dead coral
2925	B-8-96	481	Triangle dredge	499		0,31	34,88	65	50 79	-28	46 45					65,8553	-28,7792	1996	8	27	14:23	00:00	0.1	NA	NA		Gravel		
2926	B-8-96	482	Triangle dredge	540	548	0,33	34,88	65	50 79	-28	46 45	65	50 65	-28	46 25	65,8553	-28,7792	1996	8	27	15:15	15:30	25.0	NA	25	Gravel with stones/boulders		
2927	B-8-96	483	Shipek grab	698		5,79	35,01	65	38 32	-27	43 74					65,6422	-27,7372	1996	8	27	19:15	00:00	0.1	NA	NA		Sand		
2928	B-8-96	483	Triangle dredge	678	680	5,79	35,01	65	39 28	-27	39 95	65	39 17	-27	41 50	65,6578	-27,6764	1996	8	27	21:35	22:00	70.0	NA	70	Gravel with rock		
2929	B-8-96	484	Shipek grab	626		-0,34	34,87	65	55 98	-27	32 81					65,9439	-27,5558	1996	8	28	00:52	00:00	0.1	NA	NA		Gravel		
2930	B-8-96	484	Triangle dredge	624	621	-0,34	34,87	65	55 52	-27	34 96	65	55 42	-27	35 64	65,9311	-27,5313	1996	8	28	01:31	01:51	20.0		20	20	Gravel and stones/boulders		Large hole in net. Sample similar to previous sample.
2931	B-8-96	485	Shipek grab	391		6,34	35,05	66	0 2	-26	47 01					66,0061	-26,7892	1996	8	28	05:04	00:00	2.0	NA	NA		Sand		
2932	B-8-96	485	dstr. sledge (Sneli)	410	410	6,34	35,05	no	66 0 59	-26	46 91	66	0 80	-26	46 24	66,0164	-26,7919	1996	8	28	05:48	06:08	80.0		40	NA	Sand with rock		Coarse shell sand.
2934	B-8-96	485	RP sledge	412	405	6,34	35,05		66 0 56	-26	46 80	66	0 91	-26	46 30	66,0156	-26,7914	1996	8	28	07:11	07:31	90.0		45	NA			
2935	B-8-96	485	Shipek grab	282		6,27	35,05	65	55 0	-26	42 76					65,9167	-26,7211	1996	8	28	08:30	00:00	0.5	NA	NA		Gravely sand		
2936	B-8-96	486	Triangle dredge	275		6,27	35,05	65	57 48	-26	40 13	65	57 36	-26	40 13	65,9633	-26,6703	1996	8	28	10:36	10:46	70.0		40	NA	Sand with gravel and rock		
2937	B-8-96	486	RP sledge	285	283	6,27	35,05	65	50 90	-26	41 70	65	55 72	-26	42 0	65,9417	-26,7028	1996	8	28	11:33	11:43	50.0		30	NA			
2938	B-8-96	487	Shipek grab	151		6,16	35,04	65	30 75	-26	13 40					65,5208	-26,2278	1996	8	28	15:25	00:00	2.0	NA	NA		Gravely sand		
2939	B-8-96	487	dstr. sledge (Sneli)	151	151	6,16	35,04	65	30 75	-26	13 40	65	30 30	-26	13 84	65,5208	-26,2278	1996	8	28	15:44	16:02	150.0		60	NA	Sand with stones/boulders		Sledge almost full
2940	B-8-96	487	RP sledge	157	156	6,16	35,04	65	31 14	-26	13 11	65	30 95	-26	13 88	65,5206	-26,2197	1996	8	28	16:42	16:52	60.0		8	NA			Nice sample. 8 liters decantated and sieved 16 mm - 0.5 mm.Rest (~30 liters) sieved with 5 mm sieve.
2941	B-8-96	487	Agassiz trawl	156	152	6,16	35,04	65	30 99	-26	13 51	65	30 67	-26	14 70	65,5275	-26,2308	1996	8	28	17:26	17:46	NA	NA		NA			One big stone and some few animals - all picked.
2942	B-8-96	488	Shipek grab	165		6,23	35,05	65	40 11	-26	10 36					65,6697	-26,1767	1996	8	28	19:15	00:00	1.0	NA		NA	Silty sand		
2943	B-8-96	488	dstr. sledge (Sneli)	167	172	6,23	35,05	65	39 90	-26	10 72	65	39 90	-26	12 70	65,675	-26,1867	1996	8	28	19:49	20:00	130.0		60	NA	Gravely sand		
2944	B-8-96	488	RP sledge	166	171	6,23	35,05	65	39 90	-26	11 33	65	39 90	-26	12 70	65,675	-26,1925	1996	8	28	20:28	20:48	100.0		40	NA			
2945	B-8-96	489	Shipek grab	223		6,2	35,05	no	46 0	-25	40 20					65,8	-25,6722	1996	8	28	23:05	00:00	0.5	NA	NA		Silty sand		
2946	B-8-96	489	dstr. sledge (Sneli)	228	229	6,2	35,05	65	47 90	-25	38 70	65	47 90	-25	36 40	65,8083	-25,6528	1996	8	28	23:32	23:52	100.0		60	NA	Sandy silt		
2947	B-8-96	489	RP sledge	227	227	6,2	35,05	65	47 91	-25	38 68	65	47 89	-25	37 36	65,8086	-25,6522	1996	8	29	00:41	01:01	12.0		12	NA			Whole sample (12 liters) sieved through 16 - 8 - 4 mm sieves. Half sample (6 liters) sieved through 2 - 1 mm sieves and 3 liters through 0.5 mm sieve.
2948	B-8-96	489	Agassiz trawl	226	228	6,2	35,05	65	47 84	-25	37 43	65	47 83	-25	37 93	65,8067	-25,6286	1996	8	29	01:18	01:52	NA	NA		NA			Ca. 150 indiv. of palaragus, some asteroids, anthozoans, crustaceans, polychaets and gastropods.
2949	B-8-96	490	Shipek grab	160		6,82	35,05	65	42 18	-25	16 99					65,705	-25,2942	1996	8	29	03:27	00:00	2.0	NA	NA		Sand		
2950	B-8-96	490	dstr. sledge (Sneli)	153	153	6,82	35,05	65	42 10	-25	16 21	65	41 98	-25	16 92	65,7028	-25,2725	1996	8	29	03:53	04:13	150.0		50	NA	Sand		
2951	B-8-96	490	RP sledge	157	161	6,82	35,05	65	42 18	-25	16 75	65	42 19	-25	17 53	65,705	-25,2875	1996	8	29	04:46	05:06	60.0		12	NA			Pluck in gastropoda eggs. Only sample contained in the cod end decantated and sieved through 16 - 0.5 mm sieves. ATH ANNAD
2952	B-8-96	490	Agassiz trawl	149	156	6,82	35,05	65	42 28	-25	16 25	65	42 33	-25	17 29	65,7078	-25,2736	1996	8	29	05:42	06:02	NA	NA		NA			One large Echinus sp. + amphipods.
2953	B-8-96	491	Shipek grab	70		8,89	34,9	65	39 3	-24	54 30					65,6508	-24,9083	1996	8	29	07:45	00:00	2.0	NA	NA		Sand		
2954	B-8-96	491	RP sledge	70	71	8,89	34,9	65	39 30	-24	53 90	65	39 20	-24	53 90	65,6583	-24,9083	1996	8	29	08:49	08:59	1.0	NA	1	NA		
2955	B-8-96	491	Triangle dredge	69	65	8,89	34,9	65	39 0	-24	54 0	65	39 20	-24	54 70	65,65	-24,9	1996	8	29	09:21	09:31	NA	NA		NA	Gravel		
2956	B-8-96	492	Shipek grab	87		7,81	35,04	65	34 89	-25	20 54					65,5914	-25,3483	1996	8	29	14:03	00:00	0.5	NA	NA		Gravel		
2957	B-8-96	492	Triangle dredge	87	89	7,81	35,04	65	34 35	-25	21 30	65	34 20	-25	21 70	65,5708	-25,3583	1996	8	29	14:20	14:32	25.0	NA	25	Stones/boulders with gravel and san		
2958	B-8-96	493	Shipek grab	97		7,51	35,07	65	25 81	-25	21 79					65,4302	-25,3719	1996	8	29	15:50	00:00	0.1	NA	NA		Gravely sand		
2959	B-8-96	493	Triangle dredge	98	98	7,51	35,07	65	25 50	-25	21 0	65	25 38	-25	22 73	65,4306	-25,35	1996	8	29	16:02	16:12	NA	NA		NA			
2960	B-8-96	494	Shipek grab	53		9,07	34,76	65	21 28	-24	4 96					65,3578	-24,0913	1996	8	29	20:00	00:00	NA	NA		NA	Shell sand		
2961	B-8-96	494	scallop dr.	56	56	9,07	34,76	65	21 28	-24	4 96	65	21 0	-24	6 55	65,3578	-24,0913	1996	8	29	20:24	20:44	20.0	NA	20	Stones/boulders and gravel		
2962	B-8-96	495	Shipek grab	60		9,03	34,74	65	10 61	-23	47 95					65,1816	-23,8097	1996	8	29	22:35	00:00	NA	NA		NA	Sand		
2963	B-8-96	495	Triangle dredge	62	65	9,03	34,74	65	10 30	-23	48 12	65	10 16	-23	48 30	65,175	-23,8033	1996	8	29	22:50	22:55	0.5	NA	1	Stone and gravel		Hole in the net
2964	B-8-96	496	Shipek grab	122		7,97	34,93	65	8 12	-23	36 0					65,1367	-23,6	1996	8	29	23:00	00:00	4.0	NA	NA		Sandy silt		
2965	B-8-96	496	Triangle dredge	121	129	7,97	34,93	65	8 0	-23	36 0	65	7 72	-23	35 35	65,1333	-23,6	1996	8	30	00:10	00:21	30.0		20	NA	Silt		Lot of polychaets
2966	B-8-96	496	RP sledge	120	126	7,97	34,93	65	8 1	-23	36 17	65	7 71	-23	35 57	65,1336	-23,6047	1996	8	30	00:55	01:10	5.0		5	NA	Silt		Small sample, net twisted, blocking the opening to the cod end
2967	B-8-96	496	Agassiz trawl	119	119	7,97	34,93	65	8 0	-23	35 84	65	8 56	-23	37 16	65,1353	-23,6067	1996	8	30	01:40	02:20	NA	NA		NA			Tow 40 min.
2968	B-8-96	497	Shipek grab	140		8,04	34,91	65	7 19	-23	30 35					65,1219	-23,5097	1996	8	30	03:11	00:00	4.0	NA	NA		Silt		
2969	B-8-96	497	RP sledge	143	153	8,04	34,91	65	7 19	-23	29 14	65	7 8	-23	29 88	65,1219	-23,4872	1996	8	30	03:38	03:58	25.0		8	12	Silt		Material sieved through 5 mm
2970	B-8-96	497	Agassiz trawl	158	161	8,04	34,91	65	7 8	-23	28 40	65	7 40	-23	29 27	65,1189	-23,4778	1996	8	30	04:30	04:51	NA	NA		NA			
2971	B-8-96	498	Shipek grab	91		8,24	34,92	65	2 96	-24	12 99					65,06	-24,2275	1996	8	30	08:00	00:00	0.0	NA	NA		Sand		
2972	B-8-96	498	Triangle dredge	104	106	8,24	34,92	65	3 20	-24	11 80	65	3 19	-24	11 30	65,0556	-24,2056	1996	8	30	08:16	08:21	NA	NA		NA			
2973	B-8-96	499	Shipek grab	107		7,72	35,04	65	10 9	-25	0 10					65,1692	-25,0028	1996	8	30	11:05	00:00	NA	NA		NA	Sand		
2974	B-8-96	499	Triangle dredge	107	107	7,72	35,04	65	10 25	-25	1 67	65	10 12	-25	2 20	65,1736	-25,0353	1996	8	30	11:19	11:27	NA	NA		NA	Gravel and rock		
2975	B-8-96	500	Shipek grab	163		6,34	35,06	65	2 10	-25	52 10					65,0361	-25,8694	1996	8	30	14:35	00:00	4.0	NA	NA		Silt		
2976	B-8-96	500	RP sledge	163	165	6,34	35,06	65	1 96	-25	52 27	65	1 74	-25	52 16	65,0431	-25,8742	1996	8	30	14:50	15:00	20.0		10	10			10 liters sieved the normal way (decanted, 16, 8, 4, 2, 1, 0.5mm), 10 liters sieved on a 5 mm
2977	B-8-96	501	Shipek grab	180		6,22	35,06	64	55 29	-25	46 51					64,9247	-25,7808	1996	8	30	17:11	00:00	2.0	NA	NA		Silt		
2978	B-8-96	501	Triangle dredge	181	182	6,22	35,06	64	54 81	-25	45 99	64	54 60	-25	45 64	64,9225	-25,7775	1996	8	30	17:30	17:40	15.0		15	NA	Silt		
2979	B-8-96	501	RP sledge	183	181	6,22	35,06	64	54 59	-25	45 49	64	54 79	-25	45 91	64,9164	-25,7616	1996	8	30	18:13	18:23	20.0		20	NA			All 20 liters decanted and sieved on 16, 8 and 4 mm. 10 liters sieved on 2, 1 and 0.5 mm
2980	B-8-96	502	Shipek grab	160		6,42	35,06	64	55 59	-25	30 8					64,9331	-25,5022	1996	8	30	19:50	00:00	3.0	NA	NA		Sandy silt		
2981	B-8-96	502	RP sledge	168	165	6,42	35,06	64	55 12	-25	31 0	64	54 99	-25	31 20	64,92	-25,5167	1996	8	30	20:19	20:29	15.0		15	NA			All 15 liters decanted and sieved on 16, 8, 4 and 2mm. ~7 literts sieved on 1 and 0.5 mm.
2982	B-8-96	503	Shipek grab	197		6,45	35,06	64	46 54	-25	51 91					64,7817	-25,5586	1996	8	30	21:15	00:00	NA	NA		NA	Silt		
2981	B-8-96	503	RP sledge	175	179	6,45	35,06	64	45 90	-25	33 30	64	45 60	-25	33 0	64,775	-25,5583	1996	8	30	22:23	22:43	15.0		15	NA			All 15 liters decanted and sieved on 16, 8, 4 and 2 mm. ~7 liters sieved on 1 and 0.5 mm.
2984	B-8-96	503	Agassiz trawl	178	179	6,45	35,06	64	44 61	-25	30 90					64,7503	-25,525	1996	8	30	23:24	23:55	NA	NA		NA			
2985	B-8-96	466	Shipek grab	219		6,29	35,06	65	2 57	-27	3 86					65,0492	-27,0719	1996	8	23	09:30	00:00	NA	NA		NA	Sandy gravel		Stones in sediment
2986	B-8-96	500	Agassiz trawl	168	174	6,34	35,06	65	1 60	-25	52 34	65	0 14	-25	52 7	65,0333	-25,8761	1996	8	30	15:32	15:52	NA	NA		NA			Net with holes
2990	B-8-97	272	Shipek grab	167		7,95	35,2	no	63 44 38	-14	43 4					63,7439	-14,7178	1997	7	4	22:05	00:00	0.1	NA	NA		Sand		
2991	B-8-97	272	Triangle dredge	142	137	7,95	35,2	63	44 38	-14	42 61	63	44 21	-14	42 37	63,7439	-14,7169	1997	7	4	12:34	22:44	100.0	NA	100	Gravel with rocks		
2992	B-8-97	273	Shipek grab	216		7,67	35,16	63	46 25	-14	51 17					63,7716	-14,8547	1997	7	4	23:58	00:00	1.mai	NA	NA		Sandy silt		
2993	B-8-97	273	dstr. sledge (Sneli)	215	219	7,67	35,16	63	45 84	-14	51 10	63	45 48	-14	50 52	63,7731	-14,8528	1997	7	5	00:09	00:29	50.0		25	NA	Silt		
2994	B-8-97	273	RP sledge	216	219	7,67	35,16	63	45 60	-14	50 60	63	46 0	-14	51 10	63,7667	-14,85	1997	7	5	01:07	01:27	8.0		8	NA			
2995	B-8-97	273	Agassiz trawl	214	217	7,67	35,16	63	46 10	-14	51 30	63	45 70	-14	50 70	63,7694	-14,8583	1997	7	5	02:00	02:20	NA	NA		NA			Nephrops x2, Pandalus x4, Neptunea (with sea anemone) x1, Beringius x3, Hippasteria phygiana x1
2996	B-8-97	274	Shipek grab	174		7,49	35,14	63	44 80	-14	56 0					63,7556	-14,9389	1997	7	5	03:25	00:00	1.0	NA	NA		Silt		
2997	B-8-97	275	Shipek grab	259

3035	B-8-97	288	detr. sledge (Snæli)	186	191	6,51	34,99	64	19 62	-13	31 87	64	19 78	-13	31 11	64,3339	-13,5408	1997	7	9	09:27	09:47	150.0	NA	NA	Gravely silt				Mud with numerous polychaeta tubes
3036	B-8-97	288	RP sledge	187	182	6,51	34,99	64	19 69	-13	31 38	64	19 91	-13	30 52	64,3358	-13,5272	1997	7	9	10:18	10:38	3.0	3	NA					Extremely rich sample
3037	B-8-97	288	Agassiz trawl	181	188	6,51	34,99	64	19 67	-13	31 44	64	19 95	-13	30 28	64,3353	-13,5289	1997	7	9	11:09	11:39	30.0	NA		10				Mostly Cteno0discus crispatus
3038	B-8-97	289	Shipek grab	122	64	6,15	34,93	64	19 20	-13	20 36					64,3222	-13,3433	1997	7	9	12:35	00:00	0.2	NA	NA	Sand				
3039	B-8-97	289	Triangle dredge	121	122	6,15	34,93	64	19 55	-13	21 71	64	19 85	-13	22 36	64,3319	-13,3697	1997	7	9	12:54	13:04	20.0	6	14	Gravel and stones/boulders				
3040	B-8-97	290	Shipek grab	447	447	1,66	34,76	64	5 17	-13	0 19					64,0881	-13,0108	1997	7	9	15:33	00:00	0.4	NA	NA	Sand mixed with stones/boulders				
3041	B-8-97	290	Triangle dredge	453	444	1,66	34,76	64	5 61	-12	59 74	64	5 70	-12	59 71	64,1003	-13,0019	1997	7	9	17:12	17:22	20.0	NA	NA	Gravel and stones/boulders				
3042	B-8-97	291	Shipek grab	350		5,54	35,03	64	1 82	-13	10 87					64,0394	-13,1908	1997	7	9	18:54	00:00	NA	NA	NA					
3043	B-8-97	291	Triangle dredge	356	349	5,54	35,03	64	2 1	-13	10 14	64	2 10	-13	9 77	64,0336	-13,1706	1997	7	9	19:22	19:32	30.0	NA		30	Sandy gravel with fragments of dead			
3044	B-8-97	291	Triangle dredge	405	406	5,54	35,03	64	2 3	-13	9 5	64	2 12	-13	8 70	64,0342	-13,1514	1997	7	9	20:21	20:31	50.0	NA		50	Stones/boulders			Large and small stones with few animals
3045	B-8-97	292	Shipek grab	137		7,84	35,13	64	1 80	-13	34 68					64,0389	-13,5856	1997	7	9	22:50	00:00	NA	NA	NA					
3046	B-8-97	292	RP sledge	135	140	7,84	35,13	64	2 21	-13	34 20	64	2 59	-13	34 1	64,0397	-13,5747	1997	7	9	22:34	22:54	20.0	NA	NA					20 liters; decantated + sieved on 4 mm; 10 liters sieved on 2mm; 2.5 liters sieved on 1mm; 1.25 liters sieved on 0.5mm
3047	B-8-97	292	detr. sledge (Snæli)	141	134	7,84	35,13	64	2 29	-13	34 33	64	2 68	-13	33 83	64,0414	-13,5758	1997	7	9	23:22	23:42	200.0	50	NA	Silty sand				
3048	B-8-97	292	Agassiz trawl	130	135	7,84	35,13	64	2 93	-13	33 71	64	2 70	-13	33 97	64,0592	-13,5697	1997	7	10	00:07	00:27	NA	NA	NA					
3049	B-8-97	293	Shipek grab	187		7,63	35,18	63	52 5	-13	50 23					63,8681	-13,8397	1997	7	10	02:20	00:00	1.0	NA	NA	Sand				
3050	B-8-97	293	detr. sledge (Snæli)	186	184	7,63	35,18	63	52 29	-13	49 66	63	52 73	-13	49 23	63,8747	-13,835	1997	7	10	02:45	03:05	150.0	25	125	Sand with stones/boulders				
3051	B-8-97	294	Shipek grab	135		7,51	35,14	63	59 0	-14	3 12					63,9833	-14,0533	1997	7	10	04:28	00:00	0.1	NA	NA	Sand with stones/boulders				
3052	B-8-97	294	Triangle dredge	114	121	7,51	35,14	63	59 56	-14	3 23	63	59 89	-14	3 26	63,9989	-14,0564	1997	7	10	04:50	05:00	80.0	20	60	Sandy gravel with stones/boulders				
3053	B-8-97	295	Shipek grab	139		7,74	35,15	64	6 10	-14	7 40					64,1028	-14,1278	1997	7	10	06:15	00:00	0.1	NA	NA	Sand				
3054	B-8-97	295	Triangle dredge	140	141	7,74	35,15	64	6 11	-14	7 27	64	6 16	-14	7 5	64,1031	-14,1242	1997	7	10	06:25	06:35	30.0	NA	NA	Stones/boulders and gravel				
3055	B-8-97	296	Shipek grab	102		7,31	35,07	64	17 1	-14	15 59					64,2836	-14,2664	1997	7	10	08:15	00:00	NA	NA	NA	Silty gravely sand				
3056	B-8-97	296	Triangle dredge	100	100	7,31	35,07	64	16 68	-14	14 97	64	16 49	-14	14 88	64,2856	-14,2603	1997	7	10	08:32	08:42	30.0	NA	NA	Sand and stones/boulders				
3057	B-8-97	297	Shipek grab	18		4,74	33,98	64	21 3	-14	42 21					64,3508	-14,7058	1997	7	10	10:25	00:00	1.0	NA	NA					
3058	B-8-97	297	RP sledge	18	18	4,74	33,98	64	21 11	-14	41 78	64	21 29	-14	41 11	64,3531	-14,705	1997	7	10	10:34	10:49	1.0	1	NA					Sample dominated by mysids
3059	B-8-97	298	RP sledge	30	29	4,5	34,04	64	19 77	-14	40 24	64	19 71	-14	40 85	64,3381	-14,6733	1997	7	10	11:19	11:34	NA	NA	NA					
3060	B-8-97	299	Shipek grab	224		7,59	35,16	63	59 34	-14	9 50					63,9872	-14,1639	1997	7	10	14:35	00:00	1.0	NA	NA	Silty sand				
3061	B-8-97	299	RP sledge	221	224	7,59	35,16	63	59 49	-14	9 21	63	59 16	-14	9 53	63,9969	-14,1558	1997	7	10	15:01	15:21	NA	NA	NA					
3062	B-8-97	299	detr. sledge (Snæli)	218	218	7,59	35,16	63	59 53	-14	8 82	63	59 91	-14	8 10	63,9981	-14,1561	1997	7	10	15:50	16:10	140.0	50	NA	Silt				Very fin mud, most of the sediment went through the 0.5mm sieve. Mollusks, polychaets and echinoderms
3063	B-8-97	299	Agassiz trawl	214	225	7,59	35,16	63	59 64	-14	8 37	63	59 21	-14	9 48	64,0011	-14,1416	1997	7	10	16:42	17:12	NA	NA	NA					
3064	B-8-97	300	Triangle dredge	417	439	6,1	35,08	63	43 56	-14	19 84	63	43 69	-14	19 58	63,7322	-14,14	1997	7	10	19:49	19:59	50.0	NA	NA	Coral				Very rich sample. Living Lophelia and Madrepore coral. Numerous species of sponges
3065	B-8-97	301	Triangle dredge	1144	1137	1,13	34,92	63	34 20	-14	32 58	63	34 8	-14	32 71	63,5722	-14,5494	1997	7	10	22:44	22:54	60.0	NA	NA	Sand mixed with silt, stones/bouldo				Dead coral
3066	B-8-97	302	detr. sledge (Snæli)	1514	1522	2,77	34,98	63	13 74	-14	52 91	63	13 60	-14	50 26	63,2372	-14,8586	1997	7	11	03:25	03:45	12.0	12	NA	Sandy gravel				A lot of dead material
3067	B-8-97	303	RP sledge	1729	1729	2,51	34,96	62	51 75	-14	41 62	62	51 42	-14	41 67	62,8708	-14,7006	1997	7	11	12:53	13:13	NA	NA	NA					Very few crustaceans in the diecant fraction. Lots of sea feathers
3068	B-8-97	303	Agassiz trawl	1726	1727	2,51	34,96	62	51 71	-14	41 37	62	21 26	-14	41 19	62,8697	-14,6936	1997	7	11	15:23	15:53	NA	NA	NA					Divers sample of animals
3069	B-8-97	304	RP sledge	1602	1612	1,24	34,94	62	28 80	-14	29 94	62	28 44	-14	29 78	62,4889	-14,5094	1997	7	11	21:12	21:32	3.0	3	NA					1/2 of the material on the 0.5mm sieve was preserved. Both the Pennatula and other pennatulacean emit a faint light when stroken by hand
3070	B-8-97	305	Agassiz trawl	2069	2074	3,19	34,96	62	16 86	-15	20 16	62	17 85	-15	19 77	62,2906	-15,3178	1997	7	12	03:55	04:25	25.0	NA	25	Soapstones				Many blocks of soapstone
3071	B-8-97	305	RP sledge	2067	2068	3,19	34,96	62	17 61	-15	19 23	62	17 41	-15	19 23	62,3008	-15,3333	1997	7	12	06:28	06:48	1.0	1	NA					
3072	B-8-97	306	RP sledge	2082	2082	2,83	34,97	61	53 65	-15	8 15	61	53 38	-15	8 12	61,9014	-15,1375	1997	7	12	12:53	13:13	8.0	8	NA					Foraminifera in sediment
3073	B-8-97	306	Agassiz trawl	2083	2083	2,83	34,97	61	53 78	-15	8 33	61	53 46	-15	8 17	61,905	-15,1425	1997	7	12	15:30	16:00	20.0	NA	20					Rich sample of echinoderms
3074	B-8-97	306	detr. sledge (Snæli)	2085	2085	2,83	34,97	61	54 27	-15	8 77	61	54 1	-15	8 72	61,9075	-15,1547	1997	7	12	18:23	18:43	40.0	NA		b				
3075	B-8-97	307	RP sledge	2192	2193	3,07	34,97	62	0 19	-15	50 97	61	59 91	-15	59 88	62,0053	-16,0103	1997	7	13	01:45	02:05	0.1	0	NA					Very small sample - only sieved through 0.5mm sieve. The rubber mat came up fastened to the front of the sledge
3076	B-8-97	307	detr. sledge (Snæli)	2191	2194	3,07	34,97	61	59 87	-15	59 1	62	0 31	-15	59 5	62,0075	-15,9836	1997	7	13	04:25	04:45	8.0	8	NA	Silt				Small sample, most of the material must have been washed out through the mouth of the sledge
3077	B-8-97	308	Triangle dredge	2046	2042		34,97	61	16 48	-16	41 63	61	16 38	-16	41 8	61,2688	-16,7008	1997	7	13	09:21	09:41	100.0	NA	NA	Soap-stone				Rich sample of deflaxne on soap-stone and infauna (mud). 3 species of single coral
3078	B-8-97	309	RP sledge	21	21	9,55	33,97	63	28 16	-19	33 18	63	28 37	-19	34 5	63,4711	-19,555	1997	7	13	20:04	20:24	1.0	1	NA					
3079	B-8-97	310	RP sledge	30	31	9,64	34,47	63	28 19	-19	35 58	63	28 7	-19	34 70	63,4719	-19,5904	1997	7	13	20:45	21:05	1.0	1	NA					Thrown over board. Bv Asterias rubens, 1x Macropipus holsatus
279	B-8-97	279	detr. sledge (Snæli)	1633	1630	2,78	34,97	63	18 96	-14	20 82	63	18 71	-14	21 12	63,1267	-14,3575	1997	7	7	22:00	22:20	NA	NA	NA					No sediment in the sampler, all been washed out.
3090	HM-1-99	1	Shipek grab	104		6,65	35,05	66	45 0	-22	56 92					66,75	-22,9589	1999	8	20	18:00	00:00	1.0	NA	NA	Gravelly sand				
3091	HM-1-99	1	Camera	105		6,65	35,05	66	45 24	-22	55 60					66,7567	-22,9333	1999	8	20	18:20	00:00	NA	NA	NA					
3092	HM-1-99	1	detr. sledge (Snæli)	105	105	6,65	35,05	66	45 19	-22	55 16	66	45 6	-22	55 23	66,7553	-22,9211	1999	8	20	19:07	19:17	100.0	40	60	Gravelly shell sand				Poor sample, scaphopoda and ophiuroids (subsample preserved in alcohol 95%)
3093	HM-1-99	2	Shipek grab	290		0,5	34,87	67	8 86	-22	44 71					67,1572	-22,7531	1999	8	20	22:15	00:00	2.0	NA	NA	Silt				
3094	HM-1-99	2	detr. sledge (Snæli)	290	290	0,5	34,87	67	8 39	-22	45 57	67	8 29	-22	45 80	67,1442	-22,7658	1999	8	20	23:18	23:28	100.0	40	NA	Gravelly sandy silt				Rathar rich sample
3095	HM-1-99	2	Camera	292		0,5	34,87	67	8 82	-22	44 76					67,1561	-22,7544	1999	8	21	00:18	00:00	NA	NA	NA					
3096	HM-1-99	3	Shipek grab	239		1,3	34,87	67	12 10	-21	47 51					67,2028	-21,7975	1999	8	21	05:08	00:00	1.mai	NA	NA	Silt				
3097	HM-1-99	3	Camera	240		1,3	34,87	67	12 10	-21	47 46					67,2028	-21,7961	1999	8	21	03:45	00:00	NA	NA	NA					
3098	HM-1-99	3	detr. sledge (Snæli)	247	241	1,3	34,87	67	12 4	-21	46 4	67	11 90	-21	46 2	67,2011	-21,7678	1999	8	21	04:53	05:03	150.0	100	50	Gravelly sandy silt				Relatively poor sample
3099	HM-1-99	3	RP sledge	230	229	1,3	34,87	67	11 7	-21	45 68	67	10 70	-21	45 51	67,1889	-21,7689	1999	8	21	05:58	06:18	10.0	10	NA					Very rich sample. Diverse crustacea and ophiuroids: Pandalus borealis x20, Sabinia sarsi x10, Eusicamaeosidae x2, Eusiridae x1, Hyas coarctatus x1
3100	HM-1-99	3	Agassiz trawl	249	240	1,3	34,87	67	12 23	-21	45 13	67	11 77	-21	46 68	67,2064	-21,7536	1999	8	21	07:24	07:54	NA	NA	NA					Rich sample. Porifera (x2 Geodia), ophiuroids, gastropods, pycnogonids, Sabinia sarsi x1, Pandalus borealis x20, Pagurus pubescens x10
3101	HM-1-99	4	Shipek grab	314		0,23	34,86	67	18 92	-21	8 70					67,1256	-21,1528	1999	8	21	10:20	00:00	2.0	NA	NA	Sandy silt				
3102	HM-1-99	4	Camera	304		0,23	34,86	67	18 71	-21	8 90					67,1397	-21,1583	1999	8	21	11:19	00:00	NA	NA	NA					
3103	HM-1-99	4	Agassiz trawl	304	300	0,23	34,86	67	18 36	-21	10 20	67	17 98	-21	11 98	67,31	-21,1372	1999	8	21	11:45	12:15	NA	NA	NA					S. Fleming: Pandalus borealis x20, Sclerocrangon ferox x3, Salsi ea sp x1
3104	HM-1-99	4	RP sledge	314	314	0,23	34,86	67	18 95	-21	10 55	67	18 82	-21	11 23	67,3264	-21,1819	1999	8	21	13:32	13:47	50.0	50	NA					G. Steiner: scaphopoda preserved in 95% alcohol
3105	HM-1-99	5	Shipek grab	300		-0,21	34,88	67	18 2	-20	45 94					67,3006	-20,7761	1999	8	21	15:20	00:00	0.5	NA	NA	Gravelly sandy silt				
3106	HM-1-99	5	Camera	316		-0,21	34,88	67	18 6	-20	45 96					67,3017	-20,7767	1999	8	21	15:43	00:00	NA	NA	NA					
3107	HM-1-99	5	detr. sledge (Snæli)	330	337	-0,21	34,88	67	18 67	-20	46 44	67	18 85	-20	45 16	67,3186	-20,7789	1999	8	21	16:40	16:50	100.0	40	NA	Sandy silt				
3108	HM-1-99	5	RP sledge	328	324	-0,21	34,88	67	18 79	-20	45 10	67	18 49	-20	45 64	67,3219	-20,7528	1999	8	21	17:37	17:57	5.0	5	NA					Rich sample. G. Steiner: scaphopods preserved in 95% alcohol
3109	HM-1-99	6	Shipek grab	438		-0,51	34,89	67	30 89	-20	7 17					67,5247	-20,1214	1999	8	21	20:45	00:00	2.0	NA	NA	Silt				
3110	HM-1-99	6	RP sledge	439	432	-0,51	34,89	67	31 31	-20	6 14	67	31 59	-20	6 62	67,5253	-20,1039	1999	8	21	21:23	21:43	NA	NA	NA					Net half full, very fine silt, bucket sieved with normal procedure of RP-samples, rest sieved with 3, 1 and .5mm sieve. Poor sample of animals
3111	HM-1-99	6	Camera	419		-0,51	34,89	67	32 18	-20	4 48					67,5383	-20,08	1999	8	22	22:22	00:00	NA	NA	NA					
3112	HM-1-99	7	Shipek grab	402		-0,57	34,89	67	35 5	-19	49 72					67,5847	-19,8367	1999	8	22	23:30	00:00	1.0	NA	NA	Gravelly silt				
3113	HM-1-99	8	Shipek grab	627		-0,57	34,89	67	42 61	-19	46 16					67,7169	-19,7711	1999	8	22	01:14	00:00	1.0	NA	NA	Sandy silt				
3114	HM-1-99	8	detr. sledge (Snæli)	600	598	-0,57	34,89	67	42 30	-19	48 27	67	42 23	-19	48 71	67,7083	-19,8071	1999	8	22	02:45	02:55	90.0	50	40	Sandy silt with stones/boulders				Rich sample
3115	HM-1-99	8	RP sledge	611	597	-0,57	34,89	67	42 18	-19	47 55	67	42 5	-19	48 30	67,705	-19,7986	1999	8	22	04:58	05:18	40.0	10	NA					Net with "40 liters, material in bucket (~10 liters) sieved with endecot sieves (normal procedure) rest sieved with 3 mm and animals picked from that material. Rich sample in crinoids + sponge spicules
3116	HM-1-99	8	Agassiz trawl	622	598	-0,57	34,89	67	42 42	-19	46 70	67	42 23	-19	48 81	67,7117	-19,7861	1999	8	22	06:50	07:20	20.0	NA	20					Rich sample of crinoids (Heliometra glacialis?), also Gorgonocephalus and sponges. Lebbeus polaris x2, Sclerocrangon ferox x2
3117	HM-1-99	9	Shipek grab	400		0,1	34,88	67	45 38	-18	32 46					67,7606	-18,5461	1999	8	22	11:02	00:00	1.0	NA	NA	Silt				
3118	HM-1-99	9	Triangle dredge	439	412	0,1	34,88	67	45 48	-18	30 85	67	45 28	-18	31 0	67,7613	-18,5236	1999	8	23	12:07	12:15	NA	NA	NA	Rock and stones/boulders				Dredge came up on the safety wire. Good sample: Geodia mesotriaena. Stelletta rhaphidiophora and diverse other kind of sponges+ molluscs + bryozoans + crustaceans
3119	HM-1-99	9	Camera	342		0,1	34,88	67	45 42	-18	32 40					67,7617	-18,5444	1999	8	23	13:35	00:00	NA	NA	NA					
3120	HM-1-99	10	Shipek grab	874		-0,28	34,88 no	68	4 34	-18	4 76					68,0761	-18,0878	1999	8	22	16:10	00:00	1.0	NA	NA	Silt				
3121	HM-1-99	10	detr. sledge (Snæli)	748	716	-0,28	34,88	68	4 25	-18	5 97	68	4 20	-18	6 39	68,0736	-18,1103	1999	8	22	17:05	17:15	100.0	40	0	Silt				Very fine mud. Poor sample with few animals, mostly porphera
3122	HM-1-99	11	Shipek grab	893		-0,48	34,89 no	68	8 86	-17	59 48					68,1572	-17,9967	1999	8	22	19:00	00:00	3.0	NA	NA	Silt				
3123	HM-1-99	11	detr. sledge (Snæli)	870	875	-0,48	34,89	68	9 42	-17	58 40	68	9 53	-17	58 5	68,1617	-17,9778	1999	8	22	20:17	20:47	100.0	NA	NA	Silt				Very fine mud. Poor sample mostly polychaets
3124	HM-1-99	11	RP sledge	875	878	-0,48	34,89	68	9 22	-17	59 7	68	9 52	-17	58 42	68,1561	-17,9856	1999	8	22	22:36	22:56	5.0	5	NA					S. Fleming: Pleiopilus bicaudatus x1, Sclerocrangon ferox x2, Lychodes spp
3125	HM-1-99	11	Agassiz trawl	871	890	-0,48	34,89	68	9 23	-17	58 22	68	9 51	-17	57 41	68,1564	-17,9728	1999	8	23	01:16	01:38	NA	NA	NA					Rich sample in echinoderms, gastropods and decapods
3126	HM-1-99	12	Shipek grab	1712				no	68 44 53	-16	34 17					68,7481	-16,5714	1999	8	23	06:30	00:00	3.0	NA	NA	Silt				Very fine mud, no indication of sulphurous sediment
3127	HM-1-99	12	RP sledge	1715	1714				68 43 57	-16	34 67	68	43 30	-16	35 25	68,7325	-16,5853	1999	8	23	08:40	09:10	7.0	7	NA					
3128	HM-1-99	13	Shipek grab	1222				no	68 56 89	-16	3 14					68,9581	-16,0539	1999	8	23	22:56	00:00	2.0	NA	NA	Silt				
3129	HM-1-99	13	Triangle dredge	1255	1265				68 56 41	-16	4 98	68	56 37	-16	5 19	68,9447	-16,0939	1999	8	23	13:52	13:57	NA	NA	NA					Only two specimen, amphipod + asteroid
3130	HM-1-99	15	Shipek grab	1418		-0,62	34,9	68	31 32	-18	24 12					68,5256	-18,4013	1999	8	23	22:06	00:00	3.0	NA	NA	Silt				
3131	HM-1-99	15	Agassiz trawl	1422	1422	-0,62	34,9	68	31 89	-18	21 57	68	31 53	-18	23 37	68,5414	-18,3658	1999	8	24	01:15	01:45	NA	NA	NA	Stones/boulders and gravel				Sponges. Hexactinellida: Farrea acra, Caulophorus arcticus. Demospongiae: Geodia mesotriaena, Isops phlegraf?, Lissodendoryx complicata, Tetilla sp.
3132	HM-1-99	15	detr. sledge (Snæli)	1421	1421	-0,62	34,9	68	31 99	-18	21 0	68	31 90	-18	21 35	68,5442	-18,35	1999	8	24	04:57	05:07	30.0	25	5	Gravelly silt				Poor sample
3133	HM-1-99	16	Shipek grab	1365					68 26 2	-18	26 7					68,4339	-18,4353	1999	8	24	07:30	00:00	0.1	NA	NA	Silt				
3134	HM-1-99	18	Shipek grab	1172				no	68 21 52	-19	22 2					68,3644	-19,3672	1999	8	24	10:13	00:00	2.0	NA	NA	Silt				
3135	HM-1-99	19	Shipek grab	1123				no	68 15 89	-19	57 85					68,2747	-19,9736	1999	8	24	12:30	00:00	1.0	NA	NA	Silt				
3136	HM-1-99	19	RP sledge	1112	1112				68 15 27	-20	1 8	68	15 15	-20	2 5	68,2575	-20,0189	1999	8	24	14:02	14:22	NA	NA	NA					Corals x1, and scaphopods x10 preserved in 96% alcohol
3137	HM-1-99	19	Agassiz trawl	1095	1092				68 14 12	-20	9 80	68	13 85	-20	11 82	68,2367	-20,1722	1999	8	24	16:40	17:10	NA	NA	NA					Ophiuroids, Umbellula, sponges, pycnogonids, Hymenaster sp.
3138	HM-1-99	20	Shipek grab	770		-0,46	34,89 yes		67 50 56	-22	22 70					67,8489	-22,3361	1999	8	24	22:53	00:00	1.0	NA	NA	Sandy silt				
3139	HM-1-99	20	Agassiz trawl	767	767	-0,46	34,89		67 51 38	-22	18 49	67	51 79	-22	16 57	67,8606	-22,1136	1999	8	25	00:24	00:54	1.0	NA	NA					Umbellula (96% ethanol), sponges, mollusca, echinoderms
3140	HM-1-99	20	RP sledge	768	768	-0,46	34,89		67 51 90	-22	14 89	67	51 79	-22	15 47	67,875	-22,2581	1999	8	25	03:00	03:15	15.0	5	NA					Bucket sieved with Endecot sieves (~5 liters) Rest sieved with 3, 1 and .5 mm sieves
3141	HM-1-99	22	Shipek grab	784				no	67 43 50	-23	1 28					67,7306	-23,0244	1999	8	25	06:05	00:00	3.0	NA	NA	Silt				Silt grav, surface sediment brown
3142	HM-1-99	23	Shipek grab	1024					67 31 59	-24	9 49					67,5331	-24,1636	1999	8	25	09:08	00:00	3.0	NA	NA	Silt				
3143	HM-1-99	23	RP sledge	1012	1012				67 30 76	-24	10 3	67	30 51	-24	10 34	67,5211	-24,1675	1999	8	25	10:35	10:50	NA	NA	NA					
3144	HM-1-99	23	Agassiz trawl	1012	1012				67 30 18	-24	10 10	67	30 90	-24	9 70	67,505	-24,1684	1999	8	25	12:53	13:22	NA	NA	NA	Ctne stone/boulder				Rich sample. Divers Hexactinellida, Chandrosladia gigantea, Aulacodoxyoma (two species), Cladorhiza gelida, Lissodendoryx complicata, Tentorium semisuberites
3145	HM-1-99	24	Shipek grab	1224					67 13 89	-24	54 56					67,2414	-24,9156	1999	8	25	16:40	00:00	3.0	NA	NA	Silt				Compact brown mud
3146	HM-1-99	24	detr. sledge (Snæli)	1223	1223				67 13 10	-24	55 80	67	12 96	-24	56 5	67,2194	-24,9383	1999	8	25	18:07	18:17	100.0	40	NA	Gravelly sandy silt				Compact mud, difficult to sieve. Poor sample
3147	HM-1-99	25	Shipek grab	835					67 12 89	-25	56 51					67,2247	-25,8475	1999	8	25	21:15	00:00	3.0	NA	NA	Gravelly sandy silt				Compact brown mud
3148	HM-1-99	27	Shipek grab	430		0,06	34,86		66 52 20	-26	57 31					66,8

3188	B-9-00	451	Agassiz trawl	1339	1338	3,99	34,96	62	9	15	-27	0	32	62	8	73	-27	1	31	62,1542	-27,0089	2000	8	1	09:10	22-50	30,0	NA	30		Cnidarians, corals
3189	B-9-00	452	Agassiz trawl	950	954	5,21	35,01	62	8	63	-26	38	17	62	8	15	-26	39	25	62,1508	-26,6381	2000	8	1	12:33	13:13	40,0	NA	40		Divers sponge sample
3190	B-9-00	453	BP sledge	284	285			63	4	38	-24	31	7	63	4	32	-24	31	18	63,0772	-24,5186	2000	8	1	23:50	23:55	0,5		1 NA		The towing wire broke and the sledge was recovered on the safety wire.
3191	B-9-00	454	Triangle dredge	98	197			36	39	39	-28	28	41	63	36	61	-23	28	47	63,6108	-23,4781	2000	8	2	04:55	05:05	60,0	NA	30 Sand		Black lava sand.
3192	B-9-00	454	Triangle dredge	197	197			63	36	39	-23	28	41	63	36	61	-23	28	47	63,6108	-23,4781	2000	8	2	05:20	05:30	10,0	NA	10 Gravel		
3193	HM-1-01	1	Shipek grab	814		-0,58	34,9 yes	65	40	20	-9	1	40							65,6722	-9,1111	2001	7	7	11:00	00:00	4,0	NA	NA	Silt	
3194	HM-1-01	1	det. sledge (Snell)	818	818	-0,58	34,9	65	39	3	-9	6	73	65	38	76	-9	6	86	65,6508	-9,1203	2001	7	7	12:49	13:09	75,0	70	NA	Silt	Most of the sediment went through 0,5 mm sieve
3195	HM-1-01	1	Agassiz trawl	818	818	-0,58	34,9	65	39	50	-9	6	60	65	38	97	-9	6	78	65,6619	-9,1167	2001	7	7	14:18	15:08	30,0	30	NA		Agassiz with much mud. Therefore, all sample was sieved
3196	HM-1-01	2	Shipek grab	942		-0,63	34,9	65	30	38	-8	31	33							65,5106	-8,5258	2001	7	7	18:00	00:00	4,0	NA	NA	Silt	
3197	HM-1-01	2	BP sledge	938	939	-0,63	34,9	65	29	70	-8	31	78	65	29	34	-8	32	17	65,5028	-8,5383	2001	7	7	22:12	22:32	0,1	NA	NA		
3198	HM-1-01	2	BP sledge	935	935	-0,63	34,9	65	30	50	-8	31	30	65	29	59	-8	32	8	65,5139	-8,525	2001	7	8	00:30	00:50	10,0	10	NA		First BP was not succesful. The second one, this sample, had a good sample
3199	HM-1-01	2	Agassiz trawl	934	938	-0,63	34,9	65	30	8	-8	31	59	62	29	73	-8	31	70	65,5022	-8,5331	2001	7	8	02:15	02:45	20,0	20	NA	Sandy silt	10 liter pluck contains Echinoderms.
3200	HM-1-01	3	Shipek grab	1463		-0,7	34,9 no	65	3	79	-8	15	3							65,0719	-8,2508	2001	7	8	05:46	00:00	2,0	NA	NA	Gravelly sand	
3201	HM-1-01	3	Triangle dredge	1330	1269	-0,7	34,9 no	65	4	44	-8	14	49	65	4	52	-8	14	17	65,0789	-8,2469	2001	7	8	07:26	07:36	10,0	NA	10	Gravel mixed with silt and sand	Cladorhizidae
3202	HM-1-01	4	Shipek grab	2617		-0,83	34,91	64	52	78	-5	51	71							64,8883	-7,8011	2001	7	8	10:15	00:00	2,0	NA	NA	Sandy silt	
3203	HM-1-01	4	Agassiz trawl	2612	2605	-0,83	34,91	64	51	3	-7	51	67	64	50	56	-7	52	11	64,8508	-7,8686	2001	7	8	13:57	14:42	10,0	NA	10		Nice sample with Elpidia, Kolga and Portalesia etc. A sample of Lycodidae (s231) taken to Copenhagen for identification. Many Boreomysis scyphops (Brattegard/Melland). Paraliparis bathybius (fish. x 1)
3204	HM-1-01	4	BP sledge	2613	2611	-0,83	34,91	64	51	71	-7	54	56	64	51	70	-7	55	52	64,8697	-7,9156	2001	7	8	17:03	17:23	1,0	1	NA		Sycon abyssale (s20;H.T. Rapp). Boreomysis scyphops (x3, Brattegard/Melland)
3205	HM-1-01	5	Shipek grab	1717		-0,85	7 39	65	7	39	-7	10	95							65,1275	-7,9391	2001	7	9	02:00	00:00	1,0	NA	NA	Silty sand	
3206	HM-1-01	6	Shipek grab	2014		-0,87	34,91 no	65	41	86	-6	59	33							65,7072	-6,9925	2001	7	9	06:20	00:00	0,1	NA	NA	Sandy silt	
3207	HM-1-01	6	Agassiz trawl	2006	2003	-0,87	34,91	65	43	19	-7	0	27	65	43	73	-7	0	70	65,7219	-7,0075	2001	7	9	08:41	09:11	10,0	NA	10		Specimens in ethanol Boreomysis (Brattegard/Melland) and porifera (H.T. Rapp). Fishes to ZM in Copenhagen for identification: lycodes (x4), Paraliparis (x1)
3208	HM-1-01	6	BP sledge	2002	2004	-0,87	34,91	65	43	93	-7	0	95	65	43	60	-7	0	72	65,7425	-7,0264	2001	7	9	11:45	12:05	8,0	8	NA		Many Bythocaris leucopsis and Boreomysis scyphops
3209	HM-1-01	7	Shipek grab	2549		-0,87	34,91	66	11	85	-6	51	94							66,2069	-6,8761	2001	7	9	16:40	00:00	0,1	NA	NA		Grab almost empty
3210	HM-1-01	7	BP sledge	2544	2536	-0,87	34,91	66	13	66	-6	51	77	66	13	15	-6	51	86	66,215	-6,8714	2001	7	9	22:55	23:25	5,0	5	NA		Sledge came up on the safety wire
3211	HM-1-01	7	Agassiz trawl	2545	2527	-0,87	34,91	66	12	9	-6	52	3	66	12	60	-6	52	31	66,2025	-6,8675	2001	7	10	02:00	02:45	2,0	2			One Cnistoethis Mullieri (21 bucket). Lycodes (x3) sent to ZM in Copenhagen for ident. Small sample, too short wire (?)
3212	HM-1-01	8	Shipek grab	3018		-0,9	34,91	66	59	45	-6	11	46							66,9958	-6,1961	2001	7	10	09:40	00:00	0,5	NA	NA		
3213	HM-1-01	8	Agassiz trawl	3006	3007	-0,9	34,91	67	1	36	-6	11	62	67	2	8	-6	11	95	67,0267	-6,2006	2001	7	10	12:53	13:53	10,0	NA	10		Good sample. Elpidia, Kolga, Pourtalesia, Boreomysis scyphops, Hymenodora glacialis, Sadunia megalura,Cladorhiza gelida,Thenea abyssorum, Trichosema sarsi, Lycodes sp. (x 11) sent to ZM Cop.
3214	HM-1-01	8	BP sledge	3003	3000	-0,9	34,91	67	1	78	-6	11	83	67	1	37	-6	11	87	67,0383	-6,2064	2001	7	10	17:33	18:03	4,0	4	NA		Boreomysis scyphops, Hyalopectin frigidum, Pourtalesia jeffreysi, Elpidia glacialis, Kolga hyalina
3215	HM-1-01	9	Shipek grab	2031		-0,86	34,91	67	4	0	-7	27	2							67,0667	-7,4506	2001	7	10	22:55	00:00	2,0	NA	NA	Sandy silt	
3216	HM-1-01	9	BP sledge	2014	2013	-0,86	34,91	67	5	86	-7	27	12	67	6	26	-7	27	74	67,0172	-7,4533	2001	7	11	01:18	01:48	10,0	10	NA		Sample container (cod end) broken
3217	HM-1-01	9	Agassiz trawl	2005	2002	-0,86	34,91	67	5	14	-7	28	8	67	5	66	-7	27	50	67,0872	-7,4689	2001	7	11	04:20	05:05	20,0	NA	20		Thenea, Cladorhiza,Trichostemma, Tentorium semisuberites,Sycon abyssale, Boreomysis scyphops, Elpidia, Kolga, Pourtalesia, Asteroids,Crionids, Scalpellidae, Lycodes sp (x 13) + Paraliparis
3218	HM-1-01	10	Shipek grab	1575		-0,82	34,91 no	67	13	0	-8	28	31							68,8667	-9,4169	2001	7	11	09:50	00:00	3,0	NA	NA	Silt	
3219	HM-1-01	10	BP sledge	1642	1636	-0,82	34,91	67	14	79	-8	28	6	67	15	14	-8	27	78	67,2167	-8,4753	2001	7	11	12:03	12:23	14,0	12	NA		Bathybiaster vexillifer, ophiuriids, Scaphopods (most of them dead)
3220	HM-1-01	10	Agassiz trawl	1642	1646	-0,82	34,91	67	14	79	-8	27	94	67	15	25	-8	27	94	67,2553	-8,4761	2001	7	11	14:45	15:30	30,0	NA	30		Sample dominated by Bathybiaster vexillifer, Paraliparis bathybius
3221	HM-1-01	11	Shipek grab	1526		-0,83	34,91	67	51	80	-8	6	37							67,8722	-8,1103	2001	7	11	21:00	00:00	2,0	NA	NA	Silt	
3222	HM-1-01	11	BP sledge	1525	1532	-0,83	34,91	67	53	77	-8	5	94	67	54	10	-8	5	65	67,9047	-8,1094	2001	7	11	23:58	00:18	15,0	12	NA		
3223	HM-1-01	11	Agassiz trawl	1540	1530	-0,83	34,91	67	53	93	-8	5	67	67	54	47	-8	5	74	67,9092	-8,1019	2001	7	12	02:22	02:52	8,0	8			A lot of Bathybiaster vexillifer, Turrisipho sp and Scalpellum sp.
3224	HM-1-01	12	Shipek grab	2014		-0,86	34,91	68	33	0	-8	17	1							68,55	-8,2836	2001	7	12	07:40	00:00	2,0	NA	NA	Sandy silt	TILRUND NÜMER 3224 - sjösinsamler var skrøl 5158
3225	HM-1-01	12	BP sledge	1993	1995	-0,86	34,91	68	34	46	-8	15	55	68	34	75	-8	15	8	68,5794	-8,2653	2001	7	12	10:11	10:31	4,0	4	NA		Foraminiferans, sponge spicules
3226	HM-1-01	12	Agassiz trawl	1997	1984	-0,86	34,91	68	34	84	-8	15	5	68	35	27	-8	14	65	68,59	-8,2514	2001	7	12	13:30	14:00	10,0	10			Rich sample. Bathybiaster vexillifer, Hymenaster pellucidus, Pourtalesia jeffreysi, Elpidia sp., Turrisipho, Colus, Cladorhiza, Thenea abyssorum, Nympon, Boreomysis scyphops, Bythocaris leucopsis (many)
3227	HM-1-01	13	Shipek grab	1820		-0,82	34,91 no	68	52	0	-8	25	1							68,8667	-9,4169	2001	7	12	18:12	00:00	0,3	NA	NA	Silt	sponge spicules, Stella norm., Sycon abyssale, Guancilla blanca, Leucandra sp.
3228	HM-1-01	13	Triangle dredge	1377		-0,82	34,91	68	51	49	-9	21	56							68,8636	-9,3656	2001	7	12	21:25	00:00	10,0	NA	10	Gravel and rocks	Porifera sponge. Stylocordyla borealis, Priapulus caudatus (to Jörn), octocorallina
3229	HM-1-01	14	Shipek grab	2075		-0,82	34,91	68	48	84	-10	12	31							68,8233	-10,2086	2001	7	12	23:20	00:00	0,1	NA	NA	Sand	
3230	HM-1-01	14	Agassiz trawl	2108	2099	-0,82	34,91	68	48	31	-10	12	93	68	42	54	-10	13	29	68,7031	-10,2258	2001	7	13	01:20	01:50	25,0	NA	25		Sample dominated by Porifera, Lycodes sp.
3231	HM-1-01	15	Shipek grab	886		-0,63	34,9	66	16	55	-11	53	85							66,2819	-11,9069	2001	7	13	19:50	00:00	0,1	NA	NA		Only few sand grains
3232	HM-1-01	15	Triangle dredge	914	912	-0,63	34,9	66	16	28	-11	55	10	66	16	16	-11	55	40	66,2744	-11,9194	2001	7	13	21:28	21:38	10,0	NA	10		Gastropoda, Bathybiaster vexillifer, Molpadia borealis, Priapulus caudatus, Maldanidae
3233	HM-1-01	16	Shipek grab	802		-0,65	34,9	66	14	65	-11	55	50							66,2514	-11,9304	2001	7	13	22:20	00:00	0,1	NA	NA	Silt, highly compressed	
3234	HM-1-01	16	Triangle dredge	800	810	-0,6	34,9	66	14	85	-11	56	53	66	14	93	-11	56	76	66,2569	-11,9481	2001	7	13	23:52	00:02	20,0	20	NA	Gravelly silt	Colus pracilis, Buccinum sp., Siquanculidae, Crinoidae
3235	HM-1-01	17	Shipek grab	690		-0,57	34,89	66	14	0	-11	56	40							66,2133	-11,9444	2001	7	14	00:48	00:00	0,1	NA	NA	Silt	
3236	HM-1-01	17	det. sledge (Snell)	710	700	-0,57	34,89	66	14	36	-11	57	29	66	14	40	-11	57	80	66,2433	-11,9581	2001	7	14	01:35	01:56	2,0	2	Gravelly silt	More like clay than silt. Some sponges, polychaets, Hirudinea (x1). Sledge came up on the safety wire.
3237	HM-1-01	18	Shipek grab	593		-0,54	34,89	66	13	51	-11	56	76							66,2308	-11,9544	2001	7	14	03:15	00:00	0,1	NA	NA	Sandy silt	
3238	HM-1-01	18	Triangle dredge	600	594	-0,54	34,89	66	13	92	-11	58	4	66	13	95	-11	58	51	66,2422	-11,9678	2001	7	14	04:02	04:12	60,0	60	NA	Silty gravel	
3239	HM-1-01	19	Shipek grab	490		-0,5	34,89	66	13	8	-11	57	12							66,2189	-11,9533	2001	7	14	05:05	00:00	0,1	NA	NA	Silt	
3240	HM-1-01	19	Triangle dredge	500	490	-0,5	34,89 no	66	13	47	-11	58	43	66	13	53	-11	58	87	66,2297	-11,9786	2001	7	14	05:52	06:02	170,0	100	NA	Gravel and silt (50-50)	Hexactinellida, Thenea sp., Retepora/Sertella
3241	HM-1-01	20	Shipek grab	405		-0,2	34,89	66	12	81	-11	57	51							66,2225	-11,9642	2001	7	14	07:05	00:00	0,1	NA	NA	Few sand grains	
3242	HM-1-01	20	Triangle dredge	422	414	-0,2	34,89	66	13	7	-11	58	0	66	13	10	-11	58	20	66,2186	-11,9667	2001	7	14	08:00	08:10	200,0	NA	200	Stones/boulders mixed with silt and	Suberitidae, Thenea, Stryphnus, Dalline, Crossaster, Ophiura, Stylasteridae, Bryozoa
3243	HM-1-01	21	Shipek grab	292		-1,65	34,88	66	12	24	-11	57	93							66,2067	-11,9753	2001	7	14	08:45	00:00	0,1	NA	NA	Sand	
3244	HM-1-01	21	Triangle dredge	299	299	-1,65	34,88	66	12	45	-11	59	10	66	12	50	-11	58	61	66,2125	-11,9775	2001	7	14	09:40	09:50	60,0	NA	60	Gravel and stones/boulders mixed wi	Ophiura
3245	HM-1-01	22	Shipek grab	249		1,5	34,87	66	9	96	-12	0	6							66,1767	-12,0017	2001	7	14	10:41	00:00	1,0	NA	NA	Sand and silt	
3246	HM-1-01	22	Agassiz trawl	246	241	1,5	34,87	66	10	5	-12	0	46	66	10	12	-12	1	29	66,1681	-12,0128	2001	7	14	11:22	11:42	5,0	5			Thrown overboard: 2x Glyptocephalus cynoglossus + 1x juvenile, 2x Caregroctus reinhardti, 2x Leptogonus decagonus.
3247	HM-1-01	22	BP sledge	243	243	1,5	34,87	66	10	23	-12	0	94	66	10	41	-12	1	64	66,1731	-12,0261	2001	7	14	12:32	12:52	15,0	8	7		
3248	HM-1-01	23	Shipek grab	187		1,92	34,87	65	49	96	-11	59	94							65,8413	-12,0294	2001	7	14	15:14	00:00	0,7	NA	NA	Sandy silt	
3249	HM-1-01	23	BP sledge	192	194	1,92	34,87	65	50	34	-12	1	27	65	50	49	-12	2	7	65,8428	-12,0242	2001	7	14	15:45	16:00	40,0	8	32		
3250	HM-1-01	23	Agassiz trawl	196	204	1,92	34,87	65	50	39	-12	0	70	65	50	80	-12	1	86	65,8442	-12,0194	2001	7	14	16:44	17:14	40,0	NA	40		Rich sample. Berthella plumula (Opisthobranchia). Scleroceragon borealis (dl frozen, Jörn)
3251	HM-1-01	24	Shipek grab	232		1,48	34,86 yes	65	43	80	-12	17	0							65,7389	-12,2813	2001	7	14	19:10	00:00	3,0	NA	NA	Silt	
3252	HM-1-01	24	Agassiz trawl	232	233	1,48	34,86	65	45	94	-12	16	39	65	44	12	-12	15	23	65,7761	-12,2775	2001	7	14	19:55	20:25	250,0	120	NA		
3253	HM-1-01	24	BP sledge	232	233	1,48	34,86	65	43	97	-12	16	9	65	44	7	-12	15	50	65,7436	-12,2692	2001	7	14	21:20	21:35	100,0	10	NA		
3255	B-11-01	726	Shipek grab	203		7,92	35,19	63	20	43	-19	50	89							63,1453	-19,8581	2001	9	11	12:30	00:00	0,5	NA	NA	Silt	originally labelled as 3254 - nonexistng number
3256	B-11-01	726	det. sledge (Snell)	209	217	7,92	35,19	63	20	10	-19	51	30	63	19	90	-19	51	60	63,1381	-19,8583	2001	9	11	13:00	13:20	80,0	80	NA	Sandy silt	
3257	B-11-01	726	BP sledge	221	224	7,92	35,19	63	20	10	-19	52	20	63	19	90	-19	53	30	63,1361	-19,8722	2001	9	11	14:07	14:37	4,0	4	NA		
3258	B-11-01	726	Agassiz trawl	213	221	7,92	35,19	63	20	0	-19	51	70	63	19	90	-19	53	10	63,1333	-19,8694	2001	9	11	15:18	15:58	10,0	NA	10		8 liters Nephrops (not fixed), fish. 4x Rhinonemus cimbrius, 1x Sebastes viviparus, 2x Lycodes vahli
3259	B-11-01	727	det. sledge (Snell)	1311	1312	3,72	34,99	62	59	50	-19	11	10	62	59	50	-19	10	70	62,9972	-19,1861	2001	9	11	21:21	21:32	30,0	30	NA	Sandy silt	Asbestopluma (small apose), Phormosoma (deep sea echiuroid), Ophiuroid.
3260	B-11-01	727	BP sledge	1308	1320	3,72	34,99	62	59	40	-19	10	90	62	59	30	-19	9	40	62,9944	-19,1917	2001	9	12	01:40	02:10	10,0	10	NA		
3261	B-11-01	727	Agassiz trawl	1301	1312	3,72	34,99	62	59	70	-19	11	10	62	57	70	-19	8	80	63,0028	-19,1861	2001	9	12	04:05	04:45	10,0	NA	10		Different invertebrates, mainly echinoderms, Phormosoma, Holothurians
3262	B-11-01	729	Agassiz trawl	1681	1683	3,3	34,99	62	31	40	-19	39	60	62	32	30	-19	39	20	62,5278	-19,6667	2001	9	13	06:20	07:05	20,0	NA	20		
3263	B-11-01	729	BP sledge	1682	1679	3,3	34,99	62	31	50	-19	39	50	62	32	10	-19	39	20	62,5306	-19,6639	2001	9	13	12:31	13:01	NA	NA			
3264	B-11-01	730	BP sledge	1780	1774	2,95	34,98	62	24	80	-19	48	60	62	24	70	-19	47	50	62,4222	-19,8167	2001	9	13	17:28	17:58	1,0	1	NA		
3265	B-11-01	730	det. sledge (Snell)	1784	1782	2,95	34,98	62	24	70	-19	48	90	62	24	40	-19	48	40	62,4194	-19,825	2001	9	13	20:22	18:42	0,3	NA	0		Only a few fragments of organisms. No sediment
3266	B-11-01	730	Agassiz trawl	1783	1781	2,95	34,98	62	24	70	-19	48	90	62	24	10	-19	48	10	62,4194	-19,825	2001	9	13	23:12	23:52	10,0	10	NA		Mainly echinoderms, numerous species. Pennatulaceans(Bulicirma),octocoral, shrimps (several species), large foraminiferans (Bathysiphon), some fish
3267	B-11-01	731	Agassiz trawl	1746	1757	3,02	35	62	13	90	-19	55	90	62	13	10	-19	56	90	62,2417	-19,9417	2001	9	14	07:58	08:38	0,5	NA	1		
3268	B-11-01	732	det. sledge (Snell)	63	64	8,26	35,17	63	49	40	-16	25	0	63	49	40	-16	25	0	63,8278	-16,4167	2001	9	15	06:54	07:04	20,0	20	NA	Silty sand	
3269	B-11-01	732	BP sledge	63	64	8,26	35,17	63	49	30	-16	25	10	63	49	40	-16	27	10	63,825	-16,4194	2001	9	15	07:28	07:38	5,0	5	NA		
3270	B-11-01	733	det. sledge (Snell)	98	98	7,96	35,19	63	43	40	-16	12	10	63	43	60	-16	11	90	63,7278	-16,2028	2001	9	15	09:15	09:25	200,0	40	70	Gravely sand	
3271	B-11-01	733	BP sledge	96	96	7,96	35,19	63	43	70	-16	12	10	63	43	70	-16	12	30	63,7361	-16,2028	2001	9	15	09:44	09:54	10,0	10	NA		
3272	B-11-01	733	Agassiz trawl	97	95	7,96	35,19	63	43	40	-16	12	20	63	43	80	-16	11	90	63,7278	-16,2056	2001	9	15	10:20	10:35	1,0	NA	1		
3273	B-11-01	733	Shipek grab	268		7,96	35,19	63	23	20	-16	15	50							63,3889	-16,2639	2001	9	15	13:55	00:00	0,5	NA	NA	Silty sand	
3274	B-11-01	734	Shipek grab	308		7,97	35,2	63	25	0	-16	15	0							63,4167	-16,25	2001	9	15	14:15	00:00	0,3	NA	NA	Silty sand	
3275	B-11-01	734	det. sledge (Snell)	305	295	7,97	35,2	63	23	10	-16	16	20	63	22	97	-16	16	68	63,3861	-16,2722	2001	9	15	14:43	14:53	40,0	20	NA		
3276	B-11-01	734	BP sledge	320	323	7,97	35,2	63	22	98	-16	16	15	63	22	97	-16	16	70	63,3919	-16,2708	2001	9	15	15:32	15:42	10,0	10	NA		bnskm
3277	B-11-01	734	Agassiz trawl	333	334	7,97	35,2	63	23	0	-16	15	90	63	22	90	-16	16	50	63,3833	-16,275	2001	9	15	16:30	16:50	1,0	1	Rock	One large stone, 80 cm in diameter. 1x Chimaeda monstrosa. Several Sebastes sp. + shrimps
3278	B-11-01	735	det. sledge (Snell)	1677	1677	2,85	35	62	51	80	-16	0	80	62	53	80	-16	1	80	62,9056	-16,0222	2001	9	15	22:45	23:05	150,0	50	100	Gravely silt	
3279	B-11-01	735	Agassiz trawl	1710	1711	2,85	35	62	53	40	-15	53	80	62	53	70	-15	52	90	62,8944	-15,9056	2001	9	16	01:42	02:22	30,0	NA	30		Lots of Porifera and a few good specimens of Paramuricea
3280	B-11-01	735	BP sledge	1692	1694	2,85	35	62	53	50	-15	55	60	62	53	30	-15	57	10	62,8972	-15,9333	2001	9	16	04:35	05:05	10,0	10	NA		rocky substrat
3281	B-11-01	736	det. sledge (Snell)	1810	1809	2,54	34,99	62	48	10	-16	13	30	62	48	10	-16	13	90	62,8028	-16,225	2001	9	16	09:29	09:49	60,0	60	NA	Sandy silt	
3282	B-11-01	736	BP sledge	1813	1808	2,54	34,99	62	48	0	-16	14	80	62	48	0	-16	16	20	62,8	-16,2556	2001	9	16	12:27	12:57	NA	NA		
3283	B-11-01	736	Agassiz trawl	1808		2,54	34,99	62	48	10	-16	14	80							62,8028	-16,2556	2001	9	16	15:34	00:00	15,0	NA	15		
3500	B-11-02	512	det. sledge (Snell)	814	819	5,82	35,1	62	59	90	-20	30	10							63,0083	-20,5083	2002	8	31	11:15	12:35	200,0	100	NA	Silt	Very fine sediment.
3501	B-11-02	512	BP sledge	829	822	5,82	35,1	62	59	84	-20	30	25							63,0067	-20,5069	2002	8	31	13:55	14:25	8,0	8	NA		Lots of echinoderms (16 mm sieve)
3502	B-11-02	512	Agassiz trawl	818	876	5,82	35,1	63	0	1	-20	30	31							63,0003	-20,5086	2002	8	31	15:50	16:30	1,0	NA	1		
3503	B-11-02	514	Agassiz trawl	1739	1750

3551	B-4-03	383	Agassiz trawl	290	290	7,6	35,18	64	7	30	-24	5	14	64,125	-24,0872	2003	9	2	02-25	03-05	2,0	NA		2											
3552	B-4-03	384	detr. sledge (Sneli)	300	304	7,19	35,16	64	16	88	-25	40	60	64,2911	-25,6813	2003	9	2	09-07	09-27	80,0		40	40	Silty sand with stones										Part of sample fixed in alcohole
3553	B-4-03	384	Shipek grab	304	304	7,19	35,16	64	46	80	-25	40	91	64,7889	-25,6919	2003	9	2	08-47	00-00	NA	NA		NA		Sandy silt									
3554	B-4-03	384	BP sledge	304	308	7,19	35,16	64	16	74	-25	41	58	64,2872	-25,6994	2003	9	2	10-18	10-48	15,0		15	NA											Part of sample fixed in alcohole
3555	B-4-03	384	Agassiz trawl	300	307	7,19	35,16	64	16	91	-25	40	42	64,2919	-25,6783	2003	9	2	11-44	12-24	30,0	NA		30											Many Laetmogone violacea, ca. 12 Spatangus, Pandalus borealis, isopods, brachiopods
3557	B-4-03	385	detr. sledge (Sneli)	334	337	6,95	35,14	64	12	31	-26	12	76	64,2086	-26,2211	2003	9	2	16-45	17-05	60,0		60	NA		Sandy silt									Very fine silt
3558	B-4-03	385	BP sledge	336	337	6,95	35,14	64	12	33	-26	12	65	64,2092	-26,2181	2003	9	2	17-48	18-18	4,0		4	NA											Part of sample fixed in alcohol
3559	B-4-03	385	Agassiz trawl	337	338	6,95	35,14	64	12	38	-26	12	42	64,2106	-26,2117	2003	9	2	19-00	19-40	NA	NA		NA											Part of sample fixed in alcohol
3560	B-4-03	386	Shipek grab	236		7,55	35,18	63	51	90	-26	10	10	63,875	-26,1694	2003	9	2	21-50	00-00	0,1	NA		NA		Sand									
3561	B-4-03	386	detr. sledge (Sneli)	230	236	7,55	35,18	63	52	3	-26	11	47	63,8675	-26,1964	2003	9	3	00-25	00-45	60,0		30	NA		Gravely sand with stones/boulders									
3562	B-4-03	387	detr. sledge (Sneli)	491	505	7,48	35,18	63	45	67	-26	23	10	63,7686	-26,1861	2003	9	3	03-00	03-20	100,0		60	NA		Sand with stones/boulders									Rich sample
3563	B-4-03	387	BP sledge	496	510	7,48	35,18	63	45	46	-26	23	10	63,7628	-26,1861	2003	9	3	04-10	04-40	20,0		8	12											Vol. picked=12 liters sieved through 5 and 1mm sieves
3564	B-4-03	388	detr. sledge (Sneli)	788	800	6,07	35,06	63	45	97	-26	39	32	63,7769	-26,6589	2003	9	3	07-25	07-45	100,0		75	50	Sandy gravel with stones/boulders										Part of sample fixed in ethanol.
3565	B-4-03	388	BP sledge	791	798	6,07	35,06	63	45	87	-26	39	9	63,7742	-26,6525	2003	9	3	08-56	09-26	40,0		40	NA											Part of sample fixed in ethanol.
3566	B-4-03	388	Agassiz trawl	790	806	6,07	35,06	63	45	95	-26	39	16	63,7764	-26,6544	2003	9	3	10-38	11-18	30,0	NA		30											
3567	B-4-03	389	Shipek grab	685		6,62	35,09	63	59	22	-26	51	44	63,9804	-26,8622	2003	9	3	13-00	00-00	0,5	NA		NA		Silty sand									
3568	B-4-03	389	detr. sledge (Sneli)	677	677	6,62	35,09	63	58	87	-26	49	46	63,9908	-26,8294	2003	9	3	14-45	15-05	60,0		40	NA		Sand and stones/boulders									
3569	B-4-03	390	Triangle dredge	1792	1799	5,24	34,92	63	43	99	-29	10	49	63,7442	-29,1803	2003	9	4	08-30	08-40	5,0	NA		5	Gravel									
3570	B-4-03	390	BP sledge	1819	1840	5,24	34,92	63	42	71	-29	10	16	63,7197	-29,1767	2003	9	4	17-50	18-20	8,0		8	NA											Part of sample fixed in ethanol.
3571	B-4-03	391	BP sledge	2213	2241	3,14	34,92	63	30	22	-29	38	40	63,5061	-29,6444	2003	9	5	01-00	01-30	NA	NA		NA											
3572	B-4-03	391	Agassiz trawl	2238	2242	3,14	34,92	63	30	14	-29	38	19	63,5039	-29,6386	2003	9	5	04-20	05-00	5,0	NA		5											
3573	B-4-03	392	BP sledge	2359	2369	3,06	34,92	63	22	49	-29	54	85	63,3803	-29,9236	2003	9	5	13-10	13-40	8,0		8	NA											A lot of foraminiferars in the sediment
3574	B-4-03	392	Agassiz trawl	2355	2366	3,06	34,92	63	22	60	-29	55	19	63,3833	-29,9219	2003	9	5	17-00	17-40	10,0	NA		10											
3575	B-4-03	393	detr. sledge (Sneli)	1744	1744	3,7	34,95	63	17	41	-28	33	61	63,2947	-28,5669	2003	9	6	01-00	01-20	60,0		30	NA		Sand with stones/boulders									
3576	B-4-03	393	BP sledge	1744	1744	3,7	34,95	63	17	46	-28	34	39	63,2961	-28,5775	2003	9	6	03-30	04-00	8,0		8	NA											Half of 0.5mm fraction kept.
3577	B-4-03	393	Agassiz trawl	1744	1744	3,7	34,95	63	17	56	-28	34	65	63,2989	-28,5847	2003	9	6	06-15	06-55	7,0	NA		7											Part of sample fixed in ethanol.
3578	B-4-03	394	detr. sledge (Sneli)	1796	1797	3,42	34,93	63	4	65	-28	25	94	63,0847	-28,4428	2003	9	6	11-08	11-28	30,0		30	NA		Gravely silt									
3579	B-4-03	394	BP sledge	1796	1800	3,42	34,93	63	4	42	-28	26	39	63,0783	-28,4442	2003	9	6	13-40	14-10	8,0		8	NA											Forams in sediment
3580	B-4-03	394	Agassiz trawl	1797	1799	3,42	34,93	63	4	57	-28	26	38	63,0825	-28,4439	2003	9	6	16-18	16-58	5,0	NA		5											
3581	B-4-03	395	detr. sledge (Sneli)	1992	1995	3,13	34,92	62	49	58	-29	23	81	62,8328	-29,4058	2003	9	7	02-20	02-40	50,0		50	NA		Sandy silt									
3582	B-4-03	395	BP sledge	1995	1995	3,13	34,92	62	49	65	-29	23	18	62,8347	-29,3883	2003	9	7	05-10	05-40	15,0		15	NA											Part of sample fixed in ethanol.
3583	B-4-03	395	Agassiz trawl	1995	1995	3,13	34,92	62	49	93	-29	23	21	62,8425	-29,3892	2003	9	7	08-15	08-55	1,0	NA		1											
3584	B-4-03	396	detr. sledge (Sneli)	1753	1750	3,65	34,94	62	33	31	-28	32	40	62,5586	-28,5444	2003	9	7	15-20	15-40	10,0	NA		10	Stones/boulders and gravel									
3585	B-4-03	397	detr. sledge (Sneli)	1548	1560	3,77	34,95	62	23	6	-28	16	72	62,385	-28,2881	2003	9	7	21-32	21-52	60,0		20	20	Gravely silt										
3586	B-4-03	397	BP sledge	1558	1551	3,77	34,95	62	23	15	-28	16	91	62,3875	-28,2919	2003	9	7	23-48	00-18	8,0		8	NA											Part of sample fixed in ethanol.
3587	B-4-03	397	Agassiz trawl	1553	1563	3,77	34,95	62	22	98	-28	16	13	62,3919	-28,2703	2003	9	8	02-25	03-05	NA	NA		NA											Divers sample. Part of sample fixed in ethanol.
3588	B-4-03	398	detr. sledge (Sneli)	957	968	5,82	35,07	61	11	1	-28	2	48	61,2169	-28,0467	2003	9	8	13-13	13-33	80,0		30	NA		Silt									Mat of sponge spicules.
3589	B-4-03	398	Agassiz trawl	948	973	5,82	35,07	61	11	6	-28	2	48	61,2183	-28,0467	2003	9	8	15-00	15-40	1000,0	NA		1000											A massive sponge haul.
3590	B-4-03	399	Triangle dredge	1111	1111	4,38	35	61	16	4	-27	3	32	61,2678	-27,0589	2003	9	8	21-32	21-37	15,0	NA		15											
3591	B-4-03	400	detr. sledge (Sneli)	880	881	6,09	35,08	61	47	67	-27	1	79	61,8019	-27,0386	2003	9	9	03-55	04-15	40,0		40	NA		Gravely silt									Sponge spicules
3592	B-4-03	400	BP sledge	888	889	6,09	35,08	61	47	76	-27	1	58	61,8044	-27,0328	2003	9	9	05-15	05-45	15,0		15	NA											Sponge spicules. Vol.picked=rest of sediment (7 liters) sieved with 5 mm. Part of sample fixed in ethanol.
3593	B-4-03	400	Agassiz trawl	886	879	6,09	35,08	61	48	8	-27	1	77	61,8022	-27,0381	2003	9	9	06-55	07-35	10,0	NA		10											
3594	B-4-03	401	detr. sledge (Sneli)	906	916	5,52	35,07	61	50	6	-26	9	32	61,835	-26,1589	2003	9	10	03-10	03-30	25,0		25	NA		Silt									
3595	B-4-03	401	BP sledge	916	917	5,52	35,07	61	49	58	-26	9	97	61,8328	-26,1769	2003	9	10	04-35	05-05	10,0		10	NA											Sponge spicules in the sample.
3596	B-4-03	401	Agassiz trawl	895	914	5,52	35,07	61	49	71	-26	10	63	61,8369	-26,1842	2003	9	10	06-35	07-05	20,0	NA		20											Species rich sample. Sponges, octocorals, hexacorals, echinoderms
3597	B-4-03	402	detr. sledge (Sneli)	774	765	6,5	35,12	62	17	43	-25	37	52	62,2963	-25,6311	2003	9	10	12-05	12-15	10,0		10	NA		Silty sand									
3598	B-4-03	402	BP sledge	769	768	6,5	35,12	62	17	37	-25	37	58	62,2936	-25,6328	2003	9	10	14-20	14-50	8,0		8	NA											
3599	B-4-03	402	Agassiz trawl	765	784	6,5	35,12	62	17	38	-25	37	68	62,2939	-25,6356	2003	9	10	16-00	16-40	40,0	NA		40											Rich sample.
3600	B-4-03	403	detr. sledge (Sneli)	622	625	7,11	35,14	62	42	7	-25	27	43	62,7019	-25,4619	2003	9	10	23-00	23-20	40,0		20	NA		Sand mixed with silt and gravel									Half of material on 1 and 0.5mm sieve was kept.
3601	B-4-03	403	BP sledge	624	631	7,11	35,14	62	42	14	-25	27	22	62,7019	-25,4561	2003	9	11	00-10	00-40	10,0		10	NA											Material on 8 and 4mm sieve put together and fixed in ethanol. Half of material on 0.5mm was kept.
3602	B-4-03	403	Agassiz trawl	625	635	7,11	35,14	62	42	57	-25	26	80	62,7158	-25,4556	2003	9	11	01-35	02-15	10,0	NA		10											
3603	B-4-03	404	detr. sledge (Sneli)	424	430	7,61	35,18	62	49	58	-25	15	8	62,8328	-25,2522	2003	9	11	06-05	06-35	50,0		20	NA		Gravely sand with stones/boulders									Sand=shell sand. Ophiuroids and brachiopods dominating.
3604	B-4-03	405	detr. sledge (Sneli)	296	298	7,49	35,17	63	19	12	-25	15	25	63,32	-25,2569	2003	9	11	14-25	14-45	80,0		30	NA		Silty sand with stones/boulders									
3605	B-4-03	405	BP sledge	306	297	7,49	35,17	63	19	44	-25	15	54	63,3289	-25,265	2003	9	11	15-30	16-00	15,0		15	NA											Rest of sediment (7 liters) sieved through 1mm sieve.
3606	B-4-03	405	Agassiz trawl	300	304	7,49	35,17	63	19	23	-25	16	2	63,3231	-25,2672	2003	9	11	16-40	17-20	20,0	NA		20											Stones/boulders in the net. 10 liters of holothurians thrown.
3607	B-4-03	406	detr. sledge (Sneli)	365	365	7,1	35,15	63	44	72	-25	42	23	63,7533	-25,7064	2003	9	11	21-12	21-32	60,0		30	NA		Sandy silt									
3608	B-4-03	406	BP sledge	366	366	7,1	35,15	63	44	84	-25	41	95	63,7567	-25,7097	2003	9	11	22-15	22-30	NA	NA		NA											
3609	B-4-03	406	Agassiz trawl	366	366	7,1	35,15	63	44	74	-25	41	92	63,7539	-25,7089	2003	9	11	23-15	23-55	200,0	NA		200											
3610	B-4-03	407	detr. sledge (Sneli)	188	192	7,43	35,17	63	58	80	-25	30	48	63,9889	-25,5133	2003	9	12	02-15	02-35	100,0		40	NA		Silty sand									
3611	B-4-03	407	BP sledge	188	197	7,43	35,17	63	58	63	-25	30	69	63,9842	-25,5192	2003	9	12	04-30	04-40	40,0		10	NA											
3612	B-4-03	407	Agassiz trawl	192	196	7,43	35,17	63	58	66	-25	30	63	63,985	-25,5175	2003	9	12	05-10	05-50	12,0	NA		12											Large stones in the net (x3) had broken much of the material.
3613	B-4-03	408	detr. sledge (Sneli)	345	345	6,95	35,14	64	14	81	-26	3	13	64,2564	-26,0516	2003	9	12	08-25	08-45	150,0	NA		NA		Sandy silt									Sediment saved: 1 & 0.5mm (50 liters), 5mm (80 liters).
3614	B-4-03	408	Agassiz trawl	345	342	6,95	35,14	64	14	75	-26	3	27	64,2542	-26,0575	2003	9	12	09-30	10-10	NA	NA		NA											Holothurians (Laetmogone sp.?) thrown over board (195 specimens).
3615	B-4-03	408	BP sledge	342	342	6,95	35,14	64	14	85	-26	3	28	64,2569	-26,0578	2003	9	12	11-00	11-30	15,0		15	NA											
3616	B-4-03	409	detr. sledge (Sneli)	269	274	6,99	35,14	64	40	34	-26	27	1	64,6761	-26,4503	2003	9	12	15-10	15-30	200,0		40	NA		Silt									Sticky mud.
3617	B-4-03	409	BP sledge	270	272	6,99	35,14	64	39	72	-26	27	94	64,67	-26,4761	2003	9	12	16-06	16-36	6,0		6	NA											Grab not closed. Only a tiny sample for foraminifera.
3618	B-4-03	409	Agassiz trawl	274	274	6,99	35,14	64	39	68	-26	27	53	64,6689	-26,4647	2003	9	12	17-12	17-52	30,0	NA		30											10-20 holothurian thrown over board (Laetmogone sp.).
3619	HM-1-04	1	Shipek grab	1488		-0,78	34,9	66	30	70	-9	46	35	66,5184	-9,7764	2004	7	14	03-31	00-00	5,0	NA		NA		Sandy silt									
3620	HM-1-04	1	Agassiz trawl	1487	1480	-0,78	34,9	66	30	12	-9	43	35	66,5033	-9,7264	2004	7	14	05-55	06-25	7,0	NA		7											
3621	HM-1-04	1	BP sledge	1475	1469	-0,78	34,9	66	29	39	-9	44	80	66,4942	-9,7556	2004	7	14	09-26	09-46	5,0		5	NA											Holothurian - Elpidia glacialis
3622	HM-1-04	1	detr. sledge (Sneli)	1475	1475	-0,78	34,9	66	30	22	-9	45	22	66,5061	-9,7561	2004	7	14	12-04	12-14	0,5	NA		NA		Silt									Sledge almost empty. Bathybiaster vexillifer, Hymenodora glacialis, some polychaets
3623	HM-1-04	2	Shipek grab	1610		-0,82	34,9	66	57	2	-8	43	82	66,9506	-8,7394	2004	7	14	17-59	00-00	0,0	NA		NA		Silt									Grab not closed
3624	HM-1-04	2	BP sledge	1628	1632	-0,82	34,9	66	59	48	-8	48	73	66,9967	-8,8203	2004	7	14	22-16	22-36	5,0		5	NA											Only 1/2 of the sample sieved with 0.5 mm sieve
3625	HM-1-04	2	Agassiz trawl	1630	1627	-0,82	34,9	66	59	3	-8	48	6	66,9842	-8,8017	2004	7	15	01-58	02-30	NA	NA		NA											8x Lycodes frigidus, 4x Paraliparis bathybius, 2x Rodichthyes regina
3626	HM-1-04	3	Shipek grab	1621		-0,81	34,9	67	19	49	-9	29	38	67,3303	-9,4939	2004	7	15	07-47	00-00	0,0	NA		NA		Silt									Grab not closed. Only a tiny sample for foraminifera.
3627	HM-1-04	3	Agassiz trawl	1616	1590	-0,81	34,9	67	19	71	-9	33	10	67,3369	-9,5583	2004	7	15	10-23	10-53	10,0	NA		10											12x Lycodes Pagetti, 2x Rodichthyes regina. Very diverse sample
3628	HM-1-04	3	BP sledge	1609	1612	-0,81	34,9	67	19	53	-9	32	76	67,3314	-9,5544	2004	7	15	14-14	14-34	40,0		40	NA											
3629	HM-1-04	4	BP sledge	1481	1485	-0,84	34,9	67	55	76	-8	15	89	67,9378	-8,2747	2004	7	16	00-56	01-16	8,0		8	NA											Fine sediment in the ccd end. High abundance of foraminiferars. 1/5 of sediment sieved with 0.5 mm mesh size.
3630	HM-1-04	4	Agassiz trawl	1486	1500	-0,84	34,9	67	55	84	-8	15	20	67,94	-8,2556	2004	7	16	04-02	04-12	10,0	NA		10											11x Lycodes frigidus, 6x Paraliparis bathybia
3631	HM-1-04	5	Agassiz trawl	1859	1740	-0,82	34,9	68	0	48	-9	15	14	68,0133	-9,2519	2004	7	16	12-45	13-15	150,0		50	50											9x Lycodes frigidus, 11x Paraliparis bathybius, 1x Rhodichthyes regina. Trawl packed with mud.
3632	HM-1-04	5	BP sledge	1727	1726	-0,82	34,9	68	0	92	-9	14	78	68,0256	-9,255	2004	7	16	17-48	18-08	15,0		15	NA											Rock with sponges etc. attached. Rock was stuck in the opening of sledge. 2x Lycodes frigidus.
3633	HM-1-04	6	BP sledge	1952	1951	-0,84	34,9	68	25	12	-8	57	72	68,42	-8,97	2004	7	17	00-41	01-03	NA	NA		NA											Sledge came up with a rock. Animals were plucked from it.
3634	HM-1-04	6	Agassiz trawl	1950	1949	-0,84	34,9	68	25	52	-8	57	74	68,4111	-8,9706	2004	7	17	05-25	05-55	NA	NA		NA											12x Lycodes frigidus.
3635	HM-1-04	7	Agassiz trawl	1853	1869	-0,81	34,9	68	49	49	-9	13	97	68,8303	-9,2436	2004	7	17	12-33	13-05	NA	NA		NA											5x Lycodes frigidus, 1x Paraliparis bathybius. Diverse sample. Bathybiaster vexillifer, Portalesia, Elpidia glacialis, Boreomysis scyphops.
3636	HM-1-04	7	BP sledge	1844	1849	-0,81	34,9	68	49	71	-9	14	42	68,8364	-9,245	2004	7	17	15-56	16-16	3,0		3	NA											Pourtalesia jeffreysi, Boreomysis scyphops, Bythocaris leucopis, 2x Rhodichthyes regina, 2x Lycodes frigidus.
3637	HM-1-04	8	BP sledge	2069	2065	-0,8	34,9	68	26	92	-10	8	75	68,4589	-10,1542	2004	7	17	22-45	23-05	1,0		1	NA											Sample small, therefore no Ethanol sample.
3638	HM-1-04	8	Agassiz trawl	2065	2067	-0,8	34,9	68	26	63	-10	10	58	68,4508	-10,1828	2004	7	18	02-56	03-26	NA	NA		NA											20x Lycodes frigidus, 4x Paraliparis bathybius, 2x Rhodichthyes regina.
3639	HM-1-04	9	Agassiz trawl	1917	1892	-0,82	34,9	67	57	65	-10	4	13	67,9681	-10,0703	2004	7	18	10-17	10-47	15,0	NA		15											16x Lycodes frigidus, 1x Paraliparis bathybius
3640	HM-1-04	9	BP sledge	1915	1908	-0,82	34,9	67	57	63	-10	2	61	67,9675	-10,0503	2004	7	18	13-35	13-55	10,0		10	NA											1x Paraliparis bathybius.
3641	HM-1-04	10	BP sledge	1450	1438	-0,77	34,92	66	59	8	-10	43	14	66,9856	-10,7206	2004	7	19	22-50	23-11	10,0		10	NA											8 mm and 4 mm were combined in the 4 mm fraction, because the sample was small.
3642	HM-1-04	10	Agassiz trawl	1451	1487	-0,77	34,92	66	58	19	-10	43	71	66,9719	-10,7364	2004	7	19	01-46	02-16	250,0	NA		250	Gravel and silt										Many tunicates (Ciona sp.?), sponges. 10x Lycodes frigidus, 1x Rhodichthyes regina, 4x Psychrolutes subspinosus, 2x Careproctus sp.?, 1x Gaidropsarus argentatus.
3643	HM-1-04	11	Shipek grab	798		-0,47	34,89	66	16	28	-12	4	34	66,2744	-12,0761	2004	7	19	09-18	00-00	4,0	NA		NA		Sandy silt									
3644	HM-1-04	11	Agassiz trawl	741	774	-0,47	34,89	66	15	99	-12	4	69	66,2775	-12,0858	2004	7	19	10-28	10-58	30,0	NA		30											2x Onagadus argyrastes, 7x Lycodes sp., 2x Cottunculus microps. High diversity.
3645	HM-1-04	12	BP sledge	1703	1700	-0,81	34,91	67	24	22	-10	40	59	67,4061	-10,6831	2004	7	21	07-06	07-26	10,0		10	NA											1x Paraliparis bathybius, 1x Lycodes frigidus, 1x Careproctus sp.
3646	HM-1-04	12	Agassiz trawl	1703	1702	-0,81	34,91	67	24	4	-10	40	25	67,4011	-10,6716	2004	7	21	09-36	10-06	NA	NA		NA											10x Lycodes frigidus, 4x Paraliparis bathybius, 3x Rhodichthyes regina.
3647	HM-1-04	13	Triangle dredge	1687	1642			67	56	0	-11	16	31	67,9333	-11,2919	2004	7	21	18-39	19-56	NA	NA		NA											Empty, except for a few planctonic crustacea + chaetognath (Sagitta maxima).
3648	HM-1-04	14	BP sledge	2215	2213	-0,79	34,9	68	57	10	-10	32	80	68,9528	-10,5556	2004	7	22	03-12	03-32	5,0		5	NA											Elpidia glacialis, Sagitta sp., Mycidia, sponges (calcaria).
3649	HM-1-04	14	Agassiz trawl	2214	2213	-0,79	34,9	68	56	45	-10	33	65	68,9458	-10,6014	2004	7	22	05-52	06-27	100,0		50	NA		Silt									18x Lycodes frigidus, 1x Paraliparis bathybius. Lots of sponges: Thenea abyssorum.
3650	HM-1-04	15	detr. sledge (Sneli)	1900	1900	-0,81	34,9	68	54	81	-12	37	39	68,9231	-12,6275	2004	7	22	15-42	00-00	50,0	NA		NA		Sandy silt									
3651	HM-1-04	16	Agassiz trawl	1670	1679	-0,81	34,9	69	3	94	-13	34	36	69,0761	-13,5767	2004	7	22	21-12	21-42	200,0	NA		150	Sandy silt										Bathybiaster vexillifer, Bythocaris leucopis, Boreomysis scyphops, 6x Lycodes frigidus, 4x Paraliparis bathybius, 1x Rhodichthyes regina.
3652	HM-1-04	16	BP sledge	1678	1683	-0,81	34,9	69	4	0	-13	33	85	69,0667	-13,5736	2004	7	22	23-25	23-45	5,0		5	NA											Elpidia glacialis.
3653	HM-1-04	17	detr. sledge (Sneli)	1492	1495	-0,8	34,9	68	41	73	-14	17	87	68,7036	-14,3075	2004	7	23	05-25	05-35	70,0		70	NA		Sandy silt									
3654	HM-1-04	17	Agassiz trawl	1492	1477	-0,8	34,9	68	41	72	-14	17	91	68,7013	-14,3086	2004	7	23	07-26	07-56