

Other Stocks

v4.491 (Jan-06-2020)

Not present Present Preferred

Stock	Time Series Types			
	B/Bmsy	U/Umsy	B/Bmgt	U/Umgt
1. ANCHOVYKILKACS [Anchovy kilka Iranian Caspian Sea]	TB SSB	ER F	TB SSB	ER F
2. ATOOTHFISHRS [Antarctic toothfish Ross Sea]	TB SSB	ER F	TB SSB	ER F
3. WPOLLNAVAR [Walleye pollock Navarinsky]	TB SSB	ER F	TB SSB	ER F
4. WPOLLNSO [Walleye pollock Northern Sea of Okhotsk]	TB SSB	ER F	TB SSB	ER F
5. WPOLLWBS [Walleye pollock Western Bering Sea]	TB SSB	ER F	TB SSB	ER F

Anchovy kilka Iranian Caspian Sea [ANCHOVYKILKACS]

Metadata	
Scientific Name	Clupeonella engrauliformis
Current Assess ID	CSERG-ANCHOVYKILKACS-1991-2007-JENSEN
Area	Iranian Caspian Sea
Management Authority	Iranian national management
Assessor	Caspian Sea Ecology Research Center
Asmts in RAM	2007


Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2007	44.652
M	M-1/yr	2007	0.473
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2007	8320	-	-	
SSB	SSB-MT	2007	7160	-	2+	
TN	-	-	-	-	-	
R	R-MT	2007	326	-	0.18	
F	F-1/yr	2007	1.28	-	-	
ER	ER-ratio	2007	0.619	-	-	
TC	TC-MT	2007	1200			
TL	-	-	-			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Anchovy kilka Iranian Caspian Sea [ANCHOVYKILKACS]


Kobe MSY*

Kobe MGT*




Anchovy kilka Iranian Caspian Sea [ANCHOVYKILKACS]

TB-MT (1991–2007–JENSEN)




SSB-MT (1991–2007–JENSEN)



TN *

F-1/yr (1991–2007–JENSEN)




SSBmsy*, SSBmgt*, SSBlim*, Fmsy*, Fmgt*, Film*



ER-ratio (1991–2007–JENSEN)

R-MT (1991–2007–JENSEN)


REC-EST*



Anchovy kilka Iranian Caspian Sea [ANCHOVYKILKACS]

TC-MT, TL*, RecC* (1991–2007–JENSEN)

TAC*, Cpair*, Cadv*



MSY-MT, MORAT*


survB*




CPUE*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1991–2007–JENSEN)



MSY-MT

■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data

Antarctic toothfish Ross Sea [ATOOTHFISHRS]


Metadata	
Scientific Name	Dissostichus mawsoni
Current Assess ID	CCAMLR-ATOOTHFISHRS-1995-2007-JENSEN
Area	Ross Sea
Management Authority	Commission for the Conservation of Antarctic Marine Living Resources
Assessor	Commission for the Conservation of Antarctic Marine Living Resources
Asmts in RAM	2007

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-MT	2007	18,802
SSBmsy	SSBmsy-conv-MT	2007	14,776
Fmsy	Fmsy-1/yr	2007	0.136
ERmsy	ERmsy-ratio	2007	0.165
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2007	70,738
MSY	MSY-MT	2007	3105
M	M-1/yr	2007	0.13
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2007	75,800	-	1	
SSB	SSB-MT	2007	57,900	-	9+	
TN	-	-	-	-	-	
R	R-E00	2007	983,000	-	1	
F	F-1/yr	2007	0.044	-	-	
ER	ER-ratio	2007	0.041	-	-	
TC	TC-MT	2007	3080			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-MT	2007	4.031			
SSB/SSBmsy	SSB-MT/(SSB0-MT*0.368)	2007	2.224			
F/Fmsy	F-1/yr/Fmsy-1/yr	2007	0.322			
ER/ERmsy	ER-ratio/ERmsy-ratio	2007	0.246			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Antarctic toothfish Ross Sea [ATOOTHFISHRS]


Kobe MSYpref (1995–2007–JENSEN)




Kobe MGTpref (1995–2007–JENSEN)



Spawner Recruit (1995–2007–JENSEN)




Production (1995–2007–JENSEN)




◆ Start Year ◆ End Year * No Data

Antarctic toothfish Ross Sea [ATOOTHFISHRS]

TB-MT (1995–2007–JENSEN)



SSB-MT (1995–2007–JENSEN)




TN *

SBmsy-MT, TBmgt*, TBLim*


Fmsy-1/yr, Fmgt*, Flim*

ERratio, ERlim*

ER-ratio (1995–2007–JENSEN)



R-E00 (1995–2007–JENSEN)



SBmsy-conv-MT, SSBmgt*, SBLim*

Fmsy-1/yr, Fmgt*, Flim*


ERratio, ERlim*

- | | | |
|----------------------|---------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - - Lim BRP | * No Data |

Antarctic toothfish Ross Sea [ATOOTHFISHRS]


TC-MT, TL*, RecC* (1995–2007–JENSEN)

TAC*, Cpair*, Cadv*




survB*


MSY-MT, MORAT*




CPUE*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1995–2007–JENSEN)



MSY-MT

■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Walleye pollock Navarinsky [WPOLLNAVAR]


Metadata	
Scientific Name	Theragra chalcogramma
Current Assess ID	VNIRO-WPOLLNAVAR-1984-2015-ASHBROOK
Area	Navarinsky
Management Authority	Russian Federal Fisheries Agency, Russia national management
Assessor	Russian Federal Research Institute of Fisheries and Oceanography
Asmts in RAM	2015, 2004

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-MT	2004	1,570,000
SSBmsy	-	-	-
Fmsy	Fmsy-1/yr	2004	0.235
ERmsy	ERmsy-est-ratio	2015	0.287
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2015	1,570,000
Fmgt	Fmgt-1/yr	2015	0.295
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2004	687,302
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2004	1,600,000	-	2+	
SSB	SSB-MT	2015	1,910,000	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	F-1/yr	2015	0.21	-	2-10+	
ER	ER-calc-ratio	2015	0.105	-	-	
TC	TC-MT	2004	380,000			
TL	TL-MT	2015	310,000			
TB/TBmsy	TB-MT/TBmsy-MT	2004	1.019			
SSB/SSBmsy	-	-	-			
F/Fmsy	F-1/yr/Fmsy-1/yr	2004	1.064			
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2015	0.367			
TB/TBmgt	-	-	-			
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2015	1.217			
F/Fmgt	F-1/yr/Fmgt-1/yr	2015	0.712			
ER/ERmgt	-	-	-			

Walleye pollock Navarinsky [WPOLLNAVAR]

Kobe MSYpref (1984–2015–ASHBROOK)



Kobe MGTpref (1984–2015–ASHBROOK)





◆ Start Year ◆ End Year * No Data

Walleye pollock Navarinsky [WPOLLNAVAR]


TB-MT (1994–2004–JENSEN)

SSB-MT (1984–2015–ASHBROOK)





TN *

F-1/yr (1984–2015–ASHBROOK)



ER-calc-ratio (1984–2015–ASHBROOK)

Recruits*







- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | - - Lim BRP | * No Data |


Walleye pollock Navarinsky [WPOLLNAVAR]

TC-MT, TL*, RecC* (1994–2004–JENSEN)


TAC-MT, Cpair-MT, Cadvised-MT (1984–2015–ASHBROOK)



EFFORT*



TC-MT/MSY-est-MT, CdivMEANC-ratio, (1994–2004–JENSEN)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Walleye pollock Northern Sea of Okhotsk [WPOLLNSO]


Metadata	
Scientific Name	Theragra chalcogramma
Current Assess ID	VNIRO-WPOLLNSO-1963-2017-ASHBROOK
Area	Northern Sea of Okhotsk
Management Authority	Russian Federal Fisheries Agency, Russia national management
Assessor	Russian Federal Research Institute of Fisheries and Oceanography
Asmts in RAM	2012, 2017

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-MT	2012	5,100,000
SSBmsy	-	-	-
Fmsy	Fmsy-1/yr	2012	0.295
ERmsy	ERmsy-est-ratio	2017	0.126
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2017	5,089,000
Fmgt	Fmgt-1/yr	2017	0.235
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2017	966,700
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	Flim-1/yr	2017	0.305
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2012	7,020,000	-	-	
SSB	SSB-MT	2017	5,410,000	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	F-1/yr	2017	0.161	-	-	
ER	ER-calc-ratio	2017	0.096	-	-	
TC	TC-MT	2012	678,000			
TL	TL-MT	2017	883,000			
TB/TBmsy	TB-MT/TBmsy-MT	2012	1.376			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2017	0.761			
TB/TBmgt	-	-	-			
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2017	1.063			
F/Fmgt	F-1/yr/Fmgt-1/yr	2017	0.685			
ER/ERmgt	-	-	-			

Walleye pollock Northern Sea of Okhotsk [WPOLLNSO]


Kobe MSYpref (1963–2017–ASHBROOK)



Kobe MGTpref (1963–2017–ASHBROOK)




Production (1963–2017–ASHBROOK)




◆ Start Year ◆ End Year * No Data

Walleye pollock Northern Sea of Okhotsk [WPOLLNSO]


TB-MT (1963–2012-CHING)




SSB-MT (1963–2017-ASHBROOK)




TN *




F-1/yr (1963–2017-ASHBROOK)



ER-calc-ratio (1963–2017-ASHBROOK)



Recruits*







- | | | |
|----------------------|---------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - - Lim BRP | * No Data |

Walleye pollock Northern Sea of Okhotsk [WPOLLNSO]



TC-MT, TL*, RecC* (1963–2012–CHING)

TAC-MT, Cpair-MT, Cadvised-MT (1963–2017–ASHBROOK)



EFFORT*

TL-MT/MSY-MT, CdivMEANC-ratio, (1963–2017–ASHBROOK)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data

Walleye pollock Western Bering Sea [WPOLLWBS]


Metadata	
Scientific Name	Theragra chalcogramma
Current Assess ID	VNIRO-WPOLLWBS-1970-2016-ASHBROOK
Area	Western Bering Sea
Management Authority	Russian Federal Fisheries Agency, Russia national management
Assessor	Russian Federal Research Institute of Fisheries and Oceanography
Asmts in RAM	2008, 2016

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-MT	2008	362,000
Fmsy	Fmsy-1/yr	2008	0.126
ERmsy	ERmsy-est-ratio	2008	0.02
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2016	362,900
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2008	12,002
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2008	954,000	-	-	
SSB	SSB-MT	2016	208,000	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-calc-ratio	2016	0.05	-	-	
TC	TC-MT	2008	103,000			
TL	TL-MT	2016	15,100			
TB/TBmsy	TB-MT/SSBmsy-MT	2008	1.584			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2008	5.419			
TB/TBmgt	-	-	-			
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2016	0.573			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Walleye pollock Western Bering Sea [WPOLLWBS]

Kobe MSYpref (1970–2008–CHING)



Kobe MGTPref (1970–2008–CHING)







◆ Start Year ◆ End Year * No Data

Walleye pollock Western Bering Sea [WPOLLWBS]



TB-MT (1970–2008–CHING)

SSB-MT (1970–2016–ASHBROOK)



ER-calc-ratio (1970–2016–ASHBROOK)

Recruits*





■ Listed time series	— Target BRP	— Rec-Est
— MSY-based BRP	··· Lim BRP	* No Data


Walleye pollock Western Bering Sea [WPOLLWBS]

TC-MT, TL*, RecC* (1970–2008–CHING)


TAC-MT, Cpair-MT, Cadvised-MT (1970–2016–ASHBROOK)



EFFORT*



TC-MT/MSY-est-MT, CdiveMEANC-ratio, (1970–2008–CHING)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data