2020 AUXDEFENSE

2ND WORLD CONFERENCE ON ADVANCED MATERIALS FOR DEFENSE

6 - 8 July 2020 | **Online Edition**

Book of Abstracts

Edited by Raul Fangueiro

BOOK OF ABSTRACTS

Edited by
RAUL FANGUEIRO

Cover
PIXARTIDEA

Publisher
SCIENCENTRIS, UNIPESSOAL, LDA

Representation in whole or in part by any means is not permitted without consent of the editors

Authors
Multiple

Title
Proceedings of the 2nd World Conference on Advanced Materials for Defense

ISBN
978-989-54808-4-5

The editor is not responsible for any author's errors in spelling, grammar or scientific facts. The content of Abstracts is the cole responsibility of the authors.

© Copyright: Local Organizing Committee, 2020

Organizers

REPÚBLICA
PORTUGUESA
DEFESA NACIONAL

Universidade do Minho

Fibrenamics

SCIENCENTRIS
From Knowledge to Market

FOREWORD

Over the last few decades, materials are facing a continuous revolution due to important scientific and technical achievements obtained in cutting edge areas like physics, chemistry or biology. The possibility to design the materials properties at the molecular level or to enhance their performance using advanced functionalization techniques, are making materials smart, able to respond and adapt to external stimuli, more durable and resistant and, mainly, completely adapted to each specific application.

Research and development on advanced materials for defense is being driven all over the world by the most renowned Universities, Research Centers, Military Institutes and Companies to meet important requirements to enhance safety and survivability of platforms and personnel, along with requirements for enhanced maintainability and operability of platforms.

AUXDEFENSE2020 is focused on advanced materials research in the forward-looking enabling R&D domain where the intersection of key technologies in areas such as nano and microtechnology, biotechnology, meta materials, smart materials and structures, and energy generation and storage are being explored.

It is expected that AUXDEFENSE2020 may continue the work started in the previous edition (2018), contributing for the world important role played by this scientific event on the integration of the whole set of agents involved on this topic, bringing together scientists, researchers, militaries, students, technicians, entrepreneurs, end-users, companies, among others.

Due to the COVID19 pandemic, AUXDEFENSE2020 is taking place in a virtual mode and the scientific program was extended to three full days. Several presentations related to COVID19 are included mainly focusing on advanced solutions to face the pandemic in fields like CBRN protection, smart systems to detect virus and bacteria, smart textiles, nanocomposites, among others.

AUXDEFENSE2020 is the meeting point for all those interested on advanced materials for application in the defense field.

Guimarães/Portugal, 6 July 2020

Raul Fangueiro
Conference Chairman

CONFERENCE CHAIR

Raul Fangueiro, Fibrenamics / Department of Mechanical Engineering, University of Minho

SECRETARIAT

Edite Felgueiras, Fibrenamics, University of Minho

ORGANIZING COMMITTEE

Carlos Mota, Fibrenamics, University of Minho
Cristina Silva, Fibrenamics, University of Minho
Diana Ferreira, University of Minho
Diana Oliveira, Fibrenamics, University of Minho
Fernando Cunha, Fibrenamics, University of Minho
Ivo Cruz, Fibrenamics, University of Minho
Pedro Silva, Fibrenamics, University of Minho
Ricardo Zocca, Fibrenamics, University of Minho
Sara Silva, TecMinho, University of Minho
Tiago Sousa, Fibrenamics, University of Minho

SCIENTIFIC COMMITTEE

António Torres Marques, University of Porto, Portugal
Chee Lip Gan, Nanyang Technological University , Singapore
Cheryl Wilson, University of Otago, New Zealand
Conceição Paiva, University of Minho, Portugal
Daniel Ambrosini, National University of Cuyo, Argentina
Denis Josse, Alpes-Maritimes Fire & Rescue Services, France
Diana Ferreira, University of Minho, Portugal
Fabiana Arduini, University of Rome "Tor Vergata", Italy
Fabrizio Scarpa, University of Bristol, UK
Filipe Teixeira-Dias, The University of Edinburgh, UK
Francois Boussu, ENSAIT – GEMTEX Laboratory, France
Genevieve Langdon, The University of Sheffield, UK
Haim Abramovich, Technion - Israel Institute of Technology, Israel
Harri Lipsanen, Aalto University, Finland
Hong Hu, The Hong Kong Polytechnic University, Hong Kong
Igor L. Medintz, U.S. Naval Research Laboratory, USA
Joaquim Vieira, University of Aveiro, Portugal
José Borges, CINAMIL, Portugal
Jun Lou, Rice University, USA
Lars Montelius, International Iberian Nanotechnology Laboratory, Portugal
Michael May, Ernst-Mach-Institut, Germany
Michele Meo, University of Bath, UK
Nunzio Cennamo, University of Campania Luigi Vanvitelli, Italy
Pedro Rosa, University of Lisbon, Portugal
Raffaele Solimene, University of Campania Luigi Vanvitelli, Italy
R. Alagirusamy, Indian Institute of Technology Dehli, India
Robert Young, University of Manchester, UK
Seeram Ramakrishna, National University of Singapore, Singapore
Seshadri Ramkumar, Texas Tech University, USA
Sohel Rana, University of Huddersfield, UK
Steven Savage, Swedish Defence Research Agency, Sweden
Xiaogang Chen, University of Manchester, UK
Xin-Lin Gao, Southern Methodist University, USA

52
PROTECTION OF INFRASTRUCTURES AND SYSTEMS AGAINST EXPLOSIVES – ADVANCED PROTECTIVE COATINGS – BLAST TESTING CAMPAIGN
G.J. Gomes, J.L. Mingote, J.R. Tortosa (PhD), L.C. González-Atance, L. Martínez, S. Martínez, J. Marques, V. Lúcio (PhD)

54
DEVELOPMENT OF LIGHTWEIGHT PROTECTIVE BARRIER MADE OF ULTRA-HIGH-PERFORMANCE FIBRE-REINFORCED CEMENTITIOUS COMPOSITE
Radoslav Sovják, Michal Mára, Jindřich Fornůsek, Jan Zatloukal, Petr Konvalinka

56
ANALYSIS OF MULTILAYERED COMBINATIONS OF UHMWPE
Jairo Peinado, Liu Wang, Álvaro Olmedo, Carlos Santiuste

58
VESTLIFE – A NEW ULTRALIGHT BALLISTIC MODULAR SOLUTION
Gilda Santos, José Gomis Gisbert, Paul Brasser, Asko Kylkilahti, Iñigo Agote, Mirco Chiodi

60
ASSESSMENT OF STRUCTURAL DAMAGE TO CARBON FIBRES UNDER A RANGE OF HEAT/FIRE CONDITIONS
Francesca McKenzie, Baljinder Kandola, Emmajane Erskine

62
ELECTRONIC TATTOOS FOR ELECTROPHYSIOLOGICAL MONITORING AND HMIS AND IMPACT RESISTANT SYSTEMS
Mahmoud Tavakoli

64
INFLUENCE OF THE STABILIZATION PROCESS ON THE MECHANICAL PROPERTIES OF A HONEYCOMB
L. Blanc, F. Brun, A. Bracq, J. Sampaio1, M. Stanczak, T. Fras

66
TITANIUM DIOXIDE NANOPARTICLES IN CARBON FIBRE-REINFORCED POLYMER MATERIAL FOR PROTECTION AGAINST DAMAGE BY THERMAL RADIATION AND LASER
Thomas J. Schuster, Till K. Tetzlaff

68
EPIDERMAL SYSTEMS AND VIRTUAL REALITY: EMERGING DISRUPTIVE TECHNOLOGY FOR MILITARY APPLICATIONS
Marco Marsili

70
NANOSTRUCTURED POLYLACTIC ACID COMPOSITE FILAMENTS FOR SENSING APPLICATIONS
Mariana M. Silva

EPIDERMAL SYSTEMS AND VIRTUAL REALITY: EMERGING DISRUPTIVE TECHNOLOGY FOR MILITARY APPLICATIONS

Marco Marsili
Centro de Investigação, Inovação e Desenvolvimento da Academia Militar (CINAMIL); Centro de Investigação e Desenvolvimento do Instituto Universitário Militar (CIDIUM); Centro de Estudos Internacionais (CEI-IUL), Instituto Universitário de Lisboa (ISCTE-IUL); Centro de investigação do Instituto de Estudos Políticos da Universidade Católica Portuguesa (CIEP-UCP), Lisboa, Portugal.
E-mail: info@marcomarsili.it

ABSTRACT
This work analyzes at what extent invisibility is possible by emulating nature, and if military applications can benefit from technology that combines epidermal systems and virtual reality.

INTRODUCTION
Camouflage and mimicry and have a long-standing tradition in military applications from the 19th century (Forbes, 2009), but eventually have proved to have a limited effectiveness (Scott-Samuel, 2011). In more recent times, has been introduced a multi-scale camouflage that combines patterns at two or more scales, often with a digital camouflage pattern created with computer assistance (Billock, 2010). This function, that is called “scale-invariant camouflage” or called fractal camouflage, does not of itself guarantee improved performance.

ADAPTIVE CAMOUFLAGE
significantly enhance experiences. The research focuses on the fundamental and applied aspects of silicon nanomembranes, ranging from synthesis and manipulation to manufacturing, device integration and system level applications, including uses in bio-integrated electronics, three-dimensional integrated photonics, solar cells, and transient electronics (Rogers, 2016).
Material scientists have developed a color-changing sheet inspired by squid and octopus, whose skin can transform to blend with its surroundings (Yu, 2014). The basic idea is that the creatures use light-sensitive molecules in the skin to register the light coming from the background against which they sit, and then use this information to alter the appearance of colour-changing cells.
To make the adaptive displays, the researchers began by imprinting a 16x16 grid of cells on a soft plastic. The cells, each about a millimetre across, contain a colour-changing dye embedded in a polymer. The dye is black at room temperature, but when warmed to around 47°C (117°F) its chemical structure changes and it becomes transparent. Cool it, and it becomes black again. At the corners of each cell the researchers added tiny light sensors that record how much light falls on the cell, and this signal is used to control an electric current that helps warm up the dye. Shine a light on the material, and the black dye will turn transparent and expose a reflective silvery material beneath. A fabric coated with miniaturised Light Emitting Diodes (LEDs) and cameras that, by projecting the appropriate background image in all directions, could confer genuine invisibility.

EPIDERMAL VIRTUAL REALITY
A thin, wireless and battery-free system adds a sense of touch to any virtual reality (VR) experience (Yu, 2019). It is a platform of electronic systems and haptic interfaces capable of softly laminating onto the curved surfaces of the

skin to communicate information via spatio-temporally programmable patterns of localized mechanical vibrations. Referred to as an "epidermal VR" system, this equipment communicates touch through a fast, programmable array of individually programmable, millimeter-scale actuators, fused in skin-interfaced wearable scalable device, with almost no encumbrances on the user.

Each actuator — currently they have diameters of 18 millimeters and thicknesses of 2.5 millimeters — resonates most strongly at 200 cycles per second, where the skin exhibits maximum sensitivity. The frequency and amplitude of each actuator can be adjusted quickly and on-the-fly through a graphical user interface, to maximize the sensory perception of the vibratory force delivered to the skin. The patch wirelessly connects to a touchscreen interface. When a user touches the touchscreen, the devices produce a sensory pattern, simultaneously and in real-time, through the vibratory interface to the skin.

This emerging disruptive technology could be combined with a VR headset. Eventually, the devices could be thin and flexible enough to be woven into clothes. And along with VR headsets, people could wear suits to become fully immersed into VR. The result is a thin, lightweight system that can be worn and used without constraint, indefinitely.

RESULTS AND CONCLUSIONS

This study shows that, to be effective, camouflage needs to match the environment and to be disruptive. Military applications can benefit greatly from adaptive and epidermal VR.

ACKNOWLEDGMENTS

The author gratefully acknowledges the funding by Ministério da Ciência, Tecnologia e Ensino Superior, FCT, Portugal, under grant SFRH/BD/136170/2018.

REFERENCES

[1] Billock VA, Cunningham DW, Tsou BH. In: Andrews DH, Herz RP, Wolf MB (eds.) Human Factors Issues in Combat Identification. What Visual Discrimination of Fractal Textures Can Tell Us about Discrimination of Camouflaged Targets. 2010, Ashgate, Farnham, p. 99-101.

[2] Forbes P. Dazzled and Deceived: Mimicry and Camouflage. 2009, Yale University Press, New Haven, CT.
Rogers JA, Ahn JH (eds.). Silicon Nanomembranes: Fundamental Science and Applications. John Wiley & Sons, Hoboken, NJ, 2016.

[3] Scott-Samuel NE, Baddeley R, Palmer CE, Cuthill IC. Dazzle camouflage affects speed perception. PLoS One, 2011, 6(6), e20233. DOI: 10.1371/journal.pone.0020233.

[4] Yu C, Li Y, Zhang X, Huang X, et al. Artificial adaptive camouflage skins. PNAS, 2014, 201410494. DOI: 10.1073/pnas.1410494111.

[5] Yu X, Xie Z, Yu Y, et al. Skin-integrated wireless haptic interfaces for virtual and augmented reality. Nature, 2019, 575, p. 473–479. DOI: 10.1038/s41586-019-1687-0.

In partnership with

Organizers

ISBN 978-989-54808-4-5