



**СТЕП  
ГРАД**

Међународна конференција  
Савремена теорија и пракса у градитељству XIV

International Conference on Contemporary Theory and Practice in Construction XIV **STEPGRAD**

# **ЗБОРНИК РАДОВА PROCEEDINGS**

[stepgrad.aggf.unibl.org](http://stepgrad.aggf.unibl.org)

11-12.06.2020.



**МЕЂУНАРОДНА КОНФЕРЕНЦИЈА  
САВРЕМЕНА ТЕОРИЈА И ПРАКСА У ГРАДИТЕЉСТВУ XIV**

INTERNATIONAL CONFERENCE ON CONTEMPORARY  
THEORY AND PRACTICE IN CONSTRUCTION XIV

**ЗБОРНИК РАДОВА  
PROCEEDINGS**

**Издавач** Универзитет у Бањој Луци  
**Publisher** Архитектонско-грађевинско-геодетски факултет

University of Banja Luka  
Faculty of Architecture, Civil Engineering and Geodesy  
**За издавача** др Бранкица Милојевић, ванр. професор  
**On behalf of publisher** Brankica Milojević, PhD, associate professor

**Уредници** др Александар Борковић, ванр. професор  
**Editors** Aleksandar Borković, PhD, associate professor


др Мирослав Малиновић, доцент  
Miroslav Malinović, PhD, assistant professor

**ЕЛЕКТРОНСКО ИЗДАЊЕ –  
ДИСТРИБУЦИЈА ПУТЕМ ИНТЕРНЕТ СТРАНИЦЕ  
КОНФЕРЕНЦИЈЕ:  
stepgrad.aggf.unibl.org  
и  
doisrpska.nub.rs/index.php/STPG/index**

DIGITAL PUBLICATION – DISTRIBUTION THROUGH  
CONFERENCE WEB SITE:  
stepgrad.aggf.unibl.org  
and  
doisrpska.nub.rs/index.php/STPG/index

**Бања Лука, 2020.**  
Banja Luka, 2020

**ISSN** 2566-4484



**МЕЂУНАРОДНА КОНФЕРЕНЦИЈА  
САВРЕМЕНА ТЕОРИЈА И ПРАКСА У  
ГРАДИТЕЉСТВУ XIV**

**СТЕПГРАД XIV**

INTERNATIONAL CONFERENCE ON  
CONTEMPORARY THEORY AND  
PRACTICE IN CONSTRUCTION XIV

STEPGRAD XIV

**ЗБОРНИК РАДОВА  
PROCEEDINGS**

**Бања Лука, 11-12. јун 2020.**  
Banja Luka, June 11-12, 2020

## ПРЕДГОВОР

Изузетно нам је задовољство написати овај Предговор за Зборник радова са међународне конференције Савремена теорија и пракса у градитељству XIV – СТЕПГРАД. Конференција је била заказана за 11. и 12. јун у Бањој Луци али је, услед неочекиваних дешавања везаних за појаву коронавируса, морала бити отказана. Упркос томе, Архитектонско-грађевинско-геодетски факултет је одлучио да Зборник радова буде објављен према првобитном плану.

Конференција СТЕПГРАД XIV наставља традицију повезивања истраживача, наставника и стручњака из цијелог свијета, експерата грађевинарства, архитектуре, геодезије и сродних области. Чак и у оваквим ванредним околностима, Конференција је омогућила интеракцију студената, младих инжењера и научника са искуснијим члановима академске и стручне заједнице у циљу дискусије о савременим тенденцијама у градитељству. Њихов допринос је учинио овај Зборник изузетним. Објављени радови пружају увид у актуелно научно и стручно знање из рачунске механике, инжењерских конструкција, грађевинских материјала, саобраћајница, енергетске ефикасности, урбанизма, архитектуре, историје архитектуре, геодезије, образовања инжењера, итд.

Од скоро педесет достављених рукописа, 43 су прихваћена и категорисана. Сваки рад је био прегледан од стране два рецензента, члана Научног одбора. Критеријуми за одабир радова су били њихова актуелност, значај и допринос широкој области градитељства. Поред редовних радова, два позивна рада су доставили др Максимилијан Хартмут са Универзитета у Бечу и др Војкан Ловичић са Универзитета у Љубљани.

Овај Зборник радова ће послужити као корисна референца стручњацима и истраживачима те смо сигурни да ће пружити подстицај за даљња истраживања у предметним областима.

Захваљујемо се свим ауторима и рецензентима на њиховом изузетном доприносу. Посебну захвалност упућујемо нашим спонзорима те свим члановима Организационог одбора и Радног тима.

Александар Борковић  
Мирослав Малиновић

уредници

## **FOREWORD**

It gives us great satisfaction to write this Foreword to the Proceedings of the International Conference on Contemporary Theory and Practice in Construction XIV - STEPGRAD. The Conference was scheduled for 11th and 12th June 2020 in Banja Luka. Due to the unfortunate course of events, caused by the spread of the coronavirus, the Conference event had to be cancelled. Nevertheless, the Faculty of Architecture, Civil Engineering and Geodesy decided to publish the Proceedings as planned.

Conference STEPGRAD XIV continues a tradition of bringing together researchers, academics and professionals from all over the world, experts in Civil Engineering, Architecture, Geodesy, and related fields. Despite these extraordinary circumstances, the Conference enables the interaction of research students, young academics and engineers with the more experienced academic and professional community to present and to discuss current accomplishments. Their contributions make these Proceedings outstanding. The published papers provide the most recent scientific and professional knowledge in the fields of Computational mechanics, Structural engineering, Building materials, Road planning, Energy efficiency, Urban planning, Architecture, History of architecture, Surveying, Education of engineers, etc.

Almost fifty manuscripts were submitted while 43 of them was accepted and categorized. Each contributed paper was refereed by the two reviewers, members of the Scientific committee. The papers were refereed based on their interest, relevance, innovation and application to the broad field of Construction. In addition to the regular papers, two invited keynote papers were delivered by Maximilian Hartmuth PhD from the University of Vienna, and by Vojkan Jovičić PhD from the University of Ljubljana.

These Proceedings will furnish the scientists and professional as an excellent reference book. We trust that it will give an impetus for further studies in all subject areas.

We thank all the authors and reviewers for their valuable contributions. Special thanks go to our sponsors and the members of Organizational committee and Working team.

Aleksandar Borković  
Miroslav Malinović

Editors

## ОРГАНИЗАТОР ORGANISER

**Универзитет у Бањој Луци**  
**Архитектонско-грађевинско-геодетски факултет**  
University of Banja Luka  
Faculty of Architecture, Civil Engineering and Geodesy



## СУОРГАНИЗАТОРИ CO-ORGANISERS

### ICOMOS International

**Грађевински факултет, Тјенђин Ченгјан универзитет**  
School of Civil Engineering, Tianjin Chengjian University

ICOMOS  
International Council on Monuments and Sites



**Машински факултет, Аристотелов универзитет у Солуну**  
Faculty of Engineering, School of Mechanical Engineering, Aristotle  
University of Thessaloniki



### EURAXESS International

**EURAXESS Босна и Херцеговина**  
EURAXESS Bosnia and Herzegovina



**Институт за земљотресно инжењерство и инжењерску**  
**сеизмологију, Скопље**  
Institute of Earthquake Engineering & Engineering Seismology, Skopje



**Архитектонски факултет, Универзитет у Београду**  
Faculty of Architecture, University of Belgrade



**Архитектонски факултет, Универзитет Црне Горе**  
Faculty of Architecture, University of Montenegro




**Факултет техничких наука, Универзитет у Новом Саду**  
Faculty of Technical Sciences, University of Novi Sad



**Грађевински факултет, Универзитет Црне Горе**  
Faculty of Civil Engineering, University of Montenegro



**Национални комитет ICOMOS у Босни и Херцеговини**  
National Committee ICOMOS in Bosnia and Herzegovina



**Грађевински факултет, Универзитет у Сарајеву**  
Faculty of Civil Engineering,  
University of Sarajevo



**Архитектонски факултет, Универзитет у Сарајеву**  
Faculty of Architecture, University of Sarajevo



**Републички хидрометеоролошки завод Републике Српске**  
Republic Hydrometeorological Institute, Banja Luka



**Привредна комора Републике Српске**  
Chamber of Commerce and Industry of the Republic of Srpska



**проф. др Александар Борковић, директор Конференције**  
**доц. др Мирослав Малиновић, замјеник директора Конференције**

Associate Prof. Aleksandar Borković, PhD, Conference director  
Assistant Prof. Miroslav Malinović, Deputy Conference director

## **ОРГАНИЗАЦИОНИ ОДБОР ORGANISING COMMITTEE**

- Бранкица Милојевић, Архитектонско-грађевинско-геодетски факултет, Универзитет у Бањој Луци, председник** Brankica Milojević, Faculty of Architecture, Civil Engineering and Geodesy, University of Banja Luka, president
- Тошијуки Коно ICOMOS International** Toshiyuki Kono ICOMOS International
- Хаиланг Ванг Грађевински факултет, Универзитет Тјенђин Ченгјан** Hailian Wang School of Civil Engineering, Tianjin Chengjian University
- Агис Пападопулос Машински факултет, Аристотелов универзитет у Солуну** Agis Papadopoulos Faculty of Engineering, School of Mechanical Engineering, Aristotle University of Thessaloniki
- Laura Sancho Andres EURAXESS International** Laura Sancho Andres EURAXESS International
- Марина Антић EURAXESS Босна и Херцеговина** Marina Antić EURAXESS Bosnia and Herzegovina
- Радмила Шалић Институт за земљотресно инжењерство и инжењерску сеизмологију, Скопље** Radmila Šalić Institute of Earthquake Engineering & Engineering Seismology, Skopje
- Будимир Судимац Архитектонски факултет, Универзитет у Београду** Budimir Sudimac Faculty of Architecture, University of Belgrade
- Светислав Поповић Архитектонски факултет, Универзитет Црне Горе** Svetislav Popović Faculty of Architecture, University of Montenegro
- Дејана Недучин Факултет техничких наука, Универзитет у Новом Саду** Dejana Nedučin Faculty of Technical Sciences, University of Novi Sad
- Марина Ракочевић Грађевински факултет, Универзитет Црне Горе** Marina Rakočević Faculty of Civil Engineering, University of Montenegro
- Љилјана Шево Национални комитет ICOMOS у Босни и Херцеговини** Ljiljana Ševo National Committee ICOMOS in Bosnia and Herzegovina
- Емина Хацић Грађевински факултет, Универзитет у Сарајеву** Emina Hadžić Faculty of Civil Engineering, University of Sarajevo
- Емир Феџић Архитектонски факултет, Универзитет у Сарајеву** Emir Fejzić Faculty of Architecture, University of Sarajevo
- Сњежана Цвијић Амулић Републички хидрометеоролошки завод Републике Српске** Snježana Cvijić Amulić Republic Hydrometeorological Institute, Banja Luka
- Борко Ђурић, Привредна комора Републике Српске** Borko Đurić Chamber of Commerce and Industry of the Republic of Srpska



## НАУЧНИ ОДБОР

Проф. др Драган Милашиновић, Универзитет у Новом Саду, предсједник

Агис М. Пападопулос, Универзитет у Солуну  
Адриана Бјелановић, Свеучилиште у Риједи  
Азра Куртовић, Универзитет у Сарајеву  
Акош Торок, Универзитет технологије и економије у Будимпешти  
Александар Борковић, Универзитет у Бањој Луци  
Александар В. Радевић, Универзитет у Београду  
Александар Савић, Универзитет у Београду  
Александра Ђукић, Универзитет у Београду  
Александра Крстић-Фурунџић, Универзитет у Београду  
Ален Жунић, Универзитет Колумбија  
Аленка Фикфак, Универзитет у Љубљани  
Ана Радивојевић, Универзитет у Београду  
Ања Б. Раићеловић, Универзитет у Београду  
Барбара Карлеуша, Свеучилиште у Риједи  
Биљана Антуновић, Универзитет у Бањој Луци  
Биљана Шћепановић, Универзитет Црне Горе  
Борислава Благојевић, Универзитет у Нишу  
Бошко Д. Стевановић, Универзитет у Београду  
Бранкица Милојевић, Универзитет у Бањој Луци  
Бранко Божић, Универзитет у Београду  
Будимир Судимац, Универзитет у Београду  
Валентина Голубовић-Бугарски, Универзитет у Бањој Луци  
Весна Послончећ-Петрић, Свеучилиште у Загребу  
Владан Ђокић, Универзитет у Београду  
Властимир Радоњанин, Универзитет у Новом Саду  
Влатко Шешов, Институт за земљотресно инжењерство и инжењерску сеизмологију, Скопље  
Војкан Јовичић, Универзитет у Љубљани  
Горан Ћировић, Универзитет у Новом Саду  
Дарија Гајић, Универзитет у Бањој Луци  
Дејана Недучин, Универзитет у Новом Саду  
Диана Ступар, Универзитет у Бањој Луци  
Драган Лукић, Универзитет у Новом Саду  
Драган Маринковић, Технички универзитет у Берлину  
Драган Николић, Висока грађевинско-геодетска школа Београд  
Драгица Јевтић, Универзитет у Београду  
Драгослав Стојић, Универзитет у Нишу  
Дубравка Бјеговић, Свеучилиште у Загребу  
Душан Јовановић, Универзитет у Новом Саду  
Душан Продановић, Универзитет у Београду  
Елша Туркушић Јурић, Универзитет у Сарајеву  
Жанеса Љево, Универзитет у Сарајеву  
Жељко Бачић, Свеучилиште у Загребу  
Златко Карач, Свеучилиште у Загребу  
Зоран Ракићевић, Институт за земљотресно инжењерство и инжењерску сеизмологију, Скопље  
Зринка Баришић Маренић, Свеучилиште у Загребу

Иван Млинар, Свеучилиште у Загребу  
Игор Емри, Универзитет у Љубљани  
Игор Јокановић, Универзитет у Новом Саду  
Илија Лалошевић, Универзитет Црне Горе  
Јакоб Шуштершич, Институт за испитивање материјала и примјену, Трзин  
Јасенка Чакарић, Универзитет у Сарајеву  
Јелена Пејовић, Универзитет Црне Горе  
Криси Посиу, Национални технички универзитет у Атини  
Лара Сливник, Универзитет у Љубљани  
Луција Ажман Момирски, Универзитет у Љубљани  
Маја Росо Поповац, Универзитет Џемал Биједић  
Максимилијан Хартмут, Универзитет у Бечу  
Марија Т. Нефовска-Даниловић, Универзитет у Београду  
Марина Ракочевић, Универзитет Црне Горе  
Марко Иветић, Универзитет у Београду  
Марко Пинтерич, Универзитет у Марибору  
Мери Цветковска, Универзитет Свети Ћирило и Методије  
Мехмед Чаушевић, Свеучилиште у Ријеци  
Мила Пуцар, Институт за архитектуру и урбанизам  
Милева С. Самарцић-Петровић, Универзитет у Београду  
Милена Динић Бранковић, Универзитет у Нишу  
Миленко Пржуљ, Универзитет у Сарајеву  
Милена Кркљеш, Универзитет у Новом Саду  
Мирјана Малешев, Универзитет у Новом Саду  
Миро Говедарица, Универзитет у Новом Саду  
Мирослав Малиновић, Универзитет у Бањој Луци  
Нађа Куртовић-Фолић, Универзитет у Новом Саду  
Наталија Беде, Свеучилиште у Ријеци  
Невена Новаковић, Универзитет у Бањој Луци  
Невенка Ожанић, Свеучилиште у Ријеци  
Павле Крстић, Универзитет у Сарајеву  
Петар Гверо, Универзитет у Бањој Луци  
Саја Косановић, Универзитет у Приштини са привременим сједиштем у Косовској Митровици  
Сандра Косић-Јеремић, Универзитет у Бањој Луци  
Славица Стаматовић Вучковић, Универзитет Црне Горе  
Слађана Миљановић, Универзитет у Сарајеву  
Сњежана Максимовић, Универзитет у Бањој Луци  
Хаилианг Ванг, Тјенђин Ченгјан универзитет  
Хуан Луис Ривас Наваро, Универзитет у Гранади  
Чедомир Зељковић, Универзитет у Бањој Луци  
Ценана Биједић, Универзитет у Сарајеву  
Џонгсиан Лиу, Тјенђин Ченгјан универзитет  
Шима Махмуд, Универзитет Суцекког Канала  
Шиникиро Накашима, Универзитет Јамагучи

## SCIENTIFIC COMMITTEE

Prof. Dragan Milašinović, PhD, University of Novi Sad, chair

Agis Papadopoulos, Aristotle University of Thessaloniki  
Adriana Bjelanović, University of Rijeka  
Azra Kurtović, University of Sarajevo  
Ákos Török, Budapest University of Technology and Economics  
Aleksandar Borković, University of Banja Luka  
Aleksandar V. Radević, University of Belgrade  
Aleksandar Savić, University of Belgrade  
Aleksandra Đukić, University of Belgrade  
Aleksandra Krstić-Furundžić, University of Belgrade  
Alen Žunić, Columbia University  
Alenka Fikfak, University of Ljubljana  
Ana Radivojević, University of Belgrade  
Anja B. Randelović, University of Belgrade  
Barbara Karleuša, University of Rijeka  
Biljana Antunović, University of Banja Luka  
Biljana Šćepanović, University of Montenegro  
Borislava Blagojević, University of Nis  
Boško D. Stevanović, University of Belgrade  
Brankica Milojević, University of Banja Luka  
Branko Božić, University of Belgrade  
Budimir Sudimac, University of Belgrade  
Valentina Golubović-Bugarski, University of Banja Luka  
Vesna Poslončec-Petrić, University of Zagreb  
Vladan Đokić, University of Belgrade  
Vlastimir Radonjanin, University of Novi Sad  
Vlatko Šešov, Institute of Earthquake Engineering and  
Engineering Seismology, Skopje  
Vojkan Jovičić, University of Ljubljana  
Goran Ćirović, University of Novi Sad  
Darija Gajić, University of Banja Luka  
Dejana Nedučin, University of Novi Sad  
Diana Stupar, University of Banja Luka  
Dragan Lukić, University of Novi Sad  
Dragan Marinković, Technical University of Berlin  
Dragan Nikolić, University College of Civil Engineering and Geodesy, Belgrade  
Dragica Jevtić, University of Belgrade  
Dragoslav Stojić, University of Nis  
Dubravka Bjegović, University of Zagreb  
Dušan Jovanović, University of Novi Sad  
Dušan Prodanović, University of Belgrade  
Elša Turkušić Jurić, University of Sarajevo  
Žanesa Ljevo, University of Sarajevo  
Željko Bačić, University of Zagreb, Croatia  
Zlatko Karač, University of Zagreb  
Zoran Rakićević, Institute of Earthquake Engineering and  
Engineering Seismology, Skopje  
Zrinka Barišić Marenčić, University of Zagreb

Ivan Mlinar, University of Zagreb  
Igor Emri, University of Ljubljana  
Igor Jokanović, University of Novi Sad  
Ilija Lalošević, University of Montenegro  
Jakob Šušteršič, Institute for Research in Materials and Applications, Trzin  
Jasenka Čakarić, University of Sarajevo  
Jelena Pejović, University of Montenegro  
Chryssy Potsiou, National Technical University of Athens  
Lara Slivnik, University of Ljubljana  
Lucija Ažman Momirski, University of Ljubljana  
Maja Roso Popovac, University Džemal Bijedić of Mostar  
Maximilian Hartmuth, University of Vienna  
Marija T. Nefovska-Danilović, University of Belgrade  
Marina Rakočević, University of Montenegro  
Marko Ivetić, University of Belgrade  
Marko Pinterič, University of Maribor  
Meri Cvetkovska, Ss. Cyril and Methodius University, Skopje  
Mehmed Čaušević, University of Rijeka  
Mila Pucar, Institute of Architecture and Urban & Spatial Planning of Serbia  
Mileva S. Samardžić-Petrović, University of Belgrade  
Milena Dinić Branković, University of Nis  
Milenko Pržulj, University of Zagreb  
Milena Krklješ, University of Novi Sad  
Mirjana Malešev, University of Novi Sad  
Miro Govedarica, University of Novi Sad  
Miroslav Malinović, University of Banja Luka  
Nađa Kurtović-Folić, University of Novi Sad  
Natalija Bede, University of Rijeka  
Nevena Novaković, University of Banja Luka  
Nevenka Ožanić, University of Rijeka  
Pavle Krstić, University of Sarajevo  
Petar Gvero, University of Banja Luka  
Saja Kosanović, University of Pristina, Kosovska Mitrovica  
Sandra Kosić-Jeremić, University of Banja Luka  
Slavica Stamatović Vučković, University of Montenegro  
Slađana Miljanović, University of Sarajevo  
Snježana Maksimović, University of Banja Luka  
Wang, Hailiang, Tianjin Chengjian University, Tianjin  
Juan Luis Rivas Navarro, University of Granada  
Čedomir Zeljković, University of Banja Luka  
Dženana Bijedić, University of Sarajevo  
Zhongxian Li, Tianjin Chengjian University, Tianjin  
Shimaa M. Ahmed, Suez Canal University  
Shinichiro Nakashima, Yamaguchi University, Japan

## **УРЕДНИЦИ**

проф. др Александар Борковић  
доц. др Мирослав Малиновић

## **УРЕЂИВАЧКИ ОДБОР**

проф. др Миодраг Регодић  
проф. др Мато Уљаревић  
доц. др Тања Тркуља

доц. др Маја Илић, технички уредник  
Гордана Јаковљевић, веб администратор  
Драгана Зелјић, технички администратор  
Дајана Папас, помоћник техничког уредника  
Игор Кувач, графички уредник  
Јелена Пажин, лектор

## **ИЗВРШНИ ОРГАНИЗАЦИОНИ ОДБОР**

доц. др Гордана Броћета  
доц. др Малина Чворо  
проф. др Биљана Антуновић

## **EDITORS**

Associate Prof. Aleksandar Borković, PhD  
Assistant Prof. Miroslav Malinović, PhD

## **EDITORIAL COMMITTEE**

Full Prof. Miodrag Regodić, PhD  
Full Prof. Mato Uljarević, PhD  
Assistant Prof. Tanja Trkulja, PhD

Assistant Prof. Maja Ilić, PhD, technical editor  
Gordana Jakovljević, web administrator  
Dragana Zeljić, technical administrator  
Dajana Papaz, assistant technical editor  
Igor Kuvač, PhD, design associate  
Jelena Pažin, proofreader

## **EXECUTIVE ORGANISATIONAL COMMITTEE**

Assistant Prof. Gordana Broćeta  
Assistant Prof. Malina Čvoro  
Associate Prof. Biljana Antunović

**TABLE OF CONTENT****САДРЖАЈ**

- 1-9 *Mihailo Muravljov, Petar Anagnosti, Aleksandar R. Savić*  
**THE LABORATORY INVESTIGATIONS OF HIGH-DENSITY POLYETHYLENE DRAINS FOR APPLICATION IN TAILINGS**
- 10-19 *Natalija Bede, Neira Torić Malić*  
**EXPERIMENTAL INVESTIGATION ON LWC WITH COMPLETE REPLACEMENT OF COURSE AGGREGATE BY EPS BEADS**
- 20-31 *Vedran Carević, Jelena S. Dragaš, Aleksandar Radević, Dragica Jevtić, Dimitrije Zakić*  
**THE INFLUENCE OF DIFFERENT CURING CONDITIONS ON HVFAC RHEOLOGICAL AND MECHANICAL PROPERTIES**
- 32-42 *Ognjen Mijatović, Zoran Mišković, Ratko Salatić, Rastislav Mandić, Valentina Golubović-Bugarški, Gabriel Relja*  
**EXPERIMENTAL ANALYSIS OF STRUCTURAL DAMPING FOR BOLTED AND WELDED SPLICE CONNECTION JOINT FOR IPE-80 STEEL PROFILE**
- 43-54 *Fidan Salihu, Meri Cvetkovska*  
**PARAMETRIC ANALYSIS ON FIRE RESISTANCE OF ONE WAY SIMPLY SUPPORTED REINFORCED CONCRETE SLABS**
- 55-62 *Nikola Obradović, Marija Todorović, Miroslav Marjanović, Emilija Damjanović*  
**DIAGRAMS FOR STRESS AND DEFLECTION PREDICTION IN CROSS-LAMINATED TIMBER (CLT) PANELS WITH NON-CLASSICAL BOUNDARY CONDITIONS**
- 63-70 *Miloš M. Jočković, Marija Nefovska – Danilović*  
**ISOGEOMETRIC – BASED DYNAMIC ANALYSIS OF BERNOULLI – EULER CURVED BEAM SUBJECTED TO MOVING LOAD**
- 71-76 *Snježana Maksimović, Nebojša Đurić, Ivan Vanja Boroja, Sandra Kosić-Jeremić*  
**SOME RECURRENCE FORMULAS FOR A NEW CLASS OF SPECIAL POLYNOMIALS AND SPECIAL FUNCTIONS**
- 77-90 *Oleg Odalović, Danilo Joksimović, Dušan Petković, Marko Stanković, Sanja Grekulović*  
**EVALUATION AND TAILORING OF GLOBAL GEOPOTENTIAL MODELS IN THE DETERMINATION OF GRAVITY FIELD IN SERBIA**
- 91-98 *Mileva Samardžić-Petrović, Jovan Popović, Uroš Đurić, Biljana Abolmasov, Marko Pejić, Miloš Marjanović*  
**PERMANENT GNSS MONITORING OF LANDSLIDE UMKA**
- 99-112 *Dragoljub Sekulović, Miloš Basarić, Ivan Garić*  
**THE FLOOD THREAT MAPPING OF THE KOLUBARA RIVER BASIN USING THE LEICA ALS80HP LASER SCANNER**
- 113-126 *Ankica Milinković, Sanja Tucikešić, Kornelija Ristić*  
**VERIFICATION, CALIBRATION AND CONFORMITY ASSESSMENT OF ROTATING LASERS APPLIED IN BUILDING AND SURVEYING MEASUREMENT TASKS**

- 127-141 *Bojan Popović, Igor Ruskovski, Stevan Milovanov, Miro Govedarica, Dušan Jovanović*  
**ANALYSIS OF THE INFLUENCE OF CLIMATE FACTORS ON DIFFERENT CROPS USING MULTIVARIABLE ANALYSIS AND REMOTELY SENSED DATA**
- 142-158 *Igor Tucaković, Marina Nikolić Topalović, Tanja Trkulja*  
**CASE STUDY OF THE IMPACT OF THE STRUCTURE AND THICKNESS OF THE THERMAL ENVELOPE ON THE ENERGY CLASS OF THE INDIVIDUAL SINGLE-FAMILY HOUSING**
- 159-174 *Milena Dinić Branković, Milica Igić, Petar Mitković, Jelena Đekić, Ivana Bogdanović Protić*  
**EXPLORING THE POTENTIALS OF SMALL URBAN STREAMS IN CREATING BLUE-GREEN INFRASTRUCTURE IN THE CITY OF NIŠ, SERBIA**
- 175-183 *Dragana DK Kocić, Violeta Stefanović*  
**THE NATIONAL ASSEMBLY HOUSE OF THE REPUBLIC OF SERBIA AND THE SPACE IN FRONT OF IT AS A SYMBOL OF THE VISUAL REPRESENTATION OF POWER**
- 184-195 *Maximilian Hartmuth, keynote lecturer*  
**ORIENTALIZING ARCHITECTURE IN NORTHERN BOSNIA UNDER HABSBURG RULE: EXAGGERATING ALTERITY AS A MEANS OF COHESION?**
- 196-206 *Aleksandar C. Videnović, Miloš Arandžević*  
**MULTIFAMILY HOUSING IN THE VILLAGES OF SERBIA: FROM INAPPROPRIATE SPATIAL APPEARANCES TO POSSIBLE ELEMENTS OF URBANITY**
- 207-214 *Nenad J. Nikolić*  
**CHARACTERISTICS OF TRADITIONAL TWO-STOREY RURAL HOUSES IN CENTRAL PART OF KOSOVO AND METOHIJA**
- 215-223 *Saja M. Kosanović, Martina Zbašnik Senegačnik, Ljubiša Folić, Branislav Folić, Alenka Fikfak*  
**A DISCOURSE ON THE APPLICATION OF BIOLOGICAL PRINCIPLES IN BUILDING DESIGN**
- 224-234 *Darija Gajić, Anna Sandak, Slobodan Peulić, Črtomir Tavzes, Tim Mavrič*  
**PREFABRICATED TIMBER PANELS APPLICATION POSSIBILITIES FOR THE ENERGY REFURBISHMENT OF RESIDENTIAL BUILDINGS ENVELOPE IN BOSNIA-HERZEGOVINA AND SLOVENIA**
- 235-249 *Nevena S. Lukić, Ljiljana Đukanović, Ana Radivojević*  
**IMPLICATION OF INFILTRATION ON BUILDING ENERGY DEMAND - A REVIEW OF VERIFICATION METHODS**
- 250-262 *Marina Rakočević, Vasilije Bojović, Ivan Mrdak*  
**ANALYSIS OF THE INFLUENCE OF GROUND TYPES ON SEISMIC RESPONSE OF MULTI-STOREY FRAME STRUCTURE**
- 263-276 *Ognjen Mijatović, Rastislav Mandić, Zoran Mišković, Ratko Salatić, Gabriel Relja*  
**REVIEW OF BASIC CONCEPTS OF CONTACT MECHANICS OF FRICTIONLESS CONTACT WITH EMPHASIS ON PENALTY METHOD**

- 277-287 *Goran Ćirović, Dragan Pamučar, Nataša Popović-Miletić*  
**MULTI-CRITERIA MODEL BASED ON LINGUISTIC NEUTROSOPHIC NUMBERS: THE SELECTION OF UNMANNED AIRCRAFT**
- 288-298 *Dragoljub Sekulović, Miloš Basarić, Ivan Garić*  
**HELMERT TRANSFORMATION ON THE CASE OF GAUSS-KRÜGER AND UTM**
- 299-309 *Ljubomir Palikuća, Zlatko Langof, Đorđe Raljić, Boško Miljević*  
**GEOTECHNICAL PROBLEMATICS OF DIRECTED RESEARCH IN ROCK MASSES**
- 310-317 *Naida Ademović, Snježana Cvijić Amulić*  
**SEISMIC RISK IN BOSNIA AND HERZEGOVINA BASED ON BUILDINGS' VULNERABILITY**
- 318-329 *Maja Ilić, Sandra Kosić-Jeremić, Dajana Papaz*  
**CAN SPATIAL ABILITY BE TRAINED – THE ANALYSIS OF PREPARATORY COURSE FOR ENROLMENT AT THE FACULTY OF ARCHITECTURE**
- 330-341 *Mehmed Čaušević, Saša Mitrović*  
**NON-LINEAR ANALYSIS OF BUILDING STRUCTURES IN SEISMIC AREAS ACCORDING TO THE EUROPEAN STANDARDS, CASE STUDY**
- 342-350 *Mato Uljarević, Snježana Milovanović, Radovan Vukomanović*  
**COMPARISON OF SEISMIC IMPACTS THROUGH DIFFERENT REGULATIONS**
- 351-361 *Snježana Cvijić Amulić, Sanja Tucikešić*  
**ACCELEROMETRIC NETWORK AND ELASTIC RESPONSE SPECTRUM FOR GROUND TYPE A IN THE REPUBLIC OF SRPSKA**
- 362-367 *Mato Uljarević, Ljubomir Palikuća*  
**RELIABILITY OF THE RISK ANALYSIS IN MAKING DECISIONS ABOUT VARIANT SOLUTIONS ACCEPTABILITY OF THE PLANNED ROAD**
- 368-374 *Vojkan Jovičić, keynote lecturer*  
**TUNNEL DESIGN CHALLENGES AT THE EXAMPLE OF DIVAČA KOPER RAILWAY LINE**
- 375-387 *Dragan C. Lukić, Elefterija Zlatanović*  
**HIGH-SPEED TRAINS – MAGLEV TRAINS**
- 388-399 *Marina Latinović, Zoran Mišković, Marko Popović*  
**DYNAMIC BEHAVIOR OF A CABLE-STAYED FOOTBRIDGE OVER RIVER VRBAS IN BANJA LUKA**
- 400-410 *Igor Jokanović, Mila Svilar, Milica Pavić, Vladimir Đorđić, Dragan Topić*  
**CONCEPT OF SOLVING THE STANDING TRAFFIC FOR THE CENTRAL CITY ZONE OF BANJA LUKA**
- 411-421 *Mladen Krndija, Marina Latinović, Gordana Broćeta, Gojko Savić*  
**MEASURING EQUIPMENT CALIBRATION AND DETERMINATION OF THE INITIAL CALIBRATION INTERVAL**
- 422-433 *Ivana Janković, Mladen Amović*  
**HARMONISATION MODEL OF ADMINISTRATIVE UNITS OF THE REPUBLIC OF SRPSKA ACCORDING TO INSPIRE DIRECTIVE**



434-442 *Dajana Todorović, Tanja Fržović, Branko Božić*

**APPLICATION OF PBL MODEL ON STUDY PROGRAM OF GEODESY AT THE FACULTY OF ARCHITECTURE, CIVIL ENGINEERING AND GEODESY AT THE UNIVERSITY OF BANJALUKA**

443-451 *Maja Milić Aleksić, Marina Radulj*

**CONCEPT OF METAPHOR IN THE MEMORIAL ARCHITECTURE. CASE STUDY MEMORIAL CENTER “DONJA GRADINA”**

452-459 *Marina Carević Tomić, Ranka Medenica Todorović, Milica Vračarić*

**UNIVERSITY CAMPUS AS A SECONDARY CITY CENTER – A CASE STUDY OF NOVI SAD IN SERBIA**

460-471 *Ljiljana Stošić Mihajlović*

**STRATEGY FOR THE DEVELOPMENT OF 'SMART' CITIES WITH A LOOK AT THE REPUBLIC OF SERBIA**

---



**Darija Gajić**, darija.gajic@aggf.unibl.org, Faculty of Architecture, Civil Engineering and Geodesy, University of Banja Luka

**Anna Sandak**, anna.sandak@innorenew.eu, InnoRenewCoE, Isola

**Slobodan Peulić**, slobodan.peulic@aggf.unibl.org, Faculty of Architecture, Civil Engineering and Geodesy, University of Banja Luka

**Črtomir Tavzes**, crtomir.tavzes@innorenew.eu, InnoRenewCoE, Isola

**Tim Mavrič**, tim.mavric@innorenew.eu, InnoRenewCoE, Isola

## **PREFABRICATED TIMBER PANELS APPLICATION POSSIBILITIES FOR THE ENERGY REFURBISHMENT OF RESIDENTIAL BUILDINGS ENVELOPE IN BOSNIA-HERZEGOVINA AND SLOVENIA**

### ***Abstract:***

System of prefabricated modules installed on the existing building envelope is one alternative solution for deep energy refurbishment of buildings in the European Union. It allows thermal upgrade installation of new parts in the HVAC system. Moreover, some elements of the envelope can be made of renewable materials. This research compares the residential building stock and identifies potential types of buildings for energy refurbishment in Bosnia and Herzegovina and Slovenia. It presents refurbishment possibilities of existing residential building stock in both countries with prefabricated timber panels. It also presents potential obstacles to the wider application of this refurbishment solution.

*Keywords: prefabricated timber panels, building envelope, refurbishment, energy saving*

## **МОГУЋНОСТИ ПРИМЈЕНЕ ПРЕФАБРИКОВАНИХ ДРВЕНИХ ПАНЕЛА У ЕНЕРЕТСКОЈ ОБНОВИ ОМОТАЧА ЗГРАДА У БОСНИ И ХЕРЦЕГОВИНИ И СЛОВЕНИЈИ**

### ***Сажетак:***

Нова рјешења дубоке обнове зграда у Европској унији односе се на постављање префабрикованих модуларних система на постојеће омотаче зграда, који осим топлотног унапређења омотача са грађевинским производима и елементима од обновљивих материјала, такође могу инсталирати и нове дијелове КГХ система. Ово истраживање упоређује градитељски фонд стамбених зграда Босне и Херцеговине и Словеније и идентификује потенцијалне врсте зграда за енергетску обнову. У раду су представљене могућности обнове омотача постојећих стамбених зграда, префабрикованим дрвеним панелима, Босне и Херцеговине и Словеније. Такође, представљене су потенцијале препреке за ширу примјену овог рјешења обнове омотача зграде.

*Кључне ријечи: префабриковани дрвени панели, омотач зграде, обнова, уштеде енергије*

## 1. INTRODUCTION

Article 4 of Directive 2012/27/EU on energy efficiency defines the need to develop and adopt a long-term strategy to encourage investment in the reconstruction of housing and commercial, public and private buildings [1]. All EU countries have pledged, including Bosnia and Herzegovina (B&H), which is not yet in the EU, by signing the Energy Community Treaty, to assume the obligations of harmonizing the legal framework with the EU acquires in the energy sector [2]. Accordingly, both countries, Slovenia as an EU member state and B&H as a signatory to that Treaty, adopted the Draft Building Renovation Strategies in 2018 [3] and 2019 [4]. The Strategies do not emphasize the refurbishment of building envelopes by renewable products and materials, but only the use of renewable energy sources. Due to its membership in the EU, Slovenia certifies construction products and materials. Since January 2018, the Environmental Product Declaration – EPD – is recommended, which encourages the use of renewable materials [5]. Green public procurement rules recommend that timber walls contain at least 10% of recycled wood and new buildings contain at least 30% of wood in the total volume of all construction materials used. In addition, high environmental standards for public procurement procedures, including construction of new public buildings and refurbishment of existing ones, are set [6]. This paper presents renovation of buildings with an emphasis on contemporary refurbishment solutions for renewable materials and products, which have been invested in developed countries such as Finland, Norway, Germany, Switzerland and Austria for the last ten years [7] [8]. Although individual materials and elements on the building envelope have a limited economic lifetime (5-25 years), it is estimated that changes to the complete envelope should be made as early as 30 years [9].

Energy refurbishment of the building envelope is considered to be one of the necessary measures to reduce the energy need for heating in B&H and Slovenia (60-70% reduction of the energy need for heating is possible, what will be presented in this paper as well) due to the large amount of building stock built according to the regulative when neither adequate energy performance for buildings nor energy certification was presented. Multiple studies were implemented on this topic and this work tends to present some of which are tackling possibilities of its' implementation in these two countries. B&H and Slovenia had same energy performance for building law legislative up to 1990. However, due to historic circumstances, the changes in law, funds availability, industry capability and international connections enhanced further differences trough time. Still, both countries share exquisite amount of forests capable for providing high quality timber material for envelope refurbishment. Connections between two countries can be established on mutual projects based on ecological approaches in energy refurbishment, thus, this paper aims to present current building stock similarities in both countries and to provide insight of good practice examples from developed countries as well as possibilities of systematic and methodological implementation of those in analysed regions.

The basic strategy for implementing this kind of refurbishment concept should be related to available building stock. Comparative analysis of data on the residential buildings of BiH and SLO was carried out through a methodological framework of the European international project "TABULA". The project investigated typology of residential buildings in accordance with directives 2002/91/EC and 2006/32/EC. The TABULA project, initiated by researchers at the Darmstadt IWU Housing and Ecology Institute, establishes a unique framework for the classification of typology of residential buildings in Europe, with a defined methodology for calculating the energy performance of buildings. Within both projects *Typologies of Residential Buildings in Bosnia and Herzegovina* [10] and *Slovenia* [11] an absolute and specific energy need for heating was calculated for the total of 29 representative residential buildings in B&H and 28 representative residential buildings in Slovenia, which represent six categories of buildings classified into six periods of construction according to the TABULA methodology [12] Figure 1.

In Bosnia and Herzegovina and Slovenia, a building stock that would be adequate for the above-mentioned contemporary method of building renovation has been considered. The overall aim was to expand the offer of building refurbishment methods that can lead to a uniform appearance of buildings and, in general, to the increased use of renewable materials.

Country	Region	Construction Year Range	Additional Characteristics	SPH Single Family House	TH Terrace House	MPH Multi-Family House	AB Apartment Block	Country	Region	Construction Year Range	Additional Characteristics	SPH Single Family House	TH Terrace House	MPH Multi-Family House	AB Apartment Block
Slovenia	National	... 1945	generic					Slovenia	National (Slovenia)	... 1945	generic (1940s)				
	National	1946 ... 1960	generic						National (Slovenia)	1946 ... 1960	generic (1940s)				
	National	1961 ... 1970	generic						National (Slovenia)	1971 ... 1980	generic (1970s)				
	National	1971 ... 1980	generic						National (Slovenia)	1981 ... 2001	generic (1980s)				
	National	1981 ... 1990	generic						National (Slovenia)	2002 ... 2008	generic (1990s)				
	National	1991 ...	generic						National (Slovenia)	2009 ...	generic (2010s)				

Figure 1. Typology of residential buildings in Bosnia and Herzegovina and Slovenia [13]

## 2. SOLUTION FOR THERMAL REFRUBISHMENT OF BUILDING ENVELOPE

Every activity in construction should consume raw materials and energy in a responsible way, therefore causing the least emissions. A possible solution is the adoption of a sustainable and ecological refurbishment method should base preferably on renewable materials, such as timber and other bio-based materials, since they have a positive impact on the carbon performance, considering the whole life cycle of a building. [14, 15]

Today, there are known four ways of refurbishment for buildings envelope presented in Figure 2:

- External composite insulation system (ETICS). The common insulation measure is manually brought up insulation panels, covered with reinforced priming material and a plaster coating, which is colored.
- Ventilated façade system. The insulation is brought up between laths or other substructure, fixed with mounting system, covered by various claddings. Entire assembling procedure is carried out manually.
- Partly prefabricated façade system. Assembly of prefabricated substructure is filled with blown-in insulation. Cladding can be integrated in prefabricated system or manually brought up afterwards.
- Prefabricated module system. Fully prefabricated modules are assembled in fabrication hall, transported on-site and mounted on prepared sub-structure onto façade. Serial production is possible.

The first two, which are common and widespread, have been on market since the 1980s, and the other two have been in use since 2010 and they are environmentally friendly.




Figure 2. Solutions of refurbishment façades for existing buildings envelope: a) ETICS, b) Ventilated façade system, c) Partly prefabricated façade system and d) Prefabricated module system [8]

Although ETICS is currently the most common thermal improvement of building envelopes, it is not future-oriented. The modularity of the prefabricated timber systems, besides significant shortening of renovation time, can be adjusted on-site or in factory conditions. Moreover, it can also be used for various extensions of the building (e.g. upgrades, addition of balconies, corridors) [16]

Prefabricated timber panels are adequate for the deep restoration that is usually required after 45-50 years of use. In this case, apart from interior refurbishment, a new building envelope and building services are required. Prefabricated timber panels can serve in this case to accommodate new distribution pipes for water, sewerage, heating, ventilation and wiring systems [8] (Figure 3). Compared to common insulation solutions, prefabricated panels reduce the disturbance and impact on building users and the neighborhood by faster construction.

The use of prefabricated insulation integrates the building as a whole, ensuring a high-quality execution in a faster time. Prefabricated retrofit systems are standardized in construction layers and joints. They can be combined with each other or with conventional renovation systems. It should be mentioned, however, that during design and development of prefabricated panels, in addition to thermal properties, other aspects such as structural engineering, architecture, building physics, material science, life cycle analysis and life cycle cost should be considered.

Therefore, several parties, such as the thermal specialists which track suitable conditions under environmental changes [17], building physicists which are researching material mutual behavior within complex envelope structures such as moisture control and thermal conductivity, architects capable for managing complex details and detailed designs, HVAC engineers, structural engineers and contractors, shall be involved in the panels' design phase.




Figure 3. Scheme of prefabricated system for façade retrofitting [7]

### 3. POSSIBILITIES OF REFURBISHMENT IN EXISTING RESIDENTIAL BUILDING STOCK OF BIH AND SLOVENIA WITH PREFABRICATED TIMBER PANELS

During refurbishment of the complete envelope, it is possible to achieve the stated reduction of the energy need for heating, which depends on the building's period of construction (in general, the existence of thermal insulation on the envelope and its thermal characteristics and thickness) and shape factors of the building (the ratio of the area of the envelope and the volume of heated space). The number of buildings with renovation needs is important in order to correctly estimate the number of energy audits. In the case of multifamily houses, the number of apartments within individual buildings and potential number of users are important to correctly calculate economic savings and predict thermal comfort of inhabitants.

#### 3.1. Existing residential building stock

The potential building stock over which the building envelope could be upgraded has been examined through a comparative analysis of data of the housing stock of both countries. In accordance with

valid EN ISO 13790 standard, energy requirements of buildings are calculated and expressed in accordance with annual heating energy requirement [16]. Data for Bosnia and Herzegovina were estimated up to 2014 (Table 1) and for Slovenia up to 2011 (Table 2).

Table 1. *Number of residential buildings in Bosnia and Herzegovina [10]*

	SFH	TH	MFH	AB	TOTAL
	Single-family house	Terraced house	Multi-family house	Apartment block	All types
up to 1945	10.773	1.157	450	219	12.599
1946-1960	26.133	1.639	2.462	1.188	31.422
1961-1970	87.596	7.480	3.012	2.164	100.252
1971-1980	194.076	9.257	2.203	2.156	207.692
1981-1991	236.075	5.905	1.116	975	244.071
1992-2014	254.799	6.653	2.725	1.752	265.929
TOTAL	809.452	32.091	11.968	8.454	861.965

Table 2. *Number of residential buildings in Slovenia [11]*

	SFH	TH	MFH	AB	TOTAL
	Single-family house	Terraced house	Multi-family house	Apartment block	All types
up to 1945	140.605	12.974	10.693	930	165.202
1946-1970	91.163	11.383	5.142	885	108.573
1971-1980	82.684	7.505	2.105	1.060	93.354
1981-2001	114.561	8.301	2.248	826	125.936
2002-2008	21.567	2.394	1.152	256	25.369
2009-2011	99	47	14	4	164
TOTAL	450.679	42.604	21.354	3.961	518.598

Bosnia and Herzegovina and Slovenia have a predominantly higher number of buildings / houses intended for individual housing (B&H 97.53%, SLO 95.12%), compared to the number of collective housing buildings. But when looking at the number of housing units within these buildings, the ratio decreases because the number of housing units in individual housing is 66.47% in B&H and 61.78% in SLO, respectively.

In BiH, the total number of individual dwellings is about 841.543, while the number of collective dwellings is around 20.422. When observing the number of dwelling units, 10.764.240 belong to individual dwellings, while 542.945 belong to collective dwellings. In SLO, the total number of individual dwellings is about 493.283, while the number of collective dwellings is about 25.315. When looking at the number of dwelling units, 526.825 belong to individual dwellings, while to collective dwellings the number is 325.868 (Table 3).

Table 3. *Number of residential buildings and apartments in both countries [10] [11]*

	Bosna and Herzegovina		Slovenia	
	number of buildings	number of apartments	number of buildings	number of apartments
SFH and TH	841.543	1.076.240	493.283	526.825
MFH and AB	20.422	542.945	25.315	325.868
Total	861.965	1.619.185	518.598	852.693

B&H has about 39.83% more residential buildings of all types compared to Slovenia, but the number of collective housing buildings in Slovenia is 19.33% higher. The number of housing units in B&H is about 40% higher, which indicates that Slovenia has a larger number of collective housing units of smaller dimensions (MFH). For calculation requirements, it was assumed that the entire building surface used for residential purposes was heated. In countries of the West Balkan region, it was estimated that only 50% of households heated over 50% of the conditioned area [18]; whereas, indicators for EU countries are somewhat better [19]. Therefore, several building categories,

especially single-family houses, which according to share in the total surface of the housing stock represent a dominant category, have not met this criteria. This is one of the reasons why the calculated values of energy needs for heating (needed, delivered and primary) deviate from the estimates obtained by the relevant studies and statistical data for Bosnia-Herzegovina and the countries in the region [18]. Basic recommendations for accurate calculations of energy requirements are: use of unified climate data, architectural and construction characteristics of buildings reduced to project values, standardized values that take into account user behavior such as the number of heating hours and internal heat gains and assumed project temperature in the heated space of 20°C.

Energy characteristics of the building envelope and compactness of the structures were determined according to analysis of representative samples of existing structures type, whose dimensions correspond to the average of the census. Existing condition of the building envelope was determined according to the technical requirements and technological capabilities of a specific construction period, including expert assessment of the building envelope's degradation during service life. The expert estimates for energy need for heating of individual buildings, considering their types and construction periods in B&H and Slovenia, are presented in Table 4.

Table 4. Energy need for heating representative residential buildings in Bosnia and Herzegovina and Slovenia (kWh/m<sup>2</sup>a) [10] [11]

Residential buildings in Bosnia-Herzegovina					Residential buildings in Slovenia				
	SFH	TH	MFH	AB		SFH	TH	MFH	AB
	Single-family house	Terraced house	Multi-family house	Apartment block		Single-family house	Terraced house	Multi-family house	Apartment block
up to 1945	452.3	183.16	230.7	176.08	up to 1945	516.0	146.80	170.80	226.40
1946-1960	473.9	321.27	219.7	222.30	1946-1970	248.3	183.40	133.50	230.20
1961-1970	464.9	196.42	252.3	194.10	1971-1980	154.0	132.40	147.70	157.50
1971-1980	381.5	199.04	187.0	149.90	1981-2001	148.6	101.10	124.40	125.10
1981-1991	135.9	219.20	189.2	110.87	2002-2008	61.20	80.30	83.90	49.00
1992-2014	127.6	-	65.22	54.81	2009-2011	83.50	78.00	53.30	58.90













In general, the energy need for heating is decreasing in both countries. Comparing average requirements for all investigated building types, it can be stated that in B&H it decreased by 3.5-3.2 times, while in Slovenia a similar drop was noticed for MFH and AB. The energy need for TH dropped by only 1.6 times, while the highest energy savings can be observed for SFH (over 6 times less comparing investigated timeline).

### 3.2. Feasibility of prefabricated timber panels application and energy savings

Buildings suitable for the application of prefabricated timber panels are selected according to three criteria: layout, which allows modular division of the façade envelope; period of construction, which requires as a whole the complete thermal improvement of the envelope; and quantity of such buildings within certain typology. Considering the estimate that MFH and AB buildings are suitable for the refurbishment envelope with prefabricated panels in Bosnia and Herzegovina, three construction periods (1945-1960, 1961-1970 and 1971-1980) were selected. The total number of such buildings is about 10.600 MFH and 3.100 AB, while number of residential units are about 179.000 for MFH and 173.500 for AB.

Analyzing the thermal characteristics of buildings in SLO, MFH and AB constructed in three periods (until 1945, 1946-1970 and 1971-1980) are suitable for refurbishment with prefabricated panels. The total number of such buildings is about 17.940 MFH and 2.875 AB, while residential units are about 11.6360 in MFH and 1.295.435 in AB. An estimation of the total envelope area of such buildings is possible by analysis of the typical example for the building presented in Table 5. Each building type has different variations on the shape factor and would require a separate additional analysis of the upgrade envelope.

Table 5. Representative buildings for refurbishment with prefabricate timber panels from Typology of residential buildings in Bosnia and Herzegovina and Slovenia [13]

Country	Period	MFH –Multi-family house		AB – Apartment building	
B&H	1946-1960	 BA.N.MFH.02.Gen	Reference Floor Area: 489 m <sup>2</sup>	 BA.N.AB.02.Gen	Reference Floor Area: 679 m <sup>2</sup>
	1961-1970	 BA.N.MFH.03.Gen	Reference Floor Area: 585 m <sup>2</sup>	 BA.N.AB.03.Gen	Reference Floor Area: 3253 m <sup>2</sup>
	1971-1980	 BA.N.MFH.04.Gen	Reference Floor Area: 937 m <sup>2</sup>	 BA.N.AB.04.Gen	Reference Floor Area: 2417 m <sup>2</sup>
Slovenia	up to 1945	 SI.N.MFH.01.Gen	Reference Floor Area: 1160 m <sup>2</sup>	 SI.N.AB.01.Gen	Reference Floor Area: 2627 m <sup>2</sup>
	1946-1970	 SI.N.MFH.02.Gen	Reference Floor Area: 1097 m <sup>2</sup>	 SI.N.AB.02.Gen	Reference Floor Area: 2877 m <sup>2</sup>
	1971-1980	 SI.N.MFH.03.Gen	Reference Floor Area: 2528 m <sup>2</sup>	 SI.N.AB.03.Gen	Reference Floor Area: 6774 m <sup>2</sup>

Collective residential buildings (MFH and AB), in contrast to individual residential buildings (SFH and TH), have larger envelope areas that need to be renovated. Depending on the type of building (buildings with more of the same slats and floors), structures can be heat-upgraded with the same prefabricated elements of renewable materials, which are also the subject of this analysis.

The annual heat required for heating adequate housing in Bosnia and Herzegovina before and after the implementation of standard renovation measures that reflect legal regulation (achieving U-value for all elements of building envelope) have changed [18, 19]. The measures recently applied are more demanding for the wall and window than prescribed in the FB&H regulation; while in RS, they reach the U-value for windows and do not reach the predicted U-value for walls. Standard improvement measures in typology of residential building defined in accordance with usual measures applied during building reconstruction in the territory of B&H included two actions. The improvement of thermal characteristics of walls and ceilings can be achieved by adding thermal



insulation 10 cm thick with  $\lambda=0,041\text{W/mK}$  as well as possible replacement of the existing windows with new ones with better characteristics (defined min. U-value 1,60 W/m<sup>2</sup>K) (Table 6).

Table 6. Comparative representation of energy required for heating in kWh/m<sup>2</sup> of representative examples of MFH (multi-family house) and AB (apartment block) buildings, before and after applying standard measures in B&H and Slovenia [13]

Multi-family house		MFH	MFH	Saving energy	Apartment building		AB	AB	Saving energy
		Before	After				Before	After	
		measure					measure		
B&H	1946-1960	219.7	85.5	134.2	B&H	1946-1960	222.3	79.8	142.5
	1961-1970	252.3	111.6	140.7		1961-1970	194.1	85.6	108.5
	1971-1980	187.0	82.2	104.8		1971-1980	149.9	75.3	74.6
Slovenia	up to 1945	170.8	62.4	108.4	Slovenia	up to 1945	226.4	58.1	168.3
	1946-1970	133.5	53.1	80.4		1946-1970	230.2	58.8	171.4
	1971-1980	147.7	51.4	96.3		1971-1980	157.5	50.00	107.5

In Slovenia, the measures implemented are in compliance with the legislation in force since 2010 [23]. Refurbishment measure includes adding of 15 cm of new thermal insulation on the wall in building with no thermal protection and replacement of the existing windows with new ones having better characteristics (defined minimal U-value 1,40 W/m<sup>2</sup>K) (Table 6). Depending on the type of building and period in B&H, AB buildings from 1946-1960 have the largest reduction in energy demand, by 64%; while in Slovenia, these are also AB buildings from both periods up to 1970 (decrease of 74%). The impact on such results is influenced by the shape factor of the building as type AB has more clustered housing units than type MFH. Higher energy savings in buildings in Slovenia are justified because of the more rigorous regulations, such as setting of allowed U-values.

Data on the total annual heat required for heating residential buildings were obtained on the basis of statistical data on the total number of buildings and projections of energy consumption. The data from the level of typical buildings to the category level was calculated by introducing the ratio of the average gross area of a certain category to the gross area of a typical building and the ratio of the net to gross area ratios of a typical object. For calculation of national energy balance, only two condensed building typologies (single unit buildings – SFH/SUH and multi-unit buildings – MFH/MUH) were used, thus combining SFH + TH into SFH/SUH and MFH + AB into MFH/MUH, respectively. Furthermore, first to age classes were grouped into single-year class (until 1970), resulting in five age classes.

In B&H, it has been taken into account that some buildings have already been heat-upgraded during these periods. About 16% of façade walls and roofs have been further insulated, and more than 30% of windows were replaced. In Slovenia, it has been taken into account that some buildings have already been heat-upgraded in these periods (15% façade walls, 55% of roofs, 20% of intermediate ceilings towards the attic were additionally insulated and more than 50% of windows were exchanged). Possible energy savings after application of above-mentioned standard measures, in both countries, have almost the same effect (3% difference) (Table 7).

Table 7. Energy need for heating of residential buildings in Bosnia and Herzegovina and Slovenia before and after standard measures (MWh/a) [13]

Bosnia and Herzegovina	MFH – before	MFH - after	MFH	Slovenia	MUH – before	MUH - after	MUH
	Multi-family	Multi-family	Saving energy		Multi-family	Multi-family	Saving energy
before 1970	1.028.840	328.207	700.633	before 1970	1.262.000	315.500	946.500
1971-80	886.510	343.815	542.695	1971-80	356.000	99.680	256.320
<b>TOTAL</b>	<b>1.915.350</b>	<b>672.022</b>	<b>1.243.328</b>	<b>TOTAL</b>	<b>1.618.000</b>	<b>415.180</b>	<b>1.202.820</b>

## 5. POTENTIAL BARRIERS FOR REFURBISHMENT OF THE BUILDING ENVELOPE WITH PREFABRICATED TIMBER PANELS

Even if all buildings can be classified to certain typology, refurbishment with prefabricated timber panels should be adjusted to each building individually. The first four steps presented in Figure 4 allows identification of the most suitable retrofitting strategy.




Figure 4. Strategy of IEA, ECBCS, 2011, for deep refurbishment of building [8]

In some countries, the use of prefabricated panels with defined dimensions is not a common practice, which cause transportation and installation difficulties. It requires additional training for all people involved in their prefabrication, transportation and installation. Even if execution time and labor are reduced, these systems are still more expensive than common insulation solutions. This represents a challenge because refurbishment costs when using prefabricated timber panels should not be significantly higher than common refurbishment solutions. Even if a lot of research has been carried out in different countries with some successful technological solutions being developed, there has not been a general breakthrough leading to a wider use of such solutions [7]. There are obviously barriers that impede the flow of this know-how toward industry, users and policymakers. Another obstacle might be the higher price of natural renewable materials labelled as “green” or “eco”, commonly perceived products as highly priced. However, this perception may not always reflect reality once a comprehensive cost-benefit analysis is made. The other reason could be the lack of industrial capacity for production of energy refurbishment construction products, elements and systems made from renewable materials. Countries of Eastern and South-eastern Europe frequently limit themselves to the export of raw materials or semi-finished products, due to lack of experience in these regions to run this kind of production in-place. There is a poor exchange of knowledge regarding renewable materials from a cross-border perspective and also between institutions and organizations in the region. Finally, and most importantly, a lack of public awareness about renewable materials for (energy) refurbishments of buildings may also play a role. Very often, only the energy performance of buildings is the focus (also because of its financial consequences for users), and a larger and more holistic view of sustainable refurbishment is missing. In order to overcome above-mentioned obstacles, the following actions are proposed: transfer the knowledge from scientific institutions to industry, implement knowledge at the industrial level to build production capabilities and conduct awareness-raising campaigns aimed at both the public and policy-makers. Only with careful planning and simultaneous execution of these activities, an increase in the use of renewable materials in energy refurbishments might be accomplished.

## 6. CONCLUSION

In most cases, replacement of the building with a new one can be avoided since deep renovation is more feasible. Every refurbishment project should focus not only on energy optimization of the building but also on increased value for the client: investor, owner and user of the building. The use of prefabricated timber panels in the renovation of buildings might be economically viable if used

for deep renovation purposes, due to their multiple roles. Prefabricated elements might serve in addition to thermal retrofitting of the building envelope for building extensions and upgrading. Reducing energy consumption of existing buildings to NZEB (Nearly Zero-Energy Building) is also possible with the use of such systems in the refurbishment of building envelopes.

Bosnia and Herzegovina and Slovenia have almost identical energy savings when comparing refurbishment the entire buildings envelope of the same type (MFH and AB), only for B&H periods from 1945 - 1980 and in Slovenia for all periods until 1980. Respectively, comparing the total energy need for heating condensed buildings in MFH/MUH (MFH+AB), the energy need for heating in B&H is higher than in Slovenia by 15%. The potential energy savings by refurbishment of the envelopes of existing buildings suitable for prefabricated timber panels would be 1.243.328 MWh/a and 1.202.820 MWh/a in Bosnia and Herzegovina and Slovenia, respectively. It is expected that prefabricated timber panels will find their application when sustainable deep refurbishment of buildings using renewable products and materials is required by legislation.

## ACKNOWLEDGMENT

This research paper was carried out through bilateral agreement E-REFIT funded by: (i) Government of Republic of Srpska, Ministry for Scientific and Technological Development, Higher Education and Information Society and (ii) ARRS – Slovenian Research Agency. The authors also gratefully acknowledge the European Commission for funding the InnoRenew project (grant agreement #739574 under the Horizon 2020 Widespread-Teaming program) and the Republic of Slovenia (investment funding of the Republic of Slovenia and the European Union European Regional Development Fund).

## LITERATURE

- [1] E. P. a. t. Council, Directive 2012/27/EU of European Parliament of the Council of 25 October 2012 on Energy efficiency, amending Directives 2009/125/EC and 2010/30/EU and repealing Directives 2004/8/EC and 2006/32/EC, 2012.
- [2] *Ugovor o uspostavi energetske zajednice*, Predsjedništvo Bosne i Hercegovine, 2006.
- [3] Ministrstvo za infrastrukturo, "DOLGOROČNA STRATEGIJA ZA SPODBUJANJE NALOŽB ENERGETSKE PRENOVE STAVB," [Online]. Available: <https://www.energetika-portal.si/dokumenti/strateski-razvojni-dokumenti/dolgorocna-strategija-za-spodbujanje-nalozb-energetske-prenove-stavb/>. [Accessed 18 02 2020].
- [4] g. i. e. R. S. Ministarstvo za prostorno uređenje, Nacrt strategije obnove zgrada u Republici Srpskoj do 2050. godine, 2019.
- [5] Zavod za Gradbeništvo Slovenije, "Okoljska deklaracija proizvoda," [Online]. Available: <https://www.zag.si/si/certifikati-soglasja/sluzba-za-tehnicne-ocene-in-soglasja/okoljska-deklaracija-proizvoda>. [Accessed 20 02 2020].
- [6] Uredbo o zelenem javnem naročanju, Ministrstvo za javno upravo, 2017.
- [7] P. Heikken, H. Kaufmann, S. Winter i Larsen, Energy Façade – prefabricated timber based building system for improving the energy efficiency of the building envelope, Helsinki, 2009.
- [8] P. Schwehr, R. Fischer i S. Geier, Prefabricated systems for Low Energy Renovation of Residential Buildings - Retrofit Strategies, Design Guide, 2011.
- [9] *REGULATIONS COMMISSION DELEGATED REGULATION (EU) No 244/2012 of 16 January 2012 supplementing Directive 2010/31/EU*, European Parliament and Council on the Energy performance of the buildings by establishing comparative methodology framework for buildings and buildings elements, 2012.
- [10] D. Arnautović-Aksić, M. Burazor, N. Delalić, D. Gajić, P. Gvero, D. Kadrić, M. Kotur, E. Salihović, D. Todorović i N. Zagora, Tipologija stambenih zgrada Bosne i Hercegovine, Sarajevo: Arhitektonski fakultet Univerziteta u Sarajevu, 2016.
- [11] M. Šijanec Zavrl i A. Rakušček, IEE tabula - Typology approach for building stock energy assessment, Ljubljana: Ljubljana: Gradbeni inštitut ZRMK, 2012.
- [12] T. Loga, B. Stein i N. Diefenbach, „TABULA Building Typologies in 20 European Countries - making Energy-related features of residential buildings stocks comparable,“ *Energy and Buildings*, 2016.

- [13] Institut Wohnen und Umwelt GmbH, "National Building Typologies," [Online]. Available: <https://episcope.eu/building-typology/overview/>. [Accessed 15 02 2020].
- [14] J. Monahan, J.C. Powell, An embodied carbon and energy analysis of modern methods of construction in housing: A case study using a lifecycle assessment framework, *Energy and Buildings* Vol 43, 179-188, 2011, <https://doi.org/10.1016/j.enbuild.2010.09.005>
- [15] A. Sandak, J. Sandak, M. Brzezicki, A. Kutnar, *Bio-based Building Skin*. Singapore: Springer Open, 2019, <https://doi.org/10.1007/978-981-13-3747-5>
- [16] C. Cronhjort, V. Riikonen, M. Kolehmainen, K. Nordberg i W. Huß, *SmartTES - Innovation in timber construction for the modernisation of the building envelope*, T. Samuel Tulamo, Ur., 2014.
- [17] S. Jacob, E. Laurent, B. Hageman, B. Romain, J. G. Prunier, D. Legrand, J. Cote, A. S. Chaine, M. Loreau, J. Colbert and N. Schtickzelle, "Habitat choice meets thermal specialization: Competition with specialists may drive suboptimal habitat preferences in generalists," in *PNAS - Proceedings of the National Academy of Sciences of the United States of America*, 2018. <https://doi.org/10.1073/pnas.1805574115> [Online]. Available: <https://www.pnas.org/content/115/47/11988>. [Accessed 02 05 2020].
- [18] EN ISO 13790:2008 Thermal performance of buildings-Calculation of energy use for heating.
- [19] T. Csoknyai, S. Hrabovszky-Horváth, Z. Georgiev, M. Jovanovic Popovic, B. Stankovic, O. Villatoro i G. Szendrő, „Building Stock Characteristics and Energy Performance of Residential Buildings in Eastern-European Countries,“ *Energy and Buildings*, 2016.
- [20] B. Atanasiu, *Alleviating fuel poverty in the EU*, Buildings Performance Institute Europe, 2014.
- [21] Pravilnik o tehničkim zahtjevima za toplotnu zaštitu objekata i racionalnu upotrebu energije. Službene novine FBiH br. 49/09, Federalno ministarstvo prostornog uređenja, 2009.
- [22] Official Government Gazette nr. 30 - Rule book on the minimum building characteristics energy requirements, Banja Luka: Government of the Republic of Srpska, 2015.
- [23] Pravilnik o učinkoviti uporabi energije v stavbanh, Ministrstvo za okolje in prostor, 2010.