

Decentralized workflow management on software defined infrastructures

Yuandou Wang, Zhiming Zhao
Multiscale Networked Systems (MNS)
University of Amsterdam (UvA)
Science Park 1098XH, Amsterdam, the Netherlands
{y.wang8|z.zhao}@uva.nl

Abstract—Data-intensive workflow applications are characterized by their continuously growing volumes of data being processed, the complexity of tasks in the pipeline, and infrastructure capacity required for computation and storage. The infrastructure technologies of computing, storage and networking have made tremendous progress during the past years. We review the emerging trends in the data-intensive workflow applications, in particular the potential challenges and opportunities enabled by the decentralized application paradigm.

Index Terms—Data intensive application, decentralized applications, software defined infrastructure

I. INTRODUCTION

Nowadays, many applications, e.g. industrial automation using IoT [1], earlier warning for disasters [2], or tackling large scale society challenges [3], involve large volumes data, which are often highly distributed and provided by different sources [4]. They require high performance, e.g. for decision making [5], or for real-time simulation [6]. In those distributed applications, computational tasks, such as accessing and integrating data from a source, processing data using machine learning or generating new data products are often modelled as workflows, and executed via a workflow management system (WFMS), e.g. Pegasus [7], and Galaxy [8]. Workflow systems have become an important facilitator for automating scientific experiments and business processes on distributed infrastructures [9].

High quality infrastructures play a crucial role in distributed workflow applications; the infrastructure in many cases require not only the super computers from computing centers, but also general purposes virtual machines in cloud data centers which can be flexibly configured and defined based on the application requirement, e.g. for being customized for data geo-locations or for dynamic changes at run time. When the application is getting more and more distributed, for both data sources and infrastructure, multi providers are inevitably involved. The classical centralized model for managing data and infrastructures are facing challenges for scalability, quality guarantee, and sustainable business model for engaging those different providers.

Decentralized paradigm has been discussed by researchers in the context of workflow management in earlier 2000 for data sharing, e.g. using P2P network [10], and for coordinating processes, e.g. service chronograph [11]. Recently, blockchains

and decentralized applications (DApp) gain lots of research interests from a big spectrum of applications [12]. We can also clearly see the changes on workflow systems enable by those decentralized application paradigms, for instance managing crowd sensing data from large amount of engaged citizens [13], workflow provenance using immutable ledgers [14] and infrastructure automation using smart contracts [15]. Thus, it is time for us to think if we need a decentralized workflow management paradigm, what are the challenges, and research agenda. In this short paper, we first review the state of the art, and then identify the research opportunities and challenges, using examples from medical domain.

II. DECENTRALIZED WORKFLOW MANAGEMENT

There are currently no agreed definition on decentralized workflow management systems. In this section, we will first review the state of the art from aspects of decentralized systems, Cloud and software defined infrastructure, workflow management, and then identify the key differences that decentralized data management may have compare to the classical ones.

A. State of the art

Workflow management has been studied in the past years in both industry, e.g. business process modelling [16] and academic, e.g. e-Science [11]. A workflow for data intensive application often involves data, software tools/components implement each step in the workflow, and the infrastructure where workflow steps are executed and communicated. Compared with the conventional centralized architecture in workflow management, the decentralized ones have evolved and developed, technically, the multiple server groups components, P2P network and blockchain made it a monumental shift.

The research for decentralized workflow management has started in 1990s, as shown in figure 1. Early, Schill *et al.* [17] implemented CodAlf approach by using DCE/DC++ communication with a Petri-Net-based workflow description language towards distributed workflow management. The authors explained its decentralization, that is enabling a dynamic mapping of tasks onto execution instances, to forward and synchronize workflows in a completely decentralized way. Then authors in [18] discussed the information infrastructure for business collaboration, and introduced the multi-




Fig. 1. A timeline of the decentralized workflows research.

agent system to enhance the flexibility of workflow execution under multiple enterprise collaboration via service-oriented computing environment. Mittash *et al.* used a few groups of server components - instead of one server, to enable an effective decentralized control up to thousands of distributed workflows [19]. Javadi *et al.* [20] utilized the flexibility of the Object Modeling System (OMS) architecture to implement decentralized service orchestration.

Decentralized workflow can be found from literature's are mainly about using specific P2P network to enhance the data sharing [21], or using federated engines or controllers to coordinate the execution [13]. Most of these work appear independent from the blockchain based DApps. For example, both [22] and [23] applied the p2p network as an important part of their proposed decentralized workflow systems. SwinDeW [22] uses P2P network for workflow management, but no explicit assumption on the assets management or infrastructure market place. And [23] presented a decentralized grid workflow management framework to support collaborative virtual enterprises through p2p overlay network, ranging from grid middleware and p2p communication layers to agent and application layers.

In recent years, thanks to its decentralized nature, as well as immutability and trace-ability features, blockchain has been applied in healthcare workflows [13] and the GDPR (General Data Protection Regulation) for cross-organizational workflow management [24]. The recent advances in Cloud computing, Internet of Things (IoT), Artificial Intelligence and big data greatly accelerate the innovations in the digitisation of business applications towards Next Generation Internet (NGI) [25] and scientific research [26]. Blockchain technologies demonstrated their great potential for realizing trustworthy (via immutable ledgers and consensus among peers) and fault tolerance (no single point failure among decentralized nodes) in business applications, and become a basis for developing Decentralized Application (DApp) [27]. However, the current blockchain technologies suffer from high storage cost of ledgers, low collaboration efficiency among distributed peers for consensus, and insecure off-chain data sources for blockchain transactions [28]. Cloud environments provide not only elastic capacity but also customisable connectivity, often called virtual infrastructure, over a large-scale network [29].

The resilience of the Cloud has enabled significant advances in software-defined storage, networking, infrastructure, and every technology, which promotes the emergence of heterogeneous programmable infrastructures across different Clouds, and devices on the network edges (often called Edge or Fogs) [30]. However, the rich programmability of infrastructure, in particular, the advances of new hardware accelerators in the infrastructures can still not be effectively included in the development and operations (DevOps) of Decentralized Applications.

B. Decentralization aspects

Based on the overview of the state of the art, we can see the decentralization of a workflow can have different levels. In this paper, we roughly conclude such decentralization in the following different aspects, as shown in table I:

- 1) *Decentralized management of the workflow assets* such as data, software components, and workflow descriptions; P2P environment based sharing, blockchain based market place, and traceable evolution of the assets are typical paradigms. In such a decentralized ecosystem, workflow assets will be shared and reused in a transparent and traceable way in multi-stakeholder and collaborative environments.
- 2) *Decentralized workflow execution management* e.g. coordinating runtime execution of workflow tasks in the decentralized infrastructure. For instance, transferring data among tasks using a P2P or information centric networking paradigm [31], or orchestrating workflow execution via a federation of engines (provided and operated by different organization),
- 3) *Decentralized infrastructure*, e.g. provided by multiple providers via a decentralized market. During workflow development and execution, infrastructure quality are crucial for optimising the workflow logic and scheduling. Decentralized technologies like smart contract demonstrate a big potential in automating the infrastructure service level agreement (SLA) and trustworthiness [15].

III. RESEARCH OPPORTUNITIES AND CHALLENGES

The decentralized paradigm brings several advantages to workflow, e.g. open and transparent market enhanced by

TABLE I
DECENTRALIZED ASPECTS OF WORKFLOW.

	Centralized	Decentralized
Workflow assets (Data, algorithms, tools, workflows, provenance etc.)	Centralized/ federated repository.	1. P2P data market 2. no single owners 3. diverse access rules
Execution management (data transfer, service orchestration/ choreography)	Centralized orchestrator, rely on centralized repository for data, algorithms or tools	1. P2P data transfer 2. service choreography 3. consensus among peers
Infrastructure (Clouds, Edges/Fogs, HPC, networking)	Via centralized providers.	1. P2P infrastructure markets 2. Smart contract and blockchain enhanced SLA

blockchain for sharing assets, fault tolerant decentralized network topology for sharing data and for workflow control, and smart contract based trustworthy SLA management. But we have also seen the critical limits of the current blockchain systems, including performance bottlenecks and scale-ability challenges. There are different research opportunities and challenges can be identified. We shall discuss them using the medical workflow example from a recent EU project CLARIFY¹, in which pathology data from different hospitals and individuals will shared and processed to enable doctors to effectively diagnose diseases like cancer. A decentralized data fabric is proposed to enable the distributed users to collaboratively process data, extract knowledge and make decisions in HPC and Cloud environments. We analyze the research problem in the context of data management life cycle, a number of challenges can be highlighted:

- 1) *Challenge in designing effective collaboration among distributed peers*, including the consensus and incentive model for participants, and tasks coordination across players. For instance, when a medical workflow involves images from different hospitals, and algorithms from contributors, how can the workflow system engage them into the workflow with effective incentive model to share assets and to get credits.
- 2) *Challenge in building community standards and interoperable reference model*. The future decentralized ecosystems will have different workflows from many communities, e.g. one hospital may provide images and data for multiple workflows, and a cancer researcher may also have to develop new knowledge based on different workflows, e.g. for learning patterns from pathology images and for discovering side effects of treatments. The interoperability among workflow is crucial.
- 3) *Challenges in workflow development and operation*, for a complex decentralized workflow, it is expensive to restart the entire workflow, in particular during the production. A continuously testing, integration, deployment, monitoring and adaptation solution is crucial for work-

flow management. We can clearly see such needs when a pipeline is deployed across several hospitals to automate the annotation, processing and learning for pathology images. New learning components or smart contract for accessing images might be updated; however, it is not possible to break the operation in hospitals.

4) *Challenges in optimising workflow performance*, when the complexity of the underlying network is very high, in particular the high uncertainty on part of the system performance. The high sensitivity of the privacy in medical data gives different constraints for workflow design and execution, which make the optimization difficult to handle the time critical scenarios, e.g. for real-time decision making.

5) *Challenges in keeping consistency of data, performance and service quality across participants*. The blockchains can already provide immutable transaction information for tracing the changes of data and services; however, the actual content of the data(e.g. medical images), or quality of the service (e.g. deep learning service) still have to be managed off chain, due to their size or limits of current technology. Decentralized workflow also face the challenge to keep those on-chain and off-chain data consistent.

There are other challenges in the energy efficiencies and storage; we will discuss them extensively in another paper. Those challenges open new research opportunities for workflow community.

IV. SUMMARY

In this short paper, we review the emerging trend of data intensive workflow applications, in particular the potential challenges and opportunities enabled by the decentralized application paradigm. We have seen different practices in developing and using decentralized; however, it is still challenges to apply it in real applications. We identified a number opportunities and challenges based on the use case of a recent funded project CLARIFY. In this short paper, we did not present any concrete decentralized workflow solution. By analysing the research opportunities, develop a decentralized workflow management system for medical imaging processing will be our future work.

ACKNOWLEDGMENT

This research has received funding from the European Union's Horizon 2020 research and innovation program under grant agreements 860627(CLARIFY), 825134 (ARTICONF), 824068 (ENVRI-FAIR) and 862409 (BLUECLOUD) projects. The research is also supported by EU LifeWatch ERIC.

REFERENCES

- [1] V. Lesi, Z. Jakovljevic, and M. Pajic, "Reliable industrial iot-based distributed automation," in *Proceedings of the International Conference on Internet of Things Design and Implementation, IoTDI 2019, Montreal, QC, Canada, April 15-18, 2019*, O. Landsiedel and K. Nahrstedt, Eds. ACM, 2019, pp. 94–105. [Online]. Available: <https://doi.org/10.1145/3302505.3310072>

¹<http://www.clarify-project.eu/>

- [2] H. Zhou, A. Taal, S. Koulouzis, J. Wang, Y. Hu, G. Suci, V. Poenaru, C. de Laat, and Z. Zhao, "Dynamic Real-Time Infrastructure Planning and Deployment for Disaster Early Warning Systems," in *Computational Science – ICCS 2018*, Y. Shi, H. Fu, Y. Tian, V. V. Krzhizhanovskaya, M. H. Lees, J. Dongarra, and P. M. A. Sloot, Eds. Cham: Springer International Publishing, 2018, vol. 10861, pp. 644–654, series Title: Lecture Notes in Computer Science. [Online]. Available: http://link.springer.com/10.1007/978-3-319-93701-4_51
- [3] F. Fanitabasi, E. Gaere, and E. Pournaras, "Decentralized socio-technical services and applications for the internet of things - A testbed self-integration," *CoRR*, vol. abs/2002.02219, 2020. [Online]. Available: <https://arxiv.org/abs/2002.02219>
- [4] Z. Zhao, P. Grosso, J. van der Ham, R. Koning, and C. de Laat, "An agent based network resource planner for workflow applications," *Multiagent and Grid Systems*, vol. 7, no. 6, pp. 187–202, Dec. 2011. [Online]. Available: <https://www.medra.org/servelet/aliasResolver?alias=iopress&doi=10.3233/MGS-2011-0180>
- [5] J. P. Macker and I. Taylor, "Orchestration and analysis of decentralized workflows within heterogeneous networking infrastructures," *Future Generation Computer Systems*, vol. 75, pp. 388–401, 2017. [Online]. Available: <http://dx.doi.org/10.1016/j.future.2017.01.007>
- [6] Z. Zhao, D. van Albada, and P. Sloot, "Agent-Based Flow Control for HLA Components," *SIMULATION*, vol. 81, no. 7, pp. 487–501, Jul. 2005. [Online]. Available: <http://journals.sagepub.com/doi/10.1177/0037549705058060>
- [7] E. Deelman, "Pegasus, a Workflow Management System for Large-Scale Science," *Journal of Chemical Information and Modeling*, vol. 46, p. 160, 2013.
- [8] J. Goecks, A. Nekrutenko, J. Taylor, E. Afgan, G. Ananda, D. Baker, D. Blankenberg, R. Chakrabarty, N. Coraor, J. Goecks, G. Von Kuster, R. Lazarus, K. Li, J. Taylor, and K. Vincent, "Galaxy: a comprehensive approach for supporting accessible, reproducible, and transparent computational research in the life sciences," *Genome Biology*, vol. 11, no. 8, 2010.
- [9] M. H. Shirvani, "A hybrid meta-heuristic algorithm for scientific workflow scheduling in heterogeneous distributed computing systems," *Eng. Appl. Artif. Intell.*, vol. 90, p. 103501, 2020. [Online]. Available: <https://doi.org/10.1016/j.engappai.2020.103501>
- [10] J. Yan, "A framework and coordination technologies for peer-to-peer based decentralised workflow systems," 2004.
- [11] M. Rahman, R. Ranjan, and R. Buyya, "Cooperative and decentralized workflow scheduling in global grids," *Future Generation Computer Systems*, vol. 26, no. 5, pp. 753–768, 2010. [Online]. Available: <http://dx.doi.org/10.1016/j.future.2009.07.002>
- [12] R. B. Uriarte, H. Zhou, K. Kritikos, Z. Shi, Z. Zhao, and R. De Nicola, "Distributed service-level agreement management with smart contracts and blockchain," *Concurrency and Computation: Practice and Experience*, Apr. 2020. [Online]. Available: <https://onlinelibrary.wiley.com/doi/abs/10.1002/cpe.5800>
- [13] A. Celesti, A. Ruggeri, M. Fazio, A. Galletta, M. Villari, and A. Romano, "Blockchain-based healthcare workflow for tele-medical laboratory in federated hospital IoT clouds," *Sensors (Switzerland)*, vol. 20, no. 9, 2020.
- [14] G. Fridgen, S. Radszuwill, N. Urbach, and L. Utz, "Cross-Organizational Workflow Management Using Blockchain Technology - Towards Applicability, Auditability, and Automation," *Proceedings of the 51st Hawaii International Conference on System Sciences*, 2018.
- [15] H. Zhou, X. Ouyang, Z. Ren, J. Su, C. de Laat, and Z. Zhao, "A Blockchain based Witness Model for Trustworthy Cloud Service Level Agreement Enforcement," in *IEEE INFOCOM 2019 - IEEE Conference on Computer Communications*. Paris, France: IEEE, Apr. 2019, pp. 1567–1575. [Online]. Available: <https://ieeexplore.ieee.org/document/8737580/>
- [16] J. W. Shepherdson, S. G. Thompson, and B. R. Odgers, "Decentralised workflows and software agents," *BT Technology Journal*, vol. 17, no. 4, pp. 65–71, 1999.
- [17] A. Schill and C. Mittasch, "Codalf: a decentralized workflow management system on top of OSF DCE and DC++," in *The Third International Symposium on Autonomous Decentralized Systems, ISADS 1997, Berlin, Germany, April 9-11, 1997*. IEEE Computer Society, 1997, pp. 205–212.
- [18] H. Li and Z. Lu, "Decentralized workflow modeling and execution in service-oriented computing environment," in *2005 IEEE International Workshop on Service-Oriented System Engineering (SOSE 2005)*, 20-21 October 2005, Beijing, China. IEEE Computer Society, 2005, pp. 29–34. [Online]. Available: <https://doi.org/10.1109/SOSE.2005.9>
- [19] C. Mittasch, T. Weise, and M. Hesselmann, "Decentralized control structures for distributed workflow applications," *Integrated Computer-Aided Engineering*, vol. 7, no. 4, pp. 327–341, 2000.
- [20] B. Javadi, M. Tomko, and R. O. Sinnott, "Decentralized orchestration of data-centric workflows in Cloud environments," *Future Generation Computer Systems*, vol. 29, no. 7, pp. 1826–1837, 2013. [Online]. Available: <http://dx.doi.org/10.1016/j.future.2013.01.008>
- [21] W. Chen, X. Liang, J. Li, H. Qin, Y. Mu, and J. Wang, "Blockchain Based Provenance Sharing of Scientific Workflows," *Proceedings - 2018 IEEE International Conference on Big Data, Big Data 2018*, pp. 3814–3820, 2019.
- [22] J. Yan, Y. Yang, and G. K. Raikundalia, "Swindow-a p2p-based decentralized workflow management system," *IEEE Trans. Syst. Man Cybern. Part A*, vol. 36, no. 5, pp. 922–935, 2006. [Online]. Available: <https://doi.org/10.1109/TSMCA.2005.855789>
- [23] J. W. Yin, W. Y. Zhang, Y. Li, and H. W. Chen, "A peer-to-peer-based multi-agent framework for decentralized grid workflow management in collaborative design," *International Journal of Advanced Manufacturing Technology*, vol. 41, no. 3-4, pp. 407–420, 2009.
- [24] F. Guggenmos, J. Lockl, A. Rieger, A. Wenninger, and G. Fridgen, "How to Develop a GDPR-Compliant Blockchain Solution for Cross-Organizational Workflow Management: Evidence from the German Asylum Procedure," *Proceedings of the 53rd Hawaii International Conference on System Sciences*, vol. 3, pp. 4023–4032, 2020.
- [25] G. Raja, A. Ganapathisubramaniyan, S. Anbalagan, S. B. M. Baskaran, K. Raja, and A. K. Bashir, "Intelligent reward-based data offloading in next-generation vehicular networks," *IEEE Internet Things J.*, vol. 7, no. 5, pp. 3747–3758, 2020. [Online]. Available: <https://doi.org/10.1109/JIOT.2020.2974631>
- [26] S. Tuli, S. Tuli, G. Wander, P. Wander, S. S. Gill, S. Dustdar, R. Sakellariou, and O. Rana, "Next generation technologies for smart healthcare: challenges, vision, model, trends and future directions," *Internet Technol. Lett.*, vol. 3, no. 2, 2020. [Online]. Available: <https://doi.org/10.1002/itl2.145>
- [27] G. Lallai, A. Pinna, M. Marchesi, and R. Tonelli, "Software engineering for dapp smart contracts managing workers contracts," in *Proceedings of the 3rd Distributed Ledger Technology Workshop Co-located with ITASEC 2020, Ancona, Italy, February 4, 2020*, ser. CEUR Workshop Proceedings, F. Chiaraluce and L. Mostarda, Eds., vol. 2580. CEUR-WS.org, 2020. [Online]. Available: http://ceur-ws.org/Vol-2580/DLT_2020_paper_8.pdf
- [28] R. A. Mishra, A. Kalla, N. A. Singh, and M. Liyanage, "Implementation and analysis of blockchain based dapp for secure sharing of students' credentials," in *IEEE 17th Annual Consumer Communications & Networking Conference, CCNC 2020, Las Vegas, NV, USA, January 10-13, 2020*. IEEE, 2020, pp. 1–2. [Online]. Available: <https://doi.org/10.1109/CCNC46108.2020.9045196>
- [29] S. Koulouzis, P. Martin, H. Zhou, Y. Hu, J. Wang, T. Carval, B. Grenier, J. Heikinen, C. Laat, and Z. Zhao, "Time-critical data management in clouds: Challenges and a Dynamic Real-Time Infrastructure Planner (DRIP) solution," *Concurrency and Computation: Practice and Experience*, vol. 32, no. 16, Aug. 2020. [Online]. Available: <https://onlinelibrary.wiley.com/doi/abs/10.1002/cpe.5269>
- [30] D. Zeng, L. Gu, S. Pan, and S. Guo, *Software Defined Systems - Sensing, Communication and Computation*, ser. Springer Briefs in Computer Science. Springer, 2020. [Online]. Available: <https://doi.org/10.1007/978-3-030-32942-6>
- [31] S. Koulouzis, R. Mousa, A. Karakannas, C. de Laat, and Z. Zhao, "Information Centric Networking for Sharing and Accessing Digital Objects with Persistent Identifiers on Data Infrastructures," in *2018 18th IEEE/ACM International Symposium on Cluster, Cloud and Grid Computing (CCGRID)*. Washington, DC, USA: IEEE, May 2018, pp. 661–668. [Online]. Available: <https://ieeexplore.ieee.org/document/8411085/>