

PhysiBoSS-COVID: the Boolean modelling of COVID-19 signalling pathways in a multicellular simulation framework allows for the uncovering of mechanistic insights

Vincent Noël¹, Jose Carbonell², Miguel Ponce de Leon², Sylvain Soliman³, Anna Niarakis⁴, Laurence Calzone¹, Emmanuel Barillot¹, Alfonso Valencia² and Arnau Montagud²

¹Institut Curie, INSERM, Mines ParisTech, University PSL, Paris, France

²Barcelona Supercomputing Center, Barcelona, Spain

³Inria Saclay Ile de France, Palaiseau, France


⁴Univ. Evry, University of Paris-Saclay, Evry, France

5th Disease Maps Community Meeting
November 10, 2020


Introduction

- › Build a multi-scale model of COVID infection
- › Using PhysiCell formalism + PhysiBoSS addon
- › Starting with existing model from PhysiCell creators
- › With mechanistic Boolean models produced by the Disease Maps community


PhysiCell + PhysiBoSS : Agent-based Modelling Framework




Cell Cycle







Growth



Migration



Cell-Cell interactions



PhysiBoSS-COVID model structure

- › Virus as a substrate diffusing in the environment
 - › Epithelial cells as tissue
 - › Immune system interacting with virus & infected cells
 - › Each cell type is running a specific Boolean model
-
- ⇒ Needs cell-type-specific models
 - ⇒ Needs intercellular 'high level' model
 - ⇒ Needs to fit a lot of parameters !

SARS-CoV-2 Tissue Modelling Coalition



New Results


[Comments \(1\)](#)

Rapid community-driven development of a SARS-CoV-2 tissue simulator

[Michael Getz](#), [Yafei Wang](#), [Gary An](#), [Andrew Becker](#), [Chase Cockrell](#),
[Nicholson Collier](#), [Morgan Craig](#), [Courtney L. Davis](#), [James Faeder](#),
[Ashlee N. Ford Versypt](#), [Juliano F. Gianlupi](#), [James A. Glazier](#), [Sara Hamis](#),
[Randy Heiland](#), [Thomas Hillen](#), [Dennis Hou](#), [Mohammad Aminul Islam](#), [Adrianne Jenner](#),
[Furkan Kurtoglu](#), [Bing Liu](#), [Fiona Macfarlane](#), [Pablo Maygrundter](#), [Penelope A Morel](#),
[Aarthi Narayanan](#), [Jonathan Ozik](#), [Elsje Pienaar](#), [Padmini Rangamani](#),
[Jason Edward Shoemaker](#), [Amber M. Smith](#), [Paul Macklin](#)


doi: <https://doi.org/10.1101/2020.04.02.019075>

How it works



⇒ We have begun by adding a detailed description of the apoptosis

Adding apoptosis pathway



From COVID-19 Disease Map project:

⇒ <https://fairdomhub.org/models/712>


Apoptosis Boolean model

Starting from CaSQ, we generated a Boolean model :

- › Connected PhysiCell variables to model inputs and outputs
- › Modified the direct activation of apoptosis by viral proteins
- › Added nodes and connections to capture apoptosis type I and type II (mitochondria-mediated)
 - › Details need to be further characterised
- › Studied 148 mutants to find apoptosis-escaping mutations under two initial conditions :
 - › Viral infection
 - › T cell induction of apoptosis

Wild type simulation


Current time: 0 days, 0 hours, and 0.00 minutes, $z = 0.00 \mu\text{m}$
2843 agents



- **lung epithelium:** are colored by their (assembled) virion loads in four colors
 - Cells with 0 assembled virions.
 - Cells with 1-9 assembled virions.
 - Cells with 10-99 assembled virions.
 - Cells with 100-999 assembled virions.
 - Cells with 1000+ assembled virions.
 - Apoptotic (dead from viral load)
- **CD8⁺ T cells:** are colored by their cell cycle status
 - G0G1, S, G2, M cycle
 - Apoptotic
- **macrophage:** are colored by their cell cycle status
 - G0G1, S, G2, M cycle
 - Flag of activated_immune_cell > 0.5
 - Apoptotic
- **neutrophil:** are colored by their cell cycle status
 - G0G1, S, G2, M cycle
 - Apoptotic
- **Background:** Contour plot of released virus that is diffusing in and above the tissue.

Results

➤ FADD knock-out in PhysiBoSS-COVID simulations




➤ FADD knock-out completely deactivates CD8-T-cell-mediated apoptosis


Results

Partial M inhibition in PhysiBoSS-COVID simulations


50% M inhibition



80% M inhibition



95% M inhibition



- 100% inhibition blocks the activation of the immune system
- 50% inhibition has little effect compared to no inhibition
- More inhibition adds more delay to the immune system activation

PerMedCoE

- › Personalised Medicine HPC Center of Excellence (2020 - 2022)

PerMedCoE objectives:

1. Upscale cell-level simulations to HPC and Exascale
 - › MaBoSS, PhysiCell, CellNOpt and COBRA
2. Integrate PerMed into the new European HPC/Exascale ecosystem
3. Set PerMed representative use cases
 - › Cancer, drugs, rare diseases, single-cell cancer and COVID



HPC/Exascale
Centre of
Excellence in
Personalised
Medicine

- › Use case 5: COVID multi-scale modelling using single-cell data
- › PhysiCell + MaBoSS + HPC + COVID
- ⇒ Twitter: [@PerMedCoE](#)
- ⇒ Website: www.permedcoe.eu

Future work

- › Cell-type-specific Boolean models
 - › Immune cells' differentiation
- › Transition rate parameters
 - › Activation and deactivation of the different components
- › Test the model by yourself !
 - › GitHub : <https://github.com/vincent-noel/pb4covid19>
 - › nanoHUB : <https://nanohub.org/resources/pb4covid19>

vincent.noel@curie.fr

arnau.montagud@bsc.es