

[Home](#)[About the Journal](#)[Submissions](#)[Current](#)[Archives](#)[Author Desk](#)[Contact](#)[Search](#)

Computer Science Journals - COMPUSOFT is a monthly computer and engineering science journal published by COMPUSOFT. It publishes innovative articles which contributes in new theoretical results in all areas of engineering and Computer Science, Communication Network, Information Security issues, electrical engineering, electronics engineering etc. We invite research papers, review articles in all the fields of engineering & computer science.

Journal is indexed in many renowned indexing agencies.

CURRENT ISSUE

Vol. 9 No. 10 (2020): Volume-9, Issue-10

Published: 2020-10-31

ARTICLES

SOFTWARE TESTING BY USING THE BLACK-BOX METHOD AND THE EQUIVALENCE PARTITION TECHNIQUE TO PREDICT THE ACCURACY OF THE NEURAL NETWORK BASE

ZULKIFLI ZULKIFLI, FORD LUMBAN GAOL, HARCO LESLIE HENDRIC SPITS WARNARS, BENFANO SOEWITO
3856-3859

 [PDF](#)

AN APPROACH TO COMPARING NUMBER MODULES IN NUMBER SYSTEMS IN RESIDUAL

ALEXEY LYUBOMUDROV
3860-3862

 [PDF](#)

A NEW RICH LEXICAL RESOURCE FOR CLASSICAL ARABIC

MUSTAPHA KHALFI, ARSALANE ZARGHILI, OUAFAE NAHLI
3863-3885

INFORMATION TECHNOLOGY FOR DECISION-MAKING ON TERRITORY MANAGEMENT AND INTERACTION WITH THE POPULATION

ELENA TSOKUR, OKSANA KHARITONOVA, O.A. EVREEVA, O.F. LOBAZOVA, RAMAZAN
MAGOMEDOV, NADEZHDA PHYODOROVNA PANIKAROVA
3886-3891

 PDF

REVIEW OF METHODS FOR BUILDING AGENT SYSTEMS AND DECISION SUPPORT SYSTEMS

MARINA CHERKASSKAYA, ALEXEY ARTAMONOV, ANDREY CHERKASSKIY
3892-3899

 PDF

THE MAIN FEATURES OF BLOCKCHAIN TECHNOLOGIES CLASSIFICATION

ELENA KIRILLOVA, VARVARA BOGDAN , PETR FILIPPOV , VALENTIN TKACHEV, TEYMUR
ZULFUGARZADE
3900-3905

 PDF

APPLICATION OF BLOCKCHAIN TECHNOLOGIES, CROWDSOURCING AND ARTIFICIAL INTELLIGENCE IN STUDENT TRAINING

G. NIKIPORETS-TAKIGAWA, O.B. SKORODUMOVA , I.M. MELIKOV
3906-3911

 PDF

EDUCATION AND DIGITAL TECHNOLOGIES: ISSUES AND PROSPECTS OF THE DIGITAL TRANSFORMATION OF MANAGEMENT AND EDUCATIONAL PROCESSES IN UNIVERSITIES

TATIANA DIKOVA
3912-3917

 PDF

[VIEW ALL ISSUES >](#)

[MAKE A SUBMISSION](#)



Approved By:



Excellent Citation Award

Information



[For Readers](#)

[For Authors](#)


[For Librarians](#)

Current Issue





Keywords



Open Access Policy || Publication & Peer Review Policy || Publication Ethics

The publication is licensed under a Creative Commons License (CC BY). View Legal Code

Copyright © 2020 All Rights Reserved, **COMPUSOFT: An International Journal of Advanced Computer Technology** | Powered By **COMPUSOFT**

[Home](#)[About the Journal](#)[Submissions](#)[Current](#)[Archives](#)[Author Desk](#)[Contact](#)[HOME](#) / [Editorial Board](#)

Editorial Board

Editor In Chief

S.Porwal

COMPUSOFT

info@ijact.in

Chief Adviser

Dr. Namrata Agrawal

Professor, National Institute of Financial Management

An Institute of Ministry of Finance

Government of India

Faridabad, India

Associate Editors

Dr. Mohammed Tabrez Quasim

Computer Science Department

University of Bisha

Saudi Arabia

Dr. Tarik A. Rashid

Director, The Information and Communication Technology Center

Salahaddin University

Hawler, Kurdistan

Iraq

Mr. Ajaegbu Chigozirim

Computer Science Department

Babcock University, Ilishan- Remo

Ogun state, Nigeria

Editors

Dr. José M. Merigó Lindahl

Senior Researcher

University of Manchester

United Kingdom

Dr. Ricardo Angelo Rosa Vardasca

Post-doctorate Researcher

University of Porto (Portugal)

Portugal Research Fellow

University of Glamorgan

United Kingdom

Dr. Alejandro Rodríguez González

Centre for Plant Biotechnology & Genomics

UPM-INIA

Spain

Dr. Asoke Nath

St. Xavier's College (Autonomous)

India

Dr. Prateek Agrawal

Post Doctoral Researcher

Department of ITEC

University of Klagenfurt

Austria

Dr. Patrick D. Cerna

College of Computing & Informatics

Haramaya University

Ethiopia

Dr. Kaushik Roy

West Bengal State University

India

Dr. Hemraj Saini

Jaypee University of Information Technology

India

Dr. Jamalul-lail Ab Manan

Head,

Cryptography Lab & Principal Researcher,

MIMOS Berhad

Malaysia

Dr. Ashwini Kumar Srivastava

Shivaharsh Kisan P.G. College India

Dr. Muheet Ahmed Butt

Scientist "D"

University of Kashmir

India

Dr. Vinod Sharma

University of Jammu

India

Dr Maha Khemaja

Associate Professor

Higher Institute Of Applied Sciences and Technologies

Tunisia

Dr. Pankaj Bhambri

Guru Nanak Dev Engineering College

India

Dr. Mohammed Ali Hussain

Professor

KL University

India

Mr. Sumit Goyal

Senior Research Fellow

National Dairy Research Institute (Indian Council of Agricultural Research) India

Dr. Martin Magdin

Constantine The Philosopher University

Slovakia (Slovak Republic)

Dr. Asim Kumar Sen

Principal

ST.Francis Institute of Technology Engineering College under University of Mumbai

India

Abhishek Shukla

R.D. Engineering College,

Ghaziabad India

T.Venkat Narayana Rao

Professor, Dept. of CSE GNEC, India India

Dr. H.S. Behera Professor,

Dept. of CSE Veer Surendra Sai University of Technology

India

Dr. M. Thangamani

Professor,

Dept. of CSE Kongu Engineering College

India

Prof. Mohammed Noaman Murad

Professor Cihan University.

Iraq

Dr. Binod Kumar

Director JSPM's Jayawant Technical Campus,

Pune India

Dr. Kamlesh Dhiwar

Independent Researcher

Raipur, India

Dr. Tolga ENSARÄ°

Computer Engineering

Avcilar Campus, 34320

Istanbul University

ISTANBUL, TURKEY

Mr. Varadala Sridhar

Asst. Professor

Vidya Jyoti Institute of Technology,

Hyderabad India

Mr. Balan Sethuramalingam

Asst. Professor

Government Arts College(Autonomous),

Baharathiar University,

Coimbatore India

Dr. C. Jaya Subba Reddy

Professor

Sri Venkateswara University

India

Prof. Mohamed Ashabrawy

Professor Reactors Department,

Atomic Energy Authority

Egypt

Dr.Inderjeet Kaur

Professor,

Ajay Kumar Garg Engineering College,

Ghaziabad India

Dr. M. Gopichand

Professor & Head Dept. of Information Technology Vardhaman College of Engineering,

Hyderabad India

Majida Ali Abed Meshari

Associate Dean for scientific affairs

Faculty of Computer Science & Mathematic

Tikrit University

Tikrit

Mr. Pankaj Kumar

Noida Institute of Engineering & Technology,

Greater Noida

India

MAKE A SUBMISSION

[Home](#)[About the Journal](#)[Submissions](#)[Current](#)[Archives](#)[Author Desk](#)[Contact](#)[Search](#)[HOME](#) / [ARCHIVES](#) / [VOL. 9 NO. 10 \(2020\): VOLUME-9, ISSUE-10](#) / [Articles](#)

THE MAIN FEATURES OF BLOCKCHAIN TECHNOLOGIES CLASSIFICATION

ELENA KIRILLOVA

Southwest State University; South-Ural State University (National Research University)

VARVARA BOGDAN

Russian Federation Southwest State University

PETR FILIPPOV

Russian Federation Southwest State University

VALENTIN TKACHEV

Russian Federation Southwest State University

TEYMUR ZULFUGARZADE

Plekhanov Russian University of Economics

KEYWORDS: blockchain, bitcoin, classification, digital technologies, closed access, open access

ABSTRACT

This article discusses the main features of the classifications of blockchain technologies. Ten years after the first blockchain appeared, this technology is still largely experimental. It is difficult to predict the future of the blockchain industry and the technology itself with confidence, but its certain outlines are already emerging. The purpose of the study is to consider the classification of blockchain technologies and analyze the problems that arise when using these technologies. When writing the article, the authors used methods of collecting and studying individual facts, generalization, scientific abstraction, cognition of laws, as well as the methods of objectivity, concreteness, and pluralism. It has been proved that the legal regulation of blockchain technologies should be carried out through the development of uniform world standards and that prohibitions and restrictions on certain types of activities should be systematized and regulated at the international level. The study has concluded that three types of blockchain are used: public blockchains with open access (public blockchains), private blockchains with open access

(consortium blockchains), and private blockchains with closed access (fully private blockchains). Following this typology, the authors have highlighted the main features of each blockchain category.

DOWNLOADS



REFERENCES

- Kirilova, E.A., Pavlyuk, A.V., Zulfugarzade, T., andMikhailova, I.A.2018. Bitcoin, lifecoin, namecoin: the legal nature of virtual currency. *Journal of Advanced Research in Law and Economics*, 9, 119.
- Omar, A., Mustafa, A. and Clutterbuck, Yo. D. 2020. The state of play of blockchain technology in the financial services sector: A systematic literature review. *International Journal of Information Management*,54, 102199.
- Nishani, E. V., Skjellum, A. and Medury, S. 2020. Blockchain architecture: A design that helps CPA firms leverage the technology. *International Journal of Accounting Information Systems*,38, 100466.
- Warkentin, M. and Orgeron, C. 2020. Using the security triad to assess blockchain technology in public sector applications. *International Journal of Information Management*, 52, 102090.
- Kouhizadeh, M.,Saber, S.and Sarkis, J. 2021. Blockchain technology and the sustainable supply chain: Theoretically exploring adoption barriers. *International Journal of Production Economics*, 231, 107831.
- Ahluwalia, S., Mahto, R. V. and Guerrero, M. 2020. Blockchain technology and startup financing: A transaction cost economics perspective. *Technological Forecasting and Social Change*, 151, 119854.
- Schinckus, Ch. 2020. The good, the bad and the ugly: An overview of the sustainability of blockchain technology. *Energy Research & Social Science*, 69, 101614.
- Morkunas, V. J., Paschen, J. and Boon, E. 2019. How blockchain technologies impact your business model. *Business Horizons*, Elsevier, 62(3), 295-306.
- Drljevic, N., Arias-Aranda, D. and Stantchev, V. 2019. Perspectives on risks and standards that affect the requirements engineering of blockchain technology. *Computer Standards & Interfaces*, 69, 103409.
- Janssen, M.,Weerakkody, V.,Ismagilova, E., Sivarajah, U.and Irani, Z. 2020. A framework for analysing blockchain technology adoption: Integrating institutional, market and technical factors. *International Journal of Information Management*, 50, 302-309.
- Hassan, M. U., Rehmani, M. H. and Chen,J. 2020. Differential privacy in blockchain technology: A futuristic approach. *Journal of Parallel and Distributed Computing*, 145, 50-74.

Tatar, U., Gokce, Ya. and Nussbaum, B. 2020. Law versus technology: Blockchain, GDPR, and tough tradeoffs. *Computer Law & Security Review*, 38, 105454.

Kirilova, E.A., Blinkov, O.E., Ogneva, N.I., Vrazhnov, A.S. and Sergeeva, N.V. 2020. Artificial intelligence as a new category of civil law. *Journal of Advanced Research in Law and Economics*, 11(1), 91-98.



PDF

PUBLISHED

2020-10-31

HOW TO CITE

Kirilova, E., Bogdan, V., Filippov, P., Tkachev, V., & Zulfugarzade, T. (2020). THE MAIN FEATURES OF BLOCKCHAIN TECHNOLOGIES CLASSIFICATION. *COMPUSOFT: An International Journal of Advanced Computer Technology*, 9(10), 3900-3905. Retrieved from <https://ijact.in/index.php/ijact/article/view/1249>

More Citation Formats 

ISSUE

[Vol. 9 No. 10 \(2020\): Volume-9, Issue-10](#)

SECTION

Articles

The submitter hereby warrants that the Work (collectively, the "Materials") is original and that he/she is the author of the Materials. To the extent the Materials incorporate text passages, figures, data or other material from the works of others, the undersigned has obtained any necessary permissions. Where necessary, the undersigned has obtained all third party permissions and consents to grant the license above and has all copies of such permissions and consents.

The submitter represents that he/she has the power and authority to make and execute this assignment. The submitter agrees to indemnify and hold harmless the COMPUSOFT from any damage or expense that may arise in the event of a breach of any of the warranties set forth above. For authenticity, validity and originality of the research paper the author/authors will be totally responsible.

[MAKE A SUBMISSION](#)

Available online at: <https://ijact.in>

Date of Submission	06/10/2020
Date of Acceptance	20/10/2020
Page numbers	3900-3905 (6 Pages)

This work is licensed under Creative Commons Attribution 4.0 International License.



ISSN:2320-0790

THE MAIN FEATURES OF BLOCKCHAIN TECHNOLOGIES CLASSIFICATION

Elena A.Kirillova^{1,2}, Varvara Vladimirovna Bogdan¹, Petr Martynovich Filippov¹, Valentin Nikolaevich Tkachev¹, Teymur E. Zulfugarzade³

¹Russian Federation Southwest State University, Kursk, Russia

²South-Ural state University (National Research University), Chelyabinsk, Russia

³Plekhanov Russian University of Economics, Moscow, Russia

Abstract: This article discusses the main features of the classifications of blockchain technologies. Ten years after the first blockchain appeared, this technology is still largely experimental. It is difficult to predict the future of the blockchain industry and the technology itself with confidence, but its certain outlines are already emerging. The purpose of the study is to consider the classification of blockchain technologies and analyze the problems that arise when using these technologies. When writing the article, the authors used methods of collecting and studying individual facts, generalization, scientific abstraction, cognition of laws, as well as the methods of objectivity, concreteness, and pluralism. It has been proved that the legal regulation of blockchain technologies should be carried out through the development of uniform world standards and that prohibitions and restrictions on certain types of activities should be systematized and regulated at the international level. The study has concluded that three types of blockchain are used: public blockchains with open access (public blockchains), private blockchains with open access (consortium blockchains), and private blockchains with closed access (fully private blockchains). Following this typology, the authors have highlighted the main features of each blockchain category.

Keywords: blockchain; bitcoin; classification; digital technologies; closed access; open access.

I. INTRODUCTION

Along with Big Data, machine learning, and artificial intelligence, blockchain is one of the most promising technological industries, comparable in scale, degree of influence, and distribution in the future with the effect that the Internet had in the 2000s [1].

Blockchain is a continuous sequential chain (linked list) of blocks containing information built according to certain rules. The term first appeared as the name of a fully replicated distributed database implemented in the Bitcoin system [2], which is why the blockchain is often referred to as the basic cryptocurrency technology. However, the blockchain system can be extended to any interconnected information blocks and used in a wide variety of sectors, such as supply management, logistics, and secure document flow.

Lower costs, improved security, and higher transaction transparency are the three main strengths of blockchain. In connection with the need of banks, businesses, and society in these three aspects, any theoretical work or development in this area becomes relevant.

Global investments related to blockchain technologies may reach 9.7 billion US dollars in 2021. The market size is calculated based on projected revenues from the implementation of blockchain solutions, as well as the provision of services based on it. At the same time, it is assumed that the average annual growth rate in the period until 2022 will be from 79.6 to 81.2%. However, some regions will increase growth rates in the blockchain industry in a priority manner: Japan by 127.3% and Latin America by 152.5%.

However, the emergence of a new technological solution that significantly affects the economic system is associated with high legal uncertainty. Suffice it to recall the problems associated with the emergence of the Internet and doubts about the validity of contracts concluded online or tax classification of activities carried out on the Internet. Similar problems are associated with block-based solutions.

The study aims to consider the classification of blockchain technologies and analyze the problems that arise when using these technologies. To reach this goal, we set the following tasks:

- to determine the types of blockchain technologies;
- to highlight the main features of each type of blockchain;
- to consider the practical aspects of using blockchain technologies and propose solutions to the problems that arise during the implementation of this technology.

II. LITERATURE REVIEW

The growing interest of the scientific community in the problem of innovative development contributes to the emergence of deep developments that reveal the essence of innovative phenomena and contain empirical data characterizing the development of innovative processes in changing institutional conditions. For example, Omar et al. [2] commenced considering 227 articles and subsequently filtered this list down to 87 articles. From this, a classification framework was presented that has three dimensions: blockchain-enabled financial benefits, challenges, and functionality. Nishani et al. [3] designed a blockchain architecture for organizations that facilitates effective connectivity to a blockchain while enabling auditors to leverage this technology to provide audit and assurance services. To design the architecture, we consider two broad questions: first, how do CPA firms gain access to reliable audit evidence and, second, how can client firms maintain confidentiality and security of their data given a decentralized and distributed immutable ledger (ie, a blockchain)? Warkentin and Orgeron[4] highlight the advantages of blockchain technologies with regards to non-reputability to help public managers understand how to best leverage blockchain technology to transform operations. Other experts have devoted their work to various aspects of blockchain technology as well, but in the research, not enough attention has been paid to the classification and practical application of blockchain technologies.

III. METHODS

A. General description (basic principles and methods, description and characteristics)

The object of the research is blockchain technology and features of its application in practice. For this research, we used the following methods: collection and study of individual facts; generalization; scientific abstraction; cognition of patterns. Content analysis techniques were applied to the collected qualitative data and common themes were identified using keyword and phrase analysis. Using the method of comparative analysis, we reviewed the

typology of blockchain technologies and suggested an optimal classification of the used blockchain into types.

The objectivity method allowed us to consider the main legal problems of the implementation of blockchain technologies. Using the method of concreteness, we proved that the use of blockchain technologies did not need special legal regulation and that it was enough to develop uniform international standards for the use of blockchain.

B. Algorithm

Due to the pluralistic approach to identifying the blockchain types, we concluded the different uses of managed and decentralized blockchains. The predictive method allowed us to predict the possible use of blockchain in various industries and areas.

At the stage of collecting and studying individual facts, we used the methods of interpretation of the law, with the help of which the possibility of legal regulation of the use of blockchain technologies was clarified.

The logical-semantic analysis was also used in combination with the listed methods, which made it possible to consider in detail the main characteristics of blockchain technologies.

C. Flow chart

The study was conducted using certain research algorithms, due to which the results were obtained. The research algorithm is presented in Figure 1.




Figure 1. The research algorithm

IV. RESULTS

Various classifications of blockchain technologies have been developed. We will determine by what criterion blockchains should be classified. As a rule, changes in this technology affect only one parameter, namely, the availability of the data register for users. It is logical to divide items into classes according to this criterion. Depending on the degree of accessibility and openness of the data, two types of blockchains can be distinguished, namely open and closed blockchains [4].

An open blockchain is characterized by complete decentralization and the ability of all participants to maintain the network's performance equally. That is, if desired, each user is able to verify data and transactions by adding them to the decentralized ledger. Closed chains appeared relatively recently, more precisely, from the moment the centralized structures of the institution became interested in this technology. Conventionally, all participants in such a blockchain can be divided into two categories: users and management [5].

However, a more detailed study of the typology of the blockchain allows us to classify this technology into three different types of blockchains, which are presented in Figure 2.




Figure 2. Blockchain types

Let us consider each type of blockchain in detail. At the present stage of development of economic relations, the most common and frequently used are public blockchains, which are used for such cryptocurrencies as Bitcoin, Ethereum, and Ripple. Public blockchains have the following main features (Figure 3).




Figure 3. Main features of public blockchains

Public blockchains are widely used in the financial sector when complete independence from a third party, transparency of operations, and high system reliability are required.

When using consortium blockchains, only privileged users have to certify transactions, conduct security audits, make changes to software, and modify databases. The rest have access to read-only files. Thus, a consortium blockchain is not completely decentralized and depends on a certain circle of people. The main features of a consortium blockchain are presented in Figure 4.




Figure 4. Main features of consortium blockchains

Consortium blockchains are used in government agencies. For example, in healthcare, when medical institutions are privileged users, they enter patient data into the chain, and patients can always use this information.

Participants can use a fully private blockchain only with the confirmation of validators, while they do not always have access to reading the chain files. Thus, this system

completely ceases to be open and independent from third parties [6].

The main features of a fully private blockchain are presented in Figure 5.




Figure 5. Main features of fully private blockchains

A private blockchain is more similar to classic centralized networks. However, having the property of maintaining a chain of interconnected blocks, it can be successfully used for internal closed private networks and secure workflow systems in enterprises or government agencies where it is necessary to store official information.

Now, two main areas are gradually defined, which will increasingly become isolated from each other: decentralized public blockchains and managed private blockchains. Since their differences are fundamental, over time, the interaction between projects of different directions will become less and less possible.

Experts point to good prospects for managed blockchains, as solutions based on Hyperledger, Corda, Exonum, and other managed blockchain projects can bring all the benefits expected of them [7]. They will reduce the costs of the approval and decision-making processes, provide a safer environment for information exchange, and increase trust between counterparties. At the same time, centralized decisions do not allow the anarchy of decentralized systems, leaving the making of key decisions not to a faceless community of anonymous people scattered around the world, but to a clearly defined group or organization that manages the blockchain.

It would be correct to call such networks not blockchains, but private distributed networks with blockchain elements. Of the three main characteristics of Bitcoin and other public blockchains (immutability, decentralization, openness), only the first is preserved in managed blockchains and even it is not fully preserved. The invariability of data in a controlled blockchain is not guaranteed for ordinary users, since if there is a single control center, such a blockchain can be stopped with a rollback to the desired block, while nodes that do not have administrative powers cannot prevent or cancel such a

change. This is a partial return to the familiar client-server architecture with load balancing [8].

The notion of decentralization in a managed blockchain is ruled out at the concept level. It initially contains nodes with different levels of authority; therefore, even with distributed storage and processing of data (for which the blockchain is not required at all), it is more correct to consider its structure as hierarchical with two or more levels.

The principle of openness of a managed blockchain (that is, the ability for any network participant to see the entire transaction history of all users) can be incorporated or rejected during its creation, depending on the functional features. However, corporate networks will always be characterized by a policy of restricting access to information (both reading it and adding to the system and making changes). Full openness to government services is also contraindicated for reasons of protecting users' data.

Thus, the architectural and technical differences between public and private blockchains will intensify and lead to their completely separate development over time, even if standards are adopted to ensure interoperability. At the same time, the exchange of technologies can become one-way, meaning that all successful solutions found by developers of public blockchains can be used in private projects based on open licenses. Corporate developments will be patented, and their third-party use will become possible only upon the conclusion of licensing agreements and corresponding deductions.

V. DISCUSSION

Blockchain is cost-effective and its motto can be reliability and transparency of transactions. However, there are some barriers to its widespread use.

Consider the problem of decentralized data storage. If a complete data register is stored in each node of the network, it will be possible to restore the network until the moment the last node of the network is destroyed, but the cost is just as great. The network is constantly growing during operation, which in the future will lead to uncontrolled amounts of data. Plus, for a new member to enter the network, they will have to synchronize a huge amount of data. To solve this problem, it is possible to propose using a standard database, which stores real data in encrypted form, and only their hash is entered into the blockchain and the old blocks are archived. Experts suggest using Big Data technology to solve these problems [9]. It is also focused on working with large amounts of data storage and processing; various architectures have already been worked out, such as Map-Reduce, Shared Memory, Shared Nothing, Shared Disk, and others. The main obstacle to integrating Big Data tools into the blockchain is the system type: the blockchain is a decentralized, distributed system, which means that calculations are distributed among several nodes and there are no nodes that control the operation of other network nodes. However, integration is also possible in the other direction. After all, technically, the blockchain is a simple database with the scalability and the absence of query languages, but decentralization,

immutability, transparency, and the possibility of universal data exchange compensate for its disadvantages. Currently, BigchainDB and IPDB are under development, which could become planet-scale databases with decentralized management [10].

Another important task is to ensure trust in the blockchain system since the system must be both anonymous and transparent for its participants. Users want to see the movement of data on the network so that other users do not know what they are doing. To do this, it was decided to use asymmetric encryption algorithms. Thus, each user has a pair of keys: a private key and a public key. The private key is used to sign blocks sent by the user. The user's network address is displayed using the public key.

The blockchain can only process a limited number of transactions. The transaction speed is low. Processing a block of transactions takes a significant amount of time. For example, on the Bitcoin network, the block interval is 10 minutes; on the Ethereum network, it is about 14 seconds and during peak periods it takes even longer. For comparison, services like Square and Visa confirm transactions almost instantly [11].

Therefore, developers of public blockchains are forced to find a compromise between low network bandwidth and a high degree of centralization. As the size of the blockchain grows, so do the requirements for storage size, bandwidth, and processing power of each node in the network. There may come a time when so many resources are required to process blocks that there are too few nodes that can handle this load and then the network risks becoming centralized. Accordingly, it will be necessary to return to centralized systems that require trust in several large participants, but in practice, a system is needed that can process thousands of transactions per second and remain decentralized.

Separately, one should consider another problem of ensuring the anonymity of transactions in the blockchain. On the one hand, work is underway to increase the anonymity of transactions in public blockchains. On the other hand, attempts are being made to introduce identification mechanisms and KYC procedures in corporate versions of blockchains and other projects seeking to demonstrate to governments the ability to regulate and control transactions [12]. As a rule, the problem of identifying blockchain users is solved by external means, that is, either before creating an account on the blockchain or by analyzing the user's transactions recorded on the blockchain (for example, investigations into illegal activities are underway). If blockchains find widespread use, then the identification of user accounts at the blockchain level while maintaining full or partial anonymity of transactions will be in demand in corporate and government projects that use blockchain to one degree or another.

The problem of legal regulation of the blockchain is important if private blockchains are introduced into the legal framework and properly standardized [13], the pressure on public blockchains will increase. Point bans or restrictions on certain types of activities will be systematized and introduced at the international level.

Regarding the regulation of the blockchain technology itself, there is virtually no need for it. There may be some political and financial aspects of technology that need regulation, but not the technology itself. Here the role of regulators will be played by the development of uniform world standards.

VI. CONCLUSION

The study examined the classification of blockchain technologies. It was concluded that three types of blockchains are used: public blockchains, consortium blockchains, and fully private blockchains. Following this typology, we highlighted the main features of each blockchain category. It was proposed to define managed blockchains as private distributed networks, since they do not have the basic characteristics of a blockchain, such as immutability, decentralization, and openness.

Among the problems of using blockchain technologies, we highlighted the most relevant issues and suggested ways of their solution. Thus, to solve the problem of decentralized storage of a large amount of data in the blockchain we suggest using a standard database in which real data is stored in encrypted form and only their hash is entered into the blockchain and old blocks are being archived.

Legal regulation of blockchain technologies should be carried out through the development of uniform world standards. Bans and restrictions on certain types of activities should be systematized and regulated at the international level. There may be some political and financial aspects of technology that need regulation, but not the technology itself.

In further research, it is necessary to develop work principles and prospects for the application of blockchain technology.

VII. ACKNOWLEDGMENT

Research and development work within the framework of the state assignment for 2020 "Transformation of private and public law in the context of the evolving individual, society and state" (No. 0851-20200033).

VIII. REFERENCES

- [1] Kirillova, E.A., Pavlyuk, A.V., Zulfugarzade, T., and Mikhailova, I.A. 2018. Bitcoin, lifecoin, namecoin: the legal nature of virtual currency. *Journal of Advanced Research in Law and Economics*, 9, 119.
- [2] Omar, A., Mustafa, A. and Clutterbuck, Yo. D. 2020. The state of play of blockchain technology in the financial services sector: A systematic literature review. *International Journal of Information Management*, 54, 102199.
- [3] Nishani, E. V., Skjellum, A. and Medury, S. 2020. Blockchain architecture: A design that helps CPA firms leverage the technology. *International Journal of Accounting Information Systems*, 38, 100466.
- [4] Warkentin, M. and Orgeron, C. 2020. Using the security triad to assess blockchain technology in public sector applications. *International Journal of Information Management*, 52, 102090.
- [5] Kouhizadeh, M., Saberi, S. and Sarkis, J. 2021. Blockchain technology and the sustainable supply chain: Theoretically exploring

adoption barriers. *International Journal of Production Economics*, 231, 107831.

- [6] Ahluwalia, S., Mahto, R. V. and Guerrero, M. 2020. Blockchain technology and startup financing: A transaction cost economics perspective. *Technological Forecasting and Social Change*, 151, 119854.
- [7] Schinckus, Ch. 2020. The good, the bad and the ugly: An overview of the sustainability of blockchain technology. *Energy Research & Social Science*, 69, 101614.
- [8] Morkunas, V. J., Paschen, J. and Boon, E. 2019. How blockchain technologies impact your business model. *Business Horizons*, Elsevier, 62(3), 295-306.
- [9] Drljevic, N., Arias-Aranda, D. and Stanchev, V. 2019. Perspectives on risks and standards that affect the requirements engineering of blockchain technology. *Computer Standards & Interfaces*, 69, 103409.
- [10] Janssen, M., Weerakkody, V., Ismagilova, E., Sivarajah, U. and Irani, Z. 2020. A framework for analysing blockchain technology adoption: Integrating institutional, market and technical factors. *International Journal of Information Management*, 50, 302-309.
- [11] Hassan, M. U., Rehmani, M. H. and Chen, J. 2020. Differential privacy in blockchain technology: A futuristic approach. *Journal of Parallel and Distributed Computing*, 145, 50-74.
- [12] Tatar, U., Gokce, Ya. and Nussbaum, B. 2020. Law versus technology: Blockchain, GDPR, and tough tradeoffs. *Computer Law & Security Review*, 38, 105454.
- [13] Kirillova, E.A., Blinkov, O.E., Ogneva, N.I., Vrazhnov, A.S. and Sergeeva, N.V. 2020. Artificial intelligence as a new category of civil law. *Journal of Advanced Research in Law and Economics*, 11(1), 91-98.