

Reference list in the database.

1. Yamashina, Y. Birds in Japan and their ecology (in Japanese). Iwanami Shoten, Publishers. Tokyo (1941).
2. Kiyosu, Y. The birds of Japan (in Japanese). Kodansha, Ltd. Tokyo (1952).
3. Takagawa, S. *et al.* JAVIAN Database: a species-level database of life history, ecology and morphology of bird species in Japan (in Japanese). *Bird Res.* **7**, R9–R12 (2011).
4. Akatsuka, T. Predation damage of birds to the egg capsules of mantises (in Japanese). *Strix* **24**, 69–75 (2006).
5. Aoki, Y. Notes on stomach contents of Rubby Kingfisher *Halcyon coromanda* dead at Tanzawa-Mountain (in Japanese). *Nat. Hist. Rep. Kanagawa* **27**, 61–62 (2006).
6. Baba, S. Diet of the Osprey *Pandion haliaetus* at Yashima, Takamatsu, Kagawa Prefecture (in Japanese). *Japanese J. Ornithol.* **54**, 45–48 (2005).
7. Brazil, M. An addition to the diet of the Whooper Swan *Cygnus cygnus* from Japan. *J. Yamashina Inst. Ornithol.* **33**, 210–212 (2002).
8. Chiba, A. A survey of dead sea-birds found on the coast of Niigata City facing the Japan Sea (in Japanese). *Bull. Nippon Dent. Univ.* **3**, 121–131 (1974).
9. Chiba, S. Analysis of stomach contents of *Nucifraga caryocatactes* and *Apus pacificus* of Japan (in Japanese). *J. Yamashina Inst. Ornithol.* **5**, 287–298 (1968).
10. Chiba, S. Food analysis of the Japanese Ptarmigan (in Japanese). *J. Yamashina Inst. Ornithol.* **4**, 184–197 (1965).
11. Chiba, S. Stomach analysis of Japanese Woodpeckers (in Japanese). *J. Yamashina Inst. Ornithol.* **5**, 487–510 (1969).
12. Fujimaki, Y. Food habit of Hazel Grouse in Hokkaido, Japan. *J. Yamashina Inst. Ornithol.* **34**, 73–76 (2002).
13. Fujimaki, Y. The biology of Hazel Grouse *Bonasa bonasa* (in Japanese). *Japanese J. Ornithol.* **51**, 74–86 (2002).
14. Fujiwara, T. & Shiramatu, H. Damage to a green vegetable, Qing-ting-cai, by Oriental Greenfinch (in Japanese). *Strix* **22**, 147–154 (2004).
15. Fukui, N. Crows *Corvus corone* are the buds of Cinnamon Tree *Cinnamomum camphora* (in Japanese). *Japanese J. Ornithol.* **39**, 107–109 (1991).
16. Funo, T., Sekijima, T. & Abe, M. Changes in feeding pattern of Golden Eagle *Aquila chrysaetos* with leafing of deciduous trees (in Japanese). *Japanese J. Ornithol.* **59**, 148–160 (2010).
17. Goto, M. *et al.* The food habits of three species of crows in Shonai, Yamagata Prefecture, Japan, based on pellet analysis (in Japanese). *Japanese J. Ornithol.* **64**, 207–218 (2015).

18. Hagiwara, S. Studies of the cranes in Izumi, Kagoshima, Japan, 13. Wild plants for winter foods in *Grus monacha* and *G. vipio* in Izumi, Japan (in Japanese). *Misc. Reports Inst. Nat. Study* **19**, 83–97 (1988).
19. Hamao, S., Miyashita, T., Hagiwara, S. & Mori, Y. Seed dispersal by wintering birds in an urban space and relationship between gape width and fruit size (in Japanese). *Japanese J. Ornithol.* **59**, 139–147 (2010).
20. Haneda, K. & Kiuchi, K. Life history of the Swinhoe's Willow-warbler (*Phylloscopus borealis*) I. Breeding ecology (in Japanese). *Japanese J. Ecol.* **19**, 116–125 (1969).
21. Haneda, K. & Kobayashi, T. Life history of the Brown-eared Bulbul. 1. Breeding biology (in Japanese). *J. Yamashina Inst. Ornithol.* **5**, 61–71 (1967).
22. Haneda, K. & Koizumi, M. Life history of the Black-eared Kite (*Milus migrans lineatus*) 1. Breeding season (in Japanese). *Japanese J. Ecol.* **15**, 199–208 (1965).
23. Haneda, K., Koizumi, M. & Kobayashi, T. Life history of Black-eared Kite (*Milvus migrans lineatus*) 2. Non breeding season (in Japanese). *Japanese J. Ecol.* **16**, 71–78 (1966).
24. Haneda, K., Nakamura, H., Koiwai, A., Iizawa, T. & Tajima, K. Distribution and density of the Rock Ptarmigan *Lagopus mutus* in the Southern Japan Alps (in Japanese). *Tori* **34**, 33–48 (1985).
25. Haneda, K. & Shinoda, T. A study of breeding biology of the Japanese Wagtail (in Japanese). *J. Yamashina Inst. Ornithol.* **5**, 602–622 (1969).
26. Haneda, K. & Takahashi, Y. Life history of the Japanese Red-tailed Shrike (*Lanius cristatus superciliosus*) (in Japanese). *Japanese J. Ecol.* **18**, 47–56 (1968).
27. Haneda, K. & Teranishi, K. Life history of the Eastern Great Reed Warbler (*Acrocephalus arundinaceus orientalis*) I. Breeding biology (in Japanese). *Japanese J. Ecol.* **18**, 100–109 (1968).
28. Haneda, K. & Ushiyama, H. Life history of the Red-cheeked Myna (*Sturnis philippensis*) I. Breeding season (1) A. Breeding cycle: breeding preparation, nest building, copulation, incubation, chick raising, and fledgling (in Japanese). *Japanese J. Ecol.* **16**, 225–235 (1966).
29. Hasegawa, M. The Thrush *Trudus celaenops*, as an avian predator of juvenile *Eumeces okadae* on Miyake-Jima, Izu Islands. *Japanese J. Herpetol.* **13**, 65–69 (1990).
30. Hashiguchi, D. & Ueda, K. The Gray Starling *Stunus cineraceus* as a fruit-eater: analysis of regurgitated seeds (in Japanese). *Strix* **9**, 55–61 (1990).
31. Hashimoto, H. Winter feeding of Thick-billed Murres in coastal waters off the Shakotan Peninsula, Hokkaido. *J. Yamashina Inst. Ornithol.* **25**, 166–173 (1993).

- 32-1. Hee-Young, C. Feeding behavior of the Russet Sparrow *Passer rutilans* in two different habitats. *Korean J. Ecol.* **20**, 405–411 (1997).
- 32-2. Higuchi H., Morioka H. & Yamagishi S. The encyclopedia of animals in Japan, Vol. 3, Birds I (in Japanese). Heibonsha, Tokyo (1997).
- 32-3. Higuchi H., Morioka H. & Yamagishi S. The encyclopedia of animals in Japan, Vol. 4, Birds II (in Japanese). Heibonsha, Tokyo (1997).
33. Hirano, T. & Kimizima, M. Breeding status and foods of the Japanese Lesser Sparrowhawk *Accipiter gularis* in residential areas of Utsunomiya city, central Japan (in Japanese). *Strix* **11**, 119–129 (1992).
34. Hirano, T., Kimijima, M. & Kobori, M. Hunting habitat and diet of Grey-faced Buzzards in Waratase Marsh (in Japanese). *Strix* **22**, 45–58 (2004).
35. Hirano, T., Koike, I. & Tsukahara, C. Food habits of Eastern Marsh Harriers and Harriers wintering at Watarase Marse, central Japan (in Japanese). *Japanese J. Ornithol.* **54**, 29–36 (2005).
36. Hirano, T. & Yasui, S. Dietary habits of wintering Eastern Marsh Harriers at Watarase Marsh from pellet analysis (in Japanese). *Strix* **19**, 43–47 (2001).
37. Hirata, K. & Kurihara, Y. A record of nocturnal foraging near an artificial light by a thick-billed murre *Uria lomvia*. *J. Yamashina Inst. Ornithol.* **42**, 107–109 (2010).
38. Hongo, Y. & Kaneda, H. Field observations of predation by the ural owl *Strix uralensis* upon the Japanese horned beetle *Trypoxylus dichotomus septentrionalis*. *J. Yamashina Inst. Ornithol.* **40**, 90–95 (2009).
39. Iijima, Y. Strange feeding behaviour of the Whooper Swan *Cygnus cygnus* (in Japanese). *Tori* **33**, 80 (1984).
40. Inoue, M. *et al.* Seasonal change of prey brought to an Oriental Honey Buzzard *Pernis ptilorhynchus* nest during the breeding season in west Mikawa, Aichi Prefecture, Japan (in Japanese). *Japanese J. Ornithol.* **63**, 323–328 (2014).
41. Inoue, M. An examination of the food habits of birds as viewed from the control of May Beetles (in Japanese). *Tori* **13**, 9–21 (1950).
42. Inukai, T. & Haga, R. Studies on the damage done by the crow in Hokkaido and methods of destruction (in Japanese). *Mem. Fac. Agric. Hokkaido Univ.* **1**, 459–482 (1953).
43. Ishiguro, Y. *et al.* Morphological difference in fruiting pattern between *Swida macrophylla* and *Trema orientalis* lure different bird species (in Japanese). *Strix* **27**, 7–17 (2011).
44. Ishizawa, J. & Chiba, S. Food analysis of four species of cuckoos in Japan (in Japanese). *J. Yamashina Inst. Ornithol.* **4**, 302–326 (1966).
45. Ishizawa, J. & Chiba, S. Stomach analysis of 12 species of Japanese hawks. *J. Yamashina Inst. Ornithol.* **5**, 13–33 (1967).

46. Ito, Y. & Akatsuka, T. A Great Reed Warbler preying on butterflies (in Japanese). *Strix* **20**, 167–169 (2002).
47. Ito, Y. & Akatsuka, T. Recorded of fed with fish by Japanese Collared Scops Owl in breeding period (in Japanese). *Strix* **22**, 193–195 (2004).
48. Iwami, Y. Some prey items of three species of Hawks (Goshawk *Accipiter gentilis*, Sparrowhawks *A. nisus* and Buzzard *Buteo buteo*) in Tokachi District, Eastern Hokkaido. *Japanese J. Ornithol.* **45**, 37–38 (1996).
49. Kameda, K., Matsubara, T., Mizutani, H. & Yamada, Y. Diet of foraging site selection of the great cormorant in Japan (in Japanese). *Japanese J. Ornithol.* **51**, 12–28 (2002).
50. Kaneda, H. Prey selection and provisioning rate of a breeding pair of Hodgson's Hawk-Eagles *Nisaetus nipalensis*. *Ornithol. Sci.* **8**, 151–156 (2009).
51. Kaneko, N., Nakata, M., Chiba, A. & Itoh, Y. Autumnal use of fruits by bird vectors in a coastal forest near the city of Niigata (in Japanese). *Japanese J. Ornithol.* **61**, 100–111 (2012).
52. Kaneshima, K., Senge, M., Itou, K., Ohnishi, T. & Hiramatsu, K. Predatory behavior and foraging site selection of the Grey-Headed Lapwing in paddy field area (in Japanese). *J. Irrig. Eng. Rural Plan.* **278**, 81–88 (2012).
53. Kawaguchi, S. & Yamamoto, T. Food item found in pellets of Long-eared Owls wintering in Ehime, Japan (in Japanese). *Japanese J. Ornithol.* **52**, 29–31 (2003).
54. Kawaji, N. & Shiraishi, S. Birds on the north coast of the Sea of Ariake. II. The relation between food habits of sandpipers and invertebrates in the substrate. *J. Fac. Agric. Kyushu Univ.* **23**, 163–175 (1979).
55. Kawaji, N. & Shiraishi, S. Birds in the Nagasaki Airport and its adjacent areas with special reference to the behavioral pattern and food habits of the Black-eared Kite, *Milvus migrans*. *Sci. Bull. Fac. Agric. Kyushu Univ.* **34**, 123–132 (1980).
56. Kawaji, N. & Yokoyama, J. Food habits of the copper pheasant *Syrmaticus soemmerringii* in winter season. *Bull. FFPRI* **8**, 127–132 (2009).
57. Kawakami, K. Seed dispersal of *Melastoma tetramerum* in Chichijima Island of the Bonin Islands, Southern Japan (in Japanese). *Strix* **24**, 177–182 (2006).
- 58-1. Kawakami, K., Uchida, H. & Fujita, M. Diet of the Japanese Night Heron *Gorsachius goisagi* in Japan. *Ornithol. Sci.* **4**, 173–177 (2005).
- 58-2. Kawakami, K. Wada, S. & Chiba, S. Possible dispersal of land snails by birds. *Ornithol. Sci.* **7**, 167–171 (2008).
59. Kazama, T. Record of *Philomachus pugnax* from Niigata Prefecture (in Japanese). *Tori* **25**, 58 (1976).
60. Kazama, T. & Higuma, S. A new record of *Phalaropus fulicarius* from Japan Sea (in Japanese). *Japanese J. Ornithol.* **23**, 29–30 (1975).

61. Kobayashi, A. & Nakamura, H. Seasonal change of food items of the Japanese Rock Ptarmigan (in Japanese). *Japanese J. Ornithol.* **60**, 200–215 (2011).
62. Kobayashi, S. *et al.* Dietary habits of the endangered Okinawa Rail. *Ornithol. Sci.* **17**, 19–35 (2018).
63. Kohno, H. & Kishimoto, H. Prey of the Bridled Tern *Sterna anaethetus* on Nakanokamishima Island, South Ryukyu, Japan (in Japanese). *Japanese J. Ornithol.* **40**, 15–25 (1991).
64. Kojima, K. & Wada, T. On the food habits of some birds in Kochi prefecture (in Japanese). *Res. Reports Kochi Univ. Nat. Sci.* **16**, 51–77 (1967).
65. Kojima, K. & Arisawa, H. Habitat and food habit of the Black Woodpecker *Dryocopus martius* in Hokkaido (in Japanese). *Tori* **32**, 109–111 (1983).
66. Kojima, T. On the food-habits of birds in the forest (in Japanese). *J. Soc. For.* **9**, 1–10 (1927).
67. Kojima, T. Food-habits of birds as viewed from the protection of forests (in Japanese). *Bull. Tokyo Imp. Univ. For.* **8**, 23–94 (1929).
68. Komatsu, M. On the habits of *Larus crassirostris* on Kabushima in the Prefecture Aomori (in Japanese). *Tori* **8**, 446–461 (1935).
69. Konishi, H., Suzuki, T., Tamada, K. & Fujimaki, Y. Breeding biology of *Dryocopus martius* in Central Hokkaido (in Japanese). *J. Yamashina Inst. Ornithol.* **25**, 76–92 (1993).
70. Kosuge, T. Foraging behavior of the Black-faced Spoonbill *Platalea minor* on Ohama, Ishigaki Island, southwestern Japan. *Strix* **27**, 19–29 (2011).
71. Kubota, S. Blue rockthrush *Monticola solitarius* preys on lizards (in Japanese). *Kuroshio (Reports Nanki Biol. Club)* **23**, 52 (2004).
72. Kuhlman, F. Black-eared Kite populations in Kobe City, Japan. *Tori* **30**, 75–85 (1981).
73. Kurechi, M. & Yamada, K. Foods in the gizzard of a male Harlequin Duck (in Japanese). *Tori* **33**, 78–80 (1984).
74. Kuroda, N. Stomach contents of *Parus montanus*, *Sitta europeae* and *Troglodytes troglodytes* collected in Mt. Hayachine (in Japanese). *J. Yamashina Inst. Ornithol.* **5**, 682–683 (1969).
75. Kuroda, N. The food of the Golden-eye. *Tori* **15**, 289–290 (1960).
76. Kurosawa, R., Kono, R., Kondo, T. & Kanai, Y. Diet of jungle crows in an urban landscape. *Glob. Environ. Res.* **7**, 193–198 (2003).
77. Mahaulpatha, T., Mahaulpatha, D., Nakane, K. & Fujii, T. Nestling diet and prey selection of the Japanese Wagtail *Motacilla grandis*. *J. Yamashina Inst. Ornithol.* **33**, 36–43 (2001).

78. Maruyama, S. Mass sudden deaths of *Bombycilla* spp. migratory birds (in Japanese). *Japanese J. Toxicol. Environ. Heal.* **44**, 17–24 (1998).
79. Matsumoto, K. *et al.* Foraging behavior and diet of Streaked Shearwaters *Calonectris leucomelas* rearing chicks on Mikura Island. *Ornithol. Sci.* **11**, 9–19 (2012).
80. Matsuoka, S. Prey taken by Long-eared Owl *Asio otus* in the breeding season in Hokkaido. *J. Yamashina Inst. Ornithol.* **7**, 324–329 (1974).
81. Matsuoka, S. & Kojima, K. Studies on the food habits of four sympatric species of woodpeckers I. Grey-headed Green Woodpecker *Picus canus* in winter. *Tori* **33**, 103–111 (1985).
82. Matsuoka, S. & Kojima, K. Contents of fecal droppings collected in a nest of the Black Woodpecker *Dryocopus martius* (in Japanese). *Tori* **28**, 97–98 (1979).
83. Matubara, T. Esophageal and gizzard contents of Northern Shoveler (*Anas clypeata*) in Lake Teganuma (in Japanese). *Japanese J. Limnol.* **4**, 373–377 (1992).
84. Miyazawa, K. & Shimada, M. Anvil use by Okinawa Rail *Gallirallus okinawae* (in Japanese). *Japanese J. Ornithol.* **66**, 153–162 (2017).
85. Mizota, C. & Shimada, T. Temporal changes in the nitrogen concentration of food plants of Greater White-fronted Goose and Bean Goose during the 2005/2006 migration and wintering seasons in Japan (in Japanese). *Japanese J. Ornithol.* **56**, 40–50 (2007).
86. Mizuno, C. A report of fish-eating by a Spot-billed Duck *Anas poecilorhyncha* (in Japanese). *Strix* **24**, 201–20 (2006).
87. Mochida, M., Tanimura, A. & Yoshinuma, T. Plants found in the digestive tract of the Japanese Green Pigeon *Sphenurus sieboldii* in Hokkaido, Japan (in Japanese). *J. Japanese Wildl. Res. Soc.* **29**, 3–7 (2003).
88. Momiyama, T. Diets of some wild birds (in Japanese). *Tori* **1**, 98–101 (1917).
89. Mori, A., Mitsuyama, Y., Hirano, M. & Yamagishi, S. An observation of predation by *Alcedo atthis* on a Colubrid Snake, *Amphiesma vibakari vibakari* (in Japanese). *J. Yamashina Inst. Ornithol.* **42**, 161–163 (2011).
90. Morii, R. & Shioiri, T. On the pellet contents of the Ural Owl, *Strix uralensis hondoensis* (in Japanese). *Kagawa Seibutsu* **23**, 15–20 (1996).
91. Murakami, J. & Fujimaki, Y. Breeding biology of Rufous Turtle Dove *Streptopelia orientalis* in the Tokachi District, Hokkaido (in Japanese). *Tori* **31**, 95–106 (1983).
92. Nakagawa, N., Tajiri (Yamamoto), H. & Oohata, K. Mountain Hawk Eagle captures water birds at Katano-Kamoike, a Ramsar site in Ishikawa prefecture, central Japan (in Japanese). *Strix* **23**, 181–183 (2005).
93. Nakamura, H. Rock Ptarmigan *Lagopus mutus japonicus* (in Japanese). *Japanese J. Ornithol.* **56**, 93–114 (2007).

94. Nakamura, H. & Tabata, T. Food of the Nestling Broad-billed Roller *Eurystomus orientalis* (in Japanese). *Japanese J. Ornithol.* **38**, 131–139 (1990).
95. Nakamura, M. & Sameshima, M. First reliable record of reproduction of *Himantopus himantopus* in Kyushu, with description of reproductive ecology of the species in Okinoerabu-jima Island, Kagoshima Prefecture, Japan (in Japanese). *Nat. Kagoshima* **36**, 11–18 (2010).
96. Nakamura, M. & Ueuma, Y. Comparative feeding ecology of the Alpine Accentor *Prunella collaris* on Mt. Hakusan and Mt. Norikura. *J. Yamashina Inst. Ornithol.* **28**, 9–18 (1996).
97. Nakano, A. Did a Mandarin Duck catch a tadpoles? (in Japanese). *Strix* **22**, 207–209 (2004).
98. Nakano, D., Akasaka, T., Kohzu, A. & Nakamura, F. Food sources of Sand Martins *Riparia riparia* during their breeding season: Insights from stable-isotope analysis. *Bird Study* **54**, 142–144 (2007).
99. Nakao, H. Damage to soybean caused by Rufous Turtle Dove, *Streptopelia orientalis* and Reral Pigeon, *Columba livia* var. *domestica* and their food habit in Hokkaido (in Japanese). *Japanese J. Appl. Entomol. Zool.* **28**, 125–130 (1984).
100. Nanpo, A. & Matsuda, K. Seasonal changes in foraging sites and diets of the Grey Heron, in riverine environment (in Japanese). *Strix* **24**, 9–22 (2006).
101. Nishi, N. & Bekku (Sataka), Y. The Spotted Nutcracker hoarding seeds of Japanese White pine in Mt. Fuji where Japanese Stone Pine is not distributed (in Japanese). *Strix* **31**, 113–123 (2015).
102. Noguchi, K. Nesting situation and feeding habit of the brown-hawk owl *Ninox scutulata*, in Kagawa Prefecture, Japan (in Japanese). *Kagawa Seibutu* **29**, 39–44 (2002).
103. Nuka, T., Norman, C. P., Kuwabara, K. & Miyazaki, T. Feeding behavior and effect of prey availability on Sanderling *Calidris alba* distribution on Kujukuri Beach. *Ornithol. Sci.* **4**, 139–146 (2005).
104. Ogasawara, K. Winter habitats and food habits of the Green and Copper Pheasants (in Japanese). *J. Yamashina Inst. Ornithol.* **5**, 351–362 (1968).
105. Ogawa, I. Pellet analysis of the Bull-headed Shrike *Lanius bucephalus* and the seasonal change of food habits (in Japanese). *Tori* **26**, 63–75 (1977).
106. Oka, N., Tsuchiya, K., Kohno, H., Kikuchi, T. & Maruyama, T. Black-footed Albatross chicks regurgitated mesopelagic nektons (in Japanese). *Japanese J. Ornithol.* **62**, 52–56 (2013).
107. Okuma, R. Predators on land snails (in Japanese). *The Chiribotan* **16**, 22–27 (1985).
108. Sakai, J. Food of adult and young Eurasian Coot *Fulica atra* at Lake Ogawara, Aomori Prefecture, Japan (in Japanese). *Japanese J. Ornithol.* **64**, 237–241 (2015).

109. Sakai, S., Yamaguchi, N., Momose, H. & Higuchi, H. Seasonal shifts in foraging site and prey of Grey-Faced Buzzards (*Butastur indicus*), breeding in Satoyama habitat of central Japan. *Ornithol. Sci.* **10**, 51–60 (2011).
110. Sakamoto, Y., Inoue, M., Fujita, K., Yoshida, K. & Yanagisawa, N. Prey composition of the Oriental Honey-Buzzard *Pernis ptilorhynchus* during the breeding season (in Japanese). *Japanese J. Environ. Entomol. Zool.* **23**, 157–161 (2012).
111. Sakuratani, Y. Food habit of wild birds in the Nara Campus of Kinki University (in Japanese). *Mem. Fac. Agric. Kinki Univ.* **34**, 151–164 (2001).
112. Sekiya, Y., Hiratsuka, J., Yamamuro, M., Oka, N. & Abe, M. Diet selectivity and shift of wintering common pochards and tufted ducks in a eutrophic coastal lagoon. *J. Mar. Syst.* **26**, 233–238 (2000).
113. Shibasaki, F. & Hoshi, Y. Japanese Wood Pigeons *Columba janthina nitens* as a seed disperser (in Japanese). *Strix* **24**, 171–176 (2006).
114. Shichiri, H. *et al.* Gizzard contents of Okinawa Rail (*Gallirallus okinawae*) in Okinawa Island, Ryukyu Archipelago, Japan (in Japanese). *Kyushu J. For. Res.* **69**, 59–64 (2016).
115. Shimada, T. Northern Shovelers *Anas clypeata* ate small fish (in Japanese). *Strix* **11**, 343–344 (1992).
116. Shimada, T., Suzuki, Y. & Ishida, M. Food items of Greater White-fronted Geese by fecal analysis (in Japanese). *Strix* **20**, 137–141 (2002).
117. Shiomi, K. & Ogi, H. Feeding ecology and body size dependence on diet of the Sooty Shearwater, *Puffinus griseus*, in the North Pacific. *Proc. NIPR Symp. Polar Biol.* **5**, 105–113 (1992).
118. Shiraishi, H. & Kitahara, M. A study on the breeding ecology of the Ural Owl, *Strix uralensis*, which utilized an artificial nest, and its prey types and species at the northern foot of Mt. Fuji, central Japan (in Japanese). *Mt. Fuji Res.* **1**, 17–23 (2007).
119. Sugiyama, H. & Saito, M. The breeding status and food resources during the breeding season of a pair of White-tailed Sea Eagle breeding in the middle reaches of Teshio river, Hokkaido Japan (in Japanese). *Strix* **21**, 151–158 (2003).
120. Sumita, S., Yoshizawa, T., Koshida, M. & Fujimaki, Y. Breeding Biology of Black Woodpecker *Dryocopus martius* in Hakodate, Hokkaido (in Japanese). *J. Yamashina Inst. Ornithol.* **22**, 124–132 (1990).
121. Suzuki, K. & Yanagawa, H. Small mammals preyed on by long-eared owls, *Asio otus*, wintering in an urban riparian zone (in Japanese). *Mamm. Sci.* **51**, 315–319 (2011).

122. Suzuki, T. & Maeda, N. Frugivores of poisonous herbaceous plants *Arisaema* spp. (Araceae) in the Southern Kanto District, Central Japan. *J. Yamashina Inst. Ornithol.* **45**, 77–91 (2014).
123. Suzuki, Y., Shimada, T., Yagihashi, T. & Yagi, T. Characteristics of cherry buds preferred by Bullfinch (in Japanese). *Tohoku J. For. Sci.* **21**, 1–5 (2016).
124. Tada, H. A record of the behavior and diet composition of Eastern Marsh Harrier *Circus spilonotus* nestlings in Hotoke Marsh, Aomori Prefecture, northern Japan (in Japanese). *Strix* **27**, 73–82 (2011).
125. Tajiri (Yamamoto), H., Takeda, S., Uehashi, O., Morikawa, H. & Ohkawara, K. Feeding behavior and food preference of Baikal Teal (in Japanese). *Bird Res.* **1**, A33–A41 (2005).
126. Takagi, M. & Akatani, K. The diet of Ryukyu Scops Owl *Otus elegans interpositus* owlets on Minami-daito Island. *Ornithol. Sci.* **10**, 151–156 (2011).
127. Takahashi, A. *et al.* Importance of the Japanese anchovy (*Engraulis japonicus*) to breeding rhinoceros auklets (*Cerorhinca monocerata*) on Teuri Island, Sea of Japan. *Mar. Biol.* **139**, 361–371 (2001).
128. Takahashi, T., Kameda, K., Kawamura, M. & Nakajima, T. Food habits of great cormorant *Phalacrocorax carbo hanedae* at Lake Biwa, Japan, with special reference to ayu *Plecoglossus altivelis altivelis*. *Fish. Sci.* **72**, 477–484 (2006).
129. Takaya, S. & Sawara, Y. Feeding ecology of the Great crested grebe *Podiceps cristatus* in an irrigation pond in Aomori City (in Japanese). *Wildl. Conserv. Japan* **13**, 19–32 (2012).
130. Takeuchi, T. *et al.* Regional and temporal variations in prey selected by Golden Eagles *Aquila chrysaetos* during the nestling period in Japan. *Ibis (Lond. 1859)* **148**, 79–87 (2006).
131. Takizawa, K. & Hosono, T. Pellet analysis of the Long-eared Owl *Asio otus* in northern Nagano Prefecture (in Japanese). *Strix* **31**, 181–188 (2015).
132. Tawa, K., Sagawa, S. & Naito, K. Feeding habits of released free-living Oriental White Storks *Ciconia boyciana* based on monitoring data of storks for 9 years (in Japanese). *Reintroduction* **4**, 75–86 (2016).
133. Tokita, H., Yoshino, T., Onuma, M., Kinjo, T. & Asakawa, M. Gastric contents of the Crested Serpent Eagle from Yaeyama Archipelago, Okinawa, Japan (in Japanese). *Bird Res.* **10**, S13–S18 (2014).
134. Torii, H. & Takano, A. Stomach contents analysis of the Great cormorants, *Phalacrocorax carbo*, killed as pest in Mie Prefecture (in Japanese). *Bull. Nara Univ. Educ.* **54**, 57–60 (2005).
135. Tsushima, S. Slaty-backed Gull catches a flying swift (in Japanese). *Strix* **20**, 171–173 (2002).

136. Uchida, S. Investigation on the relationships between birds and industry in Japan (in Japanese). *Spec. Reports Agric. Inst.* **29**, 1–25 (1913).
137. Uchiyama, M., Goto, W. & Shimooka, Y. Feeding habits of wild ural owls at Zenkouji in Kofu-city (in Japanese). *Bull. Teikyo Univ. Sci.* **10**, 31–36 (2014).
138. Ueda, K. Food of the Yellow Bittern *Ixobrychus sinensis* in boluses regurgitated by nestlings (in Japanese). *J. Yamashina Inst. Ornithol.* **24**, 13–17 (1992).
139. Ueda, K. & De Forest, L. N. Food and hunting behaviour of male Ogasawara Buzzards *Buteo buteo toyoshimai* during the courtship feeding period (in Japanese). *Japanese J. Ornithol.* **37**, 34–36 (1988).
140. Ueno, K. & Koga, T. Foraging behavior of a whimbrel *Numenius phaeopus* in the Waka river estuary (in Japanese). *Bull. Fac. Educ. Wakayama Univ. Nat. Sci.* **56**, 21–26 (2006).
141. Watabe, N. & Yasue, Y. asunobu. Ecological studies on breeding, feeding and hunting of the Japanese Tree Sparrow, *Passer montanus saturatus* Stejneger (in Japanese). *Nogaku Kenkyu* **56**, 49–70 (1977).
142. Watanabe, K. & Watanabe, K. Breeeding record of Tiger Shrike *Lanius tigrinus* in hiroshima Prefecture, western Japan (in Japanese). *Strix* **25**, 151–168 (2007).
143. Watanabe, T. Contents of pellets of Grey-tailed Tattler *Heteroselus brevipes* collected in May in rice fields of the Kanto Plain, central Japan (in Japanese). *Strix* **25**, 61–70 (2007).
144. Watanabe, T. Differences in foraging behavior of Pacific Golden Plovers *Pluvialis fulva* between rice field types in spring (in Japanese). *Strix* **24**, 23–30 (2006).
145. Watanabe, T., Watanabe, H., Yamamoto, A. & Shimizu, Y. The importance of *Zizania latifolia* as food for geese and swans at inland waters and differences in foraging methods among species (in Japanese). *Japanese J. Ornithol.* **57**, 97–107 (2008).
146. Watanabe, T. Food items of Bewick's Swans at a rice field in Echigo Plain in winter (in Japanese). *Strix* **23**, 83–89 (2005).
147. Watanabe, T., Murakami, S., Yamasaki, A. & Kataoka, Y. Feeding of Middendorff's Bean Goose on the nuts of *Trapa* spp (in Japanese). *Strix* **21**, 195–206 (2003).
148. Watanuki, Y. Sex and individual variations in the diet of Slaty-backed Gulls breeding on Teuri Island, Hokkaido. *Japanese J. Ornithol.* **38**, 1–13 (1989).
149. Watanuki, Y. Food of breeding Leach's Storm-Petrels (*Oceanodroma leucorhoa*). *Auk* **102**, 884–886 (1985).
150. Watanuki, Y. Individual diet difference, parental care and reproductive success in Slaty-backed Gulls. *Condor* **94**, 159–171 (1992).

151. Watanuki, Y. Regional difference in the diet of Slaty-backed Gulls breeding around Hokkaido. *J. Yamashina Inst. Ornithol.* **20**, 71–81 (1988).
152. Yamamoto, T. The ecology of Rook *Corvus frugilegus* in wintering ground (in Japanese). *Bull. Ehime Prefect. Sci. Museum* **2**, 25–28 (1997).
153. Yamashina, Y. Habits of *Janthoenas janthina* and *Synthliboramphus wumizusume* in the Seven Islands of Izu (in Japanese). *Tori* **9**, 222–231 (1936).
154. Yamashina, Y. Researchs on food habits of Japanese birds, I. Food habits of the birds of the Izu Is. (in Japanese). *Tori* **11**, 1–46 (1941).
155. Yanagawa, H. & Tsutsubuchi, M. Mass mortality of Redpolls *Acanthis flammea* by collisions with vehicles (in Japanese). *Strix* **17**, 177–180 (1999).
156. Yoda, K., Tomita, N., Mizutani, Y., Narita, A. & Niizuma, Y. Spatio-temporal responses of black-tailed gulls to natural and anthropogenic food resources. *Mar. Ecol. Prog. Ser.* **466**, 249–259 (2012).
157. Yoneda, M., Abe, H. & Nakao, H. Winter food habits of the Yezo Ural Owl *Strix uralensis japonica* in a wind shelter-belt (in Japanese). *J. Yamashina Inst. Ornithol.* **11**, 49–53 (1979).
158. Yoshida, M., Arakida, A. & Arakida, N. Seed dispersal of mistletoe *Hyphear tanakae* by birds (in Japanese). *Strix* **19**, 115–120 (2001).
159. Yoshikawa, T. Feeding behaviors of Masked Grosbeak *Eophona personata* on acorns of fagaceous species (in Japanese). *J. Yamashina Inst. Ornithol.* **38**, 143–146 (2007).
160. Yoshikawa, T. & Osada, Y. Dietary compositions and their seasonal shifts in Japanese resident birds, estimated from the analysis of volunteer monitoring data. *PLoS One* **10**, 1–16 (2015).
161. Yoshimura, M., Hirata, T., Nakajima, A. & Onoyama, K. Ants found in scats and pellets taken from the nests of the Japanese Wryneck *Jynx torquilla japonica*. *Ornithol. Sci.* **2**, 127–131 (2003).
162. Yoshiyasu, K. & Ozaki, K. Seasonal changes in numbers and diet of Kentish Plover *Charadrius alexandrinus* at Obitsu Estuary in Tokyo Bay (in Japanese). *J. Yamashina Inst. Ornithol.* **34**, 126–135 (2002).