

GROMACS-CP2K Interface


Multiscale QM/MM simulations for exploring reactions in biological systems

Dmitry Morozov

University of Jyväskylä, Finland


dmitry.morozov@jyu.fi

What is QM/MM and why we want to do it?




Modeling of biological systems

Typical system for QM simulations



**Small number of atoms
(max of 100-200)**

Typical biological system



$\gg 10,000$ atoms




Multiscale approach: QM/MM

Combining different levels of theory and resolutions


Hybrid multiscale description

A small **QM part** comprises the **chemically/photophysically active region** treated by computationally demanding electronic structure methods.




The remainder **MM part** is described efficiently at a lower level of theory by classical force fields.

The system is separated into two parts:



Nobel Prize Chemistry 2013: Karplus, Levitt, Warshel

Interactions in QM/MM



Hybrid QM/MM scheme:


- Small part of the system at quantum (QM) level
- Rest of the system at forcefield (MM) level

The hybrid QM/MM **potential energy** contains three types of interactions:


- Interactions between particles in the QM region (straightforward description)
- Interactions between atoms in the MM region (straightforward description)
- Interactions between QM and MM particles

QM and MM Coupling Approaches

- **Mechanical embedding:** no influence of MM charges on the QM part, i.e QM calculation is gas-phase-like without additional potential due to the MM atoms.




- **Electrostatic embedding:** QM polarization due to the MM part included.



- **Polarized embedding:** MM polarization due to the QM part included as well (non-self consistently or fully self-consistently).



Bonded interactions

Introduced when covalent bonds connecting the QM and the MM regions are cut:



In addition, in this case care has to be taken when evaluating the QM wave function. Some methods to deal with dangling valences:

- **Monovalent capping Link-atoms:** usually hydrogen atoms at an appropriate position along the bond vector
- **Capping pseudopotentials:** linking atom with scaled down pseudopotential and the required valence charge, which requires to constrain the bond distance appropriately.
- **Generalized hybrid orbitals:** hybrid orbitals are placed on the boundary atom and one of them participates in the SCF calculation for the WF of the QM region.



GROMACS-CP2K Interface



Quickstep: Mixed Gaussian and Plane wave basis implementation of Density Functional Theory

+

GEEP: Gaussian Expansion of Electrostatic Potential (GEEP) to compute the QM/MM coupling


GROMACS
FAST.
FLEXIBLE.
FREE.

Forcefield: Classical MM-MM interactions both bonded and non-bonded (PME)

+

Integration: Classical MD using fully periodic QM/MM forces

$$H = \underbrace{H_{MM}}_{\text{Forcefield}} + \underbrace{H_{QM}}_{\text{Quickstep}} + \underbrace{H_{QM/MM}}_{\text{GEEP}}$$



Forcefield (MM) - GROMACS

- Force field description of MM region


$$V(r_1, r_2, \dots, r_N) = V_{bonded}(r_1, r_2, \dots, r_N) + V_{non-bonded}(r_1, r_2, \dots, r_N)$$

$$V_{bonded} = \sum_{bonds} \frac{1}{2} k_b (r - r_0)^2 + \sum_{angles} \frac{1}{2} k_\theta (\theta - \theta_0)^2 + \sum_{torsions} k_\xi (\xi - \xi_0)^2$$


$$+ \sum_{torsions} \frac{1}{2} k_\phi [1 + \cos(n\phi - \phi_0)]$$

$$V_{non-bonded} = \sum_{LJ} 4\epsilon_{ij} \left(\frac{C_{ij}^{(12)}}{r_{ij}^{12}} - \frac{C_{ij}^{(6)}}{r_{ij}^6} \right) + \sum_{Coul.} \frac{q_i q_j}{r_{ij}}$$

$$H = \underbrace{H_{MM}}_{\text{Forcefield}} + \underbrace{H_{QM}}_{\text{Quickstep}} + \underbrace{H_{QM/MM}}_{\text{GEEP}}$$



Quickstep (QM) - CP2K




$$H = H_{MM} + H_{QM} + H_{QM/MM}$$

Forcefield

Quickstep

GEEP



Energy, Forces and other properties

GEEP for QM/MM Coupling - CP2K

- QM polarization due to the MM part included.


$$H = \underbrace{H_{MM}}_{\text{Forcefield}} + \underbrace{H_{QM}}_{\text{Quickstep}} + \underbrace{H_{QM/MM}}_{\text{GEEP}}$$

$$E_{electrostatic}^{QM-MM} = \sum_{I \in MM} q_I \int \rho(\mathbf{r}) v_I^{smear}(|\mathbf{r} - \mathbf{R}_I|) d\mathbf{r}$$

$$v_I^{smear}(|\mathbf{r} - \mathbf{R}_I|) = \frac{\text{Erf}\left(\frac{|\mathbf{r} - \mathbf{R}_I|}{\mathbf{r}_{c,I}}\right)}{|\mathbf{r} - \mathbf{R}_I|} = \sum_{N_g} A_g e^{-\left(\frac{|\mathbf{r} - \mathbf{R}_I|}{G_g}\right)^2} + R_{low}(|\mathbf{r} - \mathbf{R}_I|)$$


+

Real Space multi-grid approach




Fully periodic QM/MM

- GEEP projects electrostatic potential from point charges onto the multi-grid of QM box
- QM-QM periodic interactions are treated efficiently with Quickstep
- Unless the QM and MM box have same dimensions the QM images over PBC will have incorrect periodicity
- Blöchl scheme is used in CP2K to restore full system box periodicity




Simulation flow – Gromacs (MdModules)



- Less dependencies / More encapsulation
 - grompp and mdrun does not need to know about QM/MM, pulling or density-guided simulations
- Easier to integrate and maintain
 - Clear places interaction of new code with GROMACS
 - Pre-defined interaction pattern with rest of code


Why QM/MM is difficult to use?

Do you use QM/MM simulations in your research?




Why QM/MM is difficult to use?

Which issues have hindered your use of QM/MM?




Make it simpler to use!

Typical workflow for biochemical QM/MM modelling




Topology processing and features




1. Remove partial charges from QM atoms
2. Remove LJ interactions between QM-QM atoms (keep with QM-MM)
3. Remove Bonds (which connects 2 QM atoms)
4. Remove Angles, which contains 2 or more QM atoms
5. Remove Dihedrals, which contains 3 or more QM atoms
6. Cleanup water constraints (SETTLE) from QM waters
7. Generate CP2K Input (including Link atoms)

- Sample CP2K QM parameters setup for the biological systems
- Compatibility with the most simulation techniques available in Gromacs
- Compatibility with Gromacs tools and third-party software for analysis
- Supports highly parallelizable simulation methods, like umbrella sampling

Easy to use: simple QM/MM setup



Example system



QM subsystem : HBDI (GFP Chromophore)

MM subsystem : 3237 TIP3P waters and Na⁺ ion

QM charge: -1

QM multiplicity: 1

Functional: PBE

Basis: DZVP-MOLOPT

qmmm-active	= true
qmmm-qmgroup	= HBDI
qmmm-qmmethod	= PBE
qmmm-qmcharge	= -1
qmmm-qmmultiplicity	= 1

CP2K: Generated Input File

```
&GLOBAL
  PRINT_LEVEL LOW
  PROJECT GROMACS
  RUN_TYPE ENERGY_FORCE
&END GLOBAL

&FORCE_EVAL
  METHOD QMMM
  &DFT
    .... contents of DFT section
  &END DFT
  &QMMM
    .... contents of QMMM section
  &END QMMM
  &MM
    .... contents of MM section
  &END MM
  &SUBSYS
    .... contents of SUBSYS section
  &SUBSYS
&END FORCE_EVAL
```

! parameters for force evaluation
! method employed e.g. QMMM (Quickstep + GEEP)
! Grids setup, SCF and Functional parameters

! Set up for QM box, GEEP, Blöchl scheme, Link atoms



! Needed to switch off MM-MM interactions

! Coordinates, atom kinds (Gaussian basis sets)



CP2K: Point Charges

```
....  
ATOM 24 H QM 1 22.990 26.200 25.510 1.00 0.00 H 0.000000  
ATOM 25 C QM 1 24.150 24.930 26.660 1.00 0.00 C 0.000000  
ATOM 26 O QM 1 23.620 23.820 26.190 1.00 0.00 O 0.000000  
ATOM 27 O MM 2 23.740 30.770 14.650 1.00 0.00 O -0.820000  
ATOM 28 H MM 2 24.150 29.860 14.630 1.00 0.00 H 0.410000 } TIP3P water  
ATOM 29 H MM 2 24.070 31.260 15.460 1.00 0.00 H 0.410000  
ATOM 30 O MM 2 16.410 39.470 20.500 1.00 0.00 O -0.820000  
ATOM 31 H MM 2 17.320 39.650 20.870 1.00 0.00 H 0.410000  
ATOM 32 H MM 2 16.140 40.230 19.900 1.00 0.00 H 0.410000  
ATOM 33 O MM 2 16.020 28.300 22.750 1.00 0.00 O -0.820000  
ATOM 34 H MM 2 16.010 28.580 23.700 1.00 0.00 H 0.410000  
ATOM 35 H MM 2 15.130 27.920 22.490 1.00 0.00 H 0.410000  
....
```

Energy minimization




Dynamics with Pressure and Temperature coupling (NPT)




Thermostat: V-rescale 300K, 0.1 ps

Barostat: Berendsen 1 bar, 0.1 ps



Dynamics: 1 fs time-step, approximately 10 ps/day




Flexible input: advanced QM/MM setup



Protein simulations: Phytochrome





D-ring disposition from
 α_f to β_f in order of μs



Objective:

- D-ring disposition energy barrier ($\alpha_f \rightarrow \beta_f$)
- Free energy with Umbrella sampling simulations
- QM part - Chromophore
- QM method - PBE/DZVP-MOLOPT-GTH
- MM Forcefield - Amber03

Protein simulations: umbrella sampling



CP2K: Advanced Input Parameters

For further information:

https://docs.bioexcel.eu/qmmm_bpg/en/main/

- 1) Best practice guides
- 2) Explanations on parameters and combinations
- 3) Simulations of biological systems with CP2K
- 4) Understanding of CP2K output
- 5) Troubleshooting

Acknowledgments



Prof. Gerrit Groenhof (JYU)



Dr. Christian Blau (KTH, Gromacs Team)

M.Sc. Vaibhav Modi (JYU)


Dr. Arno Proeme (UEDIN)

Dr. Holly Judge (UEDIN)

Dr. Emiliano Ippoliti (Jülich)

Audience Q&A session

- Please use the Questions function in GoToWebinar application
 - If you don't have audio, please mention that in the question.
- Any other questions or points to discuss after the live webinar? Join the discussions at <http://ask.bioexcel.eu>.



Next webinar occasions

See <https://bioexcel.eu/>

18 January 2021

Student Webinar: Winter School
2020 Edition

Starting with February 2021

Spring BioExcel Webinars

- Paul Bauer/Berk Hess – Feature of GROMACS 2021
- Magnus Lundborg/Berk Hess -Solvation free energy and Advance Weight Histogram
- Joe Jordan - NB-library

QM/MM Best Practice workshop webinar: Studies on enzyme-catalysed reactions



Prof. Maria João Ramos

University of Porto

10/12/2020

<https://bioexcel.eu/qmmm-best-practice-workshop-4>





BioExcel Partners



ih
Ian Harrow Consulting

NNORMAN
CONSULTING

Utrecht University

 acrosslimits

EMBL-EBI



MANCHESTER
1824



Horizon 2020
European Union Funding
for Research & Innovation

BioExcel is funded by the European Union
Horizon 2020 program under grant
agreements 675728 and 823830.