

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/272509785>

Study of vision based hand gesture recognition using indian sign language

Article in *International Journal on Smart Sensing and Intelligent Systems* · March 2014

DOI: 10.21307/ijssis-2017-647

CITATIONS

42

READS

4,427

3 authors, including:



Archana Ghotkar

Pune Institute Of Computer Technology

25 PUBLICATIONS 257 CITATIONS

[SEE PROFILE](#)



Gajanan K. Kharate

Matoshri College of Engineering & Research Centre

27 PUBLICATIONS 322 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Indian sign language interpretation [View project](#)



Hand Gesture Recognition for HCI [View project](#)



STUDY OF VISION BASED HAND GESTURE RECOGNITION USING INDIAN SIGN LANGUAGE

Archana S. Ghotkar¹ and Dr. Gajanan K. Kharate²

¹Pune Institute of Computer Technology, Department of Computer Engineering,
University of Pune, Pune, India.

²Matoshri College of Engineering and Research Centre, Department of Electronics and
Telecommunication Engineering, University of Pune, Nashik, India.

archana.ghotkar@gmail.com, gkkharate@yahoo.co.in

Submitted: Jan. 3, 2014

Accepted: Feb. 14, 2014

Published: Mar. 1, 2014

Abstract- Human Computer Interaction moves forward in the field of sign language interpretation. Indian Sign Language (ISL) Interpretation system is a good way to help the Indian hearing impaired people to interact with normal people with the help of computer. As compared to other sign languages, ISL interpretation has got less attention by the researcher. In this paper, some historical background, need, scope and concern of ISL are given. Vision based hand gesture recognition system have been discussed as hand plays vital communication mode. Considering earlier reported work, various techniques available for hand tracking, segmentation, feature extraction and classification are listed. Vision based system have challenges over traditional hardware based approach; by efficient use of computer vision and pattern recognition, it is possible to work on such system which will be natural and accepted, in general.

Index terms: Indian sign language, vision based hand gesture recognition, hand tracking, segmentation, feature extraction, classification, computer vision, pattern recognition

I. INTRODUCTION

Standard sign languages (SL) are known as Deaf and Dumb languages. SLs are gestural languages which contain symbolic encoded message for communication without speech channel. They are unique in some ways in that they cannot be written like spoken language. Sign language varies from country to country with its own vocabulary and grammar. Even within one country, sign language can vary from region to region like spoken languages. Indian Sign Language (ISL) is a language used by Indian deaf and dumb community [1].

Gestures are powerful means of communication among humans. Among different modality of body, hand gesture is the most simple and natural way of communication mode. Real time, vision based hand gesture recognition is more feasible due to the latest advances in the field of computer vision, image processing and pattern recognition but it has yet, to be fully explored for Human Computer Interaction (HCI) [55-56].

With the wide applications of HCI, now days, it becomes active focus of research [55]. To have an interaction with computer, vision based system is more suitable than traditional data glove based system, as sensors are attached to the data glove and data suit where, user has to wear these cumbersome devices [2]. In this paper, Vision based approach have been discussed for interpreting the Indian sign language using hand modality. A Typical Hand Gesture Recognition system consists of mainly four modules: Gesture acquisition, Tracking and segmentation, Feature extraction and description, Classification and recognition. This paper focuses on a study of sign language interpretation system with reference to vision based hand gesture recognition. An attempt has also been made to explore about the need and motivation for interpreting ISL, which will provide opportunities for hearing impaired peoples in Industry Jobs, IT sector Jobs, and Government Jobs.

The organization of the paper is: Section II gives information about India sign language Section III focuses on a typical sign language interpretation system. Section IV shows human hand skeleton model. Section V describes typical vision based hand gesture recognition system with various methods/techniques available in literature. Section VI focuses on challenges in sign language interpretation and gesture recognition and section VII contains discussion and conclusion.

II SIGN LANGUAGE IN INDIA

In literature, it was found that count of hearing impaired people in India, is more compared to other countries. Not all of them use ISL but, more than one million deaf adults and around half million deaf children use ISL as a mode of communication. Deaf people, who live in villages usually, do not have access to sign language. However, in all large towns and cities across the Indian subcontinent, deaf people use sign language which is not standard sign language. Extensive work and awareness program are being done for implementation of ISL in education systems [3].

In 1970, linguistic work on ISL began and with contribution of a team of researcher from America and Vasishta et al. It was found that ISL is a language in its own right and is indigenous to the Indian subcontinent and resulted in four dictionaries between 1977 and 1982. It was found that 75% signs are same across the region. In 1998, another researcher from Germany (Dr. Ulrike Zeshan) compared signs from many different regions across the Indian subcontinent, including regions such as Orissa, Kerala, Jammu and Kashmir, Bhopal, Chennai, Bangalore and Darjeeling. She also found that on an average about 75% of the signs are similar across different regions [1]. Further work was carried out by Zeshan and Vasishta [3] on developing ISL grammar, ISL teaching courses, ISL teacher training program and teaching material that was approved by the Rehabilitation Council of India in 2002 [1,3]. There are many ISL cells working in India for use and awareness of ISL as well as teaching courses of ISL. Ali Yavar Jung National Institute for Hearing Handicapped, Mumbai released “Basic course in INDIAN SIGN LANGUAGE” [1]. After survey, it was found that there are around 405 deaf and dumb schools in India. Most of the schools use their own native sign language as a teaching and learning aid, therefore, for awareness to use of standard ISL as a teaching aid is being done by different ISL cells and NGOs to help Indian deaf and dumb community to bridge the communication gap between them.

There are some common wrong beliefs about sign language which is reported in ISL literature [1]:

- i) “Sign language is same all over the world”
- ii) “Sign language is not a complete language. It is just a sort of pantomime or gesturing, and it has no grammar”

- iii) “Sign language is dependent on spoken language. It is a representation of the spoken language of the hands”
- iv) “Sign language is the language of the hands only”
- v) “Sign language has been invented by other people to help deaf people”
- vi) “Signed Hindi or signed English is better than Indian sign language”

So overcoming these wrong beliefs, there is a need of developing ISL interpretation system to aid Indian hearing impaired people with the help of HCI and making them literate and self-dependent.

Major research work is going on awareness and multilingual Indian sign language dictionary tool [4], so there is a need for Indian sign language interpretation tool. Following may be the major advantages of ISL interpretation.

- i) Use and awareness of computer interface through ISL interpretation.
- ii) Education and training will be easier through ISL interpretation/visualization for Indian deaf and dumb people.
- iii) Serving the mankind by use of technology.
- iv) Social aspect like humanity can increase in individual mind by involving physically impaired people in our day to day life.
- v) Blind people can also use the same system by extending it for voice interface.

III SIGN LANGUAGE INTERPRETATION SYSTEM

Sign language is not a universal language. Sign language recognition is a multidisciplinary research area involving pattern recognition, computer vision, natural language processing and psychology. Figure 1 shows the typical architecture for sign language interpretation system. It broadly divides into two modules. First module is for converting normal English sentences into SL (to be understood by deaf people) and another module is for converting SL into English text (to be understood by normal people). For literate hearing impaired people, those who can read English, first module is not required. But for illiterate deaf and dumb people, both modules are essential. In both the module, language processing engine is required which is based on a

particular language rules. Conversion of sign to text includes the area of computer vision, image processing, pattern recognition and language processing with linguistic study.




Figure 1. A Typical Sign Language Interpretation System

The earlier reported work on sign language recognition is shown in Table 1.

Table 1: Survey on different sign language system for different modalities

Sign Language	Modality used	Subset of sign language considered and recognition rate	Reference
Native Indian sign language	Hand	Static signs (95.2%) Dynamic signs (95.5%) Sentences (92.5%)	[5]
Indian sign language (south Indian sign language)	Hand	Tamil letters(12 vowels and 18 consonants)	[6]
Bangladeshi sign language	Hand	Vowels(6), 10 numbers	[7]
Malay sign language	Hand	25 common words with sensor attached on both the hand	[8]
Arabic sign language	Hand	23 Arabic words (87%)	[9]
Taiwanese sign language	Hand	15 gestures	[10]
American sign language	Hand	A-Z alphabets	[11]
American sign language	Hand	Sign database 50	[12]
Brazilian sign language	Hand	Latin letters	[13]
Chinese sign language recognition	Hand	Isolated and continuous sign	[14]

American sign language	Hand and Face	22 sign vocabulary	[15]
American sign language	Hand	26 manual alphabets	[16]
Indian sign language	Hand	ISL alphabets and numbers	[17]

After study and investigation, it was found that there is a relation between human gesture and speech. Speech expression can be replaced by signs going from gesticulation to sign language. ISL is a visual-spatial language. It is having linguistic information in the form of hands, face, arms and head/body posture and movements. Visual channel is active in sign language like speech channel in spoken language. Figure 2 describes the ISL type hierarchy, which could help for design of such system [4]. It is broadly categorized into 1) Manual (hand shape, hand location, orientation and movements) 2) Non-manual (facial expression, eye gaze and head/body posture). In ISL, there are one handed and two handed signs which can be static and dynamic (movement). In two handed sign, some sign contains both hand active (type 0) and some sign contains dominant hand more active than non-dominant hand (type 1). Before begin to design of any sign language interpretation system, it is advisable to go through respective sign language hierarchy. Figure 3 shows ISL manual alphabet set [60].




Figure 2. A hierarchical classification of ISL [4]




Figure 3. The ISL Manual Alphabets

IV HAND GESTURE

Though it is found that hand plays active role in sign language but due to its complex articulated structure consisting of many connected links and joints, hand gesture recognition becomes a very challenging problem. Figure 4 shows skeleton structure and the joints of the human hand, with total 27 degree of freedom (DOF) considering hand wrist. There are widely two terms used in hand gesture recognition system: 1) Hand posture (static hand gesture) and 2) Hand gesture (Dynamic hand gesture). In hand posture, no movements are involved whereas; hand gesture is a sequence of hand posture connected by movement over a period of time [2]. In dynamic hand gesture, again two aspects are considered such as local finger motion without changing hand position or orientation and global hand motion where, position or orientation of hand gets changed. Study of hand skeleton model is very essential for developing any hand gesture recognition system.




Figure 4. Hand Skeleton with DOFs [18]

V VISION BASED HAND GESTURE RECOGNITION

In any typical hand gesture recognition system, a good and strong set of features, description and representation are required. In the current state of the art, due to the limitation of data glove/sensor based approaches, vision based (appearance based) and 3-D hand model based approaches are being used [2]. One of the major tasks in hand gesture recognition is the description of the gesture. Various methodologies are found in the literature such as, statistical and synthetic based approaches. In statistical representation, one can represent it, in the form of feature vector and then apply classification and recognition algorithm; whereas synthetic gesture recognition gesture can be represented in the form of tree, string or graph and decision rule such as graph matching, decision tree and string matching.

Now days in the field of Human Computer Interaction, Hand Gesture recognition [HGR] is an active research topic. In this section, various approaches and techniques have been explored related to hand gesture recognition.

Recognizing gesture is a complex task which involves many aspects such as object detection, object description, motion modeling, motion analysis, pattern recognition and machine learning even psycholinguistic studies also required [4].



Figure 5. The Typical Hand Gesture Recognition System

Figure 5 shows typical architecture of HGR system. Hand tracking and segmentation are to be done on captured video and feature extraction is to be done on segmented hand image which is further given to classification and recognition phase. Output is to be printed or executed, depending on the application. In this paper, survey has been carried out on various methods adopted by various researchers on defined steps.

a. Hand Tracking and Segmentation

After capturing and separating frames from videos, the elementary and important task is detection and segmentation of hands. There are various approaches and techniques available in literature [19] but the results vary, images to images due to the limitation of vision based approach such as variable lightning condition, variation of skin color, detection of hand in complex background. Pixel and region based segmentation techniques are available [20, 21]. In India, there is deviation in human skin color tones. So, finding out adaptive color model is a big challenge for skin color detection [22]. It has been observed that HSV and YCbCr color model gave better result for skin color detection [23] than other models due to the separation property of luminance and chrominance component. Some researcher used additional marker or color gloves for hand segmentation using color thresholding, but for natural interface bare hand interaction is always preferred. Supervised as well as Unsupervised Learning Model such as Bayesian classifier [24] can be used for skin color segmentation [25-26]. Unsupervised learning such as, K-mean clustering is also a good option for skin color segmentation [27]. 2D Tracking algorithm [28] gives the position information of hand such as color tracking, motion tracking, template matching, blob tracking, Multiple cues integrating methods are available. It has been noticed that

tracking algorithm such as meanshift [29], camshaft [30], viola jones [31] with appropriate color space gave better segmentation result in complex background.

b. Feature Extraction

After studying hand skeleton model it has been noticed that shape is the important visual feature of the hand. Zhang and Lu [37] gave classification of shape representation and description techniques based on contour and region. In contour based method, shape features are extracted from the shape boundary whereas, in region based method features are extracted from the whole shape.

- i) Contour-based shape representation and description methods are chain Code, Polygon, B-spline, Perimeter, Compactness, Eccentricity, Shape Signature, Hausdoff Distance, Fourier Descriptor, Wavelet Descriptor, Scale Space, Autoregressive, Elastic matching.
- ii) Region-based shape representation and description methods are Convex Hull, Media Axis, Area, Euler Number, Eccentricity, Geometric Moments, Zernike Moments, Pseudo-Zernike Moments, Legendre Moments [37].

In hand recognition problem, shape contour is important than whole region so, contour based methods are mostly used. But for complex sign, sometimes region based methods are more suitable because it contains all the available information [37]. In case of the new signer for performing gesture, there may be chances for angle deviation, shifting of signer space (translation) can occur. Hand size (scaling) of the signer can also vary. So, while choosing feature extraction method, care must be taken that it should be invariant to translation, rotation and scale. SLs contain large set of vocabulary, use of one of the feature extraction techniques is not sufficient. Practically combination of feature vector and motion vector is the better choice to get accuracy. Table 2 shows the earlier reported work on hand gesture recognition on various segmentation and feature extraction techniques.

c. Classification and Recognition

An efficient classifier and recognition method plays very important role in any gesture recognition system. This step goes forward with the pattern recognition and machine learning field. Any pattern recognition problem is classified into two methods i) supervised and ii)

unsupervised classification. Though an intensive research is being carried out for the last 60-65 years in the field of pattern recognition, but the complex pattern with variant to translation rotation and scale is still unresolved [44]. Various supervised classification methods are available such as nearest neighborhood classification with Euclidean distance [45] and other similarity measures [46], Bay's classifier [47], Neural network [48], Hybrid Recognizer [49], linear regression model and unsupervised classification methods such as clustering methods: K-mean, Fuzzy k-mean, Minimum spanning tree, Single link, Mutual neighborhood, Single-link, Complete link, Mixer decomposition. In sign language interpretation, as the previous classes are known, supervised classification is the good choice. For construction of sentence followed by sequence of signs, Hidden markov model [50-51] is useful. Vision-based hand gesture recognition system also needs to meet the requirements including real-time performances, accuracy and robustness, so use of correct classifier is the need of the any machine learning system. Training and testing the system is the very important aspect of any research work. There are many error estimation methods available such as redistribution methods, Holdout method, Leave-one Out method, Rotation method, n-fold cross validation and bootstrap method. Depending on the availability of sample data and required performance one can choose the error estimation method for analysis of results. Some researcher worked on hybrid classifier or cascaded classifier to get best performance [49].

Table 2: Survey on Different Segmentation and Feature extraction Techniques

Parameter	Various available techniques/methods available in literature	Background/illumination	Accuracy/ Remark
Segmentation and Tracking techniques	YCbCr color space, K-means embedded particle filter for two hand tracking [33]	Simple as well as cluttered background	Accuracy: 83% a) worked better than mean shift algorithm, b) tracking fail for rapid movement of hand.
	Tower method for hand tracking [34]	Simple background	Faster than camshift
	Two hand segmentation with Haar-Like feature and adaptive skin color model [35]	Complex background	Accuracy: 89% to 98% for four movement

	kalman filtering and a collapsing method [36]	Complex background	Satisfactory results
	Viola Jones method for tracking [31]	White background and different lightning condition	Fast and most accurate learning-based method for object detection
	Color based segmentation using HSV, L*a*b color spaces and camshift method for tracking [30]	Simple and complex background	Camshift tracking with HSV color model gives better result in complex background, different lighting condition and skin color
Feature extraction techniques	Angle and distance from endpoint [38]	Complex background	Accuracy: 92.13% No. of gesture used : 10
	Haar wavelet, Code word scheme [39]	uniform	Accuracy: 94.89% No. of gesture used : 15
	Location, angle, velocity and motion pattern P2-DHMMs [40]	Complex background	Accuracy: up to 98% No. of gesture used : 36
	Orientation Histogram, Neural network [41]	Complex background	Accuracy: up to 90 No. of gesture used : 33
	Co-occurrence Matrix, local and global features [42]	Complex background	Accuracy: 93.094% No. of gesture used : 30
	Key trajectory point selection, trajectory length selection, location feature extraction, orientation feature extraction, velocity and acceleration [43]	Uniform	Accuracy: Static-92.81% Dynamic:87.64% No. of gesture used : 26

VI CHALLENGES IN SIGN LANGUAGE INTERPRETATION

Literature shows that due to the challenges of vision based system, most of the researchers till date have limited their work, to small subset of a full sign language [5]. To work on full sign language interpretation, close collaboration with SL interpreter and deaf people is required [52].

Annelies Braffort [52], mentioned worry about work going on sign language interpretation by hearing researcher. In this context, Annelies Braffort [52] suggested to hearing researcher to ask themselves these questions:

- i) “Is there really an interest in my research for the deaf community?”
- ii) “Is what I call sign Language in my papers really Sign Language?”

Sign language function and spoken language functions are totally different. SL is fundamentally based on spatial properties and iconicity properties. Hand parameters such as shape, movement, orientation and location as well as facial expression, mouth movements are considered to understand the sign. These parameters occur simultaneously and are articulated in space. Building of syntactic and semantic based rule system is required because one sentence in a spoken language can be represented by a single sign in SL. Britta and Karl-Friedrich [53] reported some difficulties in terms of sign language:

- i) Occlusions problem while performing sign
- ii) Signer position may vary in front of camera while performing sign
- iii) Working on 2D camera give loss of depth information
- iv) As each sign varies in time and space, so there may be a change in position and speed with same person or person to person
- v) Co-articulation problem(link between preceding and subsequent sign)

Spoken language and sign languages are totally different in their linguistic structure. Design of rule based system is also a challenging task. In ISL, proper noun is not pronounced as in spoken, but it has been used like pointing to the identity of the particular person with their gender (male/female). English language is used the structure of sentence: SUBJECT, VERB, OBJECT, but In ISL, always this structure does not use. In some cases it is used as SUBJECT, OBJECT, VERB. These are the some important linguistic properties which should be studied before design of rule based system (language processing engine).

VII DISCUSSION AND CONCLUSIONS

The major objective of this paper was to give significance of ISL as an interpretation language and focus on various methods/techniques available for vision based hand gesture recognition. Researchers are facing major problem of availability of standard database. Major work is going on for ISL multilingual multimedia dictionary tool. Most of the researchers are working on their

own created dataset. In this context as per the Annelies Braffort [52], if we follow some linguistic ethics and go forward with the help of SL trainer and deaf people, we can really give justice for implementation of SL interpretation system. The deaf assistive system can bridge the communication gap between hearing impaired and normal people without isolating them in the society. Table 3 shows some required additional information, which is not covered in the previous text.

Table 3: Summary of additional parameters required for vision based hand gesture recognition.

Attribute/Parameter	Solution	Remark
Capturing Devices	2D web camera, 3D camera	For cost effective solution, normal 2D web camera is being used for HCI application but now day's 3-D camera such as Microsoft kinect sensor is also available in the market which provides the depth as well as skeleton information. Using this camera major of the image preprocessing work gets reduced.
Application of Gesture Recognition	Multidirectional control- 3D design, advertising, gaming, computer interface[56], robotic interface and behavior [57], mobile application, virtual reality, home care and security[58] Symbolic language: Sign languages	Research work is going on variety of application, which will replace traditional hardware devices by hand but anticipated limited signs are used in multidirectional control but robustness and speed are the essential performance parameters. Whereas, in sign languages vocabulary set is predefined and it is huge so it is challenging task for researchers.
ISL training courses, dictionary	Training courses at level (A,B,C), course material, ISL Dictionary	[59-63]
Implementation soft wares	VC++, JAVA, PYTHON using OpenCV, MATLAB, C#, .NET	Use of the OpenCV is advisable for real time application because of free cost and execution speed.

In this paper, authors tried to focus on challenges for vision based and sign language interpretation system with an objective, to give an overall glimpse of SL interpretation need, existing image processing and pattern recognition techniques available in the literature. It will be a great contribution to the Indian hearing impaired through working on Indian sign language, so that they are enabled to become self-respecting citizens and despite their deafness and muteness can play a useful role in the society.

Every God creature has an importance in the society, remembering this fact, let us try to include hearing impaired people in our day to day life and live together.

REFERENCES

- [1] U. Zeshan, “ ‘A’ level Introductory course in INDIAN SIGN LANGUAGE”, Ali Yavar Jung National Institute for Hearing Handicapped, Mumbai, 2001, pp. 1-38.
- [2] P. Garg, N. Agrawal, S. Sofat, “Vision based Hand Gesture Recognition”, Proceedings of world Academy of Science, Engineering and Technology, Vol.37, 2009, pp. 1024-1029.
- [3] U. Zeshan, M. Vasishta, M. Sethna, “Implementation of Indian Sign Language in Educational Setting”, Asia pacific Disability Rehabilitation Journal, Vo.16, No.1, 2005, pp. 16-39.
- [4] Dasgupta, Shulka, S. Kumar, D. Basu, “A Multilingual Multimedia Indian Sign Language Dictionary Tool”, The 6th Workshop on Asian Language Resources, 2008, pp. 57-64.
- [5] M. K. Bhuyan, D. Ghoah, P. Bora, “A Framework for Hand Gesture Recognition with Application to sign language”, India Conference, IEEE, Sept. 2006, pp. 1-6.
- [6] P. Subha Rajan, G. Balakrishnan, “Recognition of Tamil Sign Language Alphabet using Image Processing to aid Deaf-Dumb People”, International Conference on Communication Technology and System Design, 2011, pp. 861-868.
- [7] S. Begum, Md. Hasanuzzaman, “Computer Vision-based Bangladeshi Sign Language Recognition System”, IEEE, International conference on Computer and Information Technology, 2009, pp. 414-419.
- [8] T. Swee, Selleh, Ariff, Ting, Seng, “Malay sign Language Gesture Recognition System”, International Conference on Intelligent and Advanced System, IEEE, 2007, pp. 982-985.
- [9] T. Shanableh, K. Assaleh, “Arabic sign language recognition in user independent mode”, International conference on Intelligent and Advanced Systems, 2007, pp. 597-600.

- [10] Maryam, Mansour, Majid, "Sign Language Recognition", Signal Processing and It's Applications, IEEE, ISSPA, 2007, pp. 1-4.
- [11] Satjakarn, V. Jailongrak, S. Thiemjarus, "An Assistive Body Sensor Network Glove for Speech and Hearing-Impaired Disabilities", International Conference on Body Sensor Networks, IEEE Computer Society, 2011, pp. 7-12.
- [12] M. M. Zaki, S. Shaheen, "Sign language recognition using a combination of new vision based features", Pattern Recognition Letters, Elsevier, 2011, pp. 572-577.
- [13] H. Pistori, J. Neto, "An Experiment on Hand shape Sign Recognition Using Adaptive Technology: Preliminary Results", SBIA, LNAI 3171, 2004, pp. 464-473.
- [14] W. Gao, Fang, Zhao, Chen, "A Chinese sign language recognition system based on SOFM/SRN/HMM", The Journal of the Pattern Recognition Society, 2004, pp. 2389-2402.
- [15] C. Vogler, D. Metaxas, "A Framework for Recognizing the Simultaneous Aspects of American Sign Language", Computer Vision and Image Understanding, 2001, pp. 358-384.
- [16] Q. Munib, Moussa, Bayan, Hiba, "American Sign Language(ASL) recognition based on Hough transform and neural network", Expert Systems with Applications, Elsevier, 2007, pp. 24-37.
- [17] D. Tewari, S. Kumar, "A Visual Recognition of Static Hand Gesture in Indian Sign Language based on Kohonen Self organizing Map Algorithm", International Journal of Engineering and Advanced Technology, ISSN: 2249-8958, Vol-2, Issue-2, , 2012, pp. 165-170.
- [18] J. Napier, Hands. New York: Pantheon Books, 1980
- [19] L. Howe, F. Wong, A. Chekima, "Comparison of Hand Segmentation Methodologies for Hand Gesture Recognition", Information Technology, ITSIM, IEEE-978-4244-2328-6, 2008, pp. 1-7.
- [20] V. Vezhnevets, V. Sazonov, and A. Andreeva, "A Survey on Pixel-Based Skin color Detection Techniques", In Proceedings of Graphicon, 2003, pp. 85-92.
- [21] S. Phung, A. Bouzerdoun and D. Chai, "Skin Segmentation Using Color Pixel Classification: Analysis and Comparison", IEEE Transaction on Pattern Analysis and Machine Intelligence, Vol.27, No. 1, 2005, pp. 148-154.
- [22] G. Yang, H. Li, L. Zhang and Y. Cao, "Research on a Skin Color Detection Algorithm Based on Self-adaptive Skin Color Model", IEEE , International Conference on Communications and Intelligence Information, Oct. 2010, pp. 266 – 270.

- [23] S. Tsagaris, S. Manitsari, "Color Spaces Comparisons for Skin Detection in Finger Gesture Recognition", *International Journal of Advances in Engineering & Technology*, 2013, pp. 1431-1441.
- [24] A. Elgammal, C. Muang and D. Hu, "Skin Detection – a Short Tutorial", *Encyclopedia of Biometrics*, Springer-Verlag Berlin Heidelberg, 2009, pp. 1-10.
- [25] C. Jung, C. Kim, S. Chae, and S. Oh, "Unsupervised Segmentation of Overlapped Nuclei Using Bayesian Classification", *IEEE Transaction on Biomedical Engineering*, Vol. 57, No.12, Dec-2010, pp. 2825-2832.
- [26] H. Rahimizadeh, M. Marhaban, R. Kamil, and N. Ismail, "Color Image Segmentation Based on Bayesian Theorem and Kernel Density Estimation", *European Journal of Scientific Research*, ISSN 1450-216, vol.26, No.3, 2009, pp. 430-436.
- [27] A. Chitade, S. Katiyar, "Color Based Image Segmentation Using K-means Clustering", *International Journal of Engineering Science and Technology*, Vol.2, No.10, 2010, pp. 5319-5325.
- [28] A. Yilmaz, O. Javed, M. Shah, "Object Tracking: A Survey", *ACM Computing Surveys*, Vol. 38, No. 4, Article 13, December 2006, pp. 1-45.
- [29] D. Comaniciu, V. Ramesh, and P. Meer, "Real-time tracking of non-rigid objects using mean shift", *Computer Vision and Pattern Recognition Proceedings*, Volume 2, 2000, pp. 142-149.
- [30] A. S. Ghotkar , G. K. Kharate, "Hand Segmentation Techniques to Hand Gesture Recognition for Natural Human Computer Interaction", *International Journal of Human Computer Interaction(IJHCI)*, *Computer Science Journal, Malaysia*, Volume 3, no. 1, ISSN 2180-1347, April 2012, pp. 15-25.
- [31] L. Yun, Z. Peng, "An Automatic Hand Gesture Recognition System based on viola-Jones Method and SVMs", *International workshop on Computer Science and Engineering*, IEEE Computer Society, 2009, pp. 72-76.
- [32] Ayan, Pragya, Rohot, "Information Measure Ratio Based Real Time Approach for Hand Region Segmentation with a Focus on Gesture Recognition", *Second International Conference on Intelligent System, Modeling and Simulation*, IEEE computer Society, 2011, pp. 172-176.

- [33] Surachai, Stewart, Ahmet, "Two Hand Tracking using Color Statistical Model with the K-means Embedded Particle Filter for Hand Gesture Recognition", 7th Computer Information Systems and Industrial Management Applications, 2008, pp. 201-205.
- [34] Pham, Nguyen, TuKhoa, "A New Approach to Hand Tracking and Gesture Recognition by a New Feature Type and HMM", Sixth International Conference on Fuzzy Systems and Knowledge Discovery, IEEE Computer Society, 2009, pp. 3-6.
- [35] Chueh-Wei, Chun-Hao, "A Two-Hand Multi-Point Gesture Recognition System Based on Adaptive Skin Color Model", IEEE, 2011, pp. 2901-2904.
- [36] M. Ho, Yoshinori, Nobutaka, "Two-Hand Gesture Recognition using Coupled Switching Linear model", IEEE, 2002, pp. 529-532.
- [37] D. Zhang, C. Lu, "Review of shape representation and description techniques", The Journal of the Pattern Recognition Society, Elsevier, 2004, pp. 1-19.
- [38] U. Rokade, D. Doye, M. Kokare, "Hand Gesture Recognition Using Object Based Key Frame Selection", International Conference on digital Image Processing, IEEE Computer Society, 2009, pp. 228-291.
- [39] W. Chung, X. Wu, Y. Xu. , "A Real time Hand Gesture Recognition based on Haar wavelet Representation", Proceedings of the IEEE-International Conference on Robotics and Biometrics, Bangkok, Thailand, 2008, pp. 336-341.
- [40] N. D. Binh, E. Shuichi, T. Ejima, "Real time Hand Tracking and Gesture Recognition System", ICGST International Conference on Graphics, Vision and Image Processing, GVIP 05 Conference, Egypt, Dec-2005, pp. 362-368.
- [41] T. Maung, "Real-Time Hand Tracking and Gesture Recognition System Using Neural Networks", PWASET, Volume 38, 2009, pp. 470-474.
- [42] Y. Quan, P. Jinye, L.Yulong, "Chinese Sign Language Recognition Based on Gray Level Co-Occurrence Matrix and Other Multifeatures Fusion", IEEE-ICIEA, 2009, pp.1569-1572.
- [43] U. Rokade, D. Doye, M. Kokare, "Hand Gesture Recognition by thinning method" International Conference on digital Image Processing, IEEE Computer Society, 2009. pp. 284-287.
- [44] A. K. Jain, R. Duin, Mao, "Statistical Pattern Recognition: A Review", IEEE Transactions On Pattern Analysis And Machine Intelligence, Volume 22, No. 1, January 2000. pp. 4-37.
- [45] J. Li, B. Lu, "An adaptive image Euclidean distance", Pattern Recognition Journal, Elsevier, Volume 42, 2009, pp. 349 -357.

- [46] Guo-Dong, A. K. Jain, W. Ma, H. Zhang, "Learning similarity Measure for Natural Image Retrieval with Relevance Feedback", IEEE Transactions on Neural Networks, Vol.13, No. 4, July 2002, pp. 811-820.
- [47] K. K. Wong, R. Cipolla, "Continuous gesture recognition using a sparse Bayesian classifier", International conference on pattern recognition, 2006, pp. 1084-1087.
- [48] T. Maung, "Real-Time Hand Tracking and Gesture Recognition System Using Neural Networks", PWASET, Vol.38, 2009, pp. 470-474.
- [49] A. Corradini, "Real-Time Gesture Recognition by means of Hybrid Recognizers", GW 2001, LNAI 2298, Springer-Verlag Berlin Heidelberg 2002, pp. 34-47.
- [50] P. Bao, N. Binh, T. Khoa, "A new Approach To Hand Tracking and Gesture Recognition By A New Feature Type And HMM", International Conference on Fuzzy Systems and Knowledge Discovery, IEEE Computer Society, 2009, pp. 3-6.
- [51] N. Saliza, J. Jais, L. Mazalan, R. Ismail, S. Yussof, A. Ahmad, A. Anuar, D. Mohamad, "Hand Gesture Recognition using Hidden Markov Models: A Review on Techniques and Approaches", The Second Malaysian Software Engineering Conference, Dec. 2006, pp.1-6.
- [52] A. Braffort, "Research on Computer Science and Sign Language; Ethical Aspect" LNAI 2298, Springer, LANI-2298, GW-2001, pp. 1-8.
- [53] B. Bauer, Karl-Friedrich, "Towards an Automatic Sign Language Recognition System Using Subunits", LNAI 2298, GW-2001, Springer, pp. 34-47.
- [55] F. Karray, M. Alemzadeh, J. A. Saleh and M. Nours, "Human-Computer Interaction: Overview on State of the Art", International Journal on Smart Sensing and Intelligent System, Vol.1, No.1, March 2008, pp. 137-159.
- [56] A. S. Ghotkar and G. K. kharate, "Vision based Hand Gesture Recognition Techniques for Human Computer Interaction.", International Journal of Computer Application, Computer Science Foundation, New York, USA, Volume: 70, No. 6, ISSN:0975 -8887, May-2013, pp. 1-6.
- [57] T. Ikai, M. Ohka, S. Kamiya, H. Yussof and S. C. Abdullah, "Evaluation of Finger Direction Recognition Method for Behavior Control of Robot", International Journal on Smart Sensing and Intelligent System, Volume. 6, No. 5, December 2013, pp. 2308-2333.
- [58] L. Silvia, "Audiovisual Sensing of Human Movements for Home-Care And Security in a Smart Environment", International Journal on Smart Sensing and Intelligent System, Volume 1, No. 1, March 2008, pp. 220-245.

- [59] <http://ayjnihh.nic.in/index.asp>
- [60] <http://indiansignlanguage.org/isl-dictionary/>
- [61] <http://def.org.in/about-us.html>
- [62] <http://www.ignou.ac.in/ignou/aboutignou/icc/islrhc>
- [63] <http://rehabcouncil.nic.in>