


FTLA Concentration / Size graph for Experiment:
siT2 2020-02-13 20-25-47



Averaged FTLA Concentration / Size for Experiment:
siT2 2020-02-13 20-25-47
Error bars indicate + / -1 standard error of the mean

Included Files

siT2 2020-02-13 20-25-57

Details

NTA Version: NTA 3.2 Dev Build 3.2.16
 Script Used: SOP Standard Measurement 08-25-06PM 13~
 Time Captured: 20:25:47 13/02/2020
 Operator: Nakamura
 Pre-treatment:
 Sample Name: siT2
 Diluent: 50000
 Remarks: Cam14

Capture Settings

Camera Type: sCMOS
 Laser Type: Blue488
 Camera Level: 14
 Slider Shutter: 1259
 Slider Gain: 366
 FPS: 25.0
 Number of Frames: 1498
 Temperature: 24.7 °C
 Viscosity: (Water) 0.9 cP
 Dilution factor: Dilution not recorded

Analysis Settings

Detect Threshold: 5
 Blur Size: Auto
 Max Jump Distance: Auto: 10.5 pix


Results

Stats: Merged Data

Mean: 94.0 nm
 Mode: 78.8 nm
 SD: 19.0 nm
 D10: 75.7 nm
 D50: 82.7 nm
 D90: 109.9 nm

Stats: Mean +/- Standard Error

Mean: 94.0 +/- 0.0 nm
 Mode: 78.8 +/- 0.0 nm
 SD: 19.0 +/- 0.0 nm
 D10: 75.7 +/- 0.0 nm
 D50: 82.7 +/- 0.0 nm
 D90: 109.9 +/- 0.0 nm
 Concentration: 1.07e+008 +/- 0.00e+000 particles/ml
 5.4 +/- 0.0 particles/frame
 5.9 +/- 0.0 centres/frame



Intensity / Size graph for Experiment:
siT2 2020-02-13 20-25-47

Script Used: (Full Text):

SOP Standard Measurement 08-25-06PM 13Feb2020.txt