

## References

- 1] Vacchi, M., Ghilardi, M., Melis, R. T., Spada, G., Giaime, M., Marriner, N., ... Rovere, A. New relative sea-level insights into the isostatic history of the Western Mediterranean. *Quaternary Science Reviews* **201**, 396-408 (2018).
- 2] Galassi, G., Spada, G. Sea-level rise in the Mediterranean Sea by 2050: Roles of terrestrial ice melt, steric effects and glacial isostatic adjustment. *Global and Planetary Change*, **123**, 55-66 (2014)
- 3] Peltier, W.R. Global glacial isostasy and the surface of the ice-age Earth: the ICE-5G (VM2) model and GRACE. *Annual Review of Earth and Planetary Sciences* **32**, 111-149 (2004).
- 4] Lambeck, K., Purcell, A. Sea-level change in the Mediterranean Sea since the LGM: model predictions for tectonically stable areas. *Quaternary Science Reviews* **24(18-19)**, 1969-1988 (2005).
- 5] Vacchi, M., Marriner, N., Morhange, C., Spada, G., Fontana, A., Rovere, A. Multiproxy assessment of Holocene relative sea-level changes in the western Mediterranean: Sea-level variability and improvements in the definition of the isostatic signal. *Earth-Science Reviews* **155**, 172-197 (2016).
- 6] Ferrer García. C., Blázquez Morilla. A. M. The evolution of the Albufereta lagoon (western Mediterranean): climate cycles and sea-level changes. *Journal of Coastal Research* **28(6)**, 1617-1626 (2012).
- 7] Brisset. E., Burjachs. F., Navarro. B. J. B., de Pablo. J. F. L. Socio-ecological adaptation to Early-Holocene sea-level rise in the western Mediterranean. *Global & planetary change*, **169**, 156-167 (2018).
- 8] Dupré. M., Fumanal. M. P., Sanjaume. E., Santisteban. C., Usera. J. Quaternary evolution of Pego coastal lagoon (Southern Valencia. Spain). *Palaeogeography. Palaeoclimatology. Palaeoecology.* **68**, 291-299. (1988)
- 9] Ruiz. J. M., Carmona. P. La llanura deltaica de los ríos Júcar y Turia y la Albufera de Valencia. *Geomorfologia i Quaternari litoral. Homenatge al Dr. V. Rosselló.* 399-419 (2005).
- 10] Marco-Barba. J., Holmes. J. A., Mesquita-Joanes. F., Miracle. M. R. The influence of climate & sea-level change on the Holocene evolution of a Mediterranean coastal lagoon: Evidence from ostracod palaeoecology and geochemistry. *Geobios* **46(5)**. 409-421, 2013
- 11] Sanjaume. E., Segura. F., Garcia. M. L., Pardo. J. Recent sedimentation in Valencia Lagoon: preliminary results. *Journal of Coastal Research*, **8 (3)**, 688-698, (1992)
- 12] Carmona-González. P. C., Ballester. J.P. 2011. Geomorphology. geoarchaeology & ancient settlement in the Valencian Gulf (Spain). *Méditerranée. Revue géographique des pays méditerranéens/Journal of Mediterranean geography*, **117**, 61-72, (2011),
- 13] Rodríguez-Pérez, A., Blázquez, A. M., Guillem, J., Usera, J. Maximum flood area during MIS 1 in the Almenara marshland (western Mediterranean): Benthic foraminifera and sedimentary record. *The Holocene*, **28(9)**, 1452-1466. (2018)
- 14] Carmona. P., Ruiz-Pérez. J. M. Blázquez. A. M., López-Belzunce. M., Riera. S.,Orengo. H. Environmental evolution and mid-late Holocene climate events in the Valencia lagoon (Mediterranean coast of Spain). *The Holocene*. **26(11)**. 1750-1765 (2016)
- 15] Blázquez. A. M., Rodríguez-Pérez. A., Torres. T., Ortiz. J. E. Evidence for Holocene sea level and climate change from Almenara marsh (western Mediterranean). *Quaternary Research* **88(2)**, 206-222, (2017)
- 16] Giaime. M., Morhange. C., Ontiveros. M. Á. C., Fornós. J. J., Vacchi. M., Marriner. N. In search of Pollentia's southern harbour: Geoarchaeological evidence from the Bay of Alcúdia (Mallorca. Spain). *Palaeogeography. Palaeoclimatology. Palaeoecology.* **466**, 184-201, (2017)
- 17] Yll. R., Pantaleón-Cano. J., Pérez-Obiol. R.P., Roure. J. M. Cambio climático y transformación del medio durante el Holoceno en las Islas Baleares. Congrés del Neolític a la Península Ibérica. *Saguntum Extra*. **2**. 45-51, (1999).
- 18] Burjachs. F., Pérez-Obiol. R., Roure. J. M., Julià. R. Dinámica de la vegetación durante el Holoceno en la isla de Mallorca. *Trabajos de Palinología básica y aplicada.* 199-210, (1994).

- 19] Cearreta. A., Benito. X., Ibáñez. C., Trobajo. R., Giosan. L. Holocene palaeoenvironmental evolution of the Ebro Delta (Western Mediterranean Sea): Evidence for an early construction based on the benthic foraminiferal record. *The Holocene*. **26(9)**, 1438-1456. (2016).
- 20] Riera-Mora. S. Esteban-Amat. A. Vegetation history and human activity during the last 6000 years on the central Catalan coast (northeastern Iberian Peninsula). *Vegetation History & Archaeobotany*. **3(1)**. 7-23, (1994)
- 21] Daura. J. Sanz. M. Ramos. J. Riera. S., Miras. Y. Allué. E., Picornell-Gelabert. L., López-Reyes. D., Albert. R.M., Macià. L., Domènec. R., Martinell. J., Fornós. J.J., Julià. R. 2016. Palaeoenvironmental record of the Cal Maurici wetland sediment archive in Barcelona (NE Iberian Peninsula) between c. 6000 and 4000 cal. yr BP. *The Holocene*, **26(7)**. 1020-1039, (2016)
- 22] Ejarque. A., Julia. R., Reed. J. M., Mesquita-Joanes. F., Marco-Barba. J., Riera. S. Coastal evolution in a Mediterranean microtidal zone: Mid to Late Holocene natural dynamics & human management of the Castelló lagoon. NE Spain. *PloS one*. **11(5)**. e0155446, (2016).
- 23] Laborel. J., Morhange. C., Lafont. R., Le Campion. J., Laborel-Deguen. F., Sartoretto. S. Biological evidence of sea-level rise during the last 4500 years on the rocky coasts of continental southwestern France & Corsica. *Marine Geology* **120(3)**, 203-223, (1994)
- 24] Sabatier. P., Dezileau. L., Barbier. M., Raynal. O., Lofi. J., Briquet. L., Condomines. M., Bouchette. F., Certain. R., Van Grafenstein. U. Jorda. C., Blanchet. P. (South of France). *Bulletin de la Societe Geologique de France* **181(1)**. 27-36, (2010).
- 25] Vella. C., Provansal. M. Relative sea-level rise and neotectonic events during the last 6500yr on the southern eastern Rhône delta. France. *Marine Geology* **170(1)** 27-39, (2000).
- 26] Amorosi. A. Rossi. V. Vella. C. Stepwise post-glacial transgression in the Rhône Delta area as revealed by high-resolution core data. *Palaeogeography. Palaeoclimatology. Palaeoecology* **374**, 314-326, (2013)
- 27] Morhange. C., Laborel. J., Hesnard. A. Changes of relative sea level during the past 5000 years in the ancient harbour of Marseilles. Southern France. *Palaeogeography. Palaeoclimatology. Palaeoecology* **166(3)**, 319-329, (2001)
- 28] Vella. C., Fleury. T. J., Raccasi. G., Provansal. M., Sabatier. F., Bourcier. M. Evolution of the Rhône delta plain in the Holocene. *Marine Geology* **222**, 235-265, (2005)
- 29] Allinne. C., Devillers. B., Bertoncello. F., Bouby. L., Bruneton. H., Bui Thi. M., ... Revil. A. Archéologie et paléoenvironnement sur le site du pont romain des Esclaves (Fréjus. Var). *ArcheoSciences. Revue d'archéométrie*, **(30)**, 181-196, (2006)
- 30] Devillers. B., Excoffon. P., Morhange. C., Bonnet. S., Bertoncello. F. Relative sea-level changes and coastal evolution at Forum Julii (Fréjus. Provence). *Comptes Rendus Geoscience*, **339(5)**. 329-336, (2007)
- 31] Morhange. C., Marriner. N., Excoffon. P., Bonnet. S., Flaux. C., Zibrowius. H., Goiran. J. Amouri. M. E. Relative Sea-Level Changes During Roman Times in the Northwest Mediterranean: The 1st Century AD Fish Tank of Forum Julii. Fréjus. France. *Geoarchaeology* **28(4)**, 363-372, (2013)
- 32] Colombaroli. D., Marchetto. A., Tinner. W. Long-term interactions between Mediterranean climate, vegetation and fire regime at Lago di Massaciuccoli (Tuscany. Italy). *Journal of Ecology*, **95(4)**, 755-770. (2007)
- 33] Carboni. M. G., Bergamin. L., Di Bella. L., Esu. D., Cerone. E. P., Antonioli. F., Verrubbi. V. Palaeoenvironmental reconstruction of late Quaternary foraminifera and molluscs from the ENEA borehole (Versilian plain. Tuscany. Italy). *Quaternary Research* **74(2)**, 265-276, (2010)
- 34] Kaniewski. D., Marriner. N., Morhange. C., Vacchi. M., Sarti. G., Rossi. V., Bini. M., Pasquinucci. M., Allinne. C., Otto. T. Luce. F., Holocene evolution of Portus Pisanius. the lost harbour of Pisa. *Scientific reports*, **8(1)**. 11625, (2018)
- 35] Ghilardi. M., Istria. D., Curras. A., Vacchi. M., Contreras. D., Vella. C., Dussouillez. P., Crest. Y., Guiter. F., Delanghe. D., Reconstructing the landscape evolution and the human occupation of the Lower Sagone River (Western Corsica. France) from the Bronze Age to the Medieval period. *Journal of Archaeological Science: Reports*, **12**, 741-754, (2017)
- 36] Ghilardi. M., Delanghe. D., Demory. F., Leandri. F., Pêche-Quilichini. K., Vacchi. M., Vella. M.A., Rossi. V., Robresco. S., Enregistrements d'événements extrêmes et évolution des paysages dans les basses vallées

fluviales du Taravo et du Sagone (Corse occidentale. France) au cours de l'âge du Bronze moyen à final: une perspective géoarchéologique. *Géomorphologie: relief. processus. environnement.* **23(1)**. 15-35, 2017

37] Vacchi. M., Ghilardi. M., Spada. G., Currás. A., Robresco. S. New insights into the sea-level evolution in Corsica (NW Mediterranean) since the late Neolithic. *Journal of Archaeological Science: Reports* **12**, 782-793, (2017).

38] Poher. Y., Ponel. P., Médail. F., Andrieu-Ponel. V., Guiter. F. Holocene environmental history of a small Mediterranean isl& in response to sea-level changes. climate and human impact. *Palaeogeography. Palaeoclimatology. Palaeoecology.* **465** 247-263 2017.

39] Lambeck, K., Anzidei, M., Antonioli, F., Benini, A., Verrubbi, V. Tyrrhenian sea level at 2000 BP: evidence from Roman age fish tanks and their geological calibration. *Rendiconti Lincei. Scienze Fisiche e Naturali*, **29(1)**, 69-80 (2018)

40] Lambeck. K., Anzidei. M., Antonioli. F., Benini. A., Esposito. A. Sea level in Roman time in the Central Mediterranean and implications for recent change. *Earth and Planetary Science Letters* **224(3)**, 563-575, (2004)

41] Evelpidou. N., Pirazzoli. P., Vassilopoulos. A., Spada. G., Ruggieri. G., Tomasin. A. Late Holocene sea level reconstructions based on observations of Roman fish tanks. *Tyrrhenian Coast of Italy. Geoarchaeology* **27(3)**, 259-277, (2012)

42] Marra. F., Bozzano. F., Cinti. F. R. Chronostratigraphic and lithologic features of the Tiber River sediments (Rome. Italy): Implications on the post-glacial sea-level rise and Holocene climate. *Global and Planetary Change* **107**. 157-176, (2013)

43] Salomon. F. Géoarchéologie du delta du Tibre: évolution géomorphologique holocène et contraintes hydrosédimentaires dans le système Ostie-Portus (Italie). Thèse de doctorat en géographie. option géoarchéologie. soutenue en 2013 à l'Université Lumière Lyon 2. *Physio-Géo. Géographie physique et environnement.* **8** 1-6, (2014)

44] Goiran. J. P., Tronchère. H., Collalelli. U., Salomon. F., Djerbi. H. Découverte d'un niveau marin biologique sur les quais de Portus: le port antique de Rome. *Méditerranée* **1**, 59-67 (2009)

45] De Muro. S., Orrù. P. Il contributo delle Beach-Rock nello studio della risalita del mare olocenico. Le Beach-Rock post-glaciali della Sardegna nord-orientale. *Il Quaternario* **111**, 19-39, (1998)

46] Melis. R. T., Di Rita. F., French. C., Marriner. N., Montis. F., Serreli. G., Sulas. F., Vacchi. M. 8000 years of coastal changes on a western Mediterranean island: A multiproxy approach from the Posada plain of Sardinia. *Marine Geology* **403**, 93-108. (2018)

47] Melis. R. T., Depalmas. A., Di Rita. F., Montis. F., Vacchi. M. Mid to late Holocene environmental changes along the coast of western Sardinia (Mediterranean Sea). *Global and Planetary Change*, **155**, 29-41. (2017)

48] Di Rita. F., Melis. R.T. The cultural landscape near the ancient city of Tharros (central West Sardinia): vegetation changes and human impact. *Journal of Archaeological Science* **40(12)**, 4271-4282, (2013).

49] De Falco. G.,Antonioli. F., Fontolan. G., Lo Presti. V.. Simeone. S.. Tonielli. R. Early cementation and accommodation space dictate the evolution of an overstepping barrier system during the Holocene. *Marine Geology*, **369**, 52-66, (2015).

50] Ruiz, J. M., Carmona, P., Gómez-Bellard, C., van Dommelen, P. Geomorfología y cambio ambiental en el entorno de los yacimientos púnicos de la llanura de Terralba (Golfo de Oristano, isla de Cerdeña, Italia). *Boletín Geológico y Minero*, **129**, 331-52. (2018)

51] Orrù. P., Solinas. E., Puliga. G., Deiana. G. Palaeo-shorelines of the historic period. Sant'Antioco Island. south-western Sardinia (Italy). *Quaternary International* **232(1)**, 71-81, (2011)

52] Orrù. P. E., Mastronuzzi. G., Deiana. G., Pignatelli. C., Piscitelli. A., Solinas. E., Spanu. P., Zucca. R., Sea level changes and geoarchaeology between the bay of Capo Malfatano and Piscinnì Bay (SW Sardinia) in the last 4 kys. *Quaternary International* **336**, 180-189, (2014)

53] Orrù. P. E., Antonioli. F., Lambeck. K., Verrubbi. V. Holocene sea-level change in the Cagliari coastal plain (southern Sardinia. Italy). *Quaternaria Nova*, **8**, 193-212, (2004).

- 54] Barra. D., Romano. P., Santo. A., Campajola. L., Roca. V., Tuniz. C. The Versilian transgression in the Volturno river plain (Campania. Southern Italy): Palaeoenvironmental history and chronological data. *Il Quaternario*, **9(2)**, 445-458, (1996)
- 55] Sacchi. M., Molisso. F., Pacifico. A., Vigliotti. M., Sabbarese. C., Ruberti. D. Late-Holocene to recent evolution of Lake Patria. South Italy: An example of a coastal lagoon within a Mediterranean delta system. *Global and Planetary Change* **117**. 9-27, (2014).
- 56] Barra D.. Calderoni. G. Cipriani. M. De La Geniere' J.. Fiorillo. L. Greco. G. Mariotti Lippi M.. Depositional history and palaeogeographic reconstruction of Sele coastal plain during Magna Grecia settlement of Hera Argiva (Southern Italy). *Geologica Romana*, **35**, 151-166, (1999)
- 57] Amato. V., Aucelli. P. P. C., Ciampo. G., Cinque. A., Di Donato. V.. Pappone. G., ... Ermolli. E. R. Relative sea level changes and paleogeographical evolution of the southern Sele plain (Italy) during the Holocene. *Quaternary International* **288**, 112-128 (2013)
- 58] Barra. D. Calderoni G. Cinque A. De Vita P. Rosskopf CM. Ermolli ER. New data on the evolution of the Sele River coastal plain (southern Italy) during the Holocene. *Il Quaternario* **11**, 287-299, (1998)
- 59] Antonioli. F., Chemello. R., Improta. S., Riggio. S. The Dendropoma (Mollusca Gastropoda. Vermetidae) intertidal reef formations and their paleoclimatological use. *Marine Geology* **161**, 155-170, (1999)
- 60] Basso. D., Bernasconi. M. P., Robba. E., Marozzo. S. Environmental evolution of the Marsala sound. Sicily. during the last 6000 years. *Journal of Coastal Research*. **24(1)** , 177-197, (2008)
- 61] Spampinato. C. R., Costa. B., Di Stefano. A., Monaco. C., Scicchitano. G. 2011. The contribution of tectonics to relative sea-level change during the Holocene in coastal south-eastern Sicily: new data from boreholes. *Quaternary International* **232(1)**, 214-227, (2011)
- 62] Gerardi. F., Smedile. A., Pirrotta. C., Barbano. M.S., De Martini. P.M., Pinzi. S., Gueli. A.M., Ristuccia. G.M., Stella. G., Troja. S.O. Geological record of tsunami inundations in Pantano Morghella (south-eastern Sicily) both from near and far-field sources. *Natural Hazards & Earth System Sciences* **12(4)**, 1185-1200, (2012)
- 63] Marriner. N., Gambin. T., Djamali. M.. Morhange. C.. Spiteri. M. Geoarchaeology of the Burmarrad ria and early Holocene human impacts in western Malta. *Palaeogeography. Palaeoclimatology. Palaeoecology* **339**, 52-65 (2012)
- 64] Furlani. S.. Antonioli. F.. Gambin. T.. Biolchi. S.. Formosa. S.. Lo Presti. V.. ... Quarta. G. Submerged speleothem in Malta indicates tectonic stability throughout the Holocene. *The Holocene*. **28(10)**, 1588-1597. (2018).
- 65] Zaïbi. C., Carbonel. P., Kamoun. F., Azri. C., Kharroubi. A., Kallel. N., Jedoui. Y., Montacer. M., Fontugne. M. Évolution du trait de côte à l'Holocène supérieur dans la Sebkha El-Guettate de Skhira (Golfe de Gabès. Tunisie) à travers sa faune d'ostracodes et de foraminifères. *Geobios* **44(1)**, 101-115. (2011)
- 66] Zaïbi. C., Carbonel, P., Kamoun, F., Fontugne, M., Azri, C., Jedoui, Y., Montacer, M. Evolution of the sebkha Dreïaa (South-Eastern Tunisia, Gulf of Gabes) during the Late Holocene: response of ostracod assemblages. *Revue de micropaléontologie*, **55(3)**, 83-97. (2012)
- 67] Morhange. C., Pirazzoli. P. A. Mid-Holocene emergence of southern Tunisian coasts. *Marine Geology* **220(1)**. 205-213. (2005)
- 68] Strasser. A., Davaud. E., Jedoui. Y. Carbonate cements in Holocene beachrock: example from Bahiret et Biban. southeastern Tunisia. *Sedimentary Geology* **62(1)**. 89-100. (1989)
- 69] Lakhdar. R., Soussi. M., Ben Ismail. M. H., M'Rabet. A. A Mediterranean Holocene restricted coastal lagoon under arid climate: Case of the sedimentary record of Sabkha Boujmel (SE Tunisia). *Palaeogeography. Palaeoclimatology. Palaeoecology* **241(2)**, 177-191. (2006)
- 70] Serandrei-Barbero. R., Albani. A., Donnici. S., Rizzetto. F. Past and recent sedimentation rates in the Lagoon of Venice (Northern Italy). *Estuarine, Coastal and Shelf Science* **69(1)**, 255-269, (2006)
- 71] McClenen. C.E., Housley. R.A. Late-Holocene channel meander migration & mudflat accumulation rates. lagoon of Venice, Italy. *Journal of Coastal Research* 930-945, (2006)
- 72] Zoppi. U., Albani. A., Ammerman. A. J., Hua. Q., Lawson. E. M. Barbero. R. S. Preliminary estimate of the reservoir age in the Lagoon of Venice. *Radiocarbon*, **43(2A)**, 489-494. (2001)

- 73] Madrićardo, F., Donnici, S. Mapping past and recent landscape modifications in the Lagoon of Venice through geophysical surveys and historical maps. *Anthropocene* **6**, 86-96, (2014).
- 74] Tosi, L., Rizzetto, F., Bonardi, M., Donnici, S., Serandrei Barbero, R., Toffoletto, F. *Note illustrative della Carta Geologica alla scala 1: 50.000. foglio 128 Venezia.* APAT–Regione Veneto. 164 pp. (2007)
- 75] Donnici, S., Serandrei-Barbero, R., Canali, G. Evidence of climatic changes in the Venetian Coastal Plain (Northern Italy) during the last 40,000 years. *Sedimentary Geology* **281**, 139-150, (2012)
- 76] Galassi, P., Marocco, R. Relative sea level rise and subsidence in the Caorle Lagoon (Northern Adriatic Sea). Italy. during Holocene. *Il Quaternario*, **12**, 249-256, (1999)
- 77] Fontana, A., Vinci, G., Tasca, G., Mozzi, P., Vacchi, M., Bivi, G., ... Hajdas, I.. Lagoonal settlements and relative sea level during Bronze Age in Northern Adriatic: Geoarchaeological evidence & paleogeographic constraints. *Quaternary International* **439**, 17-36. (2017)
- 78] Fontana, A., Zanferrari, A., Foglio geologico 086" San Vito al Tagliamento" e Note Illustrative. *Carta geologica d'Italia alla scala 1: 50.000.* (2006)
- 79] Bondesan, A., Meneghel, M., Rosselli, R., Vitturi, A. Geomorphological Map of the Province of Venice. scale 1: 50.000. LAC. Firenze (4 sheets). (2004)
- 80] Furlani, S., Biolchi, S., Cucchi, F., Antonioli, F., Busetti, M., Melis, R. Tectonic effects on Late Holocene sea level changes in the Gulf of Trieste (NE Adriatic Sea. Italy). *Quaternary International* **232(1)**, 144-157, (2011)
- 81] Covelli, S., Fontolan, G., Faganelli, J., Ogrinc, N. Anthropogenic markers in the Holocene stratigraphic sequence of the Gulf of Trieste (northern Adriatic Sea). *Marine Geology*, **230(1-2)**, 29-51, (2006)
- 82] Melis, R., Furlani, S., Antonioli, F., Biolchi, S., Degrassi, V., Mezgec, K. Sea level and paleoenvironment during roman times inferred from coastal archaeological sites in Trieste (northern Italy). *Alpine and Mediterranean Quaternary*, **25(1)**, 41-55. (2012)
- 83] Ogorelec, B., Faganelli, J., Mišić, M., Čermelj, B. Reconstruction of paleoenvironment in the Bay of Koper (Gulf of Trieste. northern Adriatic). *Annales*, **11(187)**, e200. (1997)
- 84] Faivre, S., Fouache, E., Ghilardi, M., Antonioli, F., Furlani, S., Kovačić, V. Relative sea level change in western Istria (Croatia) during the last millennium. *Quaternary international*, **232(1-2)**, 132-143, (2011)
- 85] Cibin U., Stefani, M. Carta Geologica d'Italia alla scala 1:50.000. Foglio 187. Codigoro. Note illustrative. *Carta geologica d'Italia alla scala 1: 50.000.* (2009)
- 86] Correggiari, A., Roveri, M., Trincardi, F. Late Pleistocene and Holocene evolution of the north Adriatic Sea. *Il Quaternario* **9**, 697-704, (1996).
- 87] Sarti, G., Centineo, M.C., Calabrese, L., Carta Geologica d'Italia alla scala 1:50.000. Foglio 205. Comacchio. Note illustrative. *Carta geologica d'Italia alla scala 1: 50.000,* (2009)
- 88] Marriner, N., Morhange, C., Faivre, S., Flaux, C., Vacchi, M., Miko, S., Rossi, I. R. Post-Roman sea-level changes on Pag Island (Adriatic Sea): Dating Croatia's "enigmatic" coastal notch? *Geomorphology* **221**, 83-94, (2014)
- 89] Faivre, S., Bakran-Petricioli, T., Horvatinčić, N., Sironić, A. Distinct phases of relative sea level changes in the central Adriatic during the last 1500years— influence of climatic variations?. *Palaeogeography, Palaeoclimatology, Palaeoecology* **369**, 163-174, (2013)
- 90] Caldara, M., Caroli, I., Simone, O. Holocene evolution and sea-level changes in the Battaglia basin area (eastern Gargano coast. Apulia. Italy). *Quaternary International* **183(1)**, 102-114. (2008)
- 91] Caldara, M., Simone, O. Coastal changes in the eastern Tavoliere Plain (Apulia. Italy) during the Late Holocene: Natural or anthropic? *Quaternary Science Reviews* **24(18)**, 2137-2145, (2005)
- 92] Di Rita, F., Simone, O., Caldara, M., Gehrels, W. R., Magri, D. Holocene environmental changes in the coastal Tavoliere Plain (Apulia, southern Italy): a multiproxy approach. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **310(3-4)**, 139-151, (2011)
- 93] Primavera, M., Simone, O., Fiorentino, G., Caldara, M. The palaeoenvironmental study of the Alimini Piccolo lake enables a reconstruction of Holocene sea-level changes in southeast Italy. *The Holocene* **21(4)**, 553-563. (2011)