

Automatic classification of incorrect answers to differentiation questions using Potential Response Tree

Yasuyuki Nakamura¹, Saburo Higuchi², Kentaro Yoshitomi³, Yoshinori Miyazaki⁴, Yuko Ichikawa⁵, Takahiro Nakahara⁶

Abstract: In this study, the authors focus on Potential Response Tree (PRT) with which users may define rules to classify answers and give feedbacks/partial credit by how they are incorrect or incomplete. Various incorrect answers need to be considered for each question, depending on the combination of elementary functions that make up the question. We categorize differentiation questions and propose an algorithm to classify incorrect answers automatically using a PRT according to the type of questions.

Keywords: Potential Response Tree; Differentiation question; Classification of incorrect answers

1 Introduction

Mathematics e-Learning system is one of the online assessment systems, in other words, computer aided assessment (CAA) systems with which students can provide mathematical expressions as answers by calculation and the answers can be automatically assessed correct or incorrect. A question type of the mathematics e-Learning system is completely different from traditional question types of CAA, for example, true or false, single-answer or multiple-choice question type, because students do not answer by choosing the answer from multiple potential options but provide answers determined by calculation. STACK[1, 2], with which we investigate incorrect answers in this study, is an example of a mathematics e-Learning system and there are some other examples such as Möbius Assessment[3] (formerly Maple T.A.), WeBWorK[4], Numbas[5], MATH ON WEB[6] and so on.

Because answer data are not restricted to one of the potential options in mathematics e-Learning system, there could be various types of answers depending on the students' levels of understandings. Let us consider a question of differentiation $\frac{d}{dx}(2x + 1)^3$ as an example. The correct answer is $6(2x + 1)^2$ but an answer $3(2x + 1)^2$ is likely to be provided because

¹ Nagoya University, Graduate School of Informatics, Nagoya, Japan nakamura@nagoya-u.jp

² Ryukoku University, Faculty of Advanced Science and Technology, Otsu, Japan hig@math.ryukoku.ac.jp

³ Osaka Prefecture University, Faculty of Liberal Arts and Sciences, Sakai, Japan yositomi@las.osakafu-u.ac.jp

⁴ Shizuoka University, College of Informatics, Hamamatsu, Japan yoshi@inf.shizuoka.ac.jp

⁵ National Institute of Technology, Tokyo Ccollege, General Education Department, Hachioji, Japan yuko@tokyo-ct.ac.jp

⁶ Sangensha, LLC., Chitose, Japan nakahara@3strings.co.jp

of the lack of knowledge about the chain rule of the differentiation of composite functions. The answer could also be $24x^2 + 24x + 6$ to the same question. In this case, it is guessed that the student might have expanded the given expression at first and differentiated it next. The answer is algebraically equivalent to the correct answer but it is hard to know if the student has the knowledge of differentiating composite functions. Therefore, it is important not only to assess students' answers as correct or incorrect but to know what kind of answer students generated. Provided incorrect answers can give hints to show what knowledge students lack, and further can be categorized by classification. The provision of thus obtained clues would be quite helpful to novice teachers on the site. The result of our preliminary study[7], which we will briefly reviewed, has motivated us to promote this study. .

2 Brief review of incorrect answer analysis

Let us briefly review of our previous study[7]. Online assessment was conducted in a calculus course at one of the colleges of National Institute of Technology, Japan in 2017. In the course, differentiation and integration of functions of one variable including trigonometric, exponent and logarithmic functions were taught. There were 103 students who took the course and they addressed online test as assignments at home. All data are stored in the STACK database and we collected data of questions of differentiation of composite functions. All data are labeled depending on the status of answers submitted by students.

As a first attempt, we investigated a question of differentiation of $\sin^n x$ or $\cos^n x$ where n is selected randomly from 2, 3, and 4 in a test. There were 74 attempts at the test by 42 students, and 100 answers were collected for analysis. Note that 4 attempts were omitted because they were not completed. The test itself was basic and most of the students submitted correct answers. However, there were various types of incorrect answers, and we found that they could be classified into "typical" types. Our first attempt was to find typical mistakes students tend to make by classification of answers. There were many types of answers and Table 1 shows a summary of classification of students' answers for the question of differentiation of $\sin^n x$ or $\cos^n x$. In the case of numbers 1, 2, 3, and 4 on the table, students may understand the rule of differentiation of trigonometric function, but they did not even care the question was on the differentiation of a composite function. Those who submitted answers numbers 5 and 6 understand the basics of differentiation of trigonometric functions and polynomial functions, but they do not understand the differentiation of composite functions. Those types of answers were the most typical. The student re-submitted the correct answer on his or her second attempt.

Therefore, it is important to investigate the problem-solving process of students and we can know students' understanding process. In order to realize it, it is important to detect what kind of incorrect answers students submit to the question and automatic classification of incorrect answers should be a key procedure.

Tab. 1: Typical incorrect answers to the differentiation question $\frac{d}{dx} \sin^n x$ or $\frac{d}{dx} \cos^n x$

No	Math expressions for differentiation	Student's answer	# of answers
1	$\sin^n x$	$\cos^n x$	3
2	$\cos^n x$	$(-\sin x)^n$	3
3	$\sin^n x$	$n \cos^n x$	2
4	$\cos^n x$	$(-\sin x)^n$	3
5	$\sin^n x$	$n \cos^{n-1} x$	4
6	$\cos^n x$	$(-\sin x)^{n-1}$	2

3 Automatic classification of incorrect answers using Potential Response Tree

In order to classify incorrect answers to differentiation questions, we decided to categorize questions depending on the form of mathematical expressions of questions, functions used in questions and the relation (or operation) of functions. A series of online testing were conducted in calculus class and 50 differentiation questions were picked up and we categorized them into specific types. Categorization of questions asked in the class is summarized in Table 2. Mathematical expressions are examples, because parameters such as coefficients and indices are randomly selected. Incorrect answers are submitted depending on the specific type of questions and we classify incorrect answers by using Potential Response Tree (PRT) which is a powerful feature of STACK to assess students' answer. Our goal is to build the most versatile PRT possible that can classify incorrect answer of as many types of questions as possible.

As a first step, we picked up the question of differentiation of product of polynomial functions that is expressed by the form $f_1 \cdot f_2$ with $f_1 = a_1 x^{m_1} + a_2$ and $f_2 = a_3 x^{m_3} + a_4$ in which a_1, a_2, a_3, a_4, m_1 and m_3 are randomly determined. Then we try to build PRT for the questions and regrade students' answer by applying the PRT.

3.1 Building a PRT

3.1.1 Question variables

We define "Question variables" when editing a STACK question as follows. Coefficients and indices are randomly selected and $f_1(x)$ and $f_2(x)$ are defined as a function of x using lambda function. Then mathematical expression that should be differentiated is defined by the product of the two functions and differentiation of it is defined as `dpx` that will be referenced as a correct answer.

```
a1:rand(5)+2;
```

Tab. 2: Categorization of differentiation questions asked in the class

Category	Mathematica expression	Form	f⊙g (@: operator)				function							
			f/g	1/g	f/g	f(g)	x^a	sin(x)	cos(x)	tan(x)	a^x	log(x)		
polynomial1	$3x^6 + 3x^5 - 4x^2 - 2x$	f1					4							
polynomial2	$(4x^2 + 4)(3x^4 - 4)$	f1 · f2	1				4							
polynomial3	$(5x^4 + 3x + 3)^{40}$	f1(f2)				1	4							
polynomial4	$(5 - 4x)^3 (x + 3)^3$	f1(f2) · f3(f4)	1				6							
power1	$x^{1/2}$	f1					1							
power2	$(3-4x)^{-3/5}$	f1(f2)				1	3							
power3	$(6x + 7)/(3x - 2)$	f1/f2			1		4							
power4	$3(x^3 + 4)^{-4}$	f1(f2)				1	3							
power5	$(4x + 4)/(x^{1/2})$	f1/f2			1		3							
power6	$(-4x^2 - 6x - 2)^{-3}$	f1(f2)				1	4							
power7	$x^{1/2}(5x + 4)$	f1 · f2	1				3							
trigonometric1	$\cos(2x + 4)$	f1(f2)				1	2	1						
trigonometric2	$(\sin(x))^3$	f1(f2)				1	1	1						
trigonometric3	$(\tan(x))^2$	f1(f2)				1	1		1					
trigonometric4	$1/(\tan(x) + 2)$	1/f1		1			1		1					
trigonometric5	$(\cos(4x + 5))^4$	f1(f2(f3))				2	3	1						
trigonometric6	$(\sin(x + 1)^{1/2})$	f1(f2)				1	2	1						
trigonometric7	$x^3 \cos(5x - 6)$	f1 · f2(f3)	1			1	3	1						
trigonometric8	$(e^{2x} \tan(x) + 1)^4$	f1(f2(f3) · f4, f5)	1			2	3	1			1			
trigonometric9	$x^6(6x)$	NA	-	-	-	-	-	-	-	-	-	-	-	-
trigonometric10	$(x - 10)^4 (x - 5)^3 / ((x + 4)^3)$	f1(f2) · f3(f4)/f5(f6)	1		1	3	9							
exponential1	$e^{6(x+5)}$	f1(f2)				1	2				1			
exponential2	$4^{-(3x-5)} \ln(x)$	f1(f2) · f3	1			1	2				1	1		
exponential3	$(x^4 - 15x) e^x$	f1 · f2	1				2				1			
exponential4	$(e^x(3x) - 6)^{-1/4}$	f1(f2(f3), f4)				2	3				1			
exponential5	$(e^x(6x) - 5)^{1/2}$	f1(f2(f3), f4)				2	3				1			
exponential6	$x^5 e^{4(x+5)}$	f1 · f2(f3)	1			1	3				1			
exponential7	$e^x(3x)/(e^x(3x) + 5)$	f1(f2)/(f3(f4), f5)			1	2	3				2			
exponential8	$e^x(3x + 4)/(x^5)$	f1(f2)/f3			1	1	3				1			
exponential9	$3^x + 4^{-(4x-5)}$	f1, f2(f3)				1	2				2			
exponential10	$4^{3(x+4)} \ln(x)$	f1(f2) · f3	1			1	2				1	1		
logarithmic2	$\ln(4x - 5)$	f1(f2)				1	2				1			
logarithmic4	$x^{1/2} \ln(2x - 5)$	f1 · f2(f3)	1			1	3				1			
logarithmic5	$\ln(4x + 5) / x$	f1(f2)/f3			1	1	3				1			
logarithmic6	$1/(\ln(x) + 6)$	1/f1		1			1				1			
logarithmic7	$(\ln(x) + 2)^4$	f1(f2)				1	2				1			
logarithmic8	$\ln((x + 3)^2 / x)$	f1(f2(f3)/f4)			1	2	4				1			
logarithmic9	$\log_2 2x + 4 $	f1(f2)				1	2				1			
logarithmic10	$\log_{10} x^4 $	f1(f2)				1	1				1			

```

m1:rand(2)+2;
a2:(rand(3)+3)*(-1)^rand(2);
a3:rand(3)+1;
m3:rand(2)+1+m1;
a4:(rand(3)+3)*(-1)^rand(2);
f1:lambda([x],a1*x^m1+a2);
f2:lambda([x],a3*x^m3+a4);
px:f1(x)*f2(x)
dpx:diff(px,x);

```

3.1.2 Potential response tree

We design a PRT assuming the following four types of incorrect answer candidates: $f_1'(x) \cdot f_2(x)$, $f_1(x) \cdot f_2'(x)$ and $f_1'(x) \cdot f_2'(x)$. In order to build PRT, the followings are defined as “Feedback variables”.

```

df1:lambda([x],diff(f1(x),x));
df2:lambda([x],diff(f2(x),x));
isZero:is(ans1=zero);
isCorrect:is(expand(df1(x)*f2(x)+f1(x)*df2(x)-ans1)=0);
isdff:is(expand(df1(x)*f2(x)-ans1)=0);
isfdf:is(expand(f1(x)*df2(x)-ans1)=0);
isdfdf:is(expand(df1(x)*df2(x)-ans1)=0);

```

df1 and df2 are defined as $f_1'(x)$ and $f_2'(x)$ that are differentiation of $f_1(x)$ and $f_2(x)$. We define a boolean variable isCorrect that is true when students' answer is equal to correct answer $f_1'(x)f_2(x) + f_1(x)f_2'(x)$ and false when students' answer is incorrect. The Answer test AlgEquiv is usually used to determine whether students' answer is correct or in correct but it sometimes fails to evaluate equivalence check of students' answer and correct answer especially when the function is complicated. We are planing to apply the same PRT to other type of questions such as trigonometric function, exponent function and so on in order to generalize PRT. Therefore we expand the function $df1(x)*f2(x)+f1(x)*df2(x)-ans1$ and evaluate it as zero or not. One of the node of PRT using the isCorrect function is shown in Figure 1. “Answer note” is recorded as “isCorrect” when the node is ture and “not_isCorrect”. As we see later, the answer note is used in “STACK response analysis”. Note that “Node 1” moves to next “Node 2” regardless of the true or false result of “Node 1”. In a similar way, nodes from “Node 2” to “Node 5” are defined using the functions isZero, isdff, isfdf and isdfdf.

As an example, when a student answer is $a_1m_1a_3m_3x^{m_1+m_3-2}$ which is a incorrect answer of $f_1'(x)f_2'(x)$ type to the differentiation question $\frac{d}{dx}(a_1x^{m_1} + a_1)(a_3x^{m_3} + a_4)$, the answer notes “not_isCorrect, not_isZero, not_isdf1f2, not_isf1df2 and isdf1df2 are recorded.

The procedure of detecting the type of incorrect answer by using PRT is schematically shown in Figure 2. One of the features of our PRT is that it is a chain structure instead of a tree structure. Because of the structure, a new node can be easily added if it is necessary.




Fig. 1: One of the node of PRT that uses the isCorrect function.




Fig. 2: Schematic figure that shows the assessment of student's answer $a_1 m_1 a_3 m_3 x^{m_1+m_3-2}$ to the differentiation question $\frac{d}{dx}(a_1 x^{m_1} + a_1)(a_3 x^{m_3} + a_4)$

3.2 Results of STACK response analysis

For the question $\frac{d}{dx}(a_1 x^{m_1} + a_1)(a_3 x^{m_3} + a_4) = \frac{d}{dx} f_1(x) f_2(x)$, the classification of answers were carried out and summarized in Table 3. 60 out of 107 correctly answered and we attempted to classify the 47 incorrect answers into some types. Only 11 incorrect answer of type $f_1'(x) f_2'(x)$ were found. Other 36 incorrect answers can be considered to be miscalculated answers. According to the records of answer notes, only the function isCorrect is true for correct answers and only the function isdf1df2 is true for incorrect answers of the type $f_1'(x) f_2'(x)$. On the other hand, none of the function is true for unclassified answers.

As we expected, incorrect answer of the type $f_1'(x) f_2'(x)$ is typical incorrect answer and the number was just over 20% of the total of incorrect answers. However, nearly 70% of incorrect answers was not classified yet.

Tab. 3: Results of STACK response analysis

Answer note of PRT	Classification	#
isCorrect not_isZero not_isdf1f2 not_isf1df2 not_isdf1df2	Correct answer	60
not_isCorrect not_isZero not_isdf1f2 not_isf1df2 isdf1df2	$f'_1(x)f'_2(x)$	11
not_isCorrect not_isZero not_isdf1f2 not_isf1df2 not_isdf1df2	Other incorrect answers (Miscalculation)	36

3.3 Improving a PRT

In order to make more detailed classification possible, we define another functions by using Maxima. Even if a student's answer do not match one of the three types of incorrect answers defined above, when those kind of terms are included in students answers, in order to detect those answers we make new functions; checkTerm, hasdff, hasfdf and hasdfdf.

```
checkTerm(sterm,tterm): is(1=simplify(sterm/tterm));
hasdff: isdff or (not atom(ans1) and op(ans1)=op(x+y) and
apply("or",map(lambda([sterm],checkTerm(sterm,(df1(x)*f2(x)))),args(ans1))));
hasfdf: isfdf or (not atom(ans1) and (ans1)=op(x+y) and
apply("or",map(lambda([sterm],checkTerm(sterm,(f1(x)*df2(x)))),args(ans1))));
hasdfdf: isdfdf or (not atom(ans1) and op(ans1)=op(x+y) and
apply("or",map(lambda([sterm],checkTerm(sterm,(df1(x)*df2(x)))),args(ans1))));
```

Furthermore, in order to realize that only coefficients difference can be detected, the function checkTermC, isCdff, isCfdf, isCdffd, hasCdff, hasCfdf and hasCdffd are defined.

```
isCdff: checkTermC(ans1,df1(x)*f2(x));
isCfdf: checkTermC(ans1,f1(x)*df2(x));
isCdffd: checkTermC(ans1,df1(x)*df2(x));

hasCdff: isCdff or (not atom(ans1) and op(ans1)=op(x+y) and
apply("or",map(lambda([sterm],checkTermC(sterm,(df1(x)*f2(x)))),args(ans1))));
hasCfdf: isCfdf or (not atom(ans1) and op(ans1)=op(x+y) and
apply("or",map(lambda([sterm],checkTermC(sterm,(f1(x)*df2(x)))),args(ans1))));
hasCdffd: isCdffd or (not atom(ans1) and op(ans1)=op(x+y) and
apply("or",map(lambda([sterm],checkTermC(sterm,(df1(x)*df2(x)))),args(ans1))));
```

As a result, out of 36 unclassified incorrect answers, new 11 incorrect answers was detected. What is characteristic of our PRT is that classification can be carried out with a combination of multiple nodes that become true. For example, an incorrect answer $4x(2x^4 + 4) + 2x^3(2x^2 - 3)$ to the question $\frac{d}{dx}(2x^2 - 3)(2x^4 + 4)$ is true for multiple nodes, in other words, two functions `hasdff` and `hasCfdf` are true.

4 Conclusion

We build a potential response tree (PRT) to classify incorrect answers into specific types by making full use of Maxima. As a first step, we build a PRT for question of differentiation of product of polynomial functions. Classification was made according to “Answer note” of PRT by using “STACK response analysis”. Our PRT is not like a tree structure but a chain structure and it is easily improved.

In this study, we only build PRT for only the specific type of differentiation question, but we will build as general as possible PRT for many question types to classify incorrect answers. We already operate question database system Mathbank [8] and we are planing to add model questions using general PRT to classify incorrect answers. Our goal is to know understanding process of students on the basics of question-solving process study.

5 Acknowledgments

This work was supported by JSPS KAKENHI Grant Number 18H01069.

Bibliography

- [1] C. Sangwin. *Computer Aided Assessment of Mathematics*. Oxford University Press, 2013.
- [2] STACK | The University of Edinburgh. <https://www.ed.ac.uk/math/stack/>.
- [3] Möbius Assessment - Online Assessment System for STEM Courses | DigitalEd. <https://www.digitaled.com/products/assessment/>.
- [4] Welcome to WeBWorK. <http://webwork.maa.org/>.
- [5] Really versatile maths e-assessment | Numbas. <https://www.numbas.org.uk/>.
- [6] M. Kawazoe and K. Yoshitomi. E-learning/e-assessment systems based on webmathematica for university mathematics education. *MSOR Connections*, 15:17–24, 2017.
- [7] Y. Nakamura, Y. Ichikawa, Y. Miyazaki, K. Yoshitomi, S. Higuchi, and T. Nakahara. An attempt to analyze mathematical question-solving processes using stack. In *Proceedings of Society for Information Technology and Teacher Education International Conference*. Association for the Advancement of Computing in Education (AACE), 2019.
- [8] Y. Nakamura, T. Taniguchi, and T. Nakahara. Item Bank System for the Mathematics e-Learning System STACK. In *Research Journal of Mathematics Technology*, 3:77–85, 2014.