

## References Used in Final Analysis

- Abe S, Nakashizuka T, & Tanaka H (1998) Effects of canopy gaps on the demography of the subcanopy tree *Styrax obassia*. *Journal of Vegetation Science* 9(6):787-796.
- Alfonso-Corrado C, Clark-Tapia R, & Mendoza A (2007) Demography and management of two clonal oaks: *Quercus eduardii* and *Q. potosina* (Fagaceae) in central México. *Forest Ecology and Management* 251(3):129-141.
- Arias-Medellín LA, Bonfil C, & Valverde T (2016) Demographic analysis of *Agave angustifolia* (Agavaceae) with an emphasis on ecological restoration. *Bot. Sci.* 94(3).
- Arroyo-Cosultchi G, Golubov J, & Mandujano MC (2016) Pulse seedling recruitment on the population dynamics of a columnar cactus: Effect of an extreme rainfall event. *Acta Oecologica* 71:52-60.
- Aschero V, Morris WF, Vázquez DP, Alvarez JA, & Villagra PE (2016) Demography and population growth rate of the tree *Prosopis flexuosa* with contrasting grazing regimes in the Central Monte Desert. *Forest Ecology and Management* 369:184-190.
- Baldauf C, Corrêa CE, Ferreira RC, & dos Santos FAM (2015) Assessing the effects of natural and anthropogenic drivers on the demography of *Himatanthus drasticus* (Apocynaceae): Implications for sustainable management. *Forest Ecology and Management* 354:177-184.
- Baltzer JL, Reekie EG, Hewlin HL, Taylor PD, & Boates JS (2002) Impact of flower harvesting on the salt marsh plant *Limonium carolinianum*. *Canadian Journal of Botany* 80(8):841-851.
- Bastrenta B, Lebreton J-D, & Thompson JD (1995) Predicting demographic change in response to herbivory: a model of the effects of grazing and annual variation on the population dynamics of *Anthyllis vulneraria*. *Journal of Ecology*:603-611.
- Batista WB, Platt WJ, & Macchiavelli RE (1998) Demography of a shade-tolerant tree (*Fagus grandifolia*) in a hurricane-disturbed forest. *Ecology* 79(1):38-53.
- Bermingham LH (2010) Deer herbivory and habitat type influence long-term population dynamics of a rare wetland plant. *Plant Ecology* 210(2):359-378.
- Bernardo HL, Albrecht MA, & Knight TM (2016) Increased drought frequency alters the optimal management strategy of an endangered plant. *Biological Conservation* 203:243-251.
- Berry EJ, Gorchov DL, Endress BA, & Stevens MHH (2008) Source-sink dynamics within a plant population: the impact of substrate and herbivory on palm demography. *Population Ecology* 50(1):63-77.
- Bierzuchudek P (1982) The demography of jack-in-the-pulpit, a forest perennial that changes sex. *Ecological Monographs* 52(4):335-351.
- Binh MB (2009) *Rattans of Vietnam: ecology, demography and harvesting* (Utrecht University).
- Bladow JM, Bohner T, & Winn AA (2017) Comparisons of Demography and Inbreeding Depression in Introduced and Wild Populations of an Endangered Shrub. *Natural Areas Journal* 37(3):294-308.
- Brewer JS (2001) A demographic analysis of fire-stimulated seedling establishment of *Sarracenia alata* (Sarraceniaceae). *Am J Bot* 88(7):1250-1257.
- Bricker M & Maron J (2012) Postdispersal seed predation limits the abundance of a long-lived perennial forb (*Lithospermum ruderales*). *Ecology* 93(3):532-543.
- Brodie JF, Helmy OE, Brockelman WY, & Maron JL (2009) Bushmeat poaching reduces the seed dispersal and population growth rate of a mammal-dispersed tree. *Ecol Appl* 19(4):854-863.
- Bruna EM (2003) Are Plant Populations in Fragmented Habitats Recruitment Limited? Tests with an Amazonian Herb. *Ecology* 84(4):932-947.
- Bruna EM, Izzo TJ, Inouye BD, & Vasconcelos HL (2014) Effect of mutualist partner identity on plant demography. *Ecology* 95(12):3237-3243.

- Brys R, Jacquemyn H, Endels P, Blust GD, & Hermy M (2004) The effects of grassland management on plant performance and demography in the perennial herb *Primula veris*. *Journal of Applied Ecology* 41(6):1080-1091.
- Brys R, Jacquemyn H, Endels P, De Blust G, & Hermy M (2005) Effect of Habitat Deterioration on Population Dynamics and Extinction Risks in a Previously Common Perennial. *Conservation Biology* 19(5):1633-1643.
- Buckley YM, *et al.* (2005) Slowing down a pine invasion despite uncertainty in demography and dispersal. *Journal of Applied Ecology* 42(6):1020-1030.
- Bullock J, Hill BC, & Silvertown J (1994) Demography of *Cirsium vulgare* in a grazing experiment. *Journal of Ecology*:101-111.
- Case EJ & Harrison S (2017) High resistance to managed and natural forest fire in a rare rock-outcrop specialist herb (*Boechera constancei*, Brassicaceae). *Forest Ecology and Management* 384:262-267.
- Castro S, Dostálek T, van der Meer S, Oostermeijer G, & Münzbergová Z (2015) Does pollen limitation affect population growth of the endangered *Dracocephalum austriacum* L.? *Population Ecology* 57(1):105-116.
- Caswell H & Kaye TN (2001) Stochastic demography and conservation of an endangered perennial plant (*Lomatium bradshawii*) in a dynamic fire regime. *Advances in Ecological Research* 32:1-51.
- Catton HA, Lalonde RG, Buckley YM, De Clerck-Floate RA, & Haynes K (2016) Biocontrol insect impacts population growth of its target plant species but not an incidentally used nontarget. *Ecosphere* 7(5):e01280.
- Chandler JL, McGraw JB (2017) Demographic stimulation of the obligate understory herb, *Panax quinquefolius* L., in response to natural forest canopy disturbances. *Journal of Ecology* 105(3):736-749.
- da Silveira Pontes L, Magda D, Jarry M, Gleizes B, & Agreil C (2012) Shrub encroachment control by browsing: Targeting the right demographic process. *Acta Oecologica* 45:25-30.
- Dahlgren JP & Ehrlén J (2009) Linking environmental variation to population dynamics of a forest herb. *Journal of Ecology* 97(4):666-674.
- Dahlgren JP, Östergård H, & Ehrlén J (2014) Local environment and density-dependent feedbacks determine population growth in a forest herb. *Oecologia* 176(4):1023-1032.
- Dahlgren JP, Bengtsson K, & Ehrlén J (2016) The demography of climate-driven and density-regulated population dynamics in a perennial plant. *Ecology*.
- Dalgleish HJ, Kula AR, Hartnett DC, & Sandercock BK (2008) Responses of two bunchgrasses to nitrogen addition in tallgrass prairie: the role of bud bank demography. *Am J Bot* 95(6):672-680.
- Dangremond EM, Pardini EA, & Knight TM (2010) Apparent competition with an invasive plant hastens the extinction of an endangered lupine. *Ecology* 91(8):2261-2271.
- Dauer JT, McEvoy PB, & Van Sickle J (2012) Controlling a plant invader by targeted disruption of its life cycle. *Journal of Applied Ecology* 49(2):322-330.
- Davelos AL & Jarosz AM (2004) Demography of American chestnut populations: effects of a pathogen and a hyperparasite. *Journal of Ecology* 92(4):675-685.
- Davis FW, Tyler CM, & Mahall BE (2011) Consumer control of oak demography in a Mediterranean-climate savanna. *Ecosphere* 2(10).
- Doak DF & Morris WF (2010) Demographic compensation and tipping points in climate-induced range shifts. *Nature* 467(7318):959-962.
- Dostál P (2007) Population dynamics of annuals in perennial grassland controlled by ants and environmental stochasticity. *Journal of Vegetation Science* 18(1):91-102.
- Eckberg JO, Tenhumberg B, & Louda SM (2014) Native insect herbivory limits population growth rate of a non-native thistle. *Oecologia* 175(1):129-138.

- Eckhart VM, *et al.* (2011) The geography of demography: long-term demographic studies and species distribution models reveal a species border limited by adaptation. *Am Nat* 178 Suppl 1(4):S26-43.
- Ehrlén J (1995) Demography of the perennial herb *Lathyrus vernus*. II. Herbivory and population dynamics. *Journal of Ecology*:297-308.
- Ehrlén J (1996) Spatiotemporal variation in predispersal seed predation intensity. *Oecologia* 108(4):708-713.
- Ehrlén J (2003) Fitness components versus total demographic effects: evaluating herbivore impacts on a perennial herb. *Am Nat* 162(6):796-810.
- Ehrlén J & Eriksson O (1995) Pollen limitation and population growth in a herbaceous perennial legume. *Ecology* 76(2):652-656.
- Ehrlén J, Syrjänen K, Leimu R, Begoña Garcia M, & Lehtilä K (2005) Land use and population growth of *Primula veris*: an experimental demographic approach. *Journal of Applied Ecology* 42(2):317-326.
- Elder D & Doak DF (2006) Comparing the direct and community-mediated effects of disturbance on plant population dynamics: flooding, herbivory and *Mimulus guttatus*. *Journal of Ecology* 94(3):656-669.
- Emery SM & Gross KL (2005) Effects of timing of prescribed fire on the demography of an invasive plant, spotted knapweed *Centaurea maculosa*. *Journal of Applied Ecology* 42(1):60-69.
- Endels P, Jacquemyn H, Brys R, & Hermy M (2007a) Reinstatement of traditional mowing regimes counteracts population senescence in the rare perennial *Primula vulgaris*. *Appl. Veg. Sci.* 10(3):351-360.
- Endels P, Jacquemyn H, Brys R, & Hermy M (2007b) Genetic erosion explains deviation from demographic response to disturbance and year variation in relic populations of the perennial *Primula vulgaris*. *Journal of Ecology* 95(5):960-972.
- Endress BA, Gorchoff DL, & Berry EJ (2006) Sustainability of a non-timber forest product: Effects of alternative leaf harvest practices over 6 years on yield and demography of the palm *Chamaedorea radicalis*. *Forest Ecology and Management* 234(1-3):181-191.
- Endress BA, Gorchoff DL, & Noble RB (2004) Non-timber forest product extraction: effects of harvest and browsing on an understory palm. *Ecol. Appl.* 14(4):1139-1153.
- Escalante S, Montaña C, & Orellana R (2004) Demography and potential extractive use of the liana palm, *Desmoncus orthacanthos* Martius (Arecaceae), in southern Quintana Roo, Mexico. *Forest Ecology and Management* 187(1):3-18.
- Evans ME, Holsinger KE, & Menges ES (2008) Modeling the effect of fire on the demography of *Dicerandra frutescens* ssp. *frutescens* (Lamiaceae), an endangered plant endemic to Florida scrub. *Population Ecology* 50(1):53-62.
- Evans ME, Holsinger KE, & Menges ES (2010) Fire, vital rates, and population viability: a hierarchical Bayesian analysis of the endangered Florida scrub mint. *Ecological Monographs* 80(4):627-649.
- Evju M, Halvorsen R, Rydgren K, Austrheim G, & Myrseter A (2010) Interactions between local climate and grazing determine the population dynamics of the small herb *Viola biflora*. *Oecologia* 163(4):921-933.
- Evju M, Halvorsen R, Rydgren K, Austrheim G, & Myrseter A (2011) Effects of sheep grazing and temporal variability on population dynamics of the clonal herb *Geranium sylvaticum* in an alpine habitat. *Plant Ecology* 212(8):1299-1312.
- Falcón W, Ackerman JD, & Tremblay RL (2016) Quantifying how acquired interactions with native and invasive insects influence population growth rates of a non-indigenous plant. *Biol. Invasions* 19(3):895-911.

- Farrington SJ, Muzika RM, Drees D, & Knight TM (2009) Interactive effects of harvest and deer herbivory on the population dynamics of American ginseng. *Conserv Biol* 23(3):719-728.
- Feldman TS (2008) The plot thickens: does low density affect visitation and reproductive success in a perennial herb, and are these effects altered in the presence of a co-flowering species? *Oecologia* 156(4):807-817.
- Feldman TS & Morris WF (2011) Higher survival at low density counteracts lower fecundity to obviate Allee effects in a perennial plant. *Journal of Ecology* 99(5):1162-1170.
- Ford KR, Ness JH, Bronstein JL, & Morris WF (2015) The demographic consequences of mutualism: ants increase host-plant fruit production but not population growth. *Oecologia* 179(2):435-446.
- Fröberg H & Eriksson O (2003) Predispersal seed predation and population dynamics in the perennial understory herb *Actaea spicata*. *Canadian Journal of Botany* 81(11):1058-1069.
- Gaoue OG (2016) Transient dynamics reveal the importance of early life survival to the response of a tropical tree to harvest. *Journal of Applied Ecology* 53(1):112-119.
- García MB & Ehrlén J (2002) Reproductive effort and herbivory timing in a perennial herb: fitness components at the individual and population levels. *Am. J. Bot.* 89(8):1295-1302.
- García MB, Goñi D, & Guzmán D (2010) Living at the edge: local versus positional factors in the long-term population dynamics of an endangered orchid. *Conserv Biol* 24(5):1219-1229.
- Ghimire SK, Gimenez O, Pradel R, McKey D, & Aumeeruddy-Thomas Y (2007) Demographic variation and population viability in a threatened Himalayan medicinal and aromatic herb *Nardostachys grandiflora*: matrix modelling of harvesting effects in two contrasting habitats. *Journal of Applied Ecology* 45(1):41-51.
- Gibert A, Magda D, & Hazard L (2015) Interplay between Endophyte Prevalence, Effects and Transmission: Insights from a Natural Grass Population. *PLoS One* 10(10):e0139919.
- Godínez-Alvarez H, Valiente-Banuet A, & Banuet LV (1999) Biotic interactions and the population dynamics of the long-lived columnar cactus *Neobuxbaumia tetetzo* in the Tehuacán Valley, Mexico. *Canadian Journal of Botany* 77(2):203-208.
- Godínez-Alvarez H, Valiente-Banuet A, & Rojas-Martínez A (2002) The role of seed dispersers in the population dynamics of the columnar cactus *Neobuxbaumia tetetzo*. *Ecology* 83(9):2617-2629.
- Gornish ES (2013) Effects of density and fire on the vital rates and population growth of a perennial goldenaster. *AoB PLANTS* 5.
- Gornish ES (2014) Demographic effects of warming, elevated soil nitrogen and thinning on the colonization of a perennial plant. *Population Ecology* 56(4):645-656.
- Griffith AB (2010) Positive effects of native shrubs on *Bromus tectorum* demography. *Ecology* 91(1):141-154.
- Griffith AB & Forseth IN (2003) Establishment and reproduction of *Aeschynomene virginica* (L.) (Fabaceae) a rare, annual, wetland species in relation to vegetation removal and water level. *Plant Ecology* 167(1):117-125.
- Griffith AB & Forseth IN (2005) Population Matrix Models of *Aeschynomene Virginica*, a Rare Annual Plant: Implications for Conservation. *Ecol. Appl.* 15(1):222-233.
- Griffith AB & Loik ME (2010) Effects of climate and snow depth on *Bromus tectorum* population dynamics at high elevation. *Oecologia* 164(3):821-832.
- Gross K, Lockwood III JR, Frost CC, & Morris WF (1998) Modeling Controlled Burning and Trampling Reduction for Conservation of *Hudsonia montana*. *Conservation Biology* 12(6):1291-1301.
- Guedje NM, Zuidema PA, During H, Foahom B, & Lejoly J (2007) Tree bark as a non-timber forest product: The effect of bark collection on population structure and dynamics of *Garcinia lucida* Vesque. *Forest Ecology and Management* 240(1-3):1-12.
- Gustafsson C & Ehrlén J (2003) Effects of intraspecific and interspecific density on the demography of a perennial herb, *Sanicula europaea*. *Oikos* 100(2):317-324.

- Hansen MJ & Wilson SD (2006) Is management of an invasive grass *Agropyron cristatum* contingent on environmental variation? *Journal of Applied Ecology* 43(2):269-280.
- Hegland SJ, Jongejans E, & Rydgren K (2010) Investigating the interaction between ungulate grazing and resource effects on *Vaccinium myrtillus* populations with integral projection models. *Oecologia* 163(3):695-706.
- Heinken-Šmídová A & Münzbergová Z (2012) Population Dynamics of the Endangered, Long-Lived Perennial Species, *Ligularia sibirica*. *Folia Geobot.* 47(2):193-214.
- Hoffmann WA (1999) Fire and Population Dynamics of Woody Plants in a Neotropical Savanna: Matrix Model Projections. *Ecology* 80(4):1354-1369.
- Horvitz CC, Tuljapurkar S, & Pascarella JB (2005) Plant–animal interactions in random environments: habitat-stage elasticity, seed predators, and hurricanes. *Ecology* 86(12):3312-3322.
- Hurlburt DP (1999) Population ecology and economic botany of *Echinacea angustifolia*: a native prairie medicinal plant. (University of Kansas, Ecology and Evolutionary Biology).
- Jackson MM, Pearson SM, & Turner MG (2013) Performance and population dynamics of a native understory herb differ between young and old forest stands in the Southern Appalachians. *Forest Ecology and Management* 304:444-454.
- Jacquemyn H, Brys R, Davison R, Tuljapurkar S, & Jongejans E (2012) Stochastic LTRE analysis of the effects of herbivory on the population dynamics of a perennial grassland herb. *Oikos* 121(2):211-218.
- Jacquemyn H, Brys R, & Jongejans E (2010) Size-dependent flowering and costs of reproduction affect population dynamics in a tuberous perennial woodland orchid. *Journal of Ecology* 98(5):1204-1215.
- Jacquemyn H, Brys R, & Neubert MG (2005) Fire Increases Invasive Spread of *Molinia Caerulea* Mainly through Changes in Demographic Parameters. *Ecol. Appl.* 15(6):2097-2108.
- Jiménez-Valdés M, Godínez-Alvarez H, Caballero J, & Lira R (2010) Population Dynamics of *Agave marmorata* Roezl. under Two Contrasting Management Systems in Central Mexico. *Econ. Bot.* 64(2):149-160.
- Johansen L, Wehn S, & Hovstad KA (2016) Clonal growth buffers the effect of grazing management on the population growth rate of a perennial grassland herb. *Flora* 223:11-18.
- Jolls CL, Marik JE, Hamzé SI, & Havens K (2015) Population viability analysis and the effects of light availability and litter on populations of *Cirsium pitcheri*, a rare, monocarpic perennial of Great Lakes shorelines. *Biological Conservation* 187:82-90.
- Jónsdóttir GA (1991) Tiller demography in seashore populations of *Agrostis stolonifera*, *Festuca rubra* and *Poa irrigata*. *Journal of Vegetation Science* 2(1):89-94.
- Kalish S, Spigler RB, & Horvitz CC (2014) In a long-term experimental demography study, excluding ungulates reversed invader's explosive population growth rate and restored natives. *Proc Natl Acad Sci U S A* 111(12):4501-4506.
- Kaneko Y & Takada T (2014) Pair-wise analyses of the effects of demographic processes, vital rates, and life stages on the spatiotemporal variation in the population dynamics of the riparian tree *Aesculus turbinata* Blume. *Population Ecology* 56(1):161-173.
- Kauffman MJ & Maron JL (2006) Consumers limit the abundance and dynamics of a perennial shrub with a seed bank. *Am Nat* 168(4):454-470.
- Kaye TN, Pendergrass KL, Finley K, & Kauffman JB (2001) The Effect of Fire on the Population Viability of an Endangered Prairie Plant. *Ecol. Appl.* 11(5):1366-1380.
- Kelly CA & Dyer RJ (2002) Demographic consequences of inflorescence-feeding insects for *Liatris cylindracea*, an iteroparous perennial. *Oecologia* 132(3):350-360.
- Kesler HC, Trusty JL, Hermann SM, & Guyer C (2008) Demographic responses of *Pinguicula ionantha* to prescribed fire: a regression-design LTRE approach. *Oecologia* 156(3):545-557.

- Knight TM (2004) The Effects of Herbivory and Pollen Limitation on a Declining Population of Trillium Grandiflorum. *Ecol. Appl.* 14(3):915-928.
- Knight TM (2007) Population-level Consequences of Herbivory Timing in Trillium Grandiflorum. *The American Midland Naturalist* 157(1):27-38.
- Knight TM, Caswell H, & Kalisz S (2009) Population growth rate of a common understory herb decreases non-linearly across a gradient of deer herbivory. *Forest Ecology and Management* 257(3):1095-1103.
- Kolb A (2012) Differential effects of herbivory and pathogen infestation on plant population dynamics. *Plant Ecology* 213(2):315-326.
- Kolb A, Leimu R, & Ehrlén J (2007) Environmental context influences the outcome of a plant-seed predator interaction. *Oikos* 116(5):864-872.
- Kurkjian HM, Carothers SK, & Jules ES (2017) Seed predation has the potential to drive a rare plant to extinction. *Journal of Applied Ecology* 54(3):862-871.
- Kyncl T, Suda J, Wild J, Wildová R, & Herben T (2006) Population dynamics and clonal growth of *Spartocytisus supranubius* (Fabaceae), a dominant shrub in the alpine zone of Tenerife, Canary Islands. *Plant Ecology* 186(1):97-108.
- Law W (2007) Ecological and evolutionary impacts of harvesting the Himalayan snow Lotus (*Saussurea laniceps* Maxim. and *S. medusa* Hand.-Mazz.). (Washington University).
- Law W, Salick J, & Knight TM (2010) The effects of pollen limitation on population dynamics of snow lotus (*Saussurea medusa* and *S. laniceps*, Asteraceae): Threatened Tibetan medicinal plants of the eastern Himalayas. *Plant Ecology* 210(2):343-357.
- Lázaro-Zermeño JM, González-Espinosa M, Mendoza A, Martínez-Ramos M, & Quintana-Ascencio PF (2011) Individual growth, reproduction and population dynamics of *Dioon merolae* (Zamiaceae) under different leaf harvest histories in Central Chiapas, Mexico. *Forest Ecology and Management* 261(3):427-439.
- Leimu R & Lehtilä K (2006) Effects of two types of herbivores on the population dynamics of a perennial herb. *Basic and Applied Ecology* 7(3):224-235.
- Lemke T & Salguero-Gómez R (2015) Land use heterogeneity causes variation in demographic viability of a bioindicator of species-richness in protected fen grasslands. *Population Ecology* 58(1):165-178.
- Lennartsson T & Oostermeijer JGB (2001) Demographic variation and population viability in *Gentianella campestris*: effects of grassland management and environmental stochasticity. *Journal of Ecology* 89(3):451-463.
- Lesica P (1995) Demography of *Astragalus-Scaphoides* and Effects of Herbivory on Population-Growth. *Great Basin Naturalist* 55(2):142-150.
- Lesica P & Shelly JS (1996) Competitive Effects of *Centaurea maculosa* on the Population Dynamics of *Arabis fecunda*. *Bulletin of the Torrey Botanical Club* 123(2):111-121.
- Li S-L et al. (2013) Understanding the effects of a new grazing policy: the impact of seasonal grazing on shrub demography in the Inner Mongolian steppe. *Journal of Applied Ecology* 50(6):1377-1386.
- Lin CH, Miriti MN, & Goodell K (2016) Demographic consequences of greater clonal than sexual reproduction in *Dicentra canadensis*. *Ecol. Evol.* 6(12):3871-3883.
- Lin Y & Augspurger CK (2008) Impact of spatial heterogeneity of neighborhoods on long-term population dynamics of sugar maple (*Acer saccharum*). *Forest Ecology and Management* 255(10):3589-3596.
- Liu H, Menges ES, & Quintana-Ascencio PF (2005) Population Viability Analyses of *Chamaecrista Keyensis*: Effects of Fire Season and Frequency. *Ecol. Appl.* 15(1):210-221.
- Louda SM et al. (2005) Evaluation of ecological risk to populations of a threatened plant from an invasive biocontrol insect. *Ecol. Appl.* 15(1):234-249.

- Louthan AM, et al. (2018) Aridity weakens population-level effects of multiple species interactions on *Hibiscus meyeri*. *Proc Natl Acad Sci USA B* 115(3):543-548.
- Maclean JE, Goheen JR, Doak DF, Palmer TM, & Young TP (2011) Cryptic herbivores mediate the strength and form of ungulate impacts on a long-lived savanna tree. *Ecology* 92(8):1626-1636.
- Mandle L, Ticktin T, Zuidema PA, & de Kroon H (2015) Resilience of palm populations to disturbance is determined by interactive effects of fire, herbivory and harvest. *Journal of Ecology* 103(4):1032-1043.
- Mandujano MC, Golubov J, & Huenneke LF (2007) Effect of reproductive modes and environmental heterogeneity in the population dynamics of a geographically widespread clonal desert cactus. *Population Ecology* 49(2):141-153.
- Martin EF & Meinke RJ (2012) Variation in the demographics of a rare central Oregon endemic, *Astragalus peckii* Piper (Fabaceae), with fluctuating levels of herbivory. *Population Ecology* 54(3):381-390.
- Martinez-Ramos M, Ortiz-Rodriguez IA, Pinero D, Dirzo R, & Sarukhan J (2016) Anthropogenic disturbances jeopardize biodiversity conservation within tropical rainforest reserves. *Proc Natl Acad Sci U S A* 113(19):5323-5328.
- Martorell C, Garcillán PP, & Casillas F (2012) Ruderality in extreme-desert cacti? Population effects of chronic anthropogenic disturbance on *Echinocereus lindsayi*. *Population ecology* 54(2):335-346.
- Maschinski J, Frye R, & Rutman S (1997) Demography and Population Viability of an Endangered Plant Species before and after Protection from Trampling. *Demografía y Viabilidad Poblacional de un Especie de Planta en Peligro de Extincion Antes y Despues de Protegerla Contra Pisoteo. Conservation Biology* 11(4):990-999.
- McArthur L, Boland JW, & Tiver F (2003) Parameter estimation for stage-structured projection models using real data. *Modelling & Simulation Conference, (DA Post)*, pp 1574-1579.
- Mendoza A, Pinero D, & Sarukhán J (1987) Effects of Experimental Defoliation on Growth, Reproduction and Survival of *Astrocaryum Mexicanum*. *The Journal of Ecology* 75(2):545-554.
- Menges ES & Dolan RW (1998) Demographic viability of populations of *Silene regia* in midwestern prairies: relationships with fire management, genetic variation, geographic location, population size and isolation. *Journal of Ecology* 86(1):63-78.
- Merow C, et al. (2014) On using integral projection models to generate demographically driven predictions of species' distributions: development and validation using sparse data. *Ecography* 37(12):1167-1183.
- Miller TEX, Louda SM, Rose KA, & Eckberg JO (2009) Impacts of insect herbivory on cactus population dynamics: experimental demography across an environmental gradient. *Ecological Monographs* 79(1):155-172.
- Miriti MN, Joseph Wright S, & Howe HF (2001) The Effects of Neighbors on the Demography of a Dominant Desert Shrub (*Ambrosia Dumosa*). *Ecological Monographs* 71(4):491-509.
- Molnár E & Bokros S (1996) Studies on the demography and life history of *Taraxacum serotinum* (Waldst. et Kit.) Poir. *Folia Geobotanica* 31(4):453-464.
- Mooney EH (2007) Genetic and evolutionary consequences of harvest in American ginseng, *Panax quinquefolius* L.(Araliaceae). (West Virginia University).
- Münzbergová Z (2005) Determinants of species rarity: population growth rates of species sharing the same habitat. *Am. J. Bot.* 92(12):1987-1994.
- Nicolè F, Dahlgren JP, Vivat A, Till-Bottraud I, & Ehrlén J (2011) Interdependent effects of habitat quality and climate on population growth of an endangered plant. *Journal of Ecology* 99(5):1211-1218.
- Oliva G, Collantes M, & Humano G (2005) Demography of Grazed Tussock Grass Populations in Patagonia. *Rangel. Ecol. Manag.* 58(5):466-473.

- Olsen SL, Topper JP, Skarpaas O, Vandvik V, & Klanderud K (2016) From facilitation to competition: temperature-driven shift in dominant plant interactions affects population dynamics in seminatural grasslands. *Glob Chang Biol* 22(5):1915-1926.
- Palmer TM, *et al.* (2010) Synergy of multiple partners, including freeloaders, increases host fitness in a multispecies mutualism. *Proc Natl Acad Sci U S A* 107(40):17234-17239.
- Pascarella JB & Horvitz CC (1998) Hurricane Disturbance and the Population Dynamics of a Tropical Understory Shrub: Megamatrix Elasticity Analysis. *Ecology* 79(2):547-563.
- Picó FX, Quintana-Ascencio PF, Mildén M, Ehrlén J, & Pfingsten I (2009) Modelling the effects of genetics and habitat on the demography of a grassland herb. *Basic and Applied Ecology* 10(2):122-130.
- Pollnac FW, Maxwell BD, Taper ML, & Rew LJ (2014) The demography of native and non-native plant species in mountain systems: examples in the Greater Yellowstone Ecosystem. *Population Ecology* 56(1):81-95.
- Portilla-Alonso RM & Martorell C (2011) Demographic consequences of chronic anthropogenic disturbance on three populations of the endangered globose cactus *Coryphantha werdermannii*. *Journal of Arid Environments* 75(6):509-515.
- Prevéy JS & Seastedt TR (2015) Effects of precipitation change and neighboring plants on population dynamics of *Bromus tectorum*. *Oecologia* 179(3):765-775.
- Quintana-Ascencio PF, Caballero I, Olano JM, Escudero A, & Albert MJ (2009) Does habitat structure matter? Spatially explicit population modelling of an Iberian gypsum endemic. *Population Ecology* 51(2):317-328.
- Quitete Portela RdC, Bruna EM, & Maës dos Santos FA (2010) Demography of palm species in Brazil's Atlantic forest: a comparison of harvested and unharvested species using matrix models. *Biodiversity and Conservation* 19(8):2389-2403.
- Raghu S, Osunkoya OO, Perrett C, & Pichancourt J-B (2014) Historical demography of *Lantana camara* L. reveals clues about the influence of land use and weather in the management of this widespread invasive species. *Basic and Applied Ecology* 15(7):565-572.
- Ramula S (2008a) Population dynamics of a monocarpic thistle: simulated effects of reproductive timing and grazing of flowering plants. *Acta Oecologica* 33(2):231-239.
- Ramula S (2008b) Responses to the timing of damage in an annual herb: Fitness components versus population performance. *Basic and Applied Ecology* 9(3):233-242.
- Ratsirarson J, Silander JA, & Richard AF (1996) Conservation and Management of a Threatened Madagascar Palm Species, *Neodypsis decaryi*, Jumelle. *Conservation Biology* 10(1):40-52.
- Raventós J, González E, Mújica E, & Doak DF (2015) Population Viability Analysis of the Epiphytic Ghost Orchid (*Dendrophylax lindenii*) in Cuba. *Biotropica* 47(2):179-189.
- Rodríguez-Pérez J & Traveset A (2012) Demographic consequences for a threatened plant after the loss of its only disperser. Habitat suitability buffers limited seed dispersal. *Oikos* 121(6):835-847.
- Rojas-Sandoval J, Meléndez-Ackerman EJ, & Anglés-Alcázar D (2016) Assessing the impact of grass invasion on the population dynamics of a threatened Caribbean dry forest cactus. *Biological Conservation* 196:156-164.
- Rooney TP & Gross K (2003) A demographic study of deer browsing impacts on *Trillium grandiflorum*. *Plant Ecology* 168(2):267-277.
- Rose KE, Louda SM, & Rees M (2005) Demographic and Evolutionary Impacts of Native and Invasive Insect Herbivores on *Cirsium Canescens*. *Ecology* 86(2):453-465.
- Rose KE, Russell FL, & Louda SM (2011) Integral projection model of insect herbivore effects on *Cirsium altissimum* populations along productivity gradients. *Ecosphere* 2(8):art97.
- Roy BA, *et al.* (2011) Population regulation by enemies of the grass *Brachypodium sylvaticum*: demography in native and invaded ranges. *Ecology* 92(3):665-675.



- Russell FL, Rose KE, & Louda SM (2010) Seed availability and insect herbivory limit recruitment and adult density of native tall thistle. *Ecology* 91(10):3081-3093.
- Rydgren K, De Kroon H, Økland RH, & Van Groenendael J (2001) Effects of fine-scale disturbances on the demography and population dynamics of the clonal moss *Hylocomium splendens*. *Journal of Ecology* 89(3):395-405.
- Sánchez-Velásquez LR, Ezcurra E, Martínez-Ramos M, Alvarez-Buylla E, & Lorente R (2002) Population dynamics of *Zea diploperennis*, an endangered perennial herb: effect of slash and burn practice. *Journal of Ecology* 90(4):684-692.
- Satterthwaite WH, Menges ES, & Quintana-Ascencio PF (2002) Assessing Scrub Buckwheat Population Viability in Relation to Fire Using Multiple Modeling Techniques. *Ecol. Appl.* 12(6):1672-1687.
- Scanga SE (2014) Population dynamics in canopy gaps: nonlinear response to variable light regimes by an understory plant. *Plant Ecology* 215(8):927-935.
- Schleuning M, Huamán V, & Matthies D (2008) Flooding and canopy dynamics shape the demography of a clonal Amazon understorey herb. *Journal of Ecology* 96(5):1045-1055.
- Schleuning M & Matthies D (2009) Habitat change and plant demography: assessing the extinction risk of a formerly common grassland perennial. *Conserv Biol* 23(1):174-183.
- Schmidt IB (2011) Effects of local ecological knowledge, harvest and fire on golden-grass (*Syngonanthus nitens*, Eriocaulaceae), a non-timber forest product (NTFP) species from the Brazilian savanna. (University of Hawaii at Manoa, Honolulu, HI).
- Schmidt IB, Mandle L, Ticktin T, & Gaoue OG (2011) What do matrix population models reveal about the sustainability of non-timber forest product harvest? *Journal of Applied Ecology* 48(4):815-826.
- Schultz EL, Eckberg JO, Berg SS, Louda SM, & Miller TEX (2017) Native insect herbivory overwhelms context dependence to limit complex invasion dynamics of exotic weeds. *Ecol Lett* 20(11):1374-1384.
- Schutzenhofer MR & Knight TM (2007) Population-level effects of augmented herbivory on *Lespedeza cuneata*: implications for biological control. *Ecol Appl* 17(4):965-971.
- Schutzenhofer MR, Valone TJ, & Knight TM (2009) Herbivory and population dynamics of invasive and native *Lespedeza*. *Oecologia* 161(1):57-66.
- Shea K, Kelly D, Shppard AW, & Woodburn TL (2005) Context-dependent biological control of an invasive thistle. *Ecology* 86(12):3174-3181.
- Sinha A & Brault S (2005) Assessing Sustainability of Nontimber Forest Product Extractions: How Fire Affects Sustainability. *Biodiversity and Conservation* 14(14):3537-3563.
- Sletvold N, Dahlgren JP, Øien DI, Møen A, & Ehrlén J (2013) Climate warming alters effects of management on population viability of threatened species: results from a 30-year experimental study on a rare orchid. *Glob Chang Biol* 19(9):2729-2738.
- Sletvold N & Rydgren K (2007) Population dynamics in *Digitalis purpurea*: the interaction of disturbance and seed bank dynamics. *Journal of Ecology* 95(6):1346-1359.
- Stephens EL, Tye MR, & Quintana-Ascencio PF (2014) Habitat and microsite influence demography of two herbs in intact and degraded scrub. *Population Ecology* 56(3):447-461.
- Stevens JT & Latimer AM (2015) Snowpack, fire, and forest disturbance: interactions affect montane invasions by non-native shrubs. *Glob Chang Biol* 21(6):2379-2393.
- Stewart K (2001) The commercial bark harvest of the African cherry (*Prunus africana*) on Mt Oku, Cameroon: effects of traditional uses on population dynamics. PhD (Florida International University, Florida).
- Stokes KE, Bullock JM, & Watkinson AR (2004) Population dynamics across a parapatric range boundary: *Ulex gallii* and *Ulex minor*. *Journal of Ecology* 92(1):142-155.

- Stricker KB & Stiling P (2012) Herbivory by an introduced Asian weevil negatively affects population growth of an invasive Brazilian shrub in Florida. *Ecology* 93(8):1902-1911.
- Swope SM & Satterthwaite WH (2012) Variable effects of a generalist parasitoid on a biocontrol seed predator and its target weed. *Ecol Appl* 22(1):20-34.
- Tenhumberg B, Suwa T, Tyre AJ, Russell FL, & Louda SM (2015) Integral projection models show exotic thistle is more limited than native thistle by ambient competition and herbivory. *Ecosphere* 6(4):art69.
- Thomson DM (2005) Matrix Models as a Tool for Understanding Invasive Plant and Native Plant Interactions. *Conservation Biology* 19(3):917-928.
- Thomson DM (2007) Do source–sink dynamics promote the spread of an invasive grass into a novel habitat? *Ecology* 88(12):3126-3134.
- Ticktin T, Ganesan R, Paramesha M, & Setty S (2012) Disentangling the effects of multiple anthropogenic drivers on the decline of two tropical dry forest trees. *Journal of Applied Ecology* 49(4):774-784.
- Ticktin T & Nantel P (2004) Dynamics of harvested populations of the tropical understory herb *Aechmea magdalenae* in old-growth versus secondary forests. *Biological Conservation* 120(4):461-470.
- Tolvanen A, Schroderus J, & Henry GHR (2001) Demography of three dominant sedges under contrasting grazing regimes in the High Arctic. *Journal of Vegetation Science* 12(5):659-670.
- Toräng P, Ehrlén J, & Ågren J (2010) Linking environmental and demographic data to predict future population viability of a perennial herb. *Oecologia* 163(1):99-109.
- Trauernicht C, Murphy BP, Prior LD, Lawes MJ, & Bowman DMJS (2016) Human-Imposed, Fine-Grained Patch Burning Explains the Population Stability of a Fire-Sensitive Conifer in a Frequently Burnt Northern Australia Savanna. *Ecosystems* 19(5):896-909.
- Tye MR, *et al.* (2016) A demographic ménage à trois: interactions between disturbances both amplify and dampen population dynamics of an endemic plant. *Journal of Ecology* 104(6):1778-1788.
- Ulrey C, Quintana-Ascencio PF, Kauffman G, Smith AB, & Menges ES (2016) Life at the top: Long-term demography, microclimatic refugia, and responses to climate change for a high-elevation southern Appalachian endemic plant. *Biological Conservation* 200:80-92.
- Valverde T, Hernandez-Apolinar M, & Mendoza-Amarom S (2006) Effect of Leaf Harvesting on the Demography of the Tropical Palm *Chamaedorea elegans* in South-Eastern Mexico. *J. Sustain. For.* 23(1):85-105.
- Valverde T & Silvertown J (1998) Variation in the demography of a woodland understorey herb (*Primula vulgaris*) along the forest regeneration cycle: projection matrix analysis. *Journal of Ecology* 86(4):545-562.
- van der Meer S, Dahlgren JP, Mildén M, & Ehrlén J (2014) Differential effects of abandonment on the demography of the grassland perennial *Succisa pratensis*. *Population Ecology* 56(1):151-160.
- Van der Voort ME & McGraw JB (2006) Effects of harvester behavior on population growth rate affects sustainability of ginseng trade. *Biological Conservation* 130(4):505-516.
- van Mantgem PJ, Stephenson NL, Keifer M, & Keeley J (2004) Effects of an introduced pathogen and fire exclusion on the demography of sugar pine. *Ecol. Appl.* 14(5):1590-1602.
- Venter SM & Witkowski ETF (2013) Using a deterministic population model to evaluate population stability and the effects of fruit harvesting and livestock on baobab (*Adansonia digitata* L.) populations in five land-use types. *Forest Ecology and Management* 303:113-120.
- Volis S, Mendlinger S, & Ward D (2004) Demography and role of the seed bank in Mediterranean and desert populations of wild barley. *Basic and Applied Ecology* 5(1):53-64.
- von Euler T, Ågren J, & Ehrlén J (2014) Environmental context influences both the intensity of seed predation and plant demographic sensitivity to attack. *Ecology* 95(2):495-504.

- Wallace JM & Prather TS (2013) Comparative demography of an exotic herbaceous annual among plant communities in invaded canyon grassland: inferences for habitat suitability and population spread. *Biol. Invasions* 15(12):2783-2797.
- Wepler T & Stöcklin J (2006) Does pre-dispersal seed predation limit reproduction and population growth in the alpine clonal plant *Geum reptans*? *Plant Ecology* 187(2):277-287.
- Williams AL, *et al.* (2007) Warming and free-air CO<sub>2</sub> enrichment alter demographics in four co-occurring grassland species. *New Phytol* 176(2):365-374.
- Williams JL, Auge H, & Maron JL (2010) Testing hypotheses for exotic plant success: parallel experiments in the native and introduced ranges. *Ecology* 91(5):1355-1366.
- Williams JL & Crone EE (2006) The impact of invasive grasses on the population growth of *Anemone patens*, a long-lived native forb. *Ecology* 87(12):3200-3208.
- Winkler M, Hülber K, & Hietz P (2007) Population dynamics of epiphytic bromeliads: Life strategies and the role of host branches. *Basic and Applied Ecology* 8(2):183-196.
- Winter S, *et al.* (2014) Control of the toxic plant *Colchicum autumnale* in semi-natural grasslands: effects of cutting treatments on demography and diversity. *Journal of Applied Ecology* 51(2):524-533.
- Yamada T, Yamada Y, Okuda T, & Fletcher C (2013) Soil-related variations in the population dynamics of six dipterocarp tree species with strong habitat preferences. *Oecologia* 172(3):713-724.
- Yates CJ & Ladd PG (2010) Using population viability analysis to predict the effect of fire on the extinction risk of an endangered shrub *Verticordia fimbriolepis* subsp. *fimbriolepis* in a fragmented landscape. *Plant Ecology* 211(2):305-319.
- Yule KM, Miller TEX, & Rudgers JA (2013) Costs, benefits, and loss of vertically transmitted symbionts affect host population dynamics. *Oikos* 122(10):no-no.
- Zambrano J & Salguero-Gómez R (2014) Forest Fragmentation Alters the Population Dynamics of a Late-successional Tropical Tree. *Biotropica* 46(5):556-564.
- Zuidema PA, De Kroon H, & Werger MJ (2007) Testing sustainability by prospective and retrospective demographic analyses: evaluation for palm leaf harvest. *Ecol Appl* 17(1):118-128.