IUCN Red List Mapping for the regional assessment of the Wolf *Canis lupus* In Europe

Petra Kaczensky, Norwegian Institute of Nature Research - NINA

June 2018

I. The map product

The mapping approach follows the methods described in Chapron et al. (2014) and Kaczensky et al. (2013). It updates the published Species Online Layers (SPOIS) to the period 2012-2016.

In short, large carnivore presence was mapped at a 10x10 km ETRS89-LAEA Europe grid scale. This grid is widely used for the Flora-Fauna-Habitat reporting by the European Union (EU) and can be downloaded at: http://www.eea.europa.eu/data-and-maps/data/eea-reference-grids-2.

The map encompasses the EU countries plus the non-EU Balkan states, Switzerland, Norway, and the Carpathian region of Ukraine.

Presence in a grid cell was ideally mapped based on carnivore presence and frequency in a cell resulting in:

- **1 = Permanent** (presence confirmed in >= 3 years in the last 5 years OR in >50% of the time OR reproduction confirmed within the last 3 years)
- **3 = Sporadic (highly fluctuating presence)** (presence confirmed in <3 years in the last 5 years OR in <50% of the time)
- We subsequently include: i) the category "present" when there is no doubt about the species presence in the country, but where additional information is missing & ii) the category "presence uncertain" where evidence is weak that large carnivore presence consists of more than very rare vagrants

Where grid cells have portions in more than one country and cells were assigned different values in neighbouring countries; the "disputed" cell was always given the "higher" presence value; that is a cell categorized as "sporadic" by one and "permanent" by the country was categorized as "permanent".

To assess the quality of carnivore signs we used the SCALP criteria developed for the standardized monitoring of Eurasian lynx (*Lynx lynx*) in the Alps (Molinari-Jobin et al. 2012):

- Category 1 (C1): "Hard facts", verified and unchallenged large carnivore presence signs (e.g. dead animals, DNA, verified camera trap images);
- Category 2 (C2): Large carnivore presence signs controlled and confirmed by a large carnivore expert (e.g. trained member of the network), which requires documentation of large carnivore signs; and

- Category 3 (C3): Unconfirmed category 2 large carnivore presence signs and all
 presence signs such as sightings and calls which, if not additionally documented,
 cannot be verified
- We subsequently include the category "**soft**" which refers to presence large carnivore presence based on interview, questionnaires, and media coverage

Table 1 provides an overview of the mapping details (time period, coverage, data unit, data categories used, extrapolation methods). The table also provides the contact people that compiled or provided the national/regional maps which were subsequently compiled into the Europe-wide map. Table 5 lists further contributors for the national/regional mapping.

Table 1: Overview of large carnivore data basis for the presence layer 2012-2016.

Country/Region	Period	Method change	Major effort change	Data unit ¹	Coverage of range ²	Extrapolation ³	Estimated % of cells based on 2012-2016 signs	LC sign category	Map contacts
Albania	2012-2016	Yes	Yes	Points	Focal areas	5km buffer all & past presence	10	C1&C2	Aleksandër Trajçe
Austria	2012-2016	No	No	Points	All - annually	None	100	C1&C2	Georg Rauer
Bosnia and Herzegovina	2004-2016	Yes	NA	Points	All - annually	None	100	C1-C3	Igor Trbojević
Bulgaria	2012-2014	Yes	No	Points	All - cummulative	20km buffer all & past presence	~40 (C1-C2)	C1-C3, soft	Elena Tsingarska
Croatia	2012-2016	Yes	No	Points	All - cummulative	Past core area	~95	C1-C3	Josip Kusak
Czech Republic	2012-2016	No	No	Points	All - annually	None	100	C1&C2	Miroslav Kutal
Denmark	2012-2016	Ne	ew	Points	All - annually	None	100	C1&C2	Peter Sunde, Kent Olsen, Ilka Reinhardt
Estonia	2012-2016	No	No	Points; Admin. Units	All - annually	None	95	C1-C3, soft	Peep Männil
Finland	2012-2016	No	No	Points	All - annually	None	??	C1-C3	Ilpo Kojola
France	2012-2016	Yes	No	Points	All - annually	9km buffer repro.	Repro: 18; other: 100	C1&C2	Christophe Duchamp
Germany	2012-2016	No	No	Points	All - annually	None	100	C1&C2	Ilka Reinhardt
Greece	2012-2016	No	No	Points; Admin. Units	All - annually	Gaps filled with sporadic	??	C1&C2	Yorgos Iliopoulos
Italy - Appennines	2012-2016	No	No	Points; Grids	Focal areas	Includes expert assesment	few	C1-C3, soft	Valeria Salvatori, Luigi Boitani
Italy - Alps	2014-2016	No	No	Points	All - annually	None	100	C1&C2	Francesca Marucco
Kosovo	2013-2017	Yes	Yes	Points	All - cummulative	None	100 (some cells from Serbia)	C1&C2	Aleksandër Trajçe
Latvia	2012-2016	Yes	Yes	Points	All - annually	None	100	C1	Janiz Ozoliņš
Lithuania	2012-2016	No	Yes	Points or nearest village	All - annually (only 3 years)	None	100	C1-C3	Vaidas Balys
FYRO Macedonia	2012-2016	Yes	Yes	Points	Focal areas	5km buffer all	??	C1	Dime Melovski
Netherlands	2014-2016	N ₆	ew	Points	All - annually	None	100	C1&C2	Peter Venema
Norway & Sweden	2012-2016	Yes	No	Points	All - annually	19km buffer repro/pack	??	C1&C2	Andreas Zetterberg
Poland - Baltic	2012-2016				Focal areas	Cells around repro, Past		C1&C2	
Poland - Carpathian	2012-2016	Yes	No	Points	Focal areas	presence	not calculated	C1&C2	Sabina Nowak,
Poland - Central European	2012-2016				All - annually	Cells around repro		C1&C2	Robert Mysłajek
Portugal	2012-2016	Yes	No	Points; Admin. Units	All - cummulative	None	>75	C1&C2	Francisco Álvares
Romania	2012-2016	No	Yes	Points; Admin. Units	All - annually	None	??	C1-C3	Ovidiu Ionescu
Serbia	2012-2016	sign based		Points; Admin. Units	All - cummulative	None	??	C1-C3	Dusko Cirovic
Slovakia	2016	No info	No info	Points; Admin. Units	All - annually (only 2016)	Unknown	unknown	C1-C3, soft	Robin Rigg
Slovenia	2012-2016	Yes	No	Points	All - annually	HR buffer repro	??	C1&C2	Klemen Jerina
Spain	2012-2016	Yes	Yes	Points	All - cummulative	None	100	C1&C2	Juan Carlos Blanco
Switzerland	2012-2016	No	No	Points	All - cummulative	None	100	C1&C2	Fridolin Zimmermann
Ukraine - Carpathians	2005-2017	Ne	ew	Points	Focal areas	Presence since 2005	30	C1-C3	Maryna Shkvyria, Yegor Yakovlev

¹Points=Location coordinates; Admin. Units=Administrational units like municipality, district, or hunting ground

²All-annually=monitoring covers entire range every year; All-cummulative=monitoring covered entire renage over the 2012-2016 period Focal areas=monitoring only covered part of the range for 2012-2016

³buffer all-all LC signs buffered; buffer repro-only reproduction signs buffered; HR buffer repro-reproduction buffered by home range size from telemety or genetics cells around-9 cells around presence cell, Past presence=previous distribution layers used to fill gaps in monitoring coverage

II. Presence definitions for the IUCN Red Listing

Our SPOIS definitions "permanent", "sporadic", "present", and "presence uncertain" had to be transferred to the IUCN Red List categories via the two categories PRESENCE and SEASONAL. A third category also delineates the ORIGIN of populations (native versus (re)introduced). For detailed background documents see:

http://www.iucnredlist.org/technical-documents/red-list-training/iucnspatialresources.

All SPOIS cells "permanent", "sporadic", and "present" were assigned a PRESENCE status of 1 (Extant). Under SEASONAL "permanent" cells were assigned to 1 (Resident), "sporadic" to 4 (Passage), and "present" to 5 (Seasonal occurrence uncertain). Under ORIGIN "sporadic" cells were assigned to 4 (vagrant), while "permanent" and "present" were assigned to whether they were native (1) or reintroduced (2). For some species and populations, we added a new category which was not available in the IUCN Red List categories: reinforced (7) — meaning that the population consists of reintroduced and native individuals.

Assigning "sporadic" cells to "Vagrants" saved us from delineating "sporadic" cells to specific populations. For many sporadic cells such an assignment can be done, but for enough other cells it is rather subjective and with expanding populations it will become even more difficult to assign these cells in any standardized way. For an overview of the SPOIS and subsequent IUCN Red List coding see Table 2.

Table 2: SPOIS and translation into IUCN Red List criteria – metadata table.

		IUCN Red List presence criteria*			Presence	IUCN*
	SPOIS code	Presence	Seasonal	Origin	comment	Subpopulation
				1 (native)	Extant (resident)	Population names
1	Permanent 1 (Extant) 1 (Resident)	1 (Resident)	2 (reintroduced)			
3	Sporadic	1 (Extant)	4 (Passage)	4 (vagrant)	Extant (sporadic)	Vagrants
	5 Present	1 (Extant)	5 (Seasonal occurrence uncertain)	1 (native)	Extant (data details missing)	Population names
5				2 (reintroduced)		

^{*}Obligatory cells for the IUCN Red List shape files




Fig. 1: Wolf presence in Europe 2012-2016 according to IUCN presence criteria for PRESENCE, SEASONAL, and ORIGIN (for codes see Table 2).

III. Area calculations

The IUCN SIS1 delineation of "Europe" excludes Belarus, Ukraine and Moldavia. In the end, we also excluded those countries, except the Carpathian part of Ukraine. Consequently, our definition is slightly different but has the advantage that it does not exclude a part of the Carpathian Mountains.

We only used the permanent cells for the calculation of the Extent of Occurrence (EOO) and Area of Occupation (AOO). The EOO is calculated as the 100% Minimum Convex Polygon (MCP) around all permanent cells and the AOOs are the sum of all permanent cells in each population (Fig. 2, Table 3).

Table 3: EOO and AOOs of wolf populations in Europe 2012-2016.

Populations	Area (km2)
E00	6,184,500
AOOs:	
Alpine*	51,500
Baltic	127,100
Carpathian	143,100
Central European	48,300
Dinaric-Balkan	229,500
Italian Peninsula	55,600
Karelian	51,000
NW Iberia	136,800
Scandinavian	151,800
Sum of AOOs	994,700

^{*}For practical reason permanent wolf presence in Austria was assigned to "Alpine" regardless of the genetical origin of the animals (wolves of Carpathian, Alpine, Dinaric and Central European origin have been detected in Austria over the last years).




Fig. 2: Wolf populations (cells with Presence 1.4.4. "sporadic" not shown) and total extent of occurrence (EOO) in Europe. Note: For practical reason permanent wolf presence in Austria was assigned to "Alpine" regardless of the genetical origin of the animals (wolves of Carpathian, Alpine, Dinaric and Central European origin have been detected in Austria over the last years).

IV. Shapefiles for the regional assessment

The shapefiles provided for the regional assessment contain one line for each cell where presence is defined as described in Table 2. Additional metadata for each line are listed below (Table 4).

Table 4: Metadata attached to the presence shapefile provide together with the regional IUCN Red List assessment for wolves in Europe.

Metadata table	Information provided		
SPOIS	see Table 1		
BINOMIAL	Canis lupus		
Presence	see Table 1		
ORIGIN	see Table 1		
SEASONAL	see Table 1		
COMPILER	Large Carnivore Initiative for Europe (LCIE)		
YRCOMPILED	2018		
DEC_LAT	Latitude of cell centroid		
DEC_LONG	Longitude of cell centroid		
SPATIALREF	WGS84		
EVENT_YEAR	2016		
EVENT_comm	data collected for period 2012-2016		
CITATION	Large Carnivore Initiative for Europe IUCN/SSC Specialist Group et al. 2018		
SOURCE	see supplementary material		
DIST_COMM	Data compiled by region/county representatives on a 10x10km ETRS grid		
SUBPOP	see Table 2		

V. Contributors

Table 5: Contributors to wolf map 2012-2016.

Country/Region	Names of main data/map contributors	Affiliation [and in some cases also acknowledgement of data sources]
Albania	Aleksandër Trajçe, Bledi Hoxha	Protection and Preservation of Natural Environment in Albania
Austria	Georg Rauer ¹	¹ Research Institute of Wildlife Ecology, University of Veterinary Medicine Vienna; based on data collected for the Coordination Board for the Management of the Brown Bear, Lynx and Wolf in Austria - KOST
Bosnia and Herzegovina	Igor Trbojević	University of Banja Luka, Faculty of Science
Bulgaria	Elena Tsingarska-Sedefcheva	Balkani Wildlife Society
Croatia	Josip Kusak ¹ , Slaven Reljić ¹ , Jasna Jeremić ² , personnel from State Directorate for Nature and Environment	¹ University of Zagreb, Department of Biology; ² State Institute for Nature Protection, Department for Wild and Domesticated Taxa and Habitats
Czech Republic & Western Slovakia	Miroslav Kutal ^{1,2} , Michal Bojda ¹ , Elisa Belotti ³ , Luděk Bufka ³ , Josefa Volfová ¹ , Robin Rigg ⁴ , Martin Duľa, Michal Kalaš ⁵ , Beňadik Machciník ⁶	¹ Friends of the Earth Czech Republic, ² Department of Forest Ecology, Faculty of Forestry and Wood technology, Mendel University Brno, Czech Republic; ³ Administration of the National Park and Protective Landscape Area of Šumava, Czech Republic; ⁴ Slovak Wildlife Society; ⁵ Administration of the National Park Malá Fatra, Slovakia; ⁶ Administration of the Protected Landscape Area Strážovské vrchy, Slovakia
Denmark	Peter Sunde ¹ , Kent Olsen ²	¹ Aarhus University, Department of Bioscience; ² Natural History Museum, Danish Agency for the Environment
Estonia	Peep Männil, Marko Kübarsepp, Rauno Veeroja	Estonian Environment Agency, Department of Wildlife Monitoring
Finland	Ilpo Kojola ¹ , Vesa Nivala ²	¹ Natural Resources Institute Finland (Luke); Finish database https://tassu.luke.fi

France	Christophe Duchamp	Office national de la chasse et de la faune sauvage ONCFS, Réseau Loup-Lynx
Germany	Ilka Reinhardt ^{1,2}	¹ LUPUS German Institute for Wolf Monitoring and Research; ² Dokumentations- und Beratungsstelle des Bundes zum Thema Wolf (DBBW); Federal Agency for Nature Conservation (BfN); federal states of Germany
Greece	Yorgos Iliopoulos	Callisto Wildlife Society
Italy - Appenine	Valeria Salvatori ¹ , Luigi Boitani ²	¹ Istituto di Ecologia Applicata, fedarel regions; ² Dipartimento di Biologia e Biotecnologie, Università di Roma "La Sapienza"; from from data in the document "Piano Nazionale di conservazione e gestione del lupo" 2015.
Italy - Alps	Francesca Marucco ¹ , E. Avanzinelli ¹ , B. Bassano ² , R. Bionda ³ , N. Bragalanti ^{4,5} , S. Calderola ⁶ , C. Chioso ⁷ , C. Groff ⁴ , L. Martinelli ¹ , U. Fattori ⁸ , L. Pedrotti ^{4,9} , D. Righetti ^{9,10} , E. Tironi ¹¹ , F. Truc ¹	¹Progetto LIFE WolfAlps, Centro Grandi Carnivori, Ente di Gestione delle Aree Protette delle Alpi Marittime; ²Parco Nazionale del Gran Paradiso; ³Progetto LIFE WolfAlps, Ente di Gestione delle Aree Protette dell'Ossola; ⁴Provincia Autonoma di Trento, Servizio Foreste e fauna; ⁵Progetto LIFE WolfAlps, MUSE, Museo delle Scienze, Trento; ⁶Progetto LIFE WolfAlps, Regione Veneto, Sezione Caccia e Pesca; ⁷ Regione Autonoma Valle d'Aosta - Flora, fauna, caccia e pesca - Ufficio per la fauna selvatica; ⁸ Regione Autonoma Friuli Venezia Giulia, Ufficio studi faunistici; ⁹ Progetto LIFE WolfAlps, Parco Nazionale dello Stelvio; ¹⁰ Provincia Autonoma di Bolzano, Ufficio Caccia e Pesca; ¹¹ Progetto LIFE WolfAlps, Regione Lombardia, DG Ambiente, Energia e Sviluppo sostenibile, Struttura Valorizzazione aree protette e biodiversità
Kosovo	Azem Ramadani, Rafet Elezi, Bardh Sanaja	Environmentally Responsible Action (ERA), Balkan Lynx Recovery Programme
Latvia	Jānis Ozoliņš, Guna Bagrade, Mārtiņš Lūkins	Latvian State Forest Research Institute "Silava"
Lithuania	Vaidas Balys ¹ , Renata Špinkytė-Bačkaitienė ²	¹ Association for Nature Conservation "Baltijos vilkas"; ² Aleksandras Stulginskis University; original raw data from Ministry of Environment (hunting bag and snowtracking data) & Ministry of Agriculture (official livestock registry)

FYRO Macedonia	Dime Melovski, Vasko Avukatov	Macedonian Ecological Society, Balkan Lynx Recovery Programme
Netherlands	Leo Linnartz ^{1,2} , Glenn Lelieveld ^{1,3} , Peter Venema ⁴ , Hugh Jansman ⁵	¹ Wolven in Nederland; ² ARK Natuurontwikkeling; ³ Dutch Mammal Society; ⁴ Provincie Drenthe; ⁵ Wageningen University, Environmental Research
Norway & Sweden	Andreas Zetterberg ¹	¹ Swedish University of Agricultural Sciences; Norwegian/Swedish database www.rovbase.no
Poland	Sabina Nowak, Robert W. Mysłajek	¹ Association for Nature "Wolf"; ² University of Warsaw, Faculty of Biology, Institute of Genetics and Biotechnology
Portugal	Francisco Álvares ¹ , Mónia Nakamura ¹ , Virginia Pimenta ¹ , Inês Barroso ²	¹ CIBIO, Research Center in Biodiversity and Genetic Resources, Porto University; ² ICNF, Institute for Nature Conservation and Forests
Romania	Ionescu Ovidiu ^{1,2} , Ionescu Georgeta ^{1,2} , Popa Marius ^{1,2}	¹ Transylvania University - Forest Faculty; ² National Institute for Research and Development in Forestry - Marin Dracea
Serbia	Duško Ćirović	University of Belgrade, Faculty of Biology
Slovakia	Robin Rigg ¹ , Jozef Bučko ²	¹ Slovak Wildlife Society, ² National Forestry Centre
Slovenia	Hubert Potočnik ¹ , Rok Črne ² , Miha Krofel ¹ , Klemen Jerina ¹ , Tomaž Skrbinšek ¹ , Matija Stergar ¹ , Marko Jonozovič ² , Ivan Kos1, Aleksandra Majić Skrbinšek ¹ , Matej Bartol ² , Hrovat Mojca ³ , Jelenčič Maja ¹ , Kljun Franc ¹ , Konec Marjeta ¹ , Kuralt Žan ¹ , Luštrik Roman ¹ , Ražen Nina ¹ ,	¹ University of Ljubljana, Faculty of Biotechnology; ² Slovenia Forest Service, ³ Dinaricum
Spain	Juan Carlos Blanco¹, José Vicente López-Bao²	¹ Wolf Project, Consultores en Biología de la Conservación, ² Research Unit of Biodiversity (UO/CSIC/PA), Oviedo University
Switzerland	Fridolin Zimmermann, Ralph Manz, Florin Kunz	Carnivore Ecology and Wildlife Management - KORA
Ukraine	Maryna Shkvyria ¹ , Yegor Yakovlev ^{1, 2}	¹ Kyiv Zoological Park of National importance ² Schmalhausen Institute of Zoology, National Academy of Sciences of Ukraine

VI. Acknowledgements

Our thanks go to the MANY, MANY unnamed people – state employees, project personnel, and volunteers which are instrumental for the monitoring programs of such far-ranging species as large carnivores.

References

Chapron, G., P. Kaczensky, J. D. C. Linnell, M. von Arx, D. Huber, H. Andrén, J. V. López-Bao, M. Adamec, F. Álvares, O. Anders, L. Balčiauskas, V. Balys, P. Bedő, F. Bego, J. C. Blanco, U. Breitenmoser, H. Brøseth, L. Bufka, R. Bunikyte, P. Ciucci, A. Dutsov, T. Engleder, C. Fuxjäger, C. Groff, K. Holmala, B. Hoxha, Y. Iliopoulos, O. Ionescu, J. Jeremić, K. Jerina, G. Kluth, F. Knauer, I. Kojola, I. Kos, M. Krofel, J. Kubala, S. Kunovac, J. Kusak, M. Kutal, O. Liberg, A. Majić, P. Männil, R. Manz, E. Marboutin, F. Marucco, D. Melovski, K. Mersini, Y. Mertzanis, R. W. Mysłajek, S. Nowak, J. Odden, J. Ozolins, G. Palomero, M. Paunović, J. Persson, H. Potočnik, P.-Y. Quenette, G. Rauer, I. Reinhardt, R. Rigg, A. Ryser, V. Salvatori, T. Skrbinšek, A. Stojanov, J. E. Swenson, L. Szemethy, A. Trajçe, E. Tsingarska-Sedefcheva, M. Váňa, R. Veeroja, P. Wabakken, M. Wölfl, S. Wölfl, F. Zimmermann, D. Zlatanova, and L. Boitani. 2014. Recovery of large carnivores in Europe's modern human-dominated landscapes. Science 346(6216):1517-1519.

Kaczensky, P., Chapron, G., Arx, M.v., Huber, D., Andrén, H., Linnell, J.D.C., 2013. Status, management and distribution of large carnivores – bear, lynx, wolf & wolverine – in Europe. Report to the EU Commission, Part 1 and Part 2, 2013); http://ec.europa.eu/environment/nature/conservation/species/carnivores/pdf/task_1_part1_statusoflcineurope.pdf

Molinari-Jobin, A., Wölfl, S., Marboutin, E., Molinari, P., Wölfl, M., Kos, I., Fasel, M., Koren, I., Fuxjäger, C., Breitenmoser, C., Huber, T., Blazic, M., Breitenmoser, U., 2012. Monitoring the Lynx in the Alps. Hystrix 23, 49-53.

http://www.kora.ch/malme/05_library/5_1_publications/M/Molinari-Jobin et al 2012 Monitoring the lynx in the Alps.pdf