

References

- Anonymous, 1952, *Basilosaurus cetoides* from Crawford County, Georgia: Georgia Mineral Society Newsletter, v. 5, p. 54.
- Applegate, S.P., 1969, Digging fossil whales in Mississippi with southern hospitality: Los Angeles County Museum of Natural History Quarterly, v. 8, p. 26–31.
- Bergquist, H.R., and McCutcheon, T.E., 1942, Scott County geology: Mississippi State Geological Survey Bulletin, v. 49 p. 1–146.
- Buckley, S.B., 1843, Notice of the discovery of a nearly complete skeleton of the *Zygodon* (sic) of Owen (*Basilosaurus* of Harlan) in Alabama: American Journal of Science, v. 43, p. 409–412.
- Buckley, S.B., 1846, On the *Zeuglodon* remains of Alabama: American Journal of Science, Series 2, v. 2, p. 125–129.
- Cooke, C.W., 1915, The age of the Ocala Limestone: US Geological Survey, Professional Paper no. 95, p. 107–117.
- DeVries, D.A., Moore, W.H., Kern, M.K., Morse, H.M., and Murray, G.E., 1963, Mississippi geological economical and topographical survey: Jasper County Mineral Resources, v. 95, 101 p.
- Dockery, D.T., III, and Johnston, J.E., 1986, Excavation of an archaeocete whale, *Basilosaurus cetoides* (Owen), from Madison, Mississippi: Mississippi Geology v. 6, p. 1–10.
- Dockery, D.T., III, Starnes, J.E., and Peyton, S., 2003, A largely complete *Basilosaurus* find in the Upper Yazoo Clay in Scott County, Mississippi: Journal of the Mississippi Academy of Sciences, v. 48, p. 42.

- Emmer, E.W., and Dunn, D.A., 1996, Stable isotopic composition of a late Eocene archaeocete whale, *Basilosaurus cetoides*, from Wayne County, Mississippi: AAPG Bulletin, v. 80, p. 1501.
- Emmons, E., 1846, Description of some of the bones of the *Zeuglodon cetoides* of Prof. Owen: American Quarterly Journal of Agriculture and Science, v. 3, p. 223–231.
- Geisler, J.H., Sanders, A.E., and Luo, Z., 2005, A new protocetid whale (Cetacea: Archaeoceti) from the late middle Eocene of South Carolina: American Museum Novitates, v. 3480, p. 1–65.
- Hilgard, E.W., 1860, Report on the Geology and Agriculture of the State of Mississippi: Jackson, E. Barksdale State Printer, 391 p.
- Holman, J.A., 2001, First report of an Eocene reptile fauna from Florida, USA: Palaeovertebrata, v. 30, p. 1–10.
- Holroyd, P.A., Parham, J.F., and Hutchinson, J.H., 2005, A reappraisal of some Paleogene turtles from the southeastern United States: Journal of Vertebrate Paleontology, v. 25, p. 979–982.
- Lucas, F.A., 1900, The pelvic girdle of zeuglodon *Basilosaurus cetoides* (Owen), with notes on other portions of the skeleton: Proceedings of the United States National Museum, v. 23, p. 327–331.
- Mellen, F.F., and McCutcheon, T.E., 1940, Yazoo County Mineral Resources: Mississippi State Geological Survey Bulletin, v. 39, p. 1–132.
- Priddy, R.R., 1960, Madison County geology: Mississippi Geological Survey Bulletin, v. 88, p. 5–123.

- Randazzo, A.F., Kisters, M., Jones, D.S., and Portell, R.W., 1990, Paleocology of shallow-marine carbonate environments, middle Eocene of Peninsular Florida: *Sedimentary Geology*, v. 66, p. 1–11.
- Sanders, A.E., and Katuna, M.P., 2000, Proposal for the revision of the stratigraphic nomenclature of the Santee Limestone (Eocene) of South Carolina, U.S.A.: *Geological Society of America (Southeastern Section), Abstracts of Programs*, v. 32, no. 2, p. A-71.
- Sellards, E.H., 1916, Fossil vertebrates from Florida: a new Miocene fauna, new Pliocene species, the Pleistocene fauna: *Florida Geological Survey, 8th Annual Report*, p. 79–119.
- Wallace, W.D., 1963, Alabama boneyard sheds new light on whales: *Science Digest*, v. 53, p. 77–80.
- Wailles, B.L.C., 1854, *Report on the Agriculture and Geology of Mississippi. Embracing a sketch of the social and natural history of the State*: Jackson, Mississippi, E. Barksdale, State Printer, 371 p.