

Francesco Beretta  
(CNRS UMR5190 LARHRA / Université de Lyon)

# Making Research Data FAIR: Building a CIDOC CRM Extension for Humanities and Social Sciences (SDHSS)

---

ontome.net

OAI12  
The Geneva Workshop  
on Innovations in Scholarly Communication

7 September 2021



# LE LARHRA DANS LES HUMANITÉS NUMÉRIQUES

[LIRE PLUS](#)

## LE LABORATOIRE

Le Laboratoire de Recherche Historique Rhône-Alpes est spécialisé en histoire moderne et contemporaine. [Lire la suite](#)

## L'AGENDA DU MOIS

Toutes les manifestations à venir : colloques, séminaires, ateliers, journées d'étude, soutenances de thèses, etc... [Voir l'agenda](#)

## SEMINAIRES 2020-2021


Les équipes du LARHRA organisent régulièrement des séminaires sur des sujets d'études très variés. [Lire la suite](#)

1.

The *symogih.org* project :

a collaborative **Virtual Research Environment**  
in the context of the Semantic Web  
and the FAIR principles

# The *symogih.org* virtual research environment




The « Système modulaire de gestion de l'information historique », *symogih.org* project was started in 2008.

About 50 scholars and students, and 15 national and international research projects used or are currently using the collaborative database to store and share historical information

# Interactive and collaborative data analysis

## Huma-Num RStudio-Shiny :<https://tinyurl.com/phn-shiny>



# *symogih.org* project website : documentation of the common model and published (open) data

The screenshot shows the homepage of the *symogih.org* project website. The header is yellow with the text "SYMOGIH" and "Références". Below the header is a navigation bar with three tabs: "Accueil" (selected), "Documentation", and "Membres". On the left, there is a sidebar with sections for "Références" (with links to "Arborescence des classes de types d'unités de connaissances", "Types d'informations", and "Types de contenus"), "Objets" (with links to "Acteurs", "Acteurs collectifs", "Objets abstraits", and "Caractères sociaux"), and "Sites propulsés par SyMoGIH" (with a link to "GEO-LARHRA"). The main content area has a section titled "Système Modulaire de Gestion de l'Information Historique (SyMoGIH)" with a sub-section "Le projet" containing text about the project's development of a generic storage model for historical data. Another section discusses the platform's role in storing primary data for human activity and its integration with a Geographic Information System (SIG). A third section lists the platform's features, including progressive and evolutionary modeling of historical information using a dictionary of knowledge units. At the bottom right, the URL <http://symogih.org> is displayed.

## Système Modulaire de Gestion de l'Information Historique (SyMoGIH)

### Le projet

Le projet SyMoGIH a développé un modèle générique de stockage des données historiques permettant leur interopérabilité et leur publication sélective. A partir de ce modèle, une plateforme collaborative pour la recherche en histoire a été mise en place, utilisée par plusieurs chercheurs et projets.

Cette plateforme permet le stockage de données primaires concernant toute activité humaine (sociale, économique, intellectuelle, ...), de textes codés en XML (traités selon le standard proposé par la [Text Encoding Initiative](#)), d'images et de leur métadonnées, tout en permettant d'associer à ces différents objets leur 'empreinte spatiale'. La réalisation d'un [système d'information géographique](#) (SIG) joue un rôle essentiel dans le projet.

La plateforme permet :

- la modélisation progressive et évolutive de l'information historique grâce à un dictionnaire de types d'unités de connaissance ;

<http://symogih.org>

# Project specific websites : Patrons de France

**PATRONS  
DE  
FRANCE**



**Système d'Information  
Patrons et Patronat  
Français**  
XIXe-XXe siècles

Accueil   Le corpus   Aide à la consultation   Consultation   Sources dépouillées   Contributeurs

**Accès rapide à la base**

- Patrons
- Institutions
- Caractères sociaux
- Lieux

**Contributions et contact**

Les détenteurs d'exemplaires de bulletins ou d'annuaires indiqués comme manquants dans les collections dépouillées jusqu'à maintenant sont invités à nous contacter en envoyant un message à [patronsdefrance@ish-lyon.cnrs.fr](mailto:patronsdefrance@ish-lyon.cnrs.fr).

**Consultation : liste des patrons**

Affichage de 1 à 10 sur 3042

Nom, prénom	Genre	Année de naissance	Lieu de naissance	Année de décès
Contient		Est égal à	Contient	Appliquer
				Réinitialiser
Acher, Maximilien	Homme	1862	Le Havre	1929
Acolas, Prospère	Homme	1838	Saint-Bonnet-Tronçais	1928
Adam, Alcide	Homme	1864	Ferrières	1931
Adam, Désiré	Homme	1859	Saint-Paul-du-Vernay	1929
Adenot, Henri	Homme	1904		1947
Ader, Clément	Homme	1841	Muret	1925
Adher, Pierre	Homme	1884		1955
Adnet, Aloïse	Homme	1848	Chalons-en-Champagne	1927
Agache, Donat	Homme	1882	Lille	1929
Agache, Edouard Donat Louis Joseph	Homme	1841	Lille	1923

<http://patronsdefrance.fr/>

# SPARQL Endpoint

Défi données MaDICS-ADOC 2018 : [tinyurl.com/data-challenge-2018](http://tinyurl.com/data-challenge-2018)


Enrichir et exploiter un corpus de données historiques publiées sous forme de LOD.

Le projet *SIPROJURIS*.

Système d'information des professeurs de droit (1804-1950)

## SIPROJURIS

Bienvenue sur le site du projet SIPROJURIS.




CODE  
UNIVERSITAIRE  
OU  
LOIS ET STATUTS  
DE L'UNIVERSITÉ ROYALE DE FRANCE



<http://siprojuris.symogih.org>

# Linked Open Research Data :

use the semantic web for historical research




## SPARQL – endpoint B3Kat

Bayerische Staatsbibliothek, Bibliotheksverbund Bayern, Kooperative Bibliotheksverbund Berlin-Brandenburg

<https://lod.b3kat.de/doc/sparql-endpoint>

# Galileo Galilei, Letter to Johannes Kepler, Padua, 4. August 1597

(Image source: Wikimedia Commons, Public Domain)



# Galileo Galilei, Letter to Johannes Kepler, Padua, 4. August 1597

(Image source: Wikimedia Commons, Public Domain)

## SYMOGIH.ORG

Références

Accueil   Actualités   Documentation   Membres

[Info\_label]

Références

- Arborescence des classes de types d'unités de connaissances
- Types d'informations
- Types de contenus

Objets

- Acteurs
- Acteurs collectifs
- Lieux
- Objets abstraits
- Caractères sociaux
- Formes concrètes

## Galilei, Galileo - Lettre adressée à Kepler, Johannes

Info3366


Type d'information: Lettre - TyIn1

Date: 1597-08-04

### Composantes de l'information

Rôles   Textes   Sources

Libellé de l'objet	Type de rôle	Cle du rôle
Galilei, Galileo	auteur (être l')	InRo8646
Lettre à Giovanni Kepler, 04/08/1597	création (être une)	InRo8647
Kepler, Johannes	destination (être la)	InRo9279
Padova	localiser	InRo55897
Graz	destination (être la)	InRo55898



Galileo Galilei taught mathematics at the University of Padua from 1592 and 1610

### Factoids : mentions of states of affairs in the sources

<?xml version="1.0"?><p corresp="Info94542">In 1592, <rs ref="Actr161">he</rs> [Galileo Galilei] moved to the <name ref="CoAc54">University of Padua</name> where he taught geometry, mechanics, and astronomy until 1610.</p>

Galilei, Galileo - Enseigne : Mathématiques, auprès de : Université de Padoue

Info94542

Type d'information: [Enseignement](#) - TyIn97

Date: 1592

Composantes de l'information

Rôles	Textes	Sources
Libellé de l'objet		
Galilei, Galileo		
Université de Padoue		
Mathématiques		
Libellé de l'objet	Type de rôle	Clé du rôle
Galilei, Galileo	exercer	InRo261100
Université de Padoue	concerner	InRo261101
Mathématiques	enseigné (être)	InRo261102

Factual information: states of affairs as such

## 2.

The issue of *research data interoperability*  
in historical sciences and, more in general,  
in the humanities and social sciences

Findable

Accessible

Interoperable

Re-usable

«There is an urgent need to improve the infrastructure supporting the **reuse** of scholarly data »

Wilkinson, Mark D., Michel Dumontier, Ijsbrand Jan Aalbersberg, Gabrielle Appleton, Myles Axton, Arie Baak, Niklas Blomberg, et al. “  
*The FAIR Guiding Principles for Scientific Data Management and Stewardship.*” Scientific Data 3 (March 15, 2016): 160018.

# Linked Open Research Data

ABES / SUDOC



[symogih.org](http://symogih.org)

VIAF®  
Virtual  
International  
Authority File



Gemeinsame  
Normdatei (GND)






[symogih.org](http://symogih.org)

## Research agenda

Research specific data model

Research data



# The FAIR Data Principles

To be **Interoperable**:

- I1. (meta)data use a *formal, accessible, shared, and broadly applicable language for knowledge representation*.
- I2. (meta)data use *vocabularies that follow FAIR principles*.
- I3. (meta)data include qualified references to other (meta)data.

To be **Re-usable**:

- R1. meta(data) have a plurality of accurate and relevant attributes.
  - R1.1. (meta)data are released with a *clear and accessible data usage license*.
  - R1.2. (meta)data are associated with their *provenance*.
  - R1.3. (meta)data meet ***domain-relevant community standards***.

CIDOC CRM

DUL  
(DOLCE ULTRA LIGHT)

schema.org

?

Research agenda

Research specific data model

Research data

## Research agenda

Research specific data model

Research data

Foundational ontologies  
& modelling best practices



Generic, domain related core ontology

Research agenda

Research specific data model

Research data

Foundational ontologies  
& modelling best practices



Generic, domain related core ontology



Domain related extensions



Research agenda

Research specific data model

Research data

# A relevant distinction : information is not knowledge

## Historical factual information

“In 1592, Galileo Galilei was hired by the University of Padua, where he taught mathematics until 1610.”


Letter by A to B, 11 March 1616 / Dictionary of astronomers, 2020

## Historical knowledge

“Galileo Galilei was convicted in 1633 not because of heresy but for political reasons, in the context of the Thirty Years' War.”

Dictionary of astronomers, 2020

# Factual information as the basis of the production of knowledge



Francesco Beretta (CNRS/Université de Lyon), 7 July 2020 CC BY-NC-SA 4.0

Galileo Galilei taught mathematics at the University of Padua from 1592 and 1610

### Factoids : mentions of states of affairs in the sources

<?xml version="1.0"?><p corresp="Info94542">In 1592, <rs ref="Actr161">he</rs> [Galileo Galilei] moved to the <name ref="CoAc54">University of Padua</name> where he taught geometry, mechanics, and astronomy until 1610.</p>

Galilei, Galileo - Enseigne : Mathématiques, auprès de : Université de Padoue

Info94542

Type d'information: [Enseignement](#) - TyIn97


Date: 1592

Composantes de l'information

Rôles	Textes	Sources
Libellé de l'objet		
Galilei, Galileo		Type de rôle
Université de Padoue		exercer
Mathématiques		concerner
		enseigné (être)

Factual information: states of affairs as such

# Our focus : modelling factual information




Francesco Beretta (CNRS/Université de Lyon), 7 July 2020 CC BY-NC-SA 4.0

The issue of a *suitable conceptualization* :

## Foundational ontologies

were developed to support the  
verification and improvement  
of the **conceptualization** of a **domain of discourse**.



Descriptive Ontology for Linguistic and Cognitive Engineering (DOLCE) – a foundational ontology designed in 2002 in the context of the WonderWeb EU project, developed by Nicola Guarino and his associates at the Laboratory for Applied Ontology (LOA) – WonderWeb Deliverable D18, p.14




Figure 4: Primitive relations between basic categories (the dotted lines to the left indicate that we are less confident with what concerns non-physical endurants.

#### 4.2.7 Participation


- (Dd63)  $PC_C(x, y) \triangleq \exists t(PRE(y, t)) \wedge \forall t(PRE(y, t) \rightarrow PC(x, y, t))$  (*Const. Participation*)
- (Dd64)  $PC_T(x, y, t) \triangleq PD(y) \wedge \forall z((P(z, y) \wedge PRE(z, t)) \rightarrow PC(x, z, t))$  (*Temporary Total Participation*)
- (Dd65)  $PC_T(x, y) \triangleq \exists t(ql_T(t, y) \wedge PC_T(x, y, t))$  (*Total Participation*)
- (Dd66)  $mpc(x, y) \triangleq x = \sigma_t z(PC_T(z, y))$  (*Maximal Participant*)
- (Dd67)  $mppc(x, y) \triangleq x = \sigma_t z(PC_T(z, y) \wedge PED(z))$  (*Maximal Physical Participant*)
- (Dd68)  $lf(x, y) \triangleq x = \sigma z(PC_T(y, z))$  (*Life*)

# Descriptions and Situations (DnS)

Flux – Logos

State of affairs – Situation – Description

## Descriptions and Situations (DnS)




# Descriptions and Situations (DnS)

Flux – Logos

State of affairs – Situation – Description




# Descriptions and Situations – DnS



physical or biological phenomena

DOLCE



# Descriptions and Situations – DnS

DOLCE





Fig. 2. A UML class diagram for D&S. The lower part of the pattern (within the grey package) is called the *ground ontology*, the higher is called the *descriptive ontology*; a situation satisfies a description if the two parts match according to the axioms specified for the concepts defined by the description.

Bottazzi E., Catenacci C., Gangemi A., Lehmann J.(2006) (from pre-print, not in published version)



DOLCE + DnS

=

DOLCE Lite PLUS

Foundational ontologies  
& modelling best practices

DOLCE + Descriptions and Situations  
& object-oriented modelling principles



Generic, domain related core ontology



Domain related extensions



Research specific data model

Research data

Foundational ontologies  
& modelling best practices

DOLCE + Descriptions and Situations  
& object-oriented modelling principles



Generic, **domain related** core ontology

Research specific data model

Research data


3.

The CIDOC CRM

and

a high-level extension for humanities and social sciences

The CIDOC CRM ( ISO21127:2006 )  
A semantic framework that provides *interoperability*  
between different sources of **cultural heritage information**




Stephen Stead (2008)

# Integration of information extracted from documents using the CIDOC CRM

CRM Core



Integration of Factual Relations




Information extraction


Source 1

Stephen Stead (2008). Cf. Doerr M. (2003), fig. 4, p. 81


# Integration of information extracted from documents using the CIDOC CRM




# Integration of factual information



Francesco Beretta (CNRS/Université de Lyon), 7 July 2020 CC BY-NC-SA 4.0



DOLCE → CIDOC CRM



**Fig. 2.** A UML class diagram for D&S. The lower part of the pattern (within the grey package) is called the *ground ontology*, the higher is called the *descriptive ontology*; a situation satisfies a description if the two parts match according to the axioms specified for the concepts defined by the description.

Bottazzi E., Catenacci C., Gangemi A., Lehmann J.(2006) (from pre-print, not in published version)

Foundational ontologies  
& modelling best practices

DOLCE + Descriptions and Situations  
& object-oriented modelling principles



Generic, domain related core ontology



Domain related extensions




CIDOC CRM




Research specific data model

Research data



physical or biological phenomena



# Semantic Data for Humanities and Social Sciences (SDHSS) CIDOC CRM Top-Level Extension

## Semantic Data for Humanities and Social Sciences (SDHSS) CIDOC CRM Top-Level Extension

Description:


Published by Francesco Beretta (CNRS/Université de Lyon), 7 December 2020. Last revised on March 30 2021. (CC BY-SA 4.0)

The extension of CIDOC CRM for semantic data for humanities and social sciences (SDHSS) stems from the need to conceptualise the reality in the world, and more specifically factual information, from the point of view of historical research. The [ontological commitment](#) is therefore related to the domain of discourse of history but insofar as history, as a discipline that studies the life of humans and societies in the past, is interested in all the different aspects of social, economic, political, religious, literary and cultural life, the scope of this extension could be defined as the whole of social and human life, apprehended from the descriptive point of view, and global approach to reality, that characterises historical research.


This definition of the scope or domain modelled is based on the conviction that in a [constructivist approach of scientific knowledge](#), a conceptualisation and data model can only be developed from the point of view of a specific discipline because *scientific objects* do not exist in the absolute but depend on the method and research agenda. They depend on the perspective or epistemic context researchers adopt in considering states of affairs: *scientific objects*, and [semantic models modelling them](#), are not declared to be the only appropriate and exclusive representation of *things* in the pre-Kantian sense but defined as *intentional objects* constructed from the point of view of a discipline and methodological approach in relation to things in the world. Scientific objects are not the things in the world themselves, even if they must necessarily refer to them by way of observation or experimentation, if a scientific and therefore realistic approach is to be maintained. This corresponds to the notion of inter-objectivity in social sciences relying on the distinction between things in themselves and things as perceived, experienced and discussed by human subjects, in their [shared intentionality](#) and in relation to their social practices and context.

[ontome.net/namespace/11](http://ontome.net/namespace/11)

# SDHSS and extension for social life



[ontome.net/namespace/11](http://ontome.net/namespace/11)



## CIDOC CRM




Fig. 2. A UML class diagram for D&S. The lower part of the pattern (within the grey package) is called the *ground ontology*, the higher is called the *descriptive ontology*; a situation satisfies a description if the two parts match according to the axioms specified for the concepts defined by the description.

Bottazzi E., Catenacci C., Gangemi A., Lehmann J.(2006) (from pre-print, not in published version)

Foundational ontologies  
& modelling best practices

DOLCE + Descriptions and Situations  
& object-oriented modelling principles



Generic, domain related core ontology



CIDOC CRM

SDHSS



Domain related extensions



Research specific data model

Research data

Foundational ontologies  
& modelling best practices

DOLCE + Descriptions and Situations  
& object-oriented modelling principles



Generic, domain related core ontology



Domain related extensions



Research specific data model

CIDOC CRM

SDHSS



CRM  
Archaeo

FRBRoo

CRMsoc

CRMgeo

Research data

Foundational ontologies  
& modelling best practices

DOLCE + Descriptions and Situations  
& object-oriented modelling principles



Generic, domain related core ontology



Domain related extensions



Research specific data model

Research data

CIDOC CRM

SDHSS

CRM  
Archaeo

FRBRoo

CRMsoc

CRMgeo

Society  
& Law  
(SDHSS)

Literary life  
(SDHSS)

Education &  
Universities  
(SDHSS)

Ships &  
navigation  
(SDHSS)

Foundational ontologies  
& modelling best practices

DOLCE + Descriptions and Situations  
& object-oriented modelling principles



Generic, domain related core ontology



Domain related extensions



Research specific data model

Research data

CIDOC CRM

SDHSS

CRM  
Archaeo

FRBRoo

Society  
& Law  
(SDHSS)

Literary life  
(SDHSS)

CRMsoc

CRMgeo

Education &  
Universities  
(SDHSS)

Ships &  
navigation  
(SDHSS)

Projects' research specific extensions

Foundational ontologies  
& modelling best practices

DOLCE + Descriptions and Situations  
& object-oriented modelling principles



Generic, domain related core ontology



Domain related extensions

Research agenda



Research specific data model

CIDOC CRM

SDHSS

Research agenda

CRM  
Archaeo

FRBRoo

Society  
& Law  
(SDHSS)

Literary life  
(SDHSS)

CRMsoc

CRMgeo

Education &  
Universities  
(SDHSS)

Ships &  
navigation  
(SDHSS)

Projects' research specific extensions

*Application profiles*

Research data



Foundational ontologies  
& modelling best practices

DOLCE + Descriptions and Situations  
& object-oriented modelling principles



Generic, domain related core ontology



Domain related extensions

Research agenda



Research specific data model

CIDOC CRM

SDHSS

Research agenda

CRM  
Archaeo

FRBRoo

Society  
& Law  
(SDHSS)

Literary life  
(SDHSS)

CRMsoc

CRMgeo

Education &  
Universities  
(SDHSS)

Ships &  
navigation  
(SDHSS)

Projects' research specific extensions

*Application profiles*

Research data


Interoperable research data



3.

Developing extensions devoted to specific sub-domains  
and managing a communal ontology development

**ontome.net**





## Classes tree

C2 Study (#424)

[Reset](#)

 Use mouse wheel






**Ontology Management Environment**

[dataforhistory.org](http://dataforhistory.org)

[ontome.net](http://ontome.net)

# Retrieve your project's application profiles from an API

<https://ontome.net/api/classes-profile.json?lang=en&available-in-profile=8>



The screenshot shows a web browser window displaying JSON data. The URL in the address bar is <https://phn-dev.ish-lyon.cnrs.fr/ontologies/web/api/classes/project/1/json>. The browser interface includes standard navigation buttons (back, forward, search, home) and a toolbar with links like "Ressources FB", "Projets FB", etc. Below the toolbar, there are tabs for "JSON", "Données brutes", and "En-têtes". Under the "JSON" tab, there are two entries, each represented by a number followed by a冒号 (colon). The first entry is "5:" and the second is "6:". Each entry contains several key-value pairs. The keys are in blue and the values are in pink. The data is as follows:


Key	Value
pk_class	61
identifier_in_namespace	"E67"
class_standard_label	"Birth"
fk_system_type	9
type_label	"Temporal Entity"
root_namespace	"CIDOC CRM"
profile_association_type	"selected"
pk_profile	1
profile_label	"BHP new data model v. 0.1"
pk_project	1
project_label	"BHP – symogih.org"

**5:**


pk_class:	61
identifier_in_namespace:	"E67"
class_standard_label:	"Birth"
fk_system_type:	9
type_label:	"Temporal Entity"
root_namespace:	"CIDOC CRM"
profile_association_type:	"selected"
pk_profile:	1
profile_label:	"BHP new data model v. 0.1"
pk_project:	1
project_label:	"BHP – symogih.org"

**6:**

pk_class:	340
identifier_in_namespace:	"histC7"
class_standard_label:	"Human being existence"
fk_system_type:	9
type_label:	"Temporal Entity"
root_namespace:	"Data for history"
profile_association_type:	"selected"
pk_profile:	1
profile_label:	"BHP new data model v. 0.1"
pk_project:	1
project_label:	"BHP – symogih.org"



Geovistory : a new VRE for the symogih.org project  
developed by *kleiolab.ch* (Basel)



Foundational ontologies  
& modelling best practices



Generic, domain related core ontology



Domain related extensions



Research agenda

Research specific data model

Research data

Maritime History:  
<https://ontome.net/namespace/66>

## Man-Made Object – E22

Summary Definition Properties Identification Namespace Hierarchy Relations Profiles Graph Comments 0

## OntoME

Ontology Management Environment - beta version

Data for History

## Ship – C2



Summary Definition Properties Identification Namespace Hierarchy Relations Profiles Graph Comments 0

### C2 Ship

Subclass of: E22 Man-Made Object


Scope note: Used to denote a watercraft that travels the world's oceans and other sufficiently deep waterways, carrying passengers or goods, or in support of specialized missions, such as defense, research and fishing.


Examples: tba


In First Order Logic:  $C2(x) \supset E22(x)$

Outgoing properties: P6 has ship type → C3 Ship type

Incoming properties: C1 Ship voyage → P3 carried out by  
C12 Shipbuilding → P7 has built







[dataforhistory.org](http://dataforhistory.org) – [dataforhumanities.org](http://dataforhumanities.org)

# ontome.net – what we offer

- Contact us on :
  - <https://colibris.link/ontome>
  - [contact@ontome.net](mailto:contact@ontome.net)
- OntoME trainings
- Semantic engineering workshops :  
align your research data models with the  
community driven CIDOC CRM – SDHSS  
extensions
- Join the OntoME project and developers community

**dataforhistory.org – dataforhumanities.org**