## Dataset dgl\_seedling\_counts.csv Metadata

Nikolas von Lüpke<sup>\*</sup> Holger Sennhenn-Reulen<sup>\*</sup>
André Olschewski<sup>\*</sup>

\*Northwest German Forest Research Institute (NW-FVA)

October 1, 2021

## **Background**

- Region: Federal States of Lower Saxony and Saxony-Anhalt, Northwest Germany
- Period of data collection: October, 2019 March, 2020
- Species: Douglas fir (Pseudotsuga menziesii (Mirb.) Franco)
- Regeneration method: Direct seeding under shelter (no natural regeneration)
- Varying provenances of seeds (locally recommended)
- 28 randomly selected stands
- Stand sizes:  $0.36 2.74 \,\mathrm{ha}$
- 50 systematically placed 4 m counting strips / ha

## Structure

- 1807 measurements
- 5 variables
- Coding of missing measurements: There are no missing measurements.

Name	Description	Class	Unit
count_4m	Abs. frequency of seedlings	Numeric	No. / 4 m counting strip
stand_ID	Stand identifier	Character	-
seeding_age_y	Time since seeding	Numeric	Years
seed_amount_kg_ha	Amount of seeds	Numeric	kg / ha
stocking_degree	Stocking	Numeric	Basal area of shelter in relation to reference stand

## Usage In $R^1$ :

df <- read.csv(file = "dgl\_seedling\_counts.csv")</pre>

<sup>&</sup>lt;sup>1</sup>R Core Team (2020). R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. URL https://www.R-project.org/.