

Role of Skeletonization Techniques for Recognition of Odia Off-Line Characters

Chen and Hsu[6] propose an improvement of original Zhang and Suen algorithm and use a look up table to speed up the process. Lu and Wang (LW) algorithm [7] is a modified version of ZS algorithm where the range of values for $B(p)$ is [3, 6] instead of [2, 6]. As shown in figure-3(b1), LW algorithm preserves the vertical and horizontal lines. But the junction points and end points are not preserved properly as shown in figure-3 (b2).

ETA algorithm[8] improves the ZS algorithm by adding some additional post processing condition after completion of all iteration. ETA algorithm preserves the structure of the image and can remove the contour noise points as shown in figure-3 (c1). But as shown in figure-3 (c2) slanting lines have 2-pixel width line. Datta and Parui [9] propose a thinning algorithm that ensures unit-pixel thick skeleton but has four sub iterations. In ZW algorithm the shape of curve and lines are better maintained as shown in figure-3 (d1). But as shown in figure-3 (d2), it cannot preserve the end points and junction points. It also does not remove contour noise points. Robust algorithm preserve the neighbor connectivity as shown in figure-3 (e1) . But it is also very sensitive to contour noise and cannot preserve the end points, junction points as shown in figure-3 (e2). BM-99[10] algorithm maintains shape of curve as shown in figure-15 (a). But as shown in figure-3(f1), it cannot make 1-pixel width line. Also does not remove the contour noise points shown in figure-3(f2).

This paper is concerned with thinning of printed Odia characters. It is observed that most of the existing thinning algorithms do not perform well for Odia characters. We examine some major algorithms in this investigation and list the shortcomings of each of these algorithms. A new algorithm is presented here that exploits the basic features of the language and performs better than any of the earlier algorithms.

III. PROPOSED METHODOLOGY

It is assumed, in this paper, that input to any thinning process is a binary image of an isolated character. A pixel p is examined for deletion if it is a black pixel with value 1. The neighbor pixels in its 3×3 window are labeled as shown in Table-I. The pixels x_2, x_3, \dots, x_9 are 8-neighbours of p and are collectively denoted by $N(p)$. The number of black pixels in $N(p)$ is denoted by $B(p)$. $A(p)$ is the number of (0-1)patterns in the ordered set $x_2, x_3, \dots, x_9, x_2$

TABLE- I: 3 X 3 WINDOW MASK

x_9	x_2	x_3
x	p	x_4
x_7	x_6	x_5

In the proposed algorithm 3 steps are done:

- Two sub iterations of ZS algorithm
- A new mask is added for neighbour connectivity.
- Vertical stroke is added

ZS algorithm [11] works in two sub iterations as follows.

1st Sub-Iteration:

The pixel p is deletable if it satisfies the following conditions:

- $2 \leq B(p) \leq 6$
- $A(p) = 1$
- $x_2 \times x_4 \times x_6 = 0$

- $x_4 \times x_6 \times x_8 = 0$

2nd Sub-Iteration:

The pixel p is deletable if it satisfies the following conditions:

- $2 \leq B(p) \leq 6$
- $A(p) = 1$
- $x_2 \times x_4 \times x_8 = 0$
- $x_2 \times x_6 \times x_8 = 0$

Here an extra restoring mask is added for preserving the neighbor connectivity shown in Figure – 2.2. After completion of all iteration a post processing condition is checked to get the final skeleton image. No previous algorithms are able to give a thin vertical line in odia character hence an extra vertical stroke is added to those characters that have vertical lines.

TABLE- II: EXTRA RESTORING MASK

		0	0	0
		0	0	0
	1	P	0	0
0	0	1	1	
0	0	0		

Pseudo code of the proposed methodology as follows..

Repeat

Set a flag to false

For a set of black pixel X

counter = 1

IF counter = 1

Repeat

$Y =$ set of pixel in X that satisfies conditions of sub-iteration1

$X = X \setminus Y$

Until $Y = \phi$

Repeat

$Z =$ set of pixel in X that satisfies conditions of sub-iteration2

$X = X \setminus Z$

Until $Z = \phi$

counter = counter + 1

ELSE

Repeat

$W =$ set of pixel in X which match any one of the thinning mask but no restoring mask

$X = X \setminus W$

Until $W = \phi$

counter = counter + 1

ENDIF

Set the flag to True

Repeat

$V =$ set of pixels that satisfies post processing conditions

$X = X \setminus V$

Until $V = \phi$

Until flag is not set

IF vertical line is present

Draw vertical stroke

ENDIF



IV. RESULT AND DISCUSSION

To evaluate the effectiveness of the proposed algorithm, the comparison and experimental results are described here. In figure-1 [a1,a2,b1,b2,c1,c2,d1,d2,e1,e2,f1,f2] the result of the existing characters is compared with ZS,LW, ETA, ZW ROBUST and ZW algorithms. Our dataset consists of isolated characters of 2000 characters of several fonts and sizes. Documents are scanned at 300dpi with high-resolution scanner. Characters are isolated by connected component method. These are size-normalized to 4848. In the present experiments, only the alphabets and compound characters are taken leaving aside numerals and modifiers. k is 2% of image size and hence $k = 1$.

Algorithms	Successful Thinning	Unsuccessful Thinning
ZS		
LW		
ETA		
ZW		
ROBUST		
BM99		

Figure-I (Results of various thinning Algorithm)

In Figure-II, our proposed algorithm's experimental results are shown including its original characters. It is found that most characters able to preserve 1 pixel width line. Topological structure of the characters is well preserved including vertical stroke, slanting line and also elliptical shape of the Odia characters.

Original Characters	Proposed Thinning Characters

Figure-II (Results of Proposed Thinning Algorithm)

From our extensive experimentation, we observe that BM99, LW and ZW are not able to remove contour noise. BM99, LW and GH92 yield skeletons of 2-pixel width. H tends to remove tips of linear strokes. Robust algorithm often fails to preserve shape and topology. ETA does not preserve vertical or diagonal lines and sensitive to contour noise points. LW does not preserve junction or end points. Robust algorithm is also sensitive to contour noise.

V. CONCLUSION

The present work is concerned with investigating existing thinning algorithms for their suitability to a specific script, namely *Odia* script. It is observed that none of the existing algorithms is very suitable and has some shortcoming or other. By combining some steps of different algorithms, a new algorithm is proposed that not only preserves the desirable features like shape, topology, connectivity etc but also retains basic strokes. This is very useful for subsequent recognition process. A new concept of stroke correction is also introduced here. We propose to integrate this with our recognizer in future and extend the concept of stroke correction to many other basic strokes.



REFERENCES

1. Pushpalata, P., & Babita, M. (2015). A Survey on Odia Character Recognition. *International Journal of Emerging Science and Engineering*, 8(2), 2319–6378.
2. Pal, U., Wakabayashi, T., & Kimura, F. (2007). A system for off-line oriya handwritten character recognition using curvature feature. *Proceedings - 10th International Conference on Information Technology, ICIT 2007*, 227–229.
3. Chaudhury, B., Pal, U., & Mitra, M. (2002). Automatic Recognition of Printed Oriya Script. *RESEARCH GATE*, 27(January), 23–34.
4. Zhang TY, Suen CY (1984) A fast parallel algorithm for thinning digital patterns. *CACM* 27:236-239
5. Zhang YY, Wang PSP (1988) A modified parallel thinning algorithm. *CPR* 1023-1025
6. Hall RW (1989) Fast parallel thinning algorithm: parallel speed and connectivity preservation. *CACM* 32:124-131
7. Lu HE, Wang PSP (1985) An improved fast parallel algorithm for thinning digital pattern. *IEEE CVPR '85* 364-367
8. Kwon JS, Gi JW, Kang EK (2001) An enhanced thinning algorithm using parallel processing. *ICIP* 3:752-755
9. Datta A, Parui SK (1994) A robust parallel thinning algorithm for binary images. *Pattern Recognition* 27:1181:1192K. Elissa, "Title of paper if known," unpublished.
10. Bernard TM, Manzanera A (1999) Improved low complexity fully parallel thinning algorithm. *ICIAP* :367-374

AUTHORS PROFILE



Sagarika Mishra is pursuing her Ph.D in the Department of Computer Science, SUIIT, Sambalpur University. She has a teaching experience of more than 10 years and currently working as an academic consultant (Comp Sc) in Odisha State Open University(OSOU). Her research area includes Character Recognition, Computer Vision, OCR, Natural Language Processing.

Image Processing,



Dr Chandra Sekhar Panda is serving as an Associate Professor and HOD in the Department of Computer Science & Applicationm Sambalpur University. He has a vast teaching & research experience of more than 20 years. There are more than 50 students have completed their M.Phil dissertation under his guidance. His research area includes Image Processing, Segmentation,

Feature Extraction, Computer Vision, Natural Language Processing, Video Motion Analysis, Neural Networks etc.