ExPaNDS

European Open Science Cloud Photon and Neutron Data Services

PIDs use in facility proposals and in data publishing

Vasily Bunakov (UKRI STFC) 22 October 2021



A variety of PIDs to consider in facilities context

- Facilities data

 www.datacite.org
 yet bear in mind that DataCite PID (DOI) may hide different meanings across facilities
- Facility instruments
 www.jlsrf.org , also RDA recommendation
- Organizations

https://grid.ac/
https://ror.org/

https://www.crossref.org/services/funder-registry/

Sky is the limit (make your own use of PIDs in facilities)





An example of a conceptual challenge: what is a facility?

- It is an organisation, hence we should assign Organisation PID to it
- It is a large-scale instrument, hence we should assign Instrument PID to it
- It is a funder in-kind (and sometimes monetary funder), hence we should assign Funder PID to it
- Or we can assign all these PIDs to a facility and use them depending on research information context
- It will not harm maintaining a common vocabulary to link all PIDs for the same facility



(Simplified) facilities research lifecycle



PIDs to consider for:

Proposal itself

P

PI affiliation

PI funder

Instrument

References

Experiment itself

PI

PI affiliation

Instrument

Instrument scientist

Dataset itself

Creator

Creator affiliation

Instrument

Data publisher

Dataset itself

Creator

Creator affiliation

Instrument

Data publisher

Data format

Entities


References

Paper itself
Author
Author affiliation
References






What we could connect in a PID graph for facilities (if we had enough PIDs)





PIDs (or, rather, absence of them) in facility experiment proposals



PIDs to consider for: Proposal itself Proposal ID is generated but it is not a PID

PI PI ORCID is not collected

PI affiliation PI Organisation PID is not collected

PI funder Funder information is not requested (let alone Funder PID)

Instrument Instrument name is captured but not a PID

ReferencesBibliographic references are requested in arbitrary format, without a DOI

User Offices and their proposal systems are first in the facilities research information value chain, and they fail the rest of the chain by not collecting PIDs





Illustration of why not requesting PIDs in proposal systems is a missed opportunity






Issues with publishing analysed data

Urea/Phosphoric Acid

M.R. Johnson Institut Laue-Langevin, Grenoble, France



Inelastic Neutron Scattering spectrum of Urea/Phosphoric Acid, NH₂CONH₂/H₃PO₄ measured on the TOSCA instrument

URI

http://purl.org/net/edata/handle/edata/707 http://dx.doi.org/10.5286/edata/687

Collections

INS Database

Related records

J. Am. Chem. Soc., 128 (2006) 2963-2969

View/Open

Ureaphosphoricacid.gif (157.7Kb)

Ureaphosphoricacid.dat (32.03Kb)

■ Ureaphosphoricacid.dx (33.43Kb)

Licence

Creative Commons Attribution 4.0 International





Summary of issues with PIDs

- Even mature PID types, such as DOIs for publications, are underused by facilities User Offices, or when we formally publish analysed data in repositories
- Practices of User Offices are detached from research information management practices further down the facilities research lifecycle: librarians are typically better with PIDs than User Offices but they do not talk enough with each other
- There are win-wins, such as auto-population of proposals with quality metadata fetched via PIDs, but these easy-to-implement features are missing in proposal systems
- Publishers do not care enough about analysed data, so facilities (data repository owners in host organisations) could step in and properly care about their own analysed data originating in facility experiments – but they do not seem interested

Light at the end of the tunnel...

- Every issue is an opportunity ©
- Facilities can become hubs for quality research information (if they want to, and if they invest in PIDs and associated metadata)
- User Offices and Libraries in host organisations are key players who can promote PIDs use by co-design and co-implementation of best practices



