

# A Review: Active Principles Isolated from Medicinal Plants and Their Activity

**Dr. Laxmi Kant Sharma\***

\*Former Principal, St. Xavier's PG College, Phagi, Jaipur.

tanu.lks1980@gmail.com

## INTRODUCTION:

An attempt has been made to list some of the active principals extracted and purified from medicinal plants. These medicinal plants are traditionally used in Indian Medicinal System ie *Ayurveda*. *Terminalia arjuna* is a very important plant used as medicinal plant in the Ayurveda. It has been reported for antihepatotoxic, anti-implantation and antifertility activities<sup>1,2</sup>. It has been observed that many of these compounds are

very frequently used for the cure of rare diseases. Like reserpine isolated from *Rouwolfa serpent* is a well-known active principal used for the cure of hypertension<sup>3</sup>. Camptothecin which is an alkaloid isolated from *Camptotheca acuminate* is known to be used for the cure of cervical and ovarian cancer treatment<sup>4</sup>.

a-amyrine and Lupeol acetate isolated from medicinal plant *Alstonia scholaris* are reported to exhibit antifertility activity<sup>5,6</sup>.

## LIST OF SOME MEDICINAL PLANTS WITH ACTIVE PRINCIPALS ISOLATED FROM THEM

S. No.	Name of the Plant	Active Principal Isolated	Reported Activity	References
1.	<i>Acokanthera schimperi</i>	Ouabain	Cardiac	7
2.	<i>Aconitum napellus</i>	Aconitine	CNS active	8
3.	<i>Ananas cosmosus</i>	Bromelain	Proteolytic	9
4.	<i>Barberis vulgaris</i>	Berbarine	Antihepatotoxic	10
5.	<i>Brunfelsia hopeana</i>	Manacine	CNS depressant, Anti-inflammatory	11
	<i>Capparis Decidua</i>		Anti-diabetic	12, 13
6.	<i>Capsium papper</i>	Capsaicin	Cytotoxic	14
7.	<i>Cinchopubescens</i>	Quinonic Acid	Cytotoxic	15
8.	<i>Coptis japonica</i>	Berberine, Palmatine	Anti-feeding, Anti-photooxidative	16, 17
9.	<i>Digitalis purpurea</i>	Digoxin	Cardiovascular systolic, ventricular, dysfunction	18, 19
10.	<i>Dioscorea betatas</i>	Diosgenin, Dioscorin	Anti-oxidant	20
11.	<i>Ephidra garardiana</i>	Ephedrine	In weight loss products	21
12.	<i>Glaucium flavum</i>	Glaucine	Antitussive, hypotensive	22
13.	<i>Guarea Guidonia</i>	Cocillana	Antiviral	23

14.	<i>Huperzia serrata</i>	Hyperzine-A	Alzheimer's disease	24
16.	<i>Mimusops elengi</i>	Flavones	Antioxidative, Antiinflammatory, diuretic,	25, 26
17	Pelargonium redula (Cav.) L Herit.	Flavones	Antimicrobial	27
18.	Plumeria bicolor	Plumeride	Antitumor	28
15.	<i>Saussurea lappa</i>	Cynaropicrin	Anti-inflammatory	29

## REFERENCES:

- [1]. R. D. Srivastava, S. Dwivedi, K. K. Sreenivasan and C. N. Chandrashekhar, "Cardiovascular effect of Terminalia species of plant". *Indian Drug* 29; 144-149, 1992.
- [2] S.S. Sharma, K. Dubey and S.S.Agarwal,"Antihepatotoxic activity of *Terminalia arjuna*". *Proc 24<sup>th</sup> Indian Pharmacol Soc. Conf.*, Ahemdabad, Gujarat, India p. 2,1991.
- [3] H.Wagner, H.Hikino and N.R. Farnsworth "Economic and Medicinal Plants Research" Vol. 2, *Academic Press, London*.1989.
- [4] M. Potmesil and H.Pinedo "Camptothecins: New anti-cancer agents".*CRC Press, Bocaraton*. Page 113, 1995.
- [5] R.S.Gupta, A.K.Bhatnager, Y.C.Joshi, M.C.Sharma, Veena Khushalani and J.B.S.Kchawa."Induction of antifertility with Lupeol acetatae in male albino rats". *Pharmacology*.75(2): 57-62,2005.
- [6] R.S.Gupta, A.K.Bhatnager, Y.C.Joshi, R.Sharma and A. Sharma,"Supression of fertility in male albino rats following a-amyrin acetate administration". *Pharmaceutical Biology*: 42, 98- 104.2004.
- [7] H.Hallaq, M. Heller, R.Panet andY.Eilam "Binding properties and biological effects of oxidized-ouabain on cultured neonatal-rat cardiac myocytes. Implications on the mechanism of action of the digitalis-glycosides". *Biochem Pharmacol.* 41;509-519,1991.
- [8] A.Ameri,"The effects of Aconitum alkaloids on the central nervous system". *Prog Neurobiol.* 56;(2)211-235,1998.
- [9] A. D. Rowan, D. J. ButtleandA.J. Barrett,"The cysteinine proteinases of the pineapple plant". *Biochem J.* 266; 869-875,1990.
- [10] M. P. Dobhal, Y.C. Joshi andP. Joshi. "A review on genus."*Rhododendrum* Part II. *Herb Polonica*, 37; 89-93, 1991.
- [11] R.P. Iyer, J.K. Brown,M.G. Chaubal and M.H. Malone,"Brunfelsia hopeana I: Hippocratic screening and anti- inflammatory evaluation". *Lloydia*. 40; 356-360,1977.
- [12] P. Yadav, S. Sarkar and D. Bhatnagar, *Pharmacological Research*, 36, 3, 221-228, 1997.
- [13] J. K. Grover, S. Yadav and V. Vats, *Journal of Ethno pharmacology*, 81, 1, 81-100, 2002.
- [14] E. E. Creppy, F. Richeux, M.R.Carrato, V. Cuomo, C. Cochereau, R. Ennamany andD. Savoureaux, "Cytotoxicity ofCapsasium in Monkey kindney cells: lack of entagonistic effects of Capsazepine and Ruthenium red." *Arc. Taxicol.* 74; 40-47, 2000.
- [15] H. Morita, K. Matsumoto, K.Takeya, H. Itokawa and Y.Iitaka,"Structure and solid state tautomeric forms of two noval antileukemic tropoisquinoline alkaloids, pariruvrines A and B from Cissampelos parerira.". *Chem. Pharm. Bull.* 41; 1418 – 1422, 1993.
- [16] I. K. Park, H.S. Lee, S.G. Lee, J.D. Park andY.J. Ahan,"Antifeeding activity of isoquinoline alkaloids identified in coptis

- japonica roots against *hyphentria cunea* (lepedotera: Arctiidae) and *agelastica coerulea* (Coleoptera; galerucinae)": *J. ecomentomol.* 1993; 331-335, 2000.
- [17] J. P. Kim, M. Y. Jung, J. P. Kim and S. Y. Kim, "Antiphotooxidative activity of protoberberines derived from *Coptis japonica* Makino in the chlorophyll II - sensitised photooxidation of oil." *J. Agric. Food Chem.* 48; 1058-1063, 2000.
- [18] P.J. Hauptman and R.A. Kelly, *Digitalis circulation* 1999; 1265 – 1270, 1999.
- [19] C. Kranzel, G. Nevobis, O. Pichlar and M. Studlar, "Clinical and experimental study of pure glycoside compound from *Digitalis purpurea*" *Wien Med. Wochenscher* 124: 762 - 765, 1974.
- [20] M. Araghniknan, S. Chung, White T. Nelson, C. Eskelason and R.R. Watson, "Antioxidant activity of *dioscorea* and dehydroepiandrosterone (DHEA) in older humans." *Life Science* 59; 147-157, 1966.
- [21] C. S. Van der Hoop and D. H. Stricker, "Ephedrine and Ephedra in weight loss products and other preparations". *Ned tijdschar Geneesk* 146; 1335 – 1336, 2002.
- [22] G. Cosar, H. Vilgehan and T. Gozler, "The antibacterial effects of some alkaloids isolated from *Glaucium flavum* Crantz". *Microbiol Bull.* 15; 105 – 109, 1981.
- [23] I. C. Simoni, V. Munford, J. D. Felico and A.P. Lins, "Antiviral activity of crude extract of *Guarea guidona* Braz". *J. Med. Reseach* 29; 647 – 650, 1996.
- [24] X. C. Tang, "Huperzine – A (shuangyiping): Apromising drug for Alzheimer's disease." *Zhongguo Yaoli - xue bao* 17; 481 – 484, 1996.
- [25] B. H. Havsteen, "The biochemistry and medical significance of the flavonoids". *Pharmacol. Ther.* 96: 67-202, 2002.
- [26] G. Ganu, A. Garud, V. Agarwal, U. Suralkar, S. Jadhav and A. Kshirsagar, "Anti-anxiety activity of *mimusops elengi* barks extract in experimental animals." *Res J Pharmaceut Biol Chem Sci.* 2(3): 405, 2011.
- [27] S. Pepljnak, Z. Kalodeera and M. Zovko, "Antimicrobial activity of flavonoids from *Pelargonium redula* (Cav.) L Herit". *Acta Pharm.* 55: 431-435, 2005.
- [28] Mahabeer P. Dobhal, Guolin Li, Amy Gryshuk, Andrew Gram, Atul K. Bhatnager, Sirajud D. Khaza, Yogesh C. Joshi, Mahesh C. Sharma, Allen Oseroff and Ravinder K. Pandey, *Journal of Organic Chemistry*: 69, 6165-6172, 2004.
- [29] A. B. Gokhale, A. S. Damre, K. R. Kulkarni, M. N. Saraf, "Preliminary Evaluation of antiinflammatory and anti-arthritis activity of *S. Lappa*, *A. speciose* and *A. aspera*". *Phytomedicine* 9; 433 – 437, 2002.