



Innovative and Sustainable Groundwater Management in the Mediterranean

D3.1 Selection of the Smart Model Types Suitable for Application to Groundwater Systems

VERSION 1.1



Acknowledgment: This project is part of the PRIMA programme supported by the European Union's Horizon 2020 Research and Innovation Programme under Grant Agreement No 1923.

Disclaimer: The content of this publication is solely responsibility of the authors and it does not represent the view of the PRIMA foundation

DOI: [10.5281/zenodo.5384340](https://doi.org/10.5281/zenodo.5384340)

Project information

Project title	Innovative and sustainable groundwater management in the Mediterranean		
Project acronym	InTheMED	Grant Number	Agreement 1923
Program	Horizon 2020		
Type of action	Water RIA – Research and innovation Action		
Start data	March 1, 2020	Duration	36 months
Project coordinator	Universitat Politècnica de València (UPV), Spain		
Consortium	<p>Universitat Politècnica de València (UPV), Spain</p> <p>Helmholtz-Zentrum für Umweltforschung (UFZ), Germany</p> <p>Università degli Studi di Parma (UNIPR), Italy</p> <p>Boğaziçi Üniversitesi (BU), Turkey</p> <p>Centre De Recherches Et Des Technologies Des Eaux (CERTE), Tunisie</p> <p>Technical University of Crete (TUC), Greece</p> <p>Associação do Instituto Superior Técnico para a Investigação e Desenvolvimento (IST-ID), Portugal</p>		

Document information

Deliverable number	D3.1	Deliverable name	Selection of the smart model types suitable for application to groundwater systems	
Work number	Package WP3	Work package title	Innovative Smart Modelling in the MED	
Due date	Contractual	February 28, 2021	Actual	July 31, 2021
Version number	1.1			
Deliverable type	report (R)	Dissemination level	public (PU)	
Authors	Maria Giovanna Tanda Andrea Zanini			
Co-authors	Janire Uribe Asarta J. Jaime Gómez-Hernández Vanessa Almeida De Godoy			
Reviewer(s)	All			

Document history

Version	Date	Stage	Reviewed by
1.0	2021/07/31	Draft	All
1.1	2021/09/02	Final Version	All

Table of contents

Project information	2
Document information	3
Document history	3
Glossary	6
Executive Summary	7
1. Overview	8
2. Test cases	8
2.1. Groundwater Flow.....	9
2.2. Groundwater Transport	10
2.3. Linear Regression Approach	11
3. Virtual meetings with project partners	13
4. References.....	14
Attachement A- References on Surrogate Modeling.....	15

List of Figures

Figure 1 – (left) Scheme of Artificial Neural Network. (right) Scheme of random forest.....	8
Figure 2 – (left) Synthetic example for groundwater flow. Each colour represents the natural logarithm of the transmissivity; (right) example of computed hydraulic heads in meters. The red crosses are monitoring wells and the blue circle denotes the pumping wells. Numbers on axis identify the cells. ..	9
Figure 3 – (left) Observed-estimated hydraulic heads ANN approach. (right) Observed-estimated hydraulic heads RF approach.....	9
Figure 4 – (left) Numerical grid of the study case. (right) Released mass rate at source.....	10
Figure 5 – ANN Observed and Estimated concentration at monitoring wells, forward simulation with one release source.....	11
Figure 6 – RF (left) Observed and Estimated concentration at monitoring wells, forward simulation with one release source. (right) Observed estimated concentrations	11
Figure 7 – SGIs versus SPIs (left) and SGIs versus SPEIs (right); the points represent the SGI data, the blue line indicates the regression line and the dashed line denotes the identity line. For each well, the correlation coefficient (R) and the regression equation is reported.	12
Figure 8 –Box-plots of the SGIs obtained for the Paganico monitoring well through the SGI-SPI (a) and SGI-SPEI (b) regression equations for the historical period and at short- (ST), medium- (MT) and long-term (LT) under the two RCP scenarios.....	12

Glossary

ANN	Artificial Neural Network.
BU	Boğaziçi Üniversitesi.
CERTE	Centre de Recherches et des Technologies des Eaux.
GA	Grant Agreement.
IST-ID	Associação do Instituto Superior Técnico para a Investigação e Desenvolvimento.
MED	Mediterranean.
MW	Monitoring Well.
NGO	Non-governmental organizations.
PU	Public.
R	Document, report.
RF	Random Forest.
RCM	Regional Climate Model.
RCP	Regional Climate Projection.
SPEI	Standardized Precipitation Evapotranspiration Index.
SPI	Standardized Precipitation Index.
SGI	Standardized Groundwater Index.
TUC	Technical University of Crete.
UFZ	Helmholtz-Zentrum für Umweltforschung.
UNIPR	Università degli Studi di Parma.
UPV	Universitat Politècnica de València.
WP	Work Package.

Executive Summary

The overall objective of the InTheMED project is to implement innovative and sustainable management tools and remediation strategies for MED aquifers (inland and coastal) in order to mitigate anthropogenic and climate-change threats by creating new long-lasting spaces of social learning among different interdependent stakeholders, NGOs, and scientific researchers in five field case studies. These are located at the two shores of the MED basin, namely in Spain, Greece, Portugal, Tunisia, and Turkey.

InTheMED will develop an inclusive process that will establish an ensemble of innovative assessment and management tools and methodologies including a high-resolution monitoring approach, smart modelling, a socio-economic assessment, web-based decision support systems (DSS) and new configurations for governance to validate efficient and sustainable integrated groundwater management in the MED considering both the quantitative and qualitative aspects.

This Deliverable aims to illustrate surrogate models and their applications for groundwater purposes. An extended scientific literary review was carried out to evaluate the most promising surrogate models. Three examples are presented in order to illustrate pros and cons of the surrogate models.

1. Overview

The choice of the most suitable models is closely linked to the purpose of the investigation and to the problem at hand. Several activities in order to complete Task 3.1 were carried out:

- scientific literary review of recent documents related to surrogate modelling in groundwater (Attachment A);
- development and analysis of a survey regarding the study sites (results are reported in the Milestone M3.1, see Tanda et al., 2021);
- identification of the best surrogate models suitable for pilot sites: artificial neural network (ANN), random forest (RF) and linear regression;
- application of ANN, RF to synthetic cases and linear regression to field data;
- presentation of the results (see Section 2) to project partners during the meeting of May 7th;
- discussion with each project partner regarding the case studies (Section 3).

Following, the results of the synthetic cases and of the meeting with project partners are reported.

2. Test cases

The goal of surrogate models is to achieve a rapid response following a stress. For example, the knowledge of the nitrate concentrations at monitoring wells (MWs) due to the spread of a fertilizer in a specific area is of primary importance. The surrogate models, once calibrated, allow the evaluation of different scenarios that consider, for instance, different releases.

Both ANN and RF (Figure 1) are promising approaches for surrogate modelling. To evaluate the applicability of these methods, two literary test cases were considered: the first deals with groundwater flow (effect of recharge and pumping rate on hydraulic heads at monitoring points) and the second with groundwater transport (estimation of concentrations at monitoring wells starting from different releases).




Figure 1 – (left) Scheme of Artificial Neural Network. (right) Scheme of random forest.

The last example deals with the effect of climate change on groundwater resource. A linear regression model is applied to project future groundwater levels using historical rainfall, temperature and groundwater level data and climate models outputs.

2.1. Groundwater Flow

The study case proposed by Hendricks Franssen et al. (2009) was considered. The test case consists of a confined aquifer of 5000 m×5000 m with 50×50 cells (Figure 2). The West and East boundary conditions are assigned hydraulic heads respectively of 0 m and 5 m, while the North and South are impermeable. The aquifer is subjected to a surface recharge and a pumping well (Figure 2). The transmissivity field was generated with an exponential variogram with $\sigma^2_Y = 1$ (where $Y = \ln(T)$) and correlation length of 500 m (Figure 2).

The objective of the test was to reproduce hydraulic heads at monitoring wells knowing only the recharge rate and pumping well rate. Both ANN and RF (Figure 1) were trained using data collected through the numerical modelling. In particular, the effects of several pumping well flow rate (0.02-0.095 m³/s) and recharge rate (100-600 mm/y) were simulated. For a total of 176 forward simulations, the hydraulic heads at 25 monitoring wells were collected.




Figure 2 – (left) Synthetic example for groundwater flow. Each colour represents the natural logarithm of the transmissivity; (right) example of computed hydraulic heads in meters. The red crosses are monitoring wells and the blue circle denotes the pumping wells. Numbers on axis identify the cells.

Figure 3 reports the results obtained with the application of the two surrogate models. Both models can reproduce observed data with satisfactory accuracy.




Figure 3 – (left) Observed-estimated hydraulic heads ANN approach. (right) Observed-estimated hydraulic heads RF approach.

2.2. Groundwater Transport

To evaluate the performance of ANN and RF, a literature case introduced by Ayvaz (2018) and later adopted in Xing et al. (2019) and Jamshidi et al. (2020) has been considered. **Figure 4** shows the discretization grid of the numerical model of the studied aquifer. See Ayvaz (2018) for hydraulic and geometry characteristics of the studied case.

The aquifer system consists of 5 different hydraulic conductivity zones whose isotropic conductivity values ranges from 0.0001 m/s to 0.0007 m/s. The conductivity values are taken as uniform inside each zone. Therefore, the aquifer case dealt with a steady-state and non-uniform flow conditions one. There is one active contaminant source and 7 monitoring locations in the aquifer domain (**Figure 4**). The total simulation time is 5 years divided into 10 stress periods of 6 months each. It is assumed that the source releases conservative compounds during the first 24 months (**Figure 4**). The concentrations at MWs were collected after 5 years of the starting of the release. Therefore, the contaminant transport process in the aquifer is transient.




Figure 4 – (left) Numerical grid of the study case. (right) Released mass rate at source

Figure 5 and Figure 6 show the observed and estimated concentration at MWs respectively through ANN and RF. It is clear that both approaches well reproduce the true concentration values.




Figure 5 – ANN Observed and Estimated concentration at monitoring wells, forward simulation with one release source.




Figure 6 – RF (left) Observed and Estimated concentration at monitoring wells, forward simulation with one release source. (right) Observed estimated concentrations

2.3. Linear Regression Approach

A linear regression approach has been applied to simple evaluate the impacts of climate change on groundwater levels. Possible correlations between the meteorological and groundwater indices have been examined making use of historical rainfall and temperature data and water levels collected in monitoring wells. The climate variables are investigated in terms of Standardized Precipitation Indices (SPIs) and Standardized Precipitation Evapotranspiration Indices (SPEIs); the groundwater levels are analysed with reference to the Standardized Groundwater Index (SGI). For those wells presenting satisfactory correlation, a linear regression relationship has been computed between SGIs and SPIs, and SGIs and SPEIs. The same relationships have been applied to future SPI and SPEI values, estimated by means of an ensemble of regional climate models (RCMs), to infer future SGI indices under different climate scenarios (RCP 4.5 and RCP 8.5). This methodology has been applied to data collected

in northern Tuscany (Italy), but the procedure can be easily applied to different areas of interest.

As an example, Figure 7 shows the couples SGI-SPI plotted together with the regression line and the identity line for a specific well (Paganico). The results for the Paganico monitoring well are presented in terms of box-plots of the SGIs obtained through the SGI-SPI (Figure 8a) and SGI-SPEI (Figure 8b) regression equations for the historical period and at short-, medium- and long-term under the two RCP scenarios.




Figure 7 – SGIs versus SPIs (left) and SGIs versus SPEIs (right); the points represent the SGI data, the blue line indicates the regression line and the dashed line denotes the identity line. For each well, the correlation coefficient (R) and the regression equation is reported.




Figure 8 – Box-plots of the SGIs obtained for the Paganico monitoring well through the SGI-SPI (a) and SGI-SPEI (b) regression equations for the historical period and at short- (ST), medium- (MT) and long-term (LT) under the two RCP scenarios.

3. Virtual meetings with project partners

On May 7th, 2021 (14:30-16:30 CEST) all partners virtually met to discuss about surrogate models. UNIPR presented the results of the survey sent to partners in autumn 2020. The survey (results are reported in the Milestone M3.1, see Tanda et al., 2021) regarded the objectives of each site. Considering that all the study sites will investigate several scenarios of climate change; UNIPR presented a brief introduction on climate data and sea level rise. The survey allowed to distinct the sites into two groups: sites with numerical models (Requena - Utiel (Spain), Tympaki (Greece), Castro Verde (Portugal), Konya (Turkey)) and without (Grombalia (Tunisia) and Mediterranean Sea region).

In order to focus on each study case from July 7 to July 12, 2021 individual meetings with each project partners have been carried out. Following, the main outcomes are briefly reported.

Requena - Utiel (Spain)

The main objective of the surrogate modelling is to evaluate the groundwater drawdown taking into account different pumping, crop and climate scenarios. For this purpose, a surrogate model of the studied area based on Random Forest theory will be developed. UPV is improving a numerical groundwater flow model developed with MODFLOW in order to set up the surrogate model.

Tympaki (Greece)

The main goal of the surrogate modelling is to assess groundwater levels and nitrate concentrations in monitoring wells taking into account different pumping, crop and climate scenarios. TUC is developing a groundwater flow and transport model with FEFLOW to simulate the state of the art and provide data for the surrogate model. Artificial Neural Networks are suitable surrogate models for this problem.

Castro Verde (Portugal)

The objective of the pilot site is to forecast the depth of the water table under different climate scenarios. At this aim meteorological data, hydraulic heads at monitoring wells and pumping rate will be collected to set up a surrogate model.

Konya (Turkey)

The objective of the pilot site is to estimate the water budget for the entire basin and analyse the effects of different climate scenarios on water availability in the basin. At this aim a groundwater numerical model is under development and will be ready before the end of the year. The results of the numerical model and field data will be used to set up a surrogate model.

Grombalia (Tunisia)

The site is affected by groundwater contamination. The research group will focus on organic pollution and chemical oxygen demand (COD). CERTÉ will collect field data (such as rainfall, temperature, water depth, COD concentrations at MWs) and geological information in order to set up a surrogate model with a linear regression approach or with artificial neural network.

Mediterranean Sea region

UFZ will perform trend analysis and clustering of groundwater quality and dynamic using the long-term time's series data collected from different Mediterranean countries. At this aim Random Forest and/or Artificial Neural Network will be developed.

4. References

Ayvaz, M.T. A linked simulation–optimization model for solving the unknown groundwater pollution source identification problems. *J. Contam. Hydrol.* 2010, 117, 46–59, doi:10.1016/j.jconhyd.2010.06.004.

Hendricks Franssen HJ, Alcolea A, Riva M, Bakr N, van der Wiel N, Stauffer F, Guadagnini A (2009) A comparison of seven methods for the inverse modelling of groundwater flow. Application to the characterisation of well catchments. *Adv Water Resour* 32(6):851–872. <https://doi.org/10.1016/j.adv.watres.2009.02.011>

Jamshidi, A.; Samani, J.M.V.; Samani, H.M.V.; Zanini, A.; Tanda, M.G.; Mazaheri, M. Solving inverse problems of unknown contaminant source in groundwater-river integrated systems using a surrogate transport model based optimization. *Water (Switzerland)* 2020, 12, doi:10.3390/w12092415.

Tanda, M. G., Zanini, A.; Uribe Asarta, J., Gómez-Hernández, J.J. InTheMED M3.1 Choice of the typology of the surrogate models to be tested in the five study cases. (2021). doi: 10.5281/zenodo.4756875.

Xing, Z.; Qu, R.; Zhao, Y.; Fu, Q.; Ji, Y.; Lu, W. Identifying the release history of a groundwater contaminant source based on an ensemble surrogate model. *J. Hydrol.* 2019, 572, 501–516, doi:10.1016/j.jhydrol.2019.03.020.

Attachement A- References on Surrogate Modeling

- Asher, M. J., B. F. W. Croke, A. J. Jakeman, and L. J. M. Peeters. 2015. "A Review of Surrogate Models and Their Application to Groundwater Modeling." *Water Resources Research* 51 (8): 5957–73. <https://doi.org/10.1002/2015WR016967>.
- Badham, Jennifer, Sondoss Elsayah, Joseph H.A. Guillaume, Serena H. Hamilton, Randall J. Hunt, Anthony J. Jakeman, Suzanne A. Pierce, et al. 2019. "Effective Modeling for Integrated Water Resource Management: A Guide to Contextual Practices by Phases and Steps and Future Opportunities." *Environmental Modelling & Software* 116 (June): 40–56. <https://doi.org/10.1016/j.envsoft.2019.02.013>.
- Chen, Mingjie, Azizallah Izady, and Osman A Abdalla. 2017. "An Efficient Surrogate-Based Simulation-Optimization Method for Calibrating a Regional MODFLOW Model." *Journal of Hydrology* 544 (January): 591–603. <https://doi.org/10.1016/j.jhydrol.2016.12.011>.
- Chen, Yu, Guodong Liu, Xiaohua Huang, Ke Chen, Jie Hou, and Jing Zhou. 2021. "Development of a Surrogate Method of Groundwater Modeling Using Gated Recurrent Unit to Improve the Efficiency of Parameter Auto-Calibration and Global Sensitivity Analysis." *Journal of Hydrology* 598 (July): 125726. <https://doi.org/10.1016/j.jhydrol.2020.125726>.
- Cheng, Kai, and Zhenzhou Lu. 2020. "Hierarchical Surrogate Model with Dimensionality Reduction Technique for High-dimensional Uncertainty Propagation." *International Journal for Numerical Methods in Engineering* 121 (9): 2068–85. <https://doi.org/10.1002/nme.6299>.
- Christelis, Vasileios, and Andrew G. Hughes. 2018. "Metamodel-Assisted Analysis of an Integrated Model Composition: An Example Using Linked Surface Water – Groundwater Models." *Environmental Modelling & Software* 107 (September): 298–306. <https://doi.org/10.1016/j.envsoft.2018.05.004>.
- Christelis, Vasileios, George Kopsiaftis, and Aristotelis Mantoglou. 2019. "Performance Comparison of Multiple and Single Surrogate Models for Pumping Optimization of Coastal Aquifers." *Hydrological Sciences Journal* 64 (3): 336–49. <https://doi.org/10.1080/02626667.2019.1584400>.
- Christelis, Vasileios, and Aristotelis Mantoglou. 2016. "Pumping Optimization of Coastal Aquifers Assisted by Adaptive Metamodeling Methods and Radial Basis Functions." *Water Resources Management* 30 (15): 5845–59. <https://doi.org/10.1007/s11269-016-1337-3>.
- Cui, Tao, Luk Peeters, Dan Pagendam, Trevor Pickett, Huidong Jin, Russell S. Crosbie, Matthias Raiber, David W. Rassam, and Mat Gilfedder. 2018. "Emulator-Enabled Approximate Bayesian Computation (ABC) and Uncertainty Analysis for Computationally Expensive Groundwater Models." *Journal of Hydrology* 564 (September): 191–207. <https://doi.org/10.1016/j.jhydrol.2018.07.005>.
- Djurovic, Nevenka, Milka Domazet, Ruzica Stricevic, Vesna Pocuca, Velibor Spalevic, Radmila Pivic, Erika Gregoric, and Uros Domazet. 2015. "Comparison of Groundwater Level Models Based on Artificial Neural Networks and ANFIS." *The Scientific World Journal* 2015: 1–13. <https://doi.org/10.1155/2015/742138>.
- Fienen, Michael N., John P. Masterson, Nathaniel G. Plant, Benjamin T. Gutierrez, and E. Robert Thieler. 2013. "Bridging Groundwater Models and Decision Support with a Bayesian Network." *Water Resources Research* 49 (10): 6459–73. <https://doi.org/10.1002/wrcr.20496>.

- Fiene, Michael N., Bernard T. Nolan, and Daniel T. Feinstein. 2016. "Evaluating the Sources of Water to Wells: Three Techniques for Metamodeling of a Groundwater Flow Model." *Environmental Modelling & Software* 77 (March): 95–107. <https://doi.org/10.1016/j.envsoft.2015.11.023>.
- Fiene, Michael N., Bernard T. Nolan, Daniel T. Feinstein, and J. Jeffrey Starn. 2015. "Metamodels to Bridge the Gap Between Modeling and Decision Support." *Groundwater* 53 (4): 511–12. <https://doi.org/10.1111/gwat.12339>.
- Fiene, Michael N., and Nathaniel G. Plant. 2015. "A Cross-Validation Package Driving Netica with Python." *Environmental Modelling & Software* 63 (January): 14–23. <https://doi.org/10.1016/j.envsoft.2014.09.007>.
- Grundmann, Jens, Niels Schütze, Gerd H. Schmitz, and Saif Al-Shaqsi. 2012. "Towards an Integrated Arid Zone Water Management Using Simulation-Based Optimisation." *Environmental Earth Sciences* 65 (5): 1381–94. <https://doi.org/10.1007/s12665-011-1253-z>.
- Han, Kexue, Rui Zuo, Pengcheng Ni, Zhenkun Xue, Donghui Xu, Jinsheng Wang, and Dan Zhang. 2020. "Application of a Genetic Algorithm to Groundwater Pollution Source Identification." *Journal of Hydrology* 589 (October): 125343. <https://doi.org/10.1016/j.jhydrol.2020.125343>.
- Han, Zheng, Wenxi Lu, and Jin Lin. 2020. "Uncertainty Analysis for Precipitation and Sea-Level Rise of a Variable-Density Groundwater Simulation Model Based on Surrogate Models." *Environmental Science and Pollution Research*, May. <https://doi.org/10.1007/s11356-020-09177-2>.
- Hou, Zeyu, and Wenxi Lu. 2018. "Comparative Study of Surrogate Models for Groundwater Contamination Source Identification at DNAPL-Contaminated Sites." *Hydrogeology Journal* 26 (3): 923–32. <https://doi.org/10.1007/s10040-017-1690-1>.
- Hussain, Mohammed F., Russel R. Barton, and Sanjay B. Joshi. 2002. "Metamodeling: Radial Basis Functions, versus Polynomials." *European Journal of Operational Research* 138 (1): 142–54. [https://doi.org/10.1016/S0377-2217\(01\)00076-5](https://doi.org/10.1016/S0377-2217(01)00076-5).
- Jiang, Xue, and Jin Na. 2020. "Online Surrogate Multiobjective Optimization Algorithm for Contaminated Groundwater Remediation Designs." *Applied Mathematical Modelling* 78 (February): 519–38. <https://doi.org/10.1016/j.apm.2019.09.053>.
- Ju, Lei, Jiangjiang Zhang, Long Meng, Laosheng Wu, and Lingzao Zeng. 2018. "An Adaptive Gaussian Process-Based Iterative Ensemble Smoother for Data Assimilation." *Advances in Water Resources* 115 (May): 125–35. <https://doi.org/10.1016/j.advwatres.2018.03.010>.
- Knoll, Lukas, Lutz Breuer, and Martin Bach. 2019. "Large Scale Prediction of Groundwater Nitrate Concentrations from Spatial Data Using Machine Learning." *Science of The Total Environment* 668 (June): 1317–27. <https://doi.org/10.1016/j.scitotenv.2019.03.045>.
- Koch, Julian, Helen Berger, Hans Jørgen Henriksen, and Torben Obel Sonnenborg. 2019. "Modelling of the Shallow Water Table at High Spatial Resolution Using Random Forests." *Hydrology and Earth System Sciences* 23 (11): 4603–19. <https://doi.org/10.5194/hess-23-4603-2019>.
- Kopsiaftis, George, Eftychios Protopapadakis, Athanasios Voulodimos, Nikolaos Doulamis, and Aristotelis Mantoglou. 2019. "Gaussian Process Regression Tuned by Bayesian Optimization for

Seawater Intrusion Prediction.” Computational Intelligence and Neuroscience 2019 (January): 1–12. <https://doi.org/10.1155/2019/2859429>.

Kroetz, Henrique M., Rodolfo K. Tessari, and André T. Beck. 2017. “Performance of Global Metamodeling Techniques in Solution of Structural Reliability Problems.” *Advances in Engineering Software* 114 (December): 394–404. <https://doi.org/10.1016/j.advengsoft.2017.08.001>.

Lal, Alvin, and Bithin Datta. 2019. “Optimal Pumping Strategies for the Management of Coastal Groundwater Resources: Application of Gaussian Process Regression Metamodel-Based Simulation-Optimization Methodology.” *ISH Journal of Hydraulic Engineering*, April, 1–10. <https://doi.org/10.1080/09715010.2019.1599304>.

Lund, N. S. V., M. Borup, H. Madsen, O. Mark, and P. S. Mikkelsen. 2020. “CSO Reduction by Integrated Model Predictive Control of Stormwater Inflows: A Simulated Proof of Concept Using Linear Surrogate Models.” *Water Resources Research* 56 (8). <https://doi.org/10.1029/2019WR026272>.

Luo, Jiannan, Yefei Ji, and Wenxi Lu. 2019. “Comparison of Surrogate Models Based on Different Sampling Methods for Groundwater Remediation.” *Journal of Water Resources Planning and Management* 145 (5): 04019015. [https://doi.org/10.1061/\(ASCE\)WR.1943-5452.0001062](https://doi.org/10.1061/(ASCE)WR.1943-5452.0001062).

Luo, Jiannan, Wenxi Lu, Qingchun Yang, Yefei Ji, and Xin Xin. 2020. “An Adaptive Dynamic Surrogate Model Using a Constrained Trust Region Algorithm: Application to DNAPL-Contaminated-Groundwater-Remediation Design.” *Hydrogeology Journal* 28 (4): 1285–98. <https://doi.org/10.1007/s10040-020-02130-0>.

Mewes, B., H. Oppel, V. Marx, and A. Hartmann. 2020. “Information-Based Machine Learning for Tracer Signature Prediction in Karstic Environments.” *Water Resources Research* 56 (2). <https://doi.org/10.1029/2018WR024558>.

Mo, Shaoxing, Nicholas Zabararas, Xiaoqing Shi, and Jichun Wu. 2019. “Deep Autoregressive Neural Networks for High-Dimensional Inverse Problems in Groundwater Contaminant Source Identification.” *Water Resources Research* 55 (5): 3856–81. <https://doi.org/10.1029/2018WR024638>.

Mo, Shaoxing, Nicholas Zabararas, Xiaoqing Shi, and Jichun Wu. 2020. “Integration of Adversarial Autoencoders With Residual Dense Convolutional Networks for Estimation of Non-Gaussian Hydraulic Conductivities.” *Water Resources Research* 56 (2). <https://doi.org/10.1029/2019WR026082>.

Moreno-Pérez, J., A. Bonilla-Petriciolet, D.I. Mendoza-Castillo, H.E. Reynel-Ávila, Y. Verde-Gómez, and R. Trejo-Valencia. 2018. “Artificial Neural Network-Based Surrogate Modeling of Multi-Component Dynamic Adsorption of Heavy Metals with a Biochar.” *Journal of Environmental Chemical Engineering* 6 (4): 5389–5400. <https://doi.org/10.1016/j.jece.2018.08.038>.

Myklebust, Hans Olav Vogt, Jo Eidsvik, Iver Bakken Sperstad, and Debarun Bhattacharjya. 2020. “Value of Information Analysis for Complex Simulator Models: Application to Wind Farm Maintenance.” *Decision Analysis* 17 (2): 134–53. <https://doi.org/10.1287/deca.2019.0405>.

- Nan, Tongchao, Jichun Wu, Alberto Guadagnini, Xiankui Zeng, and Xiuyu Liang. 2020. "Random Walk Evaluation of Green's Functions for Groundwater Flow in Heterogeneous Aquifers." *Journal of Hydrology* 588 (September): 125029. <https://doi.org/10.1016/j.jhydrol.2020.125029>.
- Nolan, Bernard T., Christopher T. Green, Paul F. Juckem, Lixia Liao, and James E. Reddy. 2018. "Metamodeling and Mapping of Nitrate Flux in the Unsaturated Zone and Groundwater, Wisconsin, USA." *Journal of Hydrology* 559 (April): 428–41. <https://doi.org/10.1016/j.jhydrol.2018.02.029>.
- Nolan, Bernard T., Robert W. Malone, Jo Ann Gronberg, Kelly R. Thorp, and Liwang Ma. 2012. "Verifiable Metamodels for Nitrate Losses to Drains and Groundwater in the Corn Belt, USA." *Environmental Science & Technology* 46 (2): 901–8. <https://doi.org/10.1021/es202875e>.
- Ouyang, Qi, Wenxi Lu, Jin Lin, Wenbing Deng, and Weiguo Cheng. 2017. "Conservative Strategy-Based Ensemble Surrogate Model for Optimal Groundwater Remediation Design at DNAPLs-Contaminated Sites." *Journal of Contaminant Hydrology* 203 (August): 1–8. <https://doi.org/10.1016/j.jconhyd.2017.05.007>.
- Piñeros Garcet, J.D., A. Ordoñez, J. Roosen, and M. Vanclooster. 2004. "Metamodelling: Theory, Concepts, and Application to Nitrate Leaching." In , 915–24. [https://doi.org/10.1016/S0167-5648\(04\)80111-4](https://doi.org/10.1016/S0167-5648(04)80111-4).
- Rahaman, Md, Balbhadra Thakur, Ajay Kalra, Ruopu Li, and Pankaj Maheshwari. 2019. "Estimating High-Resolution Groundwater Storage from GRACE: A Random Forest Approach." *Environments* 6 (6): 63. <https://doi.org/10.3390/environments6060063>.
- Rahmati, Omid, Hamid Reza Pourghasemi, and Assefa M. Melesse. 2016. "Application of GIS-Based Data Driven Random Forest and Maximum Entropy Models for Groundwater Potential Mapping: A Case Study at Mehran Region, Iran." *CATENA* 137 (February): 360–72. <https://doi.org/10.1016/j.catena.2015.10.010>.
- Rajabi, Mohammad Mahdi. 2019. "Review and Comparison of Two Meta-Model-Based Uncertainty Propagation Analysis Methods in Groundwater Applications: Polynomial Chaos Expansion and Gaussian Process Emulation." *Stochastic Environmental Research and Risk Assessment* 33 (2): 607–31. <https://doi.org/10.1007/s00477-018-1637-7>.
- Rammay, Muzammil Hussain, Ahmed H. Elsheikh, and Yan Chen. 2019. "Quantification of Prediction Uncertainty Using Imperfect Subsurface Models with Model Error Estimation." *Journal of Hydrology* 576 (September): 764–83. <https://doi.org/10.1016/j.jhydrol.2019.02.056>.
- Rao, S. V. N., V. Sreenivasulu, S. Murty Bhallamudi, B. S. Thandaveswara, and K. P. Sudheer. 2004. "Planning Groundwater Development in Coastal Aquifers / Planification Du Développement de La Ressource En Eau Souterraine Des Aquifères Côtiers." *Hydrological Sciences Journal* 49 (1): 155–70. <https://doi.org/10.1623/hysj.49.1.155.53999>.
- Razavi, Saman, Bryan A. Tolson, and Donald H. Burn. 2012. "Review of Surrogate Modeling in Water Resources." *Water Resources Research* 48 (7). <https://doi.org/10.1029/2011WR011527>.
- Rodriguez-Galiano, Victor, Maria Paula Mendes, Maria Jose Garcia-Soldado, Mario Chica-Olmo, and Luis Ribeiro. 2014. "Predictive Modeling of Groundwater Nitrate Pollution Using Random

- Forest and Multisource Variables Related to Intrinsic and Specific Vulnerability: A Case Study in an Agricultural Setting (Southern Spain)." *Science of The Total Environment* 476–477 (April): 189–206. <https://doi.org/10.1016/j.scitotenv.2014.01.001>.
- Roshni, Thendiyath, Madan K. Jha, and J. Drisya. 2020. "Neural Network Modeling for Groundwater-Level Forecasting in Coastal Aquifers." *Neural Computing and Applications* 32 (16): 12737–54. <https://doi.org/10.1007/s00521-020-04722-z>.
- Sbai. 2019. "Well Rate and Placement for Optimal Groundwater Remediation Design with A Surrogate Model." *Water* 11 (11): 2233. <https://doi.org/10.3390/w11112233>.
- Siade, Adam J., Tao Cui, Robert N. Karelse, and Clive Hampton. 2020. "Reduced-Dimensional Gaussian Process Machine Learning for Groundwater Allocation Planning Using Swarm Theory." *Water Resources Research* 56 (3). <https://doi.org/10.1029/2019WR026061>.
- Sihag, Parveen, Anastasia Angelaki, and Barkha Chaplot. 2020. "Estimation of the Recharging Rate of Groundwater Using Random Forest Technique." *Applied Water Science* 10 (7): 182. <https://doi.org/10.1007/s13201-020-01267-3>.
- Song, Jian, Yun Yang, Gan Chen, Xiaomin Sun, Jin Lin, Jianfeng Wu, and Jichun Wu. 2019. "Surrogate Assisted Multi-Objective Robust Optimization for Groundwater Monitoring Network Design." *Journal of Hydrology* 577 (October): 123994. <https://doi.org/10.1016/j.jhydrol.2019.123994>.
- Stanko, Zachary P., and William W.-G. Yeh. 2019. "Nonlinear Model Reduction of Solute Transport Models." *Advances in Water Resources* 130 (August): 157–71. <https://doi.org/10.1016/j.advwatres.2019.05.028>.
- Sun, Alexander Y, and Bridget R Scanlon. 2019. "How Can Big Data and Machine Learning Benefit Environment and Water Management: A Survey of Methods, Applications, and Future Directions." *Environmental Research Letters* 14 (7): 073001. <https://doi.org/10.1088/1748-9326/ab1b7d>.
- Tahershamsi, Ahmad, Atabak Feizi, and Siavash Molaei. 2018. "Modeling Groundwater Surface by MODFLOW Math Code and Geostatistical Method." *Civil Engineering Journal* 4 (4): 812. <https://doi.org/10.28991/cej-0309135>.
- Tesoriero, Anthony J., Jo Ann Gronberg, Paul F. Juckem, Matthew P. Miller, and Brian P. Austin. 2017. "Predicting Redox-sensitive Contaminant Concentrations in Groundwater Using Random Forest Classification." *Water Resources Research* 53 (8): 7316–31. <https://doi.org/10.1002/2016WR020197>.
- Theodoridou, P.G., E.A. Varouchakis, and G.P. Karatzas. 2017. "Spatial Analysis of Groundwater Levels Using Fuzzy Logic and Geostatistical Tools." *Journal of Hydrology* 555 (December): 242–52. <https://doi.org/10.1016/j.jhydrol.2017.10.027>.
- Tran, Vinh Ngoc, and Jongho Kim. 2019. "Quantification of Predictive Uncertainty with a Metamodel: Toward More Efficient Hydrologic Simulations." *Stochastic Environmental Research and Risk Assessment* 33 (7): 1453–76. <https://doi.org/10.1007/s00477-019-01703-0>.
- Varouchakis, E.A., and D.T. Hristopulos. 2013. "Improvement of Groundwater Level Prediction in Sparsely Gauged Basins Using Physical Laws and Local Geographic Features as Auxiliary Variables." *Advances in Water Resources* 52 (February): 34–49. <https://doi.org/10.1016/j.advwatres.2012.08.002>.

- Varouchakis, Emmanouil A. 2018. "Spatiotemporal Geostatistical Modelling of Groundwater Level Variations at Basin Scale: A Case Study at Crete's Mires Basin." *Hydrology Research* 49 (4): 1131–42. <https://doi.org/10.2166/nh.2017.146>.
- Varouchakis, Emmanouil A., and Dionissios T. Hristopoulos. 2019. "Comparison of Spatiotemporal Variogram Functions Based on a Sparse Dataset of Groundwater Level Variations." *Spatial Statistics* 34 (December): 100245. <https://doi.org/10.1016/j.spasta.2017.07.003>.
- Varouchakis, Emmanouil A., Panagiota G. Theodoridou, and George P. Karatzas. 2019. "Spatiotemporal Geostatistical Modeling of Groundwater Levels under a Bayesian Framework Using Means of Physical Background." *Journal of Hydrology* 575 (August): 487–98. <https://doi.org/10.1016/j.jhydrol.2019.05.055>.
- Wang, Han, Wenxi Lu, Zhenbo Chang, and Jihui Li. 2020. "Heuristic Search Strategy Based on Probabilistic and Geostatistical Simulation Approach for Simultaneous Identification of Groundwater Contaminant Source and Simulation Model Parameters." *Stochastic Environmental Research and Risk Assessment* 34 (6): 891–907. <https://doi.org/10.1007/s00477-020-01804-1>.
- Wang, Quan J., James C. Bennett, David E. Robertson, and Ming Li. 2020. "A Data Censoring Approach for Predictive Error Modeling of Flow in Ephemeral Rivers." *Water Resources Research* 56 (1). <https://doi.org/10.1029/2019WR026128>.
- White, Jeremy T., Matthew J. Knowling, Micheal N. Fienen, Daniel T. Feinstein, Garry W. McDonald, and Catherine R. Moore. 2020. "A Non-Intrusive Approach for Efficient Stochastic Emulation and Optimization of Model-Based Nitrate-Loading Management Decision Support." *Environmental Modelling & Software* 126 (April): 104657. <https://doi.org/10.1016/j.envsoft.2020.104657>.
- Wongso, E., R. Nateghi, B. Zaitchik, S. Quiring, and R. Kumar. 2020. "A Data-Driven Framework to Characterize State-Level Water Use in the United States." *Water Resources Research* 56 (9). <https://doi.org/10.1029/2019WR024894>.
- Xia, Xuemin, Nianqing Zhou, Lichun Wang, Xianwen Li, and Simin Jiang. 2019. "Identification of Transient Contaminant Sources in Aquifers through a Surrogate Model Based on a Modified Self-Organizing-Maps Algorithm." *Hydrogeology Journal* 27 (7): 2535–50. <https://doi.org/10.1007/s10040-019-02003-1>.
- Xing, Zhenxiang, Ruizhuo Qu, Ying Zhao, Qiang Fu, Yi Ji, and Wenxi Lu. 2019. "Identifying the Release History of a Groundwater Contaminant Source Based on an Ensemble Surrogate Model." *Journal of Hydrology* 572 (May): 501–16. <https://doi.org/10.1016/j.jhydrol.2019.03.020>.
- Xu, Tianfang, Albert J. Valocchi, Ming Ye, and Feng Liang. 2017. "Quantifying Model Structural Error: Efficient Bayesian Calibration of a Regional Groundwater Flow Model Using Surrogates and a Data-Driven Error Model." *Water Resources Research* 53 (5): 4084–4105. <https://doi.org/10.1002/2016WR019831>.
- Yin, Jina, and Frank T.-C. Tsai. 2020. "Bayesian Set Pair Analysis and Machine Learning Based Ensemble Surrogates for Optimal Multi-Aquifer System Remediation Design." *Journal of Hydrology* 580 (January): 124280. <https://doi.org/10.1016/j.jhydrol.2019.124280>.

- Young, P. C., and M. Ratto. 2011. "Statistical Emulation of Large Linear Dynamic Models." *Technometrics* 53 (1): 29–43. <https://doi.org/10.1198/TECH.2010.07151>.
- Young, Peter C. 2012. "Continuous-Time Emulation of Large Distributed Parameter Dispersion Models." *IFAC Proceedings Volumes* 45 (16): 1055–60. <https://doi.org/10.3182/20120711-3-BE-2027.00099>.
- Zerpa, Luis E., Nestor V. Queipo, Salvador Pintos, and Jean-Louis Salager. 2005. "An Optimization Methodology of Alkaline–Surfactant–Polymer Flooding Processes Using Field Scale Numerical Simulation and Multiple Surrogates." *Journal of Petroleum Science and Engineering* 47 (3–4): 197–208. <https://doi.org/10.1016/j.petrol.2005.03.002>.
- Zhang, Andi, James Winterle, and Changbing Yang. 2020. "Performance Comparison of Physical Process-Based and Data-Driven Models: A Case Study on the Edwards Aquifer, USA." *Hydrogeology Journal* 28 (6): 2025–37. <https://doi.org/10.1007/s10040-020-02169-z>.
- Zhang, Jianfeng, Yan Zhu, Xiaoping Zhang, Ming Ye, and Jinzhong Yang. 2018. "Developing a Long Short-Term Memory (LSTM) Based Model for Predicting Water Table Depth in Agricultural Areas." *Journal of Hydrology* 561 (June): 918–29. <https://doi.org/10.1016/j.jhydrol.2018.04.065>.
- Zhang, Jiangjiang, Qiang Zheng, Dingjiang Chen, Laosheng Wu, and Lingzao Zeng. 2020. "Surrogate-Based Bayesian Inverse Modeling of the Hydrological System: An Adaptive Approach Considering Surrogate Approximation Error." *Water Resources Research* 56 (1). <https://doi.org/10.1029/2019WR025721>.
- Zhang, Menglin, Litang Hu, Lili Yao, and Wenjie Yin. 2017. "Surrogate Models for Sub-Region Groundwater Management in the Beijing Plain, China." *Water* 9 (10): 766. <https://doi.org/10.3390/w9100766>.
- Zhang, Ruixi, Remmy Zen, Jifang Xing, Dewa Made Sri Arsa, Abhishek Saha, and Stéphane Bressan. 2020. "Hydrological Process Surrogate Modelling and Simulation with Neural Networks." In , 449–61. https://doi.org/10.1007/978-3-030-47436-2_34.
- Zhou, Jun, Xiaosi Su, and Geng Cui. 2018. "An Adaptive Kriging Surrogate Method for Efficient Joint Estimation of Hydraulic and Biochemical Parameters in Reactive Transport Modeling." *Journal of Contaminant Hydrology* 216 (September): 50–57. <https://doi.org/10.1016/j.jconhyd.2018.08.005>.
- Zhou, Zitong, and Daniel M. Tartakovsky. 2021. "Markov Chain Monte Carlo with Neural Network Surrogates: Application to Contaminant Source Identification." *Stochastic Environmental Research and Risk Assessment* 35 (3): 639–51. <https://doi.org/10.1007/s00477-020-01888-9>.